


GENTRY COUNTY



ADA REGION
 ADA SERVICE AREA
 FIPS COUNTY CODE
 2009 POP. ESTIMATE
 CENSUS 2010

Northwest
 1
 075
 6,108
 6,738

2009 POPULATION PROFILE BY AGE GROUP



| | 2009 | 2008 | 2007 |
|---|-------|-------|-------|
| BIRTH RISK FACTORS | | | |
| Resident Births--Total | 80 | 86 | 73 |
| Mother Reported Drinking while Pregnant | 0 | 0 | 0 |
| Mother Reported Smoking while Pregnant | 11 | 20 | 21 |
| HIV DISEASE RISK FACTORS | | | |
| New HIV/AIDS Cases--Total | 0 | 0 | 0 |
| IDU and MSM | 0 | 0 | 0 |
| IDU without MSM | 0 | 0 | 0 |
| DEATHS and INJURIES | | | |
| Resident Deaths--Total | 97 | 80 | 99 |
| Suicides | 1 | 1 | 1 |
| Self-inflicted Injuries | 4 | 7 | 5 |
| Homicides | 0 | 0 | 0 |
| Assault Injuries | 22 | 24 | 12 |
| Alcohol Induced Deaths | 0 | 0 | 0 |
| Drug Induced Deaths | 0 | 0 | 0 |
| Smoking Induced Deaths | 20 | 10 | 19 |
| HOSPITAL / EMERGENCY ROOM | | | |
| Alcohol Related--Total | 32 | 49 | 43 |
| Direct Hospitalizations | 10 | 13 | 10 |
| Emergency Room Hospitalizations | 17 | 14 | 13 |
| Emergency Room Outpatient | 5 | 22 | 20 |
| Drug Related--Total | 36 | 52 | 30 |
| Direct Hospitalizations | 13 | 18 | 10 |
| Emergency Room Hospitalizations | 7 | 10 | 5 |
| Emergency Room Outpatient | 16 | 24 | 15 |
| TRAFFIC -- IMPAIRED DRIVER | | | |
| Alcohol Involved Crashes--Total | 9 | 4 | 7 |
| Fatal Crashes | 2 | 0 | 0 |
| Injury Crashes | 5 | 1 | 5 |
| Property Damage Crashes | 2 | 3 | 2 |
| Crash Fatalities | 2 | 0 | 0 |
| Crash Injuries | 7 | 2 | 8 |
| Drug Involved Crashes--Total | 1 | 0 | 0 |
| Fatal Crashes | 0 | 0 | 0 |
| Injury Crashes | 0 | 0 | 0 |
| Property Damage Crashes | 1 | 0 | 0 |
| Crash Fatalities | 0 | 0 | 0 |
| Crash Injuries | 0 | 0 | 0 |
| EMPLOYMENT | | | |
| Labor Force | 3,560 | 3,559 | 3,458 |
| Employed | 3,308 | 3,328 | 3,305 |
| Unemployed | 252 | 231 | 153 |
| Unemployment Rate | 7.1% | 6.5% | 4.4% |

| | 2009-2010 | 2008-2009 | 2007-2008 |
|------------------------------------|-----------|-----------|-----------|
| SCHOOL REPORTS | | | |
| Enrollment Grades 9-12 | 366 | 370 | 378 |
| Drop-outs | 4 | 9 | 10 |
| Drop-out Rate | 1.1% | 2.4% | 2.6% |
| Alcohol Discipline Incidents | 0 | 0 | 0 |
| Drug Discipline Incidents | 3 | 0 | 0 |
| Tobacco Discipline Incidents | 0 | 0 | 0 |
| POLICE REPORTS | | | |
| DWI/DUI Arrests | 43 | 36 | 40 |
| Liquor Law Arrests | 10 | 3 | 6 |
| Drug Arrests | 11 | 10 | 13 |
| Methamphetamine Lab Incidents | 0 | 0 | 3 |
| Violent Offenses | 1 | 5 | 6 |
| Property Offenses | 36 | 54 | 49 |
| Domestic Violence Reports | 7 | 0 | 3 |
| JUVENILE COURT REFERRALS | | | |
| Law Violation Offenses--Total | 14 | 33 | 27 |
| Violent Offenses | 2 | 2 | 2 |
| Alcohol Offenses | 4 | 7 | 12 |
| Drug Offenses | 0 | 1 | 0 |
| Status Offenses--Total | 23 | 19 | 14 |
| Truancy | 1 | 2 | 2 |
| Beyond Parental Control | 12 | 9 | 9 |
| Habitually Absent from Home | 0 | 1 | 1 |
| Injurious Behavior | 9 | 7 | 2 |
| Abuse/Neglect/Custody--Total | 12 | 24 | 11 |
| Abuse | 0 | 6 | 6 |
| Neglect | 11 | 18 | 5 |
| Custody Disputes | 1 | 0 | 0 |
| JUVENILE COURT PLACEMENTS | | | |
| Out-of-Home Placements--Total | 1 | 6 | 7 |
| Parental Alcohol Use Related | 1 | 0 | 1 |
| Parental Drug Use Related | 0 | 3 | 0 |
| Parental Alcohol and Drug Use | 0 | 0 | 0 |
| Child Removed for Other Reason | 0 | 3 | 6 |
| CRIMINAL JUSTICE | | | |
| Drug Court Participants | 0 | 4 | 5 |
| Probation/Parole Admissions--Total | 28 | 33 | 32 |
| Probation/Parole Admissions--Drug | 7 | 7 | 5 |
| Probation/Parole Admissions--DWI | 1 | 2 | 2 |
| Prison Admissions--Total | 16 | 19 | 22 |
| Prison Admissions--Drug | 1 | 6 | 6 |
| Prison Admissions--DWI | 0 | 1 | 2 |
| RETAIL ALCOHOL / TOBACCO | | | |
| Alcohol On-Premise Drink Licenses | 4 | 5 | 5 |
| Alcohol Package Carry-out Licenses | 9 | 10 | 9 |
| Tobacco Outlets | 12 | | |

An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information. IDU (injection drug use) and MSM (men who have sex with men) indicate the presence of risk factors for transmission of HIV.

GENTRY COUNTY

DIVISION OF ALCOHOL AND DRUG ABUSE -- TREATMENT ADMISSIONS DATA

Individuals who were admitted to Division of ADA substance abuse treatment programs are counted below, once for each category of service they accessed during the fiscal year.

| SUBSTANCE ABUSE TREATMENT | FY2010 | FY2009 | FY2008 |
|----------------------------------|---------------|---------------|---------------|
| CSTAR Adolescent | * | * | * |
| CSTAR Women and Children | 0 | 0 | 0 |
| CSTAR General Adult | * | * | * |
| CSTAR Opioid | 0 | 0 | 0 |
| Primary Recovery Detoxification | * | * | * |
| Primary Recovery Treatment | 19 | 22 | 21 |
| Clinical SATOP (CIP, YCIP, SROP) | * | * | * |
| Other Substance Abuse Treatment | 0 | 0 | * |


| SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP) | FY2010 | FY2009 | FY2008 |
|---|---------------|---------------|---------------|
| Offender Management Unit | 31 | 48 | 31 |
| - Adolescent Diversion Education Program | 7 | 10 | * |
| - Offender Education Program | 11 | 23 | 14 |
| - Weekend Intervention Program | 8 | 10 | 10 |
| <i>(See also Clinical SATOP at left)</i> | | | |
| OTHER SERVICES PROVIDED | | | |
| Co-Dependency | 0 | 0 | * |
| Compulsive Gambling | 0 | 0 | 0 |
| Recovery Supports | * | 5 | 0 |
| Early Intervention | 0 | | |

The demographic and clinical profile data below summarize individuals who were admitted to ADA substance abuse treatment programs, based on their first treatment episode in the fiscal year. Individuals who were admitted only to non-clinical SATOP and non-substance abuse treatment programs are not included below. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

| | FY2010 | FY2009 | FY2008 | | FY2010 | FY2009 | FY2008 |
|-----------------------------------|---------------|---------------|---------------|---------------------------------------|---------------|---------------|---------------|
| GENDER | | | | MARITAL / FAMILY STATUS | | | |
| Male | 14 | 15 | 17 | Never Married | 13 | 14 | 16 |
| Female | 13 | 14 | 9 | Married / Co-habiting | 5 | 9 | 7 |
| | | | | Previously Married | 9 | 5 | * |
| AGE | | | | PRIMARY DRUG PROBLEM | | | |
| Under 18 | * | * | * | Alcohol | 16 | 11 | 12 |
| 18 to 24 | 5 | 8 | 10 | Marijuana / Hashish | 8 | 8 | 9 |
| 25 to 29 | * | * | 5 | Cocaine (Total) | 0 | 0 | 0 |
| 30 to 34 | * | * | * | - Crack | 0 | 0 | 0 |
| 35 to 39 | * | * | * | Stimulant (Total) | * | 6 | * |
| 40 to 44 | * | * | * | - Methamphetamine | * | 6 | * |
| 45 to 54 | 7 | 6 | * | Heroin | 0 | 0 | 0 |
| 55 and Over | * | 0 | 0 | Analgesic Except Heroin | * | * | * |
| RACE / ETHNICITY | | | | - Non-Prescription Methadone | 0 | 0 | 0 |
| Caucasian | 26 | 29 | 26 | PCP, LSD, other Hallucinogen | 0 | 0 | 0 |
| African American | * | 0 | 0 | Tranquilizer | 0 | * | 0 |
| Native American / Alaskan | 0 | 0 | 0 | Inhalant | 0 | 0 | 0 |
| Asian / Pacific Islander | 0 | 0 | 0 | Sedative | 0 | 0 | 0 |
| Hispanic | * | 0 | 0 | Other Medication or Illicit Drug | 0 | 0 | 0 |
| Other Race / Two or More Races | 0 | 0 | 0 | Average Age of First Use of Drug | 16.9 | 17.3 | 16.1 |
| EDUCATION | | | | INJECTION DRUG USE | | | |
| Less than High School Diploma | 7 | 8 | 6 | Total Injection Users at Admission | * | * | * |
| High School Graduate or G.E.D. | 12 | 19 | 16 | - Daily Injection Use | 0 | 0 | 0 |
| Associate Degree Or Some College | 8 | * | * | - Weekly Injection Use | 0 | 0 | 0 |
| Bachelor or Advanced Degree | 0 | 0 | 0 | - Less than Weekly Injection Use | * | * | * |
| EMPLOYMENT | | | | TREATMENT REFERRAL SOURCE | | | |
| Employed | 9 | 12 | 15 | Self / Family / Friend | 5 | 5 | * |
| Unemployed | 10 | 8 | 7 | School | 0 | 0 | 0 |
| Not in Labor Force | 8 | 9 | * | Mental Health Provider | * | 0 | 0 |
| | | | | Health Care Provider | * | * | * |
| LIVING ARRANGEMENT | | | | Court / Criminal Justice | 15 | 21 | 19 |
| Independent Living | 23 | 24 | 21 | Other | 5 | * | * |
| Dependent Living | * | 5 | * | SPECIAL POPULATIONS | | | |
| Homeless | 0 | 0 | * | Pregnant When Admitted to Any Episode | 0 | 0 | 0 |
| LIFETIME DUI / DWI ARRESTS | | | | Military Veteran | * | * | * |
| 0 | 13 | 17 | 13 | Special Education Services Needed | * | 0 | * |
| 1 or 2 | 10 | 8 | 7 | Co-Occurring Psychological Problem | 7 | 10 | 8 |
| 3 or More | * | * | 6 | Co-Occurring Developmental Problem | 0 | * | * |

DIVISION OF COMPREHENSIVE PSYCHIATRIC SERVICES -- CLINICAL DATA

GENTRY COUNTY



CPS DISTRICT Western
CPS SERVICE AREA 1
2009 POP. ESTIMATE 6,108
CENSUS 2010 6,738

Individuals who received CPS services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

| DIAGNOSIS CATEGORY | FY2010 | FY2009 | FY2008 |
|--------------------------|--------|--------|--------|
| Adjustment Disorder | 0 | 0 | * |
| Anxiety Disorder | 5 | 6 | 6 |
| Dementia | 0 | 0 | 0 |
| Developmental Disorder | 0 | 0 | 0 |
| Impulse Control Disorder | 8 | 11 | 12 |
| Mood Disorder | 17 | 20 | 16 |
| Personality Disorder | 0 | 0 | 0 |
| Psychotic Disorder | * | * | * |
| Sexual Disorder | 0 | 0 | 0 |
| Other Diagnosis | * | 6 | * |
| Diagnosis Unknown | 5 | 7 | 9 |

The demographic and clinical data below summarize individuals who received clinical treatment from the Division of Comprehensive Psychiatric Services in fiscal years 2008-2010. Individuals are counted once in each fiscal year in which they received services, based on their first treatment episode of the fiscal year. Information that is unknown or was not collected is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

| NUMBER SERVED | FY2010 | FY2009 | FY2008 | SPECIAL POPULATION | FY2010 | FY2009 | FY2008 |
|-------------------------------|--------|--------|--------|-------------------------------------|--------|--------|--------|
| Total | 32 | 45 | 41 | Hearing Impaired | 0 | 0 | 0 |
| -- Male | 17 | 21 | 21 | Past or Current Military Service | * | * | 0 |
| -- Female | 15 | 24 | 20 | HOUSING / LIVING ARRANGEMENT | | | |
| AGE | | | | Independent Living | 0 | 0 | 0 |
| Under 6 | 0 | 0 | * | Dependent Living | 0 | 0 | 0 |
| 6 to 9 | 5 | 8 | 5 | Homeless | 0 | 0 | 0 |
| 10 to 13 | * | 7 | 8 | Other | 0 | 0 | 0 |
| 14 to 17 | 5 | 5 | * | Housing Unknown | 32 | 45 | 41 |
| 18 to 24 | * | 5 | * | EMPLOYMENT | | | |
| 25 to 29 | * | * | * | Employed | 0 | 0 | 0 |
| 30 to 34 | * | * | * | Unemployed | 0 | 0 | 0 |
| 35 to 39 | * | 5 | * | Not in Labor Force | 0 | 0 | 0 |
| 40 to 44 | * | 0 | * | Employment Status Unknown | 32 | 45 | 41 |
| 45 to 49 | * | * | * | ARRESTS | | | |
| 50 to 54 | 0 | 0 | * | Arrested in Past 12 Months | 0 | 0 | 0 |
| 55 to 59 | * | * | * | Not Arrested in Past 12 Months | 0 | 0 | 0 |
| 60 and Over | * | * | * | Arrest Status Unknown | 32 | 45 | 41 |
| RACE / ETHNICITY | | | | TREATMENT REFERRAL SOURCE | | | |
| Caucasian | 31 | 41 | 39 | Self / Family / Friend | 12 | 14 | 15 |
| African American | 0 | * | * | School | 0 | * | * |
| Native American / Alaskan | 0 | 0 | 0 | Mental Health Provider | * | 9 | 7 |
| Asian / Pacific Islander | 0 | 0 | 0 | Health Care Provider | 6 | 7 | 5 |
| Hispanic | 0 | * | * | Court / Criminal Justice | * | 5 | * |
| Other Race | * | * | 0 | Other | 6 | 8 | 10 |
| Race/Ethnicity Unknown | 0 | 0 | 0 | Referral Source Unknown | 0 | * | * |
| EDUCATION | | | | TYPE OF COMMITMENT | | | |
| Less than High School Diploma | 0 | 0 | 0 | Voluntary | 32 | 44 | 39 |
| High School Grad or G.E.D. | 0 | 0 | 0 | Civil | 0 | 0 | * |
| A.A. Degree or Some College | 0 | 0 | 0 | Criminal | 0 | 0 | 0 |
| Bachelor or Advanced Degree | 0 | 0 | 0 | Sexual Predatory | 0 | 0 | 0 |
| Education Level Unknown | 32 | 45 | 41 | Commitment Type Unknown | 0 | * | * |

GENTRY COUNTY

2010 MISSOURI STUDENT SURVEY

LIFETIME SUBSTANCE USE

Percent of students who have ever used the following:

- Cigarettes
- Chewing tobacco
- Cigars
- Alcohol
- Marijuana
- Inhalants
- Prescription drugs not prescribed for student
- Over-the-counter medications for non-medical use
- Cocaine
- Heroin
- Hallucinogens such as LSD, PCP, mescaline, peyote, or psilocybin
- Methamphetamine
- Club drugs such as ecstasy, GHB, roofie, or Special K
- Steroid not prescribed for student

CURRENT SUBSTANCE USE

Percent of students who used the following in the past 30 days:

- Cigarettes
- Chewing tobacco
- Alcohol
- Alcohol -- 5 or more drinks on one occasion
- Marijuana
- Inhalants
- Prescription drugs not prescribed for student
- Over-the-counter medications for non-medical use

GAMBLING

Percent of students who have:

- Ever gambled, such as poker for money, sports bets, lottery tickets
- Gambled in the past 30 days

MENTAL HEALTH

Percent of students who, in the past 30 days:

- Were very sad
- Were grouchy, irritable, or in a bad mood
- Felt hopeless about the future
- Felt like not eating, or eating more than usual
- Slept a lot more or a lot less than usual
- Had difficulty concentrating on school work

Percent of students who, in the past 12 months:

- Seriously considered attempting suicide
- Made a plan about how they would attempt suicide
- Attempted suicide
- Had a suicide attempt that resulted in injury or overdose that had to be treated by doctor or nurse

BULLYING

Percent of students who, in the past 12 months, were:

- Bullied on school property
- Threatened or injured with a weapon on school property
- In a physical fight
- In a fight and had to be treated by a doctor or nurse

Percent of students who, in the past 3 months:

- Made fun of other people
- Were made fun of by others

(%)

SCHOOL BONDING

Percent of students who agree with the following:

- Students have opportunities to decide activities and rules
- Teachers encourage students to work on classroom projects
- Teachers notice and comment on student's good work
- School has opportunities for involvement in sports, clubs, activities
- School has opportunities for students to talk to teachers one-on-one
- School provides feedback to parents on positive student performance
- Teachers praise students for their hard work
- Students can participate in class discussions and activities
- Rules are enforced fairly
- Students of all races and ethnicities are treated equally

(%)

PEER ENGAGEMENT

Percent of students whose closest friends in the past 12 months:

- Smoked cigarettes
- Drank alcohol
- Smoked marijuana
- Used other drugs

PERCEPTION OF HARM

Percent of students who think kids in their area would be caught by the police if they:

- Smoked cigarettes
- Drank alcohol
- Smoked marijuana

Percent of students who believe people risk harming themselves if they:

- Smoke cigarettes
- Drink alcohol
- Use marijuana
- Use any other illegal drugs

AVAILABILITY

Percent of students who say it would be easy to get the following:

- Cigarettes
- Alcohol
- Marijuana
- Other illegal drugs such as cocaine, LSD, meth, or ecstasy

PERCEPTION OF "WRONGNESS"

Percent of students who say it would be wrong to:

- Smoke cigarettes
- Drink alcohol
- Use marijuana
- Use other illegal drugs

PARENTAL ATTITUDES

Percent of students who say parents would disapprove if they:

- Smoked cigarettes
- Drank alcohol
- Smoked marijuana
- Used other illegal drugs

REBELLIOUS ATTITUDES

Percent of students who agree with the following:

- I ignore rules that get in my way
- I do the opposite of what people tell me, just to get them mad
- It is okay to take something without asking if you can get away with it
- Sometimes it is okay to cheat at school
- It is all right to beat up people if they start the fight
- It is important to be honest with parents regardless of consequences
- I could ask my mom or dad for help if I had a personal problem

Data are weighted across ages 10-19 and by county, gender, Hispanic origin, and race. Percentages on some items are based on combined answer choices. Data are not available for Gentry, Maries, Mercer, and Ralls counties.

Source: Missouri Institute of Mental Health. 2010 Missouri Student Survey.