

CLAY COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Abuse	6
Adult Psychiatric	6
POPULATION	
Census 2010	221,939
2013 Estimate	230,473

	2012	2011	2010
BIRTH RISK			
Resident Births--Total	3,121	3,005	3,136
Mother Reported Smoking while Pregnant	446	440	450
DISEASE INCIDENCE			
HIV/AIDS Cases	19	17	21
Hepatitis B Chronic, Acute, Prenatal	1 5	7	3
Hepatitis C Chronic and Acute	1 38	45	38
Tuberculosis Infection Cases	1 25	32	70
DEATHS and INJURIES			
Resident Deaths--Total	1,580	1,535	1,542
Suicides	36	28	36
Self-inflicted Injuries	343	351	391
Homicides	11	10	5
Assault Injuries	750	740	758
Alcohol Induced Deaths	19	22	16
Drug Induced Deaths	30	21	25
Smoking Attributable Deaths	282	268	302
HOSPITAL EPISODES			
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 1,543	1,587	
Alcohol Primary Diagnosis	2 132	144	
Drug Primary Diagnosis	2 86	95	
Alcohol Related Diagnosis		560	737
Drug Related Diagnosis		590	705
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 368	344	
Alcohol Primary Diagnosis	2 156	154	
Drug Primary Diagnosis	2 77	90	
Alcohol Related Diagnosis		846	724
Drug Related Diagnosis		711	548
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 1,975	1,752	
Alcohol Primary Diagnosis	2 594	629	
Drug Primary Diagnosis	2 343	288	
Alcohol Related Diagnosis		1,313	1,320
Drug Related Diagnosis		1,184	878
TRAFFIC: IMPAIRED DRIVER			
Alcohol Involved Crashes--Total	176	154	213
Fatal Crashes	1	3	7
Injury Crashes	71	55	87
Property Damage Crashes	104	96	119
Crash Fatalities	1	3	7
Crash Injuries	96	87	119
Drug Involved Crashes--Total	42	29	26
Fatal Crashes	1	0	0
Injury Crashes	18	12	11
Property Damage Crashes	23	17	15
Crash Fatalities	1	0	0
Crash Injuries	25	13	16

	2013	2012	2011
EMPLOYMENT			
Labor Force	121,070	120,910	121,175
Employed	113,476	113,144	111,790
Unemployed	7,594	7,766	9,385
Unemployment Rate	6.3%	6.4%	7.7%

	2012-2013	2011-2012	2010-2011
SCHOOL REPORTS			
Enrollment Grades 9-12	11,788	11,424	11,325
Drop-outs	154	245	293
Drop-out Rate	1.3%	2.1%	2.6%
School Suspensions:			
Alcohol Incidents	0	16	9
Drug Incidents	128	101	109
Tobacco Incidents	0	6	0

	2012	2011	2010
POLICE REPORTS			
DUI Arrests, DWI Tracking System	985	1,049	1,029
Liquor Law Arrests	229	320	364
Drug Arrests	776	787	769
Methamphetamine Lab Incidents	8	3	4
Violent Offenses	244	235	214
Property Offenses	2,828	2,682	2,365
Domestic Violence Reports	640	572	772

	2012	2011	2010
JUVENILE COURT REFERRALS			
Juvenile Law Violations--Total	674	648	736
Violent Offenses	151	133	170
Alcohol Offenses	33	35	27
Drug Offenses	89	91	113
Status Offenses--Total	73	55	63
Truancy	13	10	17
Beyond Parental Control	23	11	10
Habitually Absent from Home	25	24	29
Injurious Behavior	5	4	3
Abuse/Neglect/Custody--Total	264	219	189
Abuse	17	18	5
Neglect	230	188	176
Custody Disputes	17	13	8

	2012	2011	2010
JUVENILE COURT PLACEMENTS			
Out-of-Home Placements--Total	44	34	47
Parental Alcohol Use Related	2	3	5
Parental Drug Use Related	11	7	13
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	31	23	29

	FY2013	FY2012	FY2011
CRIMINAL JUSTICE			
Drug Court Participants	50	57	57
Probation/Parole Admissions--Total	807	783	728
Probation/Parole Admissions--Drug	219	231	216
Probation/Parole Admissions--DWI	72	70	51
Prison Admissions--Total	466	438	417
Prison Admissions--Drug	119	108	124
Prison Admissions--DWI	42	35	33

	2013	2012	2011
RETAIL ALCOHOL OUTLETS			
Alcohol On-Premise Drink Licenses	185	189	189
Alcohol Package Carry-out Licenses	146	151	150

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

CLAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	59	60	90
CSTAR Adolescent	52	37	48
CSTAR Women and Children	33	28	33
CSTAR General Adult	631	631	547
CSTAR Opioid	*	7	11
Primary Recovery Treatment	35	33	52
Clinical SATOP (CIP, YCIP, SROP)	200	205	156
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	856	904	908
- Adolescent Diversion Education Program	6	18	12
- Offender Education Program	303	329	338
- Weekend Intervention Program	233	261	278
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	16	13	17
Compulsive Gambling	*	*	19
Recovery Supports	43	20	20
Early Intervention	5	12	8

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	988	969	859	Alcohol	424	472	436
AGE				Marijuana / Hashish	243	219	202
Under 18	57	44	49	Cocaine (total)	28	31	32
18 to 24	195	211	171	- Crack	14	23	20
25 to 29	171	163	123	Stimulant (total)	187	159	110
30 to 34	161	141	134	- Methamphetamine	184	158	105
35 to 39	90	125	93	Heroin	20	13	13
40 to 44	103	97	93	Analgesic except Heroin	64	60	53
45 to 54	163	147	156	- Non-Prescription Methadone	*	0	0
55 and Over	48	41	40	PCP, LSD, other Hallucinogen	*	7	5
GENDER				Tranquilizer	12	5	6
Male	692	650	601	Inhalant	0	0	0
Female	296	319	258	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	7	*	*
Caucasian	873	862	774	Average Age at First Use of Drug	17.9	17.9	17.3
African American	52	50	43	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	94	68	54
Asian / Pacific Islander	8	*	*	- Daily Injection Use	12	24	22
Hispanic	38	42	33	- Weekly Injection Use	22	9	15
Other Race / Two or More Races	26	22	19	- Less than Weekly Injection Use	60	35	17
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	260	251	223	0	476	467	389
High School Graduate or G.E.D.	456	456	382	1 or 2	318	286	255
Associate Degree or Some College	265	245	227	3 or More	194	216	215
Bachelor or Advanced Degree	7	17	27	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	190	169	196
Employed	347	357	272	School	*	*	0
Unemployed	380	342	403	Mental Health Provider	90	93	77
Not in Labor Force	260	270	184	Health Care Provider	29	25	37
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	454	564	480
Independent Living	869	874	741	Other Referral Source	113	89	69
Dependent Living	68	54	75	TREATMENT ACCOMMODATION			
Homeless	32	30	34	Pregnant when Admitted to any Episode	16	17	*
MARITAL / FAMILY STATUS				Military Veteran	33	58	39
Never Married	562	537	495	Special Education Services Needed	46	43	26
Married / Cohabiting	222	193	187	Co-Occurring Psychological Problem	319	313	300
Previously Married	204	239	177	Co-Occurring Developmental Problem	19	14	21

CLAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 6
CENSUS 2010 221,939
2013 POPULATION ESTIMATE 230,473

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2013	FY2012	FY2011
Adjustment Disorder	34	29	9
Anxiety Disorder	503	517	315
Dementia	*	*	*
Developmental Disorder	7	9	6
Impulse Control Disorder	274	250	128
Mood Disorder	1,796	1,763	1,148
Personality Disorder	32	31	20
Psychotic Disorder	344	341	250
Sexual Disorder	*	*	0
Other Diagnosis	43	39	33
Diagnosis Unknown	287	309	827

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2013	FY2012	FY2011	EDUCATION	FY2013	FY2012	FY2011
Total Individuals	2,749	2,691	2,375	Less than High School Diploma	381	154	71
AGE				High School Grad or G.E.D.	0	140	138
Under 6	28	26	12	Associate Degree or Some College	0	60	48
6 to 9	133	98	69	Bachelor or Advanced Degree	0	20	11
10 to 13	141	123	102	Education Level Unknown	2,368	2,317	2,107
14 to 17	184	165	132	EMPLOYMENT			
18 to 24	215	252	210	Employed	191	80	24
25 to 29	228	256	227	Unemployed	201	290	240
30 to 34	284	280	265	Not in Labor Force	854	177	5
35 to 39	249	256	240	Employment Status Unknown	1,503	2,144	2,106
40 to 44	277	260	250	HOUSING / LIVING ARRANGEMENT			
45 to 49	299	298	289	Independent Living	860	420	220
50 to 54	286	278	259	Dependent Living	365	160	148
55 to 59	227	211	167	Homeless	34	10	6
60 and Over	198	188	153	Other	0	6	10
Age Unknown	0	0	0	Housing Unknown	1,490	2,095	1,991
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,159	1,135	984	Self / Family / Friend	2,563	2,493	2,082
Female	1,590	1,556	1,391	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	38	47	53
RACE / ETHNICITY				Health Care Provider	49	51	58
Caucasian	2,351	2,329	2,076	Court / Criminal Justice	14	20	23
African American	164	156	117	Other	57	54	67
Native American / Alaskan	14	11	9	Referral Source Unknown	26	24	90
Asian / Pacific Islander	14	11	9	TYPE OF COMMITMENT			
Hispanic	88	83	54	Voluntary	2,715	2,661	2,283
Other Race	118	101	106	Civil	*	*	0
Race/Ethnicity Unknown	0	0	*	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	0
Hearing Impaired	46	53	37	Commitment Type Unknown	26	24	90
Past or Current Military Service	28	33	31				

CLAY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	28.0	35.6	37.9	Alcohol (1 or 2 drinks daily)	63.8		
Cigarettes	13.1	18.6	20.8	Alcohol (Binge: 5+ drinks once or twice a week)	75.6		
Chewing Tobacco	7.1	9.6	10.1	Alcohol (any use)		71.1	77.5
Marijuana	12.1	16.2	14.3	Cigarettes (1+ packs per day)	88.7		
Inhalants	2.5	5.5	6.9	Cigarettes (any use)		83.8	82.0
Prescription medications not prescribed for student	6.9	8.7	11.6	Marijuana (once or twice a week)	66.6		
Over-the-counter medications for non-medical use	2.4	6.6	8.5	Marijuana (any use)		73.1	72.7
Methamphetamine	0.5	1.1	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	94.1	93.8
Cocaine	0.7	1.7	1.8	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.2	0.8	0.7	Were very sad	19.0	18.4	20.2
Hallucinogens	1.8	3.2	3.2	Were grouchy, irritable, or in a bad mood	22.8	23.1	25.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	2.3	2.5	Felt hopeless about the future	11.8	11.3	12.3
Steroids not prescribed for student	0.8	1.0	1.2	Felt like not eating or eating more than usual	16.8	16.0	19.0
Synthetic drugs (K2, bath salts, Spice, etc)	2.5	6.4		Slept a lot more or a lot less than usual	17.1	20.1	25.3
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.1	22.5	23.2
Alcohol	13.31	13.00	12.75	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.30	13.06	12.55	Seriously considered attempting suicide	11.1	12.1	11.9
Marijuana	14.13	13.83	13.72	Made plan about how they would attempt suicide	7.9	8.5	8.0
Inhalants	11.53	11.90	11.77	Attempted suicide	4.7	4.5	5.3
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.5	1.6	2.0
Alcohol	11.8	16.0	17.3	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		8.7	9.5	Were threatened/injured with weapon at school	5.3	5.2	8.8
Cigarettes	5.3	8.3	11.5	Were in a physical fight	13.9	16.4	21.5
Chewing Tobacco	2.9	5.2	5.3	Were in a fight and had to be treated by a doctor or nurse	1.9	2.8	3.6
Marijuana	6.2	8.3	7.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.0	2.0	3.3	Were victims of mean rumors or lies spread at school	45.7	47.1	53.5
Prescription medications not prescribed for student	3.4	4.5	6.8	Were made fun of by others	58.7	61.3	68.8
Over-the-counter medications for non-medical use	1.6	3.8	5.7	Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.6	22.5	21.4
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	25.3	29.0	36.4
Alcohol (Binge: 5+ drinks on one occasion)	5.2			Made fun of other people	52.6	60.9	72.1
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	17.9	15.9	19.9
Alcohol	40.9	51.1	54.9	<i>Percent of students who agree that:</i>			
Cigarettes	29.6	39.8	42.9	Teachers notice and comment on student's good work	69.1	67.2	68.3
Marijuana	33.3	38.8	37.1	School provides feedback to parents on positive student performance	36.3	34.0	37.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	17.4	20.4	Rules are enforced fairly	68.2	69.0	69.9
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	83.2	79.0	78.3
Alcohol	21.8	27.2	29.0	<i>Percent of students who agree that:</i>			
Cigarettes	8.0	11.0	13.4	Parents notice and comment on student's good work	83.2	82.7	83.6
Marijuana	11.5	13.5	12.3	Parents involve student in making family decisions	72.4	69.0	70.5
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	87.6	83.0	80.9
Alcohol	68.8	64.9	63.2	Student could ask parent for help with a personal problem	79.5	76.0	75.5
Cigarettes	87.8	83.2	81.1	<i>Page Notes:</i>			
Marijuana	96.5	95.3	94.2	Similar affirmative response choices for individual questions are combined.			
<i>Percent whose parents would disapprove if they use:</i>				Blank data cells indicate estimates are not available for item or geographic area.			
Alcohol	83.8	80.9	80.6	Survey is not conducted in every school district nor reported for every county.			
Cigarettes	94.7	93.0	91.6	Estimates are not available for counties with small numbers of respondents.			
Marijuana	94.4	93.9	94.5	Percentages are estimates based on weighted data.			
<i>Percent who say it would be easy to obtain:</i>				Some year-to-year differences in percentages are not statistically significant.			
Alcohol	52.9	59.2	59.7	<i>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</i>			
Cigarettes	43.8	51.0	52.5				
Marijuana	33.6	37.9	35.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	17.7	18.3				