

ADAIR COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	25,607
2014 Estimate	25,602

BIRTH RISK	2013	2012	2011
Resident Births--Total	250	249	266
Mother Reported Smoking while Pregnant	57	48	53

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	1	0	1
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	19	10	18
Tuberculosis Infection Cases	11	11	16

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	208	226	209
Suicides	7	3	3
Self-inflicted Injuries	57	49	36
Homicides	1	0	0
Assault Injuries	26	32	36
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	5	4	6
Smoking Attributable Deaths	38	33	34

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	118	127	121
Mental Illness Secondary Diagnosis	593	633	638
Alcohol Principal Diagnosis	28	23	24
Alcohol Secondary Diagnosis	51	65	63
Drug Principal Diagnosis	8	8	3
Drug Secondary Diagnosis	27	24	17
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	38	37	37
Mental Illness Secondary Diagnosis	58	41	33
Alcohol Principal Diagnosis	8	2	2
Alcohol Secondary Diagnosis	9	8	4
Drug Principal Diagnosis	3	6	3
Drug Secondary Diagnosis	3	5	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	142	150	139
Mental Illness Secondary Diagnosis	368	138	263
Alcohol Principal Diagnosis	87	91	76
Alcohol Secondary Diagnosis	38	35	30
Drug Principal Diagnosis	16	27	20
Drug Secondary Diagnosis	31	16	16

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	31	31	33
Alcohol Package Carry-out Licenses	24	20	22

EMPLOYMENT	2014	2013	2012
Labor Force	10,989	13,088	11,870
Employed	10,308	12,379	11,131
Unemployed	681	709	739
Unemployment Rate	6.2%	5.4%	6.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	16	21	16
Fatal Crashes	0	1	0
Injury Crashes	8	13	9
Property Damage Crashes	8	7	7
Crash Fatalities	0	1	0
Crash Injuries	8	28	13
Drug Involved Crashes--Total	0	5	5
Fatal Crashes	0	1	0
Injury Crashes	0	2	0
Property Damage Crashes	0	2	5
Crash Fatalities	0	1	0
Crash Injuries	0	6	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	90	105	108
Liquor Law Arrests	81	117	178
Drug Arrests	124	92	141
Violent Offenses	58	55	138
Property Offenses	750	710	800
Domestic Violence Reports	164	170	352
	2014	2013	2012
Methamphetamine Lab Seizures	31	57	21

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	926	946	934
Drop-outs	11	19	24
Drop-out Rate	1.2%	2.0%	2.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	41	44	22
Juvenile Alcohol Offenses	5	7	20
Juvenile Drug Offenses	4	0	8
School Truancy Status Offense	138	69	60
Absent from Home Status Offense	1	7	6
Beyond Parental Control Status Offense	28	42	27
Injurious Behavior Status Offense	19	47	82
Child Abuse	11	3	16
Child Neglect	52	45	85
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	34	32	40
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	20	21	15
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	44	48	36
Probation/Parole Admissions--Drug	66	55	64
Probation/Parole Admissions--DWI	9	10	8
Prison Admissions--Drug	30	26	27
Prison Admissions--DWI	4	3	5

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

ADAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	22	19	12
CSTAR Adolescent	17	19	19
CSTAR Women and Children	7	*	7
CSTAR General Adult	210	190	186
CSTAR Opioid	0	0	0
Primary Recovery Treatment	11	15	25
Clinical SATOP (CIP, YCIP, SROP)	25	18	23
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	88	110	160
- Adolescent Diversion Education Program	19	37	82
- Offender Education Program	22	25	25
- Weekend Intervention Program	13	14	19
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	33	25	28

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	259	251	248	Alcohol	85	76	104
AGE				Marijuana / Hashish	89	88	89
Under 18	17	19	16	Cocaine (total)	*	*	*
18 to 24	64	68	76	- Crack	0	*	*
25 to 29	51	53	40	Stimulant (total)	59	54	33
30 to 34	36	29	35	- Methamphetamine	58	53	33
35 to 39	20	22	24	Heroin	*	5	*
40 to 44	22	17	16	Analgesic except Heroin	13	22	11
45 to 54	28	33	32	- Non-Prescription Methadone	0	0	0
55 and Over	21	10	9	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	*	*
Male	163	175	178	Inhalant	*	0	*
Female	96	76	70	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	247	235	230	Average Age at First Use of Drug	17.5	17.4	16.1
African American	7	6	10	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	35	38	25
Asian / Pacific Islander	0	*	*	- Daily Injection Use	6	7	*
Hispanic	6	*	6	- Weekly Injection Use	8	8	5
Other Race / Two or More Races	*	7	*	- Less than Weekly Injection Use	21	23	17
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	75	93	86	0	163	161	138
High School Graduate or G.E.D.	139	123	119	1 or 2	69	59	86
Associate Degree or Some College	42	32	38	3 or More	27	31	24
Bachelor or Advanced Degree	*	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	40	46	31
Employed	57	70	72	School	0	0	0
Unemployed	33	27	46	Mental Health Provider	*	*	*
Not in Labor Force	169	154	130	Health Care Provider	14	10	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	51	43	153
Independent Living	216	211	213	Other Referral Source	57	46	38
Dependent Living	31	25	24	TREATMENT ACCOMMODATION			
Homeless	9	13	6	Pregnant when Admitted to any Episode	*	7	*
MARITAL / FAMILY STATUS				Military Veteran	10	6	10
Never Married	129	145	138	Special Education Services Needed	17	30	20
Married / Cohabiting	70	52	57	Co-Occurring Psychological Problem	146	153	131
Previously Married	60	54	53	Co-Occurring Developmental Problem	*	*	5

ADAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 25,607
2014 POPULATION ESTIMATE 25,602

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	13	11	11
Anxiety Disorder	139	108	103
Dementia	*	0	0
Developmental Disorder	19	15	10
Impulse Control Disorder	95	76	79
Mood Disorder	232	210	218
Personality Disorder	33	21	21
Psychotic Disorder	67	73	76
Sexual Disorder	*	*	*
Other Diagnosis	55	34	38
Diagnosis Unknown	29	34	65

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	375	389	437	Less than High School Diploma	147	155	103
AGE				High School Grad or G.E.D.	0	22	127
Under 6	*	0	*	Associate Degree or Some College	0	6	30
6 to 9	16	19	22	Bachelor or Advanced Degree	0	0	8
10 to 13	37	33	31	Education Level Unknown	228	206	169
14 to 17	41	41	41	EMPLOYMENT			
18 to 24	32	31	45	Employed	14	23	53
25 to 29	24	33	43	Unemployed	9	38	188
30 to 34	32	33	33	Not in Labor Force	303	279	50
35 to 39	30	32	43	Employment Status Unknown	49	49	146
40 to 44	35	35	39	HOUSING / LIVING ARRANGEMENT			
45 to 49	36	39	48	Independent Living	179	193	229
50 to 54	38	35	39	Dependent Living	138	132	79
55 to 59	30	36	29	Homeless	*	*	0
60 and Over	23	22	23	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	57	59	127
GENDER				TREATMENT REFERRAL SOURCE			
Male	177	187	225	Self / Family / Friend	123	140	147
Female	198	202	212	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	15	18	30
RACE / ETHNICITY				Health Care Provider	41	39	33
Caucasian	348	365	402	Court / Criminal Justice	7	10	19
African American	9	9	14	Other	184	173	198
Native American / Alaskan	0	0	0	Referral Source Unknown	5	8	9
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	10	6	8	Voluntary	363	375	423
Other Race	8	9	13	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	*	5	5	Commitment Type Unknown	5	8	9
Past or Current Military Service	14	15	16				

ADAIR COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	41.8	48.1	45.5	Alcohol (1 or 2 drinks daily)	47.8		
Cigarettes	22.9	44.0	26.2	Alcohol (Binge: 5+ drinks once or twice a week)	60.2		
Chewing Tobacco	14.9	12.7	13.0	Alcohol (any use)		75.4	78.9
Marijuana	12.6	21.8	12.9	Cigarettes (1+ packs per day)	83.2		
Inhalants	3.9	6.3	9.1	Cigarettes (any use)		73.6	81.1
Prescription medications not prescribed for student	4.6	6.1	10.3	Marijuana (once or twice a week)	71.1		
Over-the-counter medications for non-medical use	1.7	1.1	9.0	Marijuana (any use)		65.4	67.0
Methamphetamine	0.0	5.6	1.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.7	97.8	92.5
Cocaine	1.0	5.4	2.1	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	5.2	0.4	Were very sad	19.4	19.6	29.1
Hallucinogens	1.0	5.6	4.2	Were grouchy, irritable, or in a bad mood	32.5	30.0	35.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	5.2	2.8	Felt hopeless about the future	8.0	7.9	18.0
Steroids not prescribed for student	0.5	5.5	1.8	Felt like not eating or eating more than usual	12.9	19.0	26.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.6	9.7		Slept a lot more or a lot less than usual	18.7	14.0	32.2
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.6	19.3	27.4
Alcohol	13.80	12.42	12.40	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	14.59	12.42	12.08	Seriously considered attempting suicide	14.2	17.6	9.3
Marijuana	16.07	13.93	13.06	Made plan about how they would attempt suicide	9.4	11.4	6.8
Inhalants	12.95	13.33	12.44	Attempted suicide	2.2	11.0	4.5
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	5.6	2.6
Alcohol	19.3	22.8	19.3	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		10.4	14.3	Were threatened/injured with weapon at school	2.4	11.8	8.2
Cigarettes	16.1	21.1	18.1	Were in a physical fight	17.9	21.9	22.6
Chewing Tobacco	6.3	7.1	5.9	Were in a fight and had to be treated by a doctor or nurse	1.0	6.0	3.7
Marijuana	3.4	9.5	5.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.5	6.1	3.2	Were victims of mean rumors or lies spread at school	63.9	49.3	49.8
Prescription medications not prescribed for student	1.7	0.6	4.5	Were made fun of by others	67.5	72.4	65.5
Over-the-counter medications for non-medical use	1.7	0.9	4.6	Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.4	25.5	18.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	33.6	31.9	30.3
Alcohol (Binge: 5+ drinks on one occasion)	9.8			Made fun of other people	71.1	49.3	76.5
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	15.6	13.6	18.3
Alcohol	55.9	57.8	53.2	<i>Percent of students who agree that:</i>			
Cigarettes	52.8	57.2	41.8	Teachers notice and comment on student's good work	74.9	70.9	69.1
Marijuana	25.0	47.6	26.4	School provides feedback to parents on positive student performance	33.7	46.9	32.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	15.9	14.1	Rules are enforced fairly	40.4	49.4	65.3
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	93.7	82.6	82.2
Alcohol	35.2	39.1	35.4	<i>Percent of students who agree that:</i>			
Cigarettes	18.1	31.5	14.9	Parents notice and comment on student's good work	79.5	80.1	80.1
Marijuana	8.8	20.9	10.6	Parents involve student in making family decisions	57.0	64.5	68.0
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	91.1	71.9	81.6
Alcohol	54.0	52.9	57.9	Student could ask parent for help with a personal problem	76.9	70.7	77.2
Cigarettes	83.2	61.2	77.9	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	88.7	68.0	84.2	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	88.8	92.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	70.4	77.8	78.9				
Cigarettes	91.4	92.9	88.4				
Marijuana	96.3	93.8	96.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	61.7	55.8	60.6				
Cigarettes	62.7	48.8	51.0				
Marijuana	38.8	34.5	29.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.5	18.1	17.6				