

BARRY COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	8A
POPULATION	
Census 2010	35,597
2014 Estimate	35,662

BIRTH RISK	2013	2012	2011
Resident Births--Total	402	437	426
Mother Reported Smoking while Pregnant	99	102	113

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	2
Hepatitis B Chronic, Acute, Prenatal	4	2	2
Hepatitis C Chronic and Acute	25	23	27
Tuberculosis Infection Cases	7	7	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	400	397	389
Suicides	1	6	6
Self-inflicted Injuries	45	62	54
Homicides	0	1	0
Assault Injuries	93	118	83
Alcohol Induced Deaths	1	0	3
Drug Induced Deaths	5	5	5
Smoking Attributable Deaths	79	79	75

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	217	198	200
Mental Illness Secondary Diagnosis	469	447	538
Alcohol Principal Diagnosis	16	20	13
Alcohol Secondary Diagnosis	34	51	57
Drug Principal Diagnosis	26	24	13
Drug Secondary Diagnosis	28	38	44
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	106	117	96
Mental Illness Secondary Diagnosis	426	434	296
Alcohol Principal Diagnosis	36	32	30
Alcohol Secondary Diagnosis	69	55	46
Drug Principal Diagnosis	19	21	14
Drug Secondary Diagnosis	29	30	22
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	269	314	294
Mental Illness Secondary Diagnosis	646	884	564
Alcohol Principal Diagnosis	69	59	57
Alcohol Secondary Diagnosis	129	114	121
Drug Principal Diagnosis	59	82	62
Drug Secondary Diagnosis	139	142	164

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	31	31	27
Alcohol Package Carry-out Licenses	53	51	51

EMPLOYMENT	2014	2013	2012
Labor Force	14,722	16,604	16,275
Employed	13,817	15,642	15,247
Unemployed	905	962	1,028
Unemployment Rate	6.1%	5.8%	6.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	47	51	68
Fatal Crashes	5	3	4
Injury Crashes	20	19	34
Property Damage Crashes	22	29	30
Crash Fatalities	5	3	4
Crash Injuries	30	28	48
Drug Involved Crashes--Total	15	7	14
Fatal Crashes	5	0	0
Injury Crashes	5	2	4
Property Damage Crashes	5	5	10
Crash Fatalities	5	0	0
Crash Injuries	8	2	8

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	327	275	316
Liquor Law Arrests	21	44	45
Drug Arrests	157	180	176
Violent Offenses	101	100	101
Property Offenses	1,237	1,390	1,124
Domestic Violence Reports	268	314	354
	2014	2013	2012
Methamphetamine Lab Seizures	27	28	44

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,870	1,905	1,928
Drop-outs	13	31	45
Drop-out Rate	0.7%	1.6%	2.3%
School Discipline Involving Alcohol	22	52	1
School Discipline Involving Drugs	9	3	44
School Discipline Involving Tobacco	2	2	2

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	16	17	43
Juvenile Alcohol Offenses	1	2	4
Juvenile Drug Offenses	5	10	14
School Truancy Status Offense	12	10	15
Absent from Home Status Offense	7	12	13
Beyond Parental Control Status Offense	7	10	13
Injurious Behavior Status Offense	9	11	12
Child Abuse	16	7	14
Child Neglect	30	26	18
Child Custody Issues	89	107	46

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	104	93	42
Parental Alcohol Use Related	4	5	3
Parental Drug Use Related	30	38	19
Parental Alcohol and Drug Use	2	2	2

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	53	50	43
Probation/Parole Admissions--Drug	82	96	78
Probation/Parole Admissions--DWI	17	27	18
Prison Admissions--Drug	37	33	42
Prison Admissions--DWI	6	6	8

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BARRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	22	25	34
CSTAR Adolescent	5	0	7
CSTAR Women and Children	18	18	9
CSTAR General Adult	83	84	75
CSTAR Opioid	0	0	0
Primary Recovery Treatment	28	16	27
Clinical SATOP (CIP, YCIP, SROP)	28	24	12
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	135	111	111
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	54	46	40
- Weekend Intervention Program	19	17	19
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	10	10
Compulsive Gambling	0	0	0
Recovery Supports	*	*	5
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	158	160	144	Alcohol	63	58	55
AGE				Marijuana / Hashish	33	26	32
Under 18	5	*	7	Cocaine (total)	0	0	0
18 to 24	25	19	33	- Crack	0	0	0
25 to 29	32	41	25	Stimulant (total)	46	56	32
30 to 34	28	30	15	- Methamphetamine	45	54	32
35 to 39	28	20	15	Heroin	*	*	0
40 to 44	15	12	14	Analgesic except Heroin	11	15	19
45 to 54	21	27	27	- Non-Prescription Methadone	0	0	0
55 and Over	*	10	8	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	0	*	*
Male	100	91	98	Inhalant	0	0	0
Female	58	69	46	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	150	152	136	Average Age at First Use of Drug	16.7	17.3	16.5
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	30	30	20
Asian / Pacific Islander	0	0	0	- Daily Injection Use	8	*	5
Hispanic	5	*	6	- Weekly Injection Use	6	7	6
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	16	19	9
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	57	51	55	0	80	83	76
High School Graduate or G.E.D.	73	72	67	1 or 2	47	52	39
Associate Degree or Some College	24	36	22	3 or More	31	25	29
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	38	59	42
Employed	57	40	55	School	0	0	0
Unemployed	50	63	48	Mental Health Provider	*	0	*
Not in Labor Force	51	57	41	Health Care Provider	7	13	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	85	40	45
Independent Living	134	140	133	Other Referral Source	25	46	49
Dependent Living	21	7	7	TREATMENT ACCOMMODATION			
Homeless	*	9	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	8	12	7
Never Married	77	59	66	Special Education Services Needed	18	19	7
Married / Cohabiting	40	49	38	Co-Occurring Psychological Problem	56	70	49
Previously Married	41	52	40	Co-Occurring Developmental Problem	6	*	*

BARRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8A
CENSUS 2010 35,597
2014 POPULATION ESTIMATE 35,662

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	31	26	44
Anxiety Disorder	186	177	191
Dementia	0	0	0
Developmental Disorder	12	8	10
Impulse Control Disorder	98	93	108
Mood Disorder	236	247	276
Personality Disorder	63	63	63
Psychotic Disorder	77	63	65
Sexual Disorder	*	*	*
Other Diagnosis	53	43	39
Diagnosis Unknown	233	233	98

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	646	645	553	Less than High School Diploma	173	107	57
AGE				High School Grad or G.E.D.	0	0	31
Under 6	10	13	8	Associate Degree or Some College	0	0	14
6 to 9	41	40	40	Bachelor or Advanced Degree	0	0	*
10 to 13	53	52	47	Education Level Unknown	473	538	448
14 to 17	41	40	53	EMPLOYMENT			
18 to 24	61	71	41	Employed	18	10	7
25 to 29	46	52	48	Unemployed	18	*	75
30 to 34	57	42	57	Not in Labor Force	302	176	50
35 to 39	47	38	45	Employment Status Unknown	308	456	421
40 to 44	61	81	57	HOUSING / LIVING ARRANGEMENT			
45 to 49	66	68	45	Independent Living	181	85	101
50 to 54	58	60	47	Dependent Living	133	97	51
55 to 59	60	49	33	Homeless	*	*	*
60 and Over	45	39	32	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	330	460	398
GENDER				TREATMENT REFERRAL SOURCE			
Male	301	275	248	Self / Family / Friend	388	381	263
Female	345	370	305	School	12	11	7
Gender Unknown	0	0	0	Mental Health Provider	36	35	39
RACE / ETHNICITY				Health Care Provider	81	86	74
Caucasian	624	618	530	Court / Criminal Justice	16	15	17
African American	7	9	5	Other	109	115	150
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	*	*	TYPE OF COMMITMENT			
Hispanic	11	11	9	Voluntary	634	633	544
Other Race	*	5	7	Civil	5	8	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	37	37	35	Commitment Type Unknown	*	*	*
Past or Current Military Service	8	7	6				

BARRY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.7	36.0	46.0	Alcohol (1 or 2 drinks daily)	49.3		
Cigarettes	29.3	26.8	29.5	Alcohol (Binge: 5+ drinks once or twice a week)	61.5		
Chewing Tobacco	24.9	18.6	21.2	Alcohol (any use)		74.5	76.1
Marijuana	14.3	14.4	16.2	Cigarettes (1+ packs per day)	80.3		
Inhalants	4.7	7.3	8.2	Cigarettes (any use)		82.5	79.9
Prescription medications not prescribed for student	6.9	7.6	11.4	Marijuana (once or twice a week)	64.4		
Over-the-counter medications for non-medical use	3.8	4.8	9.8	Marijuana (any use)		78.5	76.4
Methamphetamine	1.2	1.5	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.9	94.7	94.4
Cocaine	1.2	1.3	1.7	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.2	1.0	0.4	Were very sad	23.0	16.4	24.8
Hallucinogens	1.2	3.2	2.5	Were grouchy, irritable, or in a bad mood	27.7	21.6	30.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	1.9	1.8	Felt hopeless about the future	12.4	10.2	16.3
Steroids not prescribed for student	0.5	1.1	1.2	Felt like not eating or eating more than usual	17.1	15.2	20.3
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	7.3		Slept a lot more or a lot less than usual	15.3	18.7	32.1
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	20.3	20.1	28.1
Alcohol	12.39	12.49	12.63	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.01	12.36	12.22	Seriously considered attempting suicide	10.7	11.2	11.2
Marijuana	13.24	13.17	13.60	Made plan about how they would attempt suicide	8.9	7.0	8.8
Inhalants	10.26	12.08	12.61	Attempted suicide	4.5	4.5	5.8
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.4	1.9	1.7
Alcohol	14.0	13.3	19.4	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		8.3	12.0	Were threatened/injured with weapon at school	8.0	5.8	9.1
Cigarettes	14.8	10.7	15.8	Were in a physical fight	21.8	17.2	25.1
Chewing Tobacco	13.0	10.0	11.6	Were in a fight and had to be treated by a doctor or nurse	1.7	2.5	3.0
Marijuana	5.7	5.9	6.9	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.7	2.5	2.8	Were victims of mean rumors or lies spread at school	50.4	48.3	56.7
Prescription medications not prescribed for student	1.4	4.0	6.3	Were made fun of by others	59.6	60.3	68.5
Over-the-counter medications for non-medical use	1.4	2.5	5.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.1	18.8	18.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	22.5	23.2	37.9
Alcohol (Binge: 5+ drinks on one occasion)	6.0			Made fun of other people	56.0	55.9	74.0
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	12.9	10.3	20.2
Alcohol	44.5	49.3	58.6	<i>Percent of students who agree that:</i>			
Cigarettes	39.2	41.9	48.4	Teachers notice and comment on student's good work	78.6	66.7	65.7
Marijuana	29.2	29.6	35.1	School provides feedback to parents on positive student performance	46.0	37.3	39.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.6	11.6	14.9	Rules are enforced fairly	62.9	64.7	59.6
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	81.9	77.6	76.8
Alcohol	29.5	24.9	32.5	<i>Percent of students who agree that:</i>			
Cigarettes	17.5	13.4	16.9	Parents notice and comment on student's good work	84.2	85.7	83.9
Marijuana	10.6	9.4	12.1	Parents involve student in making family decisions	71.0	72.5	67.5
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	91.8	89.2	86.9
Alcohol	63.1	69.2	61.7	Student could ask parent for help with a personal problem	75.1	79.0	77.3
Cigarettes	76.3	83.0	76.9	<div style="border: 1px solid black; padding: 5px;"> <p>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</p> <p>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</p> </div>			
Marijuana	82.7	85.9	83.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	96.3	96.0				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	79.0	82.9	80.2				
Cigarettes	91.1	91.3	89.0				
Marijuana	94.5	95.5	94.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	48.9	51.1	55.3				
Cigarettes	50.4	52.6	58.7				
Marijuana	26.9	30.0	37.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0	15.3	18.7				