


OZARK COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	9,723
2014 Estimate	9,492

BIRTH RISK	2013	2012	2011
Resident Births--Total	81	109	82
Mother Reported Smoking while Pregnant	17	24	19

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	1
Hepatitis C Chronic and Acute	3	7	5
Tuberculosis Infection Cases	0	0	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	126	124	128
Suicides	1	2	3
Self-inflicted Injuries	6	11	9
Homicides	0	1	0
Assault Injuries	14	17	9
Alcohol Induced Deaths	0	1	1
Drug Induced Deaths	1	3	0
Smoking Attributable Deaths	28	20	26

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	52	67	65
Mental Illness Secondary Diagnosis	146	161	180
Alcohol Principal Diagnosis	10	10	13
Alcohol Secondary Diagnosis	13	19	18
Drug Principal Diagnosis	10	6	6
Drug Secondary Diagnosis	12	9	15
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	9	14	8
Mental Illness Secondary Diagnosis	30	43	35
Alcohol Principal Diagnosis	0	3	4
Alcohol Secondary Diagnosis	7	6	6
Drug Principal Diagnosis	0	3	1
Drug Secondary Diagnosis	2	1	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	33	38	48
Mental Illness Secondary Diagnosis	230	154	81
Alcohol Principal Diagnosis	8	9	6
Alcohol Secondary Diagnosis	9	14	15
Drug Principal Diagnosis	5	8	4
Drug Secondary Diagnosis	8	11	12

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	11	11	13
Alcohol Package Carry-out Licenses	21	17	20

EMPLOYMENT	2014	2013	2012
Labor Force	3,632	4,504	4,287
Employed	3,315	4,163	3,940
Unemployed	317	341	347
Unemployment Rate	8.7%	7.6%	8.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	18	17	20
Fatal Crashes	1	1	1
Injury Crashes	5	6	10
Property Damage Crashes	12	10	9
Crash Fatalities	1	1	1
Crash Injuries	9	10	10
Drug Involved Crashes--Total	1	1	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	2
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	3

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	51	55	55
Liquor Law Arrests	20	5	4
Drug Arrests	93	74	56
Violent Offenses	40	30	12
Property Offenses	118	140	149
Domestic Violence Reports	69	35	21
	2014	2013	2012
Methamphetamine Lab Seizures	0	3	3
SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	522	527	546
Drop-outs	2	0	9
Drop-out Rate	0.4%	0.0%	1.6%
School Discipline Involving Alcohol	2	0	0
School Discipline Involving Drugs	1	2	5
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	5	3	1
Juvenile Alcohol Offenses	3	0	1
Juvenile Drug Offenses	1	0	1
School Truancy Status Offense	5	0	0
Absent from Home Status Offense	4	0	2
Beyond Parental Control Status Offense	5	5	4
Injurious Behavior Status Offense	0	1	1
Child Abuse	0	0	1
Child Neglect	9	11	9
Child Custody Issues	2	0	2

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	16	10	12
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	12	1	3
Parental Alcohol and Drug Use	1	1	3

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	13	15	13
Probation/Parole Admissions--Drug	15	14	16
Probation/Parole Admissions--DWI	0	1	3
Prison Admissions--Drug	5	5	2
Prison Admissions--DWI	0	1	1

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

OZARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5	9	13
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	7	17	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	9	*	20
Clinical SATOP (CIP, YCIP, SROP)	*	10	8
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	20	37	40
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	8	17	7
- Weekend Intervention Program	*	12	10
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	27	31	45	Alcohol	11	19	28
AGE				Marijuana / Hashish	*	5	8
Under 18	*	*	*	Cocaine (total)	*	0	0
18 to 24	*	*	9	- Crack	*	0	0
25 to 29	*	8	6	Stimulant (total)	8	5	5
30 to 34	5	*	5	- Methamphetamine	8	5	5
35 to 39	5	*	*	Heroin	0	*	0
40 to 44	*	*	6	Analgesic except Heroin	*	*	*
45 to 54	*	*	8	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	18	19	35	Inhalant	0	0	0
Female	9	12	10	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	26	31	44	Average Age at First Use of Drug	16.7	16.9	16.6
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	7	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	6	5	15	0	11	10	22
High School Graduate or G.E.D.	17	17	22	1 or 2	11	12	13
Associate Degree or Some College	*	9	8	3 or More	5	9	10
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	12	12	16
Employed	*	5	8	School	0	0	0
Unemployed	13	11	24	Mental Health Provider	*	0	0
Not in Labor Force	12	15	13	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	9	12	28
Independent Living	19	28	39	Other Referral Source	*	6	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	0
Never Married	13	12	19	Special Education Services Needed	*	*	0
Married / Cohabiting	5	10	12	Co-Occurring Psychological Problem	13	7	11
Previously Married	9	9	14	Co-Occurring Developmental Problem	0	0	0

OZARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 9,723
2014 POPULATION ESTIMATE 9,492

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	11	*	*
Anxiety Disorder	51	64	51
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	9	14	10
Mood Disorder	71	92	75
Personality Disorder	7	*	6
Psychotic Disorder	11	10	11
Sexual Disorder	0	0	0
Other Diagnosis	5	5	*
Diagnosis Unknown	11	6	5

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	110	125	106	Less than High School Diploma	26	28	21
AGE				High School Grad or G.E.D.	0	0	9
Under 6	0	0	0	Associate Degree or Some College	0	0	*
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	*
10 to 13	*	*	*	Education Level Unknown	84	97	70
14 to 17	7	7	*	EMPLOYMENT			
18 to 24	7	12	11	Employed	13	16	*
25 to 29	16	15	17	Unemployed	9	18	28
30 to 34	11	15	11	Not in Labor Force	55	67	15
35 to 39	11	12	7	Employment Status Unknown	33	24	60
40 to 44	11	17	13	HOUSING / LIVING ARRANGEMENT			
45 to 49	14	18	13	Independent Living	54	81	42
50 to 54	13	17	11	Dependent Living	15	10	5
55 to 59	10	7	12	Homeless	*	*	0
60 and Over	5	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	39	32	59
GENDER				TREATMENT REFERRAL SOURCE			
Male	52	57	49	Self / Family / Friend	72	87	54
Female	58	68	57	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	5	5
RACE / ETHNICITY				Health Care Provider	27	20	21
Caucasian	108	125	104	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	7	12	22
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	*	Voluntary	109	124	106
Other Race	*	0	0	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

OZARK COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	36.4	33.8	45.4	Alcohol (1 or 2 drinks daily)	57.1		
Cigarettes	27.8	20.3	33.9	Alcohol (Binge: 5+ drinks once or twice a week)	66.0		
Chewing Tobacco	17.3	16.5	24.0	Alcohol (any use)		66.9	74.9
Marijuana	14.3	16.5	13.8	Cigarettes (1+ packs per day)	89.5		
Inhalants	3.1	3.0	6.9	Cigarettes (any use)		80.5	75.9
Prescription medications not prescribed for student	5.2	4.5	10.4	Marijuana (once or twice a week)	71.1		
Over-the-counter medications for non-medical use	1.1	5.3	8.0	Marijuana (any use)		68.4	71.1
Methamphetamine	0.0	0.0	1.2	Other: Cocaine, LSD, Meth, Club Drug (any use)	96.8	92.3	91.9
Cocaine	1.0	0.0	1.7	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.0	0.0	Were very sad	15.2	20.3	24.1
Hallucinogens	0.0	3.1	3.5	Were grouchy, irritable, or in a bad mood	21.0	25.8	27.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.8	3.4	Felt hopeless about the future	9.0	9.0	12.1
Steroids not prescribed for student	0.0	0.0	0.6	Felt like not eating or eating more than usual	12.0	12.8	23.4
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	6.8		Slept a lot more or a lot less than usual	12.1	18.8	29.9
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	16.0	20.9	24.9
Alcohol	13.15	12.34	12.12	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.57	12.16	11.44	Seriously considered attempting suicide	12.0	9.0	10.9
Marijuana	14.93	12.61	13.59	Made plan about how they would attempt suicide	7.0	6.1	7.4
Inhalants	10.69		13.38	Attempted suicide	4.0	3.1	4.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.1	3.1	1.8
Alcohol	14.1	8.3	17.7	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		5.3	8.6	Were threatened/injured with weapon at school	4.0	10.6	8.7
Cigarettes	11.1	6.0	14.9	Were in a physical fight	13.0	22.0	25.3
Chewing Tobacco	8.2	7.6	10.9	Were in a fight and had to be treated by a doctor or nurse	5.0	3.1	6.3
Marijuana	4.1	7.5	6.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.0	1.5	2.9	Were victims of mean rumors or lies spread at school	46.5	52.6	65.3
Prescription medications not prescribed for student	3.1	3.0	4.6	Were made fun of by others	48.5	60.2	73.7
Over-the-counter medications for non-medical use	0.0	4.5	4.6	Were victims of an embarrassing or hurtful text message or something posted on the internet	18.4	18.5	17.8
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	30.3	28.0	36.2
Alcohol (Binge: 5+ drinks on one occasion)	7.1			Made fun of other people	59.0	56.4	69.1
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	13.0	13.1	15.7
Alcohol	38.4	50.4	55.4	<i>Percent of students who agree that:</i>			
Cigarettes	39.0	45.5	45.7	Teachers notice and comment on student's good work	74.3	76.7	67.0
Marijuana	27.6	35.3	31.6	School provides feedback to parents on positive student performance	39.8	35.9	39.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.0	11.3	14.9	Rules are enforced fairly	61.0	56.4	55.4
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	87.0	85.7	84.5
Alcohol	25.7	27.3	36.4	<i>Percent of students who agree that:</i>			
Cigarettes	12.1	10.4	21.1	Parents notice and comment on student's good work	80.8	78.8	78.7
Marijuana	8.1	13.0	10.4	Parents involve student in making family decisions	73.7	64.7	69.7
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	94.9	83.5	83.3
Alcohol	66.0	55.4	58.0	Student could ask parent for help with a personal problem	83.7	71.8	77.0
Cigarettes	82.7	78.9	76.9	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	79.4	81.2	83.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	94.7	94.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	80.4	87.0	85.0				
Cigarettes	87.8	94.7	91.9				
Marijuana	88.5	94.5	94.7				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	52.6	61.1	57.5				
Cigarettes	50.0	57.1	60.1				
Marijuana	28.4	36.2	35.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	15.9	18.6				

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys