


# BOLLINGER COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	21
<b>POPULATION</b>	
Census 2010	12,363
2013 Estimate	12,490

	2012	2011	2010
<b>BIRTH RISK</b>			
Resident Births--Total	146	146	141
Mother Reported Smoking while Pregnant	31	47	45
<b>DISEASE INCIDENCE</b>			
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	0
Hepatitis C Chronic and Acute	1	8	4
Tuberculosis Infection Cases	1	14	3
<b>DEATHS and INJURIES</b>			
Resident Deaths--Total	134	120	154
Suicides	3	1	2
Self-inflicted Injuries	15	7	11
Homicides	1	0	0
Assault Injuries	36	19	14
Alcohol Induced Deaths	0	0	2
Drug Induced Deaths	1	0	0
Smoking Attributable Deaths	28	29	32
<b>HOSPITAL EPISODES</b>			
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	104	106
Alcohol Primary Diagnosis	2	6	0
Drug Primary Diagnosis	2	7	6
Alcohol Related Diagnosis		30	40
Drug Related Diagnosis		43	36
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	10	5
Alcohol Primary Diagnosis	2	6	1
Drug Primary Diagnosis	2	1	1
Alcohol Related Diagnosis		34	32
Drug Related Diagnosis		17	9
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	98	81
Alcohol Primary Diagnosis	2	10	6
Drug Primary Diagnosis	2	8	8
Alcohol Related Diagnosis		27	28
Drug Related Diagnosis		33	31
<b>TRAFFIC: IMPAIRED DRIVER</b>			
Alcohol Involved Crashes--Total	25	18	16
Fatal Crashes	3	0	0
Injury Crashes	12	10	5
Property Damage Crashes	10	8	11
Crash Fatalities	3	0	0
Crash Injuries	13	11	6
Drug Involved Crashes--Total	3	4	4
Fatal Crashes	0	0	0
Injury Crashes	3	0	2
Property Damage Crashes	0	4	2
Crash Fatalities	0	0	0
Crash Injuries	4	0	2

	2013	2012	2011
<b>EMPLOYMENT</b>			
Labor Force	5,552	5,473	5,651
Employed	5,165	5,092	5,151
Unemployed	387	381	500
Unemployment Rate	7.0%	7.0%	8.8%

	2012-2013	2011-2012	2010-2011
<b>SCHOOL REPORTS</b>			
Enrollment Grades 9-12	546	592	589
Drop-outs	6	7	7
Drop-out Rate	1.1%	1.2%	1.2%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	5	0	9
Tobacco Incidents	0	0	0

	2012	2011	2010
<b>POLICE REPORTS</b>			
DUI Arrests, DWI Tracking System	53	57	46
Liquor Law Arrests	17	19	16
Drug Arrests	14	48	41
Methamphetamine Lab Incidents	0	1	4
Violent Offenses	17	38	15
Property Offenses	125	144	108
Domestic Violence Reports	29	27	15

	2012	2011	2010
<b>JUVENILE COURT REFERRALS</b>			
Juvenile Law Violations--Total	36	54	79
Violent Offenses	12	9	10
Alcohol Offenses	4	5	5
Drug Offenses	3	5	5
Status Offenses--Total	30	22	32
Truancy	1	2	4
Beyond Parental Control	1	0	5
Habitually Absent from Home	4	3	9
Injurious Behavior	24	16	14
Abuse/Neglect/Custody--Total	33	35	50
Abuse	0	3	8
Neglect	9	1	0
Custody Disputes	24	31	42

	2012	2011	2010
<b>JUVENILE COURT PLACEMENTS</b>			
Out-of-Home Placements--Total	24	21	21
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	9	9	8
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	14	12	11

	FY2013	FY2012	FY2011
<b>CRIMINAL JUSTICE</b>			
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	48	64	53
Probation/Parole Admissions--Drug	14	19	16
Probation/Parole Admissions--DWI	9	7	10
Prison Admissions--Total	29	19	25
Prison Admissions--Drug	5	6	6
Prison Admissions--DWI	9	2	3

	2013	2012	2011
<b>RETAIL ALCOHOL OUTLETS</b>			
Alcohol On-Premise Drink Licenses	9	10	9
Alcohol Package Carry-out Licenses	12	12	12

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# BOLLINGER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	6	6	*
CSTAR Adolescent	*	7	10
CSTAR Women and Children	8	8	10
CSTAR General Adult	27	51	27
CSTAR Opioid	0	0	0
Primary Recovery Treatment	8	49	60
Clinical SATOP (CIP, YCIP, SROP)	10	10	*
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	40	71	51
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	22	34	27
- Weekend Intervention Program	5	19	14
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	16	*	*
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	63	119	103	Alcohol	26	48	39
<b>AGE</b>				Marijuana / Hashish	17	28	36
Under 18	*	7	12	Cocaine (total)	*	*	*
18 to 24	8	26	22	- Crack	*	*	*
25 to 29	17	18	17	Stimulant (total)	10	26	15
30 to 34	11	24	16	- Methamphetamine	10	24	15
35 to 39	11	13	9	Heroin	*	*	*
40 to 44	*	6	10	Analgesic except Heroin	7	9	6
45 to 54	8	19	13	- Non-Prescription Methadone	0	0	0
55 and Over	*	6	*	PCP, LSD, other Hallucinogen	0	0	*
<b>GENDER</b>				Tranquilizer	*	5	*
Male	37	78	67	Inhalant	0	0	0
Female	26	41	36	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	0	*
Caucasian	59	115	100	Average Age at First Use of Drug	17.5	16.4	16.4
African American	*	0	*	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	9	20	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	*	*	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	7	18	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	28	53	56	0	33	58	57
High School Graduate or G.E.D.	27	51	32	1 or 2	20	34	26
Associate Degree or Some College	8	15	14	3 or More	10	27	20
Bachelor or Advanced Degree	0	0	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	16	27	16
Employed	18	27	28	School	0	0	0
Unemployed	26	42	37	Mental Health Provider	0	*	0
Not in Labor Force	19	50	38	Health Care Provider	*	6	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	24	78	70
Independent Living	51	103	81	Other Referral Source	16	7	15
Dependent Living	12	14	22	<b>TREATMENT ACCOMMODATION</b>			
Homeless	0	*	0	Pregnant when Admitted to any Episode	5	*	0
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	*	6
Never Married	29	55	49	Special Education Services Needed	8	11	10
Married / Cohabiting	17	30	35	Co-Occurring Psychological Problem	27	39	26
Previously Married	17	34	19	Co-Occurring Developmental Problem	*	8	9

# BOLLINGER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 12,363  
**2013 POPULATION ESTIMATE** 12,490

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	33	48	12
Anxiety Disorder	63	66	33
Dementia	0	0	0
Developmental Disorder	0	0	*
Impulse Control Disorder	58	60	18
Mood Disorder	234	250	134
Personality Disorder	*	*	*
Psychotic Disorder	63	70	49
Sexual Disorder	*	0	*
Other Diagnosis	11	14	10
Diagnosis Unknown	45	101	36

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>		<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
<b>NUMBER SERVED</b>				<b>EDUCATION</b>			
Total Individuals	453	549	259	Less than High School Diploma	73	73	62
<b>AGE</b>				High School Grad or G.E.D.	0	42	33
Under 6	*	*	*	Associate Degree or Some College	0	12	14
6 to 9	20	20	10	Bachelor or Advanced Degree	0	*	*
10 to 13	31	43	9	Education Level Unknown	380	418	148
14 to 17	31	46	15	<b>EMPLOYMENT</b>			
18 to 24	45	60	24	Employed	10	21	20
25 to 29	46	44	19	Unemployed	*	101	88
30 to 34	36	48	27	Not in Labor Force	137	24	*
35 to 39	41	50	31	Employment Status Unknown	302	403	147
40 to 44	38	48	25	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	55	60	38	Independent Living	58	59	48
50 to 54	43	50	32	Dependent Living	95	89	72
55 to 59	33	37	16	Homeless	0	*	*
60 and Over	33	40	11	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	300	399	138
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	200	233	112	Self / Family / Friend	285	380	143
Female	253	316	147	School	8	*	*
Gender Unknown	0	0	0	Mental Health Provider	33	33	26
<b>RACE / ETHNICITY</b>				Health Care Provider	66	63	34
Caucasian	397	473	220	Court / Criminal Justice	9	13	13
African American	11	11	6	Other	50	56	40
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	25	46	24	Voluntary	448	543	254
Other Race	17	18	8	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	10	21	14	Commitment Type Unknown	*	*	*
Past or Current Military Service	14	12	10				

# BOLLINGER COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	34.9	37.6	49.0	Alcohol (1 or 2 drinks daily)	52.4		
Cigarettes	24.7	31.5	35.1	Alcohol (Binge: 5+ drinks once or twice a week)	62.1		
Chewing Tobacco	17.8	18.2	25.6	Alcohol (any use)		70.0	78.9
Marijuana	9.7	10.5	12.0	Cigarettes (1+ packs per day)	81.0		
Inhalants	2.1	5.0	9.6	Cigarettes (any use)		76.9	76.5
Prescription medications not prescribed for student	7.6	9.4	15.7	Marijuana (once or twice a week)	69.9		
Over-the-counter medications for non-medical use	2.1	4.4	8.9	Marijuana (any use)		79.6	72.3
Methamphetamine	0.7	1.7	0.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	95.6	89.7
Cocaine	0.7	1.1	0.8	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.7	0.6	0.8	Were very sad	19.7	17.7	11.0
Hallucinogens	0.7	1.7	2.4	Were grouchy, irritable, or in a bad mood	24.7	22.2	23.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.7	2.8	Felt hopeless about the future	9.6	6.7	6.3
Steroids not prescribed for student	0.7	1.7	0.4	Felt like not eating or eating more than usual	17.1	17.8	15.3
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	4.4		Slept a lot more or a lot less than usual	13.6	18.3	23.9
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.1	23.2	15.3
Alcohol	12.49	12.11	11.82	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.04	12.28	11.33	Seriously considered attempting suicide	8.8	10.4	13.0
Marijuana	13.90	13.36	12.95	Made plan about how they would attempt suicide	6.8	7.2	9.8
Inhalants	11.20	12.86	11.52	Attempted suicide	2.7	4.4	7.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.4	0.6	2.8
Alcohol	9.7	14.4	24.1	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		8.8	15.7	Were threatened/injured with weapon at school	4.8	3.9	10.3
Cigarettes	9.7	14.3	14.9	Were in a physical fight	19.0	16.1	26.0
Chewing Tobacco	10.2	12.2	12.7	Were in a fight and had to be treated by a doctor or nurse	2.7	1.6	6.3
Marijuana	3.5	3.9	4.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.7	2.2	5.2	Were victims of mean rumors or lies spread at school	49.3	48.9	57.9
Prescription medications not prescribed for student	3.5	5.5	9.3	Were made fun of by others	60.5	59.8	70.5
Over-the-counter medications for non-medical use	1.4	1.7	4.5	Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.0	19.1	21.6
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	24.3	24.9	31.0
Alcohol (Binge: 5+ drinks on one occasion)	2.8			Made fun of other people	57.8	60.2	70.5
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	13.6	9.5	16.2
Alcohol	41.5	45.3	64.2	<i>Percent of students who agree that:</i>			
Cigarettes	31.3	39.2	52.4	Teachers notice and comment on student's good work	73.5	72.4	70.0
Marijuana	19.9	20.6	28.2	School provides feedback to parents on positive student performance	42.9	43.0	47.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5	6.1	16.7	Rules are enforced fairly	64.6	67.4	64.2
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	81.5	79.4	74.3
Alcohol	24.7	26.7	40.3	<i>Percent of students who agree that:</i>			
Cigarettes	11.7	15.5	18.6	Parents notice and comment on student's good work	78.3	84.0	80.7
Marijuana	8.3	9.4	9.2	Parents involve student in making family decisions	66.7	68.5	68.3
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	89.8	84.9	81.8
Alcohol	64.8	66.5	56.0	Student could ask parent for help with a personal problem	76.2	77.2	73.0
Cigarettes	82.9	77.7	74.2	<i>Page Notes:</i>			
Marijuana	86.3	86.7	83.2	Similar affirmative response choices for individual questions are combined.			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	97.8	92.8	Blank data cells indicate estimates are not available for item or geographic area.			
<i>Percent whose parents would disapprove if they use:</i>				Survey is not conducted in every school district nor reported for every county.			
Alcohol	80.3	83.2	75.7	Estimates are not available for counties with small numbers of respondents.			
Cigarettes	90.9	89.9	88.7	Percentages are estimates based on weighted data.			
Marijuana	94.4	93.8	95.5	Some year-to-year differences in percentages are not statistically significant.			
<i>Percent who say it would be easy to obtain:</i>				<i>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</i>			
Alcohol	50.3	47.2	57.5				
Cigarettes	49.7	48.1	61.3				
Marijuana	21.9	22.8	33.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	9.6	19.8				