

PEMISCOT COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Abuse	20
Adult Psychiatric	19
POPULATION	
Census 2010	18,296
2013 Estimate	17,823

EMPLOYMENT	2013	2012	2011
Labor Force	8,247	8,205	8,256
Employed	7,567	7,541	7,416
Unemployed	680	664	840
Unemployment Rate	8.2%	8.1%	10.2%

SCHOOL REPORTS	2012-2013	2011-2012	2010-2011
Enrollment Grades 9-12	1,037	990	1,046
Drop-outs	20	56	43
Drop-out Rate	1.9%	5.7%	4.1%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	0	1
Tobacco Incidents	0	0	0

BIRTH RISK	2012	2011	2010
Resident Births--Total	282	288	289
Mother Reported Smoking while Pregnant	68	64	79

DISEASE INCIDENCE	2012	2011	2010
HIV/AIDS Cases	1	1	1
Hepatitis B Chronic, Acute, Prenatal	1	1	1
Hepatitis C Chronic and Acute	39	22	16
Tuberculosis Infection Cases	22	8	8

DEATHS and INJURIES	2012	2011	2010
Resident Deaths--Total	226	218	218
Suicides	3	3	3
Self-inflicted Injuries	21	42	34
Homicides	0	2	3
Assault Injuries	157	126	121
Alcohol Induced Deaths	4	0	1
Drug Induced Deaths	5	4	11
Smoking Attributable Deaths	55	45	43

HOSPITAL EPISODES	2012	2011	2010
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	342	395	
Alcohol Primary Diagnosis	14	13	
Drug Primary Diagnosis	7	16	
Alcohol Related Diagnosis	78	122	86
Drug Related Diagnosis	85	153	135
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	46	37	
Alcohol Primary Diagnosis	7	6	
Drug Primary Diagnosis	9	10	
Alcohol Related Diagnosis	47	29	63
Drug Related Diagnosis	42	33	79
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	174	182	
Alcohol Primary Diagnosis	36	56	
Drug Primary Diagnosis	30	33	
Alcohol Related Diagnosis	66	110	138
Drug Related Diagnosis	78	106	75

TRAFFIC: IMPAIRED DRIVER	2012	2011	2010
Alcohol Involved Crashes--Total	29	25	32
Fatal Crashes	1	1	1
Injury Crashes	15	12	12
Property Damage Crashes	13	12	19
Crash Fatalities	1	1	1
Crash Injuries	23	15	17
Drug Involved Crashes--Total	8	4	19
Fatal Crashes	0	0	1
Injury Crashes	4	3	8
Property Damage Crashes	4	1	10
Crash Fatalities	0	0	1
Crash Injuries	4	2	16

POLICE REPORTS	2012	2011	2010
DUI Arrests, DWI Tracking System	178	190	231
Liquor Law Arrests	18	47	51
Drug Arrests	242	365	323
Methamphetamine Lab Incidents	0	1	8
Violent Offenses	179	144	102
Property Offenses	688	674	763
Domestic Violence Reports	248	128	154

JUVENILE COURT REFERRALS	2012	2011	2010
Juvenile Law Violations--Total	124	20	29
Violent Offenses	33	7	11
Alcohol Offenses	0	0	1
Drug Offenses	6	1	3
Status Offenses--Total	58	4	4
Truancy	8	0	0
Beyond Parental Control	22	4	2
Habitually Absent from Home	9	0	0
Injurious Behavior	17	0	2
Abuse/Neglect/Custody--Total	75	14	40
Abuse	21	2	5
Neglect	48	12	35
Custody Disputes	6	0	0

JUVENILE COURT PLACEMENTS	2012	2011	2010
Out-of-Home Placements--Total	52	45	62
Parental Alcohol Use Related	8	9	4
Parental Drug Use Related	7	7	26
Parental Alcohol and Drug Use	0	1	4
Child Removed for Other Reason	37	28	28

CRIMINAL JUSTICE	FY2013	FY2012	FY2011
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	375	403	354
Probation/Parole Admissions--Drug	113	146	128
Probation/Parole Admissions--DWI	22	25	22
Prison Admissions--Total	182	182	172
Prison Admissions--Drug	65	67	62
Prison Admissions--DWI	10	20	16

RETAIL ALCOHOL OUTLETS	2013	2012	2011
Alcohol On-Premise Drink Licenses	17	19	21
Alcohol Package Carry-out Licenses	28	28	29

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

PEMISCOT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	60	99	58
CSTAR Adolescent	17	17	20
CSTAR Women and Children	19	12	35
CSTAR General Adult	117	47	29
CSTAR Opioid	0	0	0
Primary Recovery Treatment	135	233	263
Clinical SATOP (CIP, YCIP, SROP)	18	17	15
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	76	81	79
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	20	27	26
- Weekend Intervention Program	15	16	5
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	5	*	*
Compulsive Gambling	0	0	0
Recovery Supports	5	6	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	279	342	354	Alcohol	84	98	119
AGE				Marijuana / Hashish	106	124	126
Under 18	19	19	22	Cocaine (total)	23	47	48
18 to 24	63	71	64	- Crack	10	28	35
25 to 29	54	59	68	Stimulant (total)	48	43	25
30 to 34	36	45	40	- Methamphetamine	44	42	25
35 to 39	29	41	34	Heroin	*	*	*
40 to 44	16	40	40	Analgesic except Heroin	10	18	21
45 to 54	42	42	61	- Non-Prescription Methadone	0	0	*
55 and Over	20	25	25	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	5	10	12
Male	193	255	241	Inhalant	0	0	0
Female	86	87	113	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	160	202	206	Average Age at First Use of Drug	18.1	18.4	18.2
African American	116	133	140	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	8	7	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	0	*	*	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	*	*	5	- Less than Weekly Injection Use	6	5	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	120	167	167	0	216	255	271
High School Graduate or G.E.D.	139	155	162	1 or 2	39	67	51
Associate Degree or Some College	20	18	24	3 or More	24	20	32
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	25	55	42
Employed	63	86	90	School	0	0	0
Unemployed	73	102	129	Mental Health Provider	*	*	*
Not in Labor Force	143	154	135	Health Care Provider	12	16	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	193	246	259
Independent Living	243	305	306	Other Referral Source	46	24	41
Dependent Living	28	25	40	TREATMENT ACCOMMODATION			
Homeless	*	*	7	Pregnant when Admitted to any Episode	8	*	7
MARITAL / FAMILY STATUS				Military Veteran	13	8	5
Never Married	161	167	188	Special Education Services Needed	28	19	30
Married / Cohabiting	77	107	88	Co-Occurring Psychological Problem	52	65	75
Previously Married	41	68	78	Co-Occurring Developmental Problem	6	7	6

PEMISCOT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 18,296
2013 POPULATION ESTIMATE 17,823

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2013	FY2012	FY2011
Adjustment Disorder	*	*	*
Anxiety Disorder	14	9	8
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	24	21	26
Mood Disorder	110	88	66
Personality Disorder	*	*	*
Psychotic Disorder	42	33	30
Sexual Disorder	*	*	*
Other Diagnosis	9	14	10
Diagnosis Unknown	31	26	21

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2013	FY2012	FY2011	EDUCATION	FY2013	FY2012	FY2011
Total Individuals	226	181	157	Less than High School Diploma	73	34	15
AGE				High School Grad or G.E.D.	0	21	19
Under 6	*	0	*	Associate Degree or Some College	0	5	6
6 to 9	18	16	10	Bachelor or Advanced Degree	0	0	0
10 to 13	26	20	25	Education Level Unknown	153	121	117
14 to 17	15	13	6	EMPLOYMENT			
18 to 24	21	10	8	Employed	7	*	*
25 to 29	18	21	21	Unemployed	18	47	39
30 to 34	24	20	18	Not in Labor Force	102	19	0
35 to 39	26	16	18	Employment Status Unknown	99	114	117
40 to 44	18	16	12	HOUSING / LIVING ARRANGEMENT			
45 to 49	15	14	14	Independent Living	92	51	36
50 to 54	22	15	7	Dependent Living	31	17	16
55 to 59	10	12	9	Homeless	*	*	0
60 and Over	9	8	8	Other	0	5	5
Age Unknown	0	0	0	Housing Unknown	102	107	100
GENDER				TREATMENT REFERRAL SOURCE			
Male	114	96	89	Self / Family / Friend	47	33	26
Female	112	85	68	School	6	9	13
Gender Unknown	0	0	0	Mental Health Provider	20	20	19
RACE / ETHNICITY				Health Care Provider	52	35	23
Caucasian	145	103	86	Court / Criminal Justice	61	63	56
African American	75	72	70	Other	38	19	16
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	219	174	147
Other Race	5	5	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	10	*	*				

PEMISCOT COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	27.6	44.1	49.0	Alcohol (1 or 2 drinks daily)	49.6		
Cigarettes	20.8	30.8	37.9	Alcohol (Binge: 5+ drinks once or twice a week)	62.5		
Chewing Tobacco	10.9	11.7	16.7	Alcohol (any use)		79.3	76.8
Marijuana	11.5	15.3	20.1	Cigarettes (1+ packs per day)	70.9		
Inhalants	3.5	5.7	10.2	Cigarettes (any use)		85.4	77.5
Prescription medications not prescribed for student	9.2	14.6	21.0	Marijuana (once or twice a week)	59.1		
Over-the-counter medications for non-medical use	3.5	8.0	10.9	Marijuana (any use)		77.1	74.8
Methamphetamine	0.0	1.3	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	79.7	92.3	91.9
Cocaine	0.4	1.3	2.2	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.4	1.0	1.3	Were very sad	23.1	19.1	15.7
Hallucinogens	1.3	1.0	1.8	Were grouchy, irritable, or in a bad mood	28.2	32.8	20.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	1.0	2.7	Felt hopeless about the future	15.5	8.6	10.1
Steroids not prescribed for student	1.8	1.6	1.6	Felt like not eating or eating more than usual	23.3	20.3	16.4
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	8.3		Slept a lot more or a lot less than usual	22.3	22.4	23.2
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	19.7	23.9	19.3
Alcohol	12.90	12.85	12.77	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	11.93	12.02	12.42	Seriously considered attempting suicide	12.5	13.0	13.0
Marijuana	13.34	14.02	14.02	Made plan about how they would attempt suicide	10.8	11.3	10.9
Inhalants	10.77	12.62	12.62	Attempted suicide	7.4	7.3	8.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.1	2.9	3.8
Alcohol	11.8	17.8	25.4	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		12.4	16.3	Were threatened/injured with weapon at school	9.4	6.7	9.4
Cigarettes	10.5	12.4	22.2	Were in a physical fight	26.2	28.0	29.6
Chewing Tobacco	7.4	5.4	10.1	Were in a fight and had to be treated by a doctor or nurse	5.6	3.8	5.2
Marijuana	5.3	5.7	9.9	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.3	1.6	4.9	Were victims of mean rumors or lies spread at school	57.9	58.3	63.4
Prescription medications not prescribed for student	4.8	8.6	14.3	Were made fun of by others	64.8	61.0	72.0
Over-the-counter medications for non-medical use	1.7	3.5	7.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.9	22.8	21.5
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	23.6	27.6	33.5
Alcohol (Binge: 5+ drinks on one occasion)	5.4			Made fun of other people	60.5	67.2	77.3
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	19.2	17.3	21.8
Alcohol	37.8	57.6	60.1	<i>Percent of students who agree that:</i>			
Cigarettes	31.2	52.2	56.6	Teachers notice and comment on student's good work	79.1	68.6	73.1
Marijuana	21.5	36.5	36.2	School provides feedback to parents on positive student performance	48.9	40.7	44.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.2	11.8	13.0	Rules are enforced fairly	60.1	51.8	53.7
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	72.5	61.8	68.0
Alcohol	26.8	29.3	37.5	<i>Percent of students who agree that:</i>			
Cigarettes	12.6	10.5	21.2	Parents notice and comment on student's good work	84.6	83.2	82.4
Marijuana	10.1	9.2	14.1	Parents involve student in making family decisions	73.3	67.7	73.7
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	84.1	88.4	84.9
Alcohol	69.3	66.7	60.3	Student could ask parent for help with a personal problem	78.8	77.6	76.5
Cigarettes	82.6	80.5	73.9	<i>Page Notes:</i>			
Marijuana	81.7	84.3	81.1	Similar affirmative response choices for individual questions are combined.			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.6	95.8	95.8	Blank data cells indicate estimates are not available for item or geographic area.			
<i>Percent whose parents would disapprove if they use:</i>				Survey is not conducted in every school district nor reported for every county.			
Alcohol	89.4	85.0	82.3	Estimates are not available for counties with small numbers of respondents.			
Cigarettes	94.2	90.7	88.7	Percentages are estimates based on weighted data.			
Marijuana	95.5	95.8	94.5	Some year-to-year differences in percentages are not statistically significant.			
<i>Percent who say it would be easy to obtain:</i>				<i>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</i>			
Alcohol	45.7	59.6	58.5				
Cigarettes	46.8	60.3	62.3				
Marijuana	34.8	46.9	41.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.0	25.0	24.1				