

RIPLEY COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Abuse	19
Adult Psychiatric	19
POPULATION	
Census 2010	14,100
2013 Estimate	14,032

EMPLOYMENT	2013	2012	2011
Labor Force	6,843	6,773	6,672
Employed	6,370	6,218	6,020
Unemployed	473	555	652
Unemployment Rate	6.9%	8.2%	9.8%

SCHOOL REPORTS	2012-2013	2011-2012	2010-2011
Enrollment Grades 9-12	560	573	598
Drop-outs	18	14	17
Drop-out Rate	3.2%	2.4%	2.8%
School Suspensions:			
Alcohol Incidents	0	0	2
Drug Incidents	5	7	5
Tobacco Incidents	0	1	0

BIRTH RISK	2012	2011	2010
Resident Births--Total	182	174	201
Mother Reported Smoking while Pregnant	58	46	66

DISEASE INCIDENCE	2012	2011	2010
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	20	10
Tuberculosis Infection Cases	1	4	1

DEATHS and INJURIES	2012	2011	2010
Resident Deaths--Total	176	195	182
Suicides	1	1	3
Self-inflicted Injuries	36	40	41
Homicides	0	0	4
Assault Injuries	54	55	70
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	4	4
Smoking Attributable Deaths	43	43	41

HOSPITAL EPISODES	2012	2011	2010
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	152	149
Alcohol Primary Diagnosis	2	11	3
Drug Primary Diagnosis	2	14	14
Alcohol Related Diagnosis		67	59
Drug Related Diagnosis		84	63
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	24	36
Alcohol Primary Diagnosis	2	2	1
Drug Primary Diagnosis	2	6	4
Alcohol Related Diagnosis		25	28
Drug Related Diagnosis		24	25
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	199	230
Alcohol Primary Diagnosis	2	22	18
Drug Primary Diagnosis	2	38	34
Alcohol Related Diagnosis		47	35
Drug Related Diagnosis		106	90

TRAFFIC: IMPAIRED DRIVER	2012	2011	2010
Alcohol Involved Crashes--Total	18	28	24
Fatal Crashes	2	2	2
Injury Crashes	8	15	13
Property Damage Crashes	8	11	9
Crash Fatalities	2	2	2
Crash Injuries	18	22	16
Drug Involved Crashes--Total	8	8	7
Fatal Crashes	0	1	0
Injury Crashes	4	6	6
Property Damage Crashes	4	1	1
Crash Fatalities	0	1	0
Crash Injuries	5	8	7

POLICE REPORTS	2012	2011	2010
DUI Arrests, DWI Tracking System	99	79	70
Liquor Law Arrests	23	14	25
Drug Arrests	117	81	58
Methamphetamine Lab Incidents	10	41	6
Violent Offenses	45	32	21
Property Offenses	479	453	311
Domestic Violence Reports	98	85	92

JUVENILE COURT REFERRALS	2012	2011	2010
Juvenile Law Violations--Total	71	64	71
Violent Offenses	27	31	34
Alcohol Offenses	0	0	0
Drug Offenses	5	4	6
Status Offenses--Total	38	61	60
Truancy	25	43	34
Beyond Parental Control	6	13	12
Habitually Absent from Home	6	5	11
Injurious Behavior	1	0	2
Abuse/Neglect/Custody--Total	81	51	30
Abuse	1	3	5
Neglect	80	48	25
Custody Disputes	0	0	0

JUVENILE COURT PLACEMENTS	2012	2011	2010
Out-of-Home Placements--Total	44	14	31
Parental Alcohol Use Related	2	0	12
Parental Drug Use Related	24	1	2
Parental Alcohol and Drug Use	1	4	1
Child Removed for Other Reason	17	9	16

CRIMINAL JUSTICE	FY2013	FY2012	FY2011
Drug Court Participants	21	20	15
Probation/Parole Admissions--Total	107	72	61
Probation/Parole Admissions--Drug	32	31	15
Probation/Parole Admissions--DWI	4	1	2
Prison Admissions--Total	44	29	33
Prison Admissions--Drug	15	10	11
Prison Admissions--DWI	1	0	1

RETAIL ALCOHOL OUTLETS	2013	2012	2011
Alcohol On-Premise Drink Licenses	14	14	13
Alcohol Package Carry-out Licenses	17	17	17

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

RIPLEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	18	17	15
CSTAR Adolescent	8	6	*
CSTAR Women and Children	11	8	6
CSTAR General Adult	61	42	29
CSTAR Opioid	0	0	0
Primary Recovery Treatment	22	57	40
Clinical SATOP (CIP, YCIP, SROP)	16	15	9
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	41	49	36
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	17	11	7
- Weekend Intervention Program	11	7	13
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	5
Compulsive Gambling	0	0	*
Recovery Supports	13	*	7
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011
Total Individuals	111	121	94
AGE			
Under 18	8	7	*
18 to 24	17	27	22
25 to 29	19	26	21
30 to 34	31	22	14
35 to 39	11	8	11
40 to 44	7	10	7
45 to 54	11	19	14
55 and Over	7	*	*
GENDER			
Male	67	67	59
Female	44	54	35
RACE / ETHNICITY			
Caucasian	110	120	91
African American	0	0	*
Native American / Alaskan	0	0	*
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	49	52	48
High School Graduate or G.E.D.	53	53	35
Associate Degree or Some College	7	16	10
Bachelor or Advanced Degree	*	0	*
EMPLOYMENT			
Employed	21	34	19
Unemployed	49	45	44
Not in Labor Force	41	42	31
HOUSING / LIVING ARRANGEMENT			
Independent Living	88	103	76
Dependent Living	21	13	14
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	42	43	28
Married / Cohabiting	40	45	44
Previously Married	29	33	22

PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Alcohol	34	35	23
Marijuana / Hashish	25	35	22
Cocaine (total)	*	*	*
- Crack	0	*	*
Stimulant (total)	23	22	18
- Methamphetamine	22	21	17
Heroin	*	*	*
Analgesic except Heroin	16	21	20
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	0	0
Tranquilizer	7	*	5
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	0
Average Age at First Use of Drug	19.4	18.3	18.2
INJECTION DRUG USE			
Any Injection Use at Admission	20	13	15
- Daily Injection Use	*	*	8
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	13	8	5
LIFETIME DUI / DWI ARRESTS			
0	68	86	60
1 or 2	31	33	27
3 or More	12	*	7
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	24	24	27
School	0	0	*
Mental Health Provider	*	*	*
Health Care Provider	12	9	6
Court / Criminal Justice	49	65	48
Other Referral Source	17	21	10
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	6	8	*
Special Education Services Needed	13	18	16
Co-Occurring Psychological Problem	52	53	39
Co-Occurring Developmental Problem	11	10	*

RIPLEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 14,100
2013 POPULATION ESTIMATE 14,032

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2013	FY2012	FY2011
Adjustment Disorder	*	*	*
Anxiety Disorder	18	17	12
Dementia	0	*	0
Developmental Disorder	0	0	0
Impulse Control Disorder	12	6	*
Mood Disorder	97	79	71
Personality Disorder	*	*	*
Psychotic Disorder	13	15	15
Sexual Disorder	*	0	*
Other Diagnosis	*	*	*
Diagnosis Unknown	8	16	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2013	FY2012	FY2011	EDUCATION	FY2013	FY2012	FY2011
Total Individuals	148	129	104	Less than High School Diploma	34	18	22
AGE				High School Grad or G.E.D.	0	35	21
Under 6	*	0	0	Associate Degree or Some College	0	6	*
6 to 9	9	*	*	Bachelor or Advanced Degree	0	*	*
10 to 13	9	*	*	Education Level Unknown	114	68	58
14 to 17	9	*	*	EMPLOYMENT			
18 to 24	12	19	11	Employed	0	*	*
25 to 29	18	14	10	Unemployed	*	56	44
30 to 34	12	9	12	Not in Labor Force	70	6	0
35 to 39	12	7	7	Employment Status Unknown	76	64	58
40 to 44	11	21	15	HOUSING / LIVING ARRANGEMENT			
45 to 49	17	14	13	Independent Living	47	56	38
50 to 54	18	14	11	Dependent Living	29	9	10
55 to 59	11	9	7	Homeless	0	*	0
60 and Over	9	12	11	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	72	62	55
GENDER				TREATMENT REFERRAL SOURCE			
Male	63	45	40	Self / Family / Friend	51	37	34
Female	85	84	64	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	11	18	17
RACE / ETHNICITY				Health Care Provider	42	37	29
Caucasian	145	127	102	Court / Criminal Justice	15	17	12
African American	0	0	*	Other	27	19	12
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	148	126	101
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	10	8	9	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

RIPLEY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		41.7	46.5	Alcohol (1 or 2 drinks daily)			
Cigarettes		22.2	36.5	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		17.5	22.2	Alcohol (any use)	73.0	72.3	
Marijuana		15.5	19.6	Cigarettes (1+ packs per day)			
Inhalants		4.0	9.1	Cigarettes (any use)	90.1	80.8	
Prescription medications not prescribed for student		11.1	15.1	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		10.7	7.4	Marijuana (any use)	80.6	74.1	
Methamphetamine		1.6	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	98.8	94.0	
Cocaine		3.2	2.1	<i>Percent of students who, in past 30 days:</i>			
Heroin		0.8	0.7	Were very sad	23.7	12.2	
Hallucinogens		2.4	2.1	Were grouchy, irritable, or in a bad mood	21.8	18.6	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.4	1.4	Felt hopeless about the future	6.5	10.6	
Steroids not prescribed for student		0.8	0.7	Felt like not eating or eating more than usual	15.8	12.9	
Synthetic drugs (K2, bath salts, Spice, etc)		7.1		Slept a lot more or a lot less than usual	13.0	23.6	
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	18.7	23.6	
Alcohol	12.96	12.09		<i>Percent of students who, in past 12 months:</i>			
Cigarettes	11.73	11.81		Seriously considered attempting suicide	6.4	10.8	
Marijuana	13.46	12.92		Made plan about how they would attempt suicide	4.8	10.5	
Inhalants	13.83	12.89		Attempted suicide	1.6	4.9	
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.4	1.8	
Alcohol	13.1	21.2		<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)	7.5	14.9		Were threatened/injured with weapon at school	5.2	7.7	
Cigarettes	11.9	17.5		Were in a physical fight	25.0	24.0	
Chewing Tobacco	10.7	12.0		Were in a fight and had to be treated by a doctor or nurse	0.8	4.2	
Marijuana	11.5	10.2		<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0	3.9		Were victims of mean rumors or lies spread at school	55.2	58.8	
Prescription medications not prescribed for student	4.3	8.8		Were made fun of by others	62.6	67.6	
Over-the-counter medications for non-medical use	5.6	4.3		Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.4	15.3	
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	26.1	31.6	
Alcohol (Binge: 5+ drinks on one occasion)				Made fun of other people	66.9	75.3	
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	11.7	14.7	
Alcohol	48.4	62.1		<i>Percent of students who agree that:</i>			
Cigarettes	42.5	53.0		Teachers notice and comment on student's good work	60.7	68.1	
Marijuana	35.5	39.0		School provides feedback to parents on positive student performance	41.5	33.3	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.9	17.5		Rules are enforced fairly	59.3	52.6	
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	83.3	78.9	
Alcohol	31.0	33.9		<i>Percent of students who agree that:</i>			
Cigarettes	11.5	16.9		Parents notice and comment on student's good work	76.6	84.5	
Marijuana	12.7	14.0		Parents involve student in making family decisions	68.3	68.3	
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	88.9	85.2	
Alcohol	61.1	59.1		Student could ask parent for help with a personal problem	80.2	75.2	
Cigarettes	86.1	76.7		<i>Page Notes:</i>			
Marijuana	96.4	95.4		Similar affirmative response choices for individual questions are combined.			
<i>Percent whose parents would disapprove if they use:</i>				Blank data cells indicate estimates are not available for item or geographic area.			
Alcohol	79.8	76.9		Survey is not conducted in every school district nor reported for every county.			
Cigarettes	92.1	90.5		Estimates are not available for counties with small numbers of respondents.			
Marijuana	95.5	93.6		Percentages are estimates based on weighted data.			
<i>Percent who say it would be easy to obtain:</i>				Some year-to-year differences in percentages are not statistically significant.			
Alcohol	50.2	56.5		Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Cigarettes	54.8	62.5					
Marijuana	42.3	42.8					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	17.2					