

# SCHUYLER COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>POPULATION</b>	
Census 2010	4,431
2013 Estimate	4,358

<b>EMPLOYMENT</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Labor Force	2,155	1,959	2,080
Employed	2,017	1,821	1,925
Unemployed	138	138	155
Unemployment Rate	6.4%	7.0%	7.5%

<b>SCHOOL REPORTS</b>	<b>2012-2013</b>	<b>2011-2012</b>	<b>2010-2011</b>
Enrollment Grades 9-12	196	216	216
Drop-outs	3	4	1
Drop-out Rate	1.5%	1.9%	0.5%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	2	0	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Births--Total	53	58	67
Mother Reported Smoking while Pregnant	12	13	12

<b>DISEASE INCIDENCE</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	1	0
Tuberculosis Infection Cases	1	0	0

<b>DEATHS and INJURIES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Resident Deaths--Total	51	40	60
Suicides	1	3	0
Self-inflicted Injuries	1	0	6
Homicides	0	0	0
Assault Injuries	16	5	3
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	8	8	12

<b>HOSPITAL EPISODES</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2	18	15
Alcohol Primary Diagnosis	2	4	2
Drug Primary Diagnosis	2	1	2
Alcohol Related Diagnosis		14	8
Drug Related Diagnosis		4	8
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2	9	6
Alcohol Primary Diagnosis	2	0	0
Drug Primary Diagnosis	2	1	1
Alcohol Related Diagnosis		2	4
Drug Related Diagnosis		6	1
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2	20	15
Alcohol Primary Diagnosis	2	3	2
Drug Primary Diagnosis	2	3	0
Alcohol Related Diagnosis		8	5
Drug Related Diagnosis		7	1

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol Involved Crashes--Total	5	4	3
Fatal Crashes	0	0	0
Injury Crashes	4	4	3
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	6	4	6
Drug Involved Crashes--Total	1	0	1
Fatal Crashes	0	0	0
Injury Crashes	1	0	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	1

<b>POLICE REPORTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
DUI Arrests, DWI Tracking System	53	48	26
Liquor Law Arrests	3	0	3
Drug Arrests	12	2	9
Methamphetamine Lab Incidents	10	2	1
Violent Offenses	4	1	6
Property Offenses	27	44	22
Domestic Violence Reports	1	0	1

<b>JUVENILE COURT REFERRALS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Juvenile Law Violations--Total	17	14	7
Violent Offenses	5	1	3
Alcohol Offenses	4	0	0
Drug Offenses	1	0	0
Status Offenses--Total	33	19	28
Truancy	13	2	7
Beyond Parental Control	5	9	9
Habitually Absent from Home	0	0	0
Injurious Behavior	15	8	12
Abuse/Neglect/Custody--Total	44	56	36
Abuse	11	15	20
Neglect	33	41	16
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Out-of-Home Placements--Total	12	9	7
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	5	3	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	7	6	4

<b>CRIMINAL JUSTICE</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	12	5	12
Probation/Parole Admissions--Drug	1	0	3
Probation/Parole Admissions--DWI	2	1	1
Prison Admissions--Total	8	3	1
Prison Admissions--Drug	0	0	0
Prison Admissions--DWI	1	1	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol On-Premise Drink Licenses	7	7	6
Alcohol Package Carry-out Licenses	10	9	9

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

# SCHUYLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	0	*	*
CSTAR Adolescent	*	6	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	27	18	14
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	7	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	25	25	23
- Adolescent Diversion Education Program	*	*	5
- Offender Education Program	9	5	*
- Weekend Intervention Program	7	6	6
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	7	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011	PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Total Individuals	35	33	20	Alcohol	13	18	15
<b>AGE</b>				Marijuana / Hashish	13	10	5
Under 18	*	7	*	Cocaine (total)	0	0	0
18 to 24	11	11	7	- Crack	0	0	0
25 to 29	5	0	*	Stimulant (total)	5	*	0
30 to 34	7	*	0	- Methamphetamine	5	*	0
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	0
45 to 54	*	5	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
<b>GENDER</b>				Tranquilizer	*	0	0
Male	21	22	17	Inhalant	0	0	0
Female	14	11	*	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	0
Caucasian	35	33	20	Average Age at First Use of Drug	17.0	15.3	14.4
African American	0	0	0	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	0
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	11	12	*	0	20	21	11
High School Graduate or G.E.D.	19	17	14	1 or 2	12	9	6
Associate Degree or Some College	*	*	*	3 or More	*	*	*
Bachelor or Advanced Degree	*	0	0	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	5	*	6
Employed	18	12	12	School	0	0	0
Unemployed	*	*	5	Mental Health Provider	*	*	0
Not in Labor Force	15	17	*	Health Care Provider	0	*	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	6	19	11
Independent Living	33	26	17	Other Referral Source	8	7	*
Dependent Living	*	7	*	<b>TREATMENT ACCOMMODATION</b>			
Homeless	0	0	0	Pregnant when Admitted to any Episode	*	*	0
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	*	*
Never Married	16	21	11	Special Education Services Needed	*	*	*
Married / Cohabiting	12	6	5	Co-Occurring Psychological Problem	21	14	5
Previously Married	7	6	*	Co-Occurring Developmental Problem	0	*	*

# SCHUYLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 4,431  
**2013 POPULATION ESTIMATE** 4,358

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
Adjustment Disorder	*	*	6
Anxiety Disorder	22	11	11
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	12	6	8
Mood Disorder	24	19	16
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	10	7	*
Diagnosis Unknown	*	8	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>		<b>FY2013</b>	<b>FY2012</b>	<b>FY2011</b>
<b>NUMBER SERVED</b>				<b>EDUCATION</b>			
Total Individuals	45	39	41	Less than High School Diploma	29	10	*
<b>AGE</b>				High School Grad or G.E.D.	*	7	8
Under 6	0	0	*	Associate Degree or Some College	0	*	*
6 to 9	6	*	5	Bachelor or Advanced Degree	0	0	*
10 to 13	11	8	8	Education Level Unknown	15	21	27
14 to 17	10	8	6	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	12	12
30 to 34	0	0	*	Not in Labor Force	37	6	0
35 to 39	*	*	*	Employment Status Unknown	5	20	27
40 to 44	*	*	5	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	5	5	*	Independent Living	14	14	14
50 to 54	*	*	*	Dependent Living	26	9	11
55 to 59	*	*	0	Homeless	*	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	16	16
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	19	19	24	Self / Family / Friend	14	12	*
Female	26	20	17	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	0	0
<b>RACE / ETHNICITY</b>				Health Care Provider	7	5	5
Caucasian	42	39	41	Court / Criminal Justice	*	*	*
African American	*	0	0	Other	21	20	29
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	44	38	39
Other Race	*	0	0	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	*	*	*
Past or Current Military Service	0	0	*				

# SCHUYLER COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	45.6			Alcohol (1 or 2 drinks daily)	47.4		
Cigarettes	35.1			Alcohol (Binge: 5+ drinks once or twice a week)	57.9		
Chewing Tobacco	31.6			Alcohol (any use)			
Marijuana	10.7			Cigarettes (1+ packs per day)	76.4		
Inhalants	5.3			Cigarettes (any use)			
Prescription medications not prescribed for student	10.5			Marijuana (once or twice a week)	71.9		
Over-the-counter medications for non-medical use	1.8			Marijuana (any use)			
Methamphetamine	1.8			Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2		
Cocaine	0.0			<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0			Were very sad	19.3		
Hallucinogens	1.8			Were grouchy, irritable, or in a bad mood	29.8		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0			Felt hopeless about the future	8.8		
Steroids not prescribed for student	0.0			Felt like not eating or eating more than usual	16.1		
Synthetic drugs (K2, bath salts, Spice, etc)	5.3			Slept a lot more or a lot less than usual	14.0		
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	19.3		
Alcohol	12.48			<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.33			Seriously considered attempting suicide	8.8		
Marijuana	13.91			Made plan about how they would attempt suicide	8.8		
Inhalants	13.00			Attempted suicide	3.5		
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0		
Alcohol	29.8			<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)				Were threatened/injured with weapon at school	3.5		
Cigarettes	17.9			Were in a physical fight	26.3		
Chewing Tobacco	17.5			Were in a fight and had to be treated by a doctor or nurse	3.5		
Marijuana	5.3			<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0			Were victims of mean rumors or lies spread at school	63.2		
Prescription medications not prescribed for student	3.5			Were made fun of by others	64.3		
Over-the-counter medications for non-medical use	1.8			Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.3		
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	28.1		
Alcohol (Binge: 5+ drinks on one occasion)	14.0			Made fun of other people	64.3		
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	19.3		
Alcohol	61.4			<i>Percent of students who agree that:</i>			
Cigarettes	54.4			Teachers notice and comment on student's good work	68.4		
Marijuana	22.8			School provides feedback to parents on positive student performance	38.6		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5			Rules are enforced fairly	52.6		
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	78.6		
Alcohol	43.1			<i>Percent of students who agree that:</i>			
Cigarettes	24.6			Parents notice and comment on student's good work	80.7		
Marijuana	5.4			Parents involve student in making family decisions	64.9		
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	85.7		
Alcohol	49.1			Student could ask parent for help with a personal problem	80.4		
Cigarettes	69.6			<i>Page Notes:</i>			
Marijuana	89.1			Similar affirmative response choices for individual questions are combined.			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5			Blank data cells indicate estimates are not available for item or geographic area.			
<i>Percent whose parents would disapprove if they use:</i>				Survey is not conducted in every school district nor reported for every county.			
Alcohol	70.2			Estimates are not available for counties with small numbers of respondents.			
Cigarettes	87.7			Percentages are estimates based on weighted data.			
Marijuana	96.5			Some year-to-year differences in percentages are not statistically significant.			
<i>Percent who say it would be easy to obtain:</i>				<i>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</i>			
Alcohol	68.4						
Cigarettes	68.4						
Marijuana	29.8						
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7						