


DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Abuse	17, 18, 19, 20, 21
Adult Psychiatric	17A, 17B, 18, 19, 20, 21
POPULATION	
Census 2010	712,520
2013 Estimate	711,352

EMPLOYMENT	2013	2012	2011
Labor Force	343,223	331,681	336,023
Employed	319,874	307,260	305,890
Unemployed	23,349	24,421	30,133
Unemployment Rate	6.8%	7.4%	9.0%

SCHOOL REPORTS	2012-2013	2011-2012	2010-2011
Enrollment Grades 9-12	31,768	31,753	32,707
Drop-outs	516	753	764
Drop-out Rate	1.6%	2.4%	2.3%
School Suspensions:			
Alcohol Incidents	76	54	78
Drug Incidents	177	239	267
Tobacco Incidents	14	15	17

BIRTH RISK	2012	2011	2010
Resident Births--Total	8,578	8,620	8,687
Mother Reported Smoking while Pregnant	2,319	2,380	2,563

DISEASE INCIDENCE	2012	2011	2010
HIV/AIDS Cases	18	17	15
Hepatitis B Chronic, Acute, Prenatal	1 56	54	46
Hepatitis C Chronic and Acute	1 815	703	691
Tuberculosis Infection Cases	1 220	260	178

DEATHS and INJURIES	2012	2011	2010
Resident Deaths--Total	8,138	8,299	8,031
Suicides	127	122	113
Self-inflicted Injuries	1,264	1,333	1,363
Homicides		31	32
Assault Injuries	2,787	2,602	2,782
Alcohol Induced Deaths	54	30	34
Drug Induced Deaths	154	124	131
Smoking Attributable Deaths	1,605	1,643	1,568

HOSPITAL EPISODES	2012	2011	2010
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis	2 7,522	7,983	
Alcohol Primary Diagnosis	2 457	446	
Drug Primary Diagnosis	2 697	572	
Alcohol Related Diagnosis	2,524	2,757	2,351
Drug Related Diagnosis	3,437	3,490	3,066
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis	2 2,007	1,696	
Alcohol Primary Diagnosis	2 335	244	
Drug Primary Diagnosis	2 288	207	
Alcohol Related Diagnosis	1,847	1,502	1,536
Drug Related Diagnosis	1,688	1,296	1,584
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis	2 8,160	8,406	
Alcohol Primary Diagnosis	2 1,192	1,259	
Drug Primary Diagnosis	2 1,270	1,249	
Alcohol Related Diagnosis	2,952	3,058	2,987
Drug Related Diagnosis	3,670	3,557	3,266

TRAFFIC: IMPAIRED DRIVER	2012	2011	2010
Alcohol Involved Crashes--Total	867	864	873
Fatal Crashes	53	32	38
Injury Crashes	399	397	440
Property Damage Crashes	415	435	395
Crash Fatalities	55	37	39
Crash Injuries	581	555	651
Drug Involved Crashes--Total	206	228	231
Fatal Crashes	4	10	15
Injury Crashes	102	115	103
Property Damage Crashes	100	103	113
Crash Fatalities	4	12	15
Crash Injuries	142	133	158

POLICE REPORTS	2012	2011	2010
DUI Arrests, DWI Tracking System	4,509	4,900	4,754
Liquor Law Arrests	1,110	1,218	1,465
Drug Arrests	4,495	4,634	4,861
Methamphetamine Lab Incidents	434	665	659
Violent Offenses	2,550	2,283	2,269
Property Offenses	20,252	19,172	17,906
Domestic Violence Reports	4,278	3,913	3,767

JUVENILE COURT REFERRALS	2012	2011	2010
Juvenile Law Violations--Total	3,867	3,643	4,060
Violent Offenses	1,146	1,070	1,243
Alcohol Offenses	152	190	208
Drug Offenses	275	268	267
Status Offenses--Total	2,827	2,794	2,983
Truancy	1,104	1,090	1,126
Beyond Parental Control	570	591	602
Habitually Absent from Home	247	268	291
Injurious Behavior	715	632	770
Abuse/Neglect/Custody--Total	4,071	3,408	3,381
Abuse	955	920	857
Neglect	2,779	2,089	2,096
Custody Disputes	337	399	428

JUVENILE COURT PLACEMENTS	2012	2011	2010
Out-of-Home Placements--Total	1,029	1,014	1,080
Parental Alcohol Use Related	48	37	50
Parental Drug Use Related	402	389	395
Parental Alcohol and Drug Use	34	52	50
Child Removed for Other Reason	545	536	585

CRIMINAL JUSTICE	FY2013	FY2012	FY2011
Drug Court Participants	797	716	675
Probation/Parole Admissions--Total	6,501	6,205	5,743
Probation/Parole Admissions--Drug	2,266	2,237	1,987
Probation/Parole Admissions--DWI	410	369	371
Prison Admissions--Total	3,182	3,088	2,974
Prison Admissions--Drug	1,112	1,068	1,026
Prison Admissions--DWI	176	196	173

RETAIL ALCOHOL OUTLETS	2013	2012	2011
Alcohol On-Premise Drink Licenses	795	808	810
Alcohol Package Carry-out Licenses	755	763	755

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
 2 Primary diagnosis counts for hospital and emergency room services are based on codes developed by the Healthcare Cost and Utilization Project.

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2013	FY2012	FY2011
Detoxification	951	979	872
CSTAR Adolescent	314	386	398
CSTAR Women and Children	401	360	424
CSTAR General Adult	2,944	1,873	1,524
CSTAR Opioid	12	12	7
Primary Recovery Treatment	1,627	3,307	4,017
Clinical SATOP (CIP, YCIP, SROP)	660	647	476
Other Substance Abuse Treatment	11	13	9

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2013	FY2012	FY2011
Offender Management Unit	2,872	3,201	2,859
- Adolescent Diversion Education Program	5	5	6
- Offender Education Program	1,133	1,337	1,245
- Weekend Intervention Program	640	702	715
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	56	64	58
Compulsive Gambling	*	7	8
Recovery Supports	968	878	529
Early Intervention	95	161	96

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2013	FY2012	FY2011
Total Individuals	5,792	6,640	6,747
AGE			
Under 18	326	423	428
18 to 24	1,125	1,300	1,364
25 to 29	1,075	1,264	1,339
30 to 34	1,027	1,053	1,060
35 to 39	633	761	711
40 to 44	530	609	624
45 to 54	814	942	965
55 and Over	262	288	256
GENDER			
Male	3,799	4,527	4,568
Female	1,993	2,113	2,179
RACE / ETHNICITY			
Caucasian	5,088	5,790	5,878
African American	577	694	714
Native American / Alaskan	13	15	13
Asian / Pacific Islander	*	*	6
Hispanic	66	97	89
Other Race / Two or More Races	80	81	86
EDUCATION			
Less than High School Diploma	2,170	2,622	2,789
High School Graduate or G.E.D.	2,717	3,056	3,078
Associate Degree or Some College	880	926	822
Bachelor or Advanced Degree	25	36	58
EMPLOYMENT			
Employed	1,393	1,677	1,713
Unemployed	2,463	2,850	3,088
Not in Labor Force	1,936	2,113	1,946
HOUSING / LIVING ARRANGEMENT			
Independent Living	4,831	5,564	5,649
Dependent Living	726	828	922
Homeless	145	152	133
MARITAL / FAMILY STATUS			
Never Married	2,822	3,163	3,299
Married / Cohabiting	1,635	1,918	1,888
Previously Married	1,335	1,559	1,560

PRIMARY DRUG PROBLEM	FY2013	FY2012	FY2011
Alcohol	1,942	2,259	2,314
Marijuana / Hashish	1,515	1,927	2,068
Cocaine (total)	164	262	279
- Crack	92	160	182
Stimulant (total)	986	956	875
- Methamphetamine	958	915	847
Heroin	299	261	230
Analgesic except Heroin	721	761	786
- Non-Prescription Methadone	*	*	6
PCP, LSD, other Hallucinogen	9	18	12
Tranquilizer	112	136	135
Inhalant	10	18	15
Sedative	10	8	13
Other Medication or Illicit Drug	24	34	20
Average Age at First Use of Drug	18.2	17.7	17.7
INJECTION DRUG USE			
Any Injection Use at Admission	872	710	652
- Daily Injection Use	197	143	157
- Weekly Injection Use	251	171	170
- Less than Weekly Injection Use	424	396	325
LIFETIME DUI / DWI ARRESTS			
0	3,313	3,950	4,183
1 or 2	1,638	1,807	1,683
3 or More	841	883	881
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,535	1,395	1,385
School	6	10	11
Mental Health Provider	44	59	66
Health Care Provider	295	285	211
Court / Criminal Justice	3,045	4,237	4,387
Other Referral Source	763	627	687
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	114	88	87
Military Veteran	230	317	269
Special Education Services Needed	599	714	704
Co-Occurring Psychological Problem	2,138	2,237	1,962
Co-Occurring Developmental Problem	407	342	367

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A, 17B, 18, 19, 20, 21
CENSUS 2010 712,520
2013 POPULATION ESTIMATE 711,352

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2013	FY2012	FY2011
Adjustment Disorder	770	732	450
Anxiety Disorder	3,638	3,148	2,230
Dementia	25	19	22
Developmental Disorder	92	81	77
Impulse Control Disorder	1,791	1,786	1,007
Mood Disorder	8,343	7,808	5,450
Personality Disorder	544	543	503
Psychotic Disorder	1,877	1,824	1,510
Sexual Disorder	132	146	127
Other Diagnosis	544	570	413
Diagnosis Unknown	1,238	1,936	1,863

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2013	FY2012	FY2011		FY2013	FY2012	FY2011
NUMBER SERVED				EDUCATION			
Total Individuals	14,445	14,392	10,558	Less than High School Diploma	3,895	2,063	1,176
AGE				High School Grad or G.E.D.	94	1,687	1,535
Under 6	72	75	68	Associate Degree or Some College	36	407	366
6 to 9	651	681	448	Bachelor or Advanced Degree	5	112	78
10 to 13	935	1,019	663	Education Level Unknown	10,415	10,123	7,403
14 to 17	1,054	1,111	775	EMPLOYMENT			
18 to 24	1,402	1,426	1,011	Employed	667	430	280
25 to 29	1,365	1,293	922	Unemployed	988	3,423	2,814
30 to 34	1,425	1,392	970	Not in Labor Force	6,389	1,052	86
35 to 39	1,266	1,207	858	Employment Status Unknown	6,401	9,487	7,378
40 to 44	1,339	1,300	979	HOUSING / LIVING ARRANGEMENT			
45 to 49	1,390	1,452	1,219	Independent Living	4,806	3,623	2,516
50 to 54	1,466	1,387	1,080	Dependent Living	3,166	1,568	1,432
55 to 59	1,011	985	770	Homeless	151	80	62
60 and Over	1,069	1,064	795	Other	*	68	58
Age Unknown	0	0	0	Housing Unknown	6,320	9,053	6,490
GENDER				TREATMENT REFERRAL SOURCE			
Male	6,637	6,662	4,986	Self / Family / Friend	7,131	7,300	4,755
Female	7,808	7,730	5,572	School	160	151	116
Gender Unknown	0	0	0	Mental Health Provider	1,209	1,216	1,111
RACE / ETHNICITY				Health Care Provider	2,539	2,224	1,521
Caucasian	12,846	12,646	9,325	Court / Criminal Justice	1,023	1,057	912
African American	980	949	770	Other	2,337	2,384	2,029
Native American / Alaskan	25	20	14	Referral Source Unknown	46	60	114
Asian / Pacific Islander	10	9	9	TYPE OF COMMITMENT			
Hispanic	338	502	260	Voluntary	14,030	13,941	10,041
Other Race	246	266	180	Civil	22	33	81
Race/Ethnicity Unknown	0	0	0	Criminal	225	230	203
TREATMENT ACCOMMODATION				Sexual Predatory	136	146	136
Hearing Impaired	522	555	441	Commitment Type Unknown	32	42	97
Past or Current Military Service	376	382	347				

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	37.2	41.0	46.2	Alcohol (1 or 2 drinks daily)	54.9		
Cigarettes	26.5	28.5	33.0	Alcohol (Binge: 5+ drinks once or twice a week)	64.9		
Chewing Tobacco	17.8	18.0	19.7	Alcohol (any use)		71.2	76.2
Marijuana	12.8	14.4	16.6	Cigarettes (1+ packs per day)	82.8		
Inhalants	3.5	6.1	8.1	Cigarettes (any use)		79.2	77.8
Prescription medications not prescribed for student	8.8	9.9	13.9	Marijuana (once or twice a week)	67.3		
Over-the-counter medications for non-medical use	3.2	6.2	8.4	Marijuana (any use)		75.8	73.0
Methamphetamine	0.6	1.3	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	93.5	92.8
Cocaine	0.9	1.8	1.5	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.3	0.9	0.7	Were very sad	19.5	19.9	18.9
Hallucinogens	1.3	2.6	3.0	Were grouchy, irritable, or in a bad mood	25.2	25.7	24.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	2.0	2.0	Felt hopeless about the future	10.8	11.3	12.8
Steroids not prescribed for student	1.0	1.8	1.4	Felt like not eating or eating more than usual	17.4	17.8	18.7
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.9		Slept a lot more or a lot less than usual	17.8	20.5	26.1
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.0	23.2	25.5
Alcohol	12.76	12.45	12.33	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.62	12.11	11.94	Seriously considered attempting suicide	11.0	11.9	12.6
Marijuana	13.90	13.44	13.44	Made plan about how they would attempt suicide	7.8	8.9	9.3
Inhalants	11.93	12.04	12.33	Attempted suicide	4.5	5.5	5.9
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.5	1.9	2.2
Alcohol	14.5	17.3	21.8	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		10.5	12.5	Were threatened/injured with weapon at school	6.1	6.2	9.6
Cigarettes	11.6	14.1	17.3	Were in a physical fight	20.0	22.1	24.4
Chewing Tobacco	10.9	9.9	11.1	Were in a fight and had to be treated by a doctor or nurse	2.9	3.1	4.2
Marijuana	5.8	7.0	8.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.3	2.3	3.5	Were victims of mean rumors or lies spread at school	52.4	51.5	57.9
Prescription medications not prescribed for student	4.8	5.2	8.1	Were made fun of by others	59.5	61.0	69.1
Over-the-counter medications for non-medical use	1.6	3.6	5.4	Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.9	20.4	19.9
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	24.0	26.6	32.8
Alcohol (Binge: 5+ drinks on one occasion)	6.9			Made fun of other people	54.7	60.8	72.0
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	15.9	13.3	16.4
Alcohol	46.5	53.6	61.1	<i>Percent of students who agree that:</i>			
Cigarettes	39.9	46.1	51.6	Teachers notice and comment on student's good work	74.5	70.0	70.6
Marijuana	27.7	31.8	36.4	School provides feedback to parents on positive student performance	44.2	39.2	40.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.4	13.1	17.3	Rules are enforced fairly	65.7	62.7	61.5
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	81.4	76.1	75.5
Alcohol	28.0	30.9	35.6	<i>Percent of students who agree that:</i>			
Cigarettes	14.2	15.7	18.0	Parents notice and comment on student's good work	83.1	82.7	83.5
Marijuana	11.1	10.9	12.8	Parents involve student in making family decisions	70.9	68.7	69.2
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	89.1	86.6	84.2
Alcohol	63.7	60.2	58.0	Student could ask parent for help with a personal problem	78.6	76.3	77.1
Cigarettes	80.6	78.0	75.4	<i>Page Notes:</i>			
Marijuana	82.8	83.8	82.4	Similar affirmative response choices for individual questions are combined.			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	95.9	94.7	Blank data cells indicate estimates are not available for item or geographic area.			
<i>Percent whose parents would disapprove if they use:</i>				Survey is not conducted in every school district nor reported for every county.			
Alcohol	79.0	78.5	77.4	Estimates are not available for counties with small numbers of respondents.			
Cigarettes	89.9	89.6	88.9	Percentages are estimates based on weighted data.			
Marijuana	93.1	94.2	94.3	Some year-to-year differences in percentages are not statistically significant.			
<i>Percent who say it would be easy to obtain:</i>				<i>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</i>			
Alcohol	48.9	54.9	58.6				
Cigarettes	49.4	53.8	59.1				
Marijuana	31.2	33.6	36.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	17.2	19.8				