

BARTON COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	9
POPULATION	
Census 2010	12,402
2014 Estimate	12,057

BIRTH RISK	2013	2012	2011
Resident Births--Total	141	152	143
Mother Reported Smoking while Pregnant	39	30	27

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	2	2	9
Tuberculosis Infection Cases	0	0	2

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	163	135	127
Suicides	3	2	3
Self-inflicted Injuries	22	9	15
Homicides	1	2	0
Assault Injuries	43	38	33
Alcohol Induced Deaths	0	3	0
Drug Induced Deaths	1	3	5
Smoking Attributable Deaths	28	19	20

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	132	103	89
Mental Illness Secondary Diagnosis	487	431	461
Alcohol Principal Diagnosis	4	5	6
Alcohol Secondary Diagnosis	27	20	33
Drug Principal Diagnosis	11	5	10
Drug Secondary Diagnosis	32	17	12
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	38	20	20
Mental Illness Secondary Diagnosis	96	91	67
Alcohol Principal Diagnosis	10	5	1
Alcohol Secondary Diagnosis	12	11	10
Drug Principal Diagnosis	7	4	1
Drug Secondary Diagnosis	4	10	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	97	115	79
Mental Illness Secondary Diagnosis	449	292	247
Alcohol Principal Diagnosis	25	8	12
Alcohol Secondary Diagnosis	192	55	39
Drug Principal Diagnosis	34	16	24
Drug Secondary Diagnosis	97	48	24

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	7	6	6
Alcohol Package Carry-out Licenses	17	15	16

EMPLOYMENT	2014	2013	2012
Labor Force	5,518	5,051	4,903
Employed	5,164	4,663	4,490
Unemployed	354	388	413
Unemployment Rate	6.4%	7.7%	8.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	10	15	10
Fatal Crashes	1	1	1
Injury Crashes	2	4	4
Property Damage Crashes	7	10	5
Crash Fatalities	1	1	1
Crash Injuries	4	6	4
Drug Involved Crashes--Total	3	7	1
Fatal Crashes	0	0	0
Injury Crashes	2	2	0
Property Damage Crashes	1	5	1
Crash Fatalities	0	0	0
Crash Injuries	4	3	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	63	55	49
Liquor Law Arrests	21	28	50
Drug Arrests	13	20	33
Violent Offenses	25	34	20
Property Offenses	177	301	244
Domestic Violence Reports	143	212	138

	2014	2013	2012
Methamphetamine Lab Seizures	5	3	4

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	615	624	640
Drop-outs	8	7	6
Drop-out Rate	1.3%	1.1%	0.9%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	3	1
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	29	42	52
Juvenile Alcohol Offenses	11	10	16
Juvenile Drug Offenses	2	7	6
School Truancy Status Offense	44	17	20
Absent from Home Status Offense	9	4	5
Beyond Parental Control Status Offense	11	14	11
Injurious Behavior Status Offense	6	6	9
Child Abuse	71	21	20
Child Neglect	65	111	126
Child Custody Issues	2	1	1

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	17	4	18
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	6	1	2
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	15	21	19
Probation/Parole Admissions--Drug	15	21	26
Probation/Parole Admissions--DWI	7	8	5
Prison Admissions--Drug	10	20	8
Prison Admissions--DWI	2	4	3

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BARTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	11	5	7
CSTAR Adolescent	0	*	*
CSTAR Women and Children	6	*	*
CSTAR General Adult	48	40	52
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	8
Clinical SATOP (CIP, YCIP, SROP)	11	9	10
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	32	30	41
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	6	9	18
- Weekend Intervention Program	*	*	8
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	8	10	21
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	69	67	89	Alcohol	31	24	41
AGE				Marijuana / Hashish	16	16	11
Under 18	*	*	*	Cocaine (total)	0	*	*
18 to 24	13	6	14	- Crack	0	0	0
25 to 29	12	20	21	Stimulant (total)	9	16	22
30 to 34	10	10	19	- Methamphetamine	9	16	21
35 to 39	10	11	8	Heroin	0	*	0
40 to 44	6	8	6	Analgesic except Heroin	12	7	13
45 to 54	9	7	16	- Non-Prescription Methadone	0	0	0
55 and Over	8	*	*	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	0	0
Male	46	48	67	Inhalant	0	0	0
Female	23	19	22	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	68	65	88	Average Age at First Use of Drug	17.0	17.6	18.2
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	12	11	16
Asian / Pacific Islander	0	0	0	- Daily Injection Use	6	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	5	7	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	23	25	25	0	29	30	44
High School Graduate or G.E.D.	38	32	46	1 or 2	24	22	28
Associate Degree or Some College	8	10	18	3 or More	16	15	17
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	10	30	25
Employed	24	19	33	School	0	0	0
Unemployed	25	21	22	Mental Health Provider	0	*	*
Not in Labor Force	20	27	34	Health Care Provider	10	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	45	21	54
Independent Living	65	59	78	Other Referral Source	*	9	8
Dependent Living	*	5	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	5	*	5
Never Married	30	34	32	Special Education Services Needed	17	18	15
Married / Cohabiting	25	15	31	Co-Occurring Psychological Problem	34	37	37
Previously Married	14	18	26	Co-Occurring Developmental Problem	*	*	*

BARTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 12,402
2014 POPULATION ESTIMATE 12,057

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	5	6
Anxiety Disorder	28	26	17
Dementia	0	0	0
Developmental Disorder	0	0	*
Impulse Control Disorder	9	9	12
Mood Disorder	31	34	39
Personality Disorder	5	6	*
Psychotic Disorder	*	6	7
Sexual Disorder	0	0	0
Other Diagnosis	6	6	*
Diagnosis Unknown	9	9	7

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	58	64	75	Less than High School Diploma	17	11	9
AGE				High School Grad or G.E.D.	0	0	7
Under 6	0	*	0	Associate Degree or Some College	0	0	*
6 to 9	7	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	6	6	6	Education Level Unknown	41	53	55
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	*	*	6	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	0	16
30 to 34	*	9	6	Not in Labor Force	24	22	*
35 to 39	*	6	10	Employment Status Unknown	27	41	51
40 to 44	7	10	6	HOUSING / LIVING ARRANGEMENT			
45 to 49	6	6	15	Independent Living	19	13	16
50 to 54	9	*	7	Dependent Living	14	11	8
55 to 59	*	6	5	Homeless	*	0	0
60 and Over	5	5	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	23	40	51
GENDER				TREATMENT REFERRAL SOURCE			
Male	29	23	27	Self / Family / Friend	42	39	42
Female	29	41	48	School	0	*	0
Gender Unknown	0	0	0	Mental Health Provider	*	0	*
RACE / ETHNICITY				Health Care Provider	6	9	13
Caucasian	52	61	71	Court / Criminal Justice	6	10	11
African American	0	*	0	Other	*	5	7
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	0	*	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	52	56	61
Other Race	*	*	*	Civil	5	8	13
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	0	0
Hearing Impaired	*	0	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

BARTON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	28.7	27.5	35.8	Alcohol (1 or 2 drinks daily)	59.2		
Cigarettes	19.7	18.9	29.2	Alcohol (Binge: 5+ drinks once or twice a week)	75.0		
Chewing Tobacco	16.6	11.5	11.6	Alcohol (any use)		75.9	87.1
Marijuana	8.6	7.3	8.7	Cigarettes (1+ packs per day)	83.3		
Inhalants	1.3	4.1	5.5	Cigarettes (any use)		79.2	85.7
Prescription medications not prescribed for student	14.4	10.1	9.7	Marijuana (once or twice a week)	70.6		
Over-the-counter medications for non-medical use	4.0	5.5	6.6	Marijuana (any use)		86.0	82.0
Methamphetamine	0.7	1.8	0.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.8	94.4	96.5
Cocaine	0.7	0.9	0.3	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.7	1.9	0.3	Were very sad	23.7	20.2	27.7
Hallucinogens	1.3	1.4	2.1	Were grouchy, irritable, or in a bad mood	25.5	19.9	37.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	0.9	1.0	Felt hopeless about the future	10.6	8.7	17.8
Steroids not prescribed for student	1.3	3.3	0.7	Felt like not eating or eating more than usual	18.7	17.5	24.2
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	3.7		Slept a lot more or a lot less than usual	14.5	19.0	31.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	29.4	18.8	31.0
Alcohol	13.13	11.80	12.62	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.19	11.95	12.52	Seriously considered attempting suicide	9.2	9.6	13.7
Marijuana	14.28	12.30	13.51	Made plan about how they would attempt suicide	7.3	8.3	10.0
Inhalants	13.98	11.75	12.03	Attempted suicide	6.6	4.6	6.2
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.0	1.4	1.5
Alcohol	13.2	11.0	12.7	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		4.1	6.8	Were threatened/injured with weapon at school	6.5	6.9	7.9
Cigarettes	6.6	10.1	14.4	Were in a physical fight	18.4	19.9	21.0
Chewing Tobacco	7.3	6.0	6.7	Were in a fight and had to be treated by a doctor or nurse	3.3	3.2	3.4
Marijuana	2.0	2.8	3.1	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.3	2.8	3.5	Were victims of mean rumors or lies spread at school	51.6	55.0	57.2
Prescription medications not prescribed for student	7.2	5.5	4.5	Were made fun of by others	64.9	64.2	71.7
Over-the-counter medications for non-medical use	2.0	3.2	3.5	Were victims of an embarrassing or hurtful text message or something posted on the internet	25.8	23.9	20.1
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	28.9	35.3	33.7
Alcohol (Binge: 5+ drinks on one occasion)	8.7			Made fun of other people	65.1	64.2	72.5
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	16.4	14.4	12.5
Alcohol	41.2	41.3	46.0	<i>Percent of students who agree that:</i>			
Cigarettes	29.6	36.7	48.5	Teachers notice and comment on student's good work	73.9	73.9	62.5
Marijuana	17.1	17.1	26.4	School provides feedback to parents on positive student performance	40.8	34.1	34.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.2	8.3	15.6	Rules are enforced fairly	62.9	69.1	56.4
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	81.6	81.1	85.5
Alcohol	19.9	22.0	19.7	<i>Percent of students who agree that:</i>			
Cigarettes	7.2	10.6	16.1	Parents notice and comment on student's good work	80.3	84.3	82.5
Marijuana	7.9	5.6	7.3	Parents involve student in making family decisions	66.4	71.1	69.9
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	88.9	89.8	84.7
Alcohol	72.7	72.9	72.7	Student could ask parent for help with a personal problem	79.7	77.1	73.0
Cigarettes	88.8	85.3	80.5	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	86.7	90.2	87.8	<i>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	94.4	94.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.7	83.6	86.8				
Cigarettes	96.1	91.7	93.0				
Marijuana	96.0	95.8	97.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	50.7	48.4	51.0				
Cigarettes	49.0	44.5	53.3				
Marijuana	20.4	17.7	32.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	13.0	18.9				