

# BENTON COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Use	8
Adult Psychiatric	8B
<b>POPULATION</b>	
Census 2010	19,056
2014 Estimate	18,806

<b>BIRTH RISK</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Births--Total	138	125	167
Mother Reported Smoking while Pregnant	43	37	57

<b>DISEASE INCIDENCE</b> <sup>1</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	18	11	14
Tuberculosis Infection Cases	5	2	3

<b>DEATHS and INJURIES</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Deaths--Total	267	292	253
Suicides	0	7	4
Self-inflicted Injuries	27	24	28
Homicides	2	3	0
Assault Injuries	51	54	41
Alcohol Induced Deaths	4	3	3
Drug Induced Deaths	4	10	4
Smoking Attributable Deaths	60	63	49

<b>HOSPITAL EPISODES</b> <sup>2</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	209	156	156
Mental Illness Secondary Diagnosis	649	531	609
Alcohol Principal Diagnosis	15	15	13
Alcohol Secondary Diagnosis	48	63	78
Drug Principal Diagnosis	12	14	13
Drug Secondary Diagnosis	34	28	28
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	39	47	31
Mental Illness Secondary Diagnosis	220	195	183
Alcohol Principal Diagnosis	15	7	16
Alcohol Secondary Diagnosis	37	25	32
Drug Principal Diagnosis	9	10	8
Drug Secondary Diagnosis	17	18	20
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	169	150	139
Mental Illness Secondary Diagnosis	1,031	764	880
Alcohol Principal Diagnosis	27	14	21
Alcohol Secondary Diagnosis	59	42	39
Drug Principal Diagnosis	21	21	26
Drug Secondary Diagnosis	53	43	50

<b>ALCOHOL OUTLETS</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Alcohol On-Premise Drink Licenses	40	36	40
Alcohol Package Carry-out Licenses	30	31	34

<b>EMPLOYMENT</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Labor Force	7,146	8,411	7,890
Employed	6,599	7,830	7,254
Unemployed	547	581	636
Unemployment Rate	7.7%	6.9%	8.1%

<b>IMPAIRED DRIVING</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol Involved Crashes--Total	17	23	26
Fatal Crashes	1	1	1
Injury Crashes	7	9	12
Property Damage Crashes	9	13	13
Crash Fatalities	1	1	1
Crash Injuries	9	14	18
Drug Involved Crashes--Total	3	4	8
Fatal Crashes	0	0	1
Injury Crashes	2	1	3
Property Damage Crashes	1	3	4
Crash Fatalities	0	0	1
Crash Injuries	3	1	5

<b>POLICE REPORTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
DUI Arrests, DWI Tracking System	94	106	128
Liquor Law Arrests	5	6	9
Drug Arrests	110	127	95
Violent Offenses	62	87	48
Property Offenses	443	537	406
Domestic Violence Reports	108	97	120
	<b>2014</b>	<b>2013</b>	<b>2012</b>
Methamphetamine Lab Seizures	0	3	1

<b>SCHOOL REPORTS</b>	<b>2013-14</b>	<b>2012-13</b>	<b>2011-12</b>
Enrollment Grades 9-12	820	809	765
Drop-outs	17	9	27
Drop-out Rate	2.1%	1.1%	3.5%
School Discipline Involving Alcohol	1	1	4
School Discipline Involving Drugs	11	8	11
School Discipline Involving Tobacco	4	2	0

<b>JUVENILE COURT REFERRALS</b> <sup>3</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Juvenile Violent Offenses	23	26	15
Juvenile Alcohol Offenses	4	8	5
Juvenile Drug Offenses	3	11	9
School Truancy Status Offense	27	52	60
Absent from Home Status Offense	5	9	6
Beyond Parental Control Status Offense	6	15	17
Injurious Behavior Status Offense	8	6	8
Child Abuse	19	21	36
Child Neglect	46	55	51
Child Custody Issues	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Out-of-Home Placements--Total	9	8	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	1	2
Parental Alcohol and Drug Use	0	0	0

<b>CRIMINAL JUSTICE</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Drug Court Participants	6	10	5
Probation/Parole Admissions--Drug	37	23	26
Probation/Parole Admissions--DWI	7	8	9
Prison Admissions--Drug	21	15	18
Prison Admissions--DWI	5	2	4

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

# BENTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	5
CSTAR Adolescent	5	17	13
CSTAR Women and Children	*	7	7
CSTAR General Adult	122	109	129
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	12
Clinical SATOP (CIP, YCIP, SROP)	14	12	23
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	35	45	65
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	12	11	18
- Weekend Intervention Program	8	9	16
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	6	8	6
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	148	154	184	Alcohol	48	48	81
<b>AGE</b>				Marijuana / Hashish	43	52	48
Under 18	5	17	15	Cocaine (total)	*	0	*
18 to 24	22	35	30	- Crack	*	0	*
25 to 29	18	29	24	Stimulant (total)	47	36	33
30 to 34	27	19	30	- Methamphetamine	46	35	30
35 to 39	16	16	15	Heroin	*	*	*
40 to 44	21	8	20	Analgesic except Heroin	6	13	18
45 to 54	30	19	34	- Non-Prescription Methadone	0	0	*
55 and Over	9	11	16	PCP, LSD, other Hallucinogen	0	0	0
<b>GENDER</b>				Tranquilizer	*	*	*
Male	86	97	122	Inhalant	0	0	0
Female	62	57	62	Sedative	*	*	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	0	0
Caucasian	144	152	183	Average Age at First Use of Drug	17.1	16.6	18.2
African American	*	*	0	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	12	24	27
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	9
Hispanic	*	0	0	- Weekly Injection Use	*	6	5
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	10	16	13
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	44	57	70	0	98	111	95
High School Graduate or G.E.D.	74	75	84	1 or 2	39	24	47
Associate Degree or Some College	28	21	29	3 or More	11	19	42
Bachelor or Advanced Degree	*	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	51	94	88
Employed	29	27	35	School	0	0	0
Unemployed	68	54	60	Mental Health Provider	*	*	*
Not in Labor Force	51	73	89	Health Care Provider	*	*	9
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	48	39	67
Independent Living	121	123	148	Other Referral Source	43	15	18
Dependent Living	11	21	18	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	*	12
Never Married	59	89	84	Special Education Services Needed	7	8	7
Married / Cohabiting	50	29	47	Co-Occurring Psychological Problem	67	45	39
Previously Married	39	36	53	Co-Occurring Developmental Problem	*	*	*

# BENTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 19,056  
**2014 POPULATION ESTIMATE** 18,806

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Adjustment Disorder	14	21	19
Anxiety Disorder	172	205	188
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	32	30	43
Mood Disorder	187	214	232
Personality Disorder	15	20	21
Psychotic Disorder	31	33	40
Sexual Disorder	0	*	0
Other Diagnosis	40	38	35
Diagnosis Unknown	25	32	31

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>	<b>EDUCATION</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Total Individuals	299	339	358	Less than High School Diploma	136	141	65
<b>AGE</b>				High School Grad or G.E.D.	0	0	79
Under 6	*	*	*	Associate Degree or Some College	0	0	17
6 to 9	16	15	18	Bachelor or Advanced Degree	0	0	0
10 to 13	28	28	39	Education Level Unknown	163	198	197
14 to 17	34	30	36	<b>EMPLOYMENT</b>			
18 to 24	27	32	34	Employed	21	13	8
25 to 29	15	28	23	Unemployed	9	26	138
30 to 34	17	22	16	Not in Labor Force	213	240	21
35 to 39	22	26	25	Employment Status Unknown	56	60	191
40 to 44	23	33	28	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	37	41	42	Independent Living	146	184	140
50 to 54	33	38	39	Dependent Living	99	91	46
55 to 59	31	31	35	Homeless	*	5	*
60 and Over	14	12	20	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	50	59	168
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	144	163	166	Self / Family / Friend	244	267	261
Female	155	176	192	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	10	14	19
<b>RACE / ETHNICITY</b>				Health Care Provider	19	23	34
Caucasian	290	330	350	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	20	28	35
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	295	332	349
Other Race	*	*	*	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	5	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	6	9				

# BENTON COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	50.3	44.3	54.0	Alcohol (1 or 2 drinks daily)	51.8		
Cigarettes	33.2	31.1	34.2	Alcohol (Binge: 5+ drinks once or twice a week)	62.8		
Chewing Tobacco	16.1	16.4	16.5	Alcohol (any use)		70.8	75.9
Marijuana	17.7	17.1	15.2	Cigarettes (1+ packs per day)	83.2		
Inhalants	3.7	7.0	9.7	Cigarettes (any use)		77.9	78.3
Prescription medications not prescribed for student	13.2	10.2	16.7	Marijuana (once or twice a week)	64.1		
Over-the-counter medications for non-medical use	2.1	3.3	9.9	Marijuana (any use)		73.8	69.0
Methamphetamine	1.6	1.2	1.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.7	97.1	92.3
Cocaine	1.6	1.3	1.8	<i>Percent of students who, in past 30 days:</i>			
Heroin	1.1	1.2	0.6	Were very sad	23.4	20.5	24.3
Hallucinogens	2.1	4.1	3.2	Were grouchy, irritable, or in a bad mood	29.0	24.9	29.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.6	4.1	4.1	Felt hopeless about the future	15.1	8.7	11.5
Steroids not prescribed for student	1.1	1.6	0.9	Felt like not eating or eating more than usual	20.7	18.9	19.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.3	5.7		Slept a lot more or a lot less than usual	20.4	26.2	31.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	26.9	25.9	27.4
Alcohol	12.44	12.71	12.24	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.15	12.35	11.76	Seriously considered attempting suicide	16.2	13.2	15.7
Marijuana	13.36	13.43	12.10	Made plan about how they would attempt suicide	14.7	7.0	11.7
Inhalants	12.62	12.65	12.52	Attempted suicide	11.5	2.0	7.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.2	1.3	4.2
Alcohol	18.8	19.4	23.1	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		12.2	12.6	Were threatened/injured with weapon at school	11.5	6.5	12.3
Cigarettes	14.8	16.3	17.8	Were in a physical fight	24.0	19.6	26.3
Chewing Tobacco	7.3	9.0	7.1	Were in a fight and had to be treated by a doctor or nurse	4.7	1.2	3.5
Marijuana	7.3	8.6	8.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.1	2.0	4.4	Were victims of mean rumors or lies spread at school	58.9	52.5	59.2
Prescription medications not prescribed for student	5.3	5.3	7.7	Were made fun of by others	70.8	62.3	73.2
Over-the-counter medications for non-medical use	1.6	1.2	6.6	Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.9	25.4	20.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	23.4	30.9	33.1
Alcohol (Binge: 5+ drinks on one occasion)	10.0			Made fun of other people	62.0	68.8	74.3
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	19.7	21.7	19.9
Alcohol	57.9	59.4	61.2	<i>Percent of students who agree that:</i>			
Cigarettes	45.3	52.0	51.3	Teachers notice and comment on student's good work	71.0	74.9	73.6
Marijuana	32.5	32.2	31.7	School provides feedback to parents on positive student performance	33.7	45.3	41.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	17.3	18.0	Rules are enforced fairly	61.5	72.7	58.2
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	82.6	81.9	77.1
Alcohol	37.7	38.3	42.8	<i>Percent of students who agree that:</i>			
Cigarettes	16.7	17.7	19.6	Parents notice and comment on student's good work	78.2	79.3	82.6
Marijuana	15.7	10.4	14.0	Parents involve student in making family decisions	63.0	66.9	68.2
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	89.1	86.0	80.1
Alcohol	50.3	61.3	51.5	Student could ask parent for help with a personal problem	70.4	74.9	73.7
Cigarettes	77.9	82.2	74.1	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	78.9	84.0	79.7	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	95.1	92.4				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	71.6	74.0	71.6				
Cigarettes	87.9	88.7	89.2				
Marijuana	91.5	95.3	95.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	60.7	61.3	64.0				
Cigarettes	55.5	52.1	65.8				
Marijuana	31.6	36.4	41.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.6	15.5	26.7				