


# BUCHANAN COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Use	1
Adult Psychiatric	1
<b>POPULATION</b>	
Census 2010	89,201
2014 Estimate	89,486

<b>BIRTH RISK</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Births--Total	1,154	1,212	1,215
Mother Reported Smoking while Pregnant	289	351	300

<b>DISEASE INCIDENCE</b> <sup>1</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
HIV/AIDS Cases	7	3	6
Hepatitis B Chronic, Acute, Prenatal	14	16	15
Hepatitis C Chronic and Acute	95	76	147
Tuberculosis Infection Cases	15	26	22

<b>DEATHS and INJURIES</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Deaths--Total	942	979	982
Suicides	17	8	14
Self-inflicted Injuries	190	169	171
Homicides	2	2	5
Assault Injuries	456	447	547
Alcohol Induced Deaths	11	6	7
Drug Induced Deaths	15	10	10
Smoking Attributable Deaths	167	181	172

<b>HOSPITAL EPISODES</b> <sup>2</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	615	703	941
Mental Illness Secondary Diagnosis	643	750	708
Alcohol Principal Diagnosis	36	68	75
Alcohol Secondary Diagnosis	51	49	50
Drug Principal Diagnosis	41	62	65
Drug Secondary Diagnosis	52	56	40
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	871	860	603
Mental Illness Secondary Diagnosis	1,503	1,590	1,894
Alcohol Principal Diagnosis	142	141	166
Alcohol Secondary Diagnosis	232	264	259
Drug Principal Diagnosis	132	109	91
Drug Secondary Diagnosis	159	152	167
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,142	1,250	1,310
Mental Illness Secondary Diagnosis	1,188	1,350	1,749
Alcohol Principal Diagnosis	294	343	291
Alcohol Secondary Diagnosis	321	255	236
Drug Principal Diagnosis	162	148	147
Drug Secondary Diagnosis	206	197	165

<b>ALCOHOL OUTLETS</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Alcohol On-Premise Drink Licenses	119	115	118
Alcohol Package Carry-out Licenses	85	83	82

<b>EMPLOYMENT</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Labor Force	47,454	51,111	51,416
Employed	44,822	48,312	48,525
Unemployed	2,632	2,799	2,891
Unemployment Rate	5.5%	5.5%	5.6%

<b>IMPAIRED DRIVING</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol Involved Crashes--Total	126	121	90
Fatal Crashes	1	5	2
Injury Crashes	55	52	35
Property Damage Crashes	70	64	53
Crash Fatalities	1	7	2
Crash Injuries	73	75	51
Drug Involved Crashes--Total	32	28	24
Fatal Crashes	1	2	1
Injury Crashes	11	12	13
Property Damage Crashes	20	14	10
Crash Fatalities	2	3	1
Crash Injuries	18	20	13

<b>POLICE REPORTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
DUI Arrests, DWI Tracking System	491	403	505
Liquor Law Arrests	243	203	239
Drug Arrests	705	620	619
Violent Offenses	399	348	308
Property Offenses	4,674	5,062	4,372
Domestic Violence Reports	898	769	829
	<b>2014</b>	<b>2013</b>	<b>2012</b>
Methamphetamine Lab Seizures	1	3	2

<b>SCHOOL REPORTS</b>	<b>2013-14</b>	<b>2012-13</b>	<b>2011-12</b>
Enrollment Grades 9-12	3,788	3,786	3,691
Drop-outs	25	76	88
Drop-out Rate	0.7%	2.0%	2.4%
School Discipline Involving Alcohol	12	4	2
School Discipline Involving Drugs	23	28	48
School Discipline Involving Tobacco	1	0	0

<b>JUVENILE COURT REFERRALS</b> <sup>3</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Juvenile Violent Offenses	108	127	155
Juvenile Alcohol Offenses	16	17	8
Juvenile Drug Offenses	26	26	29
School Truancy Status Offense	329	229	125
Absent from Home Status Offense	124	100	120
Beyond Parental Control Status Offense	100	138	68
Injurious Behavior Status Offense	11	40	8
Child Abuse	9	16	13
Child Neglect	93	70	35
Child Custody Issues	0	1	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Out-of-Home Placements--Total	52	60	33
Parental Alcohol Use Related	0	0	4
Parental Drug Use Related	8	12	2
Parental Alcohol and Drug Use	1	6	0

<b>CRIMINAL JUSTICE</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Drug Court Participants	220	271	244
Probation/Parole Admissions--Drug	415	363	384
Probation/Parole Admissions--DWI	52	81	98
Prison Admissions--Drug	251	245	230
Prison Admissions--DWI	35	33	37

<sup>1</sup> All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

<sup>2</sup> Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

<sup>3</sup> Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

# BUCHANAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	154	172	196
CSTAR Adolescent	89	82	92
CSTAR Women and Children	12	12	7
CSTAR General Adult	521	572	313
CSTAR Opioid	*	*	0
Primary Recovery Treatment	11	23	289
Clinical SATOP (CIP, YCIP, SROP)	67	68	79
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	363	360	398
- Adolescent Diversion Education Program	5	*	10
- Offender Education Program	164	164	166
- Weekend Intervention Program	77	81	84
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	6	8	11
Compulsive Gambling	*	*	5
Recovery Supports	7	12	7
Early Intervention	17	51	163

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
<b>NUMBER ADMITTED</b>				<b>PRIMARY DRUG PROBLEM</b>			
Total Individuals	749	806	770	Alcohol	224	260	294
<b>AGE</b>				Marijuana / Hashish	196	267	235
Under 18	85	84	89	Cocaine (total)	30	22	48
18 to 24	121	161	120	- Crack	21	18	40
25 to 29	121	126	131	Stimulant (total)	184	162	107
30 to 34	119	120	98	- Methamphetamine	178	161	107
35 to 39	71	70	80	Heroin	6	7	*
40 to 44	66	69	71	Analgesic except Heroin	89	80	73
45 to 54	122	127	143	- Non-Prescription Methadone	0	*	0
55 and Over	44	49	38	PCP, LSD, other Hallucinogen	7	*	*
<b>GENDER</b>				Tranquilizer	7	*	*
Male	495	569	556	Inhalant	*	0	*
Female	254	237	214	Sedative	*	*	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	639	666	653	Average Age at First Use of Drug	18.6	17.7	17.3
African American	71	102	81	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	125	102	83
Asian / Pacific Islander	*	*	*	- Daily Injection Use	35	25	24
Hispanic	21	28	25	- Weekly Injection Use	30	30	19
Other Race / Two or More Races	23	22	19	- Less than Weekly Injection Use	60	47	40
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	272	290	255	0	499	509	466
High School Graduate or G.E.D.	359	386	374	1 or 2	160	191	191
Associate Degree or Some College	109	127	131	3 or More	90	106	113
Bachelor or Advanced Degree	9	*	10	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	363	266	190
Employed	174	211	200	School	*	0	*
Unemployed	228	428	365	Mental Health Provider	5	11	21
Not in Labor Force	347	167	205	Health Care Provider	42	34	57
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	313	444	447
Independent Living	499	537	540	Other Referral Source	21	44	47
Dependent Living	147	180	160	<b>TREATMENT ACCOMMODATION</b>			
Homeless	75	72	63	Pregnant when Admitted to any Episode	6	5	5
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	20	46	33
Never Married	466	499	461	Special Education Services Needed	74	81	12
Married / Cohabiting	120	141	136	Co-Occurring Psychological Problem	214	267	112
Previously Married	163	166	173	Co-Occurring Developmental Problem	23	28	8

# BUCHANAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 89,201  
**2014 POPULATION ESTIMATE** 89,486

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Adjustment Disorder	76	63	85
Anxiety Disorder	539	510	477
Dementia	8	*	*
Developmental Disorder	32	18	18
Impulse Control Disorder	331	387	427
Mood Disorder	920	884	885
Personality Disorder	149	141	143
Psychotic Disorder	396	392	391
Sexual Disorder	*	*	0
Other Diagnosis	239	247	268
Diagnosis Unknown	169	193	281

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>	<b>EDUCATION</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Total Individuals	1,630	1,747	1,901	Less than High School Diploma	566	690	342
<b>AGE</b>				High School Grad or G.E.D.	*	30	436
Under 6	37	55	61	Associate Degree or Some College	0	15	155
6 to 9	134	173	195	Bachelor or Advanced Degree	0	*	31
10 to 13	118	164	202	Education Level Unknown	1,060	1,011	937
14 to 17	111	138	194	<b>EMPLOYMENT</b>			
18 to 24	116	124	128	Employed	101	86	112
25 to 29	130	120	109	Unemployed	134	191	749
30 to 34	118	104	108	Not in Labor Force	968	1,028	114
35 to 39	113	116	128	Employment Status Unknown	427	442	926
40 to 44	133	142	139	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	162	153	194	Independent Living	643	682	686
50 to 54	203	204	196	Dependent Living	540	619	406
55 to 59	119	118	111	Homeless	41	23	25
60 and Over	136	136	136	Other	0	0	13
Age Unknown	0	0	0	Housing Unknown	406	423	771
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	906	984	1,058	Self / Family / Friend	575	555	588
Female	724	763	843	School	80	114	118
Gender Unknown	0	0	0	Mental Health Provider	350	386	456
<b>RACE / ETHNICITY</b>				Health Care Provider	246	276	295
Caucasian	1,329	1,419	1,543	Court / Criminal Justice	183	177	160
African American	162	175	201	Other	171	220	263
Native American / Alaskan	5	9	12	Referral Source Unknown	25	19	21
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	62	61	59	Voluntary	1,490	1,615	1,766
Other Race	71	81	84	Civil	8	12	14
Race/Ethnicity Unknown	0	0	0	Criminal	107	101	100
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	82	103	107	Commitment Type Unknown	25	19	21
Past or Current Military Service	65	71	73				

# BUCHANAN COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	24.0	31.9	39.8	Alcohol (1 or 2 drinks daily)	61.5		
Cigarettes	18.6	21.5	27.2	Alcohol (Binge: 5+ drinks once or twice a week)	72.6		
Chewing Tobacco	6.3	10.1	12.7	Alcohol (any use)		74.6	79.1
Marijuana	12.7	14.2	13.9	Cigarettes (1+ packs per day)	84.8		
Inhalants	3.2	5.8	6.8	Cigarettes (any use)		81.6	81.9
Prescription medications not prescribed for student	5.9	7.0	9.6	Marijuana (once or twice a week)	65.1		
Over-the-counter medications for non-medical use	2.3	4.7	7.6	Marijuana (any use)		73.8	76.1
Methamphetamine	1.0	0.3	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.6	92.7	94.2
Cocaine	0.7	1.2	1.5	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.2	0.2	0.8	Were very sad	20.7	18.1	24.7
Hallucinogens	1.9	1.7	2.4	Were grouchy, irritable, or in a bad mood	26.2	24.4	36.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.2	1.6	Felt hopeless about the future	11.4	10.6	11.9
Steroids not prescribed for student	0.6	0.8	1.3	Felt like not eating or eating more than usual	16.5	15.8	24.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.6		Slept a lot more or a lot less than usual	15.3	19.5	36.3
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.3	21.7	27.8
Alcohol	12.41	12.58	12.47	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.08	12.27	11.82	Seriously considered attempting suicide	12.3	10.5	10.8
Marijuana	12.81	13.45	13.38	Made plan about how they would attempt suicide	9.5	7.5	7.5
Inhalants	10.78	11.89	12.80	Attempted suicide	5.6	5.0	6.3
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.6	1.3	2.4
Alcohol	6.7	12.4	18.2	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		7.9	10.5	Were threatened/injured with weapon at school	6.5	6.7	9.3
Cigarettes	6.8	10.6	15.5	Were in a physical fight	20.0	20.8	23.8
Chewing Tobacco	2.6	5.2	7.2	Were in a fight and had to be treated by a doctor or nurse	3.2	2.2	3.7
Marijuana	5.4	7.2	6.9	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.2	1.9	3.3	Were victims of mean rumors or lies spread at school	46.2	46.2	53.6
Prescription medications not prescribed for student	2.6	3.8	5.5	Were made fun of by others	53.6	56.3	64.6
Over-the-counter medications for non-medical use	1.1	2.8	4.7	Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.7	19.3	21.0
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	19.8	26.1	33.9
Alcohol (Binge: 5+ drinks on one occasion)	2.0			Made fun of other people	44.2	55.6	66.8
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	16.9	14.1	19.3
Alcohol	32.3	47.8	59.5	<i>Percent of students who agree that:</i>			
Cigarettes	31.9	40.2	49.6	Teachers notice and comment on student's good work	76.6	74.9	78.5
Marijuana	25.9	35.0	36.1	School provides feedback to parents on positive student performance	42.5	39.2	47.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.0	16.1	18.4	Rules are enforced fairly	70.3	70.6	71.8
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	80.9	83.3	84.1
Alcohol	14.9	22.9	31.3	<i>Percent of students who agree that:</i>			
Cigarettes	9.3	11.0	16.5	Parents notice and comment on student's good work	84.2	82.9	83.8
Marijuana	10.5	12.1	10.0	Parents involve student in making family decisions	73.3	70.6	72.1
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	87.9	84.8	81.5
Alcohol	77.1	70.9	63.4	Student could ask parent for help with a personal problem	79.9	80.0	77.4
Cigarettes	87.6	84.3	78.4	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	83.2	83.9	85.1	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	96.3	94.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	89.3	86.5	82.0				
Cigarettes	94.0	94.0	92.1				
Marijuana	92.6	94.3	95.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	38.8	45.6	53.3				
Cigarettes	37.9	44.5	54.2				
Marijuana	27.8	31.4	32.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	13.0	16.8				