

BUTLER COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	42,794
2014 Estimate	42,972

BIRTH RISK	2013	2012	2011
Resident Births--Total	580	615	569
Mother Reported Smoking while Pregnant	168	190	190

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	6	6	1
Hepatitis B Chronic, Acute, Prenatal	5	11	6
Hepatitis C Chronic and Acute	92	91	104
Tuberculosis Infection Cases	12	18	7

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	585	516	560
Suicides	10	10	6
Self-inflicted Injuries	107	123	123
Homicides	1	1	3
Assault Injuries	205	236	205
Alcohol Induced Deaths	11	7	0
Drug Induced Deaths	11	11	18
Smoking Attributable Deaths	108	98	112

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	503	495	517
Mental Illness Secondary Diagnosis	948	878	796
Alcohol Principal Diagnosis	28	35	26
Alcohol Secondary Diagnosis	96	85	93
Drug Principal Diagnosis	48	56	37
Drug Secondary Diagnosis	72	68	32
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	154	123	150
Mental Illness Secondary Diagnosis	961	936	946
Alcohol Principal Diagnosis	16	20	13
Alcohol Secondary Diagnosis	59	69	52
Drug Principal Diagnosis	29	28	16
Drug Secondary Diagnosis	36	29	17
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	667	698	734
Mental Illness Secondary Diagnosis	1,774	485	296
Alcohol Principal Diagnosis	89	74	85
Alcohol Secondary Diagnosis	81	47	69
Drug Principal Diagnosis	80	90	80
Drug Secondary Diagnosis	96	73	52

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	55	59	57
Alcohol Package Carry-out Licenses	51	49	46

EMPLOYMENT	2014	2013	2012
Labor Force	18,993	21,196	20,614
Employed	17,669	19,791	19,102
Unemployed	1,324	1,405	1,512
Unemployment Rate	7.0%	6.6%	7.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	56	70	52
Fatal Crashes	1	4	1
Injury Crashes	26	35	15
Property Damage Crashes	29	31	36
Crash Fatalities	1	5	1
Crash Injuries	33	52	21
Drug Involved Crashes--Total	13	16	17
Fatal Crashes	1	1	1
Injury Crashes	3	10	9
Property Damage Crashes	9	5	7
Crash Fatalities	1	1	2
Crash Injuries	4	18	11

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	200	276	263
Liquor Law Arrests	26	47	41
Drug Arrests	305	266	342
Violent Offenses	216	239	184
Property Offenses	2,013	2,074	2,128
Domestic Violence Reports	244	253	275
	2014	2013	2012
Methamphetamine Lab Seizures	2	12	29

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,830	1,825	1,778
Drop-outs	34	66	89
Drop-out Rate	1.9%	3.6%	5.0%
School Discipline Involving Alcohol	11	8	7
School Discipline Involving Drugs	40	21	16
School Discipline Involving Tobacco	1	3	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	96	83	112
Juvenile Alcohol Offenses	4	15	2
Juvenile Drug Offenses	15	16	13
School Truancy Status Offense	45	29	34
Absent from Home Status Offense	26	36	52
Beyond Parental Control Status Offense	52	30	37
Injurious Behavior Status Offense	1	2	6
Child Abuse	11	12	15
Child Neglect	167	138	86
Child Custody Issues	0	2	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	147	104	55
Parental Alcohol Use Related	1	2	0
Parental Drug Use Related	77	30	22
Parental Alcohol and Drug Use	2	3	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	89	92	67
Probation/Parole Admissions--Drug	157	138	131
Probation/Parole Admissions--DWI	16	13	8
Prison Admissions--Drug	105	84	64
Prison Admissions--DWI	6	7	4

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BUTLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	85	78	88
CSTAR Adolescent	15	22	29
CSTAR Women and Children	18	28	21
CSTAR General Adult	308	264	194
CSTAR Opioid	0	0	0
Primary Recovery Treatment	70	144	259
Clinical SATOP (CIP, YCIP, SROP)	45	46	58
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	131	164	173
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	43	55	45
- Weekend Intervention Program	19	38	33
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	5	*
Compulsive Gambling	*	*	0
Recovery Supports	138	158	170
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	540	504	619	Alcohol	142	148	168
AGE				Marijuana / Hashish	135	140	186
Under 18	17	22	33	Cocaine (total)	11	14	28
18 to 24	98	95	113	- Crack	10	11	25
25 to 29	83	85	116	Stimulant (total)	153	94	126
30 to 34	107	92	96	- Methamphetamine	149	91	122
35 to 39	75	58	94	Heroin	31	30	25
40 to 44	70	58	58	Analgesic except Heroin	56	72	74
45 to 54	63	76	82	- Non-Prescription Methadone	0	0	0
55 and Over	27	18	27	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	7	*	9
Male	350	339	406	Inhalant	*	*	*
Female	189	165	213	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	464	432	516	Average Age at First Use of Drug	18.7	18.0	17.5
African American	59	57	87	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	131	96	78
Asian / Pacific Islander	*	*	*	- Daily Injection Use	33	21	9
Hispanic	10	10	8	- Weekly Injection Use	44	34	13
Other Race / Two or More Races	7	6	10	- Less than Weekly Injection Use	54	41	56
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	200	188	270	0	354	301	411
High School Graduate or G.E.D.	256	249	270	1 or 2	139	150	154
Associate Degree or Some College	82	66	77	3 or More	47	53	54
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	145	129	130
Employed	119	112	134	School	*	*	*
Unemployed	273	245	304	Mental Health Provider	*	*	7
Not in Labor Force	148	147	181	Health Care Provider	46	46	33
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	243	246	395
Independent Living	407	389	494	Other Referral Source	71	67	52
Dependent Living	87	88	96	TREATMENT ACCOMMODATION			
Homeless	40	22	26	Pregnant when Admitted to any Episode	8	8	9
MARITAL / FAMILY STATUS				Military Veteran	19	15	23
Never Married	230	234	258	Special Education Services Needed	62	70	102
Married / Cohabiting	164	158	207	Co-Occurring Psychological Problem	290	251	300
Previously Married	146	112	154	Co-Occurring Developmental Problem	59	59	64

BUTLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 42,794
2014 POPULATION ESTIMATE 42,972

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	39	27	9
Anxiety Disorder	98	108	72
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	53	72	54
Mood Disorder	517	483	344
Personality Disorder	7	5	6
Psychotic Disorder	111	105	95
Sexual Disorder	*	*	*
Other Diagnosis	12	7	9
Diagnosis Unknown	94	66	91

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	848	821	627	Less than High School Diploma	269	232	120
AGE				High School Grad or G.E.D.	*	0	118
Under 6	*	6	*	Associate Degree or Some College	0	0	24
6 to 9	50	43	31	Bachelor or Advanced Degree	0	0	*
10 to 13	60	50	40	Education Level Unknown	578	589	364
14 to 17	53	54	42	EMPLOYMENT			
18 to 24	45	62	34	Employed	40	7	26
25 to 29	66	63	56	Unemployed	45	9	207
30 to 34	81	83	59	Not in Labor Force	475	400	52
35 to 39	81	77	52	Employment Status Unknown	288	405	342
40 to 44	83	87	56	HOUSING / LIVING ARRANGEMENT			
45 to 49	90	88	85	Independent Living	359	221	200
50 to 54	94	90	74	Dependent Living	185	186	118
55 to 59	71	53	45	Homeless	13	*	*
60 and Over	72	65	49	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	291	410	305
GENDER				TREATMENT REFERRAL SOURCE			
Male	382	370	287	Self / Family / Friend	333	296	211
Female	466	451	340	School	30	24	19
Gender Unknown	0	0	0	Mental Health Provider	88	88	92
RACE / ETHNICITY				Health Care Provider	153	168	103
Caucasian	781	743	572	Court / Criminal Justice	95	112	89
African American	48	60	45	Other	148	132	112
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	6	6	*	Voluntary	831	799	600
Other Race	11	11	5	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	11	18	23
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	37	40	35	Commitment Type Unknown	0	0	0
Past or Current Military Service	20	15	18				

BUTLER COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	30.0	39.6	42.7	Alcohol (1 or 2 drinks daily)	56.8		
Cigarettes	21.5	28.7	32.5	Alcohol (Binge: 5+ drinks once or twice a week)	66.3		
Chewing Tobacco	13.1	14.0	15.2	Alcohol (any use)		74.1	74.9
Marijuana	13.4	18.7	18.6	Cigarettes (1+ packs per day)	78.8		
Inhalants	2.8	5.1	8.1	Cigarettes (any use)		81.8	81.3
Prescription medications not prescribed for student	7.7	13.3	17.5	Marijuana (once or twice a week)	65.0		
Over-the-counter medications for non-medical use	3.0	6.1	9.6	Marijuana (any use)		73.9	73.4
Methamphetamine	1.1	1.9	2.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	87.4	93.8	93.0
Cocaine	0.4	2.5	2.4	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.4	2.1	0.4	Were very sad	18.7	19.9	21.6
Hallucinogens	0.6	3.0	4.2	Were grouchy, irritable, or in a bad mood	23.5	27.1	24.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	3.4	3.1	Felt hopeless about the future	10.0	11.9	16.2
Steroids not prescribed for student	1.1	1.8	2.0	Felt like not eating or eating more than usual	18.9	18.4	20.2
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	6.6		Slept a lot more or a lot less than usual	17.2	22.3	27.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.5	26.6	27.4
Alcohol	12.48	13.04	12.33	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.02	12.58	11.98	Seriously considered attempting suicide	12.3	15.9	13.8
Marijuana	13.68	14.00	13.51	Made plan about how they would attempt suicide	10.0	10.7	9.8
Inhalants	11.94	12.36	12.69	Attempted suicide	5.1	6.7	6.6
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	2.4	2.3
Alcohol	12.7	18.3	21.1	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		13.0	13.2	Were threatened/injured with weapon at school	8.9	8.9	11.0
Cigarettes	10.1	14.6	17.2	Were in a physical fight	21.8	21.5	26.5
Chewing Tobacco	7.0	7.9	9.3	Were in a fight and had to be treated by a doctor or nurse	4.0	2.9	5.4
Marijuana	6.2	9.6	12.4	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.6	1.3	3.9	Were victims of mean rumors or lies spread at school	50.1	49.8	55.9
Prescription medications not prescribed for student	4.3	7.2	9.4	Were made fun of by others	56.7	55.9	68.9
Over-the-counter medications for non-medical use	1.5	3.7	6.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.7	20.5	18.5
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	25.9	24.0	31.9
Alcohol (Binge: 5+ drinks on one occasion)	6.7			Made fun of other people	51.9	55.7	72.5
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	13.3	11.9	14.5
Alcohol	42.6	54.0	55.6	<i>Percent of students who agree that:</i>			
Cigarettes	37.7	47.1	46.7	Teachers notice and comment on student's good work	71.0	65.0	65.6
Marijuana	31.2	38.6	38.3	School provides feedback to parents on positive student performance	36.7	31.7	36.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.5	19.5	20.9	Rules are enforced fairly	59.7	58.1	58.7
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	77.6	67.3	69.5
Alcohol	24.4	30.6	32.8	<i>Percent of students who agree that:</i>			
Cigarettes	13.2	16.7	16.6	Parents notice and comment on student's good work	81.2	82.7	82.7
Marijuana	11.7	13.0	14.8	Parents involve student in making family decisions	67.5	67.3	67.6
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	88.8	88.7	84.2
Alcohol	68.8	61.6	59.2	Student could ask parent for help with a personal problem	80.1	78.5	77.1
Cigarettes	84.4	78.2	78.2	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	82.4	80.7	80.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	95.1	93.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	82.6	79.1	78.6				
Cigarettes	92.7	89.2	88.9				
Marijuana	92.5	93.9	92.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	45.9	53.8	54.4				
Cigarettes	46.7	53.7	56.5				
Marijuana	32.0	40.8	39.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	24.0	22.7				

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys