

CARROLL COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	9,295
2014 Estimate	9,043

BIRTH RISK	2013	2012	2011
Resident Births--Total	123	107	119
Mother Reported Smoking while Pregnant	31	27	30

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	4	7	5
Tuberculosis Infection Cases	1	1	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	129	134	116
Suicides	1	0	3
Self-inflicted Injuries	13	11	2
Homicides	0	0	2
Assault Injuries	22	25	21
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	0	3	2
Smoking Attributable Deaths	22	30	22

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	70	53	53
Mental Illness Secondary Diagnosis	190	186	202
Alcohol Principal Diagnosis	2	4	1
Alcohol Secondary Diagnosis	11	16	10
Drug Principal Diagnosis	2	3	0
Drug Secondary Diagnosis	12	18	14
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	12	19	11
Mental Illness Secondary Diagnosis	87	89	96
Alcohol Principal Diagnosis	1	7	5
Alcohol Secondary Diagnosis	8	13	11
Drug Principal Diagnosis	5	3	4
Drug Secondary Diagnosis	4	6	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	92	65	65
Mental Illness Secondary Diagnosis	135	122	98
Alcohol Principal Diagnosis	10	8	14
Alcohol Secondary Diagnosis	25	17	15
Drug Principal Diagnosis	9	8	12
Drug Secondary Diagnosis	12	17	8

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	10	11	13
Alcohol Package Carry-out Licenses	12	11	12

EMPLOYMENT	2014	2013	2012
Labor Force	4,756	4,886	4,678
Employed	4,417	4,568	4,303
Unemployed	339	318	375
Unemployment Rate	7.1%	6.5%	8.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	11	14	8
Fatal Crashes	0	0	2
Injury Crashes	9	5	3
Property Damage Crashes	2	9	3
Crash Fatalities	0	0	2
Crash Injuries	9	9	5
Drug Involved Crashes--Total	1	2	1
Fatal Crashes	0	0	1
Injury Crashes	1	1	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	1
Crash Injuries	1	1	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	38	26	20
Liquor Law Arrests	21	2	5
Drug Arrests	20	6	21
Violent Offenses	13	13	8
Property Offenses	142	141	87
Domestic Violence Reports	27	50	41

	2014	2013	2012
Methamphetamine Lab Seizures	1	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	480	474	486
Drop-outs	4	4	12
Drop-out Rate	0.8%	0.8%	2.5%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	10	10	11
Juvenile Alcohol Offenses	12	1	3
Juvenile Drug Offenses	0	1	5
School Truancy Status Offense	15	16	18
Absent from Home Status Offense	2	7	9
Beyond Parental Control Status Offense	4	5	11
Injurious Behavior Status Offense	8	11	17
Child Abuse	5	1	3
Child Neglect	0	3	1
Child Custody Issues	0	2	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	2	2	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	18	12	16
Probation/Parole Admissions--DWI	5	3	3
Prison Admissions--Drug	11	13	4
Prison Admissions--DWI	1	0	2

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CARROLL COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	24	18	19
CSTAR Opioid	0	0	0
Primary Recovery Treatment	14	23	27
Clinical SATOP (CIP, YCIP, SROP)	6	7	6
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	29	22	30
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	14	10	8
- Weekend Intervention Program	5	*	*
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	*
Recovery Supports	6	0	5
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	42	48	60	Alcohol	12	16	32
AGE				Marijuana / Hashish	6	6	8
Under 18	0	*	*	Cocaine (total)	0	0	*
18 to 24	6	5	11	- Crack	0	0	*
25 to 29	10	12	11	Stimulant (total)	21	19	15
30 to 34	8	8	9	- Methamphetamine	21	17	15
35 to 39	6	7	9	Heroin	0	0	0
40 to 44	7	7	8	Analgesic except Heroin	*	6	*
45 to 54	*	6	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	24	35	43	Inhalant	0	0	0
Female	18	13	17	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	38	46	58	Average Age at First Use of Drug	19.5	19.7	17.3
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	6	13	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	0	0	*	- Weekly Injection Use	*	5	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	7	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	14	12	23	0	19	19	27
High School Graduate or G.E.D.	18	27	29	1 or 2	18	21	22
Associate Degree or Some College	9	8	7	3 or More	5	8	11
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	5	11	13
Employed	11	12	14	School	0	0	0
Unemployed	21	23	26	Mental Health Provider	*	0	0
Not in Labor Force	10	13	20	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	26	34	38
Independent Living	38	46	56	Other Referral Source	9	*	7
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	21	20	26	Special Education Services Needed	*	*	6
Married / Cohabiting	11	19	14	Co-Occurring Psychological Problem	12	14	19
Previously Married	10	9	20	Co-Occurring Developmental Problem	0	*	*

CARROLL COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 9,295
2014 POPULATION ESTIMATE 9,043

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	11	7	*
Anxiety Disorder	73	65	71
Dementia	*	*	*
Developmental Disorder	5	*	*
Impulse Control Disorder	27	21	15
Mood Disorder	92	98	107
Personality Disorder	23	24	26
Psychotic Disorder	12	10	8
Sexual Disorder	0	0	0
Other Diagnosis	8	6	9
Diagnosis Unknown	*	6	11

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	124	128	135	Less than High School Diploma	50	41	30
AGE				High School Grad or G.E.D.	0	*	35
Under 6	0	0	0	Associate Degree or Some College	0	0	10
6 to 9	11	6	*	Bachelor or Advanced Degree	0	0	*
10 to 13	11	10	8	Education Level Unknown	74	86	56
14 to 17	7	8	16	EMPLOYMENT			
18 to 24	5	*	7	Employed	9	11	13
25 to 29	8	13	10	Unemployed	9	6	63
30 to 34	10	13	9	Not in Labor Force	95	95	20
35 to 39	15	14	14	Employment Status Unknown	11	16	39
40 to 44	9	7	11	HOUSING / LIVING ARRANGEMENT			
45 to 49	12	14	15	Independent Living	75	81	84
50 to 54	9	10	13	Dependent Living	37	30	14
55 to 59	11	13	15	Homeless	*	0	*
60 and Over	16	16	14	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	11	17	34
GENDER				TREATMENT REFERRAL SOURCE			
Male	48	47	55	Self / Family / Friend	80	83	88
Female	76	81	80	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	11	9	11
RACE / ETHNICITY				Health Care Provider	21	19	21
Caucasian	118	118	123	Court / Criminal Justice	5	9	*
African American	*	5	8	Other	5	5	8
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	124	127	134
Other Race	*	*	0	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

CARROLL COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	40.5	49.0	49.3	Alcohol (1 or 2 drinks daily)	56.0		
Cigarettes	21.8	31.2	30.8	Alcohol (Binge: 5+ drinks once or twice a week)	65.8		
Chewing Tobacco	19.8	16.9	21.8	Alcohol (any use)		56.2	76.9
Marijuana	3.6	7.7	12.1	Cigarettes (1+ packs per day)	83.6		
Inhalants	1.8	3.2	6.5	Cigarettes (any use)		72.1	76.4
Prescription medications not prescribed for student	7.2	5.2	9.8	Marijuana (once or twice a week)	73.9		
Over-the-counter medications for non-medical use	1.8	2.6	6.5	Marijuana (any use)		74.5	65.6
Methamphetamine	0.0	0.7	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	89.3	89.5	91.1
Cocaine	0.0	0.0	0.9	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.6	0.0	Were very sad	15.3	17.5	23.5
Hallucinogens	1.8	1.9	1.4	Were grouchy, irritable, or in a bad mood	25.2	24.7	25.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	0.7	0.9	Felt hopeless about the future	8.2	9.7	14.8
Steroids not prescribed for student	1.8	0.6	1.9	Felt like not eating or eating more than usual	17.1	15.6	19.7
Synthetic drugs (K2, bath salts, Spice, etc)	2.7	3.2		Slept a lot more or a lot less than usual	11.8	20.1	29.7
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	20.7	22.7	24.1
Alcohol	12.25	12.15	11.98	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.08	11.89	11.85	Seriously considered attempting suicide	10.8	11.7	10.1
Marijuana	13.62	13.58	13.48	Made plan about how they would attempt suicide	4.5	7.8	8.3
Inhalants	11.35	11.42	11.79	Attempted suicide	6.3	7.1	4.7
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.8	0.7	1.9
Alcohol	21.8	24.0	29.1	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		16.2	18.3	Were threatened/injured with weapon at school	7.1	7.1	7.4
Cigarettes	6.4	14.9	15.4	Were in a physical fight	19.8	26.0	24.0
Chewing Tobacco	9.0	10.4	12.0	Were in a fight and had to be treated by a doctor or nurse	3.6	3.2	1.9
Marijuana	0.9	5.2	6.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.8	0.6	2.3	Were victims of mean rumors or lies spread at school	56.8	56.6	54.6
Prescription medications not prescribed for student	3.6	1.9	6.0	Were made fun of by others	60.4	68.8	67.3
Over-the-counter medications for non-medical use	1.8	1.3	4.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.8	24.7	18.5
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	36.0	31.2	34.7
Alcohol (Binge: 5+ drinks on one occasion)	10.0			Made fun of other people	57.7	71.4	70.8
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	13.4	15.6	19.2
Alcohol	50.9	61.7	69.0	<i>Percent of students who agree that:</i>			
Cigarettes	43.2	46.8	54.4	Teachers notice and comment on student's good work	68.5	70.6	75.0
Marijuana	19.4	26.6	27.3	School provides feedback to parents on positive student performance	40.2	36.4	44.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5	8.4	11.7	Rules are enforced fairly	60.4	57.1	58.3
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	84.7	81.2	73.1
Alcohol	32.4	45.5	42.1	<i>Percent of students who agree that:</i>			
Cigarettes	8.1	18.2	16.7	Parents notice and comment on student's good work	85.6	78.6	81.1
Marijuana	5.4	6.5	7.4	Parents involve student in making family decisions	74.8	66.9	67.1
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	91.9	86.4	84.3
Alcohol	62.5	47.1	51.9	Student could ask parent for help with a personal problem	81.1	76.0	80.1
Cigarettes	85.7	76.6	76.7	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	91.0	89.0	87.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	96.7	95.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	77.3	69.9	71.8				
Cigarettes	91.8	89.5	88.4				
Marijuana	94.6	96.7	94.4				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	51.4	61.7	62.0				
Cigarettes	49.1	48.1	53.5				
Marijuana	29.1	28.8	24.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	13.0	12.6				

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys