

CLINTON COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	20,743
2014 Estimate	20,299

BIRTH RISK	2013	2012	2011
Resident Births--Total	203	220	249
Mother Reported Smoking while Pregnant	54	49	59

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	10	12	16
Tuberculosis Infection Cases	7	7	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	247	239	254
Suicides	2	4	3
Self-inflicted Injuries	21	25	29
Homicides	0	2	2
Assault Injuries	47	60	51
Alcohol Induced Deaths	4	1	4
Drug Induced Deaths	4	5	3
Smoking Attributable Deaths	47	43	42

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	147	127	169
Mental Illness Secondary Diagnosis	237	256	261
Alcohol Principal Diagnosis	9	13	3
Alcohol Secondary Diagnosis	11	11	14
Drug Principal Diagnosis	3	8	3
Drug Secondary Diagnosis	10	10	11
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	56	53	57
Mental Illness Secondary Diagnosis	477	505	531
Alcohol Principal Diagnosis	10	8	12
Alcohol Secondary Diagnosis	37	46	29
Drug Principal Diagnosis	7	7	10
Drug Secondary Diagnosis	22	31	30
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	123	154	156
Mental Illness Secondary Diagnosis	239	183	163
Alcohol Principal Diagnosis	23	22	16
Alcohol Secondary Diagnosis	22	25	22
Drug Principal Diagnosis	20	13	20
Drug Secondary Diagnosis	40	50	31

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	15	18	19
Alcohol Package Carry-out Licenses	21	19	17

EMPLOYMENT	2014	2013	2012
Labor Force	11,057	9,890	10,174
Employed	10,418	9,184	9,383
Unemployed	639	706	791
Unemployment Rate	5.8%	7.1%	7.8%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	14	16	13
Fatal Crashes	0	1	1
Injury Crashes	8	10	9
Property Damage Crashes	6	5	3
Crash Fatalities	0	1	1
Crash Injuries	11	14	12
Drug Involved Crashes--Total	3	1	2
Fatal Crashes	0	0	1
Injury Crashes	1	1	0
Property Damage Crashes	2	0	1
Crash Fatalities	0	0	1
Crash Injuries	1	1	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	125	117	187
Liquor Law Arrests	32	20	51
Drug Arrests	208	144	158
Violent Offenses	71	71	92
Property Offenses	364	465	408
Domestic Violence Reports	278	296	298
	2014	2013	2012
Methamphetamine Lab Seizures	1	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,024	1,022	1,010
Drop-outs	14	14	30
Drop-out Rate	1.4%	1.4%	3.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	1	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	24	32	28
Juvenile Alcohol Offenses	3	11	11
Juvenile Drug Offenses	2	3	13
School Truancy Status Offense	40	43	37
Absent from Home Status Offense	14	28	22
Beyond Parental Control Status Offense	17	29	16
Injurious Behavior Status Offense	28	25	25
Child Abuse	2	4	8
Child Neglect	11	24	9
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	17	21	18
Parental Alcohol Use Related	0	2	0
Parental Drug Use Related	9	9	6
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	41	41	46
Probation/Parole Admissions--DWI	8	11	7
Prison Admissions--Drug	25	35	29
Prison Admissions--DWI	7	4	5

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CLINTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	8	5	8
CSTAR Adolescent	5	14	9
CSTAR Women and Children	*	*	0
CSTAR General Adult	26	44	42
CSTAR Opioid	0	0	0
Primary Recovery Treatment	31	39	30
Clinical SATOP (CIP, YCIP, SROP)	14	25	18
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	63	77	89
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	19	32	29
- Weekend Intervention Program	18	14	20
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	*	0	0
Recovery Supports	*	0	*
Early Intervention	*	8	12

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	72	119	101	Alcohol	30	53	48
AGE				Marijuana / Hashish	15	31	30
Under 18	5	14	10	Cocaine (total)	0	0	*
18 to 24	7	21	16	- Crack	0	0	*
25 to 29	15	23	19	Stimulant (total)	15	24	11
30 to 34	8	16	14	- Methamphetamine	15	23	10
35 to 39	10	6	6	Heroin	*	*	*
40 to 44	8	12	11	Analgesic except Heroin	8	7	6
45 to 54	10	24	19	- Non-Prescription Methadone	0	0	*
55 and Over	9	*	6	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	0	*	*
Male	50	82	73	Inhalant	0	0	0
Female	22	37	28	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	70	114	97	Average Age at First Use of Drug	18.5	16.5	17.3
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	8	9	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	0	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	5	5	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	24	39	39	0	36	65	46
High School Graduate or G.E.D.	38	61	45	1 or 2	21	31	31
Associate Degree or Some College	10	18	15	3 or More	15	23	24
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	23	28	17
Employed	17	38	44	School	0	0	0
Unemployed	20	34	29	Mental Health Provider	0	*	*
Not in Labor Force	35	47	28	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	30	55	72
Independent Living	58	98	87	Other Referral Source	9	15	7
Dependent Living	6	17	12	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	6	10	7
Never Married	33	68	54	Special Education Services Needed	*	7	*
Married / Cohabiting	22	28	23	Co-Occurring Psychological Problem	22	30	15
Previously Married	17	23	24	Co-Occurring Developmental Problem	*	*	*

CLINTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 20,743
2014 POPULATION ESTIMATE 20,299

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	6	*	16
Anxiety Disorder	52	73	76
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	29	37	38
Mood Disorder	69	86	92
Personality Disorder	14	15	15
Psychotic Disorder	20	21	17
Sexual Disorder	0	*	0
Other Diagnosis	13	16	16
Diagnosis Unknown	6	29	31

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	112	178	206	Less than High School Diploma	43	74	43
AGE				High School Grad or G.E.D.	0	*	25
Under 6	*	5	7	Associate Degree or Some College	0	0	16
6 to 9	14	24	30	Bachelor or Advanced Degree	0	0	*
10 to 13	14	23	36	Education Level Unknown	69	103	121
14 to 17	7	20	25	EMPLOYMENT			
18 to 24	9	16	20	Employed	11	10	12
25 to 29	6	12	14	Unemployed	11	16	59
30 to 34	12	24	19	Not in Labor Force	79	110	27
35 to 39	8	12	17	Employment Status Unknown	11	42	108
40 to 44	9	12	13	HOUSING / LIVING ARRANGEMENT			
45 to 49	8	8	8	Independent Living	63	81	81
50 to 54	13	10	8	Dependent Living	38	51	32
55 to 59	*	8	7	Homeless	*	*	0
60 and Over	7	*	*	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	10	45	92
GENDER				TREATMENT REFERRAL SOURCE			
Male	45	77	84	Self / Family / Friend	52	82	96
Female	67	101	122	School	*	6	12
Gender Unknown	0	0	0	Mental Health Provider	16	28	29
RACE / ETHNICITY				Health Care Provider	25	29	30
Caucasian	105	160	190	Court / Criminal Justice	*	7	11
African American	*	*	*	Other	13	24	26
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	8	6	Voluntary	108	168	203
Other Race	*	6	6	Civil	*	8	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

CLINTON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	36.7	34.8	41.9	Alcohol (1 or 2 drinks daily)	59.5		
Cigarettes	21.9	15.3	27.3	Alcohol (Binge: 5+ drinks once or twice a week)	72.0		
Chewing Tobacco	11.8	12.3	13.8	Alcohol (any use)		64.7	82.9
Marijuana	15.2	8.2	9.1	Cigarettes (1+ packs per day)	86.9		
Inhalants	5.1	4.2	9.0	Cigarettes (any use)		76.4	81.9
Prescription medications not prescribed for student	7.6	5.1	16.1	Marijuana (once or twice a week)	66.5		
Over-the-counter medications for non-medical use	3.4	2.2	8.2	Marijuana (any use)		80.6	73.1
Methamphetamine	1.3	2.6	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.5	91.8	91.9
Cocaine	1.3	0.1	0.9	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.8	0.4	0.2	Were very sad	25.3	12.8	23.0
Hallucinogens	1.7	1.6	0.2	Were grouchy, irritable, or in a bad mood	26.6	26.5	25.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	0.4	0.7	Felt hopeless about the future	13.5	9.1	10.3
Steroids not prescribed for student	1.3	0.3	1.5	Felt like not eating or eating more than usual	17.8	17.0	21.7
Synthetic drugs (K2, bath salts, Spice, etc)	5.1	6.7		Slept a lot more or a lot less than usual	18.1	22.4	23.1
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.9	23.4	19.1
Alcohol	13.36	11.86	11.77	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.01	11.84	11.75	Seriously considered attempting suicide	12.7	10.5	17.4
Marijuana	14.44	13.35	13.52	Made plan about how they would attempt suicide	9.3	9.9	8.1
Inhalants	11.91	10.24	11.41	Attempted suicide	5.1	3.3	5.1
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.9	2.5	1.7
Alcohol	17.3	14.7	17.1	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		8.4	10.8	Were threatened/injured with weapon at school	7.6	7.2	13.9
Cigarettes	11.8	5.6	14.2	Were in a physical fight	19.7	20.0	29.2
Chewing Tobacco	5.5	5.4	7.3	Were in a fight and had to be treated by a doctor or nurse	2.5	1.1	6.4
Marijuana	9.3	3.7	5.9	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.7	1.5	3.4	Were victims of mean rumors or lies spread at school	53.2	51.4	56.1
Prescription medications not prescribed for student	3.8	3.2	9.9	Were made fun of by others	65.0	68.2	69.3
Over-the-counter medications for non-medical use	1.7	0.5	6.5	Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.7	19.4	20.5
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	26.1	26.1	34.3
Alcohol (Binge: 5+ drinks on one occasion)	9.3			Made fun of other people	57.4	58.1	68.6
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	17.2	10.8	17.2
Alcohol	47.5	50.2	54.1	<i>Percent of students who agree that:</i>			
Cigarettes	38.7	38.0	47.7	Teachers notice and comment on student's good work	66.8	67.5	60.0
Marijuana	33.1	27.8	29.0	School provides feedback to parents on positive student performance	26.1	38.4	34.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	10.9	20.0	Rules are enforced fairly	57.8	69.1	59.5
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	83.1	84.6	75.2
Alcohol	29.7	27.9	32.0	<i>Percent of students who agree that:</i>			
Cigarettes	15.2	11.1	15.3	Parents notice and comment on student's good work	80.6	84.7	84.8
Marijuana	13.1	8.0	9.4	Parents involve student in making family decisions	68.2	70.1	63.9
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	86.4	86.2	79.9
Alcohol	62.7	61.7	60.5	Student could ask parent for help with a personal problem	74.6	81.1	72.0
Cigarettes	82.2	83.3	79.8	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	81.0	90.0	87.2	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	98.1	93.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	78.9	84.7	78.5				
Cigarettes	90.3	97.6	89.9				
Marijuana	91.8	98.0	95.7				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	53.0	54.8	54.1				
Cigarettes	50.4	42.1	56.9				
Marijuana	37.9	24.6	31.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	12.8	19.6				