


SUBSTANCE USE SERVICE AREA 12



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	319,063
2014 Estimate	328,082

	2013	2012	2011
IMPAIRED DRIVING			
Alcohol Involved Crashes--Total	347	329	306
Fatal Crashes	11	13	13
Injury Crashes	145	152	114
Property Damage Crashes	191	164	179
Crash Fatalities	14	13	15
Crash Injuries	188	214	176
Drug Involved Crashes--Total	54	52	46
Fatal Crashes	3	2	6
Injury Crashes	18	30	17
Property Damage Crashes	33	20	23
Crash Fatalities	3	3	7
Crash Injuries	22	50	20

BIRTH RISK	2013	2012	2011
Resident Births--Total	4,100	4,075	4,060
Mother Reported Smoking while Pregnant	759	763	779

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	8	8	11
Hepatitis B Chronic, Acute, Prenatal	40	35	23
Hepatitis C Chronic and Acute	221	244	240
Tuberculosis Infection Cases	449	285	315

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	2,844	2,643	2,801
Suicides	54	46	43
Self-inflicted Injuries	381	364	319
Homicides	12	10	10
Assault Injuries	953	957	981
Alcohol Induced Deaths	14	19	18
Drug Induced Deaths	42	37	43
Smoking Attributable Deaths	477	443	463

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,601	1,605	1,590
Mental Illness Secondary Diagnosis	5,038	6,136	6,490
Alcohol Principal Diagnosis	151	153	159
Alcohol Secondary Diagnosis	393	444	511
Drug Principal Diagnosis	66	86	72
Drug Secondary Diagnosis	296	306	296
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,572	1,455	1,176
Mental Illness Secondary Diagnosis	4,111	3,237	2,315
Alcohol Principal Diagnosis	437	389	330
Alcohol Secondary Diagnosis	518	403	322
Drug Principal Diagnosis	204	188	187
Drug Secondary Diagnosis	289	222	202
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,626	2,385	2,276
Mental Illness Secondary Diagnosis	10,434	8,495	8,463
Alcohol Principal Diagnosis	659	541	482
Alcohol Secondary Diagnosis	930	666	596
Drug Principal Diagnosis	336	370	304
Drug Secondary Diagnosis	758	540	519

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	445	443	439
Alcohol Package Carry-out Licenses	307	310	314

EMPLOYMENT	2014	2013	2012
Labor Force	169,629	170,898	167,089
Employed	160,992	161,901	157,513
Unemployed	8,637	8,997	9,576
Unemployment Rate	5.1%	5.3%	5.7%

	2013	2012	2011
POLICE REPORTS			
DUI Arrests, DWI Tracking System	1,765	2,045	1,984
Liquor Law Arrests	815	1,017	1,136
Drug Arrests	2,096	2,308	2,115
Violent Offenses	941	1,020	1,107
Property Offenses	9,774	9,949	9,646
Domestic Violence Reports	2,609	2,855	2,796
	2014	2013	2012
Methamphetamine Lab Seizures	23	22	46
SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	13,318	13,418	13,344
Drop-outs	252	271	345
Drop-out Rate	1.9%	2.0%	2.6%
School Discipline Involving Alcohol	3	10	12
School Discipline Involving Drugs	53	77	62
School Discipline Involving Tobacco	0	1	2

	2013	2012	2011
JUVENILE COURT REFERRALS ³			
Juvenile Violent Offenses	502	535	550
Juvenile Alcohol Offenses	57	50	47
Juvenile Drug Offenses	173	178	173
School Truancy Status Offense	213	334	279
Absent from Home Status Offense	263	233	172
Beyond Parental Control Status Offense	317	467	450
Injurious Behavior Status Offense	572	652	673
Child Abuse	135	158	136
Child Neglect	428	510	344
Child Custody Issues	71	96	90

	2013	2012	2011
JUVENILE COURT PLACEMENTS			
Out-of-Home Placements--Total	343	383	316
Parental Alcohol Use Related	9	10	24
Parental Drug Use Related	120	155	62
Parental Alcohol and Drug Use	9	7	11

	FY2014	FY2013	FY2012
CRIMINAL JUSTICE			
Drug Court Participants	344	398	404
Probation/Parole Admissions--Drug	786	796	720
Probation/Parole Admissions--DWI	145	167	203
Prison Admissions--Drug	493	440	421
Prison Admissions--DWI	90	99	111

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 12

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	102	194	197
CSTAR Adolescent	108	123	104
CSTAR Women and Children	206	203	242
CSTAR General Adult	889	779	559
CSTAR Opioid	0	*	0
Primary Recovery Treatment	260	360	560
Clinical SATOP (CIP, YCIP, SROP)	243	273	253
Other Substance Abuse Treatment	6	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	1,173	1,299	1,317
- Adolescent Diversion Education Program	41	43	68
- Offender Education Program	472	552	558
- Weekend Intervention Program	231	271	270
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	49	56	80
Compulsive Gambling	*	*	*
Recovery Supports	158	124	111
Early Intervention	38	26	27

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	1,518	1,579	1,606	Alcohol	599	682	708
AGE				Marijuana / Hashish	432	435	458
Under 18	116	125	112	Cocaine (total)	112	87	138
18 to 24	245	257	294	- Crack	62	51	74
25 to 29	248	300	281	Stimulant (total)	220	184	163
30 to 34	251	230	264	- Methamphetamine	218	172	148
35 to 39	186	177	181	Heroin	53	57	43
40 to 44	134	153	138	Analgesic except Heroin	69	92	62
45 to 54	252	242	250	- Non-Prescription Methadone	*	*	0
55 and Over	86	95	86	PCP, LSD, other Hallucinogen	15	12	9
GENDER				Tranquilizer	5	15	8
Male	995	1,013	1,034	Inhalant	*	*	*
Female	523	566	572	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	10	11	12
Caucasian	1,074	1,179	1,193	Average Age at First Use of Drug	17.8	17.5	17.2
African American	356	328	321	INJECTION DRUG USE			
Native American / Alaskan	*	5	*	Any Injection Use at Admission	172	151	134
Asian / Pacific Islander	8	8	10	- Daily Injection Use	35	27	31
Hispanic	35	24	39	- Weekly Injection Use	57	51	47
Other Race / Two or More Races	53	47	55	- Less than Weekly Injection Use	80	73	56
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	447	460	521	0	799	804	834
High School Graduate or G.E.D.	653	660	672	1 or 2	499	567	549
Associate Degree or Some College	378	404	382	3 or More	220	208	223
Bachelor or Advanced Degree	40	54	30	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	513	561	505
Employed	464	485	486	School	*	*	*
Unemployed	552	576	583	Mental Health Provider	14	21	28
Not in Labor Force	502	518	537	Health Care Provider	62	62	43
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	649	725	896
Independent Living	1,159	1,241	1,306	Other Referral Source	260	182	127
Dependent Living	195	204	180	TREATMENT ACCOMMODATION			
Homeless	100	100	84	Pregnant when Admitted to any Episode	9	25	23
MARITAL / FAMILY STATUS				Military Veteran	61	88	69
Never Married	930	915	908	Special Education Services Needed	109	150	159
Married / Cohabiting	288	331	356	Co-Occurring Psychological Problem	612	677	556
Previously Married	300	333	342	Co-Occurring Developmental Problem	33	80	79

SUBSTANCE USE SERVICE AREA 12

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	38.4	45.1	47.8	Alcohol (1 or 2 drinks daily)	47.2		
Cigarettes	26.1	26.3	29.9	Alcohol (Binge: 5+ drinks once or twice a week)	59.1		
Chewing Tobacco	18.6	18.2	13.4	Alcohol (any use)		67.3	73.1
Marijuana	13.7	17.3	19.6	Cigarettes (1+ packs per day)	81.2		
Inhalants	3.6	5.5	7.1	Cigarettes (any use)		77.9	80.1
Prescription medications not prescribed for student	6.9	9.8	12.2	Marijuana (once or twice a week)	62.9		
Over-the-counter medications for non-medical use	1.6	6.2	8.4	Marijuana (any use)		73.6	70.4
Methamphetamine	0.4	1.1	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	88.9	92.3	93.2
Cocaine	1.3	2.0	2.4	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.2	0.5	0.6	Were very sad	18.7	17.4	21.8
Hallucinogens	1.0	2.1	3.2	Were grouchy, irritable, or in a bad mood	29.4	24.1	29.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.9	2.7	Felt hopeless about the future	11.3	12.1	14.4
Steroids not prescribed for student	0.6	1.6	0.9	Felt like not eating or eating more than usual	15.5	16.5	21.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.5		Slept a lot more or a lot less than usual	16.4	20.0	29.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	25.4	22.0	27.2
Alcohol	13.83	12.55	12.72	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.51	12.48	12.33	Seriously considered attempting suicide	7.7	10.4	12.1
Marijuana	13.45	13.73	13.60	Made plan about how they would attempt suicide	6.9	8.4	8.1
Inhalants	12.83	12.07	12.32	Attempted suicide	2.1	5.1	5.1
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.3	1.4	1.7
Alcohol	13.9	20.6	22.7	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		11.8	10.2	Were threatened/injured with weapon at school	4.6	6.2	9.1
Cigarettes	12.3	11.7	14.3	Were in a physical fight	19.6	21.2	21.2
Chewing Tobacco	7.6	9.0	7.5	Were in a fight and had to be treated by a doctor or nurse	1.9	3.3	3.0
Marijuana	5.0	7.4	10.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.7	1.9	2.7	Were victims of mean rumors or lies spread at school	55.9	46.6	55.3
Prescription medications not prescribed for student	4.2	4.5	7.0	Were made fun of by others	62.8	63.5	68.9
Over-the-counter medications for non-medical use	1.1	3.3	5.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.2	21.7	19.1
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	21.8	26.2	32.3
Alcohol (Binge: 5+ drinks on one occasion)	6.0			Made fun of other people	57.1	65.6	74.1
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	19.0	15.2	17.1
Alcohol	54.3	57.7	65.5	<i>Percent of students who agree that:</i>			
Cigarettes	43.6	47.8	51.1	Teachers notice and comment on student's good work	75.7	69.3	70.5
Marijuana	22.4	37.3	41.3	School provides feedback to parents on positive student performance	47.0	43.4	43.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.1	14.1	19.8	Rules are enforced fairly	69.1	63.5	65.1
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	78.5	78.1	74.2
Alcohol	30.3	36.3	37.4	<i>Percent of students who agree that:</i>			
Cigarettes	13.8	15.6	15.8	Parents notice and comment on student's good work	87.5	83.0	83.4
Marijuana	8.0	11.9	14.8	Parents involve student in making family decisions	65.6	68.9	70.0
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	91.8	86.5	82.7
Alcohol	57.3	57.2	54.1	Student could ask parent for help with a personal problem	85.9	77.1	76.8
Cigarettes	78.5	78.7	77.5	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	84.6	83.0	79.4	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	95.9	94.6				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	77.7	77.1	75.2				
Cigarettes	91.4	90.6	89.4				
Marijuana	95.8	94.4	93.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	55.2	58.3	63.1				
Cigarettes	50.2	54.6	59.6				
Marijuana	27.3	35.6	39.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.7	15.0	19.9				