


DIVISION OF BEHAVIORAL HEALTH WESTERN REGION



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1, 2-5 (JC), 6, 7, 13
Adult Psychiatric	1, 2, 3, 4, 5, 6, 7, 13
POPULATION	
Census 2010	1,457,879
2014 Estimate	1,482,773

BIRTH RISK	2013	2012	2011
Resident Births--Total	19,300	19,504	19,325
Mother Reported Smoking while Pregnant	3,112	3,350	3,322

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	145	157	184
Hepatitis B Chronic, Acute, Prenatal	168	128	111
Hepatitis C Chronic and Acute	826	879	1,033
Tuberculosis Infection Cases	743	599	543

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	13,239	13,023	12,802
Suicides	250	219	232
Self-inflicted Injuries	2,311	2,307	2,256
Homicides	124	143	146
Assault Injuries	6,408	6,876	6,973
Alcohol Induced Deaths	136	133	122
Drug Induced Deaths	215	197	190
Smoking Attributable Deaths	2,298	2,262	2,196

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	11,825	11,873	13,057
Mental Illness Secondary Diagnosis	15,913	15,809	16,139
Alcohol Principal Diagnosis	1,166	1,158	1,176
Alcohol Secondary Diagnosis	2,285	1,977	2,062
Drug Principal Diagnosis	638	685	677
Drug Secondary Diagnosis	1,923	1,995	1,957
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3,708	4,193	3,164
Mental Illness Secondary Diagnosis	25,208	24,781	25,150
Alcohol Principal Diagnosis	987	1,147	998
Alcohol Secondary Diagnosis	3,301	3,479	3,364
Drug Principal Diagnosis	576	657	564
Drug Secondary Diagnosis	2,467	3,045	2,794
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	12,188	12,846	12,378
Mental Illness Secondary Diagnosis	31,431	26,060	25,152
Alcohol Principal Diagnosis	5,546	5,736	5,551
Alcohol Secondary Diagnosis	4,620	5,089	4,130
Drug Principal Diagnosis	2,804	2,627	2,407
Drug Secondary Diagnosis	4,831	5,192	4,837

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	1,614	1,621	1,599
Alcohol Package Carry-out Licenses	1,140	1,142	1,142

EMPLOYMENT	2014	2013	2012
Labor Force	787,002	744,559	745,615
Employed	737,991	694,682	693,740
Unemployed	49,011	49,877	51,875
Unemployment Rate	6.2%	6.7%	7.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	1,381	1,360	1,314
Fatal Crashes	34	37	32
Injury Crashes	572	541	571
Property Damage Crashes	775	782	711
Crash Fatalities	43	40	38
Crash Injuries	835	768	886
Drug Involved Crashes--Total	312	302	277
Fatal Crashes	8	7	8
Injury Crashes	150	154	128
Property Damage Crashes	154	141	141
Crash Fatalities	9	9	7
Crash Injuries	228	235	141

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	6,785	7,353	7,297
Liquor Law Arrests	2,260	2,494	2,770
Drug Arrests	7,517	7,139	6,898
Violent Offenses	8,121	8,286	7,968
Property Offenses	53,259	57,326	55,007
Domestic Violence Reports	10,718	11,201	10,691
	2014	2013	2012
Methamphetamine Lab Seizures	21	45	84

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	66,267	66,776	66,469
Drop-outs	2,002	1,685	2,269
Drop-out Rate	3.0%	2.5%	3.4%
School Discipline Involving Alcohol	93	79	85
School Discipline Involving Drugs	522	559	739
School Discipline Involving Tobacco	11	9	19

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	1,045	1,167	1,176
Juvenile Alcohol Offenses	106	137	173
Juvenile Drug Offenses	304	331	321
School Truancy Status Offense	789	673	558
Absent from Home Status Offense	320	351	341
Beyond Parental Control Status Offense	404	563	423
Injurious Behavior Status Offense	576	658	422
Child Abuse	519	498	317
Child Neglect	2,101	2,146	1,609
Child Custody Issues	205	354	514

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	1,577	1,678	1,459
Parental Alcohol Use Related	37	47	74
Parental Drug Use Related	492	532	378
Parental Alcohol and Drug Use	68	70	34

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	1,433	1,534	1,469
Probation/Parole Admissions--Drug	2,395	2,287	2,471
Probation/Parole Admissions--DWI	517	549	587
Prison Admissions--Drug	1,125	1,095	1,081
Prison Admissions--DWI	258	292	312

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	1,209	1,173	1,521
CSTAR Adolescent	540	554	574
CSTAR Women and Children	891	820	800
CSTAR General Adult	4,593	4,133	3,780
CSTAR Opioid	143	91	80
Primary Recovery Treatment	698	1,130	1,405
Clinical SATOP (CIP, YCIP, SROP)	1,269	1,298	1,148
Other Substance Abuse Treatment	8	379	481


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	5,273	5,513	5,912
- Adolescent Diversion Education Program	84	98	174
- Offender Education Program	1,921	2,098	2,280
- Weekend Intervention Program	1,112	1,240	1,421
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	210	243	291
Compulsive Gambling	16	16	31
Recovery Supports	1,883	2,227	2,364
Early Intervention	132	159	376

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	8,671	8,769	8,956	Alcohol	3,336	3,564	3,803
AGE				Marijuana / Hashish	2,130	2,229	2,243
Under 18	544	575	593	Cocaine (total)	503	500	738
18 to 24	1,394	1,479	1,508	- Crack	295	360	554
25 to 29	1,397	1,389	1,372	Stimulant (total)	1,641	1,513	1,277
30 to 34	1,418	1,398	1,339	- Methamphetamine	1,578	1,467	1,244
35 to 39	998	924	978	Heroin	228	156	112
40 to 44	858	871	975	Analgesic except Heroin	535	513	440
45 to 54	1,512	1,603	1,714	- Non-Prescription Methadone	*	*	11
55 and Over	550	530	477	PCP, LSD, other Hallucinogen	183	188	219
GENDER				Tranquilizer	54	59	78
Male	5,882	5,989	6,164	Inhalant	6	5	10
Female	2,788	2,779	2,792	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	51	38	35
Caucasian	6,264	6,356	6,323	Average Age at First Use of Drug	18.0	17.7	17.6
African American	1,886	1,891	2,073	INJECTION DRUG USE			
Native American / Alaskan	27	28	36	Any Injection Use at Admission	946	792	641
Asian / Pacific Islander	15	30	34	- Daily Injection Use	223	170	143
Hispanic	322	318	330	- Weekly Injection Use	247	199	174
Other Race / Two or More Races	265	251	266	- Less than Weekly Injection Use	476	423	324
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	2,729	2,802	2,854	0	5,013	4,920	5,040
High School Graduate or G.E.D.	3,895	3,941	4,005	1 or 2	2,368	2,382	2,404
Associate Degree or Some College	1,948	1,954	1,976	3 or More	1,290	1,467	1,512
Bachelor or Advanced Degree	99	72	121	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	2,957	3,000	2,964
Employed	2,473	2,407	2,367	School	35	37	45
Unemployed	3,295	3,580	3,704	Mental Health Provider	213	232	285
Not in Labor Force	2,903	2,780	2,885	Health Care Provider	355	321	386
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	3,429	3,522	4,302
Independent Living	6,488	6,603	6,724	Other Referral Source	1,223	1,084	842
Dependent Living	1,057	1,177	1,191	TREATMENT ACCOMMODATION			
Homeless	768	727	808	Pregnant when Admitted to any Episode	124	112	131
MARITAL / FAMILY STATUS				Military Veteran	313	365	472
Never Married	5,239	5,316	5,190	Special Education Services Needed	500	569	563
Married / Cohabiting	1,696	1,718	1,778	Co-Occurring Psychological Problem	3,196	3,225	3,101
Previously Married	1,736	1,735	1,988	Co-Occurring Developmental Problem	180	229	258

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1, 2, 3, 4, 5, 6, 7, 13
CENSUS 2010 1,457,879
2014 POPULATION ESTIMATE 1,482,773

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	946	1,045	1,076
Anxiety Disorder	6,941	7,119	6,853
Dementia	37	38	36
Developmental Disorder	255	256	230
Impulse Control Disorder	3,415	3,756	3,637
Mood Disorder	12,540	13,626	13,192
Personality Disorder	995	987	945
Psychotic Disorder	4,100	4,395	4,382
Sexual Disorder	33	44	11
Other Diagnosis	1,483	1,650	1,597
Diagnosis Unknown	2,413	3,086	3,700

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	20,944	23,784	23,839	Less than High School Diploma	4,421	4,979	2,452
AGE				High School Grad or G.E.D.	22	119	2,489
Under 6	195	271	314	Associate Degree or Some College	*	29	904
6 to 9	1,254	1,412	1,460	Bachelor or Advanced Degree	0	*	259
10 to 13	1,552	1,739	1,835	Education Level Unknown	16,499	18,654	17,735
14 to 17	1,590	1,786	1,919	EMPLOYMENT			
18 to 24	1,722	2,095	2,121	Employed	934	1,172	791
25 to 29	1,665	1,940	1,862	Unemployed	1,295	1,647	4,654
30 to 34	1,899	2,210	2,104	Not in Labor Force	8,081	8,865	1,791
35 to 39	1,790	1,982	1,937	Employment Status Unknown	10,634	12,100	16,603
40 to 44	1,837	2,081	2,104	HOUSING / LIVING ARRANGEMENT			
45 to 49	1,948	2,346	2,478	Independent Living	5,609	6,196	5,079
50 to 54	2,301	2,564	2,523	Dependent Living	4,165	4,930	2,332
55 to 59	1,699	1,809	1,695	Homeless	454	526	307
60 and Over	1,492	1,549	1,487	Other	0	*	164
Age Unknown	0	0	0	Housing Unknown	10,716	12,130	15,957
GENDER				TREATMENT REFERRAL SOURCE			
Male	10,021	11,376	11,394	Self / Family / Friend	11,776	13,444	13,161
Female	10,923	12,408	12,445	School	282	337	361
Gender Unknown	0	0	0	Mental Health Provider	1,914	1,970	2,132
RACE / ETHNICITY				Health Care Provider	2,679	3,030	2,977
Caucasian	13,820	14,935	14,923	Court / Criminal Justice	895	1,074	1,202
African American	5,391	6,693	6,998	Other	3,249	3,773	3,832
Native American / Alaskan	80	93	98	Referral Source Unknown	149	156	174
Asian / Pacific Islander	75	89	83	TYPE OF COMMITMENT			
Hispanic	628	681	648	Voluntary	20,486	23,321	23,329
Other Race	950	1,293	1,088	Civil	63	72	107
Race/Ethnicity Unknown	0	0	*	Criminal	243	233	235
TREATMENT ACCOMMODATION				Sexual Predatory	16	15	11
Hearing Impaired	504	527	510	Commitment Type Unknown	136	143	157
Past or Current Military Service	466	493	515				

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	31.4	36.9	39.4	Alcohol (1 or 2 drinks daily)	60.5		
Cigarettes	17.9	21.2	24.6	Alcohol (Binge: 5+ drinks once or twice a week)	72.6		
Chewing Tobacco	8.8	10.1	9.5	Alcohol (any use)		70.4	75.0
Marijuana	14.5	16.1	16.5	Cigarettes (1+ packs per day)	85.4		
Inhalants	3.1	5.1	6.1	Cigarettes (any use)		81.4	80.0
Prescription medications not prescribed for student	7.8	8.0	10.5	Marijuana (once or twice a week)	62.5		
Over-the-counter medications for non-medical use	3.2	5.9	7.4	Marijuana (any use)		71.3	72.5
Methamphetamine	0.6	1.3	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	90.5	92.7	91.8
Cocaine	1.3	1.8	1.7	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.4	0.9	0.6	Were very sad	20.6	18.6	18.8
Hallucinogens	2.0	2.8	2.5	Were grouchy, irritable, or in a bad mood	25.9	24.3	25.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.8	2.1	2.1	Felt hopeless about the future	12.2	11.0	11.7
Steroids not prescribed for student	1.0	1.3	1.1	Felt like not eating or eating more than usual	17.3	16.8	18.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	6.1		Slept a lot more or a lot less than usual	18.6	20.9	25.7
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.3	22.6	23.7
Alcohol	13.09	12.83	12.57	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.92	12.70	12.28	Seriously considered attempting suicide	12.3	11.8	11.4
Marijuana	13.88	13.65	13.49	Made plan about how they would attempt suicide	9.2	8.7	8.3
Inhalants	11.28	11.69	11.69	Attempted suicide	5.3	5.0	5.6
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.8	1.7	2.1
Alcohol	12.4	15.5	17.3	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		8.7	10.4	Were threatened/injured with weapon at school	6.2	6.2	9.4
Cigarettes	7.3	9.5	12.7	Were in a physical fight	17.3	19.0	23.5
Chewing Tobacco	4.3	5.3	5.0	Were in a fight and had to be treated by a doctor or nurse	2.7	2.6	4.2
Marijuana	7.1	8.2	8.6	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.2	2.0	2.9	Were victims of mean rumors or lies spread at school	48.1	46.8	51.4
Prescription medications not prescribed for student	3.6	4.4	6.3	Were made fun of by others	58.4	59.9	65.8
Over-the-counter medications for non-medical use	1.9	3.4	4.7	Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.8	20.1	19.0
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	24.0	26.3	32.8
Alcohol (Binge: 5+ drinks on one occasion)	5.5			Made fun of other people	52.9	61.2	70.2
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	16.8	14.2	18.1
Alcohol	41.5	51.4	54.1	<i>Percent of students who agree that:</i>			
Cigarettes	31.9	40.8	44.5	Teachers notice and comment on student's good work	71.3	68.1	70.8
Marijuana	32.3	37.5	36.8	School provides feedback to parents on positive student performance	40.2	37.6	42.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	14.5	17.3	Rules are enforced fairly	65.5	64.4	65.8
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	79.2	77.2	78.2
Alcohol	24.1	29.1	30.4	<i>Percent of students who agree that:</i>			
Cigarettes	10.2	12.4	14.0	Parents notice and comment on student's good work	82.0	82.0	82.9
Marijuana	13.5	13.8	13.1	Parents involve student in making family decisions	69.7	68.4	69.8
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	86.4	84.8	82.4
Alcohol	66.6	62.1	62.1	Student could ask parent for help with a personal problem	77.2	75.9	76.1
Cigarettes	85.7	81.6	79.5	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	79.2	81.0	81.2	<i>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.6	94.9	94.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	82.6	80.0	80.0				
Cigarettes	93.0	91.8	90.5				
Marijuana	92.3	93.4	93.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	50.1	56.7	56.2				
Cigarettes	45.1	51.9	53.6				
Marijuana	34.1	37.7	36.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	16.7	18.6				