

DENT COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	15,657
2014 Estimate	15,655

BIRTH RISK	2013	2012	2011
Resident Births--Total	180	173	173
Mother Reported Smoking while Pregnant	56	49	52

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	2	0	2
Hepatitis C Chronic and Acute	16	15	19
Tuberculosis Infection Cases	3	0	3

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	190	185	185
Suicides	3	2	2
Self-inflicted Injuries	22	26	34
Homicides	0	0	4
Assault Injuries	62	59	53
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	6	1
Smoking Attributable Deaths	41	37	34

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	142	142	136
Mental Illness Secondary Diagnosis	290	332	348
Alcohol Principal Diagnosis	9	12	7
Alcohol Secondary Diagnosis	13	15	19
Drug Principal Diagnosis	49	20	8
Drug Secondary Diagnosis	28	9	23
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	48	44	44
Mental Illness Secondary Diagnosis	222	148	162
Alcohol Principal Diagnosis	10	8	6
Alcohol Secondary Diagnosis	17	21	20
Drug Principal Diagnosis	7	6	9
Drug Secondary Diagnosis	9	16	13
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	180	175	180
Mental Illness Secondary Diagnosis	594	477	453
Alcohol Principal Diagnosis	32	52	38
Alcohol Secondary Diagnosis	19	12	18
Drug Principal Diagnosis	32	33	40
Drug Secondary Diagnosis	44	35	17

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	10	13	14
Alcohol Package Carry-out Licenses	14	15	18

EMPLOYMENT	2014	2013	2012
Labor Force	6,202	7,076	6,345
Employed	5,785	6,623	5,860
Unemployed	417	453	485
Unemployment Rate	6.7%	6.4%	7.6%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	16	23	15
Fatal Crashes	1	1	0
Injury Crashes	6	9	9
Property Damage Crashes	9	13	6
Crash Fatalities	1	1	0
Crash Injuries	6	12	16
Drug Involved Crashes--Total	9	3	2
Fatal Crashes	0	0	0
Injury Crashes	1	2	1
Property Damage Crashes	8	1	1
Crash Fatalities	0	0	0
Crash Injuries	1	2	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	67	100	71
Liquor Law Arrests	5	12	11
Drug Arrests	69	79	49
Violent Offenses	27	33	30
Property Offenses	376	296	288
Domestic Violence Reports	30	31	25

	2014	2013	2012
Methamphetamine Lab Seizures	6	4	5

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	628	631	629
Drop-outs	1	7	10
Drop-out Rate	0.2%	1.1%	1.6%
School Discipline Involving Alcohol	1	5	2
School Discipline Involving Drugs	4	5	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	13	26	24
Juvenile Alcohol Offenses	2	0	1
Juvenile Drug Offenses	2	2	4
School Truancy Status Offense	1	21	1
Absent from Home Status Offense	4	4	4
Beyond Parental Control Status Offense	7	10	10
Injurious Behavior Status Offense	3	14	11
Child Abuse	1	2	2
Child Neglect	9	13	12
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	14	18	13
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	3	4	4
Parental Alcohol and Drug Use	0	3	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	34	27	19
Probation/Parole Admissions--Drug	54	49	54
Probation/Parole Admissions--DWI	2	7	5
Prison Admissions--Drug	30	26	34
Prison Admissions--DWI	3	2	4

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DENT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	24	28	23
CSTAR Adolescent	*	5	7
CSTAR Women and Children	*	5	*
CSTAR General Adult	102	118	64
CSTAR Opioid	0	*	0
Primary Recovery Treatment	0	36	106
Clinical SATOP (CIP, YCIP, SROP)	17	22	14
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	52	67	50
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	14	19	15
- Weekend Intervention Program	10	9	12
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	*	17

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	123	151	174	Alcohol	47	55	55
AGE				Marijuana / Hashish	21	27	50
Under 18	*	6	8	Cocaine (total)	*	*	*
18 to 24	18	33	44	- Crack	0	*	0
25 to 29	27	32	41	Stimulant (total)	14	18	21
30 to 34	26	24	24	- Methamphetamine	13	18	21
35 to 39	14	17	14	Heroin	11	13	9
40 to 44	6	15	12	Analgesic except Heroin	25	36	33
45 to 54	24	18	24	- Non-Prescription Methadone	0	*	0
55 and Over	*	6	7	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	83	94	112	Inhalant	0	0	*
Female	40	57	62	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	117	147	169	Average Age at First Use of Drug	18.3	18.1	17.8
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	29	42	31
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	9	*
Hispanic	*	*	*	- Weekly Injection Use	11	14	9
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	15	19	20
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	47	65	70	0	60	79	94
High School Graduate or G.E.D.	57	57	80	1 or 2	38	54	57
Associate Degree or Some College	19	27	24	3 or More	25	18	23
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	98	106	44
Employed	23	38	53	School	0	0	0
Unemployed	57	72	73	Mental Health Provider	*	*	*
Not in Labor Force	43	41	48	Health Care Provider	*	6	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	11	32	105
Independent Living	111	135	160	Other Referral Source	8	6	16
Dependent Living	8	7	10	TREATMENT ACCOMMODATION			
Homeless	*	6	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	7	11
Never Married	61	60	70	Special Education Services Needed	8	12	23
Married / Cohabiting	30	48	73	Co-Occurring Psychological Problem	61	67	71
Previously Married	32	43	31	Co-Occurring Developmental Problem	15	20	13

DENT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 15,657
2014 POPULATION ESTIMATE 15,655

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	6	5	*
Anxiety Disorder	188	170	125
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	49	46	42
Mood Disorder	203	174	145
Personality Disorder	14	12	8
Psychotic Disorder	31	33	30
Sexual Disorder	0	0	*
Other Diagnosis	24	15	12
Diagnosis Unknown	9	9	12

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	290	258	223	Less than High School Diploma	105	80	18
AGE				High School Grad or G.E.D.	0	*	18
Under 6	6	*	*	Associate Degree or Some College	0	*	*
6 to 9	21	16	13	Bachelor or Advanced Degree	0	0	*
10 to 13	28	20	17	Education Level Unknown	185	173	184
14 to 17	31	29	30	EMPLOYMENT			
18 to 24	27	27	26	Employed	15	6	*
25 to 29	27	21	17	Unemployed	7	12	27
30 to 34	29	23	22	Not in Labor Force	177	121	13
35 to 39	24	26	20	Employment Status Unknown	91	119	181
40 to 44	23	28	19	HOUSING / LIVING ARRANGEMENT			
45 to 49	26	23	20	Independent Living	124	78	32
50 to 54	23	22	18	Dependent Living	83	61	27
55 to 59	15	13	12	Homeless	*	0	0
60 and Over	10	8	6	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	82	119	163
GENDER				TREATMENT REFERRAL SOURCE			
Male	126	123	97	Self / Family / Friend	244	202	163
Female	164	135	126	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	24	29	21
Caucasian	279	247	213	Court / Criminal Justice	5	7	16
African American	*	0	0	Other	15	17	20
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	6	7	8	Voluntary	289	256	220
Other Race	*	*	*	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	*
Hearing Impaired	12	9	7	Commitment Type Unknown	0	0	0
Past or Current Military Service	8	10	5				

DENT COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	12.4	28.2	40.5	Alcohol (1 or 2 drinks daily)	59.5		
Cigarettes	14.1	22.4	30.8	Alcohol (Binge: 5+ drinks once or twice a week)	69.8		
Chewing Tobacco	35.6	22.9	23.7	Alcohol (any use)		57.7	78.5
Marijuana	1.9	13.9	12.8	Cigarettes (1+ packs per day)	85.7		
Inhalants	1.8	12.6	5.8	Cigarettes (any use)		76.2	76.7
Prescription medications not prescribed for student	4.3	8.6	11.7	Marijuana (once or twice a week)	73.5		
Over-the-counter medications for non-medical use	1.2	9.8	8.4	Marijuana (any use)		73.2	74.4
Methamphetamine	0.0	0.8	1.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	89.6	96.1	92.3
Cocaine	0.6	1.2	1.6	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.6	0.8	0.3	Were very sad	8.6	28.5	9.3
Hallucinogens	0.6	3.3	2.9	Were grouchy, irritable, or in a bad mood	15.2	26.0	14.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	0.0	2.3	Felt hopeless about the future	6.7	21.2	6.4
Steroids not prescribed for student	1.9	5.7	0.6	Felt like not eating or eating more than usual	13.5	8.6	10.6
Synthetic drugs (K2, bath salts, Spice, etc)	0.6	8.2		Slept a lot more or a lot less than usual	10.4	12.6	18.1
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.2	27.8	14.3
Alcohol	9.90	10.50	11.58	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	10.97	10.78	11.55	Seriously considered attempting suicide	1.8	13.5	13.7
Marijuana	12.27	13.30	12.30	Made plan about how they would attempt suicide	1.2	4.9	8.9
Inhalants	9.57	9.89	11.39	Attempted suicide	0.6	2.0	6.4
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.6	0.4	2.7
Alcohol	1.9	17.1	15.3	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		9.8	8.9	Were threatened/injured with weapon at school	8.5	13.5	7.9
Cigarettes	3.1	13.5	16.5	Were in a physical fight	27.8	32.9	27.6
Chewing Tobacco	19.0	11.4	14.3	Were in a fight and had to be treated by a doctor or nurse	3.7	2.4	2.9
Marijuana	0.6	6.9	6.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.6	9.4	2.6	Were victims of mean rumors or lies spread at school	30.7	47.8	59.1
Prescription medications not prescribed for student	2.5	2.0	7.8	Were made fun of by others	38.0	66.5	72.1
Over-the-counter medications for non-medical use	1.2	3.3	5.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	13.4	17.3	17.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	12.4	24.9	36.7
Alcohol (Binge: 5+ drinks on one occasion)	0.0			Made fun of other people	49.7	59.0	72.7
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	8.6	19.6	12.4
Alcohol	25.9	36.7	49.4	<i>Percent of students who agree that:</i>			
Cigarettes	26.4	34.7	44.8	Teachers notice and comment on student's good work	79.8	61.9	71.9
Marijuana	16.6	19.3	28.1	School provides feedback to parents on positive student performance	47.2	43.5	39.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.9	4.9	11.9	Rules are enforced fairly	72.8	64.6	68.6
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	93.3	84.4	80.6
Alcohol	29.4	17.1	27.2	<i>Percent of students who agree that:</i>			
Cigarettes	9.2	10.2	17.0	Parents notice and comment on student's good work	78.7	86.1	84.9
Marijuana	3.1	9.3	9.6	Parents involve student in making family decisions	69.1	78.0	68.6
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	82.7	87.4	84.4
Alcohol	73.6	71.2	67.0	Student could ask parent for help with a personal problem	74.8	80.7	75.6
Cigarettes	78.3	82.7	76.1	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	94.5	83.5	85.5	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	96.5	94.6				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	70.7	76.3	79.6				
Cigarettes	74.8	83.3	91.3				
Marijuana	87.0	99.1	95.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	33.1	40.2	49.4				
Cigarettes	30.1	37.1	53.0				
Marijuana	8.1	23.4	26.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3	7.8	16.3				