

FRANKLIN COUNTY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	16
POPULATION	
Census 2010	101,492
2014 Estimate	102,084

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,229	1,247	1,274
Mother Reported Smoking while Pregnant	267	308	286

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	1	2	0
Hepatitis B Chronic, Acute, Prenatal	3	2	1
Hepatitis C Chronic and Acute	61	62	72
Tuberculosis Infection Cases	5	10	12

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	906	968	1,000
Suicides	20	25	23
Self-inflicted Injuries	132	162	149
Homicides	3	4	5
Assault Injuries	311	371	366
Alcohol Induced Deaths	5	7	2
Drug Induced Deaths	21	18	27
Smoking Attributable Deaths	158	168	192

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	606	636	601
Mental Illness Secondary Diagnosis	1,372	1,281	1,425
Alcohol Principal Diagnosis	55	60	50
Alcohol Secondary Diagnosis	78	72	84
Drug Principal Diagnosis	96	92	96
Drug Secondary Diagnosis	73	74	85
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	598	641	485
Mental Illness Secondary Diagnosis	2,065	2,166	2,073
Alcohol Principal Diagnosis	69	60	58
Alcohol Secondary Diagnosis	215	209	195
Drug Principal Diagnosis	48	58	67
Drug Secondary Diagnosis	136	151	106
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	982	1,082	1,024
Mental Illness Secondary Diagnosis	8,573	7,694	4,136
Alcohol Principal Diagnosis	184	175	202
Alcohol Secondary Diagnosis	216	238	195
Drug Principal Diagnosis	233	220	221
Drug Secondary Diagnosis	318	375	480

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	127	122	128
Alcohol Package Carry-out Licenses	98	97	94

EMPLOYMENT	2014	2013	2012
Labor Force	52,061	51,661	52,500
Employed	48,705	48,061	48,311
Unemployed	3,356	3,600	4,189
Unemployment Rate	6.4%	7.0%	8.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	106	129	127
Fatal Crashes	5	8	5
Injury Crashes	45	46	44
Property Damage Crashes	56	75	78
Crash Fatalities	9	8	5
Crash Injuries	81	70	57
Drug Involved Crashes--Total	42	44	28
Fatal Crashes	2	1	1
Injury Crashes	9	22	9
Property Damage Crashes	31	21	18
Crash Fatalities	2	1	1
Crash Injuries	17	42	7

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	534	667	712
Liquor Law Arrests	104	113	154
Drug Arrests	559	619	487
Violent Offenses	182	178	219
Property Offenses	2,215	2,180	1,936
Domestic Violence Reports	720	553	544
	2014	2013	2012
Methamphetamine Lab Seizures	21	68	102

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,902	4,916	4,870
Drop-outs	91	95	128
Drop-out Rate	1.9%	1.9%	2.6%
School Discipline Involving Alcohol	14	14	8
School Discipline Involving Drugs	30	54	43
School Discipline Involving Tobacco	0	3	2

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	62	96	76
Juvenile Alcohol Offenses	32	38	27
Juvenile Drug Offenses	39	33	31
School Truancy Status Offense	91	79	38
Absent from Home Status Offense	26	48	18
Beyond Parental Control Status Offense	8	19	28
Injurious Behavior Status Offense	38	52	74
Child Abuse	2	5	8
Child Neglect	129	127	96
Child Custody Issues	0	1	1

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	123	134	108
Parental Alcohol Use Related	3	4	11
Parental Drug Use Related	73	86	53
Parental Alcohol and Drug Use	0	6	5

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	78	111	108
Probation/Parole Admissions--Drug	183	188	132
Probation/Parole Admissions--DWI	57	72	57
Prison Admissions--Drug	95	53	55
Prison Admissions--DWI	26	24	18

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

FRANKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	52	54	47
CSTAR Adolescent	48	47	47
CSTAR Women and Children	40	31	45
CSTAR General Adult	211	175	178
CSTAR Opioid	*	*	0
Primary Recovery Treatment	11	44	72
Clinical SATOP (CIP, YCIP, SROP)	99	147	142
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	422	556	546
- Adolescent Diversion Education Program	7	*	*
- Offender Education Program	148	208	200
- Weekend Intervention Program	124	164	138
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	5	5	9
Compulsive Gambling	0	*	*
Recovery Supports	*	*	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	402	444	449	Alcohol	157	183	207
AGE				Marijuana / Hashish	70	85	94
Under 18	48	47	48	Cocaine (total)	*	*	6
18 to 24	81	87	90	- Crack	*	*	*
25 to 29	70	92	91	Stimulant (total)	68	57	48
30 to 34	67	64	63	- Methamphetamine	59	57	44
35 to 39	43	48	48	Heroin	70	79	59
40 to 44	23	32	37	Analgesic except Heroin	25	29	23
45 to 54	55	54	56	- Non-Prescription Methadone	0	*	0
55 and Over	15	20	16	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	7	5	8
Male	259	296	315	Inhalant	0	0	*
Female	143	148	134	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	386	431	433	Average Age at First Use of Drug	17.5	18.1	16.8
African American	7	*	7	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	104	96	73
Asian / Pacific Islander	*	0	0	- Daily Injection Use	30	26	21
Hispanic	*	*	*	- Weekly Injection Use	33	24	22
Other Race / Two or More Races	*	8	6	- Less than Weekly Injection Use	41	46	30
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	158	165	171	0	203	204	193
High School Graduate or G.E.D.	170	175	171	1 or 2	125	157	162
Associate Degree or Some College	72	96	104	3 or More	74	83	94
Bachelor or Advanced Degree	*	8	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	141	117	115
Employed	107	126	144	School	6	*	*
Unemployed	164	179	160	Mental Health Provider	6	*	*
Not in Labor Force	131	139	145	Health Care Provider	13	12	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	168	251	270
Independent Living	331	373	362	Other Referral Source	58	48	51
Dependent Living	52	53	59	TREATMENT ACCOMMODATION			
Homeless	9	11	8	Pregnant when Admitted to any Episode	5	10	7
MARITAL / FAMILY STATUS				Military Veteran	19	13	18
Never Married	238	259	257	Special Education Services Needed	30	37	35
Married / Cohabiting	71	108	106	Co-Occurring Psychological Problem	142	143	152
Previously Married	93	77	86	Co-Occurring Developmental Problem	8	17	19

FRANKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16
CENSUS 2010 101,492
2014 POPULATION ESTIMATE 102,084

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	39	24	21
Anxiety Disorder	495	429	406
Dementia	*	*	*
Developmental Disorder	39	46	47
Impulse Control Disorder	282	251	259
Mood Disorder	755	710	726
Personality Disorder	94	95	83
Psychotic Disorder	147	137	120
Sexual Disorder	0	0	0
Other Diagnosis	71	58	64
Diagnosis Unknown	57	70	128

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	1,157	1,081	1,106	Less than High School Diploma	505	538	236
AGE				High School Grad or G.E.D.	*	18	122
Under 6	16	14	8	Associate Degree or Some College	*	10	72
6 to 9	128	117	102	Bachelor or Advanced Degree	0	0	10
10 to 13	134	138	141	Education Level Unknown	649	515	666
14 to 17	135	135	131	EMPLOYMENT			
18 to 24	106	95	102	Employed	59	61	55
25 to 29	95	93	93	Unemployed	38	45	259
30 to 34	86	72	95	Not in Labor Force	715	727	168
35 to 39	83	72	79	Employment Status Unknown	345	248	624
40 to 44	76	76	94	HOUSING / LIVING ARRANGEMENT			
45 to 49	94	91	86	Independent Living	418	418	365
50 to 54	85	88	83	Dependent Living	403	402	172
55 to 59	61	44	41	Homeless	15	11	7
60 and Over	58	46	51	Other	0	0	6
Age Unknown	0	0	0	Housing Unknown	321	250	556
GENDER				TREATMENT REFERRAL SOURCE			
Male	601	559	575	Self / Family / Friend	193	170	143
Female	556	522	531	School	181	166	114
Gender Unknown	0	0	0	Mental Health Provider	70	75	85
RACE / ETHNICITY				Health Care Provider	209	146	90
Caucasian	1,102	1,033	1,057	Court / Criminal Justice	47	42	35
African American	15	11	17	Other	451	474	628
Native American / Alaskan	*	*	0	Referral Source Unknown	6	8	11
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	15	15	11	Voluntary	1,141	1,061	1,085
Other Race	21	18	18	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	8	9	7
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	45	36	27	Commitment Type Unknown	6	8	12
Past or Current Military Service	11	9	14				

FRANKLIN COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	32.9	43.2	44.7	Alcohol (1 or 2 drinks daily)	59.6		
Cigarettes	19.2	21.0	24.3	Alcohol (Binge: 5+ drinks once or twice a week)	74.2		
Chewing Tobacco	11.2	12.5	14.9	Alcohol (any use)		67.9	76.5
Marijuana	11.7	13.6	15.9	Cigarettes (1+ packs per day)	86.2		
Inhalants	3.2	5.0	8.5	Cigarettes (any use)		83.0	80.0
Prescription medications not prescribed for student	4.9	8.1	12.8	Marijuana (once or twice a week)	66.4		
Over-the-counter medications for non-medical use	2.7	4.8	8.1	Marijuana (any use)		75.4	69.4
Methamphetamine	0.8	0.8	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.3	93.7	92.2
Cocaine	0.7	0.9	1.6	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.3	0.5	0.6	Were very sad	20.5	19.7	18.7
Hallucinogens	1.7	2.2	4.1	Were grouchy, irritable, or in a bad mood	24.5	26.1	21.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.7	2.1	Felt hopeless about the future	12.6	11.0	10.7
Steroids not prescribed for student	0.7	1.1	1.1	Felt like not eating or eating more than usual	20.5	18.9	18.2
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	4.9		Slept a lot more or a lot less than usual	19.2	20.8	27.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.8	24.8	20.0
Alcohol	12.81	12.53	12.29	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.77	12.14	11.87	Seriously considered attempting suicide	11.8	11.9	10.9
Marijuana	13.61	13.16	13.25	Made plan about how they would attempt suicide	9.6	9.8	8.5
Inhalants	12.06	12.24	12.36	Attempted suicide	5.8	5.4	5.7
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.0	1.6	2.2
Alcohol	11.5	18.1	20.2	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		10.1	12.7	Were threatened/injured with weapon at school	7.5	6.8	9.8
Cigarettes	8.0	9.6	13.5	Were in a physical fight	17.8	21.8	24.2
Chewing Tobacco	4.1	7.6	9.1	Were in a fight and had to be treated by a doctor or nurse	2.6	3.3	4.3
Marijuana	5.8	6.2	8.1	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.2	2.3	3.7	Were victims of mean rumors or lies spread at school	48.8	51.8	55.1
Prescription medications not prescribed for student	2.9	3.6	7.7	Were made fun of by others	60.0	63.0	68.7
Over-the-counter medications for non-medical use	1.2	2.8	4.7	Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.6	20.0	19.5
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	23.3	27.2	34.3
Alcohol (Binge: 5+ drinks on one occasion)	4.6			Made fun of other people	50.1	61.4	70.8
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	13.5	13.6	18.3
Alcohol	41.7	55.0	57.1	<i>Percent of students who agree that:</i>			
Cigarettes	34.2	39.5	44.5	Teachers notice and comment on student's good work	75.0	65.7	71.2
Marijuana	29.3	32.3	33.3	School provides feedback to parents on positive student performance	41.4	38.9	46.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.5	13.2	16.7	Rules are enforced fairly	68.8	61.2	67.6
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	85.4	79.0	80.1
Alcohol	21.9	32.1	33.9	<i>Percent of students who agree that:</i>			
Cigarettes	9.1	11.2	14.4	Parents notice and comment on student's good work	84.1	82.4	84.2
Marijuana	10.7	10.5	11.8	Parents involve student in making family decisions	67.5	65.8	68.7
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	89.0	86.4	82.8
Alcohol	69.5	58.1	58.1	Student could ask parent for help with a personal problem	80.1	76.0	77.1
Cigarettes	88.9	84.1	80.1	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	83.9	84.0	83.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	96.1	95.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	82.6	78.3	76.4				
Cigarettes	94.5	93.0	89.3				
Marijuana	93.9	94.3	92.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	47.9	58.4	58.3				
Cigarettes	44.1	51.8	53.7				
Marijuana	29.3	35.4	34.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	15.5	17.9				

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys