

# GASCONADE COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Use	17
Adult Psychiatric	17A
<b>POPULATION</b>	
Census 2010	15,222
2014 Estimate	14,866

<b>BIRTH RISK</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Births--Total	183	133	153
Mother Reported Smoking while Pregnant	35	29	37

<b>DISEASE INCIDENCE</b> <sup>1</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	7	9	15
Tuberculosis Infection Cases	3	1	3

<b>DEATHS and INJURIES</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Deaths--Total	199	205	218
Suicides	3	4	3
Self-inflicted Injuries	11	19	10
Homicides	1	0	0
Assault Injuries	50	37	28
Alcohol Induced Deaths	1	2	2
Drug Induced Deaths	2	6	1
Smoking Attributable Deaths	30	30	34

<b>HOSPITAL EPISODES</b> <sup>2</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	75	84	70
Mental Illness Secondary Diagnosis	307	258	266
Alcohol Principal Diagnosis	4	3	3
Alcohol Secondary Diagnosis	21	22	12
Drug Principal Diagnosis	1	4	5
Drug Secondary Diagnosis	9	7	14
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	48	67	55
Mental Illness Secondary Diagnosis	254	281	316
Alcohol Principal Diagnosis	7	12	7
Alcohol Secondary Diagnosis	29	34	34
Drug Principal Diagnosis	9	8	3
Drug Secondary Diagnosis	9	13	19
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	101	123	116
Mental Illness Secondary Diagnosis	726	630	404
Alcohol Principal Diagnosis	22	28	39
Alcohol Secondary Diagnosis	27	35	31
Drug Principal Diagnosis	14	23	12
Drug Secondary Diagnosis	20	30	27

<b>ALCOHOL OUTLETS</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Alcohol On-Premise Drink Licenses	54	58	55
Alcohol Package Carry-out Licenses	19	19	19

<b>EMPLOYMENT</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Labor Force	7,605	7,439	7,220
Employed	7,199	6,978	6,695
Unemployed	406	461	525
Unemployment Rate	5.3%	6.2%	7.3%

<b>IMPAIRED DRIVING</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol Involved Crashes--Total	13	26	25
Fatal Crashes	0	1	6
Injury Crashes	4	12	8
Property Damage Crashes	9	13	11
Crash Fatalities	0	1	6
Crash Injuries	6	18	14
Drug Involved Crashes--Total	5	5	3
Fatal Crashes	0	0	0
Injury Crashes	2	3	1
Property Damage Crashes	3	2	2
Crash Fatalities	0	0	0
Crash Injuries	3	5	1

<b>POLICE REPORTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
DUI Arrests, DWI Tracking System	54	63	71
Liquor Law Arrests	3	5	24
Drug Arrests	26	10	41
Violent Offenses	29	22	35
Property Offenses	200	281	263
Domestic Violence Reports	13	12	26

	<b>2014</b>	<b>2013</b>	<b>2012</b>
Methamphetamine Lab Seizures	4	9	7

<b>SCHOOL REPORTS</b>	<b>2013-14</b>	<b>2012-13</b>	<b>2011-12</b>
Enrollment Grades 9-12	903	906	952
Drop-outs	12	13	9
Drop-out Rate	1.3%	1.4%	0.9%
School Discipline Involving Alcohol	4	3	0
School Discipline Involving Drugs	2	6	7
School Discipline Involving Tobacco	0	0	0

<b>JUVENILE COURT REFERRALS</b> <sup>3</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Juvenile Violent Offenses	16	15	39
Juvenile Alcohol Offenses	4	1	9
Juvenile Drug Offenses	1	10	8
School Truancy Status Offense	2	5	4
Absent from Home Status Offense	6	3	6
Beyond Parental Control Status Offense	0	1	5
Injurious Behavior Status Offense	5	12	2
Child Abuse	0	0	0
Child Neglect	8	16	5
Child Custody Issues	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Out-of-Home Placements--Total	10	21	7
Parental Alcohol Use Related	0	2	0
Parental Drug Use Related	2	7	5
Parental Alcohol and Drug Use	0	0	2

<b>CRIMINAL JUSTICE</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Drug Court Participants	6	13	13
Probation/Parole Admissions--Drug	31	20	31
Probation/Parole Admissions--DWI	6	4	4
Prison Admissions--Drug	9	10	8
Prison Admissions--DWI	2	0	2

<sup>1</sup> All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.  
<sup>2</sup> Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.  
<sup>3</sup> Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

# GASCONADE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5	11	8
CSTAR Adolescent	5	*	*
CSTAR Women and Children	*	6	*
CSTAR General Adult	43	51	53
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	15
Clinical SATOP (CIP, YCIP, SROP)	5	8	18
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	41	48	90
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	15	14	36
- Weekend Intervention Program	11	16	25
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
<b>NUMBER ADMITTED</b>				<b>PRIMARY DRUG PROBLEM</b>			
Total Individuals	61	70	81	Alcohol	16	25	29
<b>AGE</b>				Marijuana / Hashish	13	17	22
Under 18	5	*	*	Cocaine (total)	0	*	0
18 to 24	12	15	18	- Crack	0	0	0
25 to 29	15	12	15	Stimulant (total)	8	9	18
30 to 34	11	12	14	- Methamphetamine	8	9	18
35 to 39	*	*	8	Heroin	13	6	5
40 to 44	8	7	8	Analgesic except Heroin	9	11	5
45 to 54	7	12	11	- Non-Prescription Methadone	0	0	*
55 and Over	*	*	5	PCP, LSD, other Hallucinogen	0	0	0
<b>GENDER</b>				Tranquilizer	*	0	*
Male	38	40	54	Inhalant	0	*	0
Female	23	30	27	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	0	0
Caucasian	61	69	78	Average Age at First Use of Drug	17.6	18.6	18.1
African American	0	0	*	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	17	8	5
Asian / Pacific Islander	0	0	*	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	6	*	0
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	9	*	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	25	28	29	0	40	36	37
High School Graduate or G.E.D.	25	28	39	1 or 2	15	23	31
Associate Degree or Some College	11	13	12	3 or More	6	11	13
Bachelor or Advanced Degree	0	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	29	25	22
Employed	15	16	31	School	*	0	0
Unemployed	29	29	38	Mental Health Provider	0	0	0
Not in Labor Force	17	25	12	Health Care Provider	*	7	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	23	30	49
Independent Living	50	58	72	Other Referral Source	6	8	8
Dependent Living	6	7	*	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	6	8
Never Married	39	35	41	Special Education Services Needed	*	*	6
Married / Cohabiting	9	22	21	Co-Occurring Psychological Problem	30	27	26
Previously Married	13	13	19	Co-Occurring Developmental Problem	5	*	*

# GASCONADE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A  
**CENSUS 2010** 15,222  
**2014 POPULATION ESTIMATE** 14,866

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Adjustment Disorder	12	7	*
Anxiety Disorder	79	76	76
Dementia	0	0	0
Developmental Disorder	*	5	*
Impulse Control Disorder	39	36	28
Mood Disorder	124	105	109
Personality Disorder	20	23	18
Psychotic Disorder	19	21	21
Sexual Disorder	0	0	0
Other Diagnosis	16	7	8
Diagnosis Unknown	13	*	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>		<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
<b>NUMBER SERVED</b>				<b>EDUCATION</b>			
Total Individuals	174	154	152	Less than High School Diploma	66	60	28
<b>AGE</b>				High School Grad or G.E.D.	0	6	20
Under 6	*	*	0	Associate Degree or Some College	0	*	8
6 to 9	21	12	9	Bachelor or Advanced Degree	0	0	*
10 to 13	18	14	11	Education Level Unknown	108	86	95
14 to 17	12	11	13	<b>EMPLOYMENT</b>			
18 to 24	13	10	8	Employed	6	11	12
25 to 29	17	15	11	Unemployed	5	23	35
30 to 34	17	15	18	Not in Labor Force	80	74	15
35 to 39	16	13	9	Employment Status Unknown	83	46	90
40 to 44	11	8	16	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	14	19	19	Independent Living	36	62	48
50 to 54	19	18	18	Dependent Living	53	46	18
55 to 59	9	9	10	Homeless	*	*	0
60 and Over	5	7	10	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	84	45	84
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	80	69	58	Self / Family / Friend	87	76	61
Female	94	85	94	School	0	*	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	5
<b>RACE / ETHNICITY</b>				Health Care Provider	28	19	14
Caucasian	170	151	146	Court / Criminal Justice	*	*	*
African American	0	*	*	Other	55	52	71
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	*	Voluntary	173	154	152
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	7	5	7	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	5				

# GASCONADE COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.5	44.7	52.4	Alcohol (1 or 2 drinks daily)	56.8		
Cigarettes	16.7	20.3	28.5	Alcohol (Binge: 5+ drinks once or twice a week)	69.1		
Chewing Tobacco	8.0	15.1	16.6	Alcohol (any use)		68.5	78.0
Marijuana	8.6	10.1	17.3	Cigarettes (1+ packs per day)	87.7		
Inhalants	1.8	6.7	7.7	Cigarettes (any use)		81.5	79.7
Prescription medications not prescribed for student	6.8	10.5	13.7	Marijuana (once or twice a week)	72.8		
Over-the-counter medications for non-medical use	1.8	5.9	6.4	Marijuana (any use)		82.2	71.2
Methamphetamine	0.0	1.3	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.2	92.7	93.3
Cocaine	0.0	1.7	2.6	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.4	0.6	Were very sad	22.7	22.8	10.1
Hallucinogens	0.6	2.6	4.8	Were grouchy, irritable, or in a bad mood	25.8	23.3	18.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	1.3	2.2	Felt hopeless about the future	14.8	11.0	8.2
Steroids not prescribed for student	1.2	1.3	1.3	Felt like not eating or eating more than usual	19.6	19.6	11.4
Synthetic drugs (K2, bath salts, Spice, etc)	1.9	3.8		Slept a lot more or a lot less than usual	19.6	22.5	19.9
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.7	21.9	18.9
Alcohol	13.05	11.79	12.44	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.22	11.45	12.43	Seriously considered attempting suicide	10.4	13.6	12.6
Marijuana	14.44	12.15	14.00	Made plan about how they would attempt suicide	8.0	10.2	8.8
Inhalants	10.38	11.31	13.60	Attempted suicide	4.3	5.9	4.7
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.9	2.6	0.7
Alcohol	15.5	17.7	28.6	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		8.0	18.3	Were threatened/injured with weapon at school	6.1	8.4	6.3
Cigarettes	6.8	9.7	13.9	Were in a physical fight	15.3	24.5	21.8
Chewing Tobacco	4.3	9.7	10.3	Were in a fight and had to be treated by a doctor or nurse	1.8	5.0	3.5
Marijuana	2.5	6.8	7.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.6	2.9	2.9	Were victims of mean rumors or lies spread at school	51.2	55.3	54.7
Prescription medications not prescribed for student	2.5	5.9	7.6	Were made fun of by others	62.0	67.2	73.6
Over-the-counter medications for non-medical use	0.6	2.9	3.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.7	27.1	19.6
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	29.6	30.8	31.3
Alcohol (Binge: 5+ drinks on one occasion)	7.5			Made fun of other people	59.5	66.2	75.4
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	13.5	14.4	13.1
Alcohol	51.2	53.0	67.9	<i>Percent of students who agree that:</i>			
Cigarettes	37.4	37.6	47.5	Teachers notice and comment on student's good work	72.4	65.8	77.5
Marijuana	28.8	26.9	34.9	School provides feedback to parents on positive student performance	40.4	32.8	45.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	14.4	17.8	Rules are enforced fairly	69.8	70.9	69.1
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	88.3	82.7	88.3
Alcohol	32.9	31.9	43.7	<i>Percent of students who agree that:</i>			
Cigarettes	10.5	11.8	15.9	Parents notice and comment on student's good work	79.0	84.4	83.8
Marijuana	8.0	11.4	12.5	Parents involve student in making family decisions	67.7	68.5	68.8
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	87.1	87.4	85.4
Alcohol	57.4	55.9	50.8	Student could ask parent for help with a personal problem	75.2	74.4	78.1
Cigarettes	85.8	84.3	75.0	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	86.3	86.1	84.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	95.8	96.2				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	72.2	70.4	65.7				
Cigarettes	92.6	94.1	86.6				
Marijuana	94.4	95.8	93.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	59.3	62.9	66.6				
Cigarettes	50.9	47.3	60.8				
Marijuana	27.2	28.4	36.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	14.3	18.0				

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys