

GRUNDY COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	10,261
2014 Estimate	10,197

BIRTH RISK	2013	2012	2011
Resident Births--Total	163	153	118
Mother Reported Smoking while Pregnant	35	47	32

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	0	0
Hepatitis C Chronic and Acute	5	10	8
Tuberculosis Infection Cases	2	3	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	142	117	126
Suicides	1	0	1
Self-inflicted Injuries	14	11	13
Homicides	0	1	0
Assault Injuries	28	27	24
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	1	2	0
Smoking Attributable Deaths	21	23	24

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	91	71	83
Mental Illness Secondary Diagnosis	165	221	394
Alcohol Principal Diagnosis	4	2	5
Alcohol Secondary Diagnosis	12	10	11
Drug Principal Diagnosis	6	6	2
Drug Secondary Diagnosis	10	13	12
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	14	20	18
Mental Illness Secondary Diagnosis	130	147	79
Alcohol Principal Diagnosis	1	1	5
Alcohol Secondary Diagnosis	16	12	10
Drug Principal Diagnosis	2	9	2
Drug Secondary Diagnosis	7	12	13
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	89	98	91
Mental Illness Secondary Diagnosis	231	326	312
Alcohol Principal Diagnosis	10	15	16
Alcohol Secondary Diagnosis	29	18	27
Drug Principal Diagnosis	10	13	9
Drug Secondary Diagnosis	22	28	30

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	10	11	9
Alcohol Package Carry-out Licenses	11	11	12

EMPLOYMENT	2014	2013	2012
Labor Force	4,913	5,022	4,822
Employed	4,648	4,750	4,513
Unemployed	265	272	309
Unemployment Rate	5.4%	5.4%	6.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	13	5	9
Fatal Crashes	0	0	0
Injury Crashes	5	1	3
Property Damage Crashes	8	4	6
Crash Fatalities	0	0	0
Crash Injuries	6	2	3
Drug Involved Crashes--Total	3	2	2
Fatal Crashes	0	0	0
Injury Crashes	1	1	0
Property Damage Crashes	2	1	2
Crash Fatalities	0	0	0
Crash Injuries	1	2	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	40	32	35
Liquor Law Arrests	7	13	39
Drug Arrests	24	27	45
Violent Offenses	40	17	22
Property Offenses	217	248	220
Domestic Violence Reports	112	141	137

	2014	2013	2012
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	425	447	486
Drop-outs	8	8	10
Drop-out Rate	1.9%	1.8%	2.1%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	5	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	10	14	10
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	1	0	3
School Truancy Status Offense	15	8	37
Absent from Home Status Offense	8	9	5
Beyond Parental Control Status Offense	3	10	14
Injurious Behavior Status Offense	16	14	16
Child Abuse	42	30	17
Child Neglect	74	32	54
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	25	23	16
Parental Alcohol Use Related	0	4	2
Parental Drug Use Related	5	6	6
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	23	14	12
Probation/Parole Admissions--Drug	23	19	7
Probation/Parole Admissions--DWI	4	5	3
Prison Admissions--Drug	13	14	5
Prison Admissions--DWI	3	3	2

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

GRUNDY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	11	9	8
CSTAR Adolescent	*	10	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	90	80	93
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	7	8
Clinical SATOP (CIP, YCIP, SROP)	9	12	8
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	29	28	39
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	11	*	12
- Weekend Intervention Program	*	9	11
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	113	114	106	Alcohol	30	43	44
AGE				Marijuana / Hashish	38	26	15
Under 18	5	6	*	Cocaine (total)	0	0	0
18 to 24	19	21	18	- Crack	0	0	0
25 to 29	19	25	21	Stimulant (total)	21	28	26
30 to 34	27	18	29	- Methamphetamine	20	28	26
35 to 39	18	12	7	Heroin	*	*	*
40 to 44	5	11	13	Analgesic except Heroin	20	14	15
45 to 54	15	17	12	- Non-Prescription Methadone	0	0	*
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	66	74	67	Inhalant	0	0	0
Female	47	40	39	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	110	112	103	Average Age at First Use of Drug	17.8	17.8	17.9
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	24	21	25
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	0	- Weekly Injection Use	7	*	8
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	14	15	15
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	44	47	35	0	71	68	66
High School Graduate or G.E.D.	52	55	58	1 or 2	32	33	24
Associate Degree or Some College	17	11	13	3 or More	10	13	16
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	20	18	27
Employed	26	29	34	School	0	*	0
Unemployed	71	66	59	Mental Health Provider	0	0	0
Not in Labor Force	16	19	13	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	26	23	58
Independent Living	99	98	96	Other Referral Source	62	70	19
Dependent Living	8	12	8	TREATMENT ACCOMMODATION			
Homeless	6	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	5	8
Never Married	56	61	52	Special Education Services Needed	9	8	12
Married / Cohabiting	31	25	31	Co-Occurring Psychological Problem	53	54	50
Previously Married	26	28	23	Co-Occurring Developmental Problem	*	*	*

GRUNDY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 10,261
2014 POPULATION ESTIMATE 10,197

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	8	8	7
Anxiety Disorder	121	109	139
Dementia	*	*	*
Developmental Disorder	11	12	11
Impulse Control Disorder	53	57	57
Mood Disorder	188	195	214
Personality Disorder	25	26	33
Psychotic Disorder	25	31	34
Sexual Disorder	0	*	0
Other Diagnosis	40	29	29
Diagnosis Unknown	14	8	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	275	267	301	Less than High School Diploma	130	114	44
AGE				High School Grad or G.E.D.	9	22	54
Under 6	*	*	*	Associate Degree or Some College	*	*	15
6 to 9	21	21	17	Bachelor or Advanced Degree	0	0	*
10 to 13	38	33	32	Education Level Unknown	135	127	184
14 to 17	29	28	26	EMPLOYMENT			
18 to 24	23	25	20	Employed	22	19	13
25 to 29	20	9	19	Unemployed	26	53	91
30 to 34	11	17	20	Not in Labor Force	195	156	32
35 to 39	18	24	27	Employment Status Unknown	32	39	165
40 to 44	30	25	32	HOUSING / LIVING ARRANGEMENT			
45 to 49	18	21	25	Independent Living	142	121	100
50 to 54	26	18	29	Dependent Living	103	101	48
55 to 59	18	17	25	Homeless	*	*	*
60 and Over	22	26	26	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	29	41	151
GENDER				TREATMENT REFERRAL SOURCE			
Male	111	101	115	Self / Family / Friend	165	151	158
Female	164	166	186	School	5	5	*
Gender Unknown	0	0	0	Mental Health Provider	15	16	30
RACE / ETHNICITY				Health Care Provider	41	43	54
Caucasian	265	256	291	Court / Criminal Justice	8	6	11
African American	*	*	*	Other	37	42	39
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	7
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	6	6	Voluntary	271	262	294
Other Race	*	*	*	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	8	7	*	Commitment Type Unknown	*	*	7
Past or Current Military Service	*	*	*				

GRUNDY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	36.9	45.7	43.1	Alcohol (1 or 2 drinks daily)	56.6		
Cigarettes	23.8	30.5	24.8	Alcohol (Binge: 5+ drinks once or twice a week)	72.7		
Chewing Tobacco	22.3	11.0	14.4	Alcohol (any use)		69.1	89.8
Marijuana	13.2	13.4	3.0	Cigarettes (1+ packs per day)	82.2		
Inhalants	5.3	6.7	11.3	Cigarettes (any use)		74.7	82.2
Prescription medications not prescribed for student	9.3	14.6	7.9	Marijuana (once or twice a week)	69.5		
Over-the-counter medications for non-medical use	7.7	9.1	7.9	Marijuana (any use)		73.3	76.2
Methamphetamine	0.8	2.4	2.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.9	92.6	98.5
Cocaine	2.3	3.0	2.0	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	2.5	2.0	Were very sad	25.2	21.3	16.8
Hallucinogens	3.1	3.7	0.0	Were grouchy, irritable, or in a bad mood	24.2	25.0	22.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	3.1	0.5	Felt hopeless about the future	12.3	15.2	13.0
Steroids not prescribed for student	0.8	3.1	0.0	Felt like not eating or eating more than usual	21.4	15.9	13.5
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	6.7		Slept a lot more or a lot less than usual	22.5	20.7	27.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.0	24.1	22.8
Alcohol	12.61	13.13	11.34	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	11.18	12.52	11.16	Seriously considered attempting suicide	15.3	14.0	14.9
Marijuana	13.25	13.32	10.30	Made plan about how they would attempt suicide	11.5	10.4	11.4
Inhalants	11.12	12.27	12.26	Attempted suicide	9.4	5.5	9.5
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.1	0.6	2.0
Alcohol	11.8	25.2	17.9	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		14.5	9.0	Were threatened/injured with weapon at school	8.4	5.5	12.4
Cigarettes	14.6	15.9	14.9	Were in a physical fight	19.7	26.4	21.8
Chewing Tobacco	9.9	4.9	6.5	Were in a fight and had to be treated by a doctor or nurse	3.8	1.9	6.9
Marijuana	3.9	6.7	1.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.5	4.3	8.2	Were victims of mean rumors or lies spread at school	53.4	59.1	54.3
Prescription medications not prescribed for student	6.2	7.3	3.5	Were made fun of by others	69.2	69.5	61.7
Over-the-counter medications for non-medical use	4.6	6.7	5.0	Were victims of an embarrassing or hurtful text message or something posted on the Internet	31.5	29.4	19.3
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	26.2	34.8	48.3
Alcohol (Binge: 5+ drinks on one occasion)	4.7			Made fun of other people	58.8	69.5	78.6
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	16.4	17.2	26.6
Alcohol	38.2	59.5	59.2	<i>Percent of students who agree that:</i>			
Cigarettes	31.3	51.2	46.0	Teachers notice and comment on student's good work	71.8	63.6	68.8
Marijuana	16.8	38.9	27.1	School provides feedback to parents on positive student performance	48.9	39.0	36.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	15.3	9.5	Rules are enforced fairly	72.5	60.4	65.2
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	87.6	78.0	86.1
Alcohol	30.0	39.6	35.6	<i>Percent of students who agree that:</i>			
Cigarettes	17.6	14.7	14.9	Parents notice and comment on student's good work	78.3	78.5	82.6
Marijuana	10.0	13.4	7.5	Parents involve student in making family decisions	66.2	61.0	73.8
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	86.3	82.9	85.6
Alcohol	68.7	55.2	62.4	Student could ask parent for help with a personal problem	73.3	72.6	68.8
Cigarettes	84.7	77.2	85.4	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	89.2	82.7	88.5	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	92.5	98.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	81.5	86.0	81.7				
Cigarettes	96.2	93.2	95.0				
Marijuana	96.9	95.0	99.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	42.3	60.4	67.2				
Cigarettes	42.0	59.1	64.9				
Marijuana	26.7	34.4	23.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	16.0	11.4				