

HICKORY COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	9,627
2014 Estimate	9,219

BIRTH RISK	2013	2012	2011
Resident Births--Total	59	71	81
Mother Reported Smoking while Pregnant	19	20	21

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	8	7	3
Tuberculosis Infection Cases	2	0	3

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	137	141	163
Suicides	3	1	1
Self-inflicted Injuries	9	20	10
Homicides	0	0	0
Assault Injuries	15	20	13
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	2	2	1
Smoking Attributable Deaths	24	30	31

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	78	66	60
Mental Illness Secondary Diagnosis	103	116	114
Alcohol Principal Diagnosis	3	4	4
Alcohol Secondary Diagnosis	7	6	9
Drug Principal Diagnosis	4	5	1
Drug Secondary Diagnosis	5	7	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	40	30	17
Mental Illness Secondary Diagnosis	157	153	144
Alcohol Principal Diagnosis	8	3	8
Alcohol Secondary Diagnosis	16	8	19
Drug Principal Diagnosis	3	3	5
Drug Secondary Diagnosis	15	7	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	82	64	48
Mental Illness Secondary Diagnosis	460	448	231
Alcohol Principal Diagnosis	20	10	8
Alcohol Secondary Diagnosis	18	16	14
Drug Principal Diagnosis	19	13	11
Drug Secondary Diagnosis	33	27	16

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	11	13	13
Alcohol Package Carry-out Licenses	12	11	11

EMPLOYMENT	2014	2013	2012
Labor Force	3,705	3,540	3,521
Employed	3,394	3,186	3,088
Unemployed	311	354	433
Unemployment Rate	8.4%	10.0%	12.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	5	6	11
Fatal Crashes	0	0	2
Injury Crashes	4	4	6
Property Damage Crashes	1	2	3
Crash Fatalities	0	0	3
Crash Injuries	4	5	6
Drug Involved Crashes--Total	2	1	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	0
Crash Injuries	2	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	17	18	38
Liquor Law Arrests	0	3	2
Drug Arrests	33	11	19
Violent Offenses	1	1	2
Property Offenses	110	143	132
Domestic Violence Reports	6	13	17

	2014	2013	2012
Methamphetamine Lab Seizures	0	1	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	484	505	500
Drop-outs	3	0	3
Drop-out Rate	0.6%	0.0%	0.6%
School Discipline Involving Alcohol	0	4	0
School Discipline Involving Drugs	3	6	12
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	12	2	4
Juvenile Alcohol Offenses	1	3	0
Juvenile Drug Offenses	3	0	1
School Truancy Status Offense	0	2	4
Absent from Home Status Offense	1	2	0
Beyond Parental Control Status Offense	3	4	5
Injurious Behavior Status Offense	3	6	8
Child Abuse	5	14	10
Child Neglect	26	23	21
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	8	5	2
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	1	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	8	5	11
Probation/Parole Admissions--DWI	1	3	2
Prison Admissions--Drug	6	3	6
Prison Admissions--DWI	0	1	1

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

HICKORY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	0	0	0
CSTAR Women and Children	*	7	0
CSTAR General Adult	12	12	16
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	5	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	16	18	28
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	5	8	13
- Weekend Intervention Program	*	*	*
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	20	25	24	Alcohol	8	14	15
AGE				Marijuana / Hashish	*	*	*
Under 18	0	0	0	Cocaine (total)	0	0	0
18 to 24	*	*	*	- Crack	0	0	0
25 to 29	*	*	*	Stimulant (total)	7	5	*
30 to 34	*	5	*	- Methamphetamine	7	5	*
35 to 39	*	0	*	Heroin	0	0	0
40 to 44	*	5	*	Analgesic except Heroin	*	*	*
45 to 54	*	6	7	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	13	15	15	Inhalant	0	0	0
Female	7	10	9	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	20	25	24	Average Age at First Use of Drug	17.6	19.7	15.4
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	5	5	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	9	*	0	9	11	12
High School Graduate or G.E.D.	9	11	12	1 or 2	7	8	6
Associate Degree or Some College	*	5	8	3 or More	*	6	6
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	8	12
Employed	6	8	*	School	0	0	0
Unemployed	*	6	8	Mental Health Provider	*	0	0
Not in Labor Force	10	11	13	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	6	10	8
Independent Living	17	23	21	Other Referral Source	*	5	*
Dependent Living	*	*	0	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	10	9	5	Special Education Services Needed	0	*	0
Married / Cohabiting	5	7	7	Co-Occurring Psychological Problem	11	8	8
Previously Married	5	9	12	Co-Occurring Developmental Problem	0	0	0

HICKORY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 9,627
2014 POPULATION ESTIMATE 9,219

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	10	11	14
Dementia	0	*	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	0	*
Mood Disorder	17	22	23
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	23	29	28	Less than High School Diploma	9	8	*
AGE				High School Grad or G.E.D.	0	0	8
Under 6	*	0	0	Associate Degree or Some College	0	0	5
6 to 9	*	0	0	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	14	21	13
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	*	6	5	Unemployed	0	0	12
30 to 34	*	*	0	Not in Labor Force	17	21	*
35 to 39	*	*	*	Employment Status Unknown	5	7	11
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	5	*	Independent Living	10	16	15
50 to 54	*	*	5	Dependent Living	9	6	*
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	0	0	0	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	7	10
GENDER				TREATMENT REFERRAL SOURCE			
Male	10	11	13	Self / Family / Friend	18	17	15
Female	13	18	15	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	*	*
RACE / ETHNICITY				Health Care Provider	*	6	8
Caucasian	23	29	28	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	*	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	23	24	26
Other Race	0	0	0	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	*				

HICKORY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	36.5	39.5	47.6	Alcohol (1 or 2 drinks daily)	52.9		
Cigarettes	20.0	29.5	30.8	Alcohol (Binge: 5+ drinks once or twice a week)	64.7		
Chewing Tobacco	28.6	17.8	27.6	Alcohol (any use)		59.7	77.4
Marijuana	7.1	6.2	13.0	Cigarettes (1+ packs per day)	87.1		
Inhalants	1.2	6.2	3.4	Cigarettes (any use)		77.5	76.9
Prescription medications not prescribed for student	7.1	7.0	9.0	Marijuana (once or twice a week)	73.5		
Over-the-counter medications for non-medical use	2.4	5.4	6.1	Marijuana (any use)		77.5	76.7
Methamphetamine	0.0	0.0	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	95.3	91.3	93.8
Cocaine	0.0	0.8	1.4	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.8	0.7	Were very sad	14.1	7.0	17.8
Hallucinogens	1.2	0.0	2.1	Were grouchy, irritable, or in a bad mood	27.1	22.5	24.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0	1.4	Felt hopeless about the future	9.4	7.8	11.6
Steroids not prescribed for student	0.0	0.0	1.4	Felt like not eating or eating more than usual	21.2	14.7	20.0
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	0.8		Slept a lot more or a lot less than usual	20.0	15.5	24.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	21.4	18.6	18.6
Alcohol	12.10	12.79	12.51	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.11	12.07	12.19	Seriously considered attempting suicide	8.2	10.2	5.4
Marijuana	12.65	13.66	13.05	Made plan about how they would attempt suicide	5.9	8.7	4.1
Inhalants		11.93	11.45	Attempted suicide	3.6	3.1	4.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	1.6	1.4
Alcohol	21.2	14.0	20.7	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		7.0	14.3	Were threatened/injured with weapon at school	6.0	5.4	6.2
Cigarettes	3.5	10.1	13.7	Were in a physical fight	10.6	27.1	24.3
Chewing Tobacco	20.0	6.2	14.6	Were in a fight and had to be treated by a doctor or nurse	3.6	3.9	3.4
Marijuana	7.1	1.6	6.2	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.2	3.1	1.4	Were victims of mean rumors or lies spread at school	50.0	47.3	56.9
Prescription medications not prescribed for student	1.2	4.7	2.8	Were made fun of by others	61.2	59.7	68.0
Over-the-counter medications for non-medical use	2.4	3.9	2.7	Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.8	20.2	18.6
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	18.8	31.0	26.7
Alcohol (Binge: 5+ drinks on one occasion)	13.1			Made fun of other people	71.8	65.9	71.4
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	18.8	10.9	15.9
Alcohol	51.8	45.0	60.3	<i>Percent of students who agree that:</i>			
Cigarettes	28.2	39.5	51.0	Teachers notice and comment on student's good work	72.9	75.2	76.6
Marijuana	21.2	24.0	27.9	School provides feedback to parents on positive student performance	42.4	39.8	51.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.9	11.8	12.2	Rules are enforced fairly	48.2	61.2	66.4
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	78.6	89.1	85.0
Alcohol	31.8	31.3	33.8	<i>Percent of students who agree that:</i>			
Cigarettes	4.8	12.4	16.0	Parents notice and comment on student's good work	79.5	90.7	88.3
Marijuana	7.1	6.9	8.8	Parents involve student in making family decisions	69.9	68.2	76.0
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	92.9	85.8	86.4
Alcohol	62.4	58.9	61.9	Student could ask parent for help with a personal problem	78.3	82.0	80.0
Cigarettes	89.3	82.2	77.6	<p>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</p> <p>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</p>			
Marijuana	90.5	89.1	86.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	96.9	97.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	85.7	81.9	75.5				
Cigarettes	95.2	96.0	87.0				
Marijuana	95.2	96.1	93.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	49.4	54.3	55.5				
Cigarettes	45.2	51.2	53.7				
Marijuana	27.1	24.8	26.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	11.7	15.0				