

# LAFAYETTE COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Use	7
Adult Psychiatric	7
<b>POPULATION</b>	
Census 2010	33,381
2014 Estimate	32,688

<b>BIRTH RISK</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Births--Total	361	386	378
Mother Reported Smoking while Pregnant	92	93	108

<b>DISEASE INCIDENCE</b> <sup>1</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	1	1
Hepatitis C Chronic and Acute	15	12	9
Tuberculosis Infection Cases	6	5	4

<b>DEATHS and INJURIES</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Deaths--Total	376	351	325
Suicides	5	5	2
Self-inflicted Injuries	46	45	50
Homicides	0	4	0
Assault Injuries	71	116	92
Alcohol Induced Deaths	3	0	2
Drug Induced Deaths	2	5	6
Smoking Attributable Deaths	69	66	61

<b>HOSPITAL EPISODES</b> <sup>2</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	315	324	318
Mental Illness Secondary Diagnosis	735	586	672
Alcohol Principal Diagnosis	13	16	19
Alcohol Secondary Diagnosis	37	32	59
Drug Principal Diagnosis	15	9	9
Drug Secondary Diagnosis	26	44	51
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	38	45	50
Mental Illness Secondary Diagnosis	520	453	414
Alcohol Principal Diagnosis	12	22	7
Alcohol Secondary Diagnosis	57	62	65
Drug Principal Diagnosis	6	13	9
Drug Secondary Diagnosis	33	68	45
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	273	307	262
Mental Illness Secondary Diagnosis	347	325	315
Alcohol Principal Diagnosis	57	52	45
Alcohol Secondary Diagnosis	39	64	44
Drug Principal Diagnosis	50	46	41
Drug Secondary Diagnosis	60	61	71

<b>ALCOHOL OUTLETS</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Alcohol On-Premise Drink Licenses	43	47	43
Alcohol Package Carry-out Licenses	39	40	39

<b>EMPLOYMENT</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Labor Force	17,445	16,047	16,384
Employed	16,428	14,991	15,167
Unemployed	1,017	1,056	1,217
Unemployment Rate	5.8%	6.6%	7.4%

<b>IMPAIRED DRIVING</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol Involved Crashes--Total	31	26	24
Fatal Crashes	1	2	0
Injury Crashes	14	10	11
Property Damage Crashes	16	14	13
Crash Fatalities	1	2	0
Crash Injuries	15	12	20
Drug Involved Crashes--Total	6	8	1
Fatal Crashes	0	0	0
Injury Crashes	1	5	0
Property Damage Crashes	5	3	1
Crash Fatalities	0	0	0
Crash Injuries	1	6	0

<b>POLICE REPORTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
DUI Arrests, DWI Tracking System	188	225	192
Liquor Law Arrests	50	59	64
Drug Arrests	338	314	277
Violent Offenses	27	33	35
Property Offenses	499	675	612
Domestic Violence Reports	53	64	49

	<b>2014</b>	<b>2013</b>	<b>2012</b>
Methamphetamine Lab Seizures	1	1	1

<b>SCHOOL REPORTS</b>	<b>2013-14</b>	<b>2012-13</b>	<b>2011-12</b>
Enrollment Grades 9-12	1,572	1,574	1,632
Drop-outs	13	27	26
Drop-out Rate	0.8%	1.7%	1.6%
School Discipline Involving Alcohol	1	2	2
School Discipline Involving Drugs	4	4	11
School Discipline Involving Tobacco	0	0	0

<b>JUVENILE COURT REFERRALS</b> <sup>3</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Juvenile Violent Offenses	47	58	52
Juvenile Alcohol Offenses	11	11	21
Juvenile Drug Offenses	10	9	13
School Truancy Status Offense	22	15	13
Absent from Home Status Offense	16	17	22
Beyond Parental Control Status Offense	26	32	19
Injurious Behavior Status Offense	9	22	33
Child Abuse	1	3	0
Child Neglect	7	2	1
Child Custody Issues	17	29	32

<b>JUVENILE COURT PLACEMENTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Out-of-Home Placements--Total	22	21	31
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	4	5
Parental Alcohol and Drug Use	0	0	0

<b>CRIMINAL JUSTICE</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Drug Court Participants	49	60	45
Probation/Parole Admissions--Drug	135	141	187
Probation/Parole Admissions--DWI	22	29	24
Prison Admissions--Drug	110	96	106
Prison Admissions--DWI	24	25	13

<sup>1</sup> All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.  
<sup>2</sup> Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.  
<sup>3</sup> Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

# LAFAYETTE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5	9	10
CSTAR Adolescent	9	*	14
CSTAR Women and Children	8	9	9
CSTAR General Adult	103	115	119
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	32	36	31
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	143	135	135
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	55	48	47
- Weekend Intervention Program	27	25	31
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	17	60	73
Early Intervention	*	*	11

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
<b>NUMBER ADMITTED</b>				<b>PRIMARY DRUG PROBLEM</b>			
Total Individuals	157	173	181	Alcohol	64	66	86
<b>AGE</b>				Marijuana / Hashish	33	42	39
Under 18	9	6	13	Cocaine (total)	*	*	*
18 to 24	37	44	33	- Crack	0	0	*
25 to 29	30	24	29	Stimulant (total)	41	44	42
30 to 34	22	32	35	- Methamphetamine	38	42	41
35 to 39	15	19	14	Heroin	*	*	0
40 to 44	15	14	30	Analgesic except Heroin	6	14	8
45 to 54	22	25	20	- Non-Prescription Methadone	0	0	0
55 and Over	7	9	7	PCP, LSD, other Hallucinogen	*	*	0
<b>GENDER</b>				Tranquilizer	*	0	*
Male	111	121	120	Inhalant	0	*	*
Female	46	52	61	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	148	162	158	Average Age at First Use of Drug	18.0	17.6	16.3
African American	*	*	11	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	22	23	13
Asian / Pacific Islander	0	0	*	- Daily Injection Use	*	*	5
Hispanic	5	7	6	- Weekly Injection Use	9	11	6
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	10	11	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	46	41	50	0	80	96	96
High School Graduate or G.E.D.	83	95	85	1 or 2	52	56	52
Associate Degree or Some College	27	36	44	3 or More	25	21	33
Bachelor or Advanced Degree	*	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	51	64	59
Employed	53	61	58	School	0	0	0
Unemployed	44	55	55	Mental Health Provider	*	*	*
Not in Labor Force	60	57	68	Health Care Provider	8	*	6
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	55	86	93
Independent Living	128	150	154	Other Referral Source	37	15	19
Dependent Living	16	9	14	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	5	5	Pregnant when Admitted to any Episode	*	*	0
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	6	12
Never Married	92	87	93	Special Education Services Needed	*	5	8
Married / Cohabiting	31	52	55	Co-Occurring Psychological Problem	57	65	55
Previously Married	34	34	33	Co-Occurring Developmental Problem	*	*	5

# LAFAYETTE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 7  
**CENSUS 2010** 33,381  
**2014 POPULATION ESTIMATE** 32,688

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Adjustment Disorder	45	35	30
Anxiety Disorder	171	171	172
Dementia	0	0	0
Developmental Disorder	*	0	*
Impulse Control Disorder	69	64	60
Mood Disorder	221	236	236
Personality Disorder	13	11	14
Psychotic Disorder	42	38	48
Sexual Disorder	*	0	0
Other Diagnosis	30	23	24
Diagnosis Unknown	31	42	32

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>		<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
<b>NUMBER SERVED</b>				<b>EDUCATION</b>			
Total Individuals	330	361	359	Less than High School Diploma	112	118	60
<b>AGE</b>				High School Grad or G.E.D.	0	*	55
Under 6	6	6	9	Associate Degree or Some College	0	0	23
6 to 9	25	26	22	Bachelor or Advanced Degree	0	0	*
10 to 13	32	31	34	Education Level Unknown	218	242	217
14 to 17	41	35	35	<b>EMPLOYMENT</b>			
18 to 24	27	36	43	Employed	11	16	20
25 to 29	19	33	32	Unemployed	8	18	104
30 to 34	20	34	22	Not in Labor Force	169	189	37
35 to 39	25	19	25	Employment Status Unknown	142	138	198
40 to 44	26	31	30	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	34	29	34	Independent Living	93	109	127
50 to 54	34	44	36	Dependent Living	94	105	43
55 to 59	28	21	22	Homeless	0	*	*
60 and Over	13	16	15	Other	0	0	8
Age Unknown	0	0	0	Housing Unknown	143	146	180
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	138	141	147	Self / Family / Friend	253	269	253
Female	192	220	212	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	6	*	5
<b>RACE / ETHNICITY</b>				Health Care Provider	17	18	22
Caucasian	309	326	330	Court / Criminal Justice	22	25	11
African American	9	15	14	Other	30	43	65
Native American / Alaskan	0	*	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	7	*	Voluntary	327	358	357
Other Race	8	11	11	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	9	10	11	Commitment Type Unknown	*	*	*
Past or Current Military Service	14	12	11				

# LAFAYETTE COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	33.8	39.9	45.1	Alcohol (1 or 2 drinks daily)	61.1		
Cigarettes	19.2	25.8	27.5	Alcohol (Binge: 5+ drinks once or twice a week)	69.5		
Chewing Tobacco	13.2	16.4	16.6	Alcohol (any use)		72.0	80.3
Marijuana	12.9	14.2	13.1	Cigarettes (1+ packs per day)	85.7		
Inhalants	4.0	5.7	6.7	Cigarettes (any use)		79.5	80.8
Prescription medications not prescribed for student	4.5	9.1	11.4	Marijuana (once or twice a week)	68.4		
Over-the-counter medications for non-medical use	1.5	6.9	6.9	Marijuana (any use)		77.2	72.1
Methamphetamine	0.3	0.9	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	92.7	92.9
Cocaine	0.2	1.2	1.4	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.3	0.3	0.6	Were very sad	19.6	20.5	26.7
Hallucinogens	0.7	1.4	2.2	Were grouchy, irritable, or in a bad mood	24.9	23.4	30.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.2	1.5	Felt hopeless about the future	10.4	10.2	12.6
Steroids not prescribed for student	0.5	0.9	0.8	Felt like not eating or eating more than usual	14.1	16.2	23.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.0	5.4		Slept a lot more or a lot less than usual	14.0	19.4	30.0
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.8	19.9	26.0
Alcohol	13.12	12.37	12.46	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.98	12.22	12.01	Seriously considered attempting suicide	7.2	12.4	11.6
Marijuana	14.75	13.33	13.17	Made plan about how they would attempt suicide	5.5	9.7	8.6
Inhalants	10.39	11.59	12.39	Attempted suicide	2.2	6.1	6.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.3	0.7	1.4
Alcohol	11.6	17.3	22.8	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		10.6	12.3	Were threatened/injured with weapon at school	2.2	4.9	11.2
Cigarettes	7.5	13.0	14.5	Were in a physical fight	18.1	19.4	20.5
Chewing Tobacco	7.0	9.5	10.3	Were in a fight and had to be treated by a doctor or nurse	2.2	2.5	3.6
Marijuana	5.5	8.1	5.2	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.2	2.4	3.8	Were victims of mean rumors or lies spread at school	51.1	49.4	58.5
Prescription medications not prescribed for student	2.5	5.6	6.3	Were made fun of by others	62.5	60.9	67.4
Over-the-counter medications for non-medical use	0.7	3.9	4.0	Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.9	19.8	19.8
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	24.6	27.1	33.0
Alcohol (Binge: 5+ drinks on one occasion)	6.0			Made fun of other people	60.3	60.3	69.8
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	16.0	13.9	17.4
Alcohol	43.2	53.8	61.0	<i>Percent of students who agree that:</i>			
Cigarettes	33.7	47.6	49.2	Teachers notice and comment on student's good work	74.3	72.0	76.7
Marijuana	29.2	31.4	28.5	School provides feedback to parents on positive student performance	45.4	42.7	46.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.2	11.7	13.6	Rules are enforced fairly	63.5	70.4	70.9
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	84.4	80.7	85.8
Alcohol	25.6	29.2	38.1	<i>Percent of students who agree that:</i>			
Cigarettes	9.9	13.1	16.2	Parents notice and comment on student's good work	85.3	82.5	83.8
Marijuana	10.7	11.2	9.4	Parents involve student in making family decisions	68.5	68.4	71.1
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	86.8	87.9	85.7
Alcohol	68.4	64.0	58.3	Student could ask parent for help with a personal problem	76.8	77.9	77.3
Cigarettes	87.3	83.4	78.8	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	82.4	85.5	87.0	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	95.9	95.5				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	81.5	80.0	78.0				
Cigarettes	91.6	92.8	90.6				
Marijuana	94.8	95.5	95.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	49.3	51.3	58.9				
Cigarettes	45.8	50.3	55.1				
Marijuana	27.5	27.2	27.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.6	10.5	15.0				