

MERCER COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	3,785
2014 Estimate	3,719

BIRTH RISK	2013	2012	2011
Resident Births--Total	34	45	39
Mother Reported Smoking while Pregnant	9	13	9

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	3	1	1
Tuberculosis Infection Cases	0	0	2

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	28	48	47
Suicides	0	0	0
Self-inflicted Injuries	9	5	2
Homicides	0	0	3
Assault Injuries	2	3	3
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	9	9	7

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	17	23	16
Mental Illness Secondary Diagnosis	50	76	68
Alcohol Principal Diagnosis	0	1	4
Alcohol Secondary Diagnosis	6	3	4
Drug Principal Diagnosis	4	0	2
Drug Secondary Diagnosis	2	5	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	7	5	5
Mental Illness Secondary Diagnosis	21	35	29
Alcohol Principal Diagnosis	0	0	1
Alcohol Secondary Diagnosis	0	4	3
Drug Principal Diagnosis	0	1	2
Drug Secondary Diagnosis	2	1	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	17	19	27
Mental Illness Secondary Diagnosis	27	42	52
Alcohol Principal Diagnosis	1	3	2
Alcohol Secondary Diagnosis	0	5	4
Drug Principal Diagnosis	1	2	1
Drug Secondary Diagnosis	3	3	3

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	4	4	4
Alcohol Package Carry-out Licenses	7	6	7

EMPLOYMENT	2014	2013	2012
Labor Force	1,857	1,901	1,932
Employed	1,763	1,807	1,839
Unemployed	94	94	93
Unemployment Rate	5.1%	4.9%	4.8%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	1	2	6
Fatal Crashes	0	0	1
Injury Crashes	1	1	3
Property Damage Crashes	0	1	2
Crash Fatalities	0	0	2
Crash Injuries	1	1	5
Drug Involved Crashes--Total	0	0	2
Fatal Crashes	0	0	1
Injury Crashes	0	0	0
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	1
Crash Injuries	0	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	13	14	13
Liquor Law Arrests	4	1	3
Drug Arrests	15	10	4
Violent Offenses	6	1	10
Property Offenses	32	19	14
Domestic Violence Reports	0	6	5

	2014	2013	2012
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	194	182	182
Drop-outs	0	0	0
Drop-out Rate	0.0%	0.0%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	5	5	2
Juvenile Alcohol Offenses	0	1	0
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	1	0	0
Absent from Home Status Offense	0	1	0
Beyond Parental Control Status Offense	1	1	2
Injurious Behavior Status Offense	4	1	2
Child Abuse	8	6	1
Child Neglect	12	7	9
Child Custody Issues	0	0	4

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	1	5	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	5	4	5
Probation/Parole Admissions--Drug	5	1	0
Probation/Parole Admissions--DWI	2	4	2
Prison Admissions--Drug	0	0	0
Prison Admissions--DWI	1	3	1

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MERCER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	0	0	*
CSTAR Adolescent	*	0	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	8	12	15
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	0
Clinical SATOP (CIP, YCIP, SROP)	*	5	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	8	13	10
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	5	*
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	14	16	19	Alcohol	7	13	15
AGE				Marijuana / Hashish	*	*	*
Under 18	*	0	0	Cocaine (total)	0	0	*
18 to 24	0	*	*	- Crack	0	0	0
25 to 29	*	0	*	Stimulant (total)	*	*	*
30 to 34	*	*	*	- Methamphetamine	*	*	*
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	5	*	*	Analgesic except Heroin	*	0	*
45 to 54	*	6	*	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	9	11	15	Inhalant	*	0	0
Female	5	5	*	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	14	16	19	Average Age at First Use of Drug	18.4	18.4	15.5
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	0	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	6	5	*	0	7	6	10
High School Graduate or G.E.D.	8	8	13	1 or 2	*	6	9
Associate Degree or Some College	0	*	*	3 or More	*	*	0
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	*	*
Employed	*	8	8	School	0	0	0
Unemployed	8	8	8	Mental Health Provider	*	0	0
Not in Labor Force	*	0	*	Health Care Provider	0	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	6	5	12
Independent Living	13	16	18	Other Referral Source	*	7	*
Dependent Living	*	0	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	0	*
Never Married	6	7	7	Special Education Services Needed	*	0	*
Married / Cohabiting	6	*	8	Co-Occurring Psychological Problem	7	6	7
Previously Married	*	6	*	Co-Occurring Developmental Problem	0	0	*

MERCER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 3,785
2014 POPULATION ESTIMATE 3,719

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	16	20	22
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	11	7	5
Mood Disorder	25	30	32
Personality Disorder	5	6	5
Psychotic Disorder	*	*	6
Sexual Disorder	0	0	0
Other Diagnosis	10	5	6
Diagnosis Unknown	*	0	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	37	38	44	Less than High School Diploma	19	15	7
AGE				High School Grad or G.E.D.	0	*	9
Under 6	0	0	0	Associate Degree or Some College	0	0	*
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	*
10 to 13	7	5	*	Education Level Unknown	18	21	23
14 to 17	5	7	5	EMPLOYMENT			
18 to 24	*	0	*	Employed	*	*	0
25 to 29	*	*	0	Unemployed	*	*	17
30 to 34	*	*	*	Not in Labor Force	31	27	5
35 to 39	*	0	*	Employment Status Unknown	*	6	22
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	5	Independent Living	13	16	14
50 to 54	*	6	5	Dependent Living	18	17	11
55 to 59	*	6	7	Homeless	0	0	0
60 and Over	*	*	6	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	6	5	19
GENDER				TREATMENT REFERRAL SOURCE			
Male	15	12	15	Self / Family / Friend	18	15	18
Female	22	26	29	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	6	6
RACE / ETHNICITY				Health Care Provider	6	11	14
Caucasian	34	37	44	Court / Criminal Justice	0	0	*
African American	0	0	0	Other	8	6	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	37	38	44
Other Race	*	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	*	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	*	*				

MERCER COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	32.5	43.3		Alcohol (1 or 2 drinks daily)	47.5		
Cigarettes	14.6	31.3		Alcohol (Binge: 5+ drinks once or twice a week)	65.0		
Chewing Tobacco	20.0	20.6		Alcohol (any use)		61.2	
Marijuana	0.0	7.4		Cigarettes (1+ packs per day)	82.5		
Inhalants	2.5	6.0		Cigarettes (any use)		72.1	
Prescription medications not prescribed for student	4.9	7.4		Marijuana (once or twice a week)	82.1		
Over-the-counter medications for non-medical use	2.5	5.9		Marijuana (any use)		77.6	
Methamphetamine	0.0	1.5		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	88.2	
Cocaine	0.0	1.5		<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	1.5		Were very sad	12.5	23.9	
Hallucinogens	0.0	1.5		Were grouchy, irritable, or in a bad mood	20.0	28.4	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0		Felt hopeless about the future	12.5	9.0	
Steroids not prescribed for student	0.0	0.0		Felt like not eating or eating more than usual	12.2	13.2	
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	0.0		Slept a lot more or a lot less than usual	14.6	16.4	
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	14.6	19.4	
Alcohol	12.84	12.71		<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.57	13.69		Seriously considered attempting suicide	9.8	10.4	
Marijuana		14.06		Made plan about how they would attempt suicide	9.8	4.5	
Inhalants				Attempted suicide	2.5	4.4	
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	0.0	
Alcohol	15.0	19.1		<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		9.0		Were threatened/injured with weapon at school	15.0	7.6	
Cigarettes	9.8	13.4		Were in a physical fight	26.8	19.1	
Chewing Tobacco	10.0	14.7		Were in a fight and had to be treated by a doctor or nurse	2.4	3.0	
Marijuana	0.0	1.5		<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0	3.0		Were victims of mean rumors or lies spread at school	48.8	53.7	
Prescription medications not prescribed for student	2.5	1.5		Were made fun of by others	65.9	63.2	
Over-the-counter medications for non-medical use	0.0	2.9		Were victims of an embarrassing or hurtful text message or something posted on the Internet	31.7	25.0	
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	31.7	28.4	
Alcohol (Binge: 5+ drinks on one occasion)	5.0			Made fun of other people	53.7	64.2	
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	17.1	20.6	
Alcohol	58.5	45.6		<i>Percent of students who agree that:</i>			
Cigarettes	41.5	35.8		Teachers notice and comment on student's good work	70.7	83.8	
Marijuana	15.0	14.9		School provides feedback to parents on positive student performance	46.3	58.2	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	4.5		Rules are enforced fairly	55.0	74.6	
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	80.5	91.2	
Alcohol	22.0	28.4		<i>Percent of students who agree that:</i>			
Cigarettes	10.0	19.1		Parents notice and comment on student's good work	85.0	87.9	
Marijuana	5.1	6.1		Parents involve student in making family decisions	68.3	70.1	
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	87.8	86.6	
Alcohol	68.3	56.7		Student could ask parent for help with a personal problem	82.9	77.6	
Cigarettes	90.0	75.8		<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	92.3	89.6		Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	94.1					
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	82.5	81.5					
Cigarettes	95.0	90.9					
Marijuana	97.4	98.5					
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	47.5	52.2					
Cigarettes	41.5	52.2					
Marijuana	12.5	11.9					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	9.0					