


MISSISSIPPI COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	20
POPULATION	
Census 2010	14,358
2014 Estimate	14,232

BIRTH RISK	2013	2012	2011
Resident Births--Total	159	180	194
Mother Reported Smoking while Pregnant	52	55	59

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	2	0	2
Hepatitis C Chronic and Acute	34	13	18
Tuberculosis Infection Cases	0	2	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	168	193	193
Suicides	2	1	1
Self-inflicted Injuries	12	19	30
Homicides	0	1	0
Assault Injuries	70	70	56
Alcohol Induced Deaths	0	0	3
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	33	41	43

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	123	128	109
Mental Illness Secondary Diagnosis	273	188	333
Alcohol Principal Diagnosis	1	4	11
Alcohol Secondary Diagnosis	23	28	38
Drug Principal Diagnosis	5	11	8
Drug Secondary Diagnosis	19	18	41
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	19	24	17
Mental Illness Secondary Diagnosis	193	244	129
Alcohol Principal Diagnosis	4	9	5
Alcohol Secondary Diagnosis	24	22	17
Drug Principal Diagnosis	1	5	3
Drug Secondary Diagnosis	23	20	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	92	112	99
Mental Illness Secondary Diagnosis	113	201	114
Alcohol Principal Diagnosis	19	17	18
Alcohol Secondary Diagnosis	11	26	24
Drug Principal Diagnosis	16	24	19
Drug Secondary Diagnosis	35	27	39

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	8	11	12
Alcohol Package Carry-out Licenses	15	15	14

EMPLOYMENT	2014	2013	2012
Labor Force	6,212	6,229	6,099
Employed	5,750	5,719	5,586
Unemployed	462	510	513
Unemployment Rate	7.4%	8.2%	8.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	13	7	7
Fatal Crashes	1	0	0
Injury Crashes	5	4	3
Property Damage Crashes	7	3	4
Crash Fatalities	1	0	0
Crash Injuries	7	5	3
Drug Involved Crashes--Total	2	2	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	2	2	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	66	76	80
Liquor Law Arrests	7	17	17
Drug Arrests	97	70	93
Violent Offenses	45	99	64
Property Offenses	329	402	390
Domestic Violence Reports	175	258	235
	2014	2013	2012
Methamphetamine Lab Seizures	1	6	9

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	576	578	542
Drop-outs	4	3	10
Drop-out Rate	0.7%	0.5%	1.8%
School Discipline Involving Alcohol	0	1	1
School Discipline Involving Drugs	5	6	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	35	80	51
Juvenile Alcohol Offenses	5	6	3
Juvenile Drug Offenses	6	6	11
School Truancy Status Offense	16	26	19
Absent from Home Status Offense	0	1	2
Beyond Parental Control Status Offense	5	2	1
Injurious Behavior Status Offense	37	28	19
Child Abuse	0	1	0
Child Neglect	40	13	43
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	34	22	16
Parental Alcohol Use Related	3	1	0
Parental Drug Use Related	15	7	5
Parental Alcohol and Drug Use	0	0	2

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	16	18	27
Probation/Parole Admissions--Drug	49	63	62
Probation/Parole Admissions--DWI	8	6	4
Prison Admissions--Drug	26	34	39
Prison Admissions--DWI	3	2	4

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MISSISSIPPI COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	28	33	34
CSTAR Adolescent	7	7	11
CSTAR Women and Children	16	13	30
CSTAR General Adult	116	65	12
CSTAR Opioid	0	*	0
Primary Recovery Treatment	0	73	100
Clinical SATOP (CIP, YCIP, SROP)	14	11	13
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	51	53	42
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	17	25	18
- Weekend Intervention Program	13	10	9
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	39	32	35
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	168	176	173	Alcohol	45	51	59
AGE				Marijuana / Hashish	54	58	57
Under 18	7	8	10	Cocaine (total)	8	9	13
18 to 24	24	38	32	- Crack	5	5	8
25 to 29	28	30	32	Stimulant (total)	36	33	26
30 to 34	30	28	19	- Methamphetamine	34	33	26
35 to 39	18	19	23	Heroin	9	5	5
40 to 44	28	12	14	Analgesic except Heroin	15	15	9
45 to 54	22	32	32	- Non-Prescription Methadone	0	0	0
55 and Over	11	9	11	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	*	*
Male	114	128	122	Inhalant	0	0	0
Female	54	48	51	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	115	128	127	Average Age at First Use of Drug	18.9	18.0	17.3
African American	49	46	44	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	19	18	12
Asian / Pacific Islander	0	0	0	- Daily Injection Use	7	*	*
Hispanic	*	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	9	10	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	64	80	79	0	99	113	122
High School Graduate or G.E.D.	84	82	71	1 or 2	39	47	36
Associate Degree or Some College	20	14	23	3 or More	30	16	15
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	24	27	36
Employed	46	53	55	School	0	0	0
Unemployed	72	69	61	Mental Health Provider	0	*	0
Not in Labor Force	50	54	57	Health Care Provider	6	9	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	114	117	116
Independent Living	144	153	139	Other Referral Source	20	19	19
Dependent Living	12	16	28	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	5	6	5
Never Married	81	91	81	Special Education Services Needed	7	7	10
Married / Cohabiting	42	53	45	Co-Occurring Psychological Problem	27	25	25
Previously Married	45	32	47	Co-Occurring Developmental Problem	5	*	*

MISSISSIPPI COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 14,358
2014 POPULATION ESTIMATE 14,232

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	11	13	12
Anxiety Disorder	102	101	94
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	56	68	53
Mood Disorder	243	247	208
Personality Disorder	27	31	33
Psychotic Disorder	54	51	48
Sexual Disorder	0	0	0
Other Diagnosis	35	35	36
Diagnosis Unknown	22	30	28

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	391	398	325	Less than High School Diploma	186	204	62
AGE				High School Grad or G.E.D.	0	0	31
Under 6	*	*	*	Associate Degree or Some College	0	0	6
6 to 9	16	26	15	Bachelor or Advanced Degree	0	0	*
10 to 13	46	31	36	Education Level Unknown	205	194	225
14 to 17	52	59	44	EMPLOYMENT			
18 to 24	28	37	22	Employed	24	18	8
25 to 29	37	37	23	Unemployed	34	34	69
30 to 34	37	33	23	Not in Labor Force	222	241	31
35 to 39	24	24	23	Employment Status Unknown	111	105	217
40 to 44	36	34	25	HOUSING / LIVING ARRANGEMENT			
45 to 49	38	35	35	Independent Living	201	198	93
50 to 54	32	28	28	Dependent Living	125	130	35
55 to 59	25	28	24	Homeless	*	*	*
60 and Over	19	23	25	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	63	69	195
GENDER				TREATMENT REFERRAL SOURCE			
Male	163	174	141	Self / Family / Friend	162	147	136
Female	228	224	184	School	8	7	*
Gender Unknown	0	0	0	Mental Health Provider	33	37	35
RACE / ETHNICITY				Health Care Provider	54	47	37
Caucasian	303	322	259	Court / Criminal Justice	47	58	41
African American	76	64	52	Other	87	102	72
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	7	9	Voluntary	390	397	325
Other Race	9	5	5	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	8	8	6	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSISSIPPI COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	46.7	39.3	43.3	Alcohol (1 or 2 drinks daily)	62.5		
Cigarettes	32.9	41.8	33.4	Alcohol (Binge: 5+ drinks once or twice a week)	72.4		
Chewing Tobacco	20.4	19.3	23.2	Alcohol (any use)		67.5	70.9
Marijuana	23.3	27.0	17.9	Cigarettes (1+ packs per day)	86.7		
Inhalants	3.3	9.6	9.9	Cigarettes (any use)		75.0	70.9
Prescription medications not prescribed for student	7.2	17.9	12.1	Marijuana (once or twice a week)	55.3		
Over-the-counter medications for non-medical use	2.6	5.1	4.9	Marijuana (any use)		69.0	71.2
Methamphetamine	2.0	0.0	1.4	Other: Cocaine, LSD, Meth, Club Drug (any use)	89.4	86.2	83.4
Cocaine	0.7	4.1	4.2	<i>Percent of students who, in past 30 days:</i>			
Heroin	2.0	0.0	1.4	Were very sad	18.4	18.4	31.6
Hallucinogens	2.0	0.0	4.6	Were grouchy, irritable, or in a bad mood	25.8	36.0	41.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	0.5	3.5	Felt hopeless about the future	15.2	8.7	21.2
Steroids not prescribed for student	0.7	1.0	2.1	Felt like not eating or eating more than usual	15.8	17.9	35.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	2.6		Slept a lot more or a lot less than usual	17.9	15.2	40.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.9	20.4	38.0
Alcohol	13.20	12.02	12.57	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.87	10.90	11.91	Seriously considered attempting suicide	15.8	19.4	13.9
Marijuana	13.72	14.31	13.60	Made plan about how they would attempt suicide	11.8	21.5	9.5
Inhalants	13.03	11.05	11.86	Attempted suicide	7.9	12.2	9.5
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.4	4.1	3.1
Alcohol	17.1	10.7	21.4	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		9.6	13.9	Were threatened/injured with weapon at school	14.5	8.9	11.8
Cigarettes	15.1	25.0	18.3	Were in a physical fight	23.0	31.9	22.6
Chewing Tobacco	11.8	10.7	13.7	Were in a fight and had to be treated by a doctor or nurse	2.0	2.1	7.1
Marijuana	10.7	18.4	7.9	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.6	5.1	3.1	Were victims of mean rumors or lies spread at school	60.5	54.8	58.1
Prescription medications not prescribed for student	3.9	11.7	7.3	Were made fun of by others	64.9	68.0	62.2
Over-the-counter medications for non-medical use	2.0	5.1	4.5	Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.8	12.6	20.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	22.1	22.3	24.7
Alcohol (Binge: 5+ drinks on one occasion)	10.6			Made fun of other people	61.4	67.3	62.2
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	17.2	10.9	15.5
Alcohol	58.6	48.0	56.1	<i>Percent of students who agree that:</i>			
Cigarettes	55.3	54.6	51.4	Teachers notice and comment on student's good work	79.5	82.7	75.3
Marijuana	47.0	37.1	40.3	School provides feedback to parents on positive student performance	44.1	51.3	41.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	8.2	15.2	Rules are enforced fairly	44.7	54.8	55.5
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	58.6	66.3	59.2
Alcohol	33.1	33.0	41.1	<i>Percent of students who agree that:</i>			
Cigarettes	18.3	24.9	19.7	Parents notice and comment on student's good work	86.8	85.7	75.9
Marijuana	21.3	24.1	13.0	Parents involve student in making family decisions	72.8	74.0	64.9
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	89.9	83.2	77.3
Alcohol	61.3	56.6	55.1	Student could ask parent for help with a personal problem	77.0	80.8	72.0
Cigarettes	79.9	71.9	68.5	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	70.2	76.5	75.5	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	94.8	89.2				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	79.6	76.5	74.7				
Cigarettes	89.3	84.1	84.9				
Marijuana	90.7	88.7	86.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	57.6	43.1	60.5				
Cigarettes	58.3	49.7	66.1				
Marijuana	50.3	35.2	52.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.5	13.8	29.5				