

MONITEAU COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	12
POPULATION	
Census 2010	15,607
2014 Estimate	15,856

BIRTH RISK	2013	2012	2011
Resident Births--Total	220	216	200
Mother Reported Smoking while Pregnant	45	38	33

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	3
Hepatitis C Chronic and Acute	7	2	5
Tuberculosis Infection Cases	2	2	6

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	149	145	139
Suicides	2	2	2
Self-inflicted Injuries	17	14	13
Homicides	0	0	2
Assault Injuries	28	28	44
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	32	26	20

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	46	27	28
Mental Illness Secondary Diagnosis	150	143	124
Alcohol Principal Diagnosis	6	0	1
Alcohol Secondary Diagnosis	20	7	7
Drug Principal Diagnosis	2	2	1
Drug Secondary Diagnosis	4	5	7
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	49	49	51
Mental Illness Secondary Diagnosis	183	202	236
Alcohol Principal Diagnosis	21	15	10
Alcohol Secondary Diagnosis	20	15	13
Drug Principal Diagnosis	3	7	10
Drug Secondary Diagnosis	8	10	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	97	81	94
Mental Illness Secondary Diagnosis	305	213	213
Alcohol Principal Diagnosis	12	8	5
Alcohol Secondary Diagnosis	17	17	17
Drug Principal Diagnosis	21	10	9
Drug Secondary Diagnosis	22	13	13

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	9	9	9
Alcohol Package Carry-out Licenses	15	17	18

EMPLOYMENT	2014	2013	2012
Labor Force	7,369	7,347	7,391
Employed	6,930	6,899	6,907
Unemployed	439	448	484
Unemployment Rate	6.0%	6.1%	6.5%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	20	16	13
Fatal Crashes	1	1	0
Injury Crashes	7	5	4
Property Damage Crashes	12	10	9
Crash Fatalities	1	1	0
Crash Injuries	8	7	5
Drug Involved Crashes--Total	2	1	2
Fatal Crashes	0	0	0
Injury Crashes	1	0	1
Property Damage Crashes	1	1	1
Crash Fatalities	0	0	0
Crash Injuries	1	0	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	66	68	52
Liquor Law Arrests	4	5	1
Drug Arrests	39	25	51
Violent Offenses	24	24	14
Property Offenses	206	209	128
Domestic Violence Reports	47	43	29

	2014	2013	2012
Methamphetamine Lab Seizures	2	1	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	720	678	706
Drop-outs	12	7	19
Drop-out Rate	1.7%	1.0%	2.7%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	1	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	3	4	3
Juvenile Alcohol Offenses	0	3	4
Juvenile Drug Offenses	3	5	0
School Truancy Status Offense	5	6	7
Absent from Home Status Offense	1	1	0
Beyond Parental Control Status Offense	5	3	1
Injurious Behavior Status Offense	3	8	7
Child Abuse	5	4	0
Child Neglect	7	19	16
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	5	2	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	3
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	36	26	20
Probation/Parole Admissions--DWI	7	8	4
Prison Admissions--Drug	17	12	19
Prison Admissions--DWI	2	6	5

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MONITEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	5	*	*
CSTAR Women and Children	7	9	8
CSTAR General Adult	54	80	53
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	*	14
Clinical SATOP (CIP, YCIP, SROP)	15	5	8
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	60	43	45
- Adolescent Diversion Education Program	*	5	*
- Offender Education Program	20	19	18
- Weekend Intervention Program	13	14	13
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	*	0
Recovery Supports	*	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	82	98	73	Alcohol	37	39	24
AGE				Marijuana / Hashish	13	24	20
Under 18	5	*	5	Cocaine (total)	0	0	*
18 to 24	11	14	13	- Crack	0	0	0
25 to 29	13	22	16	Stimulant (total)	22	27	24
30 to 34	8	18	11	- Methamphetamine	21	18	22
35 to 39	14	13	13	Heroin	*	*	*
40 to 44	8	6	5	Analgesic except Heroin	*	6	*
45 to 54	17	17	9	- Non-Prescription Methadone	0	0	0
55 and Over	6	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	60	64	44	Inhalant	0	0	0
Female	22	34	29	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	5	*	0
Caucasian	73	90	66	Average Age at First Use of Drug	18.3	17.7	17.8
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	6	15	12
Asian / Pacific Islander	0	*	0	- Daily Injection Use	0	*	*
Hispanic	5	*	6	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	5	10	11
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	22	25	26	0	41	54	45
High School Graduate or G.E.D.	41	51	36	1 or 2	23	28	19
Associate Degree or Some College	19	22	10	3 or More	18	16	9
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	15	22	9
Employed	22	31	20	School	0	0	0
Unemployed	30	33	24	Mental Health Provider	*	*	0
Not in Labor Force	30	34	29	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	52	62	57
Independent Living	70	87	67	Other Referral Source	11	11	5
Dependent Living	8	5	6	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	6	7	*
Never Married	35	49	35	Special Education Services Needed	*	*	8
Married / Cohabiting	34	22	20	Co-Occurring Psychological Problem	33	32	36
Previously Married	13	27	18	Co-Occurring Developmental Problem	*	*	*

MONITEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 15,607
2014 POPULATION ESTIMATE 15,856

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	39	48	46
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	8	14	17
Mood Disorder	67	70	66
Personality Disorder	9	7	8
Psychotic Disorder	14	14	15
Sexual Disorder	0	0	0
Other Diagnosis	5	8	7
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	85	88	85	Less than High School Diploma	17	27	23
AGE				High School Grad or G.E.D.	0	0	29
Under 6	0	*	0	Associate Degree or Some College	0	0	8
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	*
10 to 13	*	5	6	Education Level Unknown	68	61	23
14 to 17	5	*	*	EMPLOYMENT			
18 to 24	*	*	5	Employed	*	*	7
25 to 29	5	5	*	Unemployed	*	*	46
30 to 34	7	8	8	Not in Labor Force	47	65	13
35 to 39	*	*	*	Employment Status Unknown	31	15	19
40 to 44	11	11	9	HOUSING / LIVING ARRANGEMENT			
45 to 49	12	9	13	Independent Living	45	59	59
50 to 54	12	16	8	Dependent Living	11	16	9
55 to 59	7	9	9	Homeless	0	*	0
60 and Over	15	14	17	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	29	12	15
GENDER				TREATMENT REFERRAL SOURCE			
Male	28	27	24	Self / Family / Friend	46	42	43
Female	57	61	61	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	5	8
RACE / ETHNICITY				Health Care Provider	16	24	15
Caucasian	82	86	81	Court / Criminal Justice	*	0	0
African American	*	*	*	Other	17	17	19
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	*	*	Voluntary	84	88	85
Other Race	*	0	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MONITEAU COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	43.9	47.7	51.7	Alcohol (1 or 2 drinks daily)	55.1		
Cigarettes	28.8	19.2	24.6	Alcohol (Binge: 5+ drinks once or twice a week)	69.1		
Chewing Tobacco	17.6	19.2	24.7	Alcohol (any use)		69.4	88.0
Marijuana	17.6	11.3	10.4	Cigarettes (1+ packs per day)	80.7		
Inhalants	2.1	4.5	3.8	Cigarettes (any use)		82.7	81.9
Prescription medications not prescribed for student	3.7	6.4	5.1	Marijuana (once or twice a week)	72.9		
Over-the-counter medications for non-medical use	2.1	4.9	3.5	Marijuana (any use)		75.2	69.4
Methamphetamine	1.6	1.2	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.6	92.8	95.2
Cocaine	4.3	1.1	1.0	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.4	0.9	Were very sad	14.4	15.4	16.5
Hallucinogens	2.7	0.4	1.6	Were grouchy, irritable, or in a bad mood	16.6	16.5	29.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.5	0.3	Felt hopeless about the future	8.5	7.5	12.1
Steroids not prescribed for student	1.1	1.5	1.9	Felt like not eating or eating more than usual	13.0	13.2	19.9
Synthetic drugs (K2, bath salts, Spice, etc)	3.2	3.4		Slept a lot more or a lot less than usual	8.5	15.4	28.6
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	16.0	17.7	31.1
Alcohol	13.15	12.19	12.06	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.20	11.63	12.64	Seriously considered attempting suicide	9.0	12.8	9.8
Marijuana	14.03	13.25	13.83	Made plan about how they would attempt suicide	7.0	8.6	5.7
Inhalants	14.23	11.08	10.26	Attempted suicide	4.3	6.7	3.5
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.3	1.2	0.6
Alcohol	20.2	20.3	21.9	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		9.8	15.5	Were threatened/injured with weapon at school	6.3	7.9	13.3
Cigarettes	15.2	8.6	11.1	Were in a physical fight	18.2	25.5	27.8
Chewing Tobacco	11.7	5.6	15.1	Were in a fight and had to be treated by a doctor or nurse	2.7	4.9	1.9
Marijuana	13.3	4.9	6.6	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.5	2.6	1.6	Were victims of mean rumors or lies spread at school	52.7	47.7	60.4
Prescription medications not prescribed for student	2.7	2.3	2.6	Were made fun of by others	56.4	63.5	77.6
Over-the-counter medications for non-medical use	1.6	3.0	1.6	Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.1	24.0	19.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	33.9	32.6	45.3
Alcohol (Binge: 5+ drinks on one occasion)	9.1			Made fun of other people	65.1	68.6	82.3
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	13.4	14.0	17.9
Alcohol	45.5	63.2	69.6	<i>Percent of students who agree that:</i>			
Cigarettes	31.9	32.5	42.6	Teachers notice and comment on student's good work	75.5	64.3	74.1
Marijuana	30.9	27.5	29.1	School provides feedback to parents on positive student performance	41.7	36.5	43.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.6	9.0	18.1	Rules are enforced fairly	67.6	66.2	74.0
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	84.6	80.1	83.7
Alcohol	34.2	38.0	43.2	<i>Percent of students who agree that:</i>			
Cigarettes	21.3	9.0	13.2	Parents notice and comment on student's good work	79.8	80.5	82.5
Marijuana	14.4	13.2	10.1	Parents involve student in making family decisions	71.3	69.3	74.2
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	88.8	86.1	89.2
Alcohol	62.2	56.0	53.6	Student could ask parent for help with a personal problem	82.3	77.1	78.7
Cigarettes	83.9	86.4	85.7	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	79.0	84.5	90.5	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.6	98.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	74.5	73.2	72.8				
Cigarettes	89.9	95.1	93.2				
Marijuana	91.8	97.7	97.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	55.0	60.8	65.3				
Cigarettes	51.9	44.0	51.4				
Marijuana	29.3	31.2	28.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	14.8	15.6				