

# MONROE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Use	15
Adult Psychiatric	15
<b>POPULATION</b>	
Census 2010	8,840
2014 Estimate	8,707

<b>BIRTH RISK</b>	2013	2012	2011
Resident Births--Total	91	85	96
Mother Reported Smoking while Pregnant	22	19	25

<b>DISEASE INCIDENCE</b> <sup>1</sup>	2013	2012	2011
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	3	2
Tuberculosis Infection Cases	1	0	1

<b>DEATHS and INJURIES</b>	2013	2012	2011
Resident Deaths--Total	89	74	94
Suicides	1	1	3
Self-inflicted Injuries	10	12	21
Homicides	0	0	0
Assault Injuries	21	17	11
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	20	16	13

<b>HOSPITAL EPISODES</b> <sup>2</sup>	2013	2012	2011
<b>Hospitalization, no Emergency Room:</b>			
Mental Illness Principal Diagnosis	63	54	58
Mental Illness Secondary Diagnosis	144	176	224
Alcohol Principal Diagnosis	3	0	1
Alcohol Secondary Diagnosis	9	5	15
Drug Principal Diagnosis	1	2	3
Drug Secondary Diagnosis	2	6	7
<b>Emergency Room + Hospitalization:</b>			
Mental Illness Principal Diagnosis	21	18	12
Mental Illness Secondary Diagnosis	115	112	72
Alcohol Principal Diagnosis	10	1	2
Alcohol Secondary Diagnosis	15	21	8
Drug Principal Diagnosis	7	1	2
Drug Secondary Diagnosis	3	12	4
<b>Emergency Room, no Hospitalization:</b>			
Mental Illness Principal Diagnosis	42	45	53
Mental Illness Secondary Diagnosis	114	118	116
Alcohol Principal Diagnosis	8	3	8
Alcohol Secondary Diagnosis	11	12	9
Drug Principal Diagnosis	6	6	7
Drug Secondary Diagnosis	7	11	9

<b>ALCOHOL OUTLETS</b>	2014	2013	2012
Alcohol On-Premise Drink Licenses	11	10	10
Alcohol Package Carry-out Licenses	12	12	12

<b>EMPLOYMENT</b>	2014	2013	2012
Labor Force	4,161	4,059	3,851
Employed	3,886	3,761	3,534
Unemployed	275	298	317
Unemployment Rate	6.6%	7.3%	8.2%

<b>IMPAIRED DRIVING</b>	2013	2012	2011
Alcohol Involved Crashes--Total	4	9	4
Fatal Crashes	0	0	1
Injury Crashes	3	7	3
Property Damage Crashes	1	2	0
Crash Fatalities	0	0	0
Crash Injuries	3	12	9
Drug Involved Crashes--Total	0	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	0

<b>POLICE REPORTS</b>	2013	2012	2011
DUI Arrests, DWI Tracking System	32	49	39
Liquor Law Arrests	3	8	25
Drug Arrests	66	35	28
Violent Offenses	12	10	28
Property Offenses	83	99	122
Domestic Violence Reports	29	14	25

	2014	2013	2012
Methamphetamine Lab Seizures	4	5	6

<b>SCHOOL REPORTS</b>	2013-14	2012-13	2011-12
Enrollment Grades 9-12	450	470	498
Drop-outs	8	5	15
Drop-out Rate	1.8%	1.1%	3.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	4	1	4
School Discipline Involving Tobacco	0	0	0

<b>JUVENILE COURT REFERRALS</b> <sup>3</sup>	2013	2012	2011
Juvenile Violent Offenses	11	5	7
Juvenile Alcohol Offenses	1	3	0
Juvenile Drug Offenses	0	2	2
School Truancy Status Offense	6	6	1
Absent from Home Status Offense	0	2	1
Beyond Parental Control Status Offense	0	0	1
Injurious Behavior Status Offense	34	28	15
Child Abuse	2	2	1
Child Neglect	11	12	20
Child Custody Issues	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	2013	2012	2011
Out-of-Home Placements--Total	7	13	12
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	1	5
Parental Alcohol and Drug Use	1	0	0

<b>CRIMINAL JUSTICE</b>	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	9	19	13
Probation/Parole Admissions--DWI	4	4	2
Prison Admissions--Drug	6	7	5
Prison Admissions--DWI	1	1	1

<sup>1</sup> All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.  
<sup>2</sup> Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.  
<sup>3</sup> Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

# MONROE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	6	*
CSTAR Adolescent	6	8	7
CSTAR Women and Children	*	10	6
CSTAR General Adult	18	7	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	18	29
Clinical SATOP (CIP, YCIP, SROP)	9	8	6
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	33	27	43
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	14	8	13
- Weekend Intervention Program	*	6	15
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
<b>NUMBER ADMITTED</b>				<b>PRIMARY DRUG PROBLEM</b>			
Total Individuals	42	45	50	Alcohol	16	17	21
<b>AGE</b>				Marijuana / Hashish	11	19	19
Under 18	6	8	8	Cocaine (total)	*	0	*
18 to 24	11	9	13	- Crack	*	0	0
25 to 29	*	7	10	Stimulant (total)	9	5	*
30 to 34	8	7	8	- Methamphetamine	9	5	*
35 to 39	*	*	*	Heroin	0	*	0
40 to 44	*	6	*	Analgesic except Heroin	*	*	*
45 to 54	6	*	6	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	0	PCP, LSD, other Hallucinogen	*	0	0
<b>GENDER</b>				Tranquilizer	0	*	0
Male	31	26	40	Inhalant	0	0	0
Female	11	19	10	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	0	*
Caucasian	38	42	44	Average Age at First Use of Drug	17.6	16.1	16.3
African American	*	*	5	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	*	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	12	14	18	0	22	27	21
High School Graduate or G.E.D.	25	22	25	1 or 2	12	14	21
Associate Degree or Some College	*	8	7	3 or More	8	*	8
Bachelor or Advanced Degree	*	*	0	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	11	6	*
Employed	15	13	20	School	0	0	0
Unemployed	16	15	18	Mental Health Provider	0	0	*
Not in Labor Force	11	17	12	Health Care Provider	0	*	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	21	21	35
Independent Living	32	28	34	Other Referral Source	6	12	6
Dependent Living	8	17	13	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	0	0
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	*	*
Never Married	26	29	31	Special Education Services Needed	*	*	*
Married / Cohabiting	8	8	10	Co-Occurring Psychological Problem	12	14	13
Previously Married	8	8	9	Co-Occurring Developmental Problem	*	*	*

# MONROE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 8,840  
**2014 POPULATION ESTIMATE** 8,707

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Adjustment Disorder	9	9	6
Anxiety Disorder	49	41	41
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	42	41	37
Mood Disorder	74	58	53
Personality Disorder	6	6	7
Psychotic Disorder	13	11	7
Sexual Disorder	*	*	*
Other Diagnosis	18	9	8
Diagnosis Unknown	*	*	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>	<b>EDUCATION</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Total Individuals	105	101	97	Less than High School Diploma	44	47	16
<b>AGE</b>				High School Grad or G.E.D.	0	0	15
Under 6	0	0	*	Associate Degree or Some College	0	0	*
6 to 9	5	7	8	Bachelor or Advanced Degree	0	0	*
10 to 13	14	16	8	Education Level Unknown	61	54	61
14 to 17	26	22	24	<b>EMPLOYMENT</b>			
18 to 24	6	8	6	Employed	5	8	6
25 to 29	*	5	5	Unemployed	*	*	22
30 to 34	8	7	7	Not in Labor Force	70	73	12
35 to 39	6	6	6	Employment Status Unknown	27	17	57
40 to 44	9	8	5	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	8	6	9	Independent Living	27	32	31
50 to 54	7	6	*	Dependent Living	47	45	12
55 to 59	7	7	6	Homeless	*	*	0
60 and Over	5	*	8	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	30	23	53
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	54	51	46	Self / Family / Friend	44	47	49
Female	51	50	51	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	9	10	6
<b>RACE / ETHNICITY</b>				Health Care Provider	5	6	7
Caucasian	96	90	89	Court / Criminal Justice	5	6	6
African American	6	7	*	Other	39	30	27
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	103	99	95
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# MONROE COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	37.9	52.2	40.1	Alcohol (1 or 2 drinks daily)	51.5		
Cigarettes	27.5	35.3	29.2	Alcohol (Binge: 5+ drinks once or twice a week)	69.6		
Chewing Tobacco	19.4	15.6	15.3	Alcohol (any use)		62.2	82.6
Marijuana	6.8	14.1	9.5	Cigarettes (1+ packs per day)	76.5		
Inhalants	2.9	3.7	3.7	Cigarettes (any use)		77.0	75.6
Prescription medications not prescribed for student	10.8	7.4	9.5	Marijuana (once or twice a week)	76.7		
Over-the-counter medications for non-medical use	1.9	5.2	5.3	Marijuana (any use)		74.8	72.4
Methamphetamine	1.0	0.8	0.5	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.1	93.3	92.7
Cocaine	1.0	0.7	0.5	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.0	0.0	Were very sad	12.6	19.1	25.4
Hallucinogens	1.0	0.7	1.1	Were grouchy, irritable, or in a bad mood	16.5	26.7	33.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	0.7	1.6	Felt hopeless about the future	7.8	11.8	17.9
Steroids not prescribed for student	1.9	0.7	0.5	Felt like not eating or eating more than usual	12.6	17.0	20.3
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	4.4		Slept a lot more or a lot less than usual	9.7	17.6	32.1
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	15.7	21.8	32.8
Alcohol	13.43	12.55	11.67	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.72	12.59	11.49	Seriously considered attempting suicide	5.9	11.2	11.9
Marijuana	13.80	13.29	12.95	Made plan about how they would attempt suicide	4.9	9.0	8.8
Inhalants	11.51	10.47	11.31	Attempted suicide	3.9	5.1	7.3
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.0	3.0	2.1
Alcohol	19.6	22.2	16.8	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		13.2	9.3	Were threatened/injured with weapon at school	6.7	3.7	14.0
Cigarettes	6.9	13.2	17.2	Were in a physical fight	15.5	22.8	26.8
Chewing Tobacco	11.7	9.6	9.5	Were in a fight and had to be treated by a doctor or nurse	2.9	3.0	4.2
Marijuana	2.9	5.1	4.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.0	2.2	2.1	Were victims of mean rumors or lies spread at school	47.6	55.6	71.9
Prescription medications not prescribed for student	4.9	3.0	3.7	Were made fun of by others	58.3	65.7	78.9
Over-the-counter medications for non-medical use	1.0	3.7	2.1	Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.4	20.9	27.0
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	23.5	34.1	35.9
Alcohol (Binge: 5+ drinks on one occasion)	6.9			Made fun of other people	53.5	71.9	76.8
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	11.7	20.0	17.7
Alcohol	43.1	61.0	56.3	<i>Percent of students who agree that:</i>			
Cigarettes	30.4	54.1	50.5	Teachers notice and comment on student's good work	68.6	71.3	76.4
Marijuana	13.7	29.6	28.6	School provides feedback to parents on positive student performance	47.1	44.8	49.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	11.2	11.9	Rules are enforced fairly	67.0	65.7	64.8
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	79.6	78.7	80.3
Alcohol	35.0	40.4	28.8	<i>Percent of students who agree that:</i>			
Cigarettes	10.7	20.0	17.6	Parents notice and comment on student's good work	81.4	80.0	86.8
Marijuana	4.9	8.9	7.8	Parents involve student in making family decisions	70.3	65.2	70.4
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	90.4	84.4	89.7
Alcohol	57.4	51.9	60.4	Student could ask parent for help with a personal problem	81.4	71.1	74.3
Cigarettes	81.2	74.1	77.5	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	92.2	85.3	87.6	<i>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	95.6	96.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	72.5	69.6	81.3				
Cigarettes	85.3	88.1	91.5				
Marijuana	94.1	94.8	96.8				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	53.5	58.2	51.3				
Cigarettes	57.3	55.2	55.5				
Marijuana	21.0	31.3	27.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.7	14.3	13.0				