

MONTGOMERY COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	12,236
2014 Estimate	11,841

BIRTH RISK	2013	2012	2011
Resident Births--Total	128	146	167
Mother Reported Smoking while Pregnant	42	51	48

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	5	5
Tuberculosis Infection Cases	3	2	5

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	152	135	172
Suicides	2	2	0
Self-inflicted Injuries	12	18	18
Homicides	0	0	0
Assault Injuries	33	42	28
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	2	0	4
Smoking Attributable Deaths	23	25	35

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	81	67	73
Mental Illness Secondary Diagnosis	175	216	167
Alcohol Principal Diagnosis	5	1	5
Alcohol Secondary Diagnosis	13	17	17
Drug Principal Diagnosis	7	5	2
Drug Secondary Diagnosis	10	8	13
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	70	82	81
Mental Illness Secondary Diagnosis	210	226	208
Alcohol Principal Diagnosis	4	6	9
Alcohol Secondary Diagnosis	19	21	17
Drug Principal Diagnosis	5	6	5
Drug Secondary Diagnosis	12	16	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	83	83	73
Mental Illness Secondary Diagnosis	212	266	219
Alcohol Principal Diagnosis	10	13	14
Alcohol Secondary Diagnosis	18	16	9
Drug Principal Diagnosis	9	11	18
Drug Secondary Diagnosis	23	22	18

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	19	22	22
Alcohol Package Carry-out Licenses	20	20	22

EMPLOYMENT	2014	2013	2012
Labor Force	5,696	5,733	5,662
Employed	5,354	5,331	5,208
Unemployed	342	402	454
Unemployment Rate	6.0%	7.0%	8.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	15	17	16
Fatal Crashes	2	1	0
Injury Crashes	5	9	6
Property Damage Crashes	8	7	10
Crash Fatalities	2	1	0
Crash Injuries	10	12	8
Drug Involved Crashes--Total	6	1	3
Fatal Crashes	0	0	0
Injury Crashes	1	0	2
Property Damage Crashes	5	1	1
Crash Fatalities	0	0	0
Crash Injuries	1	0	4

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	59	47	75
Liquor Law Arrests	1	4	9
Drug Arrests	37	48	36
Violent Offenses	10	18	18
Property Offenses	167	189	208
Domestic Violence Reports	49	51	51
	2014	2013	2012
Methamphetamine Lab Seizures	6	16	19

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	454	461	514
Drop-outs	6	15	7
Drop-out Rate	1.3%	3.3%	1.4%
School Discipline Involving Alcohol	2	1	0
School Discipline Involving Drugs	0	11	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	18	11	7
Juvenile Alcohol Offenses	2	2	1
Juvenile Drug Offenses	2	5	1
School Truancy Status Offense	2	6	10
Absent from Home Status Offense	3	2	2
Beyond Parental Control Status Offense	2	0	5
Injurious Behavior Status Offense	7	7	9
Child Abuse	11	9	1
Child Neglect	16	17	25
Child Custody Issues	0	0	1

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	12	20	22
Parental Alcohol Use Related	0	3	4
Parental Drug Use Related	2	5	4
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	4	6	12
Probation/Parole Admissions--Drug	51	46	62
Probation/Parole Admissions--DWI	8	8	6
Prison Admissions--Drug	19	26	34
Prison Admissions--DWI	3	9	3

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MONTGOMERY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	9	5
CSTAR Adolescent	6	7	*
CSTAR Women and Children	*	6	8
CSTAR General Adult	78	46	44
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	23	22
Clinical SATOP (CIP, YCIP, SROP)	17	9	17
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	43	32	57
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	8	7	15
- Weekend Intervention Program	8	*	13
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	107	82	86	Alcohol	40	31	37
AGE				Marijuana / Hashish	34	25	23
Under 18	6	6	*	Cocaine (total)	*	0	0
18 to 24	20	15	19	- Crack	*	0	0
25 to 29	20	16	20	Stimulant (total)	22	15	14
30 to 34	14	9	16	- Methamphetamine	21	15	12
35 to 39	10	10	8	Heroin	*	*	6
40 to 44	6	7	7	Analgesic except Heroin	*	*	*
45 to 54	24	14	11	- Non-Prescription Methadone	0	*	0
55 and Over	7	5	*	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	0	*
Male	74	53	60	Inhalant	0	0	0
Female	33	29	26	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	102	75	81	Average Age at First Use of Drug	18.2	17.9	16.9
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	9	12	13
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	*	0	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	6	8	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	35	38	24	0	61	47	41
High School Graduate or G.E.D.	60	33	49	1 or 2	26	23	28
Associate Degree or Some College	12	10	13	3 or More	20	12	17
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	56	13	11
Employed	49	20	30	School	0	*	0
Unemployed	30	42	39	Mental Health Provider	0	0	*
Not in Labor Force	28	20	17	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	40	56	67
Independent Living	96	67	70	Other Referral Source	7	8	5
Dependent Living	6	13	9	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	7	5	*
Never Married	51	48	49	Special Education Services Needed	19	12	9
Married / Cohabiting	29	20	21	Co-Occurring Psychological Problem	37	23	27
Previously Married	27	14	16	Co-Occurring Developmental Problem	13	0	*

MONTGOMERY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 12,236
2014 POPULATION ESTIMATE 11,841

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	17	16	16
Anxiety Disorder	83	84	74
Dementia	*	0	0
Developmental Disorder	18	16	16
Impulse Control Disorder	58	70	78
Mood Disorder	118	127	138
Personality Disorder	20	21	21
Psychotic Disorder	32	28	25
Sexual Disorder	0	0	0
Other Diagnosis	21	25	28
Diagnosis Unknown	22	10	17

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	198	199	214	Less than High School Diploma	71	79	32
AGE				High School Grad or G.E.D.	0	*	22
Under 6	5	6	*	Associate Degree or Some College	0	0	6
6 to 9	17	23	22	Bachelor or Advanced Degree	0	0	0
10 to 13	18	16	29	Education Level Unknown	127	119	154
14 to 17	21	25	25	EMPLOYMENT			
18 to 24	18	16	19	Employed	13	11	*
25 to 29	11	16	19	Unemployed	20	14	47
30 to 34	16	13	14	Not in Labor Force	110	121	15
35 to 39	23	20	16	Employment Status Unknown	55	53	149
40 to 44	13	14	14	HOUSING / LIVING ARRANGEMENT			
45 to 49	15	18	20	Independent Living	76	67	52
50 to 54	23	17	14	Dependent Living	48	67	24
55 to 59	12	10	11	Homeless	*	*	0
60 and Over	6	5	7	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	73	64	138
GENDER				TREATMENT REFERRAL SOURCE			
Male	99	100	109	Self / Family / Friend	129	126	143
Female	99	99	105	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	8	9	8
RACE / ETHNICITY				Health Care Provider	18	24	29
Caucasian	184	189	199	Court / Criminal Justice	9	7	5
African American	7	5	7	Other	32	31	26
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	5	*	*	Voluntary	198	199	214
Other Race	*	*	6	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MONTGOMERY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	39.6	48.9	68.4	Alcohol (1 or 2 drinks daily)	55.9		
Cigarettes	16.3	28.3	36.2	Alcohol (Binge: 5+ drinks once or twice a week)	71.5		
Chewing Tobacco	18.1	16.6	19.3	Alcohol (any use)		64.0	73.2
Marijuana	11.9	13.9	18.4	Cigarettes (1+ packs per day)	88.1		
Inhalants	0.0	3.7	3.5	Cigarettes (any use)		77.0	77.7
Prescription medications not prescribed for student	3.5	9.0	14.1	Marijuana (once or twice a week)	65.0		
Over-the-counter medications for non-medical use	2.1	6.9	8.0	Marijuana (any use)		76.2	64.5
Methamphetamine	0.0	1.1	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	91.9	94.3
Cocaine	0.7	1.6	2.6	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	1.1	0.4	Were very sad	22.5	17.1	21.9
Hallucinogens	0.0	3.2	3.1	Were grouchy, irritable, or in a bad mood	31.3	19.8	36.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.2	1.8	Felt hopeless about the future	9.9	8.0	15.7
Steroids not prescribed for student	0.7	0.5	3.0	Felt like not eating or eating more than usual	18.2	16.7	26.3
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	7.4		Slept a lot more or a lot less than usual	21.5	16.0	34.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.9	21.5	30.3
Alcohol	13.05	12.36	12.57	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	11.60	12.39	12.44	Seriously considered attempting suicide	10.5	8.6	13.0
Marijuana	13.88	13.61	13.11	Made plan about how they would attempt suicide	8.5	3.8	10.0
Inhalants		11.79	12.54	Attempted suicide	4.9	3.2	9.6
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.7	2.2	3.5
Alcohol	16.7	19.3	34.6	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		12.2	22.3	Were threatened/injured with weapon at school	3.5	4.3	7.4
Cigarettes	2.8	12.8	19.7	Were in a physical fight	20.3	15.0	21.7
Chewing Tobacco	9.0	10.1	12.7	Were in a fight and had to be treated by a doctor or nurse	2.8	2.2	3.1
Marijuana	2.8	5.3	7.5	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0	1.6	0.9	Were victims of mean rumors or lies spread at school	51.4	54.5	58.6
Prescription medications not prescribed for student	0.7	5.9	7.5	Were made fun of by others	59.9	62.6	69.1
Over-the-counter medications for non-medical use	0.0	3.7	4.4	Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.5	17.8	20.3
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	21.7	25.1	27.4
Alcohol (Binge: 5+ drinks on one occasion)	6.3			Made fun of other people	52.8	66.5	75.2
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	12.1	12.8	15.8
Alcohol	47.9	62.6	83.8	<i>Percent of students who agree that:</i>			
Cigarettes	33.8	47.3	59.0	Teachers notice and comment on student's good work	77.1	74.5	72.6
Marijuana	31.7	32.3	38.0	School provides feedback to parents on positive student performance	53.8	37.2	31.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.3	15.0	16.2	Rules are enforced fairly	63.9	64.9	50.7
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	93.0	84.4	83.0
Alcohol	28.5	36.4	60.9	<i>Percent of students who agree that:</i>			
Cigarettes	6.3	12.4	22.4	Parents notice and comment on student's good work	79.0	85.0	83.4
Marijuana	7.7	7.4	10.5	Parents involve student in making family decisions	69.2	70.3	74.7
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	86.0	87.7	82.9
Alcohol	60.3	54.8	31.9	Student could ask parent for help with a personal problem	75.0	77.3	80.3
Cigarettes	89.6	81.2	71.9	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	83.8	83.8	80.3	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	94.1	94.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	70.6	70.4	58.6				
Cigarettes	90.3	89.8	85.5				
Marijuana	91.7	95.1	94.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	54.5	51.9	73.2				
Cigarettes	50.0	50.3	66.7				
Marijuana	30.6	28.6	35.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	14.8	15.9				