

NEW MADRID COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	20
POPULATION	
Census 2010	18,956
2014 Estimate	18,272

BIRTH RISK	2013	2012	2011
Resident Births--Total	274	216	209
Mother Reported Smoking while Pregnant	88	55	65

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	14	12	8
Tuberculosis Infection Cases	2	3	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	237	255	256
Suicides	1	2	2
Self-inflicted Injuries	20	14	30
Homicides	0	4	0
Assault Injuries	69	75	70
Alcohol Induced Deaths	1	2	0
Drug Induced Deaths	6	1	0
Smoking Attributable Deaths	47	54	67

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	242	266	285
Mental Illness Secondary Diagnosis	374	292	408
Alcohol Principal Diagnosis	5	9	17
Alcohol Secondary Diagnosis	34	28	46
Drug Principal Diagnosis	7	8	13
Drug Secondary Diagnosis	21	22	31
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	35	26	22
Mental Illness Secondary Diagnosis	328	374	206
Alcohol Principal Diagnosis	11	12	3
Alcohol Secondary Diagnosis	29	29	24
Drug Principal Diagnosis	5	6	6
Drug Secondary Diagnosis	16	19	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	184	133	143
Mental Illness Secondary Diagnosis	152	218	147
Alcohol Principal Diagnosis	29	18	32
Alcohol Secondary Diagnosis	27	38	37
Drug Principal Diagnosis	19	16	28
Drug Secondary Diagnosis	24	33	34

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	15	16	15
Alcohol Package Carry-out Licenses	23	23	25

EMPLOYMENT	2014	2013	2012
Labor Force	8,380	8,799	8,417
Employed	7,760	8,185	7,771
Unemployed	620	614	646
Unemployment Rate	7.4%	7.0%	7.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	29	17	21
Fatal Crashes	2	0	2
Injury Crashes	12	8	9
Property Damage Crashes	15	9	10
Crash Fatalities	2	0	4
Crash Injuries	17	10	18
Drug Involved Crashes--Total	8	6	9
Fatal Crashes	0	0	2
Injury Crashes	3	2	5
Property Damage Crashes	5	4	2
Crash Fatalities	0	0	4
Crash Injuries	3	3	6

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	144	150	160
Liquor Law Arrests	0	4	6
Drug Arrests	143	145	129
Violent Offenses	24	41	42
Property Offenses	194	181	165
Domestic Violence Reports	56	62	90

	2014	2013	2012
Methamphetamine Lab Seizures	2	9	21

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	806	812	800
Drop-outs	5	1	11
Drop-out Rate	0.6%	0.1%	1.4%
School Discipline Involving Alcohol	0	0	5
School Discipline Involving Drugs	6	1	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	13	15	4
Juvenile Alcohol Offenses	15	2	12
Juvenile Drug Offenses	19	11	5
School Truancy Status Offense	26	11	20
Absent from Home Status Offense	8	9	4
Beyond Parental Control Status Offense	60	15	29
Injurious Behavior Status Offense	73	41	40
Child Abuse	18	9	5
Child Neglect	65	41	27
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	54	35	30
Parental Alcohol Use Related	1	0	1
Parental Drug Use Related	31	18	16
Parental Alcohol and Drug Use	2	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	8	8	0
Probation/Parole Admissions--Drug	86	91	75
Probation/Parole Admissions--DWI	12	24	19
Prison Admissions--Drug	45	53	47
Prison Admissions--DWI	10	5	13

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

NEW MADRID COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	45	44	47
CSTAR Adolescent	12	20	15
CSTAR Women and Children	14	17	14
CSTAR General Adult	88	73	40
CSTAR Opioid	0	0	0
Primary Recovery Treatment	71	103	136
Clinical SATOP (CIP, YCIP, SROP)	14	20	14
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	56	79	61
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	16	31	26
- Weekend Intervention Program	20	12	15
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	32	38	27
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	217	228	215	Alcohol	59	69	60
AGE				Marijuana / Hashish	67	83	78
Under 18	16	23	15	Cocaine (total)	11	11	13
18 to 24	33	37	37	- Crack	*	8	8
25 to 29	35	38	48	Stimulant (total)	59	39	37
30 to 34	38	44	35	- Methamphetamine	59	39	34
35 to 39	34	24	27	Heroin	0	*	*
40 to 44	14	22	15	Analgesic except Heroin	9	18	21
45 to 54	37	28	29	- Non-Prescription Methadone	0	0	0
55 and Over	10	12	9	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	9	*	*
Male	145	158	147	Inhalant	*	0	0
Female	72	70	68	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	168	180	163	Average Age at First Use of Drug	18.5	17.8	18.2
African American	44	42	49	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	23	12	10
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	6	0	- Less than Weekly Injection Use	18	5	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	97	106	95	0	143	134	127
High School Graduate or G.E.D.	99	105	108	1 or 2	44	47	55
Associate Degree or Some College	19	16	12	3 or More	30	47	33
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	34	42	30
Employed	50	47	48	School	0	0	*
Unemployed	52	87	74	Mental Health Provider	*	0	*
Not in Labor Force	115	94	93	Health Care Provider	5	9	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	131	138	148
Independent Living	185	186	182	Other Referral Source	41	37	26
Dependent Living	23	34	26	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	11	9	5
Never Married	101	104	106	Special Education Services Needed	18	16	9
Married / Cohabiting	63	68	67	Co-Occurring Psychological Problem	63	63	46
Previously Married	53	56	42	Co-Occurring Developmental Problem	*	*	0

NEW MADRID COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 18,956
2014 POPULATION ESTIMATE 18,272

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	18	17	20
Anxiety Disorder	92	113	109
Dementia	*	*	*
Developmental Disorder	*	6	6
Impulse Control Disorder	49	54	52
Mood Disorder	224	219	200
Personality Disorder	16	23	26
Psychotic Disorder	59	54	54
Sexual Disorder	*	0	0
Other Diagnosis	38	37	32
Diagnosis Unknown	19	30	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	378	385	331	Less than High School Diploma	162	146	56
AGE				High School Grad or G.E.D.	0	0	30
Under 6	7	*	5	Associate Degree or Some College	0	0	8
6 to 9	18	23	19	Bachelor or Advanced Degree	0	0	0
10 to 13	28	31	29	Education Level Unknown	216	239	237
14 to 17	39	31	24	EMPLOYMENT			
18 to 24	32	30	27	Employed	10	25	9
25 to 29	31	32	21	Unemployed	29	32	62
30 to 34	29	38	36	Not in Labor Force	229	193	30
35 to 39	28	31	36	Employment Status Unknown	110	135	230
40 to 44	35	36	25	HOUSING / LIVING ARRANGEMENT			
45 to 49	31	26	24	Independent Living	202	179	81
50 to 54	46	44	37	Dependent Living	95	106	35
55 to 59	25	28	22	Homeless	5	*	*
60 and Over	29	31	26	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	76	98	213
GENDER				TREATMENT REFERRAL SOURCE			
Male	181	169	140	Self / Family / Friend	157	151	136
Female	197	216	191	School	7	9	6
Gender Unknown	0	0	0	Mental Health Provider	45	48	46
RACE / ETHNICITY				Health Care Provider	75	77	59
Caucasian	288	304	260	Court / Criminal Justice	23	18	10
African American	76	64	56	Other	70	80	72
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	5	5	Voluntary	371	380	327
Other Race	10	11	9	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	9	12	15	Commitment Type Unknown	*	*	*
Past or Current Military Service	6	6	6				

NEW MADRID COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	44.0	46.4	42.0	Alcohol (1 or 2 drinks daily)	48.1		
Cigarettes	31.7	33.4	35.7	Alcohol (Binge: 5+ drinks once or twice a week)	66.7		
Chewing Tobacco	19.1	14.3	12.8	Alcohol (any use)		73.8	81.6
Marijuana	14.0	17.7	10.1	Cigarettes (1+ packs per day)	81.6		
Inhalants	5.7	6.5	4.9	Cigarettes (any use)		82.5	80.4
Prescription medications not prescribed for student	7.2	10.2	10.2	Marijuana (once or twice a week)	67.1		
Over-the-counter medications for non-medical use	4.8	3.1	4.4	Marijuana (any use)		76.0	74.0
Methamphetamine	1.4	0.7	0.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.6	95.5	91.7
Cocaine	1.4	1.7	0.8	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.5	0.7	0.5	Were very sad	18.8	20.1	16.8
Hallucinogens	2.0	1.4	0.5	Were grouchy, irritable, or in a bad mood	25.5	32.9	27.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.7	0.5	Felt hopeless about the future	11.1	10.0	9.7
Steroids not prescribed for student	1.9	1.0	1.6	Felt like not eating or eating more than usual	18.4	16.2	18.8
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	5.8		Slept a lot more or a lot less than usual	16.1	22.4	23.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	19.1	23.4	29.4
Alcohol	12.48	12.52	12.43	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.90	12.19	11.76	Seriously considered attempting suicide	15.2	8.2	7.9
Marijuana	14.19	13.85	13.35	Made plan about how they would attempt suicide	8.6	6.2	4.9
Inhalants	11.69	12.36	10.99	Attempted suicide	6.7	2.7	3.8
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.4	1.7	3.2
Alcohol	18.4	22.9	18.6	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		14.3	10.7	Were threatened/injured with weapon at school	6.2	4.5	8.0
Cigarettes	13.0	16.7	10.8	Were in a physical fight	23.4	22.3	25.8
Chewing Tobacco	8.7	6.8	5.5	Were in a fight and had to be treated by a doctor or nurse	2.9	3.5	4.6
Marijuana	6.8	8.2	3.6	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.4	1.0	1.6	Were victims of mean rumors or lies spread at school	53.6	49.1	58.6
Prescription medications not prescribed for student	2.9	6.2	6.8	Were made fun of by others	61.2	60.4	68.4
Over-the-counter medications for non-medical use	2.4	2.0	2.6	Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.1	19.4	22.2
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	29.2	29.0	31.2
Alcohol (Binge: 5+ drinks on one occasion)	10.6			Made fun of other people	63.0	67.9	73.1
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	20.8	16.0	17.5
Alcohol	51.7	57.8	58.9	<i>Percent of students who agree that:</i>			
Cigarettes	48.8	49.3	52.7	Teachers notice and comment on student's good work	71.9	72.1	72.5
Marijuana	34.0	38.0	35.1	School provides feedback to parents on positive student performance	50.7	47.9	41.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	10.7	13.0	Rules are enforced fairly	66.5	63.6	56.5
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	79.9	72.4	74.7
Alcohol	37.2	36.9	31.6	<i>Percent of students who agree that:</i>			
Cigarettes	18.8	18.8	13.3	Parents notice and comment on student's good work	81.8	85.0	82.8
Marijuana	11.2	11.9	5.1	Parents involve student in making family decisions	67.5	69.9	71.1
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	82.8	84.9	85.1
Alcohol	58.7	60.1	63.7	Student could ask parent for help with a personal problem	76.1	81.5	78.6
Cigarettes	76.9	75.4	81.0	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	82.3	83.2	87.9	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	96.1	96.6				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	77.0	81.0	82.7				
Cigarettes	89.5	90.3	92.3				
Marijuana	93.8	96.1	96.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	53.4	54.3	57.3				
Cigarettes	55.8	55.7	55.5				
Marijuana	31.6	35.9	32.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.1	20.1	15.5				