

NODAWAY COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	23,370
2014 Estimate	23,081

BIRTH RISK	2013	2012	2011
Resident Births--Total	235	226	206
Mother Reported Smoking while Pregnant	37	39	42

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	1	1
Hepatitis C Chronic and Acute	13	7	12
Tuberculosis Infection Cases	1	2	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	194	188	200
Suicides	3	6	0
Self-inflicted Injuries	15	13	6
Homicides	0	0	0
Assault Injuries	16	29	27
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	1	2	1
Smoking Attributable Deaths	30	33	40

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	129	159	146
Mental Illness Secondary Diagnosis	240	191	191
Alcohol Principal Diagnosis	6	6	4
Alcohol Secondary Diagnosis	19	6	16
Drug Principal Diagnosis	7	1	1
Drug Secondary Diagnosis	10	10	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	62	50	30
Mental Illness Secondary Diagnosis	128	153	190
Alcohol Principal Diagnosis	2	4	7
Alcohol Secondary Diagnosis	5	7	7
Drug Principal Diagnosis	4	0	1
Drug Secondary Diagnosis	8	5	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	144	126	127
Mental Illness Secondary Diagnosis	926	777	392
Alcohol Principal Diagnosis	12	16	24
Alcohol Secondary Diagnosis	7	15	12
Drug Principal Diagnosis	6	12	11
Drug Secondary Diagnosis	5	8	8

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	27	27	24
Alcohol Package Carry-out Licenses	19	18	19

EMPLOYMENT	2014	2013	2012
Labor Force	11,637	12,168	11,834
Employed	10,879	11,450	11,183
Unemployed	758	718	651
Unemployment Rate	6.5%	5.9%	5.5%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	17	11	12
Fatal Crashes	1	1	1
Injury Crashes	7	4	5
Property Damage Crashes	9	6	6
Crash Fatalities	1	1	3
Crash Injuries	8	5	10
Drug Involved Crashes--Total	2	0	4
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	2	0	4
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	126	145	160
Liquor Law Arrests	255	360	358
Drug Arrests	103	98	130
Violent Offenses	56	28	70
Property Offenses	324	383	430
Domestic Violence Reports	57	76	88

	2014	2013	2012
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	836	818	820
Drop-outs	6	8	3
Drop-out Rate	0.7%	1.0%	0.4%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	1	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	13	7	6
Juvenile Alcohol Offenses	6	7	9
Juvenile Drug Offenses	3	3	4
School Truancy Status Offense	2	6	9
Absent from Home Status Offense	0	0	2
Beyond Parental Control Status Offense	38	44	25
Injurious Behavior Status Offense	72	35	30
Child Abuse	13	3	0
Child Neglect	144	94	102
Child Custody Issues	1	13	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	65	31	49
Parental Alcohol Use Related	6	0	2
Parental Drug Use Related	9	4	7
Parental Alcohol and Drug Use	1	1	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	13	14	14
Probation/Parole Admissions--Drug	34	41	60
Probation/Parole Admissions--DWI	12	12	9
Prison Admissions--Drug	15	26	25
Prison Admissions--DWI	4	7	5

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

NODAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	7
CSTAR Adolescent	*	0	*
CSTAR Women and Children	*	*	0
CSTAR General Adult	11	9	16
CSTAR Opioid	0	0	0
Primary Recovery Treatment	49	54	64
Clinical SATOP (CIP, YCIP, SROP)	10	11	12
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	123	135	161
- Adolescent Diversion Education Program	50	53	76
- Offender Education Program	36	43	46
- Weekend Intervention Program	9	17	26
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	10	28

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	68	67	92	Alcohol	29	40	37
AGE				Marijuana / Hashish	23	14	24
Under 18	*	0	*	Cocaine (total)	0	0	0
18 to 24	26	25	35	- Crack	0	0	0
25 to 29	13	11	9	Stimulant (total)	7	9	16
30 to 34	5	9	19	- Methamphetamine	7	9	16
35 to 39	5	6	7	Heroin	*	0	0
40 to 44	5	8	5	Analgesic except Heroin	8	*	10
45 to 54	12	5	12	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	0	0	0
Male	44	46	58	Inhalant	0	0	*
Female	24	21	34	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	67	66	88	Average Age at First Use of Drug	17.5	17.7	17.6
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	10	7	7
Asian / Pacific Islander	0	0	*	- Daily Injection Use	*	0	*
Hispanic	*	0	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	7	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	9	19	0	40	31	60
High School Graduate or G.E.D.	41	37	44	1 or 2	21	22	21
Associate Degree or Some College	18	19	26	3 or More	7	14	11
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	15	9	10
Employed	31	28	35	School	0	0	0
Unemployed	20	22	35	Mental Health Provider	0	*	*
Not in Labor Force	17	17	22	Health Care Provider	0	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	41	48	70
Independent Living	59	64	87	Other Referral Source	12	5	5
Dependent Living	*	0	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	45	42	56	Special Education Services Needed	0	*	8
Married / Cohabiting	13	9	19	Co-Occurring Psychological Problem	26	25	30
Previously Married	10	16	17	Co-Occurring Developmental Problem	6	*	*

NODAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 23,370
2014 POPULATION ESTIMATE 23,081

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	5	6	5
Anxiety Disorder	65	53	44
Dementia	0	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	34	27	24
Mood Disorder	102	88	75
Personality Disorder	10	14	12
Psychotic Disorder	14	17	17
Sexual Disorder	0	*	0
Other Diagnosis	17	14	12
Diagnosis Unknown	9	12	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	151	142	121	Less than High School Diploma	56	44	11
AGE				High School Grad or G.E.D.	0	5	34
Under 6	*	*	*	Associate Degree or Some College	0	*	15
6 to 9	18	15	12	Bachelor or Advanced Degree	0	*	8
10 to 13	13	18	13	Education Level Unknown	95	90	53
14 to 17	9	7	10	EMPLOYMENT			
18 to 24	15	15	7	Employed	10	9	6
25 to 29	10	6	8	Unemployed	16	27	58
30 to 34	12	12	7	Not in Labor Force	92	72	5
35 to 39	8	9	10	Employment Status Unknown	33	34	52
40 to 44	14	10	5	HOUSING / LIVING ARRANGEMENT			
45 to 49	12	11	14	Independent Living	84	74	65
50 to 54	17	14	13	Dependent Living	37	46	17
55 to 59	12	13	11	Homeless	0	*	*
60 and Over	7	9	10	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	30	21	38
GENDER				TREATMENT REFERRAL SOURCE			
Male	75	71	56	Self / Family / Friend	43	37	40
Female	76	71	65	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	30	32	27
RACE / ETHNICITY				Health Care Provider	24	22	20
Caucasian	146	137	118	Court / Criminal Justice	18	11	6
African American	*	*	*	Other	32	35	25
Native American / Alaskan	0	0	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	150	140	119
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	8	13	11	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

NODAWAY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	42.4	46.8	38.8	Alcohol (1 or 2 drinks daily)	54.1		
Cigarettes	20.7	23.8	19.3	Alcohol (Binge: 5+ drinks once or twice a week)	64.1		
Chewing Tobacco	14.3	16.2	14.7	Alcohol (any use)		63.3	86.8
Marijuana	12.9	10.0	5.5	Cigarettes (1+ packs per day)	86.5		
Inhalants	2.1	3.0	2.1	Cigarettes (any use)		80.2	84.0
Prescription medications not prescribed for student	7.0	7.4	5.3	Marijuana (once or twice a week)	66.6		
Over-the-counter medications for non-medical use	1.8	4.7	3.6	Marijuana (any use)		72.9	75.0
Methamphetamine	0.3	0.9	0.2	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	93.6	95.8
Cocaine	2.1	0.6	0.6	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.3	0.4	0.0	Were very sad	17.3	17.0	13.7
Hallucinogens	2.0	2.8	0.8	Were grouchy, irritable, or in a bad mood	26.4	23.2	22.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.2	1.5	0.6	Felt hopeless about the future	10.9	10.1	12.0
Steroids not prescribed for student	2.1	1.7	0.6	Felt like not eating or eating more than usual	16.0	12.6	12.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	3.4		Slept a lot more or a lot less than usual	17.5	18.5	20.6
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	22.5	22.4	30.8
Alcohol	13.64	13.68	12.74	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.34	13.47	12.42	Seriously considered attempting suicide	7.9	6.4	11.0
Marijuana	14.77	14.62	13.64	Made plan about how they would attempt suicide	6.7	4.7	6.9
Inhalants	9.60	14.34	11.21	Attempted suicide	3.8	2.1	3.9
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.1	0.7	2.0
Alcohol	21.8	20.1	14.2	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		11.3	10.3	Were threatened/injured with weapon at school	5.8	3.6	9.5
Cigarettes	8.5	10.7	8.3	Were in a physical fight	17.5	14.1	16.6
Chewing Tobacco	10.0	9.1	7.6	Were in a fight and had to be treated by a doctor or nurse	2.3	1.7	2.1
Marijuana	4.7	4.5	1.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.6	1.1	1.1	Were victims of mean rumors or lies spread at school	44.9	43.8	56.6
Prescription medications not prescribed for student	3.2	3.4	3.6	Were made fun of by others	57.6	63.5	74.8
Over-the-counter medications for non-medical use	0.9	3.0	2.5	Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.2	20.9	17.7
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	26.4	26.7	32.9
Alcohol (Binge: 5+ drinks on one occasion)	14.7			Made fun of other people	55.7	63.2	73.3
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	18.7	14.7	16.2
Alcohol	51.3	57.3	58.6	<i>Percent of students who agree that:</i>			
Cigarettes	31.9	35.5	39.6	Teachers notice and comment on student's good work	74.6	73.2	73.9
Marijuana	26.8	28.8	17.5	School provides feedback to parents on positive student performance	47.2	45.2	53.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	10.0	6.6	Rules are enforced fairly	55.1	55.6	72.0
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	87.8	86.4	90.4
Alcohol	35.1	37.5	29.1	<i>Percent of students who agree that:</i>			
Cigarettes	12.3	12.6	12.1	Parents notice and comment on student's good work	83.9	87.6	87.1
Marijuana	15.5	9.8	4.6	Parents involve student in making family decisions	74.9	72.0	74.8
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	84.5	87.0	87.3
Alcohol	53.1	54.5	63.6	Student could ask parent for help with a personal problem	81.2	85.3	82.6
Cigarettes	79.2	77.8	84.1	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	76.4	85.2	91.7	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.9	96.1	97.9				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	73.2	71.9	82.0				
Cigarettes	87.9	88.1	91.5				
Marijuana	89.4	95.4	98.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	62.6	67.1	62.3				
Cigarettes	56.9	61.7	52.5				
Marijuana	36.1	35.6	22.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5	14.4	9.9				