


PEMISCOT COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	19
POPULATION	
Census 2010	18,296
2014 Estimate	17,650

BIRTH RISK	2013	2012	2011
Resident Births--Total	301	282	288
Mother Reported Smoking while Pregnant	76	68	64

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	1	1	1
Hepatitis B Chronic, Acute, Prenatal	0	1	1
Hepatitis C Chronic and Acute	17	39	22
Tuberculosis Infection Cases	8	22	8

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	269	226	218
Suicides	6	3	3
Self-inflicted Injuries	26	21	42
Homicides	2	0	2
Assault Injuries	114	157	126
Alcohol Induced Deaths	0	4	0
Drug Induced Deaths	5	5	4
Smoking Attributable Deaths	58	55	45

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	316	342	395
Mental Illness Secondary Diagnosis	444	566	761
Alcohol Principal Diagnosis	9	14	13
Alcohol Secondary Diagnosis	30	39	60
Drug Principal Diagnosis	12	7	16
Drug Secondary Diagnosis	26	38	60
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	48	46	37
Mental Illness Secondary Diagnosis	345	427	310
Alcohol Principal Diagnosis	3	7	6
Alcohol Secondary Diagnosis	26	31	21
Drug Principal Diagnosis	8	9	10
Drug Secondary Diagnosis	20	24	17
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	180	174	182
Mental Illness Secondary Diagnosis	188	92	111
Alcohol Principal Diagnosis	52	36	56
Alcohol Secondary Diagnosis	23	29	49
Drug Principal Diagnosis	32	30	33
Drug Secondary Diagnosis	40	40	61

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	16	17	19
Alcohol Package Carry-out Licenses	28	28	28

EMPLOYMENT	2014	2013	2012
Labor Force	7,019	8,247	8,205
Employed	6,377	7,567	7,541
Unemployed	642	680	664
Unemployment Rate	9.1%	8.2%	8.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	25	29	25
Fatal Crashes	1	1	1
Injury Crashes	9	15	12
Property Damage Crashes	15	13	12
Crash Fatalities	1	1	1
Crash Injuries	12	23	15
Drug Involved Crashes--Total	9	8	4
Fatal Crashes	0	0	0
Injury Crashes	2	4	3
Property Damage Crashes	7	4	1
Crash Fatalities	0	0	0
Crash Injuries	3	4	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	106	178	190
Liquor Law Arrests	6	18	47
Drug Arrests	151	242	365
Violent Offenses	161	179	144
Property Offenses	769	688	674
Domestic Violence Reports	237	248	128

	2014	2013	2012
Methamphetamine Lab Seizures	0	1	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,045	1,037	990
Drop-outs	17	20	56
Drop-out Rate	1.6%	1.9%	5.7%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	1	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	5	33	7
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	1	6	1
School Truancy Status Offense	0	8	0
Absent from Home Status Offense	0	9	0
Beyond Parental Control Status Offense	3	22	4
Injurious Behavior Status Offense	0	17	0
Child Abuse	3	21	2
Child Neglect	28	48	12
Child Custody Issues	6	6	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	57	52	45
Parental Alcohol Use Related	4	8	9
Parental Drug Use Related	29	7	7
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	101	113	146
Probation/Parole Admissions--DWI	14	22	25
Prison Admissions--Drug	56	65	67
Prison Admissions--DWI	10	10	20

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PEMISCOT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	68	60	99
CSTAR Adolescent	20	17	17
CSTAR Women and Children	18	19	12
CSTAR General Adult	116	117	47
CSTAR Opioid	0	0	0
Primary Recovery Treatment	31	135	233
Clinical SATOP (CIP, YCIP, SROP)	18	18	17
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	69	76	81
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	18	20	27
- Weekend Intervention Program	16	15	16
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	5	5	*
Compulsive Gambling	0	0	0
Recovery Supports	13	5	6
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	220	279	342	Alcohol	64	84	98
AGE				Marijuana / Hashish	66	106	124
Under 18	19	19	19	Cocaine (total)	11	23	47
18 to 24	38	63	71	- Crack	6	10	28
25 to 29	40	54	59	Stimulant (total)	51	48	43
30 to 34	36	36	45	- Methamphetamine	50	44	42
35 to 39	24	29	41	Heroin	*	*	*
40 to 44	19	16	40	Analgesic except Heroin	16	10	18
45 to 54	33	42	42	- Non-Prescription Methadone	0	0	0
55 and Over	11	20	25	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	10	5	10
Male	149	193	255	Inhalant	0	0	0
Female	71	86	87	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	137	160	202	Average Age at First Use of Drug	18.0	18.1	18.4
African American	76	116	133	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	7	8	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	0	*	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	6	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	94	120	167	0	175	216	255
High School Graduate or G.E.D.	104	139	155	1 or 2	38	39	67
Associate Degree or Some College	22	20	18	3 or More	7	24	20
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	42	25	55
Employed	39	63	86	School	0	0	0
Unemployed	47	73	102	Mental Health Provider	*	*	*
Not in Labor Force	134	143	154	Health Care Provider	11	12	16
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	122	193	246
Independent Living	178	243	305	Other Referral Source	43	46	24
Dependent Living	29	28	25	TREATMENT ACCOMMODATION			
Homeless	5	*	*	Pregnant when Admitted to any Episode	8	8	*
MARITAL / FAMILY STATUS				Military Veteran	10	13	8
Never Married	127	161	167	Special Education Services Needed	26	28	19
Married / Cohabiting	51	77	107	Co-Occurring Psychological Problem	40	52	65
Previously Married	42	41	68	Co-Occurring Developmental Problem	*	6	7

PEMISCOT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 18,296
2014 POPULATION ESTIMATE 17,650

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	19	*	*
Anxiety Disorder	25	14	9
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	40	24	21
Mood Disorder	129	110	88
Personality Disorder	*	*	*
Psychotic Disorder	44	42	33
Sexual Disorder	*	*	*
Other Diagnosis	16	9	14
Diagnosis Unknown	47	31	26

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	310	226	181	Less than High School Diploma	116	73	34
AGE				High School Grad or G.E.D.	0	0	21
Under 6	6	*	0	Associate Degree or Some College	0	0	5
6 to 9	33	18	16	Bachelor or Advanced Degree	0	0	0
10 to 13	37	26	20	Education Level Unknown	194	153	121
14 to 17	36	15	13	EMPLOYMENT			
18 to 24	26	21	10	Employed	*	7	*
25 to 29	23	18	21	Unemployed	23	18	47
30 to 34	27	24	20	Not in Labor Force	159	102	19
35 to 39	31	26	16	Employment Status Unknown	124	99	114
40 to 44	21	18	16	HOUSING / LIVING ARRANGEMENT			
45 to 49	23	15	14	Independent Living	100	92	51
50 to 54	22	22	15	Dependent Living	77	31	17
55 to 59	12	10	12	Homeless	*	*	*
60 and Over	13	9	8	Other	0	0	5
Age Unknown	0	0	0	Housing Unknown	131	102	107
GENDER				TREATMENT REFERRAL SOURCE			
Male	163	114	96	Self / Family / Friend	75	47	33
Female	147	112	85	School	16	6	9
Gender Unknown	0	0	0	Mental Health Provider	25	20	20
RACE / ETHNICITY				Health Care Provider	52	52	35
Caucasian	194	145	103	Court / Criminal Justice	69	61	63
African American	101	75	72	Other	71	38	19
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	305	219	174
Other Race	11	5	5	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	9	10	*				

PEMISCOT COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	27.6	44.1	49.0	Alcohol (1 or 2 drinks daily)	49.6		
Cigarettes	20.8	30.8	37.9	Alcohol (Binge: 5+ drinks once or twice a week)	62.5		
Chewing Tobacco	10.9	11.7	16.7	Alcohol (any use)		79.3	76.8
Marijuana	11.5	15.3	20.1	Cigarettes (1+ packs per day)	70.9		
Inhalants	3.5	5.7	10.2	Cigarettes (any use)		85.4	77.5
Prescription medications not prescribed for student	9.2	14.6	21.0	Marijuana (once or twice a week)	59.1		
Over-the-counter medications for non-medical use	3.5	8.0	10.9	Marijuana (any use)		77.1	74.8
Methamphetamine	0.0	1.3	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	79.7	92.3	91.9
Cocaine	0.4	1.3	2.2	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.4	1.0	1.3	Were very sad	23.1	19.1	15.7
Hallucinogens	1.3	1.0	1.8	Were grouchy, irritable, or in a bad mood	28.2	32.8	20.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	1.0	2.7	Felt hopeless about the future	15.5	8.6	10.1
Steroids not prescribed for student	1.8	1.6	1.6	Felt like not eating or eating more than usual	23.3	20.3	16.4
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	8.3		Slept a lot more or a lot less than usual	22.3	22.4	23.2
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	19.7	23.9	19.3
Alcohol	12.90	12.85	12.77	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	11.93	12.02	12.42	Seriously considered attempting suicide	12.5	13.0	13.0
Marijuana	13.34	14.02	14.02	Made plan about how they would attempt suicide	10.8	11.3	10.9
Inhalants	10.77	12.62	12.62	Attempted suicide	7.4	7.3	8.0
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.1	2.9	3.8
Alcohol	11.8	17.8	25.4	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		12.4	16.3	Were threatened/injured with weapon at school	9.4	6.7	9.4
Cigarettes	10.5	12.4	22.2	Were in a physical fight	26.2	28.0	29.6
Chewing Tobacco	7.4	5.4	10.1	Were in a fight and had to be treated by a doctor or nurse	5.6	3.8	5.2
Marijuana	5.3	5.7	9.9	<i>Percent of students who, in past 3 months:</i>			
Inhalants	1.3	1.6	4.9	Were victims of mean rumors or lies spread at school	57.9	58.3	63.4
Prescription medications not prescribed for student	4.8	8.6	14.3	Were made fun of by others	64.8	61.0	72.0
Over-the-counter medications for non-medical use	1.7	3.5	7.2	Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.9	22.8	21.5
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	23.6	27.6	33.5
Alcohol (Binge: 5+ drinks on one occasion)	5.4			Made fun of other people	60.5	67.2	77.3
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	19.2	17.3	21.8
Alcohol	37.8	57.6	60.1	<i>Percent of students who agree that:</i>			
Cigarettes	31.2	52.2	56.6	Teachers notice and comment on student's good work	79.1	68.6	73.1
Marijuana	21.5	36.5	36.2	School provides feedback to parents on positive student performance	48.9	40.7	44.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.2	11.8	13.0	Rules are enforced fairly	60.1	51.8	53.7
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	72.5	61.8	68.0
Alcohol	26.8	29.3	37.5	<i>Percent of students who agree that:</i>			
Cigarettes	12.6	10.5	21.2	Parents notice and comment on student's good work	84.6	83.2	82.4
Marijuana	10.1	9.2	14.1	Parents involve student in making family decisions	73.3	67.7	73.7
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	84.1	88.4	84.9
Alcohol	69.3	66.7	60.3	Student could ask parent for help with a personal problem	78.8	77.6	76.5
Cigarettes	82.6	80.5	73.9	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	81.7	84.3	81.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.6	95.8	95.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	89.4	85.0	82.3				
Cigarettes	94.2	90.7	88.7				
Marijuana	95.5	95.8	94.5				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	45.7	59.6	58.5				
Cigarettes	46.8	60.3	62.3				
Marijuana	34.8	46.9	41.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.0	25.0	24.1				

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys