

PHELPS COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	45,156
2014 Estimate	44,847

BIRTH RISK	2013	2012	2011
Resident Births--Total	531	533	573
Mother Reported Smoking while Pregnant	112	102	118

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	6	5	5
Hepatitis C Chronic and Acute	38	75	31
Tuberculosis Infection Cases	79	42	81

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	419	433	420
Suicides	7	3	9
Self-inflicted Injuries	47	67	55
Homicides	2	2	2
Assault Injuries	164	186	210
Alcohol Induced Deaths	3	0	0
Drug Induced Deaths	5	11	16
Smoking Attributable Deaths	70	82	74

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	287	294	304
Mental Illness Secondary Diagnosis	560	664	628
Alcohol Principal Diagnosis	13	8	19
Alcohol Secondary Diagnosis	42	24	30
Drug Principal Diagnosis	83	84	46
Drug Secondary Diagnosis	45	48	32
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	257	247	218
Mental Illness Secondary Diagnosis	770	773	839
Alcohol Principal Diagnosis	36	52	33
Alcohol Secondary Diagnosis	56	79	71
Drug Principal Diagnosis	46	28	27
Drug Secondary Diagnosis	43	67	57
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	479	520	454
Mental Illness Secondary Diagnosis	5,295	5,565	5,136
Alcohol Principal Diagnosis	123	124	131
Alcohol Secondary Diagnosis	73	83	94
Drug Principal Diagnosis	92	91	118
Drug Secondary Diagnosis	89	80	73

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	51	51	51
Alcohol Package Carry-out Licenses	40	39	39

EMPLOYMENT	2014	2013	2012
Labor Force	20,052	22,257	21,427
Employed	18,798	20,941	20,058
Unemployed	1,254	1,316	1,369
Unemployment Rate	6.3%	5.9%	6.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	51	66	60
Fatal Crashes	2	6	2
Injury Crashes	16	28	25
Property Damage Crashes	33	32	33
Crash Fatalities	2	6	2
Crash Injuries	20	36	31
Drug Involved Crashes--Total	17	19	18
Fatal Crashes	0	0	0
Injury Crashes	9	9	9
Property Damage Crashes	8	10	9
Crash Fatalities	0	0	0
Crash Injuries	13	12	9

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	254	281	314
Liquor Law Arrests	23	32	76
Drug Arrests	211	198	284
Violent Offenses	144	119	139
Property Offenses	1,149	1,417	1,433
Domestic Violence Reports	21	119	149

	2014	2013	2012
Methamphetamine Lab Seizures	24	31	48

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,970	1,936	1,925
Drop-outs	51	50	77
Drop-out Rate	2.6%	2.6%	4.0%
School Discipline Involving Alcohol	2	3	5
School Discipline Involving Drugs	13	10	1
School Discipline Involving Tobacco	1	1	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	33	67	132
Juvenile Alcohol Offenses	0	0	1
Juvenile Drug Offenses	4	6	24
School Truancy Status Offense	48	58	118
Absent from Home Status Offense	8	7	29
Beyond Parental Control Status Offense	21	25	34
Injurious Behavior Status Offense	31	23	84
Child Abuse	177	218	272
Child Neglect	149	423	355
Child Custody Issues	12	9	12

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	67	45	48
Parental Alcohol Use Related	2	0	1
Parental Drug Use Related	35	10	13
Parental Alcohol and Drug Use	4	2	4

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	22	29	34
Probation/Parole Admissions--Drug	138	207	168
Probation/Parole Admissions--DWI	18	24	15
Prison Admissions--Drug	89	67	68
Prison Admissions--DWI	13	8	7

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PHELPS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	45	34	38
CSTAR Adolescent	10	17	24
CSTAR Women and Children	25	17	14
CSTAR General Adult	214	188	122
CSTAR Opioid	*	*	0
Primary Recovery Treatment	9	86	177
Clinical SATOP (CIP, YCIP, SROP)	45	47	42
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	168	175	220
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	60	64	86
- Weekend Intervention Program	35	35	42
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	7
Compulsive Gambling	0	0	*
Recovery Supports	*	*	*
Early Intervention	8	*	12

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	279	319	376	Alcohol	86	121	141
AGE				Marijuana / Hashish	46	60	78
Under 18	9	16	27	Cocaine (total)	0	*	5
18 to 24	51	54	69	- Crack	0	0	*
25 to 29	68	70	72	Stimulant (total)	59	44	37
30 to 34	54	70	65	- Methamphetamine	57	43	37
35 to 39	33	26	35	Heroin	30	21	28
40 to 44	19	24	33	Analgesic except Heroin	52	60	70
45 to 54	35	49	60	- Non-Prescription Methadone	*	0	*
55 and Over	10	10	15	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	8	12
Male	165	198	239	Inhalant	*	0	0
Female	114	121	137	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	269	304	353	Average Age at First Use of Drug	19.1	18.4	18.4
African American	*	8	12	INJECTION DRUG USE			
Native American / Alaskan	*	*	5	Any Injection Use at Admission	57	44	36
Asian / Pacific Islander	0	0	0	- Daily Injection Use	15	15	10
Hispanic	*	*	7	- Weekly Injection Use	20	12	9
Other Race / Two or More Races	*	5	5	- Less than Weekly Injection Use	22	17	17
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	80	117	106	0	160	164	213
High School Graduate or G.E.D.	114	131	188	1 or 2	85	109	105
Associate Degree or Some College	82	69	79	3 or More	34	46	58
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	101	107	96
Employed	76	82	93	School	0	*	0
Unemployed	100	120	170	Mental Health Provider	5	5	*
Not in Labor Force	103	117	113	Health Care Provider	23	12	25
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	88	145	222
Independent Living	247	285	332	Other Referral Source	60	46	30
Dependent Living	20	28	31	TREATMENT ACCOMMODATION			
Homeless	10	5	8	Pregnant when Admitted to any Episode	9	*	6
MARITAL / FAMILY STATUS				Military Veteran	17	13	19
Never Married	137	165	168	Special Education Services Needed	19	35	52
Married / Cohabiting	80	81	105	Co-Occurring Psychological Problem	139	129	148
Previously Married	62	73	103	Co-Occurring Developmental Problem	31	17	20

PHELPS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 45,156
2014 POPULATION ESTIMATE 44,847

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	12	7	6
Anxiety Disorder	342	315	268
Dementia	0	0	*
Developmental Disorder	10	*	6
Impulse Control Disorder	89	68	66
Mood Disorder	384	378	335
Personality Disorder	27	29	36
Psychotic Disorder	59	65	73
Sexual Disorder	0	0	0
Other Diagnosis	41	26	24
Diagnosis Unknown	34	26	28

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	559	534	498	Less than High School Diploma	184	184	110
AGE				High School Grad or G.E.D.	0	51	153
Under 6	*	*	0	Associate Degree or Some College	0	14	48
6 to 9	35	31	26	Bachelor or Advanced Degree	0	*	8
10 to 13	48	33	29	Education Level Unknown	375	281	179
14 to 17	52	41	45	EMPLOYMENT			
18 to 24	57	47	47	Employed	23	23	38
25 to 29	56	63	51	Unemployed	43	124	265
30 to 34	65	51	44	Not in Labor Force	338	263	23
35 to 39	38	36	36	Employment Status Unknown	155	124	172
40 to 44	48	55	53	HOUSING / LIVING ARRANGEMENT			
45 to 49	40	46	55	Independent Living	221	272	267
50 to 54	62	55	44	Dependent Living	158	132	80
55 to 59	26	37	35	Homeless	15	13	5
60 and Over	30	37	33	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	165	117	145
GENDER				TREATMENT REFERRAL SOURCE			
Male	236	217	212	Self / Family / Friend	414	353	289
Female	323	317	286	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	5	7	5
RACE / ETHNICITY				Health Care Provider	46	53	63
Caucasian	535	507	461	Court / Criminal Justice	8	17	19
African American	15	15	24	Other	82	102	120
Native American / Alaskan	*	*	*	Referral Source Unknown	*	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	555	532	493
Other Race	5	7	8	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	5
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	11	17	12	Commitment Type Unknown	0	0	0
Past or Current Military Service	10	9	8				

PHELPS COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	41.7	41.0	41.4	Alcohol (1 or 2 drinks daily)	52.9		
Cigarettes	26.6	24.6	22.8	Alcohol (Binge: 5+ drinks once or twice a week)	66.5		
Chewing Tobacco	13.8	16.8	21.2	Alcohol (any use)		69.4	74.8
Marijuana	19.4	15.7	18.9	Cigarettes (1+ packs per day)	88.8		
Inhalants	3.9	4.5	10.4	Cigarettes (any use)		81.9	77.8
Prescription medications not prescribed for student	14.1	8.7	15.2	Marijuana (once or twice a week)	60.1		
Over-the-counter medications for non-medical use	4.3	5.9	10.3	Marijuana (any use)		75.7	72.7
Methamphetamine	0.2	1.0	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	94.9	93.9
Cocaine	1.5	1.7	2.0	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.2	0.9	1.4	Were very sad	20.6	17.0	29.6
Hallucinogens	3.4	2.5	3.3	Were grouchy, irritable, or in a bad mood	23.2	21.8	34.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.8	1.9	1.6	Felt hopeless about the future	13.0	10.9	19.4
Steroids not prescribed for student	0.9	1.9	1.8	Felt like not eating or eating more than usual	20.1	17.3	30.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	6.1		Slept a lot more or a lot less than usual	20.8	20.8	31.5
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	25.1	23.7	32.8
Alcohol	13.50	12.88	11.76	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.72	12.55	11.27	Seriously considered attempting suicide	16.1	11.3	14.4
Marijuana	14.31	13.87	12.98	Made plan about how they would attempt suicide	11.5	8.3	9.2
Inhalants	12.06	12.58	11.17	Attempted suicide	5.2	3.9	5.4
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.8	2.0	1.4
Alcohol	17.5	20.5	21.6	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		12.3	15.6	Were threatened/injured with weapon at school	5.1	5.8	10.4
Cigarettes	12.1	12.3	13.4	Were in a physical fight	11.8	19.4	19.8
Chewing Tobacco	6.5	9.8	12.5	Were in a fight and had to be treated by a doctor or nurse	2.2	3.6	1.8
Marijuana	13.9	8.5	11.0	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.4	2.1	5.6	Were victims of mean rumors or lies spread at school	50.7	48.1	58.6
Prescription medications not prescribed for student	8.0	5.4	7.6	Were made fun of by others	62.4	59.1	68.4
Over-the-counter medications for non-medical use	2.9	4.1	7.9	Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.5	20.8	19.9
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	19.9	28.4	32.7
Alcohol (Binge: 5+ drinks on one occasion)	7.3			Made fun of other people	55.6	63.2	73.9
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	14.5	13.9	12.9
Alcohol	48.2	54.5	58.5	<i>Percent of students who agree that:</i>			
Cigarettes	42.7	42.9	43.9	Teachers notice and comment on student's good work	69.6	71.4	71.5
Marijuana	45.7	34.2	39.4	School provides feedback to parents on positive student performance	49.8	48.7	55.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	22.2	14.1	21.9	Rules are enforced fairly	65.5	62.3	61.3
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	79.9	78.7	74.9
Alcohol	32.5	32.2	34.3	<i>Percent of students who agree that:</i>			
Cigarettes	15.2	13.8	16.8	Parents notice and comment on student's good work	80.4	84.5	88.0
Marijuana	20.9	13.2	18.8	Parents involve student in making family decisions	68.5	71.1	73.2
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	87.5	88.4	79.2
Alcohol	55.7	58.6	62.3	Student could ask parent for help with a personal problem	74.9	75.2	78.9
Cigarettes	80.8	80.7	82.1	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	71.6	80.7	79.6	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	95.7	93.9				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	73.5	78.4	76.6				
Cigarettes	89.8	91.4	95.1				
Marijuana	88.5	93.9	97.2				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	52.5	56.7	60.1				
Cigarettes	53.1	51.1	54.1				
Marijuana	40.9	32.7	38.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.8	17.0	25.7				