

# PIKE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Use	15
Adult Psychiatric	15
<b>POPULATION</b>	
Census 2010	18,516
2014 Estimate	18,541

<b>BIRTH RISK</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Births--Total	196	236	219
Mother Reported Smoking while Pregnant	46	53	59

<b>DISEASE INCIDENCE</b> <sup>1</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	2	0
Hepatitis C Chronic and Acute	16	12	15
Tuberculosis Infection Cases	4	2	0

<b>DEATHS and INJURIES</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Deaths--Total	202	187	178
Suicides	4	3	4
Self-inflicted Injuries	27	47	51
Homicides	0	0	0
Assault Injuries	45	54	56
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	3	0	0
Smoking Attributable Deaths	41	40	30

<b>HOSPITAL EPISODES</b> <sup>2</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	95	90	127
Mental Illness Secondary Diagnosis	314	311	477
Alcohol Principal Diagnosis	9	14	6
Alcohol Secondary Diagnosis	25	21	37
Drug Principal Diagnosis	3	6	8
Drug Secondary Diagnosis	19	12	25
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	35	54	48
Mental Illness Secondary Diagnosis	251	262	129
Alcohol Principal Diagnosis	2	4	4
Alcohol Secondary Diagnosis	23	23	11
Drug Principal Diagnosis	2	7	2
Drug Secondary Diagnosis	11	8	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	166	148	132
Mental Illness Secondary Diagnosis	403	621	695
Alcohol Principal Diagnosis	30	30	20
Alcohol Secondary Diagnosis	51	28	41
Drug Principal Diagnosis	20	23	22
Drug Secondary Diagnosis	35	34	38

<b>ALCOHOL OUTLETS</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Alcohol On-Premise Drink Licenses	27	25	30
Alcohol Package Carry-out Licenses	21	22	25

<b>EMPLOYMENT</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Labor Force	8,132	9,172	8,862
Employed	7,667	8,629	8,272
Unemployed	465	543	590
Unemployment Rate	5.7%	5.9%	6.7%

<b>IMPAIRED DRIVING</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol Involved Crashes--Total	16	18	10
Fatal Crashes	0	2	0
Injury Crashes	7	10	7
Property Damage Crashes	9	6	3
Crash Fatalities	0	2	0
Crash Injuries	9	11	9
Drug Involved Crashes--Total	7	6	7
Fatal Crashes	0	2	0
Injury Crashes	0	2	3
Property Damage Crashes	7	2	4
Crash Fatalities	0	2	0
Crash Injuries	0	2	3

<b>POLICE REPORTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
DUI Arrests, DWI Tracking System	71	63	79
Liquor Law Arrests	28	6	17
Drug Arrests	45	40	48
Violent Offenses	20	15	45
Property Offenses	224	314	207
Domestic Violence Reports	126	94	138

	<b>2014</b>	<b>2013</b>	<b>2012</b>
Methamphetamine Lab Seizures	6	5	1

<b>SCHOOL REPORTS</b>	<b>2013-14</b>	<b>2012-13</b>	<b>2011-12</b>
Enrollment Grades 9-12	714	794	760
Drop-outs	4	19	20
Drop-out Rate	0.6%	2.4%	2.6%
School Discipline Involving Alcohol	8	2	0
School Discipline Involving Drugs	4	4	3
School Discipline Involving Tobacco	0	0	1

<b>JUVENILE COURT REFERRALS</b> <sup>3</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Juvenile Violent Offenses	22	27	24
Juvenile Alcohol Offenses	7	6	3
Juvenile Drug Offenses	3	5	6
School Truancy Status Offense	23	18	31
Absent from Home Status Offense	1	1	2
Beyond Parental Control Status Offense	4	8	7
Injurious Behavior Status Offense	11	8	8
Child Abuse	2	2	11
Child Neglect	48	33	64
Child Custody Issues	3	7	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Out-of-Home Placements--Total	28	27	34
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	1	4	11
Parental Alcohol and Drug Use	4	1	6

<b>CRIMINAL JUSTICE</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Drug Court Participants	4	1	0
Probation/Parole Admissions--Drug	79	53	51
Probation/Parole Admissions--DWI	9	9	5
Prison Admissions--Drug	26	22	23
Prison Admissions--DWI	3	3	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.  
 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.  
 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

# PIKE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	14	10	19
CSTAR Adolescent	10	7	10
CSTAR Women and Children	8	14	12
CSTAR General Adult	89	7	16
CSTAR Opioid	0	*	0
Primary Recovery Treatment	8	86	120
Clinical SATOP (CIP, YCIP, SROP)	11	14	12
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	55	66	70
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	8	13	22
- Weekend Intervention Program	13	17	16
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	0	5	11

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	119	112	164	Alcohol	51	53	77
<b>AGE</b>				Marijuana / Hashish	37	38	53
Under 18	9	7	11	Cocaine (total)	*	*	8
18 to 24	21	24	32	- Crack	*	0	*
25 to 29	30	23	36	Stimulant (total)	11	5	*
30 to 34	17	19	21	- Methamphetamine	9	5	*
35 to 39	15	10	8	Heroin	6	8	12
40 to 44	7	5	17	Analgesic except Heroin	9	*	7
45 to 54	14	18	30	- Non-Prescription Methadone	0	0	0
55 and Over	6	6	9	PCP, LSD, other Hallucinogen	0	*	0
<b>GENDER</b>				Tranquilizer	0	0	0
Male	80	79	116	Inhalant	0	*	0
Female	39	33	48	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	107	97	134	Average Age at First Use of Drug	17.8	16.2	16.7
African American	5	9	24	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	12	9	11
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	6	6	6	- Less than Weekly Injection Use	8	7	7
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	46	33	48	0	75	74	83
High School Graduate or G.E.D.	58	69	93	1 or 2	31	27	53
Associate Degree or Some College	15	8	22	3 or More	13	11	28
Bachelor or Advanced Degree	0	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	8	6	17
Employed	41	37	53	School	0	0	0
Unemployed	50	50	74	Mental Health Provider	*	0	*
Not in Labor Force	28	25	37	Health Care Provider	*	*	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	68	82	127
Independent Living	99	95	139	Other Referral Source	23	11	14
Dependent Living	19	15	20	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	0	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	*	6
Never Married	59	60	97	Special Education Services Needed	14	*	16
Married / Cohabiting	34	36	43	Co-Occurring Psychological Problem	28	25	42
Previously Married	26	16	24	Co-Occurring Developmental Problem	*	9	11

# PIKE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 18,516  
**2014 POPULATION ESTIMATE** 18,541

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Adjustment Disorder	16	7	7
Anxiety Disorder	70	58	61
Dementia	*	*	0
Developmental Disorder	8	10	10
Impulse Control Disorder	62	65	56
Mood Disorder	151	139	125
Personality Disorder	14	11	21
Psychotic Disorder	44	33	32
Sexual Disorder	*	*	0
Other Diagnosis	22	17	16
Diagnosis Unknown	11	7	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>		<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
<b>NUMBER SERVED</b>				<b>EDUCATION</b>			
Total Individuals	218	196	182	Less than High School Diploma	73	66	25
<b>AGE</b>				High School Grad or G.E.D.	0	*	31
Under 6	*	*	*	Associate Degree or Some College	0	*	14
6 to 9	12	12	11	Bachelor or Advanced Degree	0	0	*
10 to 13	17	14	14	Education Level Unknown	145	128	111
14 to 17	19	14	17	<b>EMPLOYMENT</b>			
18 to 24	27	29	23	Employed	18	22	7
25 to 29	11	16	16	Unemployed	10	14	58
30 to 34	17	12	15	Not in Labor Force	141	119	18
35 to 39	16	12	8	Employment Status Unknown	49	41	99
40 to 44	27	21	16	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	18	19	17	Independent Living	91	89	64
50 to 54	25	20	17	Dependent Living	62	54	30
55 to 59	15	13	14	Homeless	0	0	0
60 and Over	12	13	10	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	65	53	88
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	118	106	88	Self / Family / Friend	112	103	105
Female	100	90	94	School	7	7	7
Gender Unknown	0	0	0	Mental Health Provider	11	14	11
<b>RACE / ETHNICITY</b>				Health Care Provider	22	23	17
Caucasian	196	181	169	Court / Criminal Justice	*	5	*
African American	14	11	9	Other	62	44	39
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	216	194	182
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	5	5	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	8	8	9				

# PIKE COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	45.9	50.0	56.0	Alcohol (1 or 2 drinks daily)	52.3		
Cigarettes	28.4	24.0	31.9	Alcohol (Binge: 5+ drinks once or twice a week)	60.7		
Chewing Tobacco	10.5	17.8	19.7	Alcohol (any use)		62.7	75.5
Marijuana	18.1	14.5	13.8	Cigarettes (1+ packs per day)	74.3		
Inhalants	2.8	8.4	4.7	Cigarettes (any use)		71.1	78.8
Prescription medications not prescribed for student	7.8	9.1	10.5	Marijuana (once or twice a week)	54.6		
Over-the-counter medications for non-medical use	3.8	8.0	8.6	Marijuana (any use)		70.4	67.2
Methamphetamine	1.9	3.0	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	89.4	88.6	93.1
Cocaine	1.8	2.6	1.1	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.9	2.2	0.3	Were very sad	18.7	18.6	9.6
Hallucinogens	1.8	3.3	2.8	Were grouchy, irritable, or in a bad mood	25.3	23.7	17.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	3.3	1.7	Felt hopeless about the future	6.9	11.0	8.0
Steroids not prescribed for student	2.3	3.7	1.7	Felt like not eating or eating more than usual	13.2	15.0	12.4
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	8.8		Slept a lot more or a lot less than usual	21.0	15.3	19.7
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.1	22.0	25.6
Alcohol	12.83	12.12	12.52	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.87	12.00	12.64	Seriously considered attempting suicide	5.1	10.2	11.0
Marijuana	14.54	13.07	14.13	Made plan about how they would attempt suicide	3.8	8.4	6.6
Inhalants	12.37	11.09	11.06	Attempted suicide	2.8	6.2	5.5
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.9	2.2	2.3
Alcohol	16.4	24.8	31.1	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		17.5	22.0	Were threatened/injured with weapon at school	4.6	11.0	10.2
Cigarettes	11.9	14.0	15.2	Were in a physical fight	24.8	27.4	24.9
Chewing Tobacco	5.0	9.1	11.4	Were in a fight and had to be treated by a doctor or nurse	0.9	5.1	2.5
Marijuana	6.5	8.0	6.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.9	2.9	1.7	Were victims of mean rumors or lies spread at school	49.1	50.9	53.2
Prescription medications not prescribed for student	3.7	7.7	6.4	Were made fun of by others	57.1	59.6	67.1
Over-the-counter medications for non-medical use	1.9	5.1	6.4	Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.8	25.3	19.6
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	18.5	30.9	30.3
Alcohol (Binge: 5+ drinks on one occasion)	7.9			Made fun of other people	50.5	64.6	72.3
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	19.1	13.9	17.8
Alcohol	46.8	59.5	66.8	<i>Percent of students who agree that:</i>			
Cigarettes	45.2	47.3	50.4	Teachers notice and comment on student's good work	64.8	62.4	73.4
Marijuana	36.7	27.0	32.5	School provides feedback to parents on positive student performance	29.6	33.6	29.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.7	10.9	14.9	Rules are enforced fairly	67.3	55.7	63.3
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	83.0	73.6	78.2
Alcohol	35.8	36.5	47.5	<i>Percent of students who agree that:</i>			
Cigarettes	12.3	15.3	14.8	Parents notice and comment on student's good work	75.9	83.6	78.6
Marijuana	11.0	9.5	8.3	Parents involve student in making family decisions	69.4	71.7	67.6
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	90.8	84.1	82.6
Alcohol	51.4	52.9	43.4	Student could ask parent for help with a personal problem	79.8	76.4	75.1
Cigarettes	77.9	75.2	73.8	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	76.6	84.7	85.3				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	92.6	94.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	74.5	73.8	64.2				
Cigarettes	97.2	90.4	87.2				
Marijuana	93.1	94.1	94.1				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	50.9	57.5	69.3				
Cigarettes	49.5	52.6	64.9				
Marijuana	25.9	29.7	35.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.0	18.8	16.5				

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys