

POLK COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	31,137
2014 Estimate	31,054

BIRTH RISK	2013	2012	2011
Resident Births--Total	407	337	424
Mother Reported Smoking while Pregnant	81	79	83

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	1	1	0
Hepatitis B Chronic, Acute, Prenatal	3	8	2
Hepatitis C Chronic and Acute	25	36	35
Tuberculosis Infection Cases	10	5	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	349	321	352
Suicides	1	8	6
Self-inflicted Injuries	44	46	47
Homicides	1	1	2
Assault Injuries	82	98	93
Alcohol Induced Deaths	6	0	3
Drug Induced Deaths	6	5	9
Smoking Attributable Deaths	72	63	53

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	283	346	287
Mental Illness Secondary Diagnosis	332	333	344
Alcohol Principal Diagnosis	12	6	7
Alcohol Secondary Diagnosis	15	15	12
Drug Principal Diagnosis	15	16	9
Drug Secondary Diagnosis	22	25	20
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	125	132	127
Mental Illness Secondary Diagnosis	627	583	566
Alcohol Principal Diagnosis	23	16	11
Alcohol Secondary Diagnosis	56	44	46
Drug Principal Diagnosis	22	22	27
Drug Secondary Diagnosis	40	35	40
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	307	380	313
Mental Illness Secondary Diagnosis	2,465	2,751	1,285
Alcohol Principal Diagnosis	57	73	72
Alcohol Secondary Diagnosis	70	78	68
Drug Principal Diagnosis	66	69	61
Drug Secondary Diagnosis	145	101	87

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	12	13	18
Alcohol Package Carry-out Licenses	23	18	26

EMPLOYMENT	2014	2013	2012
Labor Force	14,206	13,949	14,282
Employed	13,319	13,045	13,224
Unemployed	887	904	1,058
Unemployment Rate	6.2%	6.5%	7.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	17	25	27
Fatal Crashes	2	1	4
Injury Crashes	4	16	14
Property Damage Crashes	11	8	9
Crash Fatalities	2	1	4
Crash Injuries	6	18	23
Drug Involved Crashes--Total	4	8	19
Fatal Crashes	0	0	0
Injury Crashes	3	3	11
Property Damage Crashes	1	5	8
Crash Fatalities	0	0	0
Crash Injuries	5	3	13

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	86	132	124
Liquor Law Arrests	22	48	39
Drug Arrests	117	125	152
Violent Offenses	115	128	142
Property Offenses	801	771	649
Domestic Violence Reports	250	245	243

	2014	2013	2012
Methamphetamine Lab Seizures	11	11	7

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,617	1,583	1,574
Drop-outs	15	15	37
Drop-out Rate	0.9%	0.9%	2.3%
School Discipline Involving Alcohol	0	7	9
School Discipline Involving Drugs	9	30	13
School Discipline Involving Tobacco	0	1	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	42	48	46
Juvenile Alcohol Offenses	2	17	4
Juvenile Drug Offenses	17	7	16
School Truancy Status Offense	9	17	19
Absent from Home Status Offense	8	7	10
Beyond Parental Control Status Offense	13	23	29
Injurious Behavior Status Offense	9	11	17
Child Abuse	29	28	24
Child Neglect	142	90	91
Child Custody Issues	0	0	4

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	31	20	22
Parental Alcohol Use Related	1	1	0
Parental Drug Use Related	9	11	7
Parental Alcohol and Drug Use	3	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	9	18	24
Probation/Parole Admissions--Drug	97	84	104
Probation/Parole Admissions--DWI	7	15	13
Prison Admissions--Drug	57	45	43
Prison Admissions--DWI	9	4	3

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

POLK COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	19	13	25
CSTAR Adolescent	6	7	9
CSTAR Women and Children	7	12	8
CSTAR General Adult	126	86	101
CSTAR Opioid	0	0	0
Primary Recovery Treatment	15	15	31
Clinical SATOP (CIP, YCIP, SROP)	22	12	14
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	88	91	109
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	34	36	46
- Weekend Intervention Program	18	19	23
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	12	13	5
Early Intervention	0	*	12

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	171	139	170	Alcohol	55	44	54
AGE				Marijuana / Hashish	49	30	45
Under 18	6	7	9	Cocaine (total)	0	*	*
18 to 24	30	29	34	- Crack	0	*	*
25 to 29	34	33	41	Stimulant (total)	47	34	37
30 to 34	30	20	19	- Methamphetamine	47	32	33
35 to 39	23	10	20	Heroin	*	*	*
40 to 44	21	13	14	Analgesic except Heroin	15	19	23
45 to 54	22	19	24	- Non-Prescription Methadone	0	0	0
55 and Over	5	8	9	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	5	*
Male	114	91	120	Inhalant	0	0	0
Female	57	48	50	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	159	137	166	Average Age at First Use of Drug	16.5	17.9	17.7
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	38	39	42
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	6
Hispanic	5	*	*	- Weekly Injection Use	*	9	9
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	31	28	27
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	53	63	74	0	104	83	97
High School Graduate or G.E.D.	90	51	64	1 or 2	50	31	43
Associate Degree or Some College	28	25	32	3 or More	17	25	30
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	18	37	36
Employed	67	34	45	School	0	0	*
Unemployed	57	59	71	Mental Health Provider	0	*	0
Not in Labor Force	47	46	54	Health Care Provider	8	*	8
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	135	89	119
Independent Living	157	120	143	Other Referral Source	10	7	6
Dependent Living	8	11	19	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	5	*
MARITAL / FAMILY STATUS				Military Veteran	5	*	7
Never Married	70	65	75	Special Education Services Needed	23	9	28
Married / Cohabiting	64	38	54	Co-Occurring Psychological Problem	74	44	43
Previously Married	37	36	41	Co-Occurring Developmental Problem	8	*	5

POLK COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 31,137
2014 POPULATION ESTIMATE 31,054

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	11	6	9
Anxiety Disorder	89	81	79
Dementia	*	0	*
Developmental Disorder	8	8	11
Impulse Control Disorder	32	28	28
Mood Disorder	127	125	131
Personality Disorder	32	32	34
Psychotic Disorder	62	69	74
Sexual Disorder	*	*	0
Other Diagnosis	28	17	22
Diagnosis Unknown	19	16	38

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	220	209	250	Less than High School Diploma	60	42	35
AGE				High School Grad or G.E.D.	0	0	53
Under 6	8	7	5	Associate Degree or Some College	0	0	20
6 to 9	10	11	11	Bachelor or Advanced Degree	0	0	5
10 to 13	13	8	15	Education Level Unknown	160	167	137
14 to 17	21	20	19	EMPLOYMENT			
18 to 24	15	21	24	Employed	7	*	12
25 to 29	21	18	18	Unemployed	7	*	97
30 to 34	18	12	22	Not in Labor Force	122	129	25
35 to 39	17	17	19	Employment Status Unknown	84	76	116
40 to 44	18	23	28	HOUSING / LIVING ARRANGEMENT			
45 to 49	25	25	25	Independent Living	55	55	71
50 to 54	17	15	23	Dependent Living	78	69	69
55 to 59	21	15	22	Homeless	*	*	*
60 and Over	16	17	19	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	85	81	108
GENDER				TREATMENT REFERRAL SOURCE			
Male	119	104	132	Self / Family / Friend	102	101	145
Female	101	105	118	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	8	9	9
RACE / ETHNICITY				Health Care Provider	40	42	32
Caucasian	198	189	227	Court / Criminal Justice	17	6	9
African American	*	*	*	Other	46	43	46
Native American / Alaskan	0	0	*	Referral Source Unknown	7	7	7
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	213	200	237
Other Race	15	14	14	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	9	5	6	Commitment Type Unknown	6	6	7
Past or Current Military Service	*	*	5				

POLK COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	25.4	36.5	39.0	Alcohol (1 or 2 drinks daily)	57.4		
Cigarettes	17.4	29.0	28.6	Alcohol (Binge: 5+ drinks once or twice a week)	69.2		
Chewing Tobacco	13.0	18.8	21.7	Alcohol (any use)		72.4	78.4
Marijuana	6.9	10.6	15.4	Cigarettes (1+ packs per day)	84.9		
Inhalants	3.6	8.7	6.5	Cigarettes (any use)		79.3	79.4
Prescription medications not prescribed for student	4.1	9.5	11.9	Marijuana (once or twice a week)	71.0		
Over-the-counter medications for non-medical use	0.8	5.8	7.2	Marijuana (any use)		74.8	71.7
Methamphetamine	0.5	2.2	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	92.5	93.5
Cocaine	0.5	1.0	1.5	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.8	0.6	Were very sad	15.5	20.0	23.7
Hallucinogens	0.5	3.0	2.6	Were grouchy, irritable, or in a bad mood	17.7	25.8	22.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	2.2	1.5	Felt hopeless about the future	9.8	12.5	11.2
Steroids not prescribed for student	0.5	1.5	1.0	Felt like not eating or eating more than usual	11.8	17.6	22.0
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	4.8		Slept a lot more or a lot less than usual	14.7	19.5	24.6
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	18.6	20.6	18.8
Alcohol	13.06	12.35	12.56	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.40	12.27	12.29	Seriously considered attempting suicide	8.4	10.8	10.4
Marijuana	13.37	13.30	13.69	Made plan about how they would attempt suicide	5.4	9.2	6.7
Inhalants	11.64	11.43	12.45	Attempted suicide	4.6	7.0	5.4
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.0	1.7	1.9
Alcohol	7.5	18.0	16.8	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		11.8	11.3	Were threatened/injured with weapon at school	6.9	5.8	10.1
Cigarettes	4.1	12.2	14.6	Were in a physical fight	14.6	21.6	24.5
Chewing Tobacco	5.9	11.2	11.1	Were in a fight and had to be treated by a doctor or nurse	3.1	4.6	3.4
Marijuana	3.3	5.3	7.9	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.8	2.7	3.2	Were victims of mean rumors or lies spread at school	45.4	53.1	57.2
Prescription medications not prescribed for student	1.0	6.5	7.9	Were made fun of by others	53.5	64.7	71.6
Over-the-counter medications for non-medical use	0.5	4.3	4.7	Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.2	22.4	19.5
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	22.0	29.3	32.5
Alcohol (Binge: 5+ drinks on one occasion)	2.1			Made fun of other people	49.7	67.2	69.6
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	11.0	11.7	14.7
Alcohol	35.5	45.7	58.0	<i>Percent of students who agree that:</i>			
Cigarettes	21.4	38.9	50.1	Teachers notice and comment on student's good work	74.8	71.0	75.1
Marijuana	18.5	28.0	32.8	School provides feedback to parents on positive student performance	50.4	41.8	42.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.9	11.1	16.7	Rules are enforced fairly	65.9	59.9	66.2
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	84.4	77.1	79.9
Alcohol	16.6	31.2	31.7	<i>Percent of students who agree that:</i>			
Cigarettes	8.2	13.5	16.6	Parents notice and comment on student's good work	86.0	80.1	84.6
Marijuana	6.4	10.4	12.0	Parents involve student in making family decisions	73.7	64.5	69.8
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	89.7	86.6	85.7
Alcohol	76.7	67.2	59.9	Student could ask parent for help with a personal problem	81.4	69.8	76.8
Cigarettes	86.3	80.5	76.8	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	90.4	84.1	82.4	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	95.5	94.1				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	87.2	80.8	79.1				
Cigarettes	94.4	87.5	88.6				
Marijuana	96.4	92.6	94.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	43.4	52.6	56.9				
Cigarettes	44.5	57.2	59.8				
Marijuana	21.4	28.6	36.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	14.0	19.5				