

# RIPLEY COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Use	19
Adult Psychiatric	19
<b>POPULATION</b>	
Census 2010	14,100
2014 Estimate	13,969

<b>BIRTH RISK</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Births--Total	177	182	174
Mother Reported Smoking while Pregnant	41	58	46

<b>DISEASE INCIDENCE</b> <sup>1</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	17	20	10
Tuberculosis Infection Cases	1	1	4

<b>DEATHS and INJURIES</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Deaths--Total	189	176	195
Suicides	3	1	1
Self-inflicted Injuries	38	36	40
Homicides	1	0	0
Assault Injuries	61	54	55
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	1	4
Smoking Attributable Deaths	44	43	43

<b>HOSPITAL EPISODES</b> <sup>2</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
<b>Hospitalization, no Emergency Room:</b>			
Mental Illness Principal Diagnosis	132	152	149
Mental Illness Secondary Diagnosis	315	286	334
Alcohol Principal Diagnosis	6	11	3
Alcohol Secondary Diagnosis	29	33	30
Drug Principal Diagnosis	21	14	14
Drug Secondary Diagnosis	20	20	12
<b>Emergency Room + Hospitalization:</b>			
Mental Illness Principal Diagnosis	28	24	36
Mental Illness Secondary Diagnosis	239	283	288
Alcohol Principal Diagnosis	3	2	1
Alcohol Secondary Diagnosis	14	10	16
Drug Principal Diagnosis	3	6	4
Drug Secondary Diagnosis	16	11	7
<b>Emergency Room, no Hospitalization:</b>			
Mental Illness Principal Diagnosis	216	199	230
Mental Illness Secondary Diagnosis	302	197	309
Alcohol Principal Diagnosis	21	22	18
Alcohol Secondary Diagnosis	32	22	14
Drug Principal Diagnosis	44	38	34
Drug Secondary Diagnosis	52	56	44

<b>ALCOHOL OUTLETS</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Alcohol On-Premise Drink Licenses	13	14	14
Alcohol Package Carry-out Licenses	17	17	17

<b>EMPLOYMENT</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Labor Force	5,497	6,843	6,773
Employed	5,053	6,370	6,218
Unemployed	444	473	555
Unemployment Rate	8.1%	6.9%	8.2%

<b>IMPAIRED DRIVING</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol Involved Crashes--Total	18	18	28
Fatal Crashes	1	2	2
Injury Crashes	7	8	15
Property Damage Crashes	10	8	11
Crash Fatalities	2	2	2
Crash Injuries	8	18	22
Drug Involved Crashes--Total	4	8	8
Fatal Crashes	0	0	1
Injury Crashes	3	4	6
Property Damage Crashes	1	4	1
Crash Fatalities	0	0	1
Crash Injuries	4	5	8

<b>POLICE REPORTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
DUI Arrests, DWI Tracking System	61	100	79
Liquor Law Arrests	15	23	14
Drug Arrests	135	117	81
Violent Offenses	41	45	32
Property Offenses	499	479	453
Domestic Violence Reports	132	98	85

	<b>2014</b>	<b>2013</b>	<b>2012</b>
Methamphetamine Lab Seizures	0	1	10

<b>SCHOOL REPORTS</b>	<b>2013-14</b>	<b>2012-13</b>	<b>2011-12</b>
Enrollment Grades 9-12	566	560	573
Drop-outs	13	18	14
Drop-out Rate	2.3%	3.2%	2.4%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	3	5	7
School Discipline Involving Tobacco	0	0	1

<b>JUVENILE COURT REFERRALS</b> <sup>3</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Juvenile Violent Offenses	25	27	31
Juvenile Alcohol Offenses	1	0	0
Juvenile Drug Offenses	10	5	4
School Truancy Status Offense	19	25	43
Absent from Home Status Offense	6	6	5
Beyond Parental Control Status Offense	8	6	13
Injurious Behavior Status Offense	1	1	0
Child Abuse	1	1	3
Child Neglect	53	80	48
Child Custody Issues	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Out-of-Home Placements--Total	22	44	14
Parental Alcohol Use Related	0	2	0
Parental Drug Use Related	13	24	1
Parental Alcohol and Drug Use	2	1	4

<b>CRIMINAL JUSTICE</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Drug Court Participants	15	21	20
Probation/Parole Admissions--Drug	34	32	31
Probation/Parole Admissions--DWI	1	4	1
Prison Admissions--Drug	14	15	10
Prison Admissions--DWI	2	1	0

<sup>1</sup> All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.  
<sup>2</sup> Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.  
<sup>3</sup> Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

# RIPLEY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	14	18	17
CSTAR Adolescent	7	8	6
CSTAR Women and Children	12	11	8
CSTAR General Adult	54	61	42
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	22	57
Clinical SATOP (CIP, YCIP, SROP)	9	16	15
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	43	41	49
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	13	17	11
- Weekend Intervention Program	11	11	7
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	24	13	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	96	111	121	Alcohol	25	34	35
<b>AGE</b>				Marijuana / Hashish	19	25	35
Under 18	7	8	7	Cocaine (total)	0	*	*
18 to 24	13	17	27	- Crack	0	0	*
25 to 29	15	19	26	Stimulant (total)	31	23	22
30 to 34	22	31	22	- Methamphetamine	31	22	21
35 to 39	14	11	8	Heroin	5	*	*
40 to 44	11	7	10	Analgesic except Heroin	16	16	21
45 to 54	11	11	19	- Non-Prescription Methadone	0	0	0
55 and Over	*	7	*	PCP, LSD, other Hallucinogen	0	*	0
<b>GENDER</b>				Tranquilizer	0	7	*
Male	61	67	67	Inhalant	0	0	0
Female	35	44	54	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	0	*
Caucasian	93	110	120	Average Age at First Use of Drug	20.1	19.4	18.3
African American	*	0	0	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	18	20	13
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	9	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	7	13	8
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	31	49	52	0	60	68	86
High School Graduate or G.E.D.	52	53	53	1 or 2	23	31	33
Associate Degree or Some College	12	7	16	3 or More	13	12	*
Bachelor or Advanced Degree	*	*	0	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	22	24	24
Employed	22	21	34	School	*	0	0
Unemployed	44	49	45	Mental Health Provider	0	*	*
Not in Labor Force	30	41	42	Health Care Provider	13	12	9
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	35	49	65
Independent Living	79	88	103	Other Referral Source	17	17	21
Dependent Living	15	21	13	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	9	6	8
Never Married	37	42	43	Special Education Services Needed	5	13	18
Married / Cohabiting	29	40	45	Co-Occurring Psychological Problem	42	52	53
Previously Married	30	29	33	Co-Occurring Developmental Problem	7	11	10

# RIPLEY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 14,100  
**2014 POPULATION ESTIMATE** 13,969

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	26	18	17
Dementia	0	0	*
Developmental Disorder	*	0	0
Impulse Control Disorder	10	12	6
Mood Disorder	99	97	79
Personality Disorder	*	*	*
Psychotic Disorder	17	13	15
Sexual Disorder	*	*	0
Other Diagnosis	*	*	*
Diagnosis Unknown	14	8	16

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>		<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
<b>NUMBER SERVED</b>				<b>EDUCATION</b>			
Total Individuals	163	148	129	Less than High School Diploma	53	34	18
<b>AGE</b>				High School Grad or G.E.D.	0	0	35
Under 6	0	*	0	Associate Degree or Some College	0	0	6
6 to 9	9	9	*	Bachelor or Advanced Degree	0	0	*
10 to 13	13	9	*	Education Level Unknown	110	114	68
14 to 17	10	9	*	<b>EMPLOYMENT</b>			
18 to 24	16	12	19	Employed	7	0	*
25 to 29	14	18	14	Unemployed	10	*	56
30 to 34	17	12	9	Not in Labor Force	97	70	6
35 to 39	13	12	7	Employment Status Unknown	49	76	64
40 to 44	12	11	21	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	14	17	14	Independent Living	82	47	56
50 to 54	16	18	14	Dependent Living	26	29	9
55 to 59	18	11	9	Homeless	*	0	*
60 and Over	11	9	12	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	51	72	62
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	70	63	45	Self / Family / Friend	53	51	37
Female	93	85	84	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	13	11	18
<b>RACE / ETHNICITY</b>				Health Care Provider	41	42	37
Caucasian	159	145	127	Court / Criminal Justice	18	15	17
African American	*	0	0	Other	36	27	19
Native American / Alaskan	0	*	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	161	148	126
Other Race	*	*	*	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	10	10	8	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# RIPLEY COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		41.7	46.5	Alcohol (1 or 2 drinks daily)			
Cigarettes		22.2	36.5	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		17.5	22.2	Alcohol (any use)	73.0	72.3	
Marijuana		15.5	19.6	Cigarettes (1+ packs per day)			
Inhalants		4.0	9.1	Cigarettes (any use)	90.1	80.8	
Prescription medications not prescribed for student		11.1	15.1	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		10.7	7.4	Marijuana (any use)	80.6	74.1	
Methamphetamine		1.6	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	98.8	94.0	
Cocaine		3.2	2.1	<i>Percent of students who, in past 30 days:</i>			
Heroin		0.8	0.7	Were very sad	23.7	12.2	
Hallucinogens		2.4	2.1	Were grouchy, irritable, or in a bad mood	21.8	18.6	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.4	1.4	Felt hopeless about the future	6.5	10.6	
Steroids not prescribed for student		0.8	0.7	Felt like not eating or eating more than usual	15.8	12.9	
Synthetic drugs (K2, bath salts, Spice, etc)		7.1		Slept a lot more or a lot less than usual	13.0	23.6	
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	18.7	23.6	
Alcohol	12.96	12.09		<i>Percent of students who, in past 12 months:</i>			
Cigarettes	11.73	11.81		Seriously considered attempting suicide	6.4	10.8	
Marijuana	13.46	12.92		Made plan about how they would attempt suicide	4.8	10.5	
Inhalants	13.83	12.89		Attempted suicide	1.6	4.9	
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.4	1.8	
Alcohol	13.1	21.2		<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)	7.5	14.9		Were threatened/injured with weapon at school	5.2	7.7	
Cigarettes	11.9	17.5		Were in a physical fight	25.0	24.0	
Chewing Tobacco	10.7	12.0		Were in a fight and had to be treated by a doctor or nurse	0.8	4.2	
Marijuana	11.5	10.2		<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0	3.9		Were victims of mean rumors or lies spread at school	55.2	58.8	
Prescription medications not prescribed for student	4.3	8.8		Were made fun of by others	62.6	67.6	
Over-the-counter medications for non-medical use	5.6	4.3		Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.4	15.3	
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	26.1	31.6	
Alcohol (Binge: 5+ drinks on one occasion)				Made fun of other people	66.9	75.3	
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	11.7	14.7	
Alcohol	48.4	62.1		<i>Percent of students who agree that:</i>			
Cigarettes	42.5	53.0		Teachers notice and comment on student's good work	60.7	68.1	
Marijuana	35.5	39.0		School provides feedback to parents on positive student performance	41.5	33.3	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.9	17.5		Rules are enforced fairly	59.3	52.6	
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	83.3	78.9	
Alcohol	31.0	33.9		<i>Percent of students who agree that:</i>			
Cigarettes	11.5	16.9		Parents notice and comment on student's good work	76.6	84.5	
Marijuana	12.7	14.0		Parents involve student in making family decisions	68.3	68.3	
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	88.9	85.2	
Alcohol	61.1	59.1		Student could ask parent for help with a personal problem	80.2	75.2	
Cigarettes	86.1	76.7		<p>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</p> <p>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</p>			
Marijuana	87.7	81.9					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	95.4					
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	79.8	76.9					
Cigarettes	92.1	90.5					
Marijuana	95.5	93.6					
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	50.2	56.5					
Cigarettes	54.8	62.5					
Marijuana	42.3	42.8					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	17.2					