

SCHUYLER COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	4,431
2014 Estimate	4,370

BIRTH RISK	2013	2012	2011
Resident Births--Total	65	53	58
Mother Reported Smoking while Pregnant	14	12	13

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	1	1	1
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	60	51	40
Suicides	1	1	3
Self-inflicted Injuries	1	1	0
Homicides	0	0	0
Assault Injuries	7	16	5
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	11	8	8

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	11	18	15
Mental Illness Secondary Diagnosis	124	167	139
Alcohol Principal Diagnosis	3	4	2
Alcohol Secondary Diagnosis	15	10	5
Drug Principal Diagnosis	1	1	2
Drug Secondary Diagnosis	5	1	3
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3	9	6
Mental Illness Secondary Diagnosis	16	9	8
Alcohol Principal Diagnosis	1	0	0
Alcohol Secondary Diagnosis	3	0	1
Drug Principal Diagnosis	1	1	1
Drug Secondary Diagnosis	1	2	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	20	20	15
Mental Illness Secondary Diagnosis	32	38	32
Alcohol Principal Diagnosis	4	3	2
Alcohol Secondary Diagnosis	1	5	3
Drug Principal Diagnosis	3	3	0
Drug Secondary Diagnosis	1	2	0

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	6	7	7
Alcohol Package Carry-out Licenses	9	10	9

EMPLOYMENT	2014	2013	2012
Labor Force	1,943	2,155	1,959
Employed	1,806	2,017	1,821
Unemployed	137	138	138
Unemployment Rate	7.1%	6.4%	7.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	4	5	4
Fatal Crashes	1	0	0
Injury Crashes	2	4	4
Property Damage Crashes	1	1	0
Crash Fatalities	1	0	0
Crash Injuries	3	6	4
Drug Involved Crashes--Total	1	1	0
Fatal Crashes	1	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	1	0	0
Crash Injuries	1	1	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	30	53	48
Liquor Law Arrests	4	3	0
Drug Arrests	12	12	2
Violent Offenses	4	4	1
Property Offenses	22	27	44
Domestic Violence Reports	13	1	0

	2014	2013	2012
Methamphetamine Lab Seizures	0	1	10

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	184	196	216
Drop-outs	1	3	4
Drop-out Rate	0.5%	1.5%	1.9%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	2	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	1	5	1
Juvenile Alcohol Offenses	0	4	0
Juvenile Drug Offenses	0	1	0
School Truancy Status Offense	0	13	2
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	7	5	9
Injurious Behavior Status Offense	1	15	8
Child Abuse	5	11	15
Child Neglect	28	33	41
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	13	12	9
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	7	5	3
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	2	1	0
Probation/Parole Admissions--DWI	0	2	1
Prison Admissions--Drug	2	0	0
Prison Admissions--DWI	1	1	1

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SCHUYLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	0	*
CSTAR Adolescent	*	*	6
CSTAR Women and Children	*	0	0
CSTAR General Adult	24	27	18
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	*	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	10	25	25
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	*	9	5
- Weekend Intervention Program	*	7	6
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	7	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	27	35	33	Alcohol	7	13	18
AGE				Marijuana / Hashish	10	13	10
Under 18	*	*	7	Cocaine (total)	*	0	0
18 to 24	*	11	11	- Crack	0	0	0
25 to 29	9	5	0	Stimulant (total)	6	5	*
30 to 34	*	7	*	- Methamphetamine	6	5	*
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	*	*	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	16	21	22	Inhalant	0	0	0
Female	11	14	11	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	27	35	33	Average Age at First Use of Drug	18.3	17.0	15.3
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	13	11	12	0	18	20	21
High School Graduate or G.E.D.	11	19	17	1 or 2	9	12	9
Associate Degree or Some College	*	*	*	3 or More	0	*	*
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	5	*
Employed	*	18	12	School	0	0	0
Unemployed	6	*	*	Mental Health Provider	0	*	*
Not in Labor Force	17	15	17	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	*	6	19
Independent Living	23	33	26	Other Referral Source	8	8	7
Dependent Living	*	*	7	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	15	16	21	Special Education Services Needed	*	*	*
Married / Cohabiting	7	12	6	Co-Occurring Psychological Problem	15	21	14
Previously Married	5	7	6	Co-Occurring Developmental Problem	*	0	*

SCHUYLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 4,431
2014 POPULATION ESTIMATE 4,370

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	19	22	11
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	17	12	6
Mood Disorder	27	24	19
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	9	10	7
Diagnosis Unknown	*	*	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	40	45	39	Less than High School Diploma	22	29	10
AGE				High School Grad or G.E.D.	0	*	7
Under 6	0	0	0	Associate Degree or Some College	0	0	*
6 to 9	*	6	*	Bachelor or Advanced Degree	0	0	0
10 to 13	6	11	8	Education Level Unknown	18	15	21
14 to 17	9	10	8	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	*	12
30 to 34	*	0	0	Not in Labor Force	32	37	6
35 to 39	*	*	*	Employment Status Unknown	5	5	20
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	5	5	Independent Living	15	14	14
50 to 54	*	*	*	Dependent Living	18	26	9
55 to 59	0	*	*	Homeless	0	*	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	7	*	16
GENDER				TREATMENT REFERRAL SOURCE			
Male	19	19	19	Self / Family / Friend	7	14	12
Female	21	26	20	School	0	*	0
Gender Unknown	0	0	0	Mental Health Provider	0	0	0
RACE / ETHNICITY				Health Care Provider	8	7	5
Caucasian	40	42	39	Court / Criminal Justice	*	*	*
African American	0	*	0	Other	23	21	20
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	39	44	38
Other Race	0	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	0	0	Commitment Type Unknown	*	*	*
Past or Current Military Service	0	0	0				

SCHUYLER COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	45.6			Alcohol (1 or 2 drinks daily)	47.4		
Cigarettes	35.1			Alcohol (Binge: 5+ drinks once or twice a week)	57.9		
Chewing Tobacco	31.6			Alcohol (any use)			
Marijuana	10.7			Cigarettes (1+ packs per day)	76.4		
Inhalants	5.3			Cigarettes (any use)			
Prescription medications not prescribed for student	10.5			Marijuana (once or twice a week)	71.9		
Over-the-counter medications for non-medical use	1.8			Marijuana (any use)			
Methamphetamine	1.8			Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2		
Cocaine	0.0			<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0			Were very sad	19.3		
Hallucinogens	1.8			Were grouchy, irritable, or in a bad mood	29.8		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0			Felt hopeless about the future	8.8		
Steroids not prescribed for student	0.0			Felt like not eating or eating more than usual	16.1		
Synthetic drugs (K2, bath salts, Spice, etc)	5.3			Slept a lot more or a lot less than usual	14.0		
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	19.3		
Alcohol	12.48			<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.33			Seriously considered attempting suicide	8.8		
Marijuana	13.91			Made plan about how they would attempt suicide	8.8		
Inhalants	13.00			Attempted suicide	3.5		
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0		
Alcohol	29.8			<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)				Were threatened/injured with weapon at school	3.5		
Cigarettes	17.9			Were in a physical fight	26.3		
Chewing Tobacco	17.5			Were in a fight and had to be treated by a doctor or nurse	3.5		
Marijuana	5.3			<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0			Were victims of mean rumors or lies spread at school	63.2		
Prescription medications not prescribed for student	3.5			Were made fun of by others	64.3		
Over-the-counter medications for non-medical use	1.8			Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.3		
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	28.1		
Alcohol (Binge: 5+ drinks on one occasion)	14.0			Made fun of other people	64.3		
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	19.3		
Alcohol	61.4			<i>Percent of students who agree that:</i>			
Cigarettes	54.4			Teachers notice and comment on student's good work	68.4		
Marijuana	22.8			School provides feedback to parents on positive student performance	38.6		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5			Rules are enforced fairly	52.6		
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	78.6		
Alcohol	43.1			<i>Percent of students who agree that:</i>			
Cigarettes	24.6			Parents notice and comment on student's good work	80.7		
Marijuana	5.4			Parents involve student in making family decisions	64.9		
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	85.7		
Alcohol	49.1			Student could ask parent for help with a personal problem	80.4		
Cigarettes	69.6			<p>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</p> <p>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</p>			
Marijuana	89.1						
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5						
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	70.2						
Cigarettes	87.7						
Marijuana	96.5						
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	68.4						
Cigarettes	68.4						
Marijuana	29.8						
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7						