

SCOTLAND COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	4,843
2014 Estimate	4,863

BIRTH RISK	2013	2012	2011
Resident Births--Total	82	78	80
Mother Reported Smoking while Pregnant	12	13	13

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	3	1
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	60	52	55
Suicides	0	0	1
Self-inflicted Injuries	2	3	3
Homicides	0	0	0
Assault Injuries	2	3	8
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	1	0
Smoking Attributable Deaths	10	10	10

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	11	11	12
Mental Illness Secondary Diagnosis	165	209	139
Alcohol Principal Diagnosis	2	2	3
Alcohol Secondary Diagnosis	13	15	5
Drug Principal Diagnosis	1	0	0
Drug Secondary Diagnosis	6	2	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	5	4	2
Mental Illness Secondary Diagnosis	14	9	4
Alcohol Principal Diagnosis	0	1	1
Alcohol Secondary Diagnosis	2	5	1
Drug Principal Diagnosis	1	0	1
Drug Secondary Diagnosis	3	2	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	29	29	24
Mental Illness Secondary Diagnosis	79	140	67
Alcohol Principal Diagnosis	1	2	1
Alcohol Secondary Diagnosis	1	11	1
Drug Principal Diagnosis	3	2	1
Drug Secondary Diagnosis	5	2	3

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	7	7	8
Alcohol Package Carry-out Licenses	5	5	7

EMPLOYMENT	2014	2013	2012
Labor Force	2,399	2,480	2,422
Employed	2,283	2,360	2,307
Unemployed	116	120	115
Unemployment Rate	4.8%	4.8%	4.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	5	2	2
Fatal Crashes	0	0	0
Injury Crashes	1	0	2
Property Damage Crashes	4	2	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	3
Drug Involved Crashes--Total	0	0	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	10	17	22
Liquor Law Arrests	4	1	3
Drug Arrests	19	14	14
Violent Offenses	2	3	1
Property Offenses	54	84	51
Domestic Violence Reports	16	19	7

Methamphetamine Lab Seizures	2014	2013	2012
	0	1	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	186	173	176
Drop-outs	1	2	3
Drop-out Rate	0.5%	1.2%	1.7%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	1	3	3
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	2	1	5
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	3	4	8
Injurious Behavior Status Offense	8	13	15
Child Abuse	5	19	7
Child Neglect	29	44	37
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	11	11	11
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	6	2	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	6	6	3
Probation/Parole Admissions--Drug	11	18	6
Probation/Parole Admissions--DWI	3	3	3
Prison Admissions--Drug	12	11	3
Prison Admissions--DWI	2	3	1

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SCOTLAND COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	*	0	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	16	14	20
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	6
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	15	20	16
- Adolescent Diversion Education Program	6	*	*
- Offender Education Program	*	6	*
- Weekend Intervention Program	*	5	5
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	*	6	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	22	22	26	Alcohol	5	11	15
AGE				Marijuana / Hashish	11	9	7
Under 18	*	0	*	Cocaine (total)	0	0	0
18 to 24	5	6	*	- Crack	0	0	0
25 to 29	5	7	5	Stimulant (total)	*	0	*
30 to 34	5	*	*	- Methamphetamine	*	0	*
35 to 39	5	*	5	Heroin	0	0	0
40 to 44	0	*	*	Analgesic except Heroin	*	*	*
45 to 54	*	*	5	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	10	17	21	Inhalant	0	0	0
Female	12	5	5	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	21	19	24	Average Age at First Use of Drug	16.5	16.9	16.6
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	0	0	0	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	0	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	7	6	*	0	14	11	13
High School Graduate or G.E.D.	11	14	18	1 or 2	6	7	11
Associate Degree or Some College	*	*	*	3 or More	*	*	*
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	*	6
Employed	8	7	12	School	0	0	0
Unemployed	*	7	8	Mental Health Provider	0	0	0
Not in Labor Force	10	8	6	Health Care Provider	0	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	8	13	12
Independent Living	15	20	23	Other Referral Source	9	*	7
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	11	15	10	Special Education Services Needed	*	*	*
Married / Cohabiting	7	6	9	Co-Occurring Psychological Problem	10	8	10
Previously Married	*	*	7	Co-Occurring Developmental Problem	0	0	0

SCOTLAND COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 4,843
2014 POPULATION ESTIMATE 4,863

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	0	*
Anxiety Disorder	15	9	10
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	14	12	10
Mood Disorder	24	22	20
Personality Disorder	*	*	*
Psychotic Disorder	0	0	0
Sexual Disorder	0	0	0
Other Diagnosis	8	7	6
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	30	30	34	Less than High School Diploma	18	14	8
AGE				High School Grad or G.E.D.	0	0	5
Under 6	0	0	*	Associate Degree or Some College	0	0	*
6 to 9	5	6	6	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	12	16	19
14 to 17	6	5	5	EMPLOYMENT			
18 to 24	*	*	5	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	0	11
30 to 34	*	*	*	Not in Labor Force	25	23	6
35 to 39	0	0	0	Employment Status Unknown	*	*	16
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	5	Independent Living	12	14	14
50 to 54	*	*	*	Dependent Living	15	12	12
55 to 59	0	0	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	*	8
GENDER				TREATMENT REFERRAL SOURCE			
Male	5	5	5	Self / Family / Friend	8	12	12
Female	25	25	29	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	0	*
RACE / ETHNICITY				Health Care Provider	5	5	*
Caucasian	29	30	34	Court / Criminal Justice	0	0	0
African American	0	0	0	Other	17	13	17
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	0	Voluntary	30	30	34
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

SCOTLAND COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		36.5	34.7	Alcohol (1 or 2 drinks daily)			
Cigarettes		22.1	22.5	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		11.6	12.6	Alcohol (any use)	68.6	83.9	
Marijuana		5.8	5.8	Cigarettes (1+ packs per day)			
Inhalants		3.5	4.1	Cigarettes (any use)	70.6	80.7	
Prescription medications not prescribed for student		7.0	9.9	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		3.5	4.1	Marijuana (any use)	79.1	64.2	
Methamphetamine		1.2	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	95.8	
Cocaine		1.2	0.0	<i>Percent of students who, in past 30 days:</i>			
Heroin		2.4	0.8	Were very sad	16.3	31.4	
Hallucinogens		2.4	2.5	Were grouchy, irritable, or in a bad mood	22.1	27.7	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.2	3.5	Felt hopeless about the future	8.2	16.0	
Steroids not prescribed for student		1.2	0.8	Felt like not eating or eating more than usual	12.8	26.7	
Synthetic drugs (K2, bath salts, Spice, etc)		7.0		Slept a lot more or a lot less than usual	22.1	24.8	
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.4	24.2	
Alcohol	12.25	12.63		<i>Percent of students who, in past 12 months:</i>			
Cigarettes	11.94	12.90		Seriously considered attempting suicide	10.5	10.7	
Marijuana	13.06	12.96		Made plan about how they would attempt suicide	10.5	7.4	
Inhalants		11.91		Attempted suicide	7.0	5.0	
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.3	2.5	
Alcohol		16.5	19.0	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		12.9	11.7	Were threatened/injured with weapon at school	4.7	7.5	
Cigarettes		12.9	12.5	Were in a physical fight	15.3	16.7	
Chewing Tobacco		5.8	5.9	Were in a fight and had to be treated by a doctor or nurse	3.5	3.3	
Marijuana		1.2	3.3	<i>Percent of students who, in past 3 months:</i>			
Inhalants		1.2	0.8	Were victims of mean rumors or lies spread at school	47.7	53.3	
Prescription medications not prescribed for student		3.5	9.1	Were made fun of by others	62.4	64.2	
Over-the-counter medications for non-medical use		2.3	3.3	Were victims of an embarrassing or hurtful text message or something posted on the internet	22.1	17.5	
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	21.2	30.0	
Alcohol (Binge: 5+ drinks on one occasion)				Made fun of other people	57.0	72.7	
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	7.1	12.5	
Alcohol		49.4	61.7	<i>Percent of students who agree that:</i>			
Cigarettes		44.7	50.4	Teachers notice and comment on student's good work	62.4	74.2	
Marijuana		15.1	15.8	School provides feedback to parents on positive student performance	37.6	31.4	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.1	10.1	Rules are enforced fairly	54.7	70.0	
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	85.9	79.7	
Alcohol		30.2	36.1	<i>Percent of students who agree that:</i>			
Cigarettes		15.1	14.0	Parents notice and comment on student's good work	85.9	87.4	
Marijuana		5.8	7.5	Parents involve student in making family decisions	64.7	71.4	
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	88.1	81.0	
Alcohol		55.8	57.5	Student could ask parent for help with a personal problem	76.5	75.2	
Cigarettes		75.3	76.7	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana		89.4	88.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		98.8	95.7				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol		80.0	71.2				
Cigarettes		91.8	86.3				
Marijuana		96.4	96.7				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol		55.8	64.7				
Cigarettes		54.1	61.7				
Marijuana		23.5	21.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.0	12.5				

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys