

SHANNON COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	8,441
2014 Estimate	8,329

BIRTH RISK	2013	2012	2011
Resident Births--Total	94	103	80
Mother Reported Smoking while Pregnant	27	23	24

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	9	9	2
Tuberculosis Infection Cases	0	1	3

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	102	91	91
Suicides	1	1	0
Self-inflicted Injuries	11	8	12
Homicides	0	0	1
Assault Injuries	21	20	22
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	2	0
Smoking Attributable Deaths	23	17	16

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	60	59	70
Mental Illness Secondary Diagnosis	144	130	182
Alcohol Principal Diagnosis	3	6	2
Alcohol Secondary Diagnosis	9	17	9
Drug Principal Diagnosis	24	8	8
Drug Secondary Diagnosis	10	14	13
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	12	7	3
Mental Illness Secondary Diagnosis	79	64	25
Alcohol Principal Diagnosis	1	1	1
Alcohol Secondary Diagnosis	6	6	2
Drug Principal Diagnosis	2	3	0
Drug Secondary Diagnosis	8	4	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	52	49	53
Mental Illness Secondary Diagnosis	138	138	165
Alcohol Principal Diagnosis	11	9	6
Alcohol Secondary Diagnosis	13	7	17
Drug Principal Diagnosis	7	9	9
Drug Secondary Diagnosis	11	10	12

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	8	10	7
Alcohol Package Carry-out Licenses	15	15	15

EMPLOYMENT	2014	2013	2012
Labor Force	3,404	3,485	3,067
Employed	3,082	3,187	2,743
Unemployed	322	298	324
Unemployment Rate	9.5%	8.6%	10.6%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	12	12	9
Fatal Crashes	2	0	0
Injury Crashes	5	6	8
Property Damage Crashes	5	6	1
Crash Fatalities	2	0	0
Crash Injuries	9	11	12
Drug Involved Crashes--Total	1	1	1
Fatal Crashes	0	0	0
Injury Crashes	1	1	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	1	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	27	44	48
Liquor Law Arrests	11	17	20
Drug Arrests	105	134	90
Violent Offenses	21	32	11
Property Offenses	95	131	144
Domestic Violence Reports	11	31	19
	2014	2013	2012
Methamphetamine Lab Seizures	2	1	1
SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	240	222	246
Drop-outs	0	0	0
Drop-out Rate	0.0%	0.0%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	6	7	1
Juvenile Alcohol Offenses	1	0	1
Juvenile Drug Offenses	2	2	1
School Truancy Status Offense	14	4	12
Absent from Home Status Offense	0	2	1
Beyond Parental Control Status Offense	2	6	9
Injurious Behavior Status Offense	3	10	5
Child Abuse	3	1	0
Child Neglect	5	3	10
Child Custody Issues	4	8	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	4	0	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	12	12	18
Probation/Parole Admissions--DWI	0	5	4
Prison Admissions--Drug	6	7	8
Prison Admissions--DWI	2	3	1

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SHANNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	9	12	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	19	16	12
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	5	7
Clinical SATOP (CIP, YCIP, SROP)	*	*	9
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	24	21	27
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	12	18	12
- Weekend Intervention Program	*	*	*
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	31	36	30	Alcohol	9	7	11
AGE				Marijuana / Hashish	6	6	9
Under 18	*	*	*	Cocaine (total)	0	0	*
18 to 24	7	11	*	- Crack	0	0	0
25 to 29	6	6	8	Stimulant (total)	7	12	*
30 to 34	5	10	8	- Methamphetamine	7	12	*
35 to 39	5	*	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	8	10	5
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	19	18	21	Inhalant	0	0	0
Female	12	18	9	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	31	36	30	Average Age at First Use of Drug	17.5	19.2	17.2
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	9	13	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	5	*
Hispanic	0	0	0	- Weekly Injection Use	*	5	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	9	17	13	0	22	26	13
High School Graduate or G.E.D.	14	13	10	1 or 2	5	*	12
Associate Degree or Some College	7	5	7	3 or More	*	6	5
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	12	15	*
Employed	*	*	*	School	0	0	0
Unemployed	15	13	15	Mental Health Provider	0	*	*
Not in Labor Force	15	21	11	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	6	9	20
Independent Living	27	30	26	Other Referral Source	10	6	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	11	17	17	Special Education Services Needed	*	*	*
Married / Cohabiting	8	14	9	Co-Occurring Psychological Problem	15	10	11
Previously Married	12	5	*	Co-Occurring Developmental Problem	*	*	*

SHANNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 8,441
2014 POPULATION ESTIMATE 8,329

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	8	5	*
Anxiety Disorder	43	47	26
Dementia	*	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	15	18	16
Mood Disorder	70	83	65
Personality Disorder	*	*	*
Psychotic Disorder	7	8	7
Sexual Disorder	0	0	0
Other Diagnosis	7	5	5
Diagnosis Unknown	9	*	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	103	112	89	Less than High School Diploma	28	23	19
AGE				High School Grad or G.E.D.	0	0	7
Under 6	0	0	0	Associate Degree or Some College	0	0	*
6 to 9	*	*	0	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	11	Education Level Unknown	75	89	61
14 to 17	8	8	6	EMPLOYMENT			
18 to 24	9	12	7	Employed	8	20	10
25 to 29	11	10	*	Unemployed	11	18	22
30 to 34	11	17	11	Not in Labor Force	57	54	12
35 to 39	7	9	8	Employment Status Unknown	27	20	45
40 to 44	13	12	7	HOUSING / LIVING ARRANGEMENT			
45 to 49	15	8	15	Independent Living	51	74	37
50 to 54	9	15	9	Dependent Living	16	13	7
55 to 59	8	10	*	Homeless	*	*	*
60 and Over	8	7	7	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	34	24	43
GENDER				TREATMENT REFERRAL SOURCE			
Male	50	49	36	Self / Family / Friend	59	72	38
Female	53	63	53	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	33	30	37
Caucasian	101	109	87	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	8	5	12
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	103	110	89
Other Race	*	*	0	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	8	12	11	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

SHANNON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	52.5	61.0	64.9	Alcohol (1 or 2 drinks daily)	42.5		
Cigarettes	52.0	46.1	48.7	Alcohol (Binge: 5+ drinks once or twice a week)	51.9		
Chewing Tobacco	19.8	31.2	34.6	Alcohol (any use)		78.7	82.2
Marijuana	30.4	17.0	15.8	Cigarettes (1+ packs per day)	75.3		
Inhalants	1.2	9.2	5.2	Cigarettes (any use)		75.2	72.8
Prescription medications not prescribed for student	25.0	21.3	14.9	Marijuana (once or twice a week)	50.0		
Over-the-counter medications for non-medical use	0.0	6.4	5.4	Marijuana (any use)		77.0	74.7
Methamphetamine	5.0	0.0	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	90.1	98.6	93.6
Cocaine	0.0	0.0	1.1	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.0	0.0	Were very sad	35.0	31.2	16.7
Hallucinogens	5.0	2.8	1.6	Were grouchy, irritable, or in a bad mood	19.8	33.1	20.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	7.4	1.4	1.6	Felt hopeless about the future	2.5	19.1	11.2
Steroids not prescribed for student	0.0	1.4	0.0	Felt like not eating or eating more than usual	5.0	32.6	13.3
Synthetic drugs (K2, bath salts, Spice, etc)	11.3	9.3		Slept a lot more or a lot less than usual	11.3	26.2	16.7
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	8.6	24.1	27.9
Alcohol	12.93	12.13	11.80	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	12.09	11.77	11.92	Seriously considered attempting suicide	10.0	17.7	13.1
Marijuana	14.24	13.27	13.91	Made plan about how they would attempt suicide	10.7	12.2	9.4
Inhalants	11.00	13.46	11.51	Attempted suicide	1.3	8.5	9.9
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	0.0	1.6
Alcohol	16.3	26.2	34.0	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		18.4	20.8	Were threatened/injured with weapon at school	13.0	4.3	14.3
Cigarettes	32.0	22.7	28.6	Were in a physical fight	24.1	20.6	27.2
Chewing Tobacco	19.8	14.9	22.9	Were in a fight and had to be treated by a doctor or nurse	0.0	0.0	4.2
Marijuana	18.8	8.5	6.9	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.0	4.3	3.6	Were victims of mean rumors or lies spread at school	50.0	58.9	55.3
Prescription medications not prescribed for student	12.5	17.0	10.6	Were made fun of by others	55.0	70.9	77.0
Over-the-counter medications for non-medical use	0.0	5.7	5.4	Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.3	21.3	25.9
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	26.6	24.8	35.3
Alcohol (Binge: 5+ drinks on one occasion)	1.3			Made fun of other people	36.7	59.6	80.2
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	11.4	16.4	25.5
Alcohol	35.8	74.5	77.1	<i>Percent of students who agree that:</i>			
Cigarettes	43.2	70.9	68.1	Teachers notice and comment on student's good work	82.5	83.7	83.6
Marijuana	32.1	38.6	31.4	School provides feedback to parents on positive student performance	75.3	31.7	51.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.6	11.3	12.5	Rules are enforced fairly	81.3	61.7	67.2
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	83.8	70.9	80.4
Alcohol	25.9	37.6	50.3	<i>Percent of students who agree that:</i>			
Cigarettes	39.2	29.8	28.3	Parents notice and comment on student's good work	87.5	83.0	88.9
Marijuana	29.6	13.5	9.7	Parents involve student in making family decisions	72.8	73.0	69.1
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	92.5	87.2	90.4
Alcohol	63.3	49.6	44.5	Student could ask parent for help with a personal problem	80.0	75.9	84.0
Cigarettes	53.1	68.1	69.1	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	76.3	83.0	86.2	Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	100.0	96.8				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	91.4	81.6	77.9				
Cigarettes	83.8	87.9	88.6				
Marijuana	95.0	97.9	96.3				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	38.8	71.6	66.8				
Cigarettes	45.0	70.9	73.9				
Marijuana	29.6	36.9	40.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	20.9	19.0				