

# TEXAS COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Use	18
Adult Psychiatric	18
<b>POPULATION</b>	
Census 2010	26,008
2014 Estimate	25,642

<b>BIRTH RISK</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Births--Total	301	280	305
Mother Reported Smoking while Pregnant	82	79	81

<b>DISEASE INCIDENCE</b> <sup>1</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	5	3	4
Hepatitis C Chronic and Acute	35	35	23
Tuberculosis Infection Cases	2	0	4

<b>DEATHS and INJURIES</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Resident Deaths--Total	289	304	254
Suicides	5	3	6
Self-inflicted Injuries	29	20	31
Homicides	3	1	3
Assault Injuries	28	27	17
Alcohol Induced Deaths	4	4	1
Drug Induced Deaths	5	2	2
Smoking Attributable Deaths	52	59	46

<b>HOSPITAL EPISODES</b> <sup>2</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
<b>Hospitalization, no Emergency Room:</b>			
Mental Illness Principal Diagnosis	136	151	172
Mental Illness Secondary Diagnosis	330	360	316
Alcohol Principal Diagnosis	5	5	5
Alcohol Secondary Diagnosis	33	22	15
Drug Principal Diagnosis	23	26	4
Drug Secondary Diagnosis	11	13	10
<b>Emergency Room + Hospitalization:</b>			
Mental Illness Principal Diagnosis	40	42	41
Mental Illness Secondary Diagnosis	377	385	375
Alcohol Principal Diagnosis	8	5	11
Alcohol Secondary Diagnosis	38	40	38
Drug Principal Diagnosis	8	7	11
Drug Secondary Diagnosis	22	20	15
<b>Emergency Room, no Hospitalization:</b>			
Mental Illness Principal Diagnosis	136	167	192
Mental Illness Secondary Diagnosis	518	470	438
Alcohol Principal Diagnosis	29	18	28
Alcohol Secondary Diagnosis	37	56	40
Drug Principal Diagnosis	29	24	28
Drug Secondary Diagnosis	30	25	38

<b>ALCOHOL OUTLETS</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Alcohol On-Premise Drink Licenses	15	17	16
Alcohol Package Carry-out Licenses	20	21	22

<b>EMPLOYMENT</b>	<b>2014</b>	<b>2013</b>	<b>2012</b>
Labor Force	9,364	11,370	10,873
Employed	8,626	10,602	10,082
Unemployed	738	768	791
Unemployment Rate	7.9%	6.8%	7.3%

<b>IMPAIRED DRIVING</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Alcohol Involved Crashes--Total	25	30	31
Fatal Crashes	0	1	0
Injury Crashes	17	12	18
Property Damage Crashes	8	17	13
Crash Fatalities	0	1	0
Crash Injuries	26	17	25
Drug Involved Crashes--Total	5	5	1
Fatal Crashes	0	0	0
Injury Crashes	3	5	0
Property Damage Crashes	2	0	1
Crash Fatalities	0	0	0
Crash Injuries	5	8	0

<b>POLICE REPORTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
DUI Arrests, DWI Tracking System	126	140	216
Liquor Law Arrests	47	61	68
Drug Arrests	112	72	96
Violent Offenses	33	25	20
Property Offenses	520	589	516
Domestic Violence Reports	197	136	54

	<b>2014</b>	<b>2013</b>	<b>2012</b>
Methamphetamine Lab Seizures	9	17	5

<b>SCHOOL REPORTS</b>	<b>2013-14</b>	<b>2012-13</b>	<b>2011-12</b>
Enrollment Grades 9-12	1,181	1,150	1,208
Drop-outs	11	19	18
Drop-out Rate	0.9%	1.7%	1.5%
School Discipline Involving Alcohol	1	3	4
School Discipline Involving Drugs	4	2	17
School Discipline Involving Tobacco	2	1	0

<b>JUVENILE COURT REFERRALS</b> <sup>3</sup>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Juvenile Violent Offenses	26	33	45
Juvenile Alcohol Offenses	8	11	11
Juvenile Drug Offenses	10	16	7
School Truancy Status Offense	62	98	189
Absent from Home Status Offense	9	10	9
Beyond Parental Control Status Offense	15	19	35
Injurious Behavior Status Offense	64	134	142
Child Abuse	112	195	137
Child Neglect	311	564	322
Child Custody Issues	4	11	20

<b>JUVENILE COURT PLACEMENTS</b>	<b>2013</b>	<b>2012</b>	<b>2011</b>
Out-of-Home Placements--Total	25	16	20
Parental Alcohol Use Related	1	0	1
Parental Drug Use Related	10	5	10
Parental Alcohol and Drug Use	3	3	0

<b>CRIMINAL JUSTICE</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Drug Court Participants	10	16	18
Probation/Parole Admissions--Drug	61	51	49
Probation/Parole Admissions--DWI	16	13	17
Prison Admissions--Drug	29	35	25
Prison Admissions--DWI	7	8	6

<sup>1</sup> All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.  
<sup>2</sup> Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.  
<sup>3</sup> Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

# TEXAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	25	21	28
CSTAR Adolescent	7	8	9
CSTAR Women and Children	5	7	*
CSTAR General Adult	75	63	41
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	27	66
Clinical SATOP (CIP, YCIP, SROP)	32	32	30
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	77	102	124
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	20	35	49
- Weekend Intervention Program	11	20	22
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	5	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	116	133	145	Alcohol	55	51	61
<b>AGE</b>				Marijuana / Hashish	15	27	26
Under 18	8	9	8	Cocaine (total)	0	0	0
18 to 24	19	28	32	- Crack	0	0	0
25 to 29	23	22	25	Stimulant (total)	25	21	23
30 to 34	19	25	28	- Methamphetamine	25	20	23
35 to 39	8	13	18	Heroin	*	*	*
40 to 44	13	17	13	Analgesic except Heroin	16	27	24
45 to 54	22	14	13	- Non-Prescription Methadone	0	0	0
55 and Over	*	5	8	PCP, LSD, other Hallucinogen	0	*	*
<b>GENDER</b>				Tranquilizer	*	*	*
Male	76	80	89	Inhalant	0	*	*
Female	40	53	56	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	110	130	141	Average Age at First Use of Drug	18.7	19.2	17.6
African American	*	*	0	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	16	27	30
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	7
Hispanic	*	*	*	- Weekly Injection Use	6	7	10
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	7	17	13
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	42	50	58	0	61	65	75
High School Graduate or G.E.D.	51	59	60	1 or 2	32	48	45
Associate Degree or Some College	23	23	26	3 or More	23	20	25
Bachelor or Advanced Degree	0	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	39	36	41
Employed	31	31	31	School	0	0	0
Unemployed	36	52	55	Mental Health Provider	*	*	0
Not in Labor Force	49	50	59	Health Care Provider	12	6	6
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	50	73	87
Independent Living	102	116	134	Other Referral Source	11	15	11
Dependent Living	11	14	8	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	5	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	9	10	7
Never Married	45	43	58	Special Education Services Needed	12	26	31
Married / Cohabiting	33	43	41	Co-Occurring Psychological Problem	42	66	48
Previously Married	38	47	46	Co-Occurring Developmental Problem	11	25	6

# TEXAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 26,008  
**2014 POPULATION ESTIMATE** 25,642

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
Adjustment Disorder	9	13	*
Anxiety Disorder	160	151	92
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	40	45	34
Mood Disorder	207	225	161
Personality Disorder	16	16	6
Psychotic Disorder	26	25	19
Sexual Disorder	0	0	0
Other Diagnosis	19	22	11
Diagnosis Unknown	20	16	26

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>		<b>FY2014</b>	<b>FY2013</b>	<b>FY2012</b>
<b>NUMBER SERVED</b>				<b>EDUCATION</b>			
Total Individuals	301	321	220	Less than High School Diploma	82	99	31
<b>AGE</b>				High School Grad or G.E.D.	0	*	28
Under 6	0	0	0	Associate Degree or Some College	0	0	7
6 to 9	9	14	12	Bachelor or Advanced Degree	0	0	*
10 to 13	17	14	15	Education Level Unknown	219	221	153
14 to 17	20	26	18	<b>EMPLOYMENT</b>			
18 to 24	25	50	22	Employed	29	30	5
25 to 29	37	36	25	Unemployed	30	47	55
30 to 34	36	27	23	Not in Labor Force	158	187	38
35 to 39	26	24	18	Employment Status Unknown	84	57	122
40 to 44	31	32	19	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	32	26	22	Independent Living	139	175	77
50 to 54	34	37	22	Dependent Living	55	57	26
55 to 59	19	17	18	Homeless	5	5	*
60 and Over	15	18	6	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	102	84	115
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	141	144	107	Self / Family / Friend	160	152	85
Female	160	177	113	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	8	17	17
<b>RACE / ETHNICITY</b>				Health Care Provider	100	126	98
Caucasian	290	308	213	Court / Criminal Justice	15	8	8
African American	*	*	*	Other	18	18	12
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	*	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	7	7	*	Voluntary	298	319	217
Other Race	*	*	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	7	7	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	14	5	8				

# TEXAS COUNTY

## MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	30.3	36.9	46.7	Alcohol (1 or 2 drinks daily)	47.5		
Cigarettes	27.5	27.3	33.1	Alcohol (Binge: 5+ drinks once or twice a week)	54.4		
Chewing Tobacco	20.0	22.7	28.6	Alcohol (any use)		67.6	74.6
Marijuana	4.9	8.8	11.0	Cigarettes (1+ packs per day)	79.1		
Inhalants	3.4	5.9	8.1	Cigarettes (any use)		75.6	73.0
Prescription medications not prescribed for student	10.2	8.5	10.2	Marijuana (once or twice a week)	73.2		
Over-the-counter medications for non-medical use	0.8	5.2	7.7	Marijuana (any use)		79.9	72.4
Methamphetamine	0.0	1.1	0.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.3	90.8	90.1
Cocaine	0.0	0.5	0.2	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.3	0.6	Were very sad	17.7	15.2	14.0
Hallucinogens	2.7	3.1	1.7	Were grouchy, irritable, or in a bad mood	18.5	24.0	19.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.1	1.7	Felt hopeless about the future	8.3	7.3	12.2
Steroids not prescribed for student	0.0	1.3	2.3	Felt like not eating or eating more than usual	8.3	17.3	14.9
Synthetic drugs (K2, bath salts, Spice, etc)	4.2	6.5		Slept a lot more or a lot less than usual	8.7	22.5	19.8
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	23.0	17.2	21.6
Alcohol	12.25	11.43	11.89	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	11.49	11.12	10.98	Seriously considered attempting suicide	6.0	10.8	11.6
Marijuana	13.46	13.46	12.28	Made plan about how they would attempt suicide	1.1	7.3	10.4
Inhalants	13.52	11.04	11.51	Attempted suicide	0.8	6.7	4.9
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.1	1.6	1.0
Alcohol	12.2	13.4	21.7	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		7.8	12.5	Were threatened/injured with weapon at school	2.7	3.9	12.0
Cigarettes	14.7	12.2	17.3	Were in a physical fight	15.8	21.2	32.4
Chewing Tobacco	15.0	12.1	18.0	Were in a fight and had to be treated by a doctor or nurse	0.8	3.6	4.5
Marijuana	0.8	5.4	4.2	<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.7	3.1	4.1	Were victims of mean rumors or lies spread at school	52.8	49.1	57.3
Prescription medications not prescribed for student	2.7	3.9	6.4	Were made fun of by others	62.8	56.2	71.0
Over-the-counter medications for non-medical use	0.8	2.1	5.4	Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.4	16.5	19.7
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	23.0	26.9	34.6
Alcohol (Binge: 5+ drinks on one occasion)	3.4			Made fun of other people	51.0	59.1	70.2
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	9.8	11.4	15.4
Alcohol	40.2	44.4	55.8	<i>Percent of students who agree that:</i>			
Cigarettes	38.1	44.7	48.8	Teachers notice and comment on student's good work	74.0	71.8	72.2
Marijuana	11.3	18.8	29.6	School provides feedback to parents on positive student performance	46.4	47.3	42.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.0	8.8	14.0	Rules are enforced fairly	61.5	67.4	60.3
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	76.5	84.5	80.0
Alcohol	27.1	23.6	35.6	<i>Percent of students who agree that:</i>			
Cigarettes	14.4	15.5	19.3	Parents notice and comment on student's good work	82.0	79.8	86.2
Marijuana	7.9	8.0	8.2	Parents involve student in making family decisions	65.7	63.9	71.2
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	87.2	89.8	85.5
Alcohol	66.0	66.9	58.0	Student could ask parent for help with a personal problem	81.7	75.5	78.9
Cigarettes	78.2	76.4	74.7	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	90.5	88.6	88.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	95.5	96.3				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	83.4	77.5	79.1				
Cigarettes	86.7	90.3	86.9				
Marijuana	98.1	94.7	95.6				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	55.8	44.7	54.1				
Cigarettes	61.1	43.9	59.4				
Marijuana	32.3	19.3	28.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	11.3	14.0				

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys