

VERNON COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	21,159
2014 Estimate	21,001

BIRTH RISK	2013	2012	2011
Resident Births--Total	275	263	253
Mother Reported Smoking while Pregnant	58	72	53

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	2	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	17	22	16
Tuberculosis Infection Cases	4	6	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	256	234	265
Suicides	1	2	3
Self-inflicted Injuries	34	27	53
Homicides	0	0	1
Assault Injuries	58	81	70
Alcohol Induced Deaths	1	3	3
Drug Induced Deaths	5	2	2
Smoking Attributable Deaths	54	43	48

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	180	183	230
Mental Illness Secondary Diagnosis	408	357	378
Alcohol Principal Diagnosis	6	11	9
Alcohol Secondary Diagnosis	29	28	33
Drug Principal Diagnosis	4	7	7
Drug Secondary Diagnosis	14	22	28
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	167	233	128
Mental Illness Secondary Diagnosis	195	227	171
Alcohol Principal Diagnosis	7	16	8
Alcohol Secondary Diagnosis	12	16	19
Drug Principal Diagnosis	5	14	10
Drug Secondary Diagnosis	12	9	14
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	178	217	237
Mental Illness Secondary Diagnosis	288	551	742
Alcohol Principal Diagnosis	42	42	32
Alcohol Secondary Diagnosis	48	52	41
Drug Principal Diagnosis	33	32	25
Drug Secondary Diagnosis	54	52	31

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	18	16	18
Alcohol Package Carry-out Licenses	24	22	21

EMPLOYMENT	2014	2013	2012
Labor Force	9,750	10,074	9,514
Employed	9,196	9,524	8,956
Unemployed	554	550	558
Unemployment Rate	5.7%	5.5%	5.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	15	25	23
Fatal Crashes	1	0	3
Injury Crashes	4	9	10
Property Damage Crashes	10	16	10
Crash Fatalities	1	0	4
Crash Injuries	7	10	17
Drug Involved Crashes--Total	4	6	1
Fatal Crashes	0	0	0
Injury Crashes	1	3	1
Property Damage Crashes	3	3	0
Crash Fatalities	0	0	0
Crash Injuries	1	4	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	91	144	253
Liquor Law Arrests	12	34	37
Drug Arrests	63	72	56
Violent Offenses	86	86	94
Property Offenses	1,062	1,192	847
Domestic Violence Reports	152	155	176
	2014	2013	2012
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	965	977	958
Drop-outs	31	24	41
Drop-out Rate	3.2%	2.5%	4.3%
School Discipline Involving Alcohol	1	1	1
School Discipline Involving Drugs	12	6	17
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	33	78	63
Juvenile Alcohol Offenses	3	9	19
Juvenile Drug Offenses	2	15	10
School Truancy Status Offense	36	41	79
Absent from Home Status Offense	5	29	27
Beyond Parental Control Status Offense	15	52	41
Injurious Behavior Status Offense	7	3	4
Child Abuse	42	27	20
Child Neglect	91	85	100
Child Custody Issues	8	5	2

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	13	17	14
Parental Alcohol Use Related	0	4	0
Parental Drug Use Related	7	5	4
Parental Alcohol and Drug Use	2	1	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	20	31	29
Probation/Parole Admissions--Drug	62	45	45
Probation/Parole Admissions--DWI	19	16	17
Prison Admissions--Drug	33	18	20
Prison Admissions--DWI	1	3	3

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

VERNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	7	13	7
CSTAR Adolescent	6	9	7
CSTAR Women and Children	8	9	6
CSTAR General Adult	156	177	170
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	8
Clinical SATOP (CIP, YCIP, SROP)	20	22	21
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	82	94	105
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	29	45	43
- Weekend Intervention Program	18	23	19
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	9	9
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	194	217	209	Alcohol	69	86	87
AGE				Marijuana / Hashish	43	51	45
Under 18	6	10	8	Cocaine (total)	*	0	*
18 to 24	22	40	41	- Crack	0	0	0
25 to 29	34	32	43	Stimulant (total)	67	58	53
30 to 34	41	40	31	- Methamphetamine	64	56	50
35 to 39	28	29	17	Heroin	*	*	5
40 to 44	18	13	17	Analgesic except Heroin	9	14	17
45 to 54	32	42	45	- Non-Prescription Methadone	0	0	0
55 and Over	13	11	7	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	0	*
Male	108	140	130	Inhalant	0	*	0
Female	86	77	79	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	181	208	204	Average Age at First Use of Drug	17.1	16.5	16.6
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	35	27	29
Asian / Pacific Islander	*	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	7	5	7
Other Race / Two or More Races	7	*	*	- Less than Weekly Injection Use	24	19	19
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	69	71	66	0	112	124	127
High School Graduate or G.E.D.	90	106	107	1 or 2	53	54	55
Associate Degree or Some College	34	40	34	3 or More	29	39	27
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	45	91	64
Employed	49	51	57	School	*	0	0
Unemployed	68	63	52	Mental Health Provider	5	*	6
Not in Labor Force	77	103	100	Health Care Provider	17	16	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	83	89	108
Independent Living	157	189	178	Other Referral Source	41	18	21
Dependent Living	17	16	12	TREATMENT ACCOMMODATION			
Homeless	6	6	6	Pregnant when Admitted to any Episode	6	*	*
MARITAL / FAMILY STATUS				Military Veteran	5	10	7
Never Married	84	94	104	Special Education Services Needed	16	18	23
Married / Cohabiting	65	69	55	Co-Occurring Psychological Problem	103	93	49
Previously Married	45	54	50	Co-Occurring Developmental Problem	10	16	7

VERNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 21,159
2014 POPULATION ESTIMATE 21,001

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	5	*	*
Anxiety Disorder	140	103	90
Dementia	*	*	*
Developmental Disorder	*	*	5
Impulse Control Disorder	29	26	39
Mood Disorder	204	167	162
Personality Disorder	20	22	17
Psychotic Disorder	72	57	61
Sexual Disorder	*	*	*
Other Diagnosis	12	6	9
Diagnosis Unknown	27	25	18

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	326	267	268	Less than High School Diploma	107	84	52
AGE				High School Grad or G.E.D.	0	0	60
Under 6	*	0	*	Associate Degree or Some College	0	0	14
6 to 9	11	9	14	Bachelor or Advanced Degree	0	0	*
10 to 13	13	8	14	Education Level Unknown	219	183	138
14 to 17	18	12	16	EMPLOYMENT			
18 to 24	29	28	22	Employed	18	6	11
25 to 29	38	32	37	Unemployed	16	24	106
30 to 34	38	33	27	Not in Labor Force	216	160	34
35 to 39	33	27	29	Employment Status Unknown	76	77	117
40 to 44	32	23	29	HOUSING / LIVING ARRANGEMENT			
45 to 49	33	30	20	Independent Living	148	115	115
50 to 54	42	38	34	Dependent Living	84	62	28
55 to 59	25	13	12	Homeless	10	*	*
60 and Over	13	14	12	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	84	86	117
GENDER				TREATMENT REFERRAL SOURCE			
Male	138	117	128	Self / Family / Friend	223	167	159
Female	188	150	140	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	19	21	35
RACE / ETHNICITY				Health Care Provider	56	49	38
Caucasian	309	256	257	Court / Criminal Justice	9	10	13
African American	5	*	*	Other	18	19	22
Native American / Alaskan	0	0	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	316	257	254
Other Race	9	6	*	Civil	*	5	10
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	9	9	9	Commitment Type Unknown	0	0	0
Past or Current Military Service	8	8	10				

VERNON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol	35.4	45.9	46.1	Alcohol (1 or 2 drinks daily)	49.1		
Cigarettes	22.0	31.4	28.8	Alcohol (Binge: 5+ drinks once or twice a week)	68.0		
Chewing Tobacco	10.3	19.3	21.1	Alcohol (any use)		61.5	80.8
Marijuana	5.6	15.7	9.9	Cigarettes (1+ packs per day)	80.6		
Inhalants	2.6	4.5	5.3	Cigarettes (any use)		75.8	83.9
Prescription medications not prescribed for student	3.7	10.6	8.9	Marijuana (once or twice a week)	78.0		
Over-the-counter medications for non-medical use	5.6	6.2	6.1	Marijuana (any use)		71.1	69.9
Methamphetamine	0.0	1.1	0.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	91.8	93.5
Cocaine	0.0	0.9	1.5	<i>Percent of students who, in past 30 days:</i>			
Heroin	0.0	0.6	0.6	Were very sad	12.0	20.2	22.7
Hallucinogens	0.0	2.2	1.1	Were grouchy, irritable, or in a bad mood	25.1	31.7	28.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.1	1.5	Felt hopeless about the future	7.7	10.6	14.3
Steroids not prescribed for student	0.8	1.4	1.5	Felt like not eating or eating more than usual	17.8	21.4	19.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	11.2		Slept a lot more or a lot less than usual	8.8	22.1	25.7
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	20.4	26.7	33.9
Alcohol	12.31	12.52	12.18	<i>Percent of students who, in past 12 months:</i>			
Cigarettes	13.00	13.01	11.93	Seriously considered attempting suicide	5.5	12.5	11.2
Marijuana	13.50	13.29	13.64	Made plan about how they would attempt suicide	4.0	10.5	8.7
Inhalants	13.15	13.77	11.63	Attempted suicide	2.2	3.9	5.4
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.4	1.2	1.5
Alcohol	17.2	24.6	22.6	<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)		19.8	15.5	Were threatened/injured with weapon at school	4.0	7.6	12.1
Cigarettes	11.6	18.2	11.7	Were in a physical fight	16.6	21.3	23.4
Chewing Tobacco	6.6	11.2	13.7	Were in a fight and had to be treated by a doctor or nurse	1.5	2.5	5.0
Marijuana	3.0	7.0	2.7	<i>Percent of students who, in past 3 months:</i>			
Inhalants	0.4	1.1	2.3	Were victims of mean rumors or lies spread at school	44.4	54.9	59.3
Prescription medications not prescribed for student	2.2	8.7	4.9	Were made fun of by others	60.8	64.3	71.4
Over-the-counter medications for non-medical use	3.0	4.2	3.6	Were victims of an embarrassing or hurtful text message or something posted on the Internet	13.3	27.1	20.1
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	15.7	40.3	31.5
Alcohol (Binge: 5+ drinks on one occasion)	8.2			Made fun of other people	56.7	68.5	71.4
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	6.2	22.0	15.7
Alcohol	33.5	58.3	59.5	<i>Percent of students who agree that:</i>			
Cigarettes	33.0	49.9	45.2	Teachers notice and comment on student's good work	75.6	64.4	69.6
Marijuana	12.0	29.3	25.6	School provides feedback to parents on positive student performance	47.8	31.7	42.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.2	15.2	13.3	Rules are enforced fairly	78.5	52.8	57.3
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	88.7	72.5	76.0
Alcohol	25.9	43.0	36.5	<i>Percent of students who agree that:</i>			
Cigarettes	10.6	20.7	13.0	Parents notice and comment on student's good work	86.0	78.4	84.7
Marijuana	6.3	11.2	6.1	Parents involve student in making family decisions	70.8	64.4	71.9
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	88.4	85.1	83.1
Alcohol	61.0	52.2	58.6	Student could ask parent for help with a personal problem	82.8	74.9	80.7
Cigarettes	85.9	68.3	77.1	<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	91.8	79.2	87.3	<i>Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys</i>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.9	94.7	95.6				
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	80.3	73.3	79.2				
Cigarettes	90.6	86.6	90.9				
Marijuana	97.3	94.6	96.4				
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	45.5	60.8	59.2				
Cigarettes	50.5	57.7	58.7				
Marijuana	15.7	36.9	31.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.6	20.7	21.3				