

WASHINGTON COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17B
POPULATION	
Census 2010	25,195
2014 Estimate	25,077

BIRTH RISK	2013	2012	2011
Resident Births--Total	300	286	310
Mother Reported Smoking while Pregnant	104	91	93

DISEASE INCIDENCE ¹	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	3	1	2
Hepatitis C Chronic and Acute	32	31	29
Tuberculosis Infection Cases	1	6	5

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	295	222	255
Suicides	8	4	3
Self-inflicted Injuries	50	35	29
Homicides	0	1	1
Assault Injuries	90	134	115
Alcohol Induced Deaths	1	1	2
Drug Induced Deaths	7	2	6
Smoking Attributable Deaths	68	46	53

HOSPITAL EPISODES ²	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	263	240	253
Mental Illness Secondary Diagnosis	552	532	535
Alcohol Principal Diagnosis	9	5	6
Alcohol Secondary Diagnosis	31	26	42
Drug Principal Diagnosis	26	20	15
Drug Secondary Diagnosis	33	22	32
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	39	64	74
Mental Illness Secondary Diagnosis	523	446	439
Alcohol Principal Diagnosis	7	8	4
Alcohol Secondary Diagnosis	42	47	42
Drug Principal Diagnosis	10	6	8
Drug Secondary Diagnosis	35	26	24
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	262	308	315
Mental Illness Secondary Diagnosis	1,836	1,621	1,340
Alcohol Principal Diagnosis	39	25	30
Alcohol Secondary Diagnosis	51	71	43
Drug Principal Diagnosis	56	45	44
Drug Secondary Diagnosis	58	97	89

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	17	16	15
Alcohol Package Carry-out Licenses	25	23	26

EMPLOYMENT	2014	2013	2012
Labor Force	10,450	10,000	10,107
Employed	9,554	9,055	9,048
Unemployed	896	945	1,059
Unemployment Rate	8.6%	9.5%	10.5%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	35	43	33
Fatal Crashes	6	6	2
Injury Crashes	11	13	20
Property Damage Crashes	18	24	11
Crash Fatalities	7	6	3
Crash Injuries	17	15	32
Drug Involved Crashes--Total	10	11	10
Fatal Crashes	1	0	2
Injury Crashes	0	5	7
Property Damage Crashes	9	6	1
Crash Fatalities	1	0	2
Crash Injuries	1	6	10

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	66	80	81
Liquor Law Arrests	7	11	12
Drug Arrests	41	49	100
Violent Offenses	48	47	46
Property Offenses	490	601	564
Domestic Violence Reports	90	131	103

	2014	2013	2012
Methamphetamine Lab Seizures	12	29	44

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,006	971	984
Drop-outs	23	33	50
Drop-out Rate	2.3%	3.4%	5.1%
School Discipline Involving Alcohol	0	1	3
School Discipline Involving Drugs	1	4	16
School Discipline Involving Tobacco	0	1	1

JUVENILE COURT REFERRALS ³	2013	2012	2011
Juvenile Violent Offenses	61	58	62
Juvenile Alcohol Offenses	5	4	4
Juvenile Drug Offenses	1	11	7
School Truancy Status Offense	56	20	24
Absent from Home Status Offense	5	7	2
Beyond Parental Control Status Offense	9	18	27
Injurious Behavior Status Offense	27	18	17
Child Abuse	4	5	9
Child Neglect	34	41	49
Child Custody Issues	0	0	2

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	26	32	39
Parental Alcohol Use Related	0	2	3
Parental Drug Use Related	17	22	22
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	13	22	11
Probation/Parole Admissions--Drug	64	73	83
Probation/Parole Admissions--DWI	11	8	2
Prison Admissions--Drug	32	44	31
Prison Admissions--DWI	5	2	1

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

WASHINGTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	23	19	11
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	8	7
CSTAR General Adult	101	113	74
CSTAR Opioid	*	0	*
Primary Recovery Treatment	*	52	103
Clinical SATOP (CIP, YCIP, SROP)	9	12	12
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	55	63	78
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	28	28	32
- Weekend Intervention Program	11	12	21
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	134	161	187	Alcohol	28	37	45
AGE				Marijuana / Hashish	29	43	65
Under 18	*	*	*	Cocaine (total)	*	*	*
18 to 24	23	25	40	- Crack	0	*	0
25 to 29	25	44	42	Stimulant (total)	28	33	32
30 to 34	36	22	30	- Methamphetamine	26	32	30
35 to 39	13	24	25	Heroin	12	10	11
40 to 44	15	14	17	Analgesic except Heroin	30	35	29
45 to 54	14	21	22	- Non-Prescription Methadone	0	0	0
55 and Over	*	7	8	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	75	98	118	Inhalant	0	0	*
Female	59	63	69	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	130	160	182	Average Age at First Use of Drug	18.6	18.7	17.7
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	26	26	19
Asian / Pacific Islander	0	0	0	- Daily Injection Use	11	8	*
Hispanic	*	0	*	- Weekly Injection Use	8	7	5
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	7	11	11
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	52	63	84	0	81	98	118
High School Graduate or G.E.D.	64	80	87	1 or 2	38	43	52
Associate Degree or Some College	18	18	16	3 or More	15	20	17
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	46	43	35
Employed	28	26	45	School	0	0	0
Unemployed	57	91	96	Mental Health Provider	0	0	*
Not in Labor Force	49	44	46	Health Care Provider	14	7	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	60	88	123
Independent Living	125	153	178	Other Referral Source	13	23	19
Dependent Living	6	5	5	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	5	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	9	11
Never Married	75	81	84	Special Education Services Needed	16	24	31
Married / Cohabiting	46	39	61	Co-Occurring Psychological Problem	68	81	72
Previously Married	13	41	42	Co-Occurring Developmental Problem	*	13	15

WASHINGTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17B
CENSUS 2010 25,195
2014 POPULATION ESTIMATE 25,077

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	54	47	35
Dementia	*	0	0
Developmental Disorder	6	6	5
Impulse Control Disorder	31	31	25
Mood Disorder	130	96	99
Personality Disorder	10	8	5
Psychotic Disorder	50	47	47
Sexual Disorder	0	0	0
Other Diagnosis	5	7	10
Diagnosis Unknown	21	23	23

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER SERVED				EDUCATION			
Total Individuals	257	219	209	Less than High School Diploma	73	69	45
AGE				High School Grad or G.E.D.	0	0	35
Under 6	*	*	*	Associate Degree or Some College	0	*	7
6 to 9	17	15	15	Bachelor or Advanced Degree	0	0	*
10 to 13	13	20	18	Education Level Unknown	184	149	121
14 to 17	21	18	19	EMPLOYMENT			
18 to 24	30	17	12	Employed	7	8	7
25 to 29	18	17	15	Unemployed	*	5	73
30 to 34	30	27	19	Not in Labor Force	130	106	16
35 to 39	16	16	20	Employment Status Unknown	118	100	113
40 to 44	22	14	13	HOUSING / LIVING ARRANGEMENT			
45 to 49	20	20	18	Independent Living	43	43	75
50 to 54	20	12	21	Dependent Living	91	74	27
55 to 59	28	21	13	Homeless	*	*	*
60 and Over	21	21	24	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	121	100	104
GENDER				TREATMENT REFERRAL SOURCE			
Male	134	108	105	Self / Family / Friend	76	69	66
Female	123	111	104	School	7	5	*
Gender Unknown	0	0	0	Mental Health Provider	33	21	17
RACE / ETHNICITY				Health Care Provider	68	45	28
Caucasian	245	210	199	Court / Criminal Justice	24	22	25
African American	7	6	6	Other	48	56	66
Native American / Alaskan	0	0	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	*	Voluntary	249	211	200
Other Race	5	*	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	5	6	6
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	14	5	6	Commitment Type Unknown	*	*	*
Past or Current Military Service	15	11	10				

WASHINGTON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
<i>Percent of students who have ever used:</i>				<i>Percent who believe they risk harm if they use:</i>			
Alcohol		36.3	50.1	Alcohol (1 or 2 drinks daily)			
Cigarettes		22.5	35.8	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		17.4	23.3	Alcohol (any use)	74.4	77.4	
Marijuana		11.1	15.6	Cigarettes (1+ packs per day)			
Inhalants		5.2	8.2	Cigarettes (any use)	79.7	78.6	
Prescription medications not prescribed for student		8.5	15.0	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		6.5	9.4	Marijuana (any use)	77.3	68.0	
Methamphetamine		1.3	2.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	92.2	
Cocaine		0.5	1.4	<i>Percent of students who, in past 30 days:</i>			
Heroin		0.8	1.0	Were very sad	20.8	25.8	
Hallucinogens		1.0	3.5	Were grouchy, irritable, or in a bad mood	27.5	27.3	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.0	2.2	Felt hopeless about the future	10.9	13.9	
Steroids not prescribed for student		1.6	2.7	Felt like not eating or eating more than usual	17.7	21.6	
Synthetic drugs (K2, bath salts, Spice, etc)		5.2		Slept a lot more or a lot less than usual	23.0	32.5	
<i>Average age of students' first use of:</i>				Had difficulty concentrating on school work	24.2	29.2	
Alcohol	11.92	12.13		<i>Percent of students who, in past 12 months:</i>			
Cigarettes	11.60	11.53		Seriously considered attempting suicide	11.5	15.7	
Marijuana	13.16	13.17		Made plan about how they would attempt suicide	7.6	11.6	
Inhalants	11.68	12.51		Attempted suicide	5.2	7.6	
<i>Percent of students who, in past 30 days, used:</i>				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.6	3.0	
Alcohol	15.3	26.5		<i>Percent of students who, in past 12 months:</i>			
Alcohol (Binge: 5+ drinks on one occasion)	7.8	17.4		Were threatened/injured with weapon at school	6.7	9.2	
Cigarettes	8.6	18.6		Were in a physical fight	19.2	29.3	
Chewing Tobacco	9.9	13.0		Were in a fight and had to be treated by a doctor or nurse	2.1	6.2	
Marijuana	4.7	10.1		<i>Percent of students who, in past 3 months:</i>			
Inhalants	2.3	3.3		Were victims of mean rumors or lies spread at school	51.4	61.4	
Prescription medications not prescribed for student	4.4	7.8		Were made fun of by others	61.6	71.5	
Over-the-counter medications for non-medical use	3.9	6.1		Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.8	20.3	
<i>Percent of students who, in past 2 weeks, used:</i>				Spread mean rumors or lies about other kids at school	21.3	32.3	
Alcohol (Binge: 5+ drinks on one occasion)				Made fun of other people	55.9	72.3	
<i>Percent whose friends used in past 12 months:</i>				Posted something on the internet or sent a text that might embarrass or hurt another student	10.4	21.4	
Alcohol	46.1	63.4		<i>Percent of students who agree that:</i>			
Cigarettes	37.1	48.6		Teachers notice and comment on student's good work	71.9	63.0	
Marijuana	25.7	33.4		School provides feedback to parents on positive student performance	36.0	34.9	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	12.4		Rules are enforced fairly	63.3	58.5	
<i>Percent who would likely use, if offered by a best friend:</i>				Students of all races/ethnicities are treated equal	77.8	79.8	
Alcohol	26.1	42.4		<i>Percent of students who agree that:</i>			
Cigarettes	10.9	17.4		Parents notice and comment on student's good work	82.4	84.5	
Marijuana	7.0	14.8		Parents involve student in making family decisions	66.2	67.1	
<i>Percent who say it would be wrong to use:</i>				It is important to be honest with parents regardless of consequences	86.8	80.1	
Alcohol	65.5	53.6		Student could ask parent for help with a personal problem	76.7	76.1	
Cigarettes	85.6	76.2		<i>Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.</i>			
Marijuana	88.7	81.4		Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	94.4					
<i>Percent whose parents would disapprove if they use:</i>							
Alcohol	80.2	73.4					
Cigarettes	94.0	87.0					
Marijuana	95.5	91.6					
<i>Percent who say it would be easy to obtain:</i>							
Alcohol	45.3	59.4					
Cigarettes	44.5	56.7					
Marijuana	23.5	34.8					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	18.7					