


# CAPE GIRARDEAU COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Use	21
Adult Psychiatric	21
<b>POPULATION</b>	
Census 2010	75,674
2016 Estimate	78,913

<b>BIRTH RISK</b>	2015	2014	2013
Resident Births	908	909	942
Mother Reported Smoking while Pregnant	134	164	192

<b>DISEASE INCIDENCE</b> <sup>1</sup>	2016	2015	2014
HIV/AIDS Cases	4	2	4
Hepatitis B Chronic, Acute, Prenatal	7	4	6
Hepatitis C Chronic and Acute	40	49	66
Tuberculosis Infection Cases	20	31	55

<b>DEATHS and INJURIES</b>	2015	2014	2013
Resident Deaths	774	751	732
Suicide	12	18	10
Homicide	2	4	6
Alcohol Induced Deaths	5	4	5
Drug Induced Deaths	8	9	10
Smoking Attributable Deaths	136	124	135
Self-inflicted Injuries *	63	69	68
Assault Injuries *	250	235	270

<b>HOSPITAL EPISODES</b> <sup>2</sup>	2015	2014	2013
<b>Hospitalization, no Emergency Room:</b>			
Mental Illness Principal Diagnosis	641	637	662
Mental Illness Secondary Diagnosis	1,077	742	1,374
Alcohol Principal Diagnosis	39	34	38
Alcohol Secondary Diagnosis	88	53	118
Drug Principal Diagnosis	31	35	34
Drug Secondary Diagnosis	122	58	79
<b>Emergency Room + Hospitalization:</b>			
Mental Illness Principal Diagnosis	94	97	82
Mental Illness Secondary Diagnosis	981	1,351	707
Alcohol Principal Diagnosis	34	53	37
Alcohol Secondary Diagnosis	113	112	89
Drug Principal Diagnosis	15	26	18
Drug Secondary Diagnosis	52	81	50
<b>Emergency Room, no Hospitalization:</b>			
Mental Illness Principal Diagnosis	920	856	824
Mental Illness Secondary Diagnosis	3,948	2,253	1,735
Alcohol Principal Diagnosis	171	166	129
Alcohol Secondary Diagnosis	140	136	131
Drug Principal Diagnosis	134	124	95
Drug Secondary Diagnosis	414	216	146

<b>ALCOHOL OUTLETS</b>	2016	2015	2014
Alcohol On-Premise Drink Licenses	122	113	118
Alcohol Package Carry-out Licenses	70	70	68

<b>EMPLOYMENT</b>	2016	2015	2014
Labor Force	41,120	41,110	40,781
Employed	39,342	39,340	38,556
Unemployed	1,778	1,770	2,225
Unemployment Rate	4.3%	4.3%	5.5%

<b>IMPAIRED DRIVING</b>	2016	2015	2014
Alcohol Involved Crashes	76	51	58
Fatal Crashes	2	2	1
Injury Crashes	22	13	23
Property Damage Crashes	52	36	38
Crash Fatalities	2	2	1
Crash Injuries	24	14	38
Drug Involved Crashes	21	13	18
Fatal Crashes	0	2	1
Injury Crashes	3	4	5
Property Damage Crashes	18	7	12
Crash Fatalities	0	2	2
Crash Injuries	3	4	9

<b>POLICE REPORTS</b>	2016	2015	2014
DUI Arrests, DWI Tracking System	376	405	395
Liquor Law Arrests	35	68	109
Drug Arrests	420	314	327
Methamphetamine Lab Seizures	0	2	4
Violent Offenses	302	285	268
Domestic Violence Reports	546	512	501
Property Offenses	2,120	2,581	2,368

<b>SCHOOL REPORTS</b>	2015-16	2014-15	2013-14
Enrollment Grades 9-12	2,795	2,721	2,805
Drop-outs	70	63	58
Drop-out Rate	2.5%	2.3%	2.1%
School Discipline Involving Alcohol	1	4	2
School Discipline Involving Drugs	24	30	23
School Discipline Involving Tobacco	2	2	0

<b>JUVENILE COURT REFERRALS</b>	2016	2015	2014
Juvenile Violent Offenses	90	109	76
Juvenile Alcohol Offenses	6	4	7
Juvenile Drug Offenses	18	24	27
School Truancy Status Offense	435	99	89
Absent from Home Status Offense	56	62	52
Beyond Parental Control Status Offense	14	16	28
Injurious Behavior Status Offense	255	250	256
Child Abuse	48	62	67
Child Neglect	191	315	336
Child Custody Issues	1	3	0

<b>JUVENILE COURT PLACEMENTS</b>	2016	2015	2014
Out-of-Home Placements--Total	154	182	117
Parental Alcohol Use Related	4	5	4
Parental Drug Use Related	86	130	59
Parental Alcohol and Drug Use	6	2	7

<b>CRIMINAL JUSTICE</b>	FY2017	FY2016	FY2015
Drug Court Participants	67	63	65
Probation/Parole Admissions--Drug	267	234	195
Probation/Parole Admissions--DWI	33	31	42
Prison Admissions--Drug	139	135	79
Prison Admissions--DWI	11	22	13

\* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

<sup>1</sup> All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

<sup>2</sup> Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

# CAPE GIRARDEAU COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	118	106	132
CSTAR Adolescent	27	31	29
CSTAR Women and Children	119	122	90
CSTAR General Adult	284	275	249
CSTAR Opioid	*	0	0
Primary Recovery Treatment	*	*	6
Clinical SATOP (CIP, YCIP, SROP)	62	58	77
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	284	307	369
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	122	145	166
- Weekend Intervention Program	75	71	93
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	6	5
Compulsive Gambling	0	*	*
Recovery Supports	59	59	235
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2016	FY2015	FY2014		FY2016	FY2015	FY2014
<b>NUMBER ADMITTED</b>				<b>PRIMARY DRUG PROBLEM</b>			
Total Individuals	473	481	547	Alcohol	153	194	211
<b>AGE</b>				Marijuana / Hashish	115	121	162
Under 18	30	34	30	Cocaine (total)	18	24	38
18 to 24	77	70	112	- Crack	13	13	16
25 to 29	76	72	97	Stimulant (total)	124	78	67
30 to 34	70	89	86	- Methamphetamine	120	75	63
35 to 39	70	55	67	Heroin	22	15	18
40 to 44	50	45	46	Analgesic except Heroin	33	40	40
45 to 54	67	82	81	- Non-Prescription Methadone	*	0	0
55 and Over	33	34	28	PCP, LSD, other Hallucinogen	0	0	*
<b>GENDER</b>				Tranquilizer	6	8	9
Male	256	277	385	Inhalant	0	*	0
Female	217	204	162	Sedative	*	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	0	0
Caucasian	376	371	401	Average Age at First Use of Drug	19.0	18.3	17.7
African American	76	83	117	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	83	62	64
Asian / Pacific Islander	0	*	0	- Daily Injection Use	20	12	21
Hispanic	10	12	14	- Weekly Injection Use	27	19	19
Other Race / Two or More Races	13	17	14	- Less than Weekly Injection Use	36	31	24
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	136	137	167	0	256	255	292
High School Graduate or G.E.D.	192	220	249	1 or 2	147	136	165
Associate Degree or Some College	138	121	126	3 or More	70	90	90
Bachelor or Advanced Degree	7	*	5	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	171	125	145
Employed	141	153	176	School	*	*	*
Unemployed	182	154	200	Mental Health Provider	8	*	*
Not in Labor Force	150	174	171	Health Care Provider	38	40	27
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	155	199	284
Independent Living	383	388	444	Other Referral Source	82	98	63
Dependent Living	38	56	59	<b>TREATMENT ACCOMMODATION</b>			
Homeless	45	27	38	Pregnant when Admitted to any Episode	10	6	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	15	17	24
Never Married	243	261	304	Special Education Services Needed	22	39	44
Married / Cohabiting	122	112	141	Co-Occurring Psychological Problem	291	269	230
Previously Married	108	108	102	Co-Occurring Developmental Problem	6	8	8

# CAPE GIRARDEAU COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 75,674  
**2016 POPULATION ESTIMATE** 78,913

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2016</b>	<b>FY2015</b>	<b>FY2014</b>
Adjustment Disorder	119	151	204
Anxiety Disorder	340	326	310
Dementia	*	*	0
Developmental Disorder	6	*	*
Impulse Control Disorder	276	231	229
Mood Disorder	1,073	1,117	1,185
Personality Disorder	34	28	21
Psychotic Disorder	220	201	205
Sexual Disorder	*	*	0
Other Diagnosis	97	73	54
Diagnosis Unknown	284	117	152

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	<b>FY2016</b>	<b>FY2015</b>	<b>FY2014</b>		<b>FY2016</b>	<b>FY2015</b>	<b>FY2014</b>
<b>NUMBER SERVED</b>				<b>EDUCATION</b>			
Total Individuals	2,014	1,889	2,085	Less than High School Diploma	245	206	203
<b>AGE</b>				High School Grad or G.E.D.	0	0	0
Under 6	6	*	0	Associate Degree or Some College	0	0	0
6 to 9	78	53	74	Bachelor or Advanced Degree	0	0	0
10 to 13	144	121	119	Education Level Unknown	1,769	1,683	1,882
14 to 17	174	139	121	<b>EMPLOYMENT</b>			
18 to 24	202	185	226	Employed	39	21	19
25 to 29	182	169	201	Unemployed	19	19	27
30 to 34	177	187	243	Not in Labor Force	553	477	436
35 to 39	185	189	197	Employment Status Unknown	1,403	1,372	1,603
40 to 44	149	162	195	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	184	184	181	Independent Living	293	270	258
50 to 54	157	171	195	Dependent Living	298	257	232
55 to 59	166	151	157	Homeless	8	*	11
60 and Over	210	174	176	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,415	1,358	1,584
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	875	803	905	Self / Family / Friend	1,378	1,294	1,307
Female	1,139	1,086	1,180	School	67	42	36
Gender Unknown	0	0	0	Mental Health Provider	91	110	175
<b>RACE / ETHNICITY</b>				Health Care Provider	214	184	230
Caucasian	1,576	1,483	1,677	Court / Criminal Justice	66	54	53
African American	228	228	218	Other	191	196	274
Native American / Alaskan	*	0	0	Referral Source Unknown	7	9	10
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	85	93	121	Voluntary	1,991	1,870	2,064
Other Race	120	83	66	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	13	11	11
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	77	72	79	Commitment Type Unknown	8	8	10
Past or Current Military Service	63	56	46				

# CAPE GIRARDEAU COUNTY

## MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.8	40.3	39.2	44.9	Alcohol	13.1	14.0	15.0	20.3
Chewing Tobacco	15.7	19.2	11.3	13.4	Alcohol (5+ drinks on single occasion past 2 weeks)	3.7	8.4		
Cigarettes	23.3	26.3	24.2	27.6	Chewing Tobacco	4.7	13.1	5.6	7.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.3	1.0	1.6	2.1	Cigarettes	6.6	15.2	12.2	14.3
Cocaine	1.7	1.5	1.3	0.8	Inhalants	1.5	1.8	1.3	2.5
Electronic Cigarettes	23.4	12.6			Marijuana	6.6	2.4	4.8	10.2
Hallucinogens	4.1	0.8	3.0	3.8	Over-the-counter medications for non-medical use	2.1	2.4	3.1	5.2
Heroin	0.9	0.0	0.6	0.7	Prescription medications not prescribed for student	7.7	4.8	2.7	4.9
Inhalants	2.7	5.3	3.8	6.6	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	9.5	9.0	12.2	18.7	Alcohol (1 or 2 drinks daily)	60.9	53.9		
Methamphetamine	0.9	0.0	1.4	0.8	Alcohol (Binge: 5+ drinks once or twice a week)	71.2	65.9		
Over-the-counter medications for non-medical use	5.1	4.5	5.7	7.5	Cigarettes (1+ packs per day)	78.2	82.0		
Prescription medications not prescribed for student	10.8	7.5	6.6	11.2	Marijuana (once or twice a week)	72.2	76.5		
Synthetic drugs (K2, bath salts, Spice, etc)	0.6	3.3	6.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	91.5	93.2	94.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.06	12.59	12.71	13.03	Alcohol	77.9	72.5	78.8	77.8
Cigarettes	13.03	12.49	12.95	12.53	Cigarettes	87.5	92.0	92.1	89.7
Inhalants	10.78	13.11	12.25	12.60	Marijuana	91.2	93.2	94.6	94.1
Marijuana	13.07	13.86	13.75	13.71	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	50.5	53.6	52.1	62.0	Alcohol	66.6	59.8	62.1	61.1
Cigarettes	35.0	41.0	42.7	49.9	Cigarettes	77.8	78.1	82.0	78.3
Marijuana	29.7	18.5	32.8	41.8	Marijuana	87.3	88.6	86.6	80.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	6.5	15.5	19.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	97.6	95.8	95.1
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent of students who, in past 30 days:</i>				
Alcohol	28.0	27.6	26.3	32.4	Were emotionally bullied or made fun of by others	75.8	64.6	62.2	68.2
Cigarettes	12.4	18.0	14.2	15.7	Were victims of mean rumors or lies spread at school	66.4	59.2	49.2	50.8
Marijuana	10.7	6.7	8.6	15.1	Were victims of an embarrassing or hurtful text message or something posted on the internet	28.6	28.8	20.6	22.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.5	9.7	9.9	12.1	Parents involve student in making family decisions	73.1	77.3	70.0	69.9
Made plan about how they would attempt suicide	10.4	6.9	7.7	8.5	Parents notice and comment on student's good work	86.3	83.7	83.1	83.9
Attempted suicide	6.3	2.9	4.8	5.0	Teachers notice and comment on student's good work	80.8	74.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:  
<https://seow.dmh.mo.gov/DetailSearch.aspx>