## 2014 Missouri Student Survey Chariton County

Be	havioral Health
	Epidemiology
<b>All</b>	Workgroup

	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	194	66,629	186
Demographics (% reflects "yes" answer)  2. Grade level. 6th Grade	19.0%	14.8%	14.5%
2. Grade level. 7th Grade	13.1%	14.3%	6.8%
2. Grade level. 8th Grade	15.5%	15.2%	18.8%
2. Grade level. 9th Grade	13.1%	21.3%	31.6%
2. Grade level. 10th Grade	20.2%	12.2%	7.7%
2. Grade level. 11th Grade	9.5%	12.6%	7.7%
2. Grade level. 12th Grade	9.5%	9.6%	12.8%
3. Male	48.2%	47.7%	50.8%
4. Hispanic or Latino	0.0%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	2.4%	13.0%	1.7%
5. Race, alone or in combination. White	97.6%	85.5%	97.5%
5. Race, alone or in combination. Other	0.0%	1.6%	0.0%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	32.5%	22.7%	33.1%
48b. Used electronic cigarettes	9.4%	16.0%	n/a
49b. Used hookahs or water pipes	4.8%	11.3%	n/a
50c. Used alcohol	38.1%	33.3%	46.6%
51b. Used marijuana	6.0%	15.2%	10.2%
52a. Used inhalants	4.7%	2.9%	5.1%
53a. Used RX not prescribed for you by a doctor	6.0%	7.4%	7.6%
54a. Used `OTC` drugs for non-medical reasons	1.2%	2.9%	4.2%
56a. Used cocaine or `crack`	0.0%	1.1%	0.9%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogins such as LSD (acid), PCP (angel dust), or magic mushrooms	1.2%	1.9%	0.8%
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	1.2%	1.5%	0.9%
56g. Used steroids not prescribed for you by a doctor	1.2%	0.9%	0.8%

14. Did not go to school because you felt you would be unsafe at school or on your way to or from school  2.4%  4.9%  3			
or cut 21.4% 26.1% 23  14. Did not go to school because you felt you would be unsafe at school or on your way to or from school 2.4% 4.9% 3			Behavior: Last 30 Days (% reflects "1+" answer)
unsafe at school or on your way to or from school 2.4% 4.9% 3	6 26.1% 23.7%	21.4%	
AF C 1 1	6 4.9% 3.4%	2.4%	· · ·
	6 4.5% 8.4%	3.6%	25. Carried a weapon such as a gun, knife or club on school property
50b. Rode with someone who was drinking alcohol 16.9% 16.0% 23	6 16.0% 23.9%	16.9%	50b. Rode with someone who was drinking alcohol
Behavior: Last 3 Months (% reflects "1+" answer)			Behavior: Last 3 Months (% reflects "1+" answer)
17. Been suspended from school 3.5% 3.8% 4	3.8% 4.2%	3.5%	17. Been suspended from school
22b. Posted something online or sent a text that might embarrass or hurt another student 10.6% 16.8%	6 16.8% n/a	10.6%	
24b. Someone else posted something online or sent a text that embarrassed or hurt you 20.2% 24.4%	6 24.4% n/a	20.2%	*
Behavior: Last 12 Months (% reflects "1+" answer)			Behavior: Last 12 Months (% reflects "1+" answer)
23. Been bullied on school property 30.6% 31.2% 33	31.2% 33.6%	30.6%	23. Been bullied on school property
26a. Were in a physical fight 20.0% 19.1% 21	6 19.1% 21.8%	20.0%	26a. Were in a physical fight
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property  3.5%  6.3%  5	6.3% 5.1%	3.5%	
35. Considered suicide 7.1% 11.7% 11	6 11.7% 11.9%	7.1%	35. Considered suicide
36. Planned suicide 4.8% 8.6% 6	8.6% 6.7%	4.8%	36. Planned suicide
37. Attempted suicide 1.2% 5.0% 2	5.0% 2.5%	1.2%	37. Attempted suicide
Friends' perception of coolness (% reflects pretty cool + very cool)		ol + very cool)	Friends' perception of coolness (% reflects pretty cool
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes 8.3% 9.6%	6 9.6% n/a	8.3%	
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol 20.2% 22.7%	6 22.7% n/a	20.2%	• • •
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana 6.0% 20.1%	6 20.1% n/a	6.0%	
Friends' perception of wrongess (% reflects wrong + very wrong)		very wrong)	Friends' perception of wrongess (% reflects wrong + v
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day  67.1%  74.2%	6 74.2% n/a		you to have one or two drinks of an alcoholic beverage
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco 74.7% 78.4%	6 78.4% n/a		20b. Friends feel it would be `wrong` or `very wrong` for
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana  89.4%  75.9%	6 75.9% n/a		20c. Friends feel it would be `wrong` or `very wrong` for
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you 90.6% 88.5%	6 88.5% n/a		20d. Friends feel it would be `wrong` or `very wrong` for

	2014 County Data	2014 MO Data	2012 County Data	
Parents' perception of wrongness (% reflects wrong + ve	ery wrong)			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	89.4%	93.2%	90.7%	
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	79.8%	81.6%	73.7%	
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	94.1%	93.6%	n/a	
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	98.8%	92.6%	96.6%	
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	98.8%	94.4%	n/a	
Perception of Harm (% reflects slight risk + no risk at all)  NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk				
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	43.4%	39.7%	n/a	
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	33.7%	28.1%	n/a	
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	16.7%	14.3%	n/a	
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	19.5%	35.6%	n/a	
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	4.8%	8.5%	6.8%	
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.5%	10.8%	n/a	
43g. `No risk at all` or `slight risk` if they use Cold/ Cough Medicines or OTC medicines to get high	13.4%	20.5%	n/a	
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	11.0%	14.1%	11.1%	

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see http://dmh.mo.gov/ada/rpts/survey.htm.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.