2014 Missouri Student Survey Ralls County

Be	havioral Health
	Epidemiology
All)	Workgroup

	2014	2014	2012
	County Data	MO Data	County Data
Approximate Sample Size	86	66,629	
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	14.3%	14.8%	
2. Grade level. 7th Grade	14.3%	14.3%	
2. Grade level. 8th Grade	20.4%	15.2%	
2. Grade level. 9th Grade	14.3%	21.3%	2012
2. Grade level. 10th Grade	8.2%	12.2%	Data not
2. Grade level. 11th Grade	18.4%	12.6%	available
2. Grade level. 12th Grade	10.2%	9.6%	for this County
3. Male	53.1%	47.7%	County
4. Hispanic or Latino	0.0%	2.5%	
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	
5. Race, alone or in combination. White	100.0%	85.5%	
5. Race, alone or in combination. Other	2.0%	1.6%	

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	29.8%	22.7%	
48b. Used electronic cigarettes	12.2%	16.0%	
49b. Used hookahs or water pipes	6.3%	11.3%	
50c. Used alcohol	47.9%	33.3%	
51b. Used marijuana	8.3%	15.2%	
52a. Used inhalants	2.0%	2.9%	
53a. Used RX not prescribed for you by a doctor	6.3%	7.4%	
54a. Used `OTC` drugs for non-medical reasons	0.0%	2.9%	
56a. Used cocaine or `crack`	0.0%	1.1%	
56b. Used heroin or `smack`	0.0%	0.3%	
56c. Used hallucinogins such as LSD (acid), PCP (angel dust), or magic mushrooms	0.0%	1.9%	
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	
56f. Used `club drugs` such as ecstasy	2.1%	1.5%	
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	19.1%	26.1%	
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.1%	4.9%	
25. Carried a weapon such as a gun, knife or club on school property	10.2%	4.5%	
50b. Rode with someone who was drinking alcohol	22.9%	16.0%	
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	2.0%	3.8%	
22b. Posted something online or sent a text that might embarrass or hurt another student	16.7%	16.8%	
24b. Someone else posted something online or sent a text that embarrassed or hurt you	20.8%	24.4%	
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	33.3%	31.2%	
26a. Were in a physical fight	24.5%	19.1%	
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	8.2%	6.3%	
35. Considered suicide	8.2%	11.7%	
36. Planned suicide	8.2%	8.6%	
37. Attempted suicide	4.2%	5.0%	
Friends' perception of coolness (% reflects pretty cool +	very cool)		
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	10.2%	9.6%	
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	30.6%	22.7%	
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	12.5%	20.1%	
Friends' perception of wrongess (% reflects wrong + ver	y wrong)		
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	69.4%	74.2%	
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	77.1%	78.4%	
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	87.2%	75.9%	
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	89.6%	88.5%	

	2014 County Data	2014 MO Data	2012 County Data		
Parents' perception of wrongness (% reflects wrong + ve	ery wrong)				
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	89.8%	93.2%			
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	79.2%	81.6%			
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	95.8%	93.6%			
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	91.7%	92.6%			
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	93.8%	94.4%			
Perception of Harm (% reflects slight risk + no risk at all) NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk					
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	45.8%	39.7%			
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	36.7%	28.1%			
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	23.4%	14.3%			
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	29.2%	35.6%			
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	12.2%	8.5%			
43f. `No risk at all` or `slight risk` if they use synthetic drugs	12.2%	10.8%			
43g. `No risk at all` or `slight risk` if they use Cold/ Cough Medicines or OTC medicines to get high	18.4%	20.5%			
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	14.3%	14.1%			

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see http://dmh.mo.gov/ada/rpts/survey.htm.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.