2014 Missouri Student Survey Reynolds		Behavioral Health Epidemiology Workgroup	
	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	246	66,629	53
Demographics (% reflects "yes" answer) 2. Grade level. 6th Grade	22.1%	14.8%	41.1%
2. Grade level. 7th Grade	19.1%	14.3%	0.0%
2. Grade level. 8th Grade	11.8%	15.2%	0.0%
2. Grade level. 9th Grade	14.7%	21.3%	31.3%
2. Grade level. 10th Grade	14.7%	12.2%	27.7%
2. Grade level. 11th Grade	8.8%	12.6%	0.0%
2. Grade level. 12th Grade	8.8%	9.6%	0.0%
3. Male	50.0%	47.7%	51.8%
4. Hispanic or Latino	1.5%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	1.4%	13.0%	0.9%
5. Race, alone or in combination. White	98.6%	85.5%	98.2%
5. Race, alone or in combination. Other	0.0%	1.6%	2.7%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	27.9%	22.7%	19.6%
48b. Used electronic cigarettes	20.3%	16.0%	n/a
49b. Used hookahs or water pipes	4.4%	11.3%	n/a
50c. Used alcohol	33.3%	33.3%	17.0%
51b. Used marijuana	10.3%	15.2%	0.0%
52a. Used inhalants	1.5%	2.9%	1.8%
53a. Used RX not prescribed for you by a doctor	7.4%	7.4%	1.8%
54a. Used `OTC` drugs for non-medical reasons	2.9%	2.9%	1.8%
56a. Used cocaine or `crack`	1.5%	1.1%	0.0%
56b. Used heroin or `smack`	0.0%	0.3%	0.0%
56c. Used hallucinogins such as LSD (acid), PCP (angel dust), or magic mushrooms	1.5%	1.9%	0.0%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.5%	0.5%	0.0%
56f. Used `club drugs` such as ecstasy	1.5%	1.5%	0.0%
56g. Used steroids not prescribed for you by a doctor	1.4%	0.9%	0.0%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	20.3%	26.1%	16.1%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.4%	4.9%	0.0%
25. Carried a weapon such as a gun, knife or club on school property	5.9%	4.5%	0.0%
50b. Rode with someone who was drinking alcohol	16.2%	16.0%	9.8%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	4.4%	3.8%	5.3%
22b. Posted something online or sent a text that might embarrass or hurt another student	13.2%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	22.4%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	32.4%	31.2%	15.2%
26a. Were in a physical fight	23.2%	19.1%	8.0%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	2.9%	6.3%	0.0%
35. Considered suicide	8.8%	11.7%	5.4%
36. Planned suicide	5.8%	8.6%	4.4%
37. Attempted suicide	5.8%	5.0%	6.4%
Friends' perception of coolness (% reflects pretty cool +	<u>very cool)</u>		
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	8.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	21.7%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	10.1%	20.1%	n/a
Friends' perception of wrongess (% reflects wrong + very	y wrong)		
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage			
nearly every day	72.1%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	72.1%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	83.6%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	91.2%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + ver	<u>ry wrong)</u>		
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	94.1%	93.2%	95.5%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	79.4%	81.6%	89.7%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	89.7%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	92.8%	92.6%	100.0%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	95.5%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all	<u>[)</u>		
NOTE - % grouping is consistent with District Reports b	out other reports u	ise moderate	+ great risk
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	45.6%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	39.7%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	19.1%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	32.4%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.8%	8.5%	5.3%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	14.7%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/ Cough Medicines or OTC medicines to get high	20.6%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	14.7%	14.1%	19.5%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see http://dmh.mo.gov/ada/rpts/survey.htm.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.