## 2014 Missouri Student Survey Schuyler County

Be	havioral Health
	Epidemiology
<b>All</b>	Workgroup

	2014	2014	2012
	County Data	MO Data	County Data
Approximate Sample Size	178	66,629	124
Demographics (% reflects "yes" answer)			
2. Grade level. 6th Grade	7.0%	14.8%	0.0%
2. Grade level. 7th Grade	22.8%	14.3%	0.0%
2. Grade level. 8th Grade	21.1%	15.2%	0.0%
2. Grade level. 9th Grade	21.1%	21.3%	60.8%
2. Grade level. 10th Grade	10.5%	12.2%	16.2%
2. Grade level. 11th Grade	5.3%	12.6%	23.0%
2. Grade level. 12th Grade	12.3%	9.6%	0.0%
3. Male	45.6%	47.7%	44.0%
4. Hispanic or Latino	0.0%	2.5%	0.0%
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	0.0%
5. Race, alone or in combination. White	100.0%	85.5%	98.6%
5. Race, alone or in combination. Other	0.0%	1.6%	1.3%

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

Substances: Ever in your life (% reflects "1+" answer)			
46c q47a. Used tobacco (cigarettes or chew)	45.6%	22.7%	60.0%
48b. Used electronic cigarettes	24.6%	16.0%	n/a
49b. Used hookahs or water pipes	7.0%	11.3%	n/a
50c. Used alcohol	45.6%	33.3%	66.2%
51b. Used marijuana	10.7%	15.2%	18.7%
52a. Used inhalants	5.3%	2.9%	17.3%
53a. Used RX not prescribed for you by a doctor	10.5%	7.4%	12.0%
54a. Used `OTC` drugs for non-medical reasons	1.8%	2.9%	8.0%
56a. Used cocaine or `crack`	0.0%	1.1%	5.4%
56b. Used heroin or `smack`	0.0%	0.3%	2.7%
56c. Used hallucinogins such as LSD (acid), PCP (angel dust), or magic mushrooms	1.8%	1.9%	5.3%
56d. Used methamphetamine (meth, crank, crystal, ice)	1.8%	0.5%	5.3%
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	2.7%
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	6.7%

	2014 County Data	2014 MO Data	2012 County Data
Behavior: Last 30 Days (% reflects "1+" answer)			
13. Missed whole day(s) of school because you skipped or cut	35.1%	26.1%	32.4%
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	0.0%	4.9%	6.6%
25. Carried a weapon such as a gun, knife or club on school property	12.3%	4.5%	13.5%
50b. Rode with someone who was drinking alcohol	24.1%	16.0%	31.6%
Behavior: Last 3 Months (% reflects "1+" answer)			
17. Been suspended from school	7.0%	3.8%	9.3%
22b. Posted something online or sent a text that might embarrass or hurt another student	17.9%	16.8%	n/a
24b. Someone else posted something online or sent a text that embarrassed or hurt you	25.0%	24.4%	n/a
Behavior: Last 12 Months (% reflects "1+" answer)			
23. Been bullied on school property	40.4%	31.2%	49.3%
26a. Were in a physical fight	26.3%	19.1%	29.3%
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	3.5%	6.3%	6.8%
35. Considered suicide	8.8%	11.7%	9.5%
36. Planned suicide	8.8%	8.6%	9.3%
37. Attempted suicide	3.5%	5.0%	1.4%
Friends' perception of coolness (% reflects pretty cool +	very cool)		
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	15.8%	9.6%	n/a
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	34.5%	22.7%	n/a
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	10.5%	20.1%	n/a
Friends' perception of wrongess (% reflects wrong + very	/ wrong)		
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	57.9%	74.2%	n/a
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	57.1%	78.4%	n/a
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	82.5%	75.9%	n/a
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	87.5%	88.5%	n/a

	2014 County Data	2014 MO Data	2012 County Data
Parents' perception of wrongness (% reflects wrong + ve	ery wrong)		
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	87.9%	93.2%	81.1%
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	70.7%	81.6%	58.1%
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	91.1%	93.6%	n/a
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	96.5%	92.6%	97.3%
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	96.4%	94.4%	n/a
Perception of Harm (% reflects slight risk + no risk at all NOTE - % grouping is consistent with District Reports by		se moderate	+ great risk
43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	51.8%	39.7%	n/a
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	42.9%	28.1%	n/a
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	23.2%	14.3%	n/a
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	29.8%	35.6%	n/a
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	8.8%	8.5%	5.4%
43f. `No risk at all` or `slight risk` if they use synthetic drugs	8.9%	10.8%	n/a
43g. `No risk at all` or `slight risk` if they use Cold/ Cough Medicines or OTC medicines to get high	15.8%	20.5%	n/a
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	10.5%	14.1%	17.6%

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see http://dmh.mo.gov/ada/rpts/survey.htm.

Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at susan.depue@mimh.edu with any questions.