

# 2014 Missouri Student Survey Shelby County



	2014 County Data	2014 MO Data	2012 County Data
Approximate Sample Size	33	66,629	
<b>Demographics (% reflects "yes" answer)</b>			
2. Grade level. 6th Grade	32.6%	14.8%	2012 Data not available for this County
2. Grade level. 7th Grade	0.0%	14.3%	
2. Grade level. 8th Grade	67.4%	15.2%	
2. Grade level. 9th Grade	0.0%	21.3%	
2. Grade level. 10th Grade	0.0%	12.2%	
2. Grade level. 11th Grade	0.0%	12.6%	
2. Grade level. 12th Grade	0.0%	9.6%	
3. Male	54.3%	47.7%	
4. Hispanic or Latino	13.0%	2.5%	
5. Race, alone or in combination. Black or African Am.	0.0%	13.0%	
5. Race, alone or in combination. White	100.0%	85.5%	
5. Race, alone or in combination. Other	0.0%	1.6%	

Note: Small sample sizes at the county level can make comparisons between years difficult. Take careful note of the demographic information listed above. Drastic changes in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means changes between years may be a result of differing samples rather than an actual population change.

<b>Substances: Ever in your life (% reflects "1+" answer)</b>			
46c q47a. Used tobacco (cigarettes or chew)	13.0%	22.7%	
48b. Used electronic cigarettes	17.0%	16.0%	
49b. Used hookahs or water pipes	0.0%	11.3%	
50c. Used alcohol	26.1%	33.3%	
51b. Used marijuana	0.0%	15.2%	
52a. Used inhalants	0.0%	2.9%	
53a. Used RX not prescribed for you by a doctor	0.0%	7.4%	
54a. Used `OTC` drugs for non-medical reasons	17.0%	2.9%	
56a. Used cocaine or `crack`	2.2%	1.1%	
56b. Used heroin or `smack`	0.0%	0.3%	
56c. Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms	13.0%	1.9%	
56d. Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.5%	
56f. Used `club drugs` such as ecstasy	0.0%	1.5%	
56g. Used steroids not prescribed for you by a doctor	0.0%	0.9%	

	2014 County Data	2014 MO Data	2012 County Data
<b>Behavior: Last 30 Days (% reflects "1+" answer)</b>			
13. Missed whole day(s) of school because you skipped or cut	21.7%	26.1%	
14. Did not go to school because you felt you would be unsafe at school or on your way to or from school	15.2%	4.9%	
25. Carried a weapon such as a gun, knife or club on school property	0.0%	4.5%	
50b. Rode with someone who was drinking alcohol	26.1%	16.0%	
<b>Behavior: Last 3 Months (% reflects "1+" answer)</b>			
17. Been suspended from school	13.0%	3.8%	
22b. Posted something online or sent a text that might embarrass or hurt another student	23.9%	16.8%	
24b. Someone else posted something online or sent a text that embarrassed or hurt you	37.0%	24.4%	
<b>Behavior: Last 12 Months (% reflects "1+" answer)</b>			
23. Been bullied on school property	35.6%	31.2%	
26a. Were in a physical fight	34.8%	19.1%	
26c. Been threatened or injured with a weapon such as a gun, knife or club on school property	2.2%	6.3%	
35. Considered suicide	26.1%	11.7%	
36. Planned suicide	2.2%	8.6%	
37. Attempted suicide	13.0%	5.0%	
<b>Friends' perception of coolness (% reflects pretty cool + very cool)</b>			
42a. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked cigarettes	4.3%	9.6%	
42b. Peers believe someone your age would be `pretty cool` or `very cool` if they drank alcohol	17.0%	22.7%	
42c. Peers believe someone your age would be `pretty cool` or `very cool` if they smoked marijuana	4.3%	20.1%	
<b>Friends' perception of wrongness (% reflects wrong + very wrong)</b>			
20a. Friends feel it would be `wrong` or `very wrong` for you to have one or two drinks of an alcoholic beverage nearly every day	83.0%	74.2%	
20b. Friends feel it would be `wrong` or `very wrong` for you to smoke tobacco	80.9%	78.4%	
20c. Friends feel it would be `wrong` or `very wrong` for you to smoke marijuana	87.0%	75.9%	
20d. Friends feel it would be `wrong` or `very wrong` for you to use RX drugs not prescribed to you	87.0%	88.5%	

	2014 County Data	2014 MO Data	2012 County Data
<b>Parents' perception of wrongness (% reflects wrong + very wrong)</b>			
58a. Parents feel it would be `wrong` or `very wrong` for you to smoke tobacco	84.8%	93.2%	
58b. Parents feel it would be `wrong` or `very wrong` for you to have a drink of any type of alcohol	71.1%	81.6%	
58c. Parents feel it would be `wrong` or `very wrong` you to take one or two drinks of an alcoholic beverage nearly every day	82.6%	93.6%	
58e. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana	86.4%	92.6%	
58f. Parents feel it would be `wrong` or `very wrong` for you to smoke marijuana once or twice a week	100.0%	94.4%	

**Perception of Harm (% reflects slight risk + no risk at all)**

**NOTE - % grouping is consistent with District Reports but other reports use moderate + great risk**

43a. `No risk at all` or `slight risk` if they take one or two drinks of an alcoholic beverage nearly every day	48.9%	39.7%	
43b. `No risk at all` or `slight risk` if they have five or more drinks of an alcoholic beverage once or twice a week	34.8%	28.1%	
43c. `No risk at all` or `slight risk` if they smoke one or more packs of cigarettes per day	4.9%	14.3%	
43d. `No risk at all` or `slight risk` if they smoke marijuana once or twice a week	26.1%	35.6%	
43e. `No risk at all` or `slight risk` if they use any other illegal drugs or club drugs	17.4%	8.5%	
43f. `No risk at all` or `slight risk` if they use synthetic drugs	12.8%	10.8%	
43g. `No risk at all` or `slight risk` if they use Cold/Cough Medicines or OTC medicines to get high	13.3%	20.5%	
43h. `No risk at all` or `slight risk` if they use RX drugs that have not been prescribed to them	6.5%	14.1%	

Questions have been abbreviated in order to fit within this report. For a copy of the survey which includes the full wording see <http://dmh.mo.gov/ada/rpts/survey.htm>.  
Data included in this report, excluding sample sizes, are weighted data. Please contact Susan Depue at [susan.depue@mimh.edu](mailto:susan.depue@mimh.edu) with any questions.