MISSOURI

DBH REGION	All Regions
DBH SERVICE AREAS	
Substance Use	All Service Areas
Adult Psychiatric	All Service Areas
POPULATION	
Census 2010	5,988,927
2014 Estimate	6,063,589

BIRTH RISK	2013	2012	2011
Resident Births--Total	75,244	75,400	76,069
Mother Reported Smoking while Pregnant	13,155	13,506	13,803

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	462	540	499
Hepatitis B Chronic, Acute, Prenatal	597	537	481
Hepatitis C Chronic and Acute	4,881	4,726	5,048
Tuberculosis Infection Cases	3,193	2,645	2,833

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	57,254	55,783	55,597
Suicides	958	901	921
Self-inflicted Injuries	7,691	8,122	8,298
Homicides	390	429	416
Assault Injuries	21,662	23,955	23,728
Alcohol Induced Deaths	444	449	366
Drug Induced Deaths	1,042	952	994
Smoking Attributable Deaths	10,109	9,869	9,668

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	43,464	39,752	43,132
Mental Illness Secondary Diagnosis	79,382	73,645	80,805
Alcohol Principal Diagnosis	3,405	3,170	3,233
Alcohol Secondary Diagnosis	7,413	5,942	7,128
Drug Principal Diagnosis	3,460	3,361	3,402
Drug Secondary Diagnosis	7,058	5,858	6,425
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	25,005	28,781	23,925
Mental Illness Secondary Diagnosis	101,411	108,401	99,795
Alcohol Principal Diagnosis	4,759	5,260	4,436
Alcohol Secondary Diagnosis	11,365	12,639	11,117
Drug Principal Diagnosis	3,199	3,443	2,970
Drug Secondary Diagnosis	7,845	9,566	8,327
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	51,568	53,484	51,946
Mental Illness Secondary Diagnosis	193,555	177,915	133,803
Alcohol Principal Diagnosis	15,662	15,898	14,936
Alcohol Secondary Diagnosis	14,236	14,921	13,047
Drug Principal Diagnosis	10,428	10,567	10,560
Drug Secondary Diagnosis	16,573	17,028	16,039

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	7,366	7,370	7,400
Alcohol Package Carry-out Licenses	5,081	4,966	5,134

EMPLOYMENT	2014	2013	2012
Labor Force	3,058,118	3,018,072	2,993,108
Employed	2,871,217	2,820,753	2,785,710
Unemployed	186,901	197,319	207,398
Unemployment Rate	6.1%	6.5%	6.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	5,552	5,771	5,707
Fatal Crashes	174	196	179
Injury Crashes	2,258	2,407	2,393
Property Damage Crashes	3,120	3,168	3,135
Crash Fatalities	205	205	197
Crash Injuries	3,209	3,434	3,532
Drug Involved Crashes--Total	1,266	1,213	1,176
Fatal Crashes	38	37	45
Injury Crashes	533	557	529
Property Damage Crashes	695	619	602
Crash Fatalities	42	45	49
Crash Injuries	774	833	589

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	29,341	33,510	33,649
Liquor Law Arrests	8,372	10,516	11,094
Drug Arrests	37,509	37,360	36,648
Violent Offenses	26,117	27,171	26,870
Property Offenses	189,796	201,050	200,238
Domestic Violence Reports	39,860	41,504	40,648
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1,045	1,495	1,985

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	266,078	266,610	266,883
Drop-outs	6,474	6,425	8,474
Drop-out Rate	2.4%	2.4%	3.2%
School Discipline Involving Alcohol	397	433	469
School Discipline Involving Drugs	2,096	2,295	2,783
School Discipline Involving Tobacco	58	61	120

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	6,508	7,436	7,504
Juvenile Alcohol Offenses	864	1,120	1,122
Juvenile Drug Offenses	1,976	2,266	2,321
School Truancy Status Offense	4,106	3,958	3,968
Absent from Home Status Offense	2,480	2,760	2,662
Beyond Parental Control Status Offense	2,149	2,630	2,581
Injurious Behavior Status Offense	3,674	4,144	4,112
Child Abuse	3,338	3,610	3,513
Child Neglect	11,094	11,582	9,908
Child Custody Issues	1,589	1,821	1,953

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	6,687	6,422	6,145
Parental Alcohol Use Related	175	210	255
Parental Drug Use Related	2,423	2,373	1,972
Parental Alcohol and Drug Use	212	197	198

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	6,025	6,189	5,763
Probation/Parole Admissions--Drug	12,816	12,090	11,593
Probation/Parole Admissions--DWI	2,496	2,650	2,645
Prison Admissions--Drug	6,165	5,779	5,557
Prison Admissions--DWI	1,030	1,127	1,201

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MISSOURI

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5,140	5,489	5,819
CSTAR Adolescent	2,146	2,245	2,346
CSTAR Women and Children	3,876	3,714	3,693
CSTAR General Adult	17,278	15,573	13,369
CSTAR Opioid	610	621	626
Primary Recovery Treatment	3,380	5,875	8,886
Clinical SATOP (CIP, YCIP, SROP)	5,667	5,908	5,449
Other Substance Abuse Treatment	757	1,060	1,237

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	22,729	24,423	25,871
- Adolescent Diversion Education Prograr	682	624	769
- Offender Education Program	8,268	9,280	10,132
- Weekend Intervention Program	4,666	5,240	5,608
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	1,004	1,175	1,400
Compulsive Gambling	81	121	151
Recovery Supports	4,985	5,564	5,195
Early Intervention	1,548	1,508	1,371

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	34,829	35,877	36,565
AGE			
Under 18	2,193	2,314	2,435
18 to 24	5,575	6,107	6,485
25 to 29	5,894	6,225	6,295
30 to 34	5,887	5,891	5,736
35 to 39	4,182	3,962	3,972
40 to 44	3,300	3,428	3,627
45 to 54	5,640	5,877	6,166
55 and Over	2,158	2,073	1,849
GENDER			
Male	23,075	23,956	24,748
Female	11,750	11,920	11,814
RACE / ETHNICITY			
Caucasian	26,584	27,754	27,948
African American	6,720	6,659	7,131
Native American / Alaskan	107	85	83
Asian / Pacific Islander	70	91	101
Hispanic	756	724	769
Other Race / Two or More Races	865	838	801
EDUCATION			
Less than High School Diploma	11,465	12,062	12,657
High School Graduate or G.E.D.	15,359	15,697	16,109
Associate Degree or Some College	7,617	7,745	7,397
Bachelor or Advanced Degree	385	368	401
EMPLOYMENT			
Employed	9,845	9,711	9,906
Unemployed	12,687	13,705	14,271
Not in Labor Force	12,297	12,459	12,388
HOUSING / LIVING ARRANGEMENT			
Independent Living	27,358	28,348	28,630
Dependent Living	4,164	4,364	4,531
Homeless	2,082	2,070	2,225
MARITAL / FAMILY STATUS			
Never Married	20,150	20,699	20,681
Married / Cohabitating	7,574	7,834	8,090
Previously Married	7,105	7,344	7,794

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	12,757	13,874	14,361
Marijuana / Hashish	7,986	8,234	8,823
Cocaine (total)	1,487	1,488	2,274
- Crack	976	1,013	1,539
Stimulant (total)	5,804	5,322	4,653
- Methamphetamine	5,558	5,104	4,460
Heroin	3,673	3,507	3,195
Analgesic except Heroin	2,249	2,507	2,269
- Non-Prescription Methadone	27	39	38
PCP, LSD, other Hallucinogen	283	287	344
Tranquilizer	278	350	371
Inhalant	34	37	47
Sedative	40	40	33
Other Medication or Illicit Drug	243	231	195
Average Age at First Use of Drug	18.3	18.1	17.9
INJECTION DRUG USE			
Any Injection Use at Admission	5,760	5,466	4,756
- Daily Injection Use	1,881	1,695	1,460
- Weekly Injection Use	1,448	1,368	1,144
- Less than Weekly Injection Use	2,431	2,403	2,152
LIFETIME DUI / DWI ARRESTS			
0	20,091	19,994	20,709
1 or 2	9,638	10,196	10,220
3 or More	5,100	5,687	5,636
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	11,203	12,234	10,984
School	146	128	109
Mental Health Provider	457	494	523
Health Care Provider	1,609	1,476	1,327
Court / Criminal Justice	15,668	16,357	19,857
Other Referral Source	4,624	4,053	3,492
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	654	611	633
Military Veteran	1,458	1,562	1,701
Special Education Services Needed	2,543	2,908	2,987
Co-Occurring Psychological Problem	12,606	12,683	12,056
Co-Occurring Developmental Problem	1,048	1,539	1,332

MISSOURI

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	All Regions
PSYCHIATRIC SERVICE AREA	All Service Areas
CENSUS 2010	5,988,927
2014 POPULATION ESTIMATE	6,063,589

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	2,973	2,870	3,027
Anxiety Disorder	24,141	22,842	21,446
Dementia	152	132	138
Developmental Disorder	1,070	1,032	1,001
Impulse Control Disorder	11,707	11,504	11,498
Mood Disorder	45,731	45,193	43,838
Personality Disorder	5,016	4,694	4,513
Psychotic Disorder	14,635	14,602	14,561
Sexual Disorder	280	276	198
Other Diagnosis	4,738	4,462	4,303
Diagnosis Unknown	6,961	8,005	10,098

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	75,906	77,539	78,254
AGE			
Under 6	680	733	767
6 to 9	4,081	4,060	4,149
10 to 13	5,320	5,287	5,623
14 to 17	5,726	5,869	6,179
18 to 24	6,400	6,857	7,175
25 to 29	6,120	6,478	6,455
30 to 34	6,987	7,144	7,082
35 to 39	6,472	6,416	6,340
40 to 44	6,717	7,033	7,038
45 to 49	7,371	7,968	8,385
50 to 54	8,330	8,424	8,149
55 to 59	6,151	5,970	5,665
60 and Over	5,551	5,300	5,247
Age Unknown	0	0	0
GENDER			
Male	36,004	36,740	37,178
Female	39,902	40,797	41,076
Gender Unknown	0	*	0
RACE / ETHNICITY			
Caucasian	55,838	56,156	56,760
African American	15,644	16,676	16,845
Native American / Alaskan	174	187	209
Asian / Pacific Islander	194	213	196
Hispanic	1,608	1,604	1,705
Other Race	2,448	2,702	2,537
Race/Ethnicity Unknown	0	*	*
TREATMENT ACCOMMODATION			
Hearing Impaired	2,151	2,099	2,050
Past or Current Military Service	1,753	1,730	1,842

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	19,835	20,156	11,357
High School Grad or G.E.D.	34	366	10,245
Associate Degree or Some College	7	113	4,015
Bachelor or Advanced Degree	*	23	1,281
Education Level Unknown	56,027	56,881	51,356
EMPLOYMENT			
Employed	4,034	4,083	3,576
Unemployed	4,536	5,287	20,577
Not in Labor Force	36,415	36,191	7,264
Employment Status Unknown	30,921	31,978	46,837
HOUSING / LIVING ARRANGEMENT			
Independent Living	24,938	25,022	23,373
Dependent Living	17,860	18,619	8,849
Homeless	1,490	1,471	901
Other	*	8	554
Housing Unknown	31,617	32,419	44,577
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	36,856	38,093	38,561
School	1,487	1,439	1,317
Mental Health Provider	6,167	6,490	7,057
Health Care Provider	11,221	10,946	9,843
Court / Criminal Justice	3,932	4,234	4,501
Other	15,804	15,863	16,429
Referral Source Unknown	439	474	546
TYPE OF COMMITMENT			
Voluntary	73,989	75,499	75,911
Civil	368	448	660
Criminal	918	936	971
Sexual Predatory	212	200	198
Commitment Type Unknown	419	456	514

MISSOURI

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	33.3	38.2	42.9
Cigarettes	19.1	22.7	26.6
Chewing Tobacco	9.8	10.5	11.4
Marijuana	15.2	16.5	17.7
Inhalants	2.9	5.3	6.5
Prescription medications not prescribed for student	7.4	8.6	11.1
Over-the-counter medications for non-medical use	2.9	6.0	7.7
Methamphetamine	0.5	1.2	0.9
Cocaine	1.1	1.7	1.6
Heroin	0.3	0.9	0.6
Hallucinogens	1.9	2.8	3.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	2.1	2.2
Steroids not prescribed for student	0.9	1.4	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	3.2	6.4	
Average age of students' first use of:			
Alcohol	13.10	12.72	12.54
Cigarettes	12.86	12.48	12.29
Marijuana	13.88	13.62	13.53
Inhalants	11.86	11.81	11.95
Percent of students who, in past 30 days, used:			
Alcohol	13.9	16.9	19.8
Alcohol (Binge: 5+ drinks on one occassion)		9.7	11.4
Cigarettes	8.1	10.6	13.7
Chewing Tobacco	5.0	5.6	6.1
Marijuana	7.6	8.6	9.4
Inhalants	1.1	2.3	3.0
Prescription medications not prescribed for student	3.7	4.6	6.7
Over-the-counter medications for non-medical use	1.6	3.5	4.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.1		
Percent whose friends used in past 12 months:			
Alcohol	44.3	51.5	57.6
Cigarettes	33.8	41.9	46.7
Marijuana	31.7	36.5	38.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.2	14.6	17.8
Percent who would likely use, if offered by a best friend:			
Alcohol	24.9	29.9	33.1
Cigarettes	10.5	12.9	14.7
Marijuana	13.2	13.4	14.2
Percent who say it would be wrong to use:			
Alcohol	65.7	61.9	59.3
Cigarettes	85.5	81.4	78.7
Marijuana	79.7	80.8	80.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.0	95.2	94.5
Percent whose parents would disapprove if they use:			
Alcohol	81.6	79.8	78.6
Cigarettes	93.2	91.5	90.2
Marijuana	92.6	93.4	93.3
Percent who say it would be easy to obtain:			
Alcohol	51.1	56.2	58.6
Cigarettes	46.3	51.7	56.0
Marijuana	34.0	37.3	37.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	17.0	19.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	60.3		
Alcohol (Binge: 5+ drinks once or twice a week)	71.9		
Alcohol (any use)		70.5	74.7
Cigarettes (1+ packs per day)	85.7		
Cigarettes (any use)		81.5	80.7
Marijuana (once or twice a week)	64.4		
Marijuana (any use)		72.1	72.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	93.1	92.7
Percent of students who, in past 30 days:			
Were very sad	20.2	18.5	19.7
Were grouchy, irritable, or in a bad mood	25.2	24.1	25.3
Felt hopeless about the future	11.8	10.9	12.3
Felt like not eating or eating more than usual	17.5	17.0	18.7
Slept a lot more or a lot less than usual	18.4	20.1	26.0
Had difficulty concentrating on school work	24.1	23.0	24.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.7	11.9	11.6
Made plan about how they would attempt suicide	8.6	8.7	8.3
Attempted suicide	5.0	5.5	5.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.8	1.9	2.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.3	6.4	9.5
Were in a physical fight	19.1	20.6	24.0
Were in a fight and had to be treated by a doctor or nurse	3.2	3.4	4.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.3	47.3	52.9
Were made fun of by others	58.6	60.4	67.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.5	20.4	19.2
Spread mean rumors or lies about other kids at school	24.3	27.3	32.9
Made fun of other people	54.0	61.9	72.3
Posted something on the internet or sent a text that might embarrass or hurt another student	16.8	14.5	17.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.9	69.2	71.1
School provides feedback to parents on positive student performance	43.3	39.3	41.5
Rules are enforced fairly	66.1	63.6	65.0
Students of all races/ethnicities are treated equal	78.9	75.6	76.9
Percent of students who agree that:			
Parents notice and comment on student's good work	82.8	82.6	83.5
Parents involve student in making family decisions	69.7	69.2	70.1
It is important to be honest with parents regardless of consequences	87.5	85.1	82.5
Student could ask parent for help with a personal problem	78.6	76.3	76.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

ADAIR COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	25,607
2014 Estimate	25,602

BIRTH RISK	2013	2012	2011
Resident Births--Total	250	249	266
Mother Reported Smoking while Pregnant	57	48	53

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	1
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	19	10	18
Tuberculosis Infection Cases	11	11	16

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	208	226	209
Suicides	7	3	3
Self-inflicted Injuries	57	49	36
Homicides	1	0	0
Assault Injuries	26	32	36
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	5	4	6
Smoking Attributable Deaths	38	33	34

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	118	127	121
Mental Illness Secondary Diagnosis	593	633	638
Alcohol Principal Diagnosis	28	23	24
Alcohol Secondary Diagnosis	51	65	63
Drug Principal Diagnosis	8	8	3
Drug Secondary Diagnosis	27	24	17
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	38	37	37
Mental Illness Secondary Diagnosis	58	41	33
Alcohol Principal Diagnosis	8	2	2
Alcohol Secondary Diagnosis	9	8	4
Drug Principal Diagnosis	3	6	3
Drug Secondary Diagnosis	3	5	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	142	150	139
Mental Illness Secondary Diagnosis	368	138	263
Alcohol Principal Diagnosis	87	91	76
Alcohol Secondary Diagnosis	38	35	30
Drug Principal Diagnosis	16	27	20
Drug Secondary Diagnosis	31	16	16

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	31	31	33
Alcohol Package Carry-out Licenses	24	20	22

EMPLOYMENT	2014	2013	2012
Labor Force	10,989	13,088	11,870
Employed	10,308	12,379	11,131
Unemployed	681	709	739
Unemployment Rate	6.2%	5.4%	6.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	16	21	16
Fatal Crashes	0	1	0
Injury Crashes	8	13	9
Property Damage Crashes	8	7	7
Crash Fatalities	0	1	0
Crash Injuries	8	28	13
Drug Involved Crashes--Total	0	5	5
Fatal Crashes	0	1	0
Injury Crashes	0	2	0
Property Damage Crashes	0	2	5
Crash Fatalities	0	1	0
Crash Injuries	0	6	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	90	105	108
Liquor Law Arrests	81	117	178
Drug Arrests	124	92	141
Violent Offenses	58	55	138
Property Offenses	750	710	800
Domestic Violence Reports	164	170	352
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	31	57	21

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	926	946	934
Drop-outs	11	19	24
Drop-out Rate	1.2%	2.0%	2.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	41	44	22
Juvenile Alcohol Offenses	5	7	20
Juvenile Drug Offenses	4	0	8
School Truancy Status Offense	138	69	60
Absent from Home Status Offense	1	7	6
Beyond Parental Control Status Offense	28	42	27
Injurious Behavior Status Offense	19	47	82
Child Abuse	11	3	16
Child Neglect	52	45	85
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	34	32	40
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	20	21	15
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	44	48	36
Probation/Parole Admissions--Drug	66	55	64
Probation/Parole Admissions--DWI	9	10	8
Prison Admissions--Drug	30	26	27
Prison Admissions--DWI	4	3	5

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

ADAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	22	19	12
CSTAR Adolescent	17	19	19
CSTAR Women and Children	7	*	7
CSTAR General Adult	210	190	186
CSTAR Opioid	0	0	0
Primary Recovery Treatment	11	15	25
Clinical SATOP (CIP, YCIP, SROP)	25	18	23
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	88	110	160
- Adolescent Diversion Education Prograr	19	37	82
- Offender Education Program	22	25	25
- Weekend Intervention Program	13	14	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	33	25	28

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	259	251	248
AGE			
Under 18	17	19	16
18 to 24	64	68	76
25 to 29	51	53	40
30 to 34	36	29	35
35 to 39	20	22	24
40 to 44	22	17	16
45 to 54	28	33	32
55 and Over	21	10	9
GENDER			
Male	163	175	178
Female	96	76	70
RACE / ETHNICITY			
Caucasian	247	235	230
African American	7	6	10
Native American / Alaskan	0	*	0
Asian / Pacific Islander	0	*	*
Hispanic	6	*	6
Other Race / Two or More Races	*	7	*
EDUCATION			
Less than High School Diploma	75	93	86
High School Graduate or G.E.D.	139	123	119
Associate Degree or Some College	42	32	38
Bachelor or Advanced Degree	*	*	5
EMPLOYMENT			
Employed	57	70	72
Unemployed	33	27	46
Not in Labor Force	169	154	130
HOUSING / LIVING ARRANGEMENT			
Independent Living	216	211	213
Dependent Living	31	25	24
Homeless	9	13	6
MARITAL / FAMILY STATUS			
Never Married	129	145	138
Married / Cohabitating	70	52	57
Previously Married	60	54	53

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	85	76	104
Marijuana / Hashish	89	88	89
Cocaine (total)	*	*	*
- Crack	0	*	*
Stimulant (total)	59	54	33
- Methamphetamine	58	53	33
Heroin	*	5	*
Analgesic except Heroin	13	22	11
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	0	0
Tranquilizer	*	*	*
Inhalant	*	0	*
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	0
Average Age at First Use of Drug	17.5	17.4	16.1
INJECTION DRUG USE			
Any Injection Use at Admission	35	38	25
- Daily Injection Use	6	7	*
- Weekly Injection Use	8	8	5
- Less than Weekly Injection Use	21	23	17
LIFETIME DUI / DWI ARRESTS			
0	163	161	138
1 or 2	69	59	86
3 or More	27	31	24
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	40	46	31
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	14	10	7
Court / Criminal Justice	51	43	153
Other Referral Source	57	46	38
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	7	*
Military Veteran	10	6	10
Special Education Services Needed	17	30	20
Co-Occurring Psychological Problem	146	153	131
Co-Occurring Developmental Problem	*	*	5

ADAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	14
CENSUS 2010	25,607
2014 POPULATION ESTIMATE	25,602

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	13	11	11
Anxiety Disorder	139	108	103
Dementia	*	0	0
Developmental Disorder	19	15	10
Impulse Control Disorder	95	76	79
Mood Disorder	232	210	218
Personality Disorder	33	21	21
Psychotic Disorder	67	73	76
Sexual Disorder	*	*	*
Other Diagnosis	55	34	38
Diagnosis Unknown	29	34	65

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	375	389	437
AGE			
Under 6	*	0	*
6 to 9	16	19	22
10 to 13	37	33	31
14 to 17	41	41	41
18 to 24	32	31	45
25 to 29	24	33	43
30 to 34	32	33	33
35 to 39	30	32	43
40 to 44	35	35	39
45 to 49	36	39	48
50 to 54	38	35	39
55 to 59	30	36	29
60 and Over	23	22	23
Age Unknown	0	0	0
GENDER			
Male	177	187	225
Female	198	202	212
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	348	365	402
African American	9	9	14
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	10	6	8
Other Race	8	9	13
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	5	5
Past or Current Military Service	14	15	16

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	147	155	103
High School Grad or G.E.D.	0	22	127
Associate Degree or Some College	0	6	30
Bachelor or Advanced Degree	0	0	8
Education Level Unknown	228	206	169
EMPLOYMENT			
Employed	14	23	53
Unemployed	9	38	188
Not in Labor Force	303	279	50
Employment Status Unknown	49	49	146
HOUSING / LIVING ARRANGEMENT			
Independent Living	179	193	229
Dependent Living	138	132	79
Homeless	*	*	0
Other	0	*	*
Housing Unknown	57	59	127
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	123	140	147
School	0	*	*
Mental Health Provider	15	18	30
Health Care Provider	41	39	33
Court / Criminal Justice	7	10	19
Other	184	173	198
Referral Source Unknown	5	8	9
TYPE OF COMMITMENT			
Voluntary	363	375	423
Civil	*	*	*
Criminal	*	*	*
Sexual Predatory	*	*	*
Commitment Type Unknown	5	8	9

ADAIR COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	41.8	48.1	45.5
Cigarettes	22.9	44.0	26.2
Chewing Tobacco	14.9	12.7	13.0
Marijuana	12.6	21.8	12.9
Inhalants	3.9	6.3	9.1
Prescription medications not prescribed for student	4.6	6.1	10.3
Over-the-counter medications for non-medical use	1.7	1.1	9.0
Methamphetamine	0.0	5.6	1.7
Cocaine	1.0	5.4	2.1
Heroin	0.0	5.2	0.4
Hallucinogens	1.0	5.6	4.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	5.2	2.8
Steroids not prescribed for student	0.5	5.5	1.8
Synthetic drugs (K2, bath salts, Spice, etc)	4.6	9.7	
Average age of students' first use of:			
Alcohol	13.80	12.42	12.40
Cigarettes	14.59	12.42	12.08
Marijuana	16.07	13.93	13.06
Inhalants	12.95	13.33	12.44
Percent of students who, in past 30 days, used:			
Alcohol	19.3	22.8	19.3
Alcohol (Binge: 5+ drinks on one occassion)		10.4	14.3
Cigarettes	16.1	21.1	18.1
Chewing Tobacco	6.3	7.1	5.9
Marijuana	3.4	9.5	5.3
Inhalants	0.5	6.1	3.2
Prescription medications not prescribed for student	1.7	0.6	4.5
Over-the-counter medications for non-medical use	1.7	0.9	4.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	9.8		
Percent whose friends used in past 12 months:			
Alcohol	55.9	57.8	53.2
Cigarettes	52.8	57.2	41.8
Marijuana	25.0	47.6	26.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	15.9	14.1
Percent who would likely use, if offered by a best friend:			
Alcohol	35.2	39.1	35.4
Cigarettes	18.1	31.5	14.9
Marijuana	8.8	20.9	10.6
Percent who say it would be wrong to use:			
Alcohol	54.0	52.9	57.9
Cigarettes	83.2	61.2	77.9
Marijuana	88.7	68.0	84.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	88.8	92.7
Percent whose parents would disapprove if they use:			
Alcohol	70.4	77.8	78.9
Cigarettes	91.4	92.9	88.4
Marijuana	96.3	93.8	96.3
Percent who say it would be easy to obtain:			
Alcohol	61.7	55.8	60.6
Cigarettes	62.7	48.8	51.0
Marijuana	38.8	34.5	29.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.5	18.1	17.6

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	47.8		
Alcohol (Binge: 5+ drinks once or twice a week)	60.2		
Alcohol (any use)		75.4	78.9
Cigarettes (1+ packs per day)	83.2		
Cigarettes (any use)		73.6	81.1
Marijuana (once or twice a week)	71.1		
Marijuana (any use)		65.4	67.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.7	97.8	92.5
Percent of students who, in past 30 days:			
Were very sad	19.4	19.6	29.1
Were grouchy, irritable, or in a bad mood	32.5	30.0	35.6
Felt hopeless about the future	8.0	7.9	18.0
Felt like not eating or eating more than usual	12.9	19.0	26.0
Slept a lot more or a lot less than usual	18.7	14.0	32.2
Had difficulty concentrating on school work	23.6	19.3	27.4
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.2	17.6	9.3
Made plan about how they would attempt suicide	9.4	11.4	6.8
Attempted suicide	2.2	11.0	4.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.7	5.6	2.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	2.4	11.8	8.2
Were in a physical fight	17.9	21.9	22.6
Were in a fight and had to be treated by a doctor or nurse	1.0	6.0	3.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	63.9	49.3	49.8
Were made fun of by others	67.5	72.4	65.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	30.4	25.5	18.2
Spread mean rumors or lies about other kids at school	33.6	31.9	30.3
Made fun of other people	71.1	49.3	76.5
Posted something on the internet or sent a text that might embarrass or hurt another student	15.6	13.6	18.3
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.9	70.9	69.1
School provides feedback to parents on positive student performance	33.7	46.9	32.5
Rules are enforced fairly	40.4	49.4	65.3
Students of all races/ethnicities are treated equal	93.7	82.6	82.2
Percent of students who agree that:			
Parents notice and comment on student's good work	79.5	80.1	80.1
Parents involve student in making family decisions	57.0	64.5	68.0
It is important to be honest with parents regardless of consequences	91.1	71.9	81.6
Student could ask parent for help with a personal problem	76.9	70.7	77.2

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

ANDREW COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	17,291
2014 Estimate	17,379

BIRTH RISK	2013	2012	2011
Resident Births--Total	195	172	180
Mother Reported Smoking while Pregnant	33	39	31

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	9	8	5
Tuberculosis Infection Cases	0	3	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	186	164	159
Suicides	3	2	1
Self-inflicted Injuries	12	13	14
Homicides	0	1	0
Assault Injuries	25	29	27
Alcohol Induced Deaths	0	1	1
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	28	25	29

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	60	76	80
Mental Illness Secondary Diagnosis	98	106	101
Alcohol Principal Diagnosis	6	4	3
Alcohol Secondary Diagnosis	5	8	3
Drug Principal Diagnosis	5	4	2
Drug Secondary Diagnosis	5	12	7
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	47	39	32
Mental Illness Secondary Diagnosis	200	211	193
Alcohol Principal Diagnosis	9	10	15
Alcohol Secondary Diagnosis	19	24	22
Drug Principal Diagnosis	12	8	10
Drug Secondary Diagnosis	19	22	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	87	101	102
Mental Illness Secondary Diagnosis	136	193	156
Alcohol Principal Diagnosis	10	21	12
Alcohol Secondary Diagnosis	18	14	13
Drug Principal Diagnosis	9	13	8
Drug Secondary Diagnosis	19	15	10

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	15	14	12
Alcohol Package Carry-out Licenses	17	19	17

EMPLOYMENT	2014	2013	2012
Labor Force	10,117	10,733	10,675
Employed	9,611	10,217	10,137
Unemployed	506	516	538
Unemployment Rate	5.0%	4.8%	5.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	7	10	18
Fatal Crashes	1	1	2
Injury Crashes	3	7	9
Property Damage Crashes	3	2	7
Crash Fatalities	1	1	3
Crash Injuries	3	8	18
Drug Involved Crashes--Total	4	1	1
Fatal Crashes	0	0	0
Injury Crashes	1	0	1
Property Damage Crashes	3	1	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	41	62	116
Liquor Law Arrests	10	14	30
Drug Arrests	52	59	68
Violent Offenses	23	15	11
Property Offenses	185	157	151
Domestic Violence Reports	63	76	83
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	818	822	825
Drop-outs	11	9	30
Drop-out Rate	1.3%	1.1%	3.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	1
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	12	21	11
Juvenile Alcohol Offenses	1	1	2
Juvenile Drug Offenses	2	3	1
School Truancy Status Offense	47	46	35
Absent from Home Status Offense	6	4	4
Beyond Parental Control Status Offense	6	6	17
Injurious Behavior Status Offense	0	3	2
Child Abuse	0	1	0
Child Neglect	0	8	0
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	0	3	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	12	16	12
Probation/Parole Admissions--DWI	3	4	7
Prison Admissions--Drug	4	6	10
Prison Admissions--DWI	1	2	7

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

ANDREW COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	6	7	6
CSTAR Adolescent	*	*	7
CSTAR Women and Children	*	*	0
CSTAR General Adult	24	34	23
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	24
Clinical SATOP (CIP, YCIP, SROP)	6	15	11
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	24	49	61
- Adolescent Diversion Education Prograr	*	0	5
- Offender Education Program	10	19	19
- Weekend Intervention Program	*	10	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	*	*
Recovery Supports	0	0	0
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	36	57	59
AGE			
Under 18	*	*	7
18 to 24	10	11	10
25 to 29	5	12	10
30 to 34	5	9	8
35 to 39	5	5	6
40 to 44	*	*	5
45 to 54	*	7	9
55 and Over	*	7	*
GENDER			
Male	23	41	46
Female	13	16	13
RACE / ETHNICITY			
Caucasian	35	56	57
African American	0	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	*
Hispanic	0	0	0
Other Race / Two or More Races	*	0	0
EDUCATION			
Less than High School Diploma	10	12	19
High School Graduate or G.E.D.	21	26	27
Associate Degree or Some College	*	19	13
Bachelor or Advanced Degree	*	0	0
EMPLOYMENT			
Employed	9	14	25
Unemployed	8	30	19
Not in Labor Force	19	13	15
HOUSING / LIVING ARRANGEMENT			
Independent Living	31	51	49
Dependent Living	*	*	9
Homeless	0	*	*
MARITAL / FAMILY STATUS			
Never Married	23	29	34
Married / Cohabitating	*	11	12
Previously Married	9	17	13

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	16	25	25
Marijuana / Hashish	5	6	15
Cocaine (total)	0	0	*
- Crack	0	0	*
Stimulant (total)	9	13	8
- Methamphetamine	9	13	8
Heroin	0	0	0
Analgesic except Heroin	6	10	8
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	0
Average Age at First Use of Drug	17.7	20.6	19.4
INJECTION DRUG USE			
Any Injection Use at Admission	11	10	5
- Daily Injection Use	*	*	*
- Weekly Injection Use	*	*	0
- Less than Weekly Injection Use	5	5	*
LIFETIME DUI / DWI ARRESTS			
0	23	21	26
1 or 2	6	25	21
3 or More	7	11	12
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	15	15	11
School	0	0	0
Mental Health Provider	0	0	0
Health Care Provider	*	*	5
Court / Criminal Justice	18	36	40
Other Referral Source	*	*	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	0
Military Veteran	*	0	5
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	11	16	7
Co-Occurring Developmental Problem	*	*	0

ANDREW COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	1
CENSUS 2010	17,291
2014 POPULATION ESTIMATE	17,379

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	5	6	6
Anxiety Disorder	28	29	31
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	22	26	27
Mood Disorder	49	45	46
Personality Disorder	*	*	5
Psychotic Disorder	10	13	11
Sexual Disorder	0	0	0
Other Diagnosis	12	13	12
Diagnosis Unknown	9	6	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	78	84	90
AGE			
Under 6	*	*	6
6 to 9	9	13	18
10 to 13	14	15	15
14 to 17	10	7	10
18 to 24	*	*	*
25 to 29	5	*	5
30 to 34	6	*	*
35 to 39	5	8	6
40 to 44	*	*	*
45 to 49	*	8	8
50 to 54	6	7	5
55 to 59	5	*	*
60 and Over	5	5	5
Age Unknown	0	0	0
GENDER			
Male	35	41	47
Female	43	43	43
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	73	77	82
African American	0	0	0
Native American / Alaskan	0	*	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	5
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	29	41	17
High School Grad or G.E.D.	0	*	13
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	49	42	52
EMPLOYMENT			
Employed	*	*	*
Unemployed	*	7	26
Not in Labor Force	50	60	10
Employment Status Unknown	20	15	52
HOUSING / LIVING ARRANGEMENT			
Independent Living	34	33	30
Dependent Living	24	37	17
Homeless	0	*	0
Other	0	0	0
Housing Unknown	20	13	43
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	35	32	30
School	*	*	*
Mental Health Provider	12	15	17
Health Care Provider	16	24	24
Court / Criminal Justice	6	*	*
Other	5	7	13
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	75	83	89
Civil	0	0	0
Criminal	*	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

ANDREW COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	23.3	36.2	39.5
Cigarettes	15.8	21.7	25.3
Chewing Tobacco	3.1	12.7	13.1
Marijuana	2.7	13.7	10.8
Inhalants	2.2	5.3	7.9
Prescription medications not prescribed for student	1.8	5.3	7.7
Over-the-counter medications for non-medical use	0.0	6.7	5.5
Methamphetamine	0.0	1.7	0.3
Cocaine	0.9	2.3	1.0
Heroin	0.0	1.7	0.0
Hallucinogens	0.0	2.7	2.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.0	2.6
Steroids not prescribed for student	0.0	1.3	0.5
Synthetic drugs (K2, bath salts, Spice, etc)	0.9	5.3	
Average age of students' first use of:			
Alcohol	11.81	12.81	12.08
Cigarettes	13.16	12.43	11.69
Marijuana	15.00	13.71	13.60
Inhalants	11.33	11.71	12.83
Percent of students who, in past 30 days, used:			
Alcohol	5.8	16.7	18.1
Alcohol (Binge: 5+ drinks on one occassion)		13.6	9.3
Cigarettes	7.9	11.7	13.6
Chewing Tobacco	2.2	6.7	9.0
Marijuana	0.0	7.7	6.4
Inhalants	0.9	2.7	4.6
Prescription medications not prescribed for student	0.9	3.0	6.4
Over-the-counter medications for non-medical use	0.0	4.3	3.9
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	1.4		
Percent whose friends used in past 12 months:			
Alcohol	25.2	51.0	59.3
Cigarettes	19.7	42.6	47.5
Marijuana	3.1	33.6	29.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.6	15.2	19.7
Percent who would likely use, if offered by a best friend:			
Alcohol	15.7	30.5	31.2
Cigarettes	6.6	14.0	13.3
Marijuana	1.4	12.4	10.0
Percent who say it would be wrong to use:			
Alcohol	75.7	66.2	63.9
Cigarettes	88.6	80.9	81.3
Marijuana	97.3	83.4	88.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	95.3	96.2
Percent whose parents would disapprove if they use:			
Alcohol	86.5	87.3	76.2
Cigarettes	94.6	94.3	92.8
Marijuana	100.0	95.5	94.8
Percent who say it would be easy to obtain:			
Alcohol	42.5	53.0	61.0
Cigarettes	39.5	46.0	56.7
Marijuana	7.1	29.7	28.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3	13.2	16.1

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	56.6		
Alcohol (Binge: 5+ drinks once or twice a week)	68.9		
Alcohol (any use)		69.7	81.3
Cigarettes (1+ packs per day)	90.8		
Cigarettes (any use)		84.0	76.5
Marijuana (once or twice a week)	88.2		
Marijuana (any use)		73.2	68.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	93.9	92.1
Percent of students who, in past 30 days:			
Were very sad	12.3	14.7	20.9
Were grouchy, irritable, or in a bad mood	21.8	22.7	33.1
Felt hopeless about the future	6.2	11.0	15.7
Felt like not eating or eating more than usual	18.4	15.1	20.8
Slept a lot more or a lot less than usual	12.9	17.8	28.6
Had difficulty concentrating on school work	16.3	20.3	28.1
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	1.7	11.4	8.8
Made plan about how they would attempt suicide	1.7	7.0	6.0
Attempted suicide	0.9	5.7	3.3
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.3	0.7	1.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	2.6	4.3	10.7
Were in a physical fight	8.8	16.7	24.9
Were in a fight and had to be treated by a doctor or nurse	0.4	3.0	3.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	41.2	49.5	60.1
Were made fun of by others	47.4	63.0	72.2
Were victims of an embarrassing or hurtful text message or something posted on the internet	16.2	25.0	24.8
Spread mean rumors or lies about other kids at school	15.3	33.3	41.9
Made fun of other people	40.2	65.3	77.6
Posted something on the internet or sent a text that might embarrass or hurt another student	9.6	19.7	25.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.1	68.2	68.4
School provides feedback to parents on positive student performance	55.1	36.8	42.3
Rules are enforced fairly	79.3	64.7	71.7
Students of all races/ethnicities are treated equal	96.4	81.1	78.7
Percent of students who agree that:			
Parents notice and comment on student's good work	92.0	83.9	82.9
Parents involve student in making family decisions	81.1	68.6	70.9
It is important to be honest with parents regardless of consequences	89.4	86.6	84.1
Student could ask parent for help with a personal problem	86.2	75.2	78.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

ATCHISON COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	5,685
2014 Estimate	5,382

BIRTH RISK	2013	2012	2011
Resident Births--Total	60	55	55
Mother Reported Smoking while Pregnant	18	13	11

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	0	0	0
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	73	80	88
Suicides	0	0	1
Self-inflicted Injuries	6	8	9
Homicides	0	0	0
Assault Injuries	4	9	8
Alcohol Induced Deaths	0	0	2
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	16	20	17

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	33	37	41
Mental Illness Secondary Diagnosis	31	42	47
Alcohol Principal Diagnosis	1	3	2
Alcohol Secondary Diagnosis	0	1	4
Drug Principal Diagnosis	0	1	0
Drug Secondary Diagnosis	2	1	1
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	26	11	14
Mental Illness Secondary Diagnosis	40	38	19
Alcohol Principal Diagnosis	0	3	1
Alcohol Secondary Diagnosis	0	5	4
Drug Principal Diagnosis	0	1	0
Drug Secondary Diagnosis	0	0	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	41	42	44
Mental Illness Secondary Diagnosis	70	92	106
Alcohol Principal Diagnosis	3	5	3
Alcohol Secondary Diagnosis	4	9	6
Drug Principal Diagnosis	4	1	3
Drug Secondary Diagnosis	5	5	3

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	8	7	7
Alcohol Package Carry-out Licenses	12	15	11

EMPLOYMENT	2014	2013	2012
Labor Force	2,869	3,062	3,000
Employed	2,711	2,903	2,826
Unemployed	158	159	174
Unemployment Rate	5.5%	5.2%	5.8%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	2	9	6
Fatal Crashes	0	0	1
Injury Crashes	0	4	3
Property Damage Crashes	2	5	2
Crash Fatalities	0	0	1
Crash Injuries	0	5	3
Drug Involved Crashes--Total	0	0	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	40	56	51
Liquor Law Arrests	26	22	35
Drug Arrests	89	77	72
Violent Offenses	0	8	2
Property Offenses	32	51	29
Domestic Violence Reports	12	10	12
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	235	250	268
Drop-outs	6	2	6
Drop-out Rate	2.6%	0.8%	2.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	4	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	2	3	6
Juvenile Alcohol Offenses	3	4	2
Juvenile Drug Offenses	1	5	2
School Truancy Status Offense	0	10	4
Absent from Home Status Offense	0	0	1
Beyond Parental Control Status Offense	3	12	11
Injurious Behavior Status Offense	4	11	11
Child Abuse	0	0	2
Child Neglect	24	15	49
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	3	6	18
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	0	5
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	3	1	2
Probation/Parole Admissions--Drug	27	18	27
Probation/Parole Admissions--DWI	3	0	2
Prison Admissions--Drug	3	8	2
Prison Admissions--DWI	0	0	3

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

ATCHISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	0	5
CSTAR Adolescent	0	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	*	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	9	8	14
Clinical SATOP (CIP, YCIP, SROP)	*	6	6
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	21	40	35
- Adolescent Diversion Education Prograr	*	5	12
- Offender Education Program	5	20	13
- Weekend Intervention Program	6	9	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	*	7

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	16	19	25
AGE			
Under 18	0	*	0
18 to 24	*	5	*
25 to 29	6	*	*
30 to 34	*	*	*
35 to 39	*	0	*
40 to 44	*	*	8
45 to 54	*	*	*
55 and Over	*	*	*
GENDER			
Male	8	14	18
Female	8	5	7
RACE / ETHNICITY			
Caucasian	15	19	25
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	0
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	8	10	5
High School Graduate or G.E.D.	*	5	15
Associate Degree or Some College	*	*	*
Bachelor or Advanced Degree	0	0	*
EMPLOYMENT			
Employed	*	11	12
Unemployed	5	*	9
Not in Labor Force	7	*	*
HOUSING / LIVING ARRANGEMENT			
Independent Living	13	16	24
Dependent Living	0	*	*
Homeless	*	0	0
MARITAL / FAMILY STATUS			
Never Married	10	12	11
Married / Cohabitating	*	5	6
Previously Married	*	*	8

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	5	8	10
Marijuana / Hashish	6	7	7
Cocaine (total)	0	*	*
- Crack	0	*	0
Stimulant (total)	5	*	6
- Methamphetamine	5	*	6
Heroin	0	0	0
Analgesic except Heroin	0	0	0
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	17.6	17.8	17.6
INJECTION DRUG USE			
Any Injection Use at Admission	*	*	*
- Daily Injection Use	*	0	*
- Weekly Injection Use	0	0	0
- Less than Weekly Injection Use	*	*	0
LIFETIME DUI / DWI ARRESTS			
0	12	9	12
1 or 2	*	5	8
3 or More	0	5	5
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	6	*	*
School	0	0	0
Mental Health Provider	0	0	0
Health Care Provider	0	*	*
Court / Criminal Justice	7	15	18
Other Referral Source	*	*	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	0
Military Veteran	0	0	*
Special Education Services Needed	0	0	*
Co-Occurring Psychological Problem	8	5	8
Co-Occurring Developmental Problem	*	0	0

ATCHISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	1
CENSUS 2010	5,685
2014 POPULATION ESTIMATE	5,382

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	0
Anxiety Disorder	*	11	8
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	5	7	7
Mood Disorder	11	18	14
Personality Disorder	0	0	*
Psychotic Disorder	5	5	*
Sexual Disorder	*	0	0
Other Diagnosis	*	*	5
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	20	30	28
AGE			
Under 6	0	*	*
6 to 9	*	*	*
10 to 13	*	*	5
14 to 17	*	*	*
18 to 24	0	*	*
25 to 29	*	*	*
30 to 34	0	0	0
35 to 39	*	*	*
40 to 44	*	*	*
45 to 49	*	*	*
50 to 54	*	*	0
55 to 59	0	0	*
60 and Over	*	*	5
Age Unknown	0	0	0
GENDER			
Male	9	10	13
Female	11	20	15
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	18	28	24
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	*
Other Race	0	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	0	0	0

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	10	7	*
High School Grad or G.E.D.	0	*	8
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	10	20	14
EMPLOYMENT			
Employed	*	5	*
Unemployed	0	8	11
Not in Labor Force	16	10	0
Employment Status Unknown	*	7	14
HOUSING / LIVING ARRANGEMENT			
Independent Living	9	19	14
Dependent Living	9	6	*
Homeless	0	0	0
Other	0	*	0
Housing Unknown	*	*	11
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	6	11	5
School	*	*	6
Mental Health Provider	*	*	5
Health Care Provider	*	6	7
Court / Criminal Justice	*	*	*
Other	5	7	*
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	20	30	28
Civil	0	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

ATCHISON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	23.1	36.7	35.1
Cigarettes	7.7	20.3	4.0
Chewing Tobacco	10.9	10.1	40.9
Marijuana	3.1	8.9	2.0
Inhalants	4.6	3.8	1.3
Prescription medications not prescribed for student	6.1	5.1	2.0
Over-the-counter medications for non-medical use	0.0	2.5	1.3
Methamphetamine	0.0	1.3	0.0
Cocaine	0.0	0.0	0.0
Heroin	0.0	0.0	0.0
Hallucinogens	0.0	0.0	0.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.6	0.0
Steroids not prescribed for student	1.5	1.3	0.0
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	3.8	
Average age of students' first use of:			
Alcohol	13.46	13.58	12.95
Cigarettes	14.00	12.59	11.69
Marijuana	15.42	13.03	
Inhalants	11.29		
Percent of students who, in past 30 days, used:			
Alcohol	7.7	13.8	2.0
Alcohol (Binge: 5+ drinks on one occassion)		6.3	0.0
Cigarettes	4.6	11.4	1.3
Chewing Tobacco	4.7	7.6	1.8
Marijuana	0.0	2.5	2.0
Inhalants	3.1	1.3	1.3
Prescription medications not prescribed for student	3.1	5.1	1.3
Over-the-counter medications for non-medical use	0.0	2.5	1.3
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	1.6		
Percent whose friends used in past 12 months:			
Alcohol	40.0	51.3	18.5
Cigarettes	27.7	43.0	10.6
Marijuana	10.6	16.7	3.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.7	3.9	0.0
Percent who would likely use, if offered by a best friend:			
Alcohol	15.4	19.0	5.3
Cigarettes	6.2	10.1	1.3
Marijuana	1.5	8.9	0.0
Percent who say it would be wrong to use:			
Alcohol	79.7	70.9	94.7
Cigarettes	89.2	86.1	96.7
Marijuana	96.9	87.3	98.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	97.5	100.0
Percent whose parents would disapprove if they use:			
Alcohol	89.2	78.5	98.0
Cigarettes	96.9	86.3	96.7
Marijuana	98.4	92.3	98.7
Percent who say it would be easy to obtain:			
Alcohol	45.3	54.4	47.7
Cigarettes	38.5	49.4	42.4
Marijuana	10.8	23.1	30.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.7	8.9	29.3

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	64.6		
Alcohol (Binge: 5+ drinks once or twice a week)	73.4		
Alcohol (any use)		79.5	93.4
Cigarettes (1+ packs per day)	90.8		
Cigarettes (any use)		83.5	93.4
Marijuana (once or twice a week)	89.2		
Marijuana (any use)		78.5	88.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	100.0	97.4	98.0
Percent of students who, in past 30 days:			
Were very sad	15.4	21.3	10.7
Were grouchy, irritable, or in a bad mood	15.4	35.4	15.2
Felt hopeless about the future	7.7	10.3	6.0
Felt like not eating or eating more than usual	7.7	16.9	6.6
Slept a lot more or a lot less than usual	10.8	16.5	15.4
Had difficulty concentrating on school work	16.9	14.1	15.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	6.2	13.9	1.3
Made plan about how they would attempt suicide	3.1	11.4	1.3
Attempted suicide	3.1	6.3	0.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.6	1.3	0.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.2	3.8	3.9
Were in a physical fight	15.9	24.1	11.9
Were in a fight and had to be treated by a doctor or nurse	0.0	3.8	1.3
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	53.8	58.2	55.6
Were made fun of by others	61.5	64.6	65.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.0	22.8	9.9
Spread mean rumors or lies about other kids at school	22.7	27.8	40.4
Made fun of other people	60.9	63.3	85.4
Posted something on the internet or sent a text that might embarrass or hurt another student	10.8	10.1	4.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	87.5	75.9	62.0
School provides feedback to parents on positive student performance	57.8	45.5	30.4
Rules are enforced fairly	68.8	57.0	70.5
Students of all races/ethnicities are treated equal	90.8	83.8	71.3
Percent of students who agree that:			
Parents notice and comment on student's good work	92.1	85.9	65.6
Parents involve student in making family decisions	70.3	69.2	61.5
It is important to be honest with parents regardless of consequences	92.3	92.4	98.0
Student could ask parent for help with a personal problem	88.9	81.0	63.2

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

AUDRAIN COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	25,529
2014 Estimate	25,887

BIRTH RISK	2013	2012	2011
Resident Births--Total	326	316	360
Mother Reported Smoking while Pregnant	86	103	116

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	2
Hepatitis B Chronic, Acute, Prenatal	0	3	3
Hepatitis C Chronic and Acute	18	19	21
Tuberculosis Infection Cases	6	4	2

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	307	282	268
Suicides	3	8	4
Self-inflicted Injuries	19	30	36
Homicides	1	0	1
Assault Injuries	71	81	71
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	4	6	0
Smoking Attributable Deaths	61	61	41

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	126	128	128
Mental Illness Secondary Diagnosis	248	262	265
Alcohol Principal Diagnosis	4	7	3
Alcohol Secondary Diagnosis	21	19	19
Drug Principal Diagnosis	5	8	6
Drug Secondary Diagnosis	21	19	12
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	115	103	82
Mental Illness Secondary Diagnosis	425	314	323
Alcohol Principal Diagnosis	23	18	13
Alcohol Secondary Diagnosis	33	36	24
Drug Principal Diagnosis	18	5	11
Drug Secondary Diagnosis	27	19	15
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	259	249	223
Mental Illness Secondary Diagnosis	211	212	198
Alcohol Principal Diagnosis	24	40	35
Alcohol Secondary Diagnosis	39	37	36
Drug Principal Diagnosis	26	24	24
Drug Secondary Diagnosis	36	14	37

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	28	26	24
Alcohol Package Carry-out Licenses	26	26	27

EMPLOYMENT	2014	2013	2012
Labor Force	11,165	12,248	11,893
Employed	10,541	11,541	11,139
Unemployed	624	707	754
Unemployment Rate	5.6%	5.8%	6.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	15	28	18
Fatal Crashes	0	1	0
Injury Crashes	10	15	12
Property Damage Crashes	5	12	6
Crash Fatalities	0	1	0
Crash Injuries	11	16	14
Drug Involved Crashes--Total	5	5	6
Fatal Crashes	0	1	0
Injury Crashes	2	2	2
Property Damage Crashes	3	2	4
Crash Fatalities	0	3	0
Crash Injuries	3	4	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	72	81	90
Liquor Law Arrests	12	12	16
Drug Arrests	189	61	79
Violent Offenses	66	45	36
Property Offenses	655	489	483
Domestic Violence Reports	429	378	306
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	3	3	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	933	1,006	1,057
Drop-outs	36	45	37
Drop-out Rate	3.9%	4.5%	3.5%
School Discipline Involving Alcohol	1	0	1
School Discipline Involving Drugs	2	6	6
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	19	37	30
Juvenile Alcohol Offenses	6	1	14
Juvenile Drug Offenses	9	10	9
School Truancy Status Offense	21	36	21
Absent from Home Status Offense	15	15	4
Beyond Parental Control Status Offense	12	9	12
Injurious Behavior Status Offense	52	58	50
Child Abuse	28	27	11
Child Neglect	35	12	14
Child Custody Issues	3	2	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	32	18	7
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	5	2	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	14	22	25
Probation/Parole Admissions--Drug	62	54	60
Probation/Parole Admissions--DWI	20	22	19
Prison Admissions--Drug	23	17	32
Prison Admissions--DWI	12	5	9

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

AUDRAIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	11	25	16
CSTAR Adolescent	11	21	27
CSTAR Women and Children	13	20	11
CSTAR General Adult	148	33	25
CSTAR Opioid	0	*	0
Primary Recovery Treatment	53	144	170
Clinical SATOP (CIP, YCIP, SROP)	20	24	20
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	78	90	109
- Adolescent Diversion Education Prograr	6	*	8
- Offender Education Program	15	26	37
- Weekend Intervention Program	9	15	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	10	9
Compulsive Gambling	0	*	*
Recovery Supports	*	*	*
Early Intervention	14	7	17

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	231	235	230
AGE			
Under 18	15	22	24
18 to 24	41	42	47
25 to 29	35	39	36
30 to 34	44	37	33
35 to 39	31	27	20
40 to 44	26	21	21
45 to 54	30	33	42
55 and Over	9	14	7
GENDER			
Male	164	159	171
Female	67	76	59
RACE / ETHNICITY			
Caucasian	192	190	179
African American	32	36	42
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	5	*
Other Race / Two or More Races	6	7	8
EDUCATION			
Less than High School Diploma	90	91	95
High School Graduate or G.E.D.	110	109	102
Associate Degree or Some College	30	35	32
Bachelor or Advanced Degree	*	0	*
EMPLOYMENT			
Employed	76	79	76
Unemployed	100	91	91
Not in Labor Force	55	65	63
HOUSING / LIVING ARRANGEMENT			
Independent Living	181	186	190
Dependent Living	29	37	33
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	125	127	129
Married / Cohabitating	55	57	46
Previously Married	51	51	55

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	74	90	82
Marijuana / Hashish	69	74	93
Cocaine (total)	8	14	20
- Crack	*	6	*
Stimulant (total)	57	28	9
- Methamphetamine	57	26	7
Heroin	6	8	9
Analgesic except Heroin	10	11	12
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	*
Tranquilizer	*	*	0
Inhalant	0	0	0
Sedative	*	*	0
Other Medication or Illicit Drug	5	5	*
Average Age at First Use of Drug	18.0	17.7	16.7
INJECTION DRUG USE			
Any Injection Use at Admission	23	18	16
- Daily Injection Use	*	*	*
- Weekly Injection Use	7	5	*
- Less than Weekly Injection Use	15	9	12
LIFETIME DUI / DWI ARRESTS			
0	135	129	131
1 or 2	64	72	56
3 or More	32	34	43
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	49	41	20
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	7	6	*
Court / Criminal Justice	149	150	196
Other Referral Source	18	28	9
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	5	*
Military Veteran	8	7	13
Special Education Services Needed	26	24	33
Co-Occurring Psychological Problem	92	89	79
Co-Occurring Developmental Problem	7	*	*

AUDRAIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	15
CENSUS 2010	25,529
2014 POPULATION ESTIMATE	25,887

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	74	58	63
Anxiety Disorder	292	284	303
Dementia	*	*	7
Developmental Disorder	43	40	36
Impulse Control Disorder	250	247	269
Mood Disorder	460	467	504
Personality Disorder	79	92	87
Psychotic Disorder	86	82	76
Sexual Disorder	*	*	0
Other Diagnosis	90	79	75
Diagnosis Unknown	59	45	73

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	720	698	767
AGE			
Under 6	10	11	16
6 to 9	61	58	60
10 to 13	72	67	72
14 to 17	81	78	91
18 to 24	63	59	86
25 to 29	59	63	56
30 to 34	63	59	65
35 to 39	60	56	58
40 to 44	44	43	54
45 to 49	63	64	66
50 to 54	57	56	60
55 to 59	49	43	43
60 and Over	38	41	40
Age Unknown	0	0	0
GENDER			
Male	341	327	334
Female	379	371	433
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	617	603	669
African American	53	54	54
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	*	*
Hispanic	9	8	7
Other Race	36	30	33
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	15	15	24
Past or Current Military Service	11	11	9

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	266	253	112
High School Grad or G.E.D.	0	0	94
Associate Degree or Some College	0	0	31
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	454	445	526
EMPLOYMENT			
Employed	49	59	40
Unemployed	62	53	168
Not in Labor Force	412	422	84
Employment Status Unknown	197	164	475
HOUSING / LIVING ARRANGEMENT			
Independent Living	219	247	202
Dependent Living	209	207	103
Homeless	8	6	*
Other	0	0	5
Housing Unknown	284	238	454
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	459	469	536
School	9	7	13
Mental Health Provider	37	48	38
Health Care Provider	42	38	54
Court / Criminal Justice	15	12	16
Other	157	123	109
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	718	694	765
Civil	0	*	0
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

AUDRAIN COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	46.5	40.2	42.2
Cigarettes	31.4	25.1	27.0
Chewing Tobacco	22.2	8.3	11.5
Marijuana	10.2	12.9	15.1
Inhalants	2.5	5.5	8.5
Prescription medications not prescribed for student	3.2	7.6	15.0
Over-the-counter medications for non-medical use	0.0	4.5	7.3
Methamphetamine	0.0	1.0	0.6
Cocaine	0.0	2.4	1.8
Heroin	0.0	0.5	0.2
Hallucinogens	0.0	2.9	2.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.2	1.4
Steroids not prescribed for student	0.0	1.9	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	8.5	6.0	
Average age of students' first use of:			
Alcohol	12.92	13.00	11.97
Cigarettes	12.20	12.68	11.56
Marijuana	13.41	14.26	12.93
Inhalants	13.64	12.77	11.72
Percent of students who, in past 30 days, used:			
Alcohol	14.8	18.9	20.5
Alcohol (Binge: 5+ drinks on one occassion)		11.7	15.0
Cigarettes	16.2	12.6	14.7
Chewing Tobacco	6.0	6.2	5.0
Marijuana	0.7	6.0	6.1
Inhalants	2.1	1.9	5.9
Prescription medications not prescribed for student	2.2	1.7	7.9
Over-the-counter medications for non-medical use	0.0	2.4	5.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.0		
Percent whose friends used in past 12 months:			
Alcohol	69.0	51.3	53.4
Cigarettes	51.8	40.3	44.5
Marijuana	23.2	28.5	35.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.1	12.4	14.5
Percent who would likely use, if offered by a best friend:			
Alcohol	37.3	34.0	31.2
Cigarettes	18.0	13.4	15.4
Marijuana	10.9	7.2	9.1
Percent who say it would be wrong to use:			
Alcohol	31.3	62.5	62.0
Cigarettes	71.8	79.5	80.3
Marijuana	74.6	84.1	85.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	94.7	95.9
Percent whose parents would disapprove if they use:			
Alcohol	72.2	76.8	83.3
Cigarettes	94.7	91.1	93.7
Marijuana	98.6	95.2	95.3
Percent who say it would be easy to obtain:			
Alcohol	73.2	53.5	47.5
Cigarettes	49.6	50.0	49.9
Marijuana	28.3	33.5	34.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.4	16.6	20.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	45.8		
Alcohol (Binge: 5+ drinks once or twice a week)	71.4		
Alcohol (any use)		64.9	77.0
Cigarettes (1+ packs per day)	80.3		
Cigarettes (any use)		74.8	78.2
Marijuana (once or twice a week)	60.2		
Marijuana (any use)		70.6	72.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.6	90.2	92.3
Percent of students who, in past 30 days:			
Were very sad	8.3	21.4	28.2
Were grouchy, irritable, or in a bad mood	20.8	25.7	31.2
Felt hopeless about the future	4.0	9.7	17.5
Felt like not eating or eating more than usual	9.2	20.5	23.8
Slept a lot more or a lot less than usual	2.5	18.5	32.4
Had difficulty concentrating on school work	17.3	25.4	31.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	3.2	11.2	12.1
Made plan about how they would attempt suicide	3.2	9.1	6.8
Attempted suicide	3.2	5.7	6.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.1	1.7	2.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	14.8	6.7	7.5
Were in a physical fight	26.4	17.0	23.5
Were in a fight and had to be treated by a doctor or nurse	4.2	3.3	2.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	39.2	48.9	57.6
Were made fun of by others	49.3	63.2	67.0
Were victims of an embarrassing or hurtful text message or something posted on the internet	11.7	22.7	20.2
Spread mean rumors or lies about other kids at school	32.0	30.6	34.1
Made fun of other people	39.1	62.2	70.6
Posted something on the internet or sent a text that might embarrass or hurt another student	12.3	19.1	20.2
Percent of students who agree that:			
Teachers notice and comment on student's good work	81.0	65.9	71.8
School provides feedback to parents on positive student performance	58.8	36.5	36.2
Rules are enforced fairly	66.5	56.6	61.3
Students of all races/ethnicities are treated equal	89.8	73.7	73.9
Percent of students who agree that:			
Parents notice and comment on student's good work	83.5	80.5	84.8
Parents involve student in making family decisions	77.5	65.8	69.6
It is important to be honest with parents regardless of consequences	79.9	82.7	83.0
Student could ask parent for help with a personal problem	76.1	73.5	76.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

BARRY COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	8A
POPULATION	
Census 2010	35,597
2014 Estimate	35,662

BIRTH RISK	2013	2012	2011
Resident Births--Total	402	437	426
Mother Reported Smoking while Pregnant	99	102	113

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	2
Hepatitis B Chronic, Acute, Prenatal	4	2	2
Hepatitis C Chronic and Acute	25	23	27
Tuberculosis Infection Cases	7	7	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	400	397	389
Suicides	1	6	6
Self-inflicted Injuries	45	62	54
Homicides	0	1	0
Assault Injuries	93	118	83
Alcohol Induced Deaths	1	0	3
Drug Induced Deaths	5	5	5
Smoking Attributable Deaths	79	79	75

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	217	198	200
Mental Illness Secondary Diagnosis	469	447	538
Alcohol Principal Diagnosis	16	20	13
Alcohol Secondary Diagnosis	34	51	57
Drug Principal Diagnosis	26	24	13
Drug Secondary Diagnosis	28	38	44
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	106	117	96
Mental Illness Secondary Diagnosis	426	434	296
Alcohol Principal Diagnosis	36	32	30
Alcohol Secondary Diagnosis	69	55	46
Drug Principal Diagnosis	19	21	14
Drug Secondary Diagnosis	29	30	22
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	269	314	294
Mental Illness Secondary Diagnosis	646	884	564
Alcohol Principal Diagnosis	69	59	57
Alcohol Secondary Diagnosis	129	114	121
Drug Principal Diagnosis	59	82	62
Drug Secondary Diagnosis	139	142	164

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	31	31	27
Alcohol Package Carry-out Licenses	53	51	51

EMPLOYMENT	2014	2013	2012
Labor Force	14,722	16,604	16,275
Employed	13,817	15,642	15,247
Unemployed	905	962	1,028
Unemployment Rate	6.1%	5.8%	6.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	47	51	68
Fatal Crashes	5	3	4
Injury Crashes	20	19	34
Property Damage Crashes	22	29	30
Crash Fatalities	5	3	4
Crash Injuries	30	28	48
Drug Involved Crashes--Total	15	7	14
Fatal Crashes	5	0	0
Injury Crashes	5	2	4
Property Damage Crashes	5	5	10
Crash Fatalities	5	0	0
Crash Injuries	8	2	8

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	327	275	316
Liquor Law Arrests	21	44	45
Drug Arrests	157	180	176
Violent Offenses	101	100	101
Property Offenses	1,237	1,390	1,124
Domestic Violence Reports	268	314	354
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	27	28	44

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,870	1,905	1,928
Drop-outs	13	31	45
Drop-out Rate	0.7%	1.6%	2.3%
School Discipline Involving Alcohol	22	52	1
School Discipline Involving Drugs	9	3	44
School Discipline Involving Tobacco	2	2	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	16	17	43
Juvenile Alcohol Offenses	1	2	4
Juvenile Drug Offenses	5	10	14
School Truancy Status Offense	12	10	15
Absent from Home Status Offense	7	12	13
Beyond Parental Control Status Offense	7	10	13
Injurious Behavior Status Offense	9	11	12
Child Abuse	16	7	14
Child Neglect	30	26	18
Child Custody Issues	89	107	46

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	104	93	42
Parental Alcohol Use Related	4	5	3
Parental Drug Use Related	30	38	19
Parental Alcohol and Drug Use	2	2	2

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	53	50	43
Probation/Parole Admissions--Drug	82	96	78
Probation/Parole Admissions--DWI	17	27	18
Prison Admissions--Drug	37	33	42
Prison Admissions--DWI	6	6	8

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BARRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	22	25	34
CSTAR Adolescent	5	0	7
CSTAR Women and Children	18	18	9
CSTAR General Adult	83	84	75
CSTAR Opioid	0	0	0
Primary Recovery Treatment	28	16	27
Clinical SATOP (CIP, YCIP, SROP)	28	24	12
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	135	111	111
- Adolescent Diversion Education Prograr	*	*	0
- Offender Education Program	54	46	40
- Weekend Intervention Program	19	17	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	10	10
Compulsive Gambling	0	0	0
Recovery Supports	*	*	5
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	158	160	144
AGE			
Under 18	5	*	7
18 to 24	25	19	33
25 to 29	32	41	25
30 to 34	28	30	15
35 to 39	28	20	15
40 to 44	15	12	14
45 to 54	21	27	27
55 and Over	*	10	8
GENDER			
Male	100	91	98
Female	58	69	46
RACE / ETHNICITY			
Caucasian	150	152	136
African American	*	0	0
Native American / Alaskan	0	0	*
Asian / Pacific Islander	0	0	0
Hispanic	5	*	6
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	57	51	55
High School Graduate or G.E.D.	73	72	67
Associate Degree or Some College	24	36	22
Bachelor or Advanced Degree	*	*	0
EMPLOYMENT			
Employed	57	40	55
Unemployed	50	63	48
Not in Labor Force	51	57	41
HOUSING / LIVING ARRANGEMENT			
Independent Living	134	140	133
Dependent Living	21	7	7
Homeless	*	9	*
MARITAL / FAMILY STATUS			
Never Married	77	59	66
Married / Cohabitating	40	49	38
Previously Married	41	52	40

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	63	58	55
Marijuana / Hashish	33	26	32
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	46	56	32
- Methamphetamine	45	54	32
Heroin	*	*	0
Analgesic except Heroin	11	15	19
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	*
Tranquilizer	0	*	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	16.7	17.3	16.5
INJECTION DRUG USE			
Any Injection Use at Admission	30	30	20
- Daily Injection Use	8	*	5
- Weekly Injection Use	6	7	6
- Less than Weekly Injection Use	16	19	9
LIFETIME DUI / DWI ARRESTS			
0	80	83	76
1 or 2	47	52	39
3 or More	31	25	29
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	38	59	42
School	0	0	0
Mental Health Provider	*	0	*
Health Care Provider	7	13	7
Court / Criminal Justice	85	40	45
Other Referral Source	25	46	49
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	8	12	7
Special Education Services Needed	18	19	7
Co-Occurring Psychological Problem	56	70	49
Co-Occurring Developmental Problem	6	*	*

BARRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	8A
CENSUS 2010	35,597
2014 POPULATION ESTIMATE	35,662

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	31	26	44
Anxiety Disorder	186	177	191
Dementia	0	0	0
Developmental Disorder	12	8	10
Impulse Control Disorder	98	93	108
Mood Disorder	236	247	276
Personality Disorder	63	63	63
Psychotic Disorder	77	63	65
Sexual Disorder	*	*	*
Other Diagnosis	53	43	39
Diagnosis Unknown	233	233	98

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	646	645	553
AGE			
Under 6	10	13	8
6 to 9	41	40	40
10 to 13	53	52	47
14 to 17	41	40	53
18 to 24	61	71	41
25 to 29	46	52	48
30 to 34	57	42	57
35 to 39	47	38	45
40 to 44	61	81	57
45 to 49	66	68	45
50 to 54	58	60	47
55 to 59	60	49	33
60 and Over	45	39	32
Age Unknown	0	0	0
GENDER			
Male	301	275	248
Female	345	370	305
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	624	618	530
African American	7	9	5
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	*	*
Hispanic	11	11	9
Other Race	*	5	7
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	37	37	35
Past or Current Military Service	8	7	6

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	173	107	57
High School Grad or G.E.D.	0	0	31
Associate Degree or Some College	0	0	14
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	473	538	448
EMPLOYMENT			
Employed	18	10	7
Unemployed	18	*	75
Not in Labor Force	302	176	50
Employment Status Unknown	308	456	421
HOUSING / LIVING ARRANGEMENT			
Independent Living	181	85	101
Dependent Living	133	97	51
Homeless	*	*	*
Other	0	0	*
Housing Unknown	330	460	398
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	388	381	263
School	12	11	7
Mental Health Provider	36	35	39
Health Care Provider	81	86	74
Court / Criminal Justice	16	15	17
Other	109	115	150
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	634	633	544
Civil	5	8	*
Criminal	*	*	*
Sexual Predatory	*	*	*
Commitment Type Unknown	*	*	*

BARRY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	39.7	36.0	46.0
Cigarettes	29.3	26.8	29.5
Chewing Tobacco	24.9	18.6	21.2
Marijuana	14.3	14.4	16.2
Inhalants	4.7	7.3	8.2
Prescription medications not prescribed for student	6.9	7.6	11.4
Over-the-counter medications for non-medical use	3.8	4.8	9.8
Methamphetamine	1.2	1.5	1.0
Cocaine	1.2	1.3	1.7
Heroin	0.2	1.0	0.4
Hallucinogens	1.2	3.2	2.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	1.9	1.8
Steroids not prescribed for student	0.5	1.1	1.2
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	7.3	
Average age of students' first use of:			
Alcohol	12.39	12.49	12.63
Cigarettes	12.01	12.36	12.22
Marijuana	13.24	13.17	13.60
Inhalants	10.26	12.08	12.61
Percent of students who, in past 30 days, used:			
Alcohol	14.0	13.3	19.4
Alcohol (Binge: 5+ drinks on one occassion)		8.3	12.0
Cigarettes	14.8	10.7	15.8
Chewing Tobacco	13.0	10.0	11.6
Marijuana	5.7	5.9	6.9
Inhalants	0.7	2.5	2.8
Prescription medications not prescribed for student	1.4	4.0	6.3
Over-the-counter medications for non-medical use	1.4	2.5	5.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.0		
Percent whose friends used in past 12 months:			
Alcohol	44.5	49.3	58.6
Cigarettes	39.2	41.9	48.4
Marijuana	29.2	29.6	35.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.6	11.6	14.9
Percent who would likely use, if offered by a best friend:			
Alcohol	29.5	24.9	32.5
Cigarettes	17.5	13.4	16.9
Marijuana	10.6	9.4	12.1
Percent who say it would be wrong to use:			
Alcohol	63.1	69.2	61.7
Cigarettes	76.3	83.0	76.9
Marijuana	82.7	85.9	83.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	96.3	96.0
Percent whose parents would disapprove if they use:			
Alcohol	79.0	82.9	80.2
Cigarettes	91.1	91.3	89.0
Marijuana	94.5	95.5	94.8
Percent who say it would be easy to obtain:			
Alcohol	48.9	51.1	55.3
Cigarettes	50.4	52.6	58.7
Marijuana	26.9	30.0	37.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0	15.3	18.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	49.3		
Alcohol (Binge: 5+ drinks once or twice a week)	61.5		
Alcohol (any use)		74.5	76.1
Cigarettes (1+ packs per day)	80.3		
Cigarettes (any use)		82.5	79.9
Marijuana (once or twice a week)	64.4		
Marijuana (any use)		78.5	76.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.9	94.7	94.4
Percent of students who, in past 30 days:			
Were very sad	23.0	16.4	24.8
Were grouchy, irritable, or in a bad mood	27.7	21.6	30.1
Felt hopeless about the future	12.4	10.2	16.3
Felt like not eating or eating more than usual	17.1	15.2	20.3
Slept a lot more or a lot less than usual	15.3	18.7	32.1
Had difficulty concentrating on school work	20.3	20.1	28.1
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.7	11.2	11.2
Made plan about how they would attempt suicide	8.9	7.0	8.8
Attempted suicide	4.5	4.5	5.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	1.9	1.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	8.0	5.8	9.1
Were in a physical fight	21.8	17.2	25.1
Were in a fight and had to be treated by a doctor or nurse	1.7	2.5	3.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.4	48.3	56.7
Were made fun of by others	59.6	60.3	68.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	19.1	18.8	18.2
Spread mean rumors or lies about other kids at school	22.5	23.2	37.9
Made fun of other people	56.0	55.9	74.0
Posted something on the internet or sent a text that might embarrass or hurt another student	12.9	10.3	20.2
Percent of students who agree that:			
Teachers notice and comment on student's good work	78.6	66.7	65.7
School provides feedback to parents on positive student performance	46.0	37.3	39.9
Rules are enforced fairly	62.9	64.7	59.6
Students of all races/ethnicities are treated equal	81.9	77.6	76.8
Percent of students who agree that:			
Parents notice and comment on student's good work	84.2	85.7	83.9
Parents involve student in making family decisions	71.0	72.5	67.5
It is important to be honest with parents regardless of consequences	91.8	89.2	86.9
Student could ask parent for help with a personal problem	75.1	79.0	77.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

BARTON COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	9
POPULATION	
Census 2010	12,402
2014 Estimate	12,057

BIRTH RISK	**2013**	**2012**	**2011**
Resident Births--Total	141	152	143
Mother Reported Smoking while Pregnant	39	30	27

DISEASE INCIDENCE [1]	**2013**	**2012**	**2011**
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	2	2	9
Tuberculosis Infection Cases	0	0	2

DEATHS and INJURIES	**2013**	**2012**	**2011**
Resident Deaths--Total	163	135	127
Suicides	3	2	3
Self-inflicted Injuries	22	9	15
Homicides	1	2	0
Assault Injuries	43	38	33
Alcohol Induced Deaths	0	3	0
Drug Induced Deaths	1	3	5
Smoking Attributable Deaths	28	19	20

HOSPITAL EPISODES [2]	**2013**	**2012**	**2011**
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	132	103	89
Mental Illness Secondary Diagnosis	487	431	461
Alcohol Principal Diagnosis	4	5	6
Alcohol Secondary Diagnosis	27	20	33
Drug Principal Diagnosis	11	5	10
Drug Secondary Diagnosis	32	17	12
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	38	20	20
Mental Illness Secondary Diagnosis	96	91	67
Alcohol Principal Diagnosis	10	5	1
Alcohol Secondary Diagnosis	12	11	10
Drug Principal Diagnosis	7	4	1
Drug Secondary Diagnosis	4	10	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	97	115	79
Mental Illness Secondary Diagnosis	449	292	247
Alcohol Principal Diagnosis	25	8	12
Alcohol Secondary Diagnosis	192	55	39
Drug Principal Diagnosis	34	16	24
Drug Secondary Diagnosis	97	48	24

ALCOHOL OUTLETS	**2014**	**2013**	**2012**
Alcohol On-Premise Drink Licenses	7	6	6
Alcohol Package Carry-out Licenses	17	15	16

EMPLOYMENT	**2014**	**2013**	**2012**
Labor Force	5,518	5,051	4,903
Employed	5,164	4,663	4,490
Unemployed	354	388	413
Unemployment Rate	6.4%	7.7%	8.4%

IMPAIRED DRIVING	**2013**	**2012**	**2011**
Alcohol Involved Crashes--Total	10	15	10
Fatal Crashes	1	1	1
Injury Crashes	2	4	4
Property Damage Crashes	7	10	5
Crash Fatalities	1	1	1
Crash Injuries	4	6	4
Drug Involved Crashes--Total	3	7	1
Fatal Crashes	0	0	0
Injury Crashes	2	2	0
Property Damage Crashes	1	5	1
Crash Fatalities	0	0	0
Crash Injuries	4	3	0

POLICE REPORTS	**2013**	**2012**	**2011**
DUI Arrests, DWI Tracking System	63	55	49
Liquor Law Arrests	21	28	50
Drug Arrests	13	20	33
Violent Offenses	25	34	20
Property Offenses	177	301	244
Domestic Violence Reports	143	212	138
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	5	3	4

SCHOOL REPORTS	**2013-14**	**2012-13**	**2011-12**
Enrollment Grades 9-12	615	624	640
Drop-outs	8	7	6
Drop-out Rate	1.3%	1.1%	0.9%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	3	1
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS [3]	**2013**	**2012**	**2011**
Juvenile Violent Offenses	29	42	52
Juvenile Alcohol Offenses	11	10	16
Juvenile Drug Offenses	2	7	6
School Truancy Status Offense	44	17	20
Absent from Home Status Offense	9	4	5
Beyond Parental Control Status Offense	11	14	11
Injurious Behavior Status Offense	6	6	9
Child Abuse	71	21	20
Child Neglect	65	111	126
Child Custody Issues	2	1	1

JUVENILE COURT PLACEMENTS	**2013**	**2012**	**2011**
Out-of-Home Placements--Total	17	4	18
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	6	1	2
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	**FY2014**	**FY2013**	**FY2012**
Drug Court Participants	15	21	19
Probation/Parole Admissions--Drug	15	21	26
Probation/Parole Admissions--DWI	7	8	5
Prison Admissions--Drug	10	20	8
Prison Admissions--DWI	2	4	3

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BARTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	11	5	7
CSTAR Adolescent	0	*	*
CSTAR Women and Children	6	*	*
CSTAR General Adult	48	40	52
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	8
Clinical SATOP (CIP, YCIP, SROP)	11	9	10
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	32	30	41
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	6	9	18
- Weekend Intervention Program	*	*	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	8	10	21
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	69	67	89
AGE			
Under 18	*	*	*
18 to 24	13	6	14
25 to 29	12	20	21
30 to 34	10	10	19
35 to 39	10	11	8
40 to 44	6	8	6
45 to 54	9	7	16
55 and Over	8	*	*
GENDER			
Male	46	48	67
Female	23	19	22
RACE / ETHNICITY			
Caucasian	68	65	88
African American	0	*	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	23	25	25
High School Graduate or G.E.D.	38	32	46
Associate Degree or Some College	8	10	18
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	24	19	33
Unemployed	25	21	22
Not in Labor Force	20	27	34
HOUSING / LIVING ARRANGEMENT			
Independent Living	65	59	78
Dependent Living	*	5	*
Homeless	*	0	*
MARITAL / FAMILY STATUS			
Never Married	30	34	32
Married / Cohabitating	25	15	31
Previously Married	14	18	26

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	31	24	41
Marijuana / Hashish	16	16	11
Cocaine (total)	0	*	*
- Crack	0	0	0
Stimulant (total)	9	16	22
- Methamphetamine	9	16	21
Heroin	0	*	0
Analgesic except Heroin	12	7	13
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	0
Tranquilizer	*	0	0
Inhalant	0	0	0
Sedative	*	*	*
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	17.0	17.6	18.2
INJECTION DRUG USE			
Any Injection Use at Admission	12	11	16
- Daily Injection Use	6	*	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	5	7	14
LIFETIME DUI / DWI ARRESTS			
0	29	30	44
1 or 2	24	22	28
3 or More	16	15	17
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	10	30	25
School	0	0	0
Mental Health Provider	0	*	*
Health Care Provider	10	5	*
Court / Criminal Justice	45	21	54
Other Referral Source	*	9	8
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	0
Military Veteran	5	*	5
Special Education Services Needed	17	18	15
Co-Occurring Psychological Problem	34	37	37
Co-Occurring Developmental Problem	*	*	*

BARTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	9
CENSUS 2010	12,402
2014 POPULATION ESTIMATE	12,057

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	5	6
Anxiety Disorder	28	26	17
Dementia	0	0	0
Developmental Disorder	0	0	*
Impulse Control Disorder	9	9	12
Mood Disorder	31	34	39
Personality Disorder	5	6	*
Psychotic Disorder	*	6	7
Sexual Disorder	0	0	0
Other Diagnosis	6	6	*
Diagnosis Unknown	9	9	7

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	58	64	75
AGE			
Under 6	0	*	0
6 to 9	7	*	*
10 to 13	6	6	6
14 to 17	*	*	*
18 to 24	*	*	6
25 to 29	*	*	*
30 to 34	*	9	6
35 to 39	*	6	10
40 to 44	7	10	6
45 to 49	6	6	15
50 to 54	9	*	7
55 to 59	*	6	5
60 and Over	5	5	5
Age Unknown	0	0	0
GENDER			
Male	29	23	27
Female	29	41	48
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	52	61	71
African American	0	*	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	*	0	*
Hispanic	*	*	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	0	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	17	11	9
High School Grad or G.E.D.	0	0	7
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	41	53	55
EMPLOYMENT			
Employed	*	*	*
Unemployed	*	0	16
Not in Labor Force	24	22	*
Employment Status Unknown	27	41	51
HOUSING / LIVING ARRANGEMENT			
Independent Living	19	13	16
Dependent Living	14	11	8
Homeless	*	0	0
Other	0	0	0
Housing Unknown	23	40	51
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	42	39	42
School	0	*	0
Mental Health Provider	*	0	*
Health Care Provider	6	9	13
Court / Criminal Justice	6	10	11
Other	*	5	7
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	52	56	61
Civil	5	8	13
Criminal	0	0	*
Sexual Predatory	*	0	0
Commitment Type Unknown	0	0	0

BARTON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	28.7	27.5	35.8
Cigarettes	19.7	18.9	29.2
Chewing Tobacco	16.6	11.5	11.6
Marijuana	8.6	7.3	8.7
Inhalants	1.3	4.1	5.5
Prescription medications not prescribed for student	14.4	10.1	9.7
Over-the-counter medications for non-medical use	4.0	5.5	6.6
Methamphetamine	0.7	1.8	0.3
Cocaine	0.7	0.9	0.3
Heroin	0.7	1.9	0.3
Hallucinogens	1.3	1.4	2.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	0.9	1.0
Steroids not prescribed for student	1.3	3.3	0.7
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	3.7	
Average age of students' first use of:			
Alcohol	13.13	11.80	12.62
Cigarettes	13.19	11.95	12.52
Marijuana	14.28	12.30	13.51
Inhalants	13.98	11.75	12.03
Percent of students who, in past 30 days, used:			
Alcohol	13.2	11.0	12.7
Alcohol (Binge: 5+ drinks on one occassion)		4.1	6.8
Cigarettes	6.6	10.1	14.4
Chewing Tobacco	7.3	6.0	6.7
Marijuana	2.0	2.8	3.1
Inhalants	1.3	2.8	3.5
Prescription medications not prescribed for student	7.2	5.5	4.5
Over-the-counter medications for non-medical use	2.0	3.2	3.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.7		
Percent whose friends used in past 12 months:			
Alcohol	41.2	41.3	46.0
Cigarettes	29.6	36.7	48.5
Marijuana	17.1	17.1	26.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.2	8.3	15.6
Percent who would likely use, if offered by a best friend:			
Alcohol	19.9	22.0	19.7
Cigarettes	7.2	10.6	16.1
Marijuana	7.9	5.6	7.3
Percent who say it would be wrong to use:			
Alcohol	72.7	72.9	72.7
Cigarettes	88.8	85.3	80.5
Marijuana	86.7	90.2	87.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	94.4	94.8
Percent whose parents would disapprove if they use:			
Alcohol	83.7	83.6	86.8
Cigarettes	96.1	91.7	93.0
Marijuana	96.0	95.8	97.2
Percent who say it would be easy to obtain:			
Alcohol	50.7	48.4	51.0
Cigarettes	49.0	44.5	53.3
Marijuana	20.4	17.7	32.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	13.0	18.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	59.2		
Alcohol (Binge: 5+ drinks once or twice a week)	75.0		
Alcohol (any use)		75.9	87.1
Cigarettes (1+ packs per day)	83.3		
Cigarettes (any use)		79.2	85.7
Marijuana (once or twice a week)	70.6		
Marijuana (any use)		86.0	82.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.8	94.4	96.5
Percent of students who, in past 30 days:			
Were very sad	23.7	20.2	27.7
Were grouchy, irritable, or in a bad mood	25.5	19.9	37.5
Felt hopeless about the future	10.6	8.7	17.8
Felt like not eating or eating more than usual	18.7	17.5	24.2
Slept a lot more or a lot less than usual	14.5	19.0	31.8
Had difficulty concentrating on school work	29.4	18.8	31.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.2	9.6	13.7
Made plan about how they would attempt suicide	7.3	8.3	10.0
Attempted suicide	6.6	4.6	6.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.0	1.4	1.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.5	6.9	7.9
Were in a physical fight	18.4	19.9	21.0
Were in a fight and had to be treated by a doctor or nurse	3.3	3.2	3.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	51.6	55.0	57.2
Were made fun of by others	64.9	64.2	71.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.8	23.9	20.1
Spread mean rumors or lies about other kids at school	28.9	35.3	33.7
Made fun of other people	65.1	64.2	72.5
Posted something on the internet or sent a text that might embarrass or hurt another student	16.4	14.4	12.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.9	73.9	62.5
School provides feedback to parents on positive student performance	40.8	34.1	34.4
Rules are enforced fairly	62.9	69.1	56.4
Students of all races/ethnicities are treated equal	81.6	81.1	85.5
Percent of students who agree that:			
Parents notice and comment on student's good work	80.3	84.3	82.5
Parents involve student in making family decisions	66.4	71.1	69.9
It is important to be honest with parents regardless of consequences	88.9	89.8	84.7
Student could ask parent for help with a personal problem	79.7	77.1	73.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

BATES COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	17,049
2014 Estimate	16,584

BIRTH RISK	2013	2012	2011
Resident Births--Total	198	183	198
Mother Reported Smoking while Pregnant	38	48	57

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	1
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	11	12	7
Tuberculosis Infection Cases	2	1	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	202	209	214
Suicides	2	6	3
Self-inflicted Injuries	26	13	19
Homicides	0	0	2
Assault Injuries	63	52	55
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	3	8	6
Smoking Attributable Deaths	42	41	43

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	146	121	126
Mental Illness Secondary Diagnosis	365	322	344
Alcohol Principal Diagnosis	6	6	5
Alcohol Secondary Diagnosis	21	17	26
Drug Principal Diagnosis	9	6	11
Drug Secondary Diagnosis	27	23	18
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	32	28	19
Mental Illness Secondary Diagnosis	267	234	219
Alcohol Principal Diagnosis	4	2	7
Alcohol Secondary Diagnosis	9	23	25
Drug Principal Diagnosis	5	7	7
Drug Secondary Diagnosis	15	9	15
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	124	141	144
Mental Illness Secondary Diagnosis	1,676	987	521
Alcohol Principal Diagnosis	23	27	22
Alcohol Secondary Diagnosis	37	53	38
Drug Principal Diagnosis	29	24	23
Drug Secondary Diagnosis	55	72	31

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	12	15	16
Alcohol Package Carry-out Licenses	21	20	21

EMPLOYMENT	2014	2013	2012
Labor Force	8,239	7,473	7,744
Employed	7,666	6,929	7,107
Unemployed	573	544	637
Unemployment Rate	7.0%	7.3%	8.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	13	18	14
Fatal Crashes	0	1	1
Injury Crashes	6	2	7
Property Damage Crashes	7	15	6
Crash Fatalities	0	1	1
Crash Injuries	6	3	10
Drug Involved Crashes--Total	10	6	5
Fatal Crashes	0	0	0
Injury Crashes	6	3	4
Property Damage Crashes	4	3	1
Crash Fatalities	0	0	0
Crash Injuries	6	3	4

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	122	116	91
Liquor Law Arrests	8	11	30
Drug Arrests	297	248	167
Violent Offenses	96	51	65
Property Offenses	468	493	449
Domestic Violence Reports	97	153	127
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	1	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	740	802	773
Drop-outs	4	15	16
Drop-out Rate	0.5%	1.9%	2.1%
School Discipline Involving Alcohol	0	0	1
School Discipline Involving Drugs	3	6	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	26	32	21
Juvenile Alcohol Offenses	4	5	7
Juvenile Drug Offenses	2	4	3
School Truancy Status Offense	40	10	16
Absent from Home Status Offense	7	4	17
Beyond Parental Control Status Offense	12	13	26
Injurious Behavior Status Offense	53	41	64
Child Abuse	23	28	47
Child Neglect	113	97	51
Child Custody Issues	4	1	3

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	24	8	13
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	6	3	7
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	6	8	12
Probation/Parole Admissions--Drug	55	69	51
Probation/Parole Admissions--DWI	13	11	12
Prison Admissions--Drug	14	20	19
Prison Admissions--DWI	5	5	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BATES COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5	*	5
CSTAR Adolescent	*	*	5
CSTAR Women and Children	7	*	*
CSTAR General Adult	117	117	115
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	10	13	13
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	51	65	80
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	18	25	27
- Weekend Intervention Program	*	13	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	0	*
Compulsive Gambling	0	0	0
Recovery Supports	6	*	*
Early Intervention	9	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	150	137	136
AGE			
Under 18	7	*	*
18 to 24	31	27	28
25 to 29	20	21	23
30 to 34	18	20	24
35 to 39	18	14	17
40 to 44	16	20	9
45 to 54	33	24	24
55 and Over	7	8	7
GENDER			
Male	89	86	94
Female	61	51	42
RACE / ETHNICITY			
Caucasian	141	132	133
African American	*	*	*
Native American / Alaskan	*	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	0
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	45	48	45
High School Graduate or G.E.D.	76	67	70
Associate Degree or Some College	29	22	21
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	30	36	42
Unemployed	57	43	35
Not in Labor Force	63	58	59
HOUSING / LIVING ARRANGEMENT			
Independent Living	115	126	115
Dependent Living	18	*	5
Homeless	*	*	5
MARITAL / FAMILY STATUS			
Never Married	72	67	56
Married / Cohabitating	55	39	46
Previously Married	23	31	34

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	60	56	48
Marijuana / Hashish	34	27	36
Cocaine (total)	0	*	0
- Crack	0	0	0
Stimulant (total)	36	38	36
- Methamphetamine	34	36	32
Heroin	0	0	*
Analgesic except Heroin	15	14	12
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	0	0
Tranquilizer	*	*	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	*
Average Age at First Use of Drug	17.4	18.1	17.7
INJECTION DRUG USE			
Any Injection Use at Admission	18	18	17
- Daily Injection Use	*	*	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	14	11	12
LIFETIME DUI / DWI ARRESTS			
0	91	46	55
1 or 2	34	42	42
3 or More	25	49	39
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	42	79	64
School	*	0	0
Mental Health Provider	*	6	5
Health Care Provider	13	9	5
Court / Criminal Justice	43	6	30
Other Referral Source	44	35	32
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	7	8	*
Special Education Services Needed	6	7	10
Co-Occurring Psychological Problem	70	46	31
Co-Occurring Developmental Problem	*	12	11

BATES COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	8B
CENSUS 2010	17,049
2014 POPULATION ESTIMATE	16,584

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	7	5	*
Anxiety Disorder	93	90	84
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	31	29	40
Mood Disorder	127	130	134
Personality Disorder	12	10	10
Psychotic Disorder	23	27	27
Sexual Disorder	0	0	0
Other Diagnosis	18	19	17
Diagnosis Unknown	24	16	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	197	190	186
AGE			
Under 6	*	*	*
6 to 9	11	10	9
10 to 13	17	24	23
14 to 17	20	12	20
18 to 24	14	19	15
25 to 29	20	17	16
30 to 34	16	14	15
35 to 39	22	19	14
40 to 44	19	22	17
45 to 49	21	17	19
50 to 54	15	18	17
55 to 59	12	8	10
60 and Over	9	8	9
Age Unknown	0	0	0
GENDER			
Male	100	87	79
Female	97	103	107
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	186	182	179
African American	*	*	*
Native American / Alaskan	5	*	*
Asian / Pacific Islander	0	0	0
Hispanic	*	0	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	9	9	*
Past or Current Military Service	7	*	5

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	69	72	31
High School Grad or G.E.D.	0	0	19
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	128	118	130
EMPLOYMENT			
Employed	13	*	10
Unemployed	9	9	36
Not in Labor Force	125	133	28
Employment Status Unknown	50	46	112
HOUSING / LIVING ARRANGEMENT			
Independent Living	100	88	56
Dependent Living	50	59	23
Homeless	*	*	0
Other	0	0	0
Housing Unknown	46	41	107
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	139	134	134
School	0	*	*
Mental Health Provider	*	5	8
Health Care Provider	23	22	23
Court / Criminal Justice	7	0	*
Other	23	27	18
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	195	189	185
Civil	0	0	0
Criminal	*	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

BATES COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	30.9	41.2	43.7
Cigarettes	19.5	27.3	29.0
Chewing Tobacco	11.3	12.7	17.0
Marijuana	11.1	11.2	13.8
Inhalants	2.9	3.9	5.1
Prescription medications not prescribed for student	11.3	9.3	12.2
Over-the-counter medications for non-medical use	2.9	2.3	6.7
Methamphetamine	0.5	0.4	1.4
Cocaine	1.4	1.2	1.4
Heroin	0.0	0.4	0.8
Hallucinogens	1.5	2.4	4.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.6	2.5
Steroids not prescribed for student	1.0	0.8	0.8
Synthetic drugs (K2, bath salts, Spice, etc)	5.9	6.2	
Average age of students' first use of:			
Alcohol	12.20	13.36	12.11
Cigarettes	11.80	12.06	12.30
Marijuana	13.49	13.41	13.05
Inhalants	12.65	10.85	12.31
Percent of students who, in past 30 days, used:			
Alcohol	12.8	18.1	19.4
Alcohol (Binge: 5+ drinks on one occassion)		11.6	12.9
Cigarettes	7.3	13.1	15.3
Chewing Tobacco	6.4	5.8	9.2
Marijuana	2.9	4.6	6.5
Inhalants	1.0	0.8	2.4
Prescription medications not prescribed for student	4.9	3.5	7.9
Over-the-counter medications for non-medical use	0.5	1.2	4.3
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.9		
Percent whose friends used in past 12 months:			
Alcohol	35.3	46.2	55.4
Cigarettes	25.7	42.5	48.8
Marijuana	16.7	21.4	33.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.9	8.9	17.1
Percent who would likely use, if offered by a best friend:			
Alcohol	21.4	32.0	36.2
Cigarettes	10.6	19.0	16.4
Marijuana	7.7	6.6	12.5
Percent who say it would be wrong to use:			
Alcohol	71.7	57.8	55.3
Cigarettes	89.7	80.1	77.3
Marijuana	83.4	88.3	83.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	97.3	95.4
Percent whose parents would disapprove if they use:			
Alcohol	84.1	63.3	72.9
Cigarettes	93.7	81.4	89.5
Marijuana	96.6	97.6	93.2
Percent who say it would be easy to obtain:			
Alcohol	40.0	56.7	60.5
Cigarettes	38.0	59.0	55.7
Marijuana	19.4	29.8	30.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.8	19.4	18.6

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	58.9		
Alcohol (Binge: 5+ drinks once or twice a week)	70.4		
Alcohol (any use)		69.8	79.1
Cigarettes (1+ packs per day)	83.0		
Cigarettes (any use)		78.0	81.0
Marijuana (once or twice a week)	70.9		
Marijuana (any use)		76.1	68.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	89.1	94.8
Percent of students who, in past 30 days:			
Were very sad	20.9	24.6	22.4
Were grouchy, irritable, or in a bad mood	28.5	24.3	26.6
Felt hopeless about the future	14.1	12.1	15.4
Felt like not eating or eating more than usual	15.5	21.6	23.3
Slept a lot more or a lot less than usual	18.8	21.6	29.5
Had difficulty concentrating on school work	23.2	25.1	26.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	17.4	14.4	10.2
Made plan about how they would attempt suicide	7.8	10.5	8.3
Attempted suicide	4.3	4.7	4.6
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.5	3.9	1.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.3	5.0	10.5
Were in a physical fight	15.0	15.1	24.0
Were in a fight and had to be treated by a doctor or nurse	1.9	3.5	3.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	49.8	47.9	60.9
Were made fun of by others	58.0	63.6	74.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.1	19.1	23.6
Spread mean rumors or lies about other kids at school	19.8	18.1	34.6
Made fun of other people	43.0	62.3	71.2
Posted something on the internet or sent a text that might embarrass or hurt another student	13.5	13.6	15.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.9	77.7	68.1
School provides feedback to parents on positive student performance	46.6	35.1	38.2
Rules are enforced fairly	69.6	52.5	61.6
Students of all races/ethnicities are treated equal	85.9	86.4	80.1
Percent of students who agree that:			
Parents notice and comment on student's good work	85.5	79.1	78.6
Parents involve student in making family decisions	76.2	61.9	61.8
It is important to be honest with parents regardless of consequences	85.0	88.8	83.6
Student could ask parent for help with a personal problem	81.6	74.8	74.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

BENTON COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	19,056
2014 Estimate	18,806

BIRTH RISK	2013	2012	2011
Resident Births--Total	138	125	167
Mother Reported Smoking while Pregnant	43	37	57

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	18	11	14
Tuberculosis Infection Cases	5	2	3

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	267	292	253
Suicides	0	7	4
Self-inflicted Injuries	27	24	28
Homicides	2	3	0
Assault Injuries	51	54	41
Alcohol Induced Deaths	4	3	3
Drug Induced Deaths	4	10	4
Smoking Attributable Deaths	60	63	49

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	209	156	156
Mental Illness Secondary Diagnosis	649	531	609
Alcohol Principal Diagnosis	15	15	13
Alcohol Secondary Diagnosis	48	63	78
Drug Principal Diagnosis	12	14	13
Drug Secondary Diagnosis	34	28	28
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	39	47	31
Mental Illness Secondary Diagnosis	220	195	183
Alcohol Principal Diagnosis	15	7	16
Alcohol Secondary Diagnosis	37	25	32
Drug Principal Diagnosis	9	10	8
Drug Secondary Diagnosis	17	18	20
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	169	150	139
Mental Illness Secondary Diagnosis	1,031	764	880
Alcohol Principal Diagnosis	27	14	21
Alcohol Secondary Diagnosis	59	42	39
Drug Principal Diagnosis	21	21	26
Drug Secondary Diagnosis	53	43	50

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	40	36	40
Alcohol Package Carry-out Licenses	30	31	34

EMPLOYMENT	2014	2013	2012
Labor Force	7,146	8,411	7,890
Employed	6,599	7,830	7,254
Unemployed	547	581	636
Unemployment Rate	7.7%	6.9%	8.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	17	23	26
Fatal Crashes	1	1	1
Injury Crashes	7	9	12
Property Damage Crashes	9	13	13
Crash Fatalities	1	1	1
Crash Injuries	9	14	18
Drug Involved Crashes--Total	3	4	8
Fatal Crashes	0	0	1
Injury Crashes	2	1	3
Property Damage Crashes	1	3	4
Crash Fatalities	0	0	1
Crash Injuries	3	1	5

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	94	106	128
Liquor Law Arrests	5	6	9
Drug Arrests	110	127	95
Violent Offenses	62	87	48
Property Offenses	443	537	406
Domestic Violence Reports	108	97	120
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	3	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	820	809	765
Drop-outs	17	9	27
Drop-out Rate	2.1%	1.1%	3.5%
School Discipline Involving Alcohol	1	1	4
School Discipline Involving Drugs	11	8	11
School Discipline Involving Tobacco	4	2	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	23	26	15
Juvenile Alcohol Offenses	4	8	5
Juvenile Drug Offenses	3	11	9
School Truancy Status Offense	27	52	60
Absent from Home Status Offense	5	9	6
Beyond Parental Control Status Offense	6	15	17
Injurious Behavior Status Offense	8	6	8
Child Abuse	19	21	36
Child Neglect	46	55	51
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	9	8	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	1	2
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	6	10	5
Probation/Parole Admissions--Drug	37	23	26
Probation/Parole Admissions--DWI	7	8	9
Prison Admissions--Drug	21	15	18
Prison Admissions--DWI	5	2	4

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BENTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	5
CSTAR Adolescent	5	17	13
CSTAR Women and Children	*	7	7
CSTAR General Adult	122	109	129
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	12
Clinical SATOP (CIP, YCIP, SROP)	14	12	23
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	35	45	65
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	12	11	18
- Weekend Intervention Program	8	9	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	6	8	6
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	148	154	184
AGE			
Under 18	5	17	15
18 to 24	22	35	30
25 to 29	18	29	24
30 to 34	27	19	30
35 to 39	16	16	15
40 to 44	21	8	20
45 to 54	30	19	34
55 and Over	9	11	16
GENDER			
Male	86	97	122
Female	62	57	62
RACE / ETHNICITY			
Caucasian	144	152	183
African American	*	*	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	0
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	44	57	70
High School Graduate or G.E.D.	74	75	84
Associate Degree or Some College	28	21	29
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	29	27	35
Unemployed	68	54	60
Not in Labor Force	51	73	89
HOUSING / LIVING ARRANGEMENT			
Independent Living	121	123	148
Dependent Living	11	21	18
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	59	89	84
Married / Cohabitating	50	29	47
Previously Married	39	36	53

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	48	48	81
Marijuana / Hashish	43	52	48
Cocaine (total)	*	0	*
- Crack	*	0	*
Stimulant (total)	47	36	33
- Methamphetamine	46	35	30
Heroin	*	*	*
Analgesic except Heroin	6	13	18
- Non-Prescription Methadone	0	0	*
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	*	*
Inhalant	0	0	0
Sedative	*	*	0
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	17.1	16.6	18.2
INJECTION DRUG USE			
Any Injection Use at Admission	12	24	27
- Daily Injection Use	0	*	9
- Weekly Injection Use	*	6	5
- Less than Weekly Injection Use	10	16	13
LIFETIME DUI / DWI ARRESTS			
0	98	111	95
1 or 2	39	24	47
3 or More	11	19	42
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	51	94	88
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	*	*	9
Court / Criminal Justice	48	39	67
Other Referral Source	43	15	18
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	*	*	12
Special Education Services Needed	7	8	7
Co-Occurring Psychological Problem	67	45	39
Co-Occurring Developmental Problem	*	*	*

BENTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	8B
CENSUS 2010	19,056
2014 POPULATION ESTIMATE	18,806

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	14	21	19
Anxiety Disorder	172	205	188
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	32	30	43
Mood Disorder	187	214	232
Personality Disorder	15	20	21
Psychotic Disorder	31	33	40
Sexual Disorder	0	*	0
Other Diagnosis	40	38	35
Diagnosis Unknown	25	32	31

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	299	339	358
AGE			
Under 6	*	*	*
6 to 9	16	15	18
10 to 13	28	28	39
14 to 17	34	30	36
18 to 24	27	32	34
25 to 29	15	28	23
30 to 34	17	22	16
35 to 39	22	26	25
40 to 44	23	33	28
45 to 49	37	41	42
50 to 54	33	38	39
55 to 59	31	31	35
60 and Over	14	12	20
Age Unknown	0	0	0
GENDER			
Male	144	163	166
Female	155	176	192
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	290	330	350
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	5	*	*
Past or Current Military Service	*	6	9

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	136	141	65
High School Grad or G.E.D.	0	0	79
Associate Degree or Some College	0	0	17
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	163	198	197
EMPLOYMENT			
Employed	21	13	8
Unemployed	9	26	138
Not in Labor Force	213	240	21
Employment Status Unknown	56	60	191
HOUSING / LIVING ARRANGEMENT			
Independent Living	146	184	140
Dependent Living	99	91	46
Homeless	*	5	*
Other	0	0	*
Housing Unknown	50	59	168
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	244	267	261
School	0	0	*
Mental Health Provider	10	14	19
Health Care Provider	19	23	34
Court / Criminal Justice	*	*	*
Other	20	28	35
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	295	332	349
Civil	0	*	*
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

BENTON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	50.3	44.3	54.0
Cigarettes	33.2	31.1	34.2
Chewing Tobacco	16.1	16.4	16.5
Marijuana	17.7	17.1	15.2
Inhalants	3.7	7.0	9.7
Prescription medications not prescribed for student	13.2	10.2	16.7
Over-the-counter medications for non-medical use	2.1	3.3	9.9
Methamphetamine	1.6	1.2	1.8
Cocaine	1.6	1.3	1.8
Heroin	1.1	1.2	0.6
Hallucinogens	2.1	4.1	3.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.6	4.1	4.1
Steroids not prescribed for student	1.1	1.6	0.9
Synthetic drugs (K2, bath salts, Spice, etc)	4.3	5.7	
Average age of students' first use of:			
Alcohol	12.44	12.71	12.24
Cigarettes	12.15	12.35	11.76
Marijuana	13.36	13.43	12.10
Inhalants	12.62	12.65	12.52
Percent of students who, in past 30 days, used:			
Alcohol	18.8	19.4	23.1
Alcohol (Binge: 5+ drinks on one occassion)		12.2	12.6
Cigarettes	14.8	16.3	17.8
Chewing Tobacco	7.3	9.0	7.1
Marijuana	7.3	8.6	8.7
Inhalants	1.1	2.0	4.4
Prescription medications not prescribed for student	5.3	5.3	7.7
Over-the-counter medications for non-medical use	1.6	1.2	6.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	10.0		
Percent whose friends used in past 12 months:			
Alcohol	57.9	59.4	61.2
Cigarettes	45.3	52.0	51.3
Marijuana	32.5	32.2	31.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	17.3	18.0
Percent who would likely use, if offered by a best friend:			
Alcohol	37.7	38.3	42.8
Cigarettes	16.7	17.7	19.6
Marijuana	15.7	10.4	14.0
Percent who say it would be wrong to use:			
Alcohol	50.3	61.3	51.5
Cigarettes	77.9	82.2	74.1
Marijuana	78.9	84.0	79.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	95.1	92.4
Percent whose parents would disapprove if they use:			
Alcohol	71.6	74.0	71.6
Cigarettes	87.9	88.7	89.2
Marijuana	91.5	95.3	95.5
Percent who say it would be easy to obtain:			
Alcohol	60.7	61.3	64.0
Cigarettes	55.5	52.1	65.8
Marijuana	31.6	36.4	41.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.6	15.5	26.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	51.8		
Alcohol (Binge: 5+ drinks once or twice a week)	62.8		
Alcohol (any use)		70.8	75.9
Cigarettes (1+ packs per day)	83.2		
Cigarettes (any use)		77.9	78.3
Marijuana (once or twice a week)	64.1		
Marijuana (any use)		73.8	69.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.7	97.1	92.3
Percent of students who, in past 30 days:			
Were very sad	23.4	20.5	24.3
Were grouchy, irritable, or in a bad mood	29.0	24.9	29.3
Felt hopeless about the future	15.1	8.7	11.5
Felt like not eating or eating more than usual	20.7	18.9	19.0
Slept a lot more or a lot less than usual	20.4	26.2	31.0
Had difficulty concentrating on school work	26.9	25.9	27.4
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	16.2	13.2	15.7
Made plan about how they would attempt suicide	14.7	7.0	11.7
Attempted suicide	11.5	2.0	7.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	3.2	1.3	4.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	11.5	6.5	12.3
Were in a physical fight	24.0	19.6	26.3
Were in a fight and had to be treated by a doctor or nurse	4.7	1.2	3.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	58.9	52.5	59.2
Were made fun of by others	70.8	62.3	73.2
Were victims of an embarrassing or hurtful text message or something posted on the internet	28.9	25.4	20.2
Spread mean rumors or lies about other kids at school	23.4	30.9	33.1
Made fun of other people	62.0	68.8	74.3
Posted something on the internet or sent a text that might embarrass or hurt another student	19.7	21.7	19.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	71.0	74.9	73.6
School provides feedback to parents on positive student performance	33.7	45.3	41.9
Rules are enforced fairly	61.5	72.7	58.2
Students of all races/ethnicities are treated equal	82.6	81.9	77.1
Percent of students who agree that:			
Parents notice and comment on student's good work	78.2	79.3	82.6
Parents involve student in making family decisions	63.0	66.9	68.2
It is important to be honest with parents regardless of consequences	89.1	86.0	80.1
Student could ask parent for help with a personal problem	70.4	74.9	73.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

BOLLINGER COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	12,363
2014 Estimate	12,394

BIRTH RISK	2013	2012	2011
Resident Births--Total	121	146	146
Mother Reported Smoking while Pregnant	32	31	47

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	2	0
Hepatitis C Chronic and Acute	2	8	8
Tuberculosis Infection Cases	6	14	3

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	131	134	120
Suicides	1	3	1
Self-inflicted Injuries	11	15	7
Homicides	0	1	0
Assault Injuries	34	36	19
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	1	0
Smoking Attributable Deaths	28	28	29

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	106	104	106
Mental Illness Secondary Diagnosis	251	196	185
Alcohol Principal Diagnosis	2	6	0
Alcohol Secondary Diagnosis	29	18	24
Drug Principal Diagnosis	1	7	6
Drug Secondary Diagnosis	10	8	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	7	10	5
Mental Illness Secondary Diagnosis	96	170	158
Alcohol Principal Diagnosis	5	6	1
Alcohol Secondary Diagnosis	11	22	25
Drug Principal Diagnosis	2	1	1
Drug Secondary Diagnosis	5	11	5
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	76	98	81
Mental Illness Secondary Diagnosis	154	324	133
Alcohol Principal Diagnosis	13	10	6
Alcohol Secondary Diagnosis	10	14	17
Drug Principal Diagnosis	10	8	8
Drug Secondary Diagnosis	20	20	15

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	10	9	10
Alcohol Package Carry-out Licenses	11	12	12

EMPLOYMENT	2014	2013	2012
Labor Force	5,750	5,552	5,473
Employed	5,364	5,165	5,092
Unemployed	386	387	381
Unemployment Rate	6.7%	7.0%	7.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	18	25	18
Fatal Crashes	0	3	0
Injury Crashes	8	12	10
Property Damage Crashes	10	10	8
Crash Fatalities	0	3	0
Crash Injuries	14	13	11
Drug Involved Crashes--Total	4	3	4
Fatal Crashes	0	0	0
Injury Crashes	3	3	0
Property Damage Crashes	1	0	4
Crash Fatalities	0	0	0
Crash Injuries	4	4	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	48	54	57
Liquor Law Arrests	6	17	19
Drug Arrests	74	14	48
Violent Offenses	40	17	38
Property Offenses	140	125	144
Domestic Violence Reports	32	29	27
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	3	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	2,172	546	592
Drop-outs	34	6	7
Drop-out Rate	1.6%	1.1%	1.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	5	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	14	12	9
Juvenile Alcohol Offenses	5	4	5
Juvenile Drug Offenses	2	3	5
School Truancy Status Offense	0	1	2
Absent from Home Status Offense	2	4	3
Beyond Parental Control Status Offense	1	1	0
Injurious Behavior Status Offense	9	24	16
Child Abuse	0	0	3
Child Neglect	5	9	1
Child Custody Issues	19	24	31

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	26	24	21
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	15	9	9
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	26	14	19
Probation/Parole Admissions--DWI	7	9	7
Prison Admissions--Drug	17	5	6
Prison Admissions--DWI	1	9	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BOLLINGER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	13	6	6
CSTAR Adolescent	*	*	7
CSTAR Women and Children	5	8	8
CSTAR General Adult	64	27	51
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	8	49
Clinical SATOP (CIP, YCIP, SROP)	6	10	10
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	38	40	71
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	15	22	34
- Weekend Intervention Program	15	5	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	*	0	0
Recovery Supports	18	16	*
Early Intervention	0	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	86	63	119
AGE			
Under 18	*	*	7
18 to 24	16	8	26
25 to 29	16	17	18
30 to 34	16	11	24
35 to 39	10	11	13
40 to 44	5	*	6
45 to 54	12	8	19
55 and Over	9	*	6
GENDER			
Male	58	37	78
Female	28	26	41
RACE / ETHNICITY			
Caucasian	80	59	115
African American	*	*	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	*
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	44	28	53
High School Graduate or G.E.D.	31	27	51
Associate Degree or Some College	11	8	15
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	11	18	27
Unemployed	35	26	42
Not in Labor Force	40	19	50
HOUSING / LIVING ARRANGEMENT			
Independent Living	78	51	103
Dependent Living	8	12	14
Homeless	0	0	*
MARITAL / FAMILY STATUS			
Never Married	38	29	55
Married / Cohabitating	25	17	30
Previously Married	23	17	34

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	39	26	48
Marijuana / Hashish	18	17	28
Cocaine (total)	*	*	*
- Crack	0	*	*
Stimulant (total)	14	10	26
- Methamphetamine	13	10	24
Heroin	*	*	*
Analgesic except Heroin	6	7	9
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	0	0
Tranquilizer	*	*	5
Inhalant	*	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	16.3	17.5	16.4
INJECTION DRUG USE			
Any Injection Use at Admission	11	9	20
- Daily Injection Use	0	0	0
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	9	7	18
LIFETIME DUI / DWI ARRESTS			
0	42	33	58
1 or 2	25	20	34
3 or More	19	10	27
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	14	16	27
School	0	0	0
Mental Health Provider	*	0	*
Health Care Provider	5	*	6
Court / Criminal Justice	49	24	78
Other Referral Source	13	16	7
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	5	*
Military Veteran	5	*	*
Special Education Services Needed	19	8	11
Co-Occurring Psychological Problem	47	27	39
Co-Occurring Developmental Problem	13	*	8

BOLLINGER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	21
CENSUS 2010	12,363
2014 POPULATION ESTIMATE	12,394

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	56	33	48
Anxiety Disorder	69	63	66
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	67	58	60
Mood Disorder	257	234	250
Personality Disorder	0	*	*
Psychotic Disorder	67	63	70
Sexual Disorder	*	*	0
Other Diagnosis	17	11	14
Diagnosis Unknown	26	45	101

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	486	453	549
AGE			
Under 6	*	*	*
6 to 9	24	20	20
10 to 13	39	31	43
14 to 17	33	31	46
18 to 24	47	45	60
25 to 29	40	46	44
30 to 34	45	36	48
35 to 39	42	41	50
40 to 44	42	38	48
45 to 49	46	55	60
50 to 54	53	43	50
55 to 59	42	33	37
60 and Over	31	33	40
Age Unknown	0	0	0
GENDER			
Male	211	200	233
Female	275	253	316
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	443	397	473
African American	7	11	11
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	23	25	46
Other Race	12	17	18
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	17	10	21
Past or Current Military Service	15	14	12

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	82	73	73
High School Grad or G.E.D.	0	0	42
Associate Degree or Some College	0	0	12
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	404	380	418
EMPLOYMENT			
Employed	*	10	21
Unemployed	*	*	101
Not in Labor Force	160	137	24
Employment Status Unknown	323	302	403
HOUSING / LIVING ARRANGEMENT			
Independent Living	69	58	59
Dependent Living	93	95	89
Homeless	*	0	*
Other	0	0	*
Housing Unknown	323	300	399
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	300	285	380
School	7	8	*
Mental Health Provider	32	33	33
Health Care Provider	57	66	63
Court / Criminal Justice	13	9	13
Other	75	50	56
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	481	448	543
Civil	0	0	*
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

BOLLINGER COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	34.9	37.6	49.0
Cigarettes	24.7	31.5	35.1
Chewing Tobacco	17.8	18.2	25.6
Marijuana	9.7	10.5	12.0
Inhalants	2.1	5.0	9.6
Prescription medications not prescribed for student	7.6	9.4	15.7
Over-the-counter medications for non-medical use	2.1	4.4	8.9
Methamphetamine	0.7	1.7	0.8
Cocaine	0.7	1.1	0.8
Heroin	0.7	0.6	0.8
Hallucinogens	0.7	1.7	2.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.7	2.8
Steroids not prescribed for student	0.7	1.7	0.4
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	4.4	
Average age of students' first use of:			
Alcohol	12.49	12.11	11.82
Cigarettes	12.04	12.28	11.33
Marijuana	13.90	13.36	12.95
Inhalants	11.20	12.86	11.52
Percent of students who, in past 30 days, used:			
Alcohol	9.7	14.4	24.1
Alcohol (Binge: 5+ drinks on one occassion)		8.8	15.7
Cigarettes	9.7	14.3	14.9
Chewing Tobacco	10.2	12.2	12.7
Marijuana	3.5	3.9	4.4
Inhalants	0.7	2.2	5.2
Prescription medications not prescribed for student	3.5	5.5	9.3
Over-the-counter medications for non-medical use	1.4	1.7	4.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	2.8		
Percent whose friends used in past 12 months:			
Alcohol	41.5	45.3	64.2
Cigarettes	31.3	39.2	52.4
Marijuana	19.9	20.6	28.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5	6.1	16.7
Percent who would likely use, if offered by a best friend:			
Alcohol	24.7	26.7	40.3
Cigarettes	11.7	15.5	18.6
Marijuana	8.3	9.4	9.2
Percent who say it would be wrong to use:			
Alcohol	64.8	66.5	56.0
Cigarettes	82.9	77.7	74.2
Marijuana	86.3	86.7	83.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	97.8	92.8
Percent whose parents would disapprove if they use:			
Alcohol	80.3	83.2	75.7
Cigarettes	90.9	89.9	88.7
Marijuana	94.4	93.8	95.5
Percent who say it would be easy to obtain:			
Alcohol	50.3	47.2	57.5
Cigarettes	49.7	48.1	61.3
Marijuana	21.9	22.8	33.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	9.6	19.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.4		
Alcohol (Binge: 5+ drinks once or twice a week)	62.1		
Alcohol (any use)		70.0	78.9
Cigarettes (1+ packs per day)	81.0		
Cigarettes (any use)		76.9	76.5
Marijuana (once or twice a week)	69.9		
Marijuana (any use)		79.6	72.3
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	95.6	89.7
Percent of students who, in past 30 days:			
Were very sad	19.7	17.7	11.0
Were grouchy, irritable, or in a bad mood	24.7	22.2	23.4
Felt hopeless about the future	9.6	6.7	6.3
Felt like not eating or eating more than usual	17.1	17.8	15.3
Slept a lot more or a lot less than usual	13.6	18.3	23.9
Had difficulty concentrating on school work	23.1	23.2	15.3
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	8.8	10.4	13.0
Made plan about how they would attempt suicide	6.8	7.2	9.8
Attempted suicide	2.7	4.4	7.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	0.6	2.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.8	3.9	10.3
Were in a physical fight	19.0	16.1	26.0
Were in a fight and had to be treated by a doctor or nurse	2.7	1.6	6.3
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	49.3	48.9	57.9
Were made fun of by others	60.5	59.8	70.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	19.0	19.1	21.6
Spread mean rumors or lies about other kids at school	24.3	24.9	31.0
Made fun of other people	57.8	60.2	70.5
Posted something on the internet or sent a text that might embarrass or hurt another student	13.6	9.5	16.2
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.5	72.4	70.0
School provides feedback to parents on positive student performance	42.9	43.0	47.0
Rules are enforced fairly	64.6	67.4	64.2
Students of all races/ethnicities are treated equal	81.5	79.4	74.3
Percent of students who agree that:			
Parents notice and comment on student's good work	78.3	84.0	80.7
Parents involve student in making family decisions	66.7	68.5	68.3
It is important to be honest with parents regardless of consequences	89.8	84.9	81.8
Student could ask parent for help with a personal problem	76.2	77.2	73.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

BOONE COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	162,642
2014 Estimate	172,717

BIRTH RISK	2013	2012	2011
Resident Births--Total	2,166	2,132	2,112
Mother Reported Smoking while Pregnant	289	309	291

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	5	5	7
Hepatitis B Chronic, Acute, Prenatal	22	27	13
Hepatitis C Chronic and Acute	130	162	160
Tuberculosis Infection Cases	431	257	292

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,059	956	980
Suicides	34	21	23
Self-inflicted Injuries	140	142	130
Homicides	5	3	4
Assault Injuries	455	450	463
Alcohol Induced Deaths	8	7	9
Drug Induced Deaths	23	18	24
Smoking Attributable Deaths	155	140	146

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	356	384	410
Mental Illness Secondary Diagnosis	1,328	2,119	2,341
Alcohol Principal Diagnosis	43	66	64
Alcohol Secondary Diagnosis	122	157	163
Drug Principal Diagnosis	21	31	37
Drug Secondary Diagnosis	107	120	111
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,090	952	762
Mental Illness Secondary Diagnosis	2,436	1,598	1,010
Alcohol Principal Diagnosis	336	276	230
Alcohol Secondary Diagnosis	325	209	165
Drug Principal Diagnosis	145	117	131
Drug Secondary Diagnosis	193	137	128
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,164	1,037	1,083
Mental Illness Secondary Diagnosis	2,020	1,501	1,594
Alcohol Principal Diagnosis	397	340	289
Alcohol Secondary Diagnosis	409	281	237
Drug Principal Diagnosis	180	202	162
Drug Secondary Diagnosis	300	192	192

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	253	243	233
Alcohol Package Carry-out Licenses	115	119	117

EMPLOYMENT	2014	2013	2012
Labor Force	98,216	93,834	92,286
Employed	94,156	89,639	88,027
Unemployed	4,060	4,195	4,259
Unemployment Rate	4.1%	4.5%	4.6%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	161	163	143
Fatal Crashes	3	6	6
Injury Crashes	58	72	52
Property Damage Crashes	100	85	85
Crash Fatalities	3	6	8
Crash Injuries	74	102	85
Drug Involved Crashes--Total	22	20	24
Fatal Crashes	2	0	2
Injury Crashes	5	12	13
Property Damage Crashes	15	8	9
Crash Fatalities	2	0	3
Crash Injuries	7	23	15

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	990	1,098	1,137
Liquor Law Arrests	661	768	895
Drug Arrests	958	1,026	1,179
Violent Offenses	570	627	716
Property Offenses	5,645	5,579	5,528
Domestic Violence Reports	1,562	1,738	1,722
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	12	12	20

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	6,600	6,669	6,653
Drop-outs	170	173	231
Drop-out Rate	2.6%	2.6%	3.5%
School Discipline Involving Alcohol	0	5	0
School Discipline Involving Drugs	24	40	36
School Discipline Involving Tobacco	0	1	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	199	276	299
Juvenile Alcohol Offenses	16	15	15
Juvenile Drug Offenses	90	95	87
School Truancy Status Offense	81	130	95
Absent from Home Status Offense	190	141	96
Beyond Parental Control Status Offense	204	320	300
Injurious Behavior Status Offense	199	243	331
Child Abuse	56	54	47
Child Neglect	239	280	196
Child Custody Issues	47	57	46

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	165	162	126
Parental Alcohol Use Related	8	4	9
Parental Drug Use Related	62	69	19
Parental Alcohol and Drug Use	8	5	4

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	232	307	302
Probation/Parole Admissions--Drug	238	282	275
Probation/Parole Admissions--DWI	53	67	102
Prison Admissions--Drug	148	127	132
Prison Admissions--DWI	35	38	53

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BOONE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	77	152	148
CSTAR Adolescent	59	74	58
CSTAR Women and Children	155	169	197
CSTAR General Adult	542	504	310
CSTAR Opioid	0	*	0
Primary Recovery Treatment	181	207	366
Clinical SATOP (CIP, YCIP, SROP)	179	194	189
Other Substance Abuse Treatment	5	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	820	938	942
- Adolescent Diversion Education Prograr	37	37	60
- Offender Education Program	345	401	387
- Weekend Intervention Program	153	197	186
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	36	44	60
Compulsive Gambling	*	0	*
Recovery Supports	*	6	7
Early Intervention	21	12	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	967	1,026	1,007
AGE			
Under 18	61	76	58
18 to 24	154	171	190
25 to 29	153	187	181
30 to 34	158	138	168
35 to 39	122	119	101
40 to 44	82	103	77
45 to 54	174	159	173
55 and Over	63	73	59
GENDER			
Male	663	644	647
Female	304	382	360
RACE / ETHNICITY			
Caucasian	607	711	683
African American	296	264	265
Native American / Alaskan	*	*	*
Asian / Pacific Islander	7	5	7
Hispanic	19	12	23
Other Race / Two or More Races	40	38	38
EDUCATION			
Less than High School Diploma	250	272	292
High School Graduate or G.E.D.	409	399	405
Associate Degree or Some College	275	311	287
Bachelor or Advanced Degree	33	43	23
EMPLOYMENT			
Employed	316	328	318
Unemployed	339	355	362
Not in Labor Force	312	343	327
HOUSING / LIVING ARRANGEMENT			
Independent Living	732	790	818
Dependent Living	115	128	97
Homeless	82	82	73
MARITAL / FAMILY STATUS			
Never Married	616	619	617
Married / Cohabitating	169	191	191
Previously Married	182	216	199

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	405	470	477
Marijuana / Hashish	271	290	264
Cocaine (total)	95	70	112
- Crack	50	44	65
Stimulant (total)	83	64	52
- Methamphetamine	82	57	41
Heroin	50	51	39
Analgesic except Heroin	44	54	41
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	12	11	8
Tranquilizer	*	9	*
Inhalant	0	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	6	*	9
Average Age at First Use of Drug	17.9	17.4	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	97	93	73
- Daily Injection Use	27	19	24
- Weekly Injection Use	35	34	30
- Less than Weekly Injection Use	35	40	19
LIFETIME DUI / DWI ARRESTS			
0	500	517	518
1 or 2	324	387	359
3 or More	143	122	130
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	350	400	370
School	*	*	*
Mental Health Provider	7	19	22
Health Care Provider	42	43	28
Court / Criminal Justice	440	490	526
Other Referral Source	120	65	60
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	5	12	15
Military Veteran	43	63	42
Special Education Services Needed	73	108	111
Co-Occurring Psychological Problem	394	485	370
Co-Occurring Developmental Problem	20	60	58

BOONE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	12
CENSUS 2010	162,642
2014 POPULATION ESTIMATE	172,717

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	91	75	76
Anxiety Disorder	804	756	752
Dementia	*	*	*
Developmental Disorder	29	20	27
Impulse Control Disorder	287	244	238
Mood Disorder	1,138	1,117	1,080
Personality Disorder	164	161	155
Psychotic Disorder	340	349	326
Sexual Disorder	5	*	*
Other Diagnosis	132	110	100
Diagnosis Unknown	95	98	182

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	1,773	1,771	1,802
AGE			
Under 6	15	16	13
6 to 9	101	67	71
10 to 13	126	130	126
14 to 17	136	136	125
18 to 24	142	175	225
25 to 29	155	158	178
30 to 34	167	165	168
35 to 39	152	147	139
40 to 44	157	185	189
45 to 49	176	187	180
50 to 54	182	170	167
55 to 59	146	124	116
60 and Over	118	111	105
Age Unknown	0	0	0
GENDER			
Male	844	864	853
Female	929	907	949
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,156	1,150	1,222
African American	486	494	448
Native American / Alaskan	*	5	6
Asian / Pacific Islander	11	9	9
Hispanic	36	36	27
Other Race	81	77	90
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	72	67	61
Past or Current Military Service	40	37	41

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	554	508	317
High School Grad or G.E.D.	*	0	325
Associate Degree or Some College	0	0	209
Bachelor or Advanced Degree	0	*	66
Education Level Unknown	1,218	1,262	885
EMPLOYMENT			
Employed	199	197	174
Unemployed	208	326	702
Not in Labor Force	1,141	949	219
Employment Status Unknown	225	299	707
HOUSING / LIVING ARRANGEMENT			
Independent Living	970	887	872
Dependent Living	426	450	229
Homeless	79	80	35
Other	0	0	28
Housing Unknown	298	354	638
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	671	558	674
School	9	8	5
Mental Health Provider	130	115	137
Health Care Provider	485	625	575
Court / Criminal Justice	169	206	167
Other	303	252	238
Referral Source Unknown	6	7	6
TYPE OF COMMITMENT			
Voluntary	1,738	1,737	1,772
Civil	8	5	6
Criminal	17	18	15
Sexual Predatory	*	*	*
Commitment Type Unknown	7	7	7

BOONE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	37.2	46.9	47.7
Cigarettes	28.8	26.5	28.7
Chewing Tobacco	21.8	16.5	11.2
Marijuana	15.4	19.2	22.6
Inhalants	3.4	5.0	7.1
Prescription medications not prescribed for student	5.6	10.2	12.7
Over-the-counter medications for non-medical use	0.0	5.9	8.5
Methamphetamine	0.0	0.7	0.6
Cocaine	1.2	2.1	2.4
Heroin	0.0	0.4	0.7
Hallucinogens	0.0	1.6	4.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.9	3.3
Steroids not prescribed for student	0.0	1.8	0.5
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	6.8	
Average age of students' first use of:			
Alcohol	14.77	12.86	12.86
Cigarettes	12.36	12.67	12.49
Marijuana	13.38	13.91	13.59
Inhalants	13.54	12.52	12.58
Percent of students who, in past 30 days, used:			
Alcohol	11.2	21.3	21.4
Alcohol (Binge: 5+ drinks on one occassion)		11.6	11.2
Cigarettes	13.3	10.6	13.0
Chewing Tobacco	7.2	9.0	5.8
Marijuana	4.4	7.0	11.2
Inhalants	0.0	1.3	2.4
Prescription medications not prescribed for student	4.5	3.7	7.0
Over-the-counter medications for non-medical use	0.0	2.8	5.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.5		
Percent whose friends used in past 12 months:			
Alcohol	60.5	61.2	66.1
Cigarettes	47.6	49.8	50.5
Marijuana	19.3	40.5	46.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.2	14.8	22.8
Percent who would likely use, if offered by a best friend:			
Alcohol	31.8	37.4	35.8
Cigarettes	14.5	16.3	14.7
Marijuana	5.6	11.3	17.0
Percent who say it would be wrong to use:			
Alcohol	51.9	56.3	53.3
Cigarettes	75.1	78.6	77.3
Marijuana	85.3	83.9	76.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	96.1	94.1
Percent whose parents would disapprove if they use:			
Alcohol	77.8	76.5	76.1
Cigarettes	91.0	89.4	89.9
Marijuana	97.6	94.8	91.8
Percent who say it would be easy to obtain:			
Alcohol	57.1	60.5	65.5
Cigarettes	50.0	56.9	62.1
Marijuana	24.5	36.4	44.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.4	14.4	22.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	40.1		
Alcohol (Binge: 5+ drinks once or twice a week)	52.8		
Alcohol (any use)		68.2	70.1
Cigarettes (1+ packs per day)	79.7		
Cigarettes (any use)		79.9	80.2
Marijuana (once or twice a week)	59.7		
Marijuana (any use)		74.4	70.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	87.2	93.0	93.2
Percent of students who, in past 30 days:			
Were very sad	19.0	15.1	23.4
Were grouchy, irritable, or in a bad mood	32.1	21.1	34.0
Felt hopeless about the future	11.4	12.0	15.0
Felt like not eating or eating more than usual	13.1	15.9	23.1
Slept a lot more or a lot less than usual	17.0	19.8	32.3
Had difficulty concentrating on school work	27.0	22.2	29.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	5.3	9.1	13.4
Made plan about how they would attempt suicide	6.3	7.6	8.9
Attempted suicide	0.0	4.6	5.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.2	1.3	1.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	3.7	6.2	8.7
Were in a physical fight	18.7	17.7	17.9
Were in a fight and had to be treated by a doctor or nurse	1.2	3.1	2.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	58.4	42.4	52.4
Were made fun of by others	63.6	62.9	68.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	18.4	19.2	18.1
Spread mean rumors or lies about other kids at school	18.4	20.9	30.8
Made fun of other people	56.9	64.9	75.9
Posted something on the internet or sent a text that might embarrass or hurt another student	21.7	15.1	16.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	78.2	70.1	69.9
School provides feedback to parents on positive student performance	47.8	43.5	42.3
Rules are enforced fairly	74.0	67.4	67.3
Students of all races/ethnicities are treated equal	76.1	78.7	70.3
Percent of students who agree that:			
Parents notice and comment on student's good work	91.2	82.9	83.8
Parents involve student in making family decisions	61.0	70.1	70.2
It is important to be honest with parents regardless of consequences	94.4	86.7	82.0
Student could ask parent for help with a personal problem	91.3	78.5	76.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

BUCHANAN COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	89,201
2014 Estimate	89,486

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,154	1,212	1,215
Mother Reported Smoking while Pregnant	289	351	300

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	7	3	6
Hepatitis B Chronic, Acute, Prenatal	14	16	15
Hepatitis C Chronic and Acute	95	76	147
Tuberculosis Infection Cases	15	26	22

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	942	979	982
Suicides	17	8	14
Self-inflicted Injuries	190	169	171
Homicides	2	2	5
Assault Injuries	456	447	547
Alcohol Induced Deaths	11	6	7
Drug Induced Deaths	15	10	10
Smoking Attributable Deaths	167	181	172

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	615	703	941
Mental Illness Secondary Diagnosis	643	750	708
Alcohol Principal Diagnosis	36	68	75
Alcohol Secondary Diagnosis	51	49	50
Drug Principal Diagnosis	41	62	65
Drug Secondary Diagnosis	52	56	40
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	871	860	603
Mental Illness Secondary Diagnosis	1,503	1,590	1,894
Alcohol Principal Diagnosis	142	141	166
Alcohol Secondary Diagnosis	232	264	259
Drug Principal Diagnosis	132	109	91
Drug Secondary Diagnosis	159	152	167
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,142	1,250	1,310
Mental Illness Secondary Diagnosis	1,188	1,350	1,749
Alcohol Principal Diagnosis	294	343	291
Alcohol Secondary Diagnosis	321	255	236
Drug Principal Diagnosis	162	148	147
Drug Secondary Diagnosis	206	197	165

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	119	115	118
Alcohol Package Carry-out Licenses	85	83	82

EMPLOYMENT	2014	2013	2012
Labor Force	47,454	51,111	51,416
Employed	44,822	48,312	48,525
Unemployed	2,632	2,799	2,891
Unemployment Rate	5.5%	5.5%	5.6%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	126	121	90
Fatal Crashes	1	5	2
Injury Crashes	55	52	35
Property Damage Crashes	70	64	53
Crash Fatalities	1	7	2
Crash Injuries	73	75	51
Drug Involved Crashes--Total	32	28	24
Fatal Crashes	1	2	1
Injury Crashes	11	12	13
Property Damage Crashes	20	14	10
Crash Fatalities	2	3	1
Crash Injuries	18	20	13

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	491	403	505
Liquor Law Arrests	243	203	239
Drug Arrests	705	620	619
Violent Offenses	399	348	308
Property Offenses	4,674	5,062	4,372
Domestic Violence Reports	898	769	829
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	3	2

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	3,788	3,786	3,691
Drop-outs	25	76	88
Drop-out Rate	0.7%	2.0%	2.4%
School Discipline Involving Alcohol	12	4	2
School Discipline Involving Drugs	23	28	48
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	108	127	155
Juvenile Alcohol Offenses	16	17	8
Juvenile Drug Offenses	26	26	29
School Truancy Status Offense	329	229	125
Absent from Home Status Offense	124	100	120
Beyond Parental Control Status Offense	100	138	68
Injurious Behavior Status Offense	11	40	8
Child Abuse	9	16	13
Child Neglect	93	70	35
Child Custody Issues	0	1	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	52	60	33
Parental Alcohol Use Related	0	0	4
Parental Drug Use Related	8	12	2
Parental Alcohol and Drug Use	1	6	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	220	271	244
Probation/Parole Admissions--Drug	415	363	384
Probation/Parole Admissions--DWI	52	81	98
Prison Admissions--Drug	251	245	230
Prison Admissions--DWI	35	33	37

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BUCHANAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	154	172	196
CSTAR Adolescent	89	82	92
CSTAR Women and Children	12	12	7
CSTAR General Adult	521	572	313
CSTAR Opioid	*	*	0
Primary Recovery Treatment	11	23	289
Clinical SATOP (CIP, YCIP, SROP)	67	68	79
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	363	360	398
- Adolescent Diversion Education Prograr	5	*	10
- Offender Education Program	164	164	166
- Weekend Intervention Program	77	81	84
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	8	11
Compulsive Gambling	*	*	5
Recovery Supports	7	12	7
Early Intervention	17	51	163

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	749	806	770
AGE			
Under 18	85	84	89
18 to 24	121	161	120
25 to 29	121	126	131
30 to 34	119	120	98
35 to 39	71	70	80
40 to 44	66	69	71
45 to 54	122	127	143
55 and Over	44	49	38
GENDER			
Male	495	569	556
Female	254	237	214
RACE / ETHNICITY			
Caucasian	639	666	653
African American	71	102	81
Native American / Alaskan	*	0	*
Asian / Pacific Islander	*	*	*
Hispanic	21	28	25
Other Race / Two or More Races	23	22	19
EDUCATION			
Less than High School Diploma	272	290	255
High School Graduate or G.E.D.	359	386	374
Associate Degree or Some College	109	127	131
Bachelor or Advanced Degree	9	*	10
EMPLOYMENT			
Employed	174	211	200
Unemployed	228	428	365
Not in Labor Force	347	167	205
HOUSING / LIVING ARRANGEMENT			
Independent Living	499	537	540
Dependent Living	147	180	160
Homeless	75	72	63
MARITAL / FAMILY STATUS			
Never Married	466	499	461
Married / Cohabitating	120	141	136
Previously Married	163	166	173

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	224	260	294
Marijuana / Hashish	196	267	235
Cocaine (total)	30	22	48
- Crack	21	18	40
Stimulant (total)	184	162	107
- Methamphetamine	178	161	107
Heroin	6	7	*
Analgesic except Heroin	89	80	73
- Non-Prescription Methadone	0	*	0
PCP, LSD, other Hallucinogen	7	*	*
Tranquilizer	7	*	*
Inhalant	*	0	*
Sedative	*	*	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	18.6	17.7	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	125	102	83
- Daily Injection Use	35	25	24
- Weekly Injection Use	30	30	19
- Less than Weekly Injection Use	60	47	40
LIFETIME DUI / DWI ARRESTS			
0	499	509	466
1 or 2	160	191	191
3 or More	90	106	113
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	363	266	190
School	*	0	*
Mental Health Provider	5	11	21
Health Care Provider	42	34	57
Court / Criminal Justice	313	444	447
Other Referral Source	21	44	47
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	6	5	5
Military Veteran	20	46	33
Special Education Services Needed	74	81	12
Co-Occurring Psychological Problem	214	267	112
Co-Occurring Developmental Problem	23	28	8

BUCHANAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	1
CENSUS 2010	89,201
2014 POPULATION ESTIMATE	89,486

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	76	63	85
Anxiety Disorder	539	510	477
Dementia	8	*	*
Developmental Disorder	32	18	18
Impulse Control Disorder	331	387	427
Mood Disorder	920	884	885
Personality Disorder	149	141	143
Psychotic Disorder	396	392	391
Sexual Disorder	*	*	0
Other Diagnosis	239	247	268
Diagnosis Unknown	169	193	281

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	1,630	1,747	1,901
AGE			
Under 6	37	55	61
6 to 9	134	173	195
10 to 13	118	164	202
14 to 17	111	138	194
18 to 24	116	124	128
25 to 29	130	120	109
30 to 34	118	104	108
35 to 39	113	116	128
40 to 44	133	142	139
45 to 49	162	153	194
50 to 54	203	204	196
55 to 59	119	118	111
60 and Over	136	136	136
Age Unknown	0	0	0
GENDER			
Male	906	984	1,058
Female	724	763	843
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,329	1,419	1,543
African American	162	175	201
Native American / Alaskan	5	9	12
Asian / Pacific Islander	*	*	*
Hispanic	62	61	59
Other Race	71	81	84
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	82	103	107
Past or Current Military Service	65	71	73

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	566	690	342
High School Grad or G.E.D.	*	30	436
Associate Degree or Some College	0	15	155
Bachelor or Advanced Degree	0	*	31
Education Level Unknown	1,060	1,011	937
EMPLOYMENT			
Employed	101	86	112
Unemployed	134	191	749
Not in Labor Force	968	1,028	114
Employment Status Unknown	427	442	926
HOUSING / LIVING ARRANGEMENT			
Independent Living	643	682	686
Dependent Living	540	619	406
Homeless	41	23	25
Other	0	0	13
Housing Unknown	406	423	771
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	575	555	588
School	80	114	118
Mental Health Provider	350	386	456
Health Care Provider	246	276	295
Court / Criminal Justice	183	177	160
Other	171	220	263
Referral Source Unknown	25	19	21
TYPE OF COMMITMENT			
Voluntary	1,490	1,615	1,766
Civil	8	12	14
Criminal	107	101	100
Sexual Predatory	0	0	0
Commitment Type Unknown	25	19	21

BUCHANAN COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	24.0	31.9	39.8
Cigarettes	18.6	21.5	27.2
Chewing Tobacco	6.3	10.1	12.7
Marijuana	12.7	14.2	13.9
Inhalants	3.2	5.8	6.8
Prescription medications not prescribed for student	5.9	7.0	9.6
Over-the-counter medications for non-medical use	2.3	4.7	7.6
Methamphetamine	1.0	0.3	1.0
Cocaine	0.7	1.2	1.5
Heroin	0.2	0.2	0.8
Hallucinogens	1.9	1.7	2.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.2	1.6
Steroids not prescribed for student	0.6	0.8	1.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.6	
Average age of students' first use of:			
Alcohol	12.41	12.58	12.47
Cigarettes	12.08	12.27	11.82
Marijuana	12.81	13.45	13.38
Inhalants	10.78	11.89	12.80
Percent of students who, in past 30 days, used:			
Alcohol	6.7	12.4	18.2
Alcohol (Binge: 5+ drinks on one occassion)		7.9	10.5
Cigarettes	6.8	10.6	15.5
Chewing Tobacco	2.6	5.2	7.2
Marijuana	5.4	7.2	6.9
Inhalants	1.2	1.9	3.3
Prescription medications not prescribed for student	2.6	3.8	5.5
Over-the-counter medications for non-medical use	1.1	2.8	4.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	2.0		
Percent whose friends used in past 12 months:			
Alcohol	32.3	47.8	59.5
Cigarettes	31.9	40.2	49.6
Marijuana	25.9	35.0	36.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.0	16.1	18.4
Percent who would likely use, if offered by a best friend:			
Alcohol	14.9	22.9	31.3
Cigarettes	9.3	11.0	16.5
Marijuana	10.5	12.1	10.0
Percent who say it would be wrong to use:			
Alcohol	77.1	70.9	63.4
Cigarettes	87.6	84.3	78.4
Marijuana	83.2	83.9	85.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	96.3	94.8
Percent whose parents would disapprove if they use:			
Alcohol	89.3	86.5	82.0
Cigarettes	94.0	94.0	92.1
Marijuana	92.6	94.3	95.1
Percent who say it would be easy to obtain:			
Alcohol	38.8	45.6	53.3
Cigarettes	37.9	44.5	54.2
Marijuana	27.8	31.4	32.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	13.0	16.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	61.5		
Alcohol (Binge: 5+ drinks once or twice a week)	72.6		
Alcohol (any use)		74.6	79.1
Cigarettes (1+ packs per day)	84.8		
Cigarettes (any use)		81.6	81.9
Marijuana (once or twice a week)	65.1		
Marijuana (any use)		73.8	76.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.6	92.7	94.2
Percent of students who, in past 30 days:			
Were very sad	20.7	18.1	24.7
Were grouchy, irritable, or in a bad mood	26.2	24.4	36.1
Felt hopeless about the future	11.4	10.6	11.9
Felt like not eating or eating more than usual	16.5	15.8	24.0
Slept a lot more or a lot less than usual	15.3	19.5	36.3
Had difficulty concentrating on school work	24.3	21.7	27.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.3	10.5	10.8
Made plan about how they would attempt suicide	9.5	7.5	7.5
Attempted suicide	5.6	5.0	6.3
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.6	1.3	2.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.5	6.7	9.3
Were in a physical fight	20.0	20.8	23.8
Were in a fight and had to be treated by a doctor or nurse	3.2	2.2	3.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	46.2	46.2	53.6
Were made fun of by others	53.6	56.3	64.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.7	19.3	21.0
Spread mean rumors or lies about other kids at school	19.8	26.1	33.9
Made fun of other people	44.2	55.6	66.8
Posted something on the internet or sent a text that might embarrass or hurt another student	16.9	14.1	19.3
Percent of students who agree that:			
Teachers notice and comment on student's good work	76.6	74.9	78.5
School provides feedback to parents on positive student performance	42.5	39.2	47.6
Rules are enforced fairly	70.3	70.6	71.8
Students of all races/ethnicities are treated equal	80.9	83.3	84.1
Percent of students who agree that:			
Parents notice and comment on student's good work	84.2	82.9	83.8
Parents involve student in making family decisions	73.3	70.6	72.1
It is important to be honest with parents regardless of consequences	87.9	84.8	81.5
Student could ask parent for help with a personal problem	79.9	80.0	77.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

BUTLER COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	42,794
2014 Estimate	42,972

BIRTH RISK	2013	2012	2011
Resident Births--Total	580	615	569
Mother Reported Smoking while Pregnant	168	190	190

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	6	6	1
Hepatitis B Chronic, Acute, Prenatal	5	11	6
Hepatitis C Chronic and Acute	92	91	104
Tuberculosis Infection Cases	12	18	7

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	585	516	560
Suicides	10	10	6
Self-inflicted Injuries	107	123	123
Homicides	1	1	3
Assault Injuries	205	236	205
Alcohol Induced Deaths	11	7	0
Drug Induced Deaths	11	11	18
Smoking Attributable Deaths	108	98	112

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	503	495	517
Mental Illness Secondary Diagnosis	948	878	796
Alcohol Principal Diagnosis	28	35	26
Alcohol Secondary Diagnosis	96	85	93
Drug Principal Diagnosis	48	56	37
Drug Secondary Diagnosis	72	68	32
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	154	123	150
Mental Illness Secondary Diagnosis	961	936	946
Alcohol Principal Diagnosis	16	20	13
Alcohol Secondary Diagnosis	59	69	52
Drug Principal Diagnosis	29	28	16
Drug Secondary Diagnosis	36	29	17
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	667	698	734
Mental Illness Secondary Diagnosis	1,774	485	296
Alcohol Principal Diagnosis	89	74	85
Alcohol Secondary Diagnosis	81	47	69
Drug Principal Diagnosis	80	90	80
Drug Secondary Diagnosis	96	73	52

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	55	59	57
Alcohol Package Carry-out Licenses	51	49	46

EMPLOYMENT	2014	2013	2012
Labor Force	18,993	21,196	20,614
Employed	17,669	19,791	19,102
Unemployed	1,324	1,405	1,512
Unemployment Rate	7.0%	6.6%	7.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	56	70	52
Fatal Crashes	1	4	1
Injury Crashes	26	35	15
Property Damage Crashes	29	31	36
Crash Fatalities	1	5	1
Crash Injuries	33	52	21
Drug Involved Crashes--Total	13	16	17
Fatal Crashes	1	1	1
Injury Crashes	3	10	9
Property Damage Crashes	9	5	7
Crash Fatalities	1	1	2
Crash Injuries	4	18	11

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	200	276	263
Liquor Law Arrests	26	47	41
Drug Arrests	305	266	342
Violent Offenses	216	239	184
Property Offenses	2,013	2,074	2,128
Domestic Violence Reports	244	253	275
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	12	29

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,830	1,825	1,778
Drop-outs	34	66	89
Drop-out Rate	1.9%	3.6%	5.0%
School Discipline Involving Alcohol	11	8	7
School Discipline Involving Drugs	40	21	16
School Discipline Involving Tobacco	1	3	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	96	83	112
Juvenile Alcohol Offenses	4	15	2
Juvenile Drug Offenses	15	16	13
School Truancy Status Offense	45	29	34
Absent from Home Status Offense	26	36	52
Beyond Parental Control Status Offense	52	30	37
Injurious Behavior Status Offense	1	2	6
Child Abuse	11	12	15
Child Neglect	167	138	86
Child Custody Issues	0	2	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	147	104	55
Parental Alcohol Use Related	1	2	0
Parental Drug Use Related	77	30	22
Parental Alcohol and Drug Use	2	3	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	89	92	67
Probation/Parole Admissions--Drug	157	138	131
Probation/Parole Admissions--DWI	16	13	8
Prison Admissions--Drug	105	84	64
Prison Admissions--DWI	6	7	4

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BUTLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	85	78	88
CSTAR Adolescent	15	22	29
CSTAR Women and Children	18	28	21
CSTAR General Adult	308	264	194
CSTAR Opioid	0	0	0
Primary Recovery Treatment	70	144	259
Clinical SATOP (CIP, YCIP, SROP)	45	46	58
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	131	164	173
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	43	55	45
- Weekend Intervention Program	19	38	33
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	5	*
Compulsive Gambling	*	*	0
Recovery Supports	138	158	170
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	540	504	619
AGE			
Under 18	17	22	33
18 to 24	98	95	113
25 to 29	83	85	116
30 to 34	107	92	96
35 to 39	75	58	94
40 to 44	70	58	58
45 to 54	63	76	82
55 and Over	27	18	27
GENDER			
Male	350	339	406
Female	189	165	213
RACE / ETHNICITY			
Caucasian	464	432	516
African American	59	57	87
Native American / Alaskan	*	*	0
Asian / Pacific Islander	*	*	*
Hispanic	10	10	8
Other Race / Two or More Races	7	6	10
EDUCATION			
Less than High School Diploma	200	188	270
High School Graduate or G.E.D.	256	249	270
Associate Degree or Some College	82	66	77
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	119	112	134
Unemployed	273	245	304
Not in Labor Force	148	147	181
HOUSING / LIVING ARRANGEMENT			
Independent Living	407	389	494
Dependent Living	87	88	96
Homeless	40	22	26
MARITAL / FAMILY STATUS			
Never Married	230	234	258
Married / Cohabitating	164	158	207
Previously Married	146	112	154

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	142	148	168
Marijuana / Hashish	135	140	186
Cocaine (total)	11	14	28
- Crack	10	11	25
Stimulant (total)	153	94	126
- Methamphetamine	149	91	122
Heroin	31	30	25
Analgesic except Heroin	56	72	74
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	0	0
Tranquilizer	7	*	9
Inhalant	*	*	*
Sedative	*	*	0
Other Medication or Illicit Drug	*	0	*
Average Age at First Use of Drug	18.7	18.0	17.5
INJECTION DRUG USE			
Any Injection Use at Admission	131	96	78
- Daily Injection Use	33	21	9
- Weekly Injection Use	44	34	13
- Less than Weekly Injection Use	54	41	56
LIFETIME DUI / DWI ARRESTS			
0	354	301	411
1 or 2	139	150	154
3 or More	47	53	54
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	145	129	130
School	*	*	*
Mental Health Provider	*	*	7
Health Care Provider	46	46	33
Court / Criminal Justice	243	246	395
Other Referral Source	71	67	52
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	8	8	9
Military Veteran	19	15	23
Special Education Services Needed	62	70	102
Co-Occurring Psychological Problem	290	251	300
Co-Occurring Developmental Problem	59	59	64

BUTLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	19
CENSUS 2010	42,794
2014 POPULATION ESTIMATE	42,972

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	39	27	9
Anxiety Disorder	98	108	72
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	53	72	54
Mood Disorder	517	483	344
Personality Disorder	7	5	6
Psychotic Disorder	111	105	95
Sexual Disorder	*	*	*
Other Diagnosis	12	7	9
Diagnosis Unknown	94	66	91

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	848	821	627
AGE			
Under 6	*	6	*
6 to 9	50	43	31
10 to 13	60	50	40
14 to 17	53	54	42
18 to 24	45	62	34
25 to 29	66	63	56
30 to 34	81	83	59
35 to 39	81	77	52
40 to 44	83	87	56
45 to 49	90	88	85
50 to 54	94	90	74
55 to 59	71	53	45
60 and Over	72	65	49
Age Unknown	0	0	0
GENDER			
Male	382	370	287
Female	466	451	340
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	781	743	572
African American	48	60	45
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	0	0
Hispanic	6	6	*
Other Race	11	11	5
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	37	40	35
Past or Current Military Service	20	15	18

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	269	232	120
High School Grad or G.E.D.	*	0	118
Associate Degree or Some College	0	0	24
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	578	589	364
EMPLOYMENT			
Employed	40	7	26
Unemployed	45	9	207
Not in Labor Force	475	400	52
Employment Status Unknown	288	405	342
HOUSING / LIVING ARRANGEMENT			
Independent Living	359	221	200
Dependent Living	185	186	118
Homeless	13	*	*
Other	0	*	*
Housing Unknown	291	410	305
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	333	296	211
School	30	24	19
Mental Health Provider	88	88	92
Health Care Provider	153	168	103
Court / Criminal Justice	95	112	89
Other	148	132	112
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	831	799	600
Civil	*	*	*
Criminal	11	18	23
Sexual Predatory	*	*	*
Commitment Type Unknown	0	0	0

BUTLER COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	30.0	39.6	42.7
Cigarettes	21.5	28.7	32.5
Chewing Tobacco	13.1	14.0	15.2
Marijuana	13.4	18.7	18.6
Inhalants	2.8	5.1	8.1
Prescription medications not prescribed for student	7.7	13.3	17.5
Over-the-counter medications for non-medical use	3.0	6.1	9.6
Methamphetamine	1.1	1.9	2.0
Cocaine	0.4	2.5	2.4
Heroin	0.4	2.1	0.4
Hallucinogens	0.6	3.0	4.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	3.4	3.1
Steroids not prescribed for student	1.1	1.8	2.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	6.6	
Average age of students' first use of:			
Alcohol	12.48	13.04	12.33
Cigarettes	12.02	12.58	11.98
Marijuana	13.68	14.00	13.51
Inhalants	11.94	12.36	12.69
Percent of students who, in past 30 days, used:			
Alcohol	12.7	18.3	21.1
Alcohol (Binge: 5+ drinks on one occassion)		13.0	13.2
Cigarettes	10.1	14.6	17.2
Chewing Tobacco	7.0	7.9	9.3
Marijuana	6.2	9.6	12.4
Inhalants	0.6	1.3	3.9
Prescription medications not prescribed for student	4.3	7.2	9.4
Over-the-counter medications for non-medical use	1.5	3.7	6.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.7		
Percent whose friends used in past 12 months:			
Alcohol	42.6	54.0	55.6
Cigarettes	37.7	47.1	46.7
Marijuana	31.2	38.6	38.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.5	19.5	20.9
Percent who would likely use, if offered by a best friend:			
Alcohol	24.4	30.6	32.8
Cigarettes	13.2	16.7	16.6
Marijuana	11.7	13.0	14.8
Percent who say it would be wrong to use:			
Alcohol	68.8	61.6	59.2
Cigarettes	84.4	78.2	78.2
Marijuana	82.4	80.7	80.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	95.1	93.5
Percent whose parents would disapprove if they use:			
Alcohol	82.6	79.1	78.6
Cigarettes	92.7	89.2	88.9
Marijuana	92.5	93.9	92.8
Percent who say it would be easy to obtain:			
Alcohol	45.9	53.8	54.4
Cigarettes	46.7	53.7	56.5
Marijuana	32.0	40.8	39.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	24.0	22.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	56.8		
Alcohol (Binge: 5+ drinks once or twice a week)	66.3		
Alcohol (any use)		74.1	74.9
Cigarettes (1+ packs per day)	78.8		
Cigarettes (any use)		81.8	81.3
Marijuana (once or twice a week)	65.0		
Marijuana (any use)		73.9	73.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	87.4	93.8	93.0
Percent of students who, in past 30 days:			
Were very sad	18.7	19.9	21.6
Were grouchy, irritable, or in a bad mood	23.5	27.1	24.0
Felt hopeless about the future	10.0	11.9	16.2
Felt like not eating or eating more than usual	18.9	18.4	20.2
Slept a lot more or a lot less than usual	17.2	22.3	27.8
Had difficulty concentrating on school work	24.5	26.6	27.4
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.3	15.9	13.8
Made plan about how they would attempt suicide	10.0	10.7	9.8
Attempted suicide	5.1	6.7	6.6
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.7	2.4	2.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	8.9	8.9	11.0
Were in a physical fight	21.8	21.5	26.5
Were in a fight and had to be treated by a doctor or nurse	4.0	2.9	5.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.1	49.8	55.9
Were made fun of by others	56.7	55.9	68.9
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.7	20.5	18.5
Spread mean rumors or lies about other kids at school	25.9	24.0	31.9
Made fun of other people	51.9	55.7	72.5
Posted something on the internet or sent a text that might embarrass or hurt another student	13.3	11.9	14.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	71.0	65.0	65.6
School provides feedback to parents on positive student performance	36.7	31.7	36.1
Rules are enforced fairly	59.7	58.1	58.7
Students of all races/ethnicities are treated equal	77.6	67.3	69.5
Percent of students who agree that:			
Parents notice and comment on student's good work	81.2	82.7	82.7
Parents involve student in making family decisions	67.5	67.3	67.6
It is important to be honest with parents regardless of consequences	88.8	88.7	84.2
Student could ask parent for help with a personal problem	80.1	78.5	77.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CALDWELL COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	9,424
2014 Estimate	9,034

BIRTH RISK	2013	2012	2011
Resident Births--Total	84	89	90
Mother Reported Smoking while Pregnant	22	25	28

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	3	5	3
Tuberculosis Infection Cases	0	0	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	102	112	92
Suicides	1	2	1
Self-inflicted Injuries	7	5	8
Homicides	0	0	0
Assault Injuries	23	17	18
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	1	3
Smoking Attributable Deaths	21	23	19

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	35	34	53
Mental Illness Secondary Diagnosis	98	124	121
Alcohol Principal Diagnosis	1	1	1
Alcohol Secondary Diagnosis	6	6	6
Drug Principal Diagnosis	2	1	2
Drug Secondary Diagnosis	11	6	7
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	24	15	18
Mental Illness Secondary Diagnosis	159	180	175
Alcohol Principal Diagnosis	2	2	2
Alcohol Secondary Diagnosis	11	30	22
Drug Principal Diagnosis	3	1	4
Drug Secondary Diagnosis	8	13	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	63	50	46
Mental Illness Secondary Diagnosis	92	74	83
Alcohol Principal Diagnosis	1	8	5
Alcohol Secondary Diagnosis	11	4	6
Drug Principal Diagnosis	7	10	6
Drug Secondary Diagnosis	23	18	13

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	4	5	4
Alcohol Package Carry-out Licenses	11	10	12

EMPLOYMENT	2014	2013	2012
Labor Force	4,452	4,149	4,287
Employed	4,209	3,868	3,970
Unemployed	243	281	317
Unemployment Rate	5.5%	6.8%	7.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	3	4	5
Fatal Crashes	0	1	1
Injury Crashes	2	1	3
Property Damage Crashes	1	2	1
Crash Fatalities	0	1	1
Crash Injuries	6	1	3
Drug Involved Crashes--Total	1	1	0
Fatal Crashes	0	0	0
Injury Crashes	1	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	1	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	53	49	53
Liquor Law Arrests	9	9	11
Drug Arrests	33	41	37
Violent Offenses	25	33	26
Property Offenses	127	188	101
Domestic Violence Reports	81	69	60
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	448	486	455
Drop-outs	1	1	5
Drop-out Rate	0.2%	0.2%	1.1%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	0	5
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	9	11	4
Juvenile Alcohol Offenses	0	1	0
Juvenile Drug Offenses	0	1	4
School Truancy Status Offense	7	21	11
Absent from Home Status Offense	3	1	0
Beyond Parental Control Status Offense	4	6	5
Injurious Behavior Status Offense	9	12	3
Child Abuse	5	0	0
Child Neglect	3	19	1
Child Custody Issues	3	0	3

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	10	5	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	0	0
Parental Alcohol and Drug Use	0	0	2

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	37	22	27
Probation/Parole Admissions--DWI	10	5	9
Prison Admissions--Drug	25	22	16
Prison Admissions--DWI	7	6	6

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CALDWELL COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	12	14	20
CSTAR Opioid	0	0	0
Primary Recovery Treatment	13	6	5
Clinical SATOP (CIP, YCIP, SROP)	8	6	6
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	34	22	33
- Adolescent Diversion Education Prograr	*	0	*
- Offender Education Program	8	8	16
- Weekend Intervention Program	6	5	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	26	30	37
AGE			
Under 18	*	*	*
18 to 24	*	7	6
25 to 29	*	5	8
30 to 34	5	9	5
35 to 39	6	0	*
40 to 44	*	*	6
45 to 54	*	*	*
55 and Over	*	0	*
GENDER			
Male	17	19	23
Female	9	11	14
RACE / ETHNICITY			
Caucasian	25	30	36
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	*
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	*	8	9
High School Graduate or G.E.D.	14	18	27
Associate Degree or Some College	8	*	*
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	7	12	15
Unemployed	9	12	17
Not in Labor Force	10	6	5
HOUSING / LIVING ARRANGEMENT			
Independent Living	21	25	30
Dependent Living	*	*	6
Homeless	0	*	*
MARITAL / FAMILY STATUS			
Never Married	13	20	20
Married / Cohabitating	9	5	9
Previously Married	*	5	8

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	15	11	17
Marijuana / Hashish	*	10	11
Cocaine (total)	0	0	*
- Crack	0	0	*
Stimulant (total)	*	5	*
- Methamphetamine	*	5	*
Heroin	*	0	*
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	*
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	0	0
Inhalant	0	*	*
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	17.8	16.6	18.0
INJECTION DRUG USE			
Any Injection Use at Admission	*	*	*
- Daily Injection Use	0	0	0
- Weekly Injection Use	0	*	0
- Less than Weekly Injection Use	*	0	*
LIFETIME DUI / DWI ARRESTS			
0	10	19	19
1 or 2	8	8	10
3 or More	8	*	8
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	6	5	10
School	0	*	0
Mental Health Provider	0	*	*
Health Care Provider	0	*	0
Court / Criminal Justice	14	13	22
Other Referral Source	6	7	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	0
Military Veteran	0	0	*
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	10	14	12
Co-Occurring Developmental Problem	0	0	*

CALDWELL COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	13
CENSUS 2010	9,424
2014 POPULATION ESTIMATE	9,034

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	42	37	47
Dementia	0	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	15	14	18
Mood Disorder	58	60	68
Personality Disorder	8	13	16
Psychotic Disorder	9	15	16
Sexual Disorder	0	0	0
Other Diagnosis	6	11	11
Diagnosis Unknown	6	*	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	82	83	103
AGE			
Under 6	0	0	*
6 to 9	*	*	5
10 to 13	8	10	8
14 to 17	6	5	10
18 to 24	8	7	7
25 to 29	6	6	11
30 to 34	14	9	7
35 to 39	6	7	9
40 to 44	5	8	14
45 to 49	12	12	12
50 to 54	8	7	7
55 to 59	*	*	5
60 and Over	5	6	7
Age Unknown	0	0	0
GENDER			
Male	33	33	41
Female	49	50	62
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	79	80	98
African American	0	*	*
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	0	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	23	30	17
High School Grad or G.E.D.	0	*	16
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	59	52	68
EMPLOYMENT			
Employed	5	9	7
Unemployed	9	5	26
Not in Labor Force	51	56	11
Employment Status Unknown	17	13	59
HOUSING / LIVING ARRANGEMENT			
Independent Living	48	49	37
Dependent Living	16	19	12
Homeless	*	0	0
Other	0	0	*
Housing Unknown	16	15	53
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	40	38	45
School	0	*	*
Mental Health Provider	7	10	15
Health Care Provider	16	20	20
Court / Criminal Justice	13	7	11
Other	6	7	10
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	81	82	102
Civil	*	*	*
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

CALDWELL COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	37.0	38.8	49.5
Cigarettes	22.7	25.6	32.3
Chewing Tobacco	13.9	16.9	17.0
Marijuana	4.6	8.8	10.6
Inhalants	0.9	3.1	3.7
Prescription medications not prescribed for student	6.4	6.9	11.0
Over-the-counter medications for non-medical use	0.0	3.8	4.7
Methamphetamine	0.0	0.7	0.0
Cocaine	0.9	1.3	1.4
Heroin	0.0	1.9	0.5
Hallucinogens	0.9	1.3	1.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	0.6	1.4
Steroids not prescribed for student	0.9	0.6	1.8
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	3.8	
Average age of students' first use of:			
Alcohol	12.84	12.93	13.29
Cigarettes	13.21	13.07	12.31
Marijuana	13.53	13.48	14.50
Inhalants	10.79	10.74	11.64
Percent of students who, in past 30 days, used:			
Alcohol	13.9	16.3	19.4
Alcohol (Binge: 5+ drinks on one occassion)		11.9	11.5
Cigarettes	7.3	8.8	15.6
Chewing Tobacco	7.4	10.6	5.0
Marijuana	1.8	3.1	4.2
Inhalants	0.9	0.6	2.3
Prescription medications not prescribed for student	4.6	3.8	6.9
Over-the-counter medications for non-medical use	0.0	2.5	2.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.5		
Percent whose friends used in past 12 months:			
Alcohol	52.8	50.0	66.8
Cigarettes	39.8	37.5	42.2
Marijuana	25.9	21.9	30.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	9.4	12.1
Percent who would likely use, if offered by a best friend:			
Alcohol	33.0	27.5	40.3
Cigarettes	10.9	10.1	11.0
Marijuana	4.6	5.7	6.0
Percent who say it would be wrong to use:			
Alcohol	56.9	63.8	54.4
Cigarettes	85.3	84.3	77.1
Marijuana	93.6	89.3	88.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.1	98.1	95.4
Percent whose parents would disapprove if they use:			
Alcohol	74.1	79.1	72.4
Cigarettes	88.9	91.2	87.9
Marijuana	94.4	95.6	92.6
Percent who say it would be easy to obtain:			
Alcohol	54.1	57.2	68.1
Cigarettes	51.4	53.1	66.8
Marijuana	23.1	32.7	32.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	15.2	17.6

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	50.9		
Alcohol (Binge: 5+ drinks once or twice a week)	63.9		
Alcohol (any use)		68.8	80.9
Cigarettes (1+ packs per day)	81.5		
Cigarettes (any use)		78.6	75.3
Marijuana (once or twice a week)	81.7		
Marijuana (any use)		77.5	68.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.5	93.0	92.2
Percent of students who, in past 30 days:			
Were very sad	24.8	17.6	8.3
Were grouchy, irritable, or in a bad mood	28.4	23.8	12.5
Felt hopeless about the future	11.0	10.1	5.1
Felt like not eating or eating more than usual	16.4	15.0	9.9
Slept a lot more or a lot less than usual	26.6	20.8	18.0
Had difficulty concentrating on school work	24.8	22.6	16.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	15.9	13.8	12.8
Made plan about how they would attempt suicide	5.5	7.0	11.0
Attempted suicide	6.4	5.0	4.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	0.6	2.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.5	6.9	7.3
Were in a physical fight	20.2	21.4	22.0
Were in a fight and had to be treated by a doctor or nurse	2.8	3.1	6.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	55.0	61.6	59.6
Were made fun of by others	64.8	68.4	72.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	36.1	27.0	18.4
Spread mean rumors or lies about other kids at school	29.1	28.1	40.4
Made fun of other people	65.1	67.9	78.4
Posted something on the internet or sent a text that might embarrass or hurt another student	21.1	15.7	18.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	77.1	73.1	72.5
School provides feedback to parents on positive student performance	52.3	48.8	42.2
Rules are enforced fairly	78.0	65.0	68.2
Students of all races/ethnicities are treated equal	85.3	82.3	91.7
Percent of students who agree that:			
Parents notice and comment on student's good work	76.1	80.0	76.5
Parents involve student in making family decisions	67.0	70.0	64.7
It is important to be honest with parents regardless of consequences	89.8	88.1	86.8
Student could ask parent for help with a personal problem	79.6	75.8	74.5

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CALLAWAY COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	15
POPULATION	
Census 2010	44,332
2014 Estimate	44,750

BIRTH RISK	2013	2012	2011
Resident Births--Total	525	527	500
Mother Reported Smoking while Pregnant	145	126	139

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	1	1
Hepatitis B Chronic, Acute, Prenatal	4	5	3
Hepatitis C Chronic and Acute	26	16	16
Tuberculosis Infection Cases	16	19	11

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	371	353	365
Suicides	9	4	10
Self-inflicted Injuries	93	86	95
Homicides	0	4	4
Assault Injuries	257	254	251
Alcohol Induced Deaths	4	4	4
Drug Induced Deaths	10	8	5
Smoking Attributable Deaths	58	66	75

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	205	135	147
Mental Illness Secondary Diagnosis	646	711	781
Alcohol Principal Diagnosis	16	10	7
Alcohol Secondary Diagnosis	43	45	38
Drug Principal Diagnosis	8	8	10
Drug Secondary Diagnosis	47	43	37
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	306	312	230
Mental Illness Secondary Diagnosis	765	578	468
Alcohol Principal Diagnosis	57	46	35
Alcohol Secondary Diagnosis	65	72	47
Drug Principal Diagnosis	32	30	34
Drug Secondary Diagnosis	50	47	35
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	413	409	430
Mental Illness Secondary Diagnosis	934	710	640
Alcohol Principal Diagnosis	53	79	90
Alcohol Secondary Diagnosis	86	96	77
Drug Principal Diagnosis	42	75	75
Drug Secondary Diagnosis	85	82	69

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	42	46	42
Alcohol Package Carry-out Licenses	42	46	46

EMPLOYMENT	2014	2013	2012
Labor Force	21,705	22,076	22,124
Employed	20,488	20,794	20,774
Unemployed	1,217	1,282	1,350
Unemployment Rate	5.6%	5.8%	6.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	34	41	61
Fatal Crashes	2	2	2
Injury Crashes	16	14	32
Property Damage Crashes	16	25	27
Crash Fatalities	2	2	2
Crash Injuries	18	20	39
Drug Involved Crashes--Total	5	8	10
Fatal Crashes	1	1	1
Injury Crashes	2	3	5
Property Damage Crashes	2	4	4
Crash Fatalities	1	1	1
Crash Injuries	3	10	3

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	217	245	311
Liquor Law Arrests	77	91	86
Drug Arrests	282	251	230
Violent Offenses	128	117	112
Property Offenses	1,217	1,319	1,374
Domestic Violence Reports	441	389	444
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	11

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,495	1,524	1,521
Drop-outs	48	54	50
Drop-out Rate	3.2%	3.5%	3.3%
School Discipline Involving Alcohol	1	0	0
School Discipline Involving Drugs	4	19	4
School Discipline Involving Tobacco	2	0	3

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	55	51	47
Juvenile Alcohol Offenses	13	19	8
Juvenile Drug Offenses	23	29	24
School Truancy Status Offense	43	60	50
Absent from Home Status Offense	8	1	7
Beyond Parental Control Status Offense	113	93	45
Injurious Behavior Status Offense	69	93	75
Child Abuse	8	9	18
Child Neglect	172	129	68
Child Custody Issues	13	16	8

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	68	38	35
Parental Alcohol Use Related	4	1	0
Parental Drug Use Related	28	15	20
Parental Alcohol and Drug Use	1	0	3

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	57	44	38
Probation/Parole Admissions--Drug	81	94	87
Probation/Parole Admissions--DWI	32	29	31
Prison Admissions--Drug	47	46	36
Prison Admissions--DWI	12	9	21

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CALLAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	20	29	28
CSTAR Adolescent	10	17	19
CSTAR Women and Children	40	28	22
CSTAR General Adult	113	99	73
CSTAR Opioid	0	0	0
Primary Recovery Treatment	98	170	182
Clinical SATOP (CIP, YCIP, SROP)	42	52	43
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	181	177	231
- Adolescent Diversion Education Prograr	16	12	13
- Offender Education Program	49	55	81
- Weekend Intervention Program	39	32	49
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	9	8
Compulsive Gambling	0	0	*
Recovery Supports	*	*	*
Early Intervention	*	16	13

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	249	336	311
AGE			
Under 18	8	17	21
18 to 24	50	63	47
25 to 29	49	70	58
30 to 34	49	48	33
35 to 39	35	35	35
40 to 44	18	28	35
45 to 54	29	55	66
55 and Over	11	20	16
GENDER			
Male	166	237	239
Female	83	99	72
RACE / ETHNICITY			
Caucasian	213	278	263
African American	26	49	42
Native American / Alaskan	0	0	0
Asian / Pacific Islander	*	0	0
Hispanic	*	*	*
Other Race / Two or More Races	6	7	6
EDUCATION			
Less than High School Diploma	75	99	109
High School Graduate or G.E.D.	124	157	141
Associate Degree or Some College	46	75	58
Bachelor or Advanced Degree	*	5	*
EMPLOYMENT			
Employed	95	127	134
Unemployed	100	130	103
Not in Labor Force	54	79	74
HOUSING / LIVING ARRANGEMENT			
Independent Living	203	282	256
Dependent Living	19	30	39
Homeless	7	8	*
MARITAL / FAMILY STATUS			
Never Married	134	190	175
Married / Cohabitating	68	77	69
Previously Married	47	69	67

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	110	142	134
Marijuana / Hashish	47	85	96
Cocaine (total)	8	22	30
- Crack	*	12	20
Stimulant (total)	48	38	23
- Methamphetamine	46	35	21
Heroin	13	17	12
Analgesic except Heroin	11	21	11
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	*	*
Tranquilizer	*	*	*
Inhalant	0	0	0
Sedative	*	*	0
Other Medication or Illicit Drug	9	*	*
Average Age at First Use of Drug	17.8	17.7	17.1
INJECTION DRUG USE			
Any Injection Use at Admission	39	40	24
- Daily Injection Use	7	10	7
- Weekly Injection Use	10	9	*
- Less than Weekly Injection Use	22	21	15
LIFETIME DUI / DWI ARRESTS			
0	129	168	157
1 or 2	74	102	95
3 or More	46	66	59
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	59	68	57
School	*	0	0
Mental Health Provider	*	*	0
Health Care Provider	8	11	8
Court / Criminal Justice	142	226	229
Other Referral Source	31	23	17
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	6	6	*
Military Veteran	9	15	19
Special Education Services Needed	24	25	36
Co-Occurring Psychological Problem	91	105	84
Co-Occurring Developmental Problem	*	*	*

CALLAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	15
CENSUS 2010	44,332
2014 POPULATION ESTIMATE	44,750

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	39	21	22
Anxiety Disorder	290	240	245
Dementia	*	*	*
Developmental Disorder	19	13	13
Impulse Control Disorder	188	162	160
Mood Disorder	471	457	492
Personality Disorder	70	65	68
Psychotic Disorder	123	113	115
Sexual Disorder	10	*	*
Other Diagnosis	67	62	54
Diagnosis Unknown	68	60	88

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	729	682	745
AGE			
Under 6	10	*	5
6 to 9	40	33	31
10 to 13	62	53	57
14 to 17	60	63	59
18 to 24	76	55	73
25 to 29	51	49	64
30 to 34	66	73	82
35 to 39	81	61	62
40 to 44	50	63	68
45 to 49	77	64	74
50 to 54	62	73	68
55 to 59	42	44	48
60 and Over	52	47	54
Age Unknown	0	0	0
GENDER			
Male	366	333	362
Female	363	349	383
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	663	617	681
African American	46	42	40
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	*	*
Hispanic	*	*	5
Other Race	15	16	16
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	39	33	32
Past or Current Military Service	18	19	25

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	248	196	110
High School Grad or G.E.D.	0	*	90
Associate Degree or Some College	0	0	17
Bachelor or Advanced Degree	0	0	6
Education Level Unknown	481	482	522
EMPLOYMENT			
Employed	56	43	59
Unemployed	68	47	144
Not in Labor Force	429	358	64
Employment Status Unknown	176	234	478
HOUSING / LIVING ARRANGEMENT			
Independent Living	221	200	169
Dependent Living	228	195	106
Homeless	8	6	*
Other	0	0	*
Housing Unknown	272	281	465
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	389	374	455
School	*	*	*
Mental Health Provider	80	84	86
Health Care Provider	70	74	70
Court / Criminal Justice	41	37	34
Other	145	111	98
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	695	648	713
Civil	*	*	*
Criminal	26	28	25
Sexual Predatory	6	*	*
Commitment Type Unknown	0	0	0

CALLAWAY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	42.0	43.6	49.6
Cigarettes	19.3	27.2	29.2
Chewing Tobacco	14.4	16.0	19.5
Marijuana	18.8	19.2	15.0
Inhalants	2.6	5.1	6.7
Prescription medications not prescribed for student	7.0	10.3	12.7
Over-the-counter medications for non-medical use	2.2	6.2	8.7
Methamphetamine	0.6	1.6	1.3
Cocaine	1.3	1.9	1.7
Heroin	0.4	1.1	0.8
Hallucinogens	2.0	3.5	2.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	2.4	1.8
Steroids not prescribed for student	0.7	1.3	1.5
Synthetic drugs (K2, bath salts, Spice, etc)	4.3	6.4	
Average age of students' first use of:			
Alcohol	13.45	12.76	12.76
Cigarettes	13.49	12.77	12.46
Marijuana	14.08	13.87	13.94
Inhalants	11.77	12.22	12.27
Percent of students who, in past 30 days, used:			
Alcohol	20.1	20.4	24.4
Alcohol (Binge: 5+ drinks on one occassion)		11.9	13.3
Cigarettes	8.5	14.1	13.3
Chewing Tobacco	7.4	9.1	8.4
Marijuana	8.2	10.2	6.5
Inhalants	0.4	3.2	2.8
Prescription medications not prescribed for student	3.0	6.0	7.2
Over-the-counter medications for non-medical use	1.1	4.7	5.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	10.9		
Percent whose friends used in past 12 months:			
Alcohol	56.4	56.5	60.4
Cigarettes	39.2	44.5	48.4
Marijuana	40.3	38.2	32.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	13.3	15.9
Percent who would likely use, if offered by a best friend:			
Alcohol	35.0	34.5	38.6
Cigarettes	12.0	16.4	18.1
Marijuana	14.8	15.5	11.5
Percent who say it would be wrong to use:			
Alcohol	53.2	53.2	53.9
Cigarettes	83.7	77.0	77.8
Marijuana	77.8	77.0	83.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	94.6	95.5
Percent whose parents would disapprove if they use:			
Alcohol	72.4	73.0	75.2
Cigarettes	90.3	87.6	91.7
Marijuana	90.0	92.0	95.5
Percent who say it would be easy to obtain:			
Alcohol	66.2	58.5	60.6
Cigarettes	54.1	54.1	56.2
Marijuana	39.6	37.8	29.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	15.8	15.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	50.6		
Alcohol (Binge: 5+ drinks once or twice a week)	65.1		
Alcohol (any use)		64.7	80.2
Cigarettes (1+ packs per day)	85.7		
Cigarettes (any use)		79.8	79.6
Marijuana (once or twice a week)	54.8		
Marijuana (any use)		66.9	70.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	93.0	94.8
Percent of students who, in past 30 days:			
Were very sad	20.0	17.8	18.9
Were grouchy, irritable, or in a bad mood	22.4	23.6	21.5
Felt hopeless about the future	12.9	9.9	16.6
Felt like not eating or eating more than usual	19.1	19.2	17.9
Slept a lot more or a lot less than usual	16.0	18.6	27.2
Had difficulty concentrating on school work	24.9	19.4	23.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.6	14.8	13.2
Made plan about how they would attempt suicide	9.6	10.9	7.9
Attempted suicide	4.2	6.2	4.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.5	1.8	2.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.8	5.7	11.1
Were in a physical fight	16.5	20.0	22.1
Were in a fight and had to be treated by a doctor or nurse	3.5	3.5	3.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	51.3	44.9	56.5
Were made fun of by others	64.1	57.2	71.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.3	16.5	19.1
Spread mean rumors or lies about other kids at school	23.6	23.3	34.5
Made fun of other people	58.3	60.6	77.9
Posted something on the internet or sent a text that might embarrass or hurt another student	18.9	11.6	15.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	66.1	71.0	79.4
School provides feedback to parents on positive student performance	45.5	48.2	52.4
Rules are enforced fairly	55.0	63.5	70.8
Students of all races/ethnicities are treated equal	76.1	73.1	77.8
Percent of students who agree that:			
Parents notice and comment on student's good work	82.7	82.0	86.7
Parents involve student in making family decisions	69.2	66.7	66.7
It is important to be honest with parents regardless of consequences	82.5	84.1	84.0
Student could ask parent for help with a personal problem	76.8	73.4	74.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CAMDEN COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	44,002
2014 Estimate	44,021

BIRTH RISK	2013	2012	2011
Resident Births--Total	384	400	413
Mother Reported Smoking while Pregnant	100	120	104

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	3	6	2
Hepatitis C Chronic and Acute	39	34	33
Tuberculosis Infection Cases	14	11	9

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	458	466	441
Suicides	8	6	4
Self-inflicted Injuries	51	35	38
Homicides	2	0	0
Assault Injuries	76	136	108
Alcohol Induced Deaths	1	10	3
Drug Induced Deaths	9	9	7
Smoking Attributable Deaths	91	101	84

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	166	152	127
Mental Illness Secondary Diagnosis	449	499	428
Alcohol Principal Diagnosis	17	10	5
Alcohol Secondary Diagnosis	59	35	27
Drug Principal Diagnosis	9	8	2
Drug Secondary Diagnosis	23	26	22
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	99	123	110
Mental Illness Secondary Diagnosis	869	972	1,006
Alcohol Principal Diagnosis	54	59	65
Alcohol Secondary Diagnosis	126	132	112
Drug Principal Diagnosis	23	13	30
Drug Secondary Diagnosis	36	42	42
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	355	369	260
Mental Illness Secondary Diagnosis	1,275	991	684
Alcohol Principal Diagnosis	71	65	57
Alcohol Secondary Diagnosis	79	62	43
Drug Principal Diagnosis	65	69	43
Drug Secondary Diagnosis	50	74	51

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	146	151	145
Alcohol Package Carry-out Licenses	76	78	79

EMPLOYMENT	2014	2013	2012
Labor Force	18,781	20,593	19,600
Employed	17,263	18,940	17,823
Unemployed	1,518	1,653	1,777
Unemployment Rate	8.1%	8.0%	9.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	52	65	43
Fatal Crashes	4	4	3
Injury Crashes	21	36	24
Property Damage Crashes	27	25	16
Crash Fatalities	4	4	3
Crash Injuries	30	48	32
Drug Involved Crashes--Total	12	6	8
Fatal Crashes	0	0	0
Injury Crashes	7	2	5
Property Damage Crashes	5	4	3
Crash Fatalities	0	0	0
Crash Injuries	10	2	4

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	337	359	373
Liquor Law Arrests	63	93	86
Drug Arrests	180	202	233
Violent Offenses	76	93	81
Property Offenses	812	1,057	968
Domestic Violence Reports	348	302	221
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	9	6	8

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,602	1,636	1,630
Drop-outs	22	33	32
Drop-out Rate	1.4%	2.0%	2.0%
School Discipline Involving Alcohol	1	9	32
School Discipline Involving Drugs	18	30	43
School Discipline Involving Tobacco	1	4	6

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	19	30	53
Juvenile Alcohol Offenses	9	34	15
Juvenile Drug Offenses	15	9	21
School Truancy Status Offense	17	23	21
Absent from Home Status Offense	9	7	18
Beyond Parental Control Status Offense	5	11	14
Injurious Behavior Status Offense	30	23	25
Child Abuse	12	14	25
Child Neglect	77	104	74
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	44	46	29
Parental Alcohol Use Related	8	0	1
Parental Drug Use Related	2	13	1
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	119	113	95
Probation/Parole Admissions--DWI	31	32	32
Prison Admissions--Drug	81	71	61
Prison Admissions--DWI	13	16	18

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CAMDEN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	9	7	16
CSTAR Adolescent	16	13	25
CSTAR Women and Children	10	12	19
CSTAR General Adult	151	177	167
CSTAR Opioid	0	0	0
Primary Recovery Treatment	12	10	67
Clinical SATOP (CIP, YCIP, SROP)	37	38	39
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	170	187	206
- Adolescent Diversion Education Prograr	*	0	*
- Offender Education Program	68	69	86
- Weekend Intervention Program	36	40	41
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	12
Compulsive Gambling	0	*	*
Recovery Supports	5	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	221	250	300
AGE			
Under 18	18	14	24
18 to 24	36	42	52
25 to 29	34	45	52
30 to 34	49	39	43
35 to 39	27	27	32
40 to 44	16	35	34
45 to 54	33	39	48
55 and Over	8	9	15
GENDER			
Male	134	161	215
Female	87	89	85
RACE / ETHNICITY			
Caucasian	213	241	292
African American	*	*	*
Native American / Alaskan	*	*	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	62	65	98
High School Graduate or G.E.D.	104	114	125
Associate Degree or Some College	53	66	76
Bachelor or Advanced Degree	*	5	*
EMPLOYMENT			
Employed	66	91	103
Unemployed	94	73	97
Not in Labor Force	61	86	100
HOUSING / LIVING ARRANGEMENT			
Independent Living	169	206	241
Dependent Living	28	24	33
Homeless	6	8	12
MARITAL / FAMILY STATUS			
Never Married	114	126	158
Married / Cohabitating	59	66	63
Previously Married	48	58	79

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	87	111	133
Marijuana / Hashish	54	58	71
Cocaine (total)	0	*	*
- Crack	0	*	*
Stimulant (total)	45	44	55
- Methamphetamine	43	41	51
Heroin	5	10	13
Analgesic except Heroin	22	24	24
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	0	*
Tranquilizer	*	*	0
Inhalant	0	0	0
Sedative	0	0	*
Other Medication or Illicit Drug	6	*	0
Average Age at First Use of Drug	17.5	17.5	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	30	40	46
- Daily Injection Use	*	*	11
- Weekly Injection Use	12	11	*
- Less than Weekly Injection Use	14	27	31
LIFETIME DUI / DWI ARRESTS			
0	119	80	110
1 or 2	68	84	98
3 or More	34	86	92
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	73	74	62
School	0	*	*
Mental Health Provider	*	*	*
Health Care Provider	5	12	*
Court / Criminal Justice	82	125	197
Other Referral Source	54	32	32
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	6
Military Veteran	6	9	12
Special Education Services Needed	*	19	21
Co-Occurring Psychological Problem	103	65	78
Co-Occurring Developmental Problem	7	13	12

CAMDEN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	11
CENSUS 2010	44,002
2014 POPULATION ESTIMATE	44,021

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	20	16	10
Anxiety Disorder	243	197	158
Dementia	0	0	0
Developmental Disorder	5	*	*
Impulse Control Disorder	51	36	37
Mood Disorder	283	252	222
Personality Disorder	17	12	9
Psychotic Disorder	27	29	33
Sexual Disorder	0	0	0
Other Diagnosis	27	24	17
Diagnosis Unknown	22	10	18

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	401	331	308
AGE			
Under 6	11	*	*
6 to 9	32	23	21
10 to 13	35	27	28
14 to 17	34	36	37
18 to 24	29	26	25
25 to 29	26	23	22
30 to 34	34	28	21
35 to 39	35	23	26
40 to 44	42	33	30
45 to 49	40	38	29
50 to 54	39	37	28
55 to 59	27	13	18
60 and Over	17	20	20
Age Unknown	0	0	0
GENDER			
Male	167	139	131
Female	234	192	177
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	385	316	297
African American	*	*	*
Native American / Alaskan	*	*	0
Asian / Pacific Islander	0	0	0
Hispanic	6	6	*
Other Race	6	*	5
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	14	13	9
Past or Current Military Service	12	10	8

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	133	124	72
High School Grad or G.E.D.	0	*	64
Associate Degree or Some College	0	*	25
Bachelor or Advanced Degree	0	*	*
Education Level Unknown	268	203	145
EMPLOYMENT			
Employed	12	16	22
Unemployed	20	30	120
Not in Labor Force	185	208	41
Employment Status Unknown	184	77	125
HOUSING / LIVING ARRANGEMENT			
Independent Living	104	162	153
Dependent Living	117	97	57
Homeless	5	*	*
Other	0	0	0
Housing Unknown	175	69	96
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	271	202	188
School	*	*	*
Mental Health Provider	15	21	18
Health Care Provider	43	43	35
Court / Criminal Justice	24	23	30
Other	46	40	36
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	398	330	307
Civil	*	*	*
Criminal	*	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

CAMDEN COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	43.1	40.0	46.3
Cigarettes	34.2	26.6	32.4
Chewing Tobacco	10.2	12.9	15.4
Marijuana	19.4	17.5	22.6
Inhalants	1.2	5.4	10.7
Prescription medications not prescribed for student	10.2	9.1	14.3
Over-the-counter medications for non-medical use	0.0	6.4	9.6
Methamphetamine	0.0	1.2	2.9
Cocaine	1.0	1.5	3.3
Heroin	0.0	0.5	1.2
Hallucinogens	1.2	3.4	6.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	2.2	4.3
Steroids not prescribed for student	0.2	1.5	2.5
Synthetic drugs (K2, bath salts, Spice, etc)	5.4	9.7	
Average age of students' first use of:			
Alcohol	13.05	12.43	11.92
Cigarettes	12.84	12.09	11.59
Marijuana	13.82	13.42	13.01
Inhalants	12.00	12.24	11.96
Percent of students who, in past 30 days, used:			
Alcohol	13.9	17.7	22.3
Alcohol (Binge: 5+ drinks on one occassion)		11.4	14.1
Cigarettes	14.6	12.6	17.6
Chewing Tobacco	5.6	6.7	8.3
Marijuana	4.5	8.6	11.5
Inhalants	1.2	2.5	5.8
Prescription medications not prescribed for student	2.2	4.4	10.5
Over-the-counter medications for non-medical use	0.0	3.5	6.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	2.2		
Percent whose friends used in past 12 months:			
Alcohol	41.3	50.3	59.7
Cigarettes	42.8	43.6	51.2
Marijuana	29.0	36.3	39.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	16.4	23.5
Percent who would likely use, if offered by a best friend:			
Alcohol	26.5	29.6	38.0
Cigarettes	15.3	14.8	20.2
Marijuana	10.7	14.0	19.2
Percent who say it would be wrong to use:			
Alcohol	65.8	63.1	55.3
Cigarettes	79.8	80.1	75.1
Marijuana	75.7	79.5	76.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.6	94.4	93.0
Percent whose parents would disapprove if they use:			
Alcohol	81.1	80.4	78.7
Cigarettes	91.1	88.5	89.8
Marijuana	95.0	91.8	93.9
Percent who say it would be easy to obtain:			
Alcohol	46.9	53.0	56.2
Cigarettes	56.4	51.9	57.7
Marijuana	36.3	34.8	38.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	17.9	16.6

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.8		
Alcohol (Binge: 5+ drinks once or twice a week)	65.8		
Alcohol (any use)		70.0	75.5
Cigarettes (1+ packs per day)	88.8		
Cigarettes (any use)		81.3	82.3
Marijuana (once or twice a week)	54.7		
Marijuana (any use)		70.7	70.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	90.3	92.6	94.0
Percent of students who, in past 30 days:			
Were very sad	20.2	20.4	18.4
Were grouchy, irritable, or in a bad mood	27.3	24.9	21.6
Felt hopeless about the future	11.3	11.1	15.0
Felt like not eating or eating more than usual	16.5	18.7	17.3
Slept a lot more or a lot less than usual	21.4	20.2	26.8
Had difficulty concentrating on school work	24.0	22.3	26.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.1	11.3	12.7
Made plan about how they would attempt suicide	5.6	8.6	8.7
Attempted suicide	3.2	5.4	5.6
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	2.2	1.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.4	7.6	8.9
Were in a physical fight	20.9	19.4	23.7
Were in a fight and had to be treated by a doctor or nurse	0.2	3.1	3.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	43.5	50.9	53.5
Were made fun of by others	46.0	60.1	67.4
Were victims of an embarrassing or hurtful text message or something posted on the internet	20.4	20.6	21.2
Spread mean rumors or lies about other kids at school	16.5	24.6	33.7
Made fun of other people	48.1	57.7	73.0
Posted something on the internet or sent a text that might embarrass or hurt another student	8.5	13.4	14.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.5	69.1	72.8
School provides feedback to parents on positive student performance	61.8	37.2	44.3
Rules are enforced fairly	65.5	61.6	62.7
Students of all races/ethnicities are treated equal	86.6	73.7	76.2
Percent of students who agree that:			
Parents notice and comment on student's good work	85.2	83.2	86.1
Parents involve student in making family decisions	70.0	69.5	71.0
It is important to be honest with parents regardless of consequences	81.8	88.3	83.6
Student could ask parent for help with a personal problem	82.5	78.0	77.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CAPE GIRARDEAU COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	75,674
2014 Estimate	78,043

BIRTH RISK	2013	2012	2011
Resident Births--Total	942	919	897
Mother Reported Smoking while Pregnant	192	194	159

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	3	3	7
Hepatitis B Chronic, Acute, Prenatal	8	8	5
Hepatitis C Chronic and Acute	57	48	49
Tuberculosis Infection Cases	31	31	50

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	732	719	750
Suicides	10	12	12
Self-inflicted Injuries	68	91	100
Homicides	6	1	2
Assault Injuries	270	308	291
Alcohol Induced Deaths	5	3	0
Drug Induced Deaths	10	8	11
Smoking Attributable Deaths	135	123	129

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	662	676	783
Mental Illness Secondary Diagnosis	1,374	1,065	1,285
Alcohol Principal Diagnosis	38	72	59
Alcohol Secondary Diagnosis	118	97	125
Drug Principal Diagnosis	34	43	37
Drug Secondary Diagnosis	79	100	113
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	82	75	58
Mental Illness Secondary Diagnosis	707	889	796
Alcohol Principal Diagnosis	37	35	20
Alcohol Secondary Diagnosis	89	99	80
Drug Principal Diagnosis	18	11	9
Drug Secondary Diagnosis	50	56	50
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	824	714	801
Mental Illness Secondary Diagnosis	1,735	3,414	1,217
Alcohol Principal Diagnosis	129	144	147
Alcohol Secondary Diagnosis	131	135	156
Drug Principal Diagnosis	95	84	106
Drug Secondary Diagnosis	146	147	144

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	118	120	118
Alcohol Package Carry-out Licenses	68	65	64

EMPLOYMENT	2014	2013	2012
Labor Force	40,781	39,075	38,444
Employed	38,556	36,773	36,172
Unemployed	2,225	2,302	2,272
Unemployment Rate	5.5%	5.9%	5.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	57	53	51
Fatal Crashes	0	2	0
Injury Crashes	19	19	21
Property Damage Crashes	38	32	30
Crash Fatalities	0	2	0
Crash Injuries	27	30	23
Drug Involved Crashes--Total	14	16	17
Fatal Crashes	1	1	0
Injury Crashes	7	6	8
Property Damage Crashes	6	9	9
Crash Fatalities	1	1	0
Crash Injuries	12	6	7

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	474	572	553
Liquor Law Arrests	109	174	204
Drug Arrests	347	293	341
Violent Offenses	298	280	293
Property Offenses	2,568	3,351	3,146
Domestic Violence Reports	482	505	468
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	4	15	28

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	2,805	2,781	2,892
Drop-outs	58	82	102
Drop-out Rate	2.1%	2.9%	3.5%
School Discipline Involving Alcohol	2	2	6
School Discipline Involving Drugs	23	28	37
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	76	101	75
Juvenile Alcohol Offenses	6	13	15
Juvenile Drug Offenses	26	41	29
School Truancy Status Offense	92	107	23
Absent from Home Status Offense	72	64	49
Beyond Parental Control Status Offense	16	29	48
Injurious Behavior Status Offense	163	100	26
Child Abuse	58	36	44
Child Neglect	258	122	17
Child Custody Issues	67	15	45

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	72	80	81
Parental Alcohol Use Related	4	2	3
Parental Drug Use Related	29	40	33
Parental Alcohol and Drug Use	2	2	5

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	65	80	115
Probation/Parole Admissions--Drug	187	170	172
Probation/Parole Admissions--DWI	32	54	35
Prison Admissions--Drug	93	79	96
Prison Admissions--DWI	25	26	25

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CAPE GIRARDEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	132	109	91
CSTAR Adolescent	29	43	70
CSTAR Women and Children	90	93	99
CSTAR General Adult	249	223	162
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	75	223
Clinical SATOP (CIP, YCIP, SROP)	77	51	42
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	369	363	417
- Adolescent Diversion Education Prograr	0	0	*
- Offender Education Program	166	184	225
- Weekend Intervention Program	93	95	102
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	7	15
Compulsive Gambling	*	*	*
Recovery Supports	235	208	165
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	547	532	625
AGE			
Under 18	30	44	72
18 to 24	112	97	117
25 to 29	97	88	115
30 to 34	86	79	90
35 to 39	67	76	59
40 to 44	46	56	69
45 to 54	81	74	76
55 and Over	28	18	27
GENDER			
Male	385	364	434
Female	162	168	191
RACE / ETHNICITY			
Caucasian	401	402	475
African American	117	112	112
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	*	0
Hispanic	14	7	20
Other Race / Two or More Races	14	11	20
EDUCATION			
Less than High School Diploma	167	165	202
High School Graduate or G.E.D.	249	243	277
Associate Degree or Some College	126	120	136
Bachelor or Advanced Degree	5	*	10
EMPLOYMENT			
Employed	176	149	172
Unemployed	200	206	224
Not in Labor Force	171	177	229
HOUSING / LIVING ARRANGEMENT			
Independent Living	444	418	445
Dependent Living	59	90	149
Homeless	38	18	21
MARITAL / FAMILY STATUS			
Never Married	304	288	360
Married / Cohabitating	141	131	145
Previously Married	102	113	120

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	211	206	237
Marijuana / Hashish	162	156	191
Cocaine (total)	38	41	55
- Crack	16	22	34
Stimulant (total)	67	69	62
- Methamphetamine	63	65	55
Heroin	18	13	12
Analgesic except Heroin	40	38	49
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	*	5
Tranquilizer	9	5	9
Inhalant	0	*	0
Sedative	0	0	*
Other Medication or Illicit Drug	0	*	*
Average Age at First Use of Drug	17.7	17.9	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	64	57	64
- Daily Injection Use	21	7	15
- Weekly Injection Use	19	15	13
- Less than Weekly Injection Use	24	35	36
LIFETIME DUI / DWI ARRESTS			
0	292	281	347
1 or 2	165	153	180
3 or More	90	98	98
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	145	149	173
School	*	*	0
Mental Health Provider	*	7	8
Health Care Provider	27	34	34
Court / Criminal Justice	284	261	332
Other Referral Source	63	56	61
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	8	11
Military Veteran	24	16	40
Special Education Services Needed	44	62	44
Co-Occurring Psychological Problem	230	205	206
Co-Occurring Developmental Problem	8	13	16

CAPE GIRARDEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	21
CENSUS 2010	75,674
2014 POPULATION ESTIMATE	78,043

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	204	211	271
Anxiety Disorder	310	272	300
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	229	191	257
Mood Disorder	1,185	972	1,183
Personality Disorder	21	24	22
Psychotic Disorder	205	190	210
Sexual Disorder	0	0	*
Other Diagnosis	54	47	50
Diagnosis Unknown	152	209	470

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	2,085	1,881	2,495
AGE			
Under 6	0	*	*
6 to 9	74	67	110
10 to 13	119	91	136
14 to 17	121	96	151
18 to 24	226	198	302
25 to 29	201	214	258
30 to 34	243	211	287
35 to 39	197	177	232
40 to 44	195	178	225
45 to 49	181	177	204
50 to 54	195	183	218
55 to 59	157	145	178
60 and Over	176	141	191
Age Unknown	0	0	0
GENDER			
Male	905	811	1,042
Female	1,180	1,070	1,453
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,677	1,508	1,979
African American	218	203	235
Native American / Alaskan	0	*	*
Asian / Pacific Islander	*	*	6
Hispanic	121	111	205
Other Race	66	55	69
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	79	82	100
Past or Current Military Service	46	40	61

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	203	215	135
High School Grad or G.E.D.	0	*	118
Associate Degree or Some College	0	0	32
Bachelor or Advanced Degree	0	0	25
Education Level Unknown	1,882	1,665	2,185
EMPLOYMENT			
Employed	19	20	28
Unemployed	27	21	252
Not in Labor Force	436	404	85
Employment Status Unknown	1,603	1,436	2,130
HOUSING / LIVING ARRANGEMENT			
Independent Living	258	246	247
Dependent Living	232	202	156
Homeless	11	8	*
Other	0	0	7
Housing Unknown	1,584	1,425	2,082
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,307	1,198	1,751
School	36	13	20
Mental Health Provider	175	158	177
Health Care Provider	230	214	231
Court / Criminal Justice	53	57	77
Other	274	232	229
Referral Source Unknown	10	9	10
TYPE OF COMMITMENT			
Voluntary	2,064	1,858	2,467
Civil	0	*	6
Criminal	11	12	11
Sexual Predatory	0	*	*
Commitment Type Unknown	10	9	10

CAPE GIRARDEAU COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	40.3	39.2	44.9
Cigarettes	26.3	24.2	27.6
Chewing Tobacco	19.2	11.3	13.4
Marijuana	9.0	12.2	18.7
Inhalants	5.3	3.8	6.6
Prescription medications not prescribed for student	7.5	6.6	11.2
Over-the-counter medications for non-medical use	4.5	5.7	7.5
Methamphetamine	0.0	1.4	0.8
Cocaine	1.5	1.3	0.8
Heroin	0.0	0.6	0.7
Hallucinogens	0.8	3.0	3.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	1.6	2.1
Steroids not prescribed for student	0.2	1.5	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.4	
Average age of students' first use of:			
Alcohol	12.59	12.71	13.03
Cigarettes	12.49	12.95	12.53
Marijuana	13.86	13.75	13.71
Inhalants	13.11	12.25	12.60
Percent of students who, in past 30 days, used:			
Alcohol	14.0	15.0	20.3
Alcohol (Binge: 5+ drinks on one occassion)		8.0	11.9
Cigarettes	15.2	12.2	14.3
Chewing Tobacco	13.1	5.6	7.5
Marijuana	2.4	4.8	10.2
Inhalants	1.8	1.3	2.5
Prescription medications not prescribed for student	4.8	2.7	4.9
Over-the-counter medications for non-medical use	2.4	3.1	5.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.4		
Percent whose friends used in past 12 months:			
Alcohol	53.6	52.1	62.0
Cigarettes	41.0	42.7	49.9
Marijuana	18.5	32.8	41.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.5	15.5	19.2
Percent who would likely use, if offered by a best friend:			
Alcohol	27.6	26.3	32.4
Cigarettes	18.0	14.2	15.7
Marijuana	6.7	8.6	15.1
Percent who say it would be wrong to use:			
Alcohol	59.8	62.1	61.1
Cigarettes	78.1	82.0	78.3
Marijuana	88.6	86.6	80.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	95.8	95.1
Percent whose parents would disapprove if they use:			
Alcohol	72.5	78.8	77.8
Cigarettes	92.0	92.1	89.7
Marijuana	93.2	94.6	94.1
Percent who say it would be easy to obtain:			
Alcohol	55.3	57.6	61.1
Cigarettes	50.7	53.8	58.5
Marijuana	22.7	35.7	39.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	19.5	19.4

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	53.9		
Alcohol (Binge: 5+ drinks once or twice a week)	65.9		
Alcohol (any use)		72.4	75.6
Cigarettes (1+ packs per day)	82.0		
Cigarettes (any use)		81.8	80.9
Marijuana (once or twice a week)	76.5		
Marijuana (any use)		77.5	74.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	93.2	94.9
Percent of students who, in past 30 days:			
Were very sad	22.2	17.5	20.3
Were grouchy, irritable, or in a bad mood	27.1	22.6	22.1
Felt hopeless about the future	10.7	11.9	14.1
Felt like not eating or eating more than usual	24.4	16.3	20.2
Slept a lot more or a lot less than usual	24.0	20.0	29.8
Had difficulty concentrating on school work	27.6	22.4	25.1
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.7	9.9	12.1
Made plan about how they would attempt suicide	6.9	7.7	8.5
Attempted suicide	2.9	4.8	5.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	1.1	1.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	8.3	4.9	9.3
Were in a physical fight	17.4	19.5	19.0
Were in a fight and had to be treated by a doctor or nurse	3.2	2.9	3.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	59.2	49.2	50.8
Were made fun of by others	64.6	62.2	68.2
Were victims of an embarrassing or hurtful text message or something posted on the internet	28.8	20.6	22.4
Spread mean rumors or lies about other kids at school	28.3	32.2	38.1
Made fun of other people	66.7	61.3	73.7
Posted something on the internet or sent a text that might embarrass or hurt another student	23.8	12.9	18.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.9	73.0	72.0
School provides feedback to parents on positive student performance	45.1	39.2	39.5
Rules are enforced fairly	66.3	70.2	68.2
Students of all races/ethnicities are treated equal	83.8	75.2	76.1
Percent of students who agree that:			
Parents notice and comment on student's good work	83.7	83.1	83.9
Parents involve student in making family decisions	77.3	70.0	69.9
It is important to be honest with parents regardless of consequences	88.9	85.2	85.6
Student could ask parent for help with a personal problem	80.1	76.2	79.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CARROLL COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	9,295
2014 Estimate	9,043

BIRTH RISK	2013	2012	2011
Resident Births--Total	123	107	119
Mother Reported Smoking while Pregnant	31	27	30

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	4	7	5
Tuberculosis Infection Cases	1	1	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	129	134	116
Suicides	1	0	3
Self-inflicted Injuries	13	11	2
Homicides	0	0	2
Assault Injuries	22	25	21
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	0	3	2
Smoking Attributable Deaths	22	30	22

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	70	53	53
Mental Illness Secondary Diagnosis	190	186	202
Alcohol Principal Diagnosis	2	4	1
Alcohol Secondary Diagnosis	11	16	10
Drug Principal Diagnosis	2	3	0
Drug Secondary Diagnosis	12	18	14
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	12	19	11
Mental Illness Secondary Diagnosis	87	89	96
Alcohol Principal Diagnosis	1	7	5
Alcohol Secondary Diagnosis	8	13	11
Drug Principal Diagnosis	5	3	4
Drug Secondary Diagnosis	4	6	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	92	65	65
Mental Illness Secondary Diagnosis	135	122	98
Alcohol Principal Diagnosis	10	8	14
Alcohol Secondary Diagnosis	25	17	15
Drug Principal Diagnosis	9	8	12
Drug Secondary Diagnosis	12	17	8

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	10	11	13
Alcohol Package Carry-out Licenses	12	11	12

EMPLOYMENT	2014	2013	2012
Labor Force	4,756	4,886	4,678
Employed	4,417	4,568	4,303
Unemployed	339	318	375
Unemployment Rate	7.1%	6.5%	8.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	11	14	8
Fatal Crashes	0	0	2
Injury Crashes	9	5	3
Property Damage Crashes	2	9	3
Crash Fatalities	0	0	2
Crash Injuries	9	9	5
Drug Involved Crashes--Total	1	2	1
Fatal Crashes	0	0	1
Injury Crashes	1	1	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	1
Crash Injuries	1	1	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	38	26	20
Liquor Law Arrests	21	2	5
Drug Arrests	20	6	21
Violent Offenses	13	13	8
Property Offenses	142	141	87
Domestic Violence Reports	27	50	41
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	480	474	486
Drop-outs	4	4	12
Drop-out Rate	0.8%	0.8%	2.5%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	10	10	11
Juvenile Alcohol Offenses	12	1	3
Juvenile Drug Offenses	0	1	5
School Truancy Status Offense	15	16	18
Absent from Home Status Offense	2	7	9
Beyond Parental Control Status Offense	4	5	11
Injurious Behavior Status Offense	8	11	17
Child Abuse	5	1	3
Child Neglect	0	3	1
Child Custody Issues	0	2	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	2	2	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	18	12	16
Probation/Parole Admissions--DWI	5	3	3
Prison Admissions--Drug	11	13	4
Prison Admissions--DWI	1	0	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CARROLL COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	24	18	19
CSTAR Opioid	0	0	0
Primary Recovery Treatment	14	23	27
Clinical SATOP (CIP, YCIP, SROP)	6	7	6
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	29	22	30
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	14	10	8
- Weekend Intervention Program	5	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	*
Recovery Supports	6	0	5
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	42	48	60
AGE			
Under 18	0	*	*
18 to 24	6	5	11
25 to 29	10	12	11
30 to 34	8	8	9
35 to 39	6	7	9
40 to 44	7	7	8
45 to 54	*	6	6
55 and Over	*	*	*
GENDER			
Male	24	35	43
Female	18	13	17
RACE / ETHNICITY			
Caucasian	38	46	58
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	*
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	14	12	23
High School Graduate or G.E.D.	18	27	29
Associate Degree or Some College	9	8	7
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	11	12	14
Unemployed	21	23	26
Not in Labor Force	10	13	20
HOUSING / LIVING ARRANGEMENT			
Independent Living	38	46	56
Dependent Living	*	*	*
Homeless	*	0	*
MARITAL / FAMILY STATUS			
Never Married	21	20	26
Married / Cohabitating	11	19	14
Previously Married	10	9	20

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	12	16	32
Marijuana / Hashish	6	6	8
Cocaine (total)	0	0	*
- Crack	0	0	*
Stimulant (total)	21	19	15
- Methamphetamine	21	17	15
Heroin	0	0	0
Analgesic except Heroin	*	6	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	0
Average Age at First Use of Drug	19.5	19.7	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	6	13	9
- Daily Injection Use	0	*	0
- Weekly Injection Use	*	5	*
- Less than Weekly Injection Use	*	7	6
LIFETIME DUI / DWI ARRESTS			
0	19	19	27
1 or 2	18	21	22
3 or More	5	8	11
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	5	11	13
School	0	0	0
Mental Health Provider	*	0	0
Health Care Provider	*	0	*
Court / Criminal Justice	26	34	38
Other Referral Source	9	*	7
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	*	*	*
Special Education Services Needed	*	*	6
Co-Occurring Psychological Problem	12	14	19
Co-Occurring Developmental Problem	0	*	*

CARROLL COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	12
CENSUS 2010	9,295
2014 POPULATION ESTIMATE	9,043

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	11	7	*
Anxiety Disorder	73	65	71
Dementia	*	*	*
Developmental Disorder	5	*	*
Impulse Control Disorder	27	21	15
Mood Disorder	92	98	107
Personality Disorder	23	24	26
Psychotic Disorder	12	10	8
Sexual Disorder	0	0	0
Other Diagnosis	8	6	9
Diagnosis Unknown	*	6	11

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	124	128	135
AGE			
Under 6	0	0	0
6 to 9	11	6	*
10 to 13	11	10	8
14 to 17	7	8	16
18 to 24	5	*	7
25 to 29	8	13	10
30 to 34	10	13	9
35 to 39	15	14	14
40 to 44	9	7	11
45 to 49	12	14	15
50 to 54	9	10	13
55 to 59	11	13	15
60 and Over	16	16	14
Age Unknown	0	0	0
GENDER			
Male	48	47	55
Female	76	81	80
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	118	118	123
African American	*	5	8
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	*	*	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	50	41	30
High School Grad or G.E.D.	0	*	35
Associate Degree or Some College	0	0	10
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	74	86	56
EMPLOYMENT			
Employed	9	11	13
Unemployed	9	6	63
Not in Labor Force	95	95	20
Employment Status Unknown	11	16	39
HOUSING / LIVING ARRANGEMENT			
Independent Living	75	81	84
Dependent Living	37	30	14
Homeless	*	0	*
Other	0	0	*
Housing Unknown	11	17	34
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	80	83	88
School	*	*	*
Mental Health Provider	11	9	11
Health Care Provider	21	19	21
Court / Criminal Justice	5	9	*
Other	5	5	8
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	124	127	134
Civil	0	*	0
Criminal	0	0	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

CARROLL COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	40.5	49.0	49.3
Cigarettes	21.8	31.2	30.8
Chewing Tobacco	19.8	16.9	21.8
Marijuana	3.6	7.7	12.1
Inhalants	1.8	3.2	6.5
Prescription medications not prescribed for student	7.2	5.2	9.8
Over-the-counter medications for non-medical use	1.8	2.6	6.5
Methamphetamine	0.0	0.7	0.9
Cocaine	0.0	0.0	0.9
Heroin	0.0	0.6	0.0
Hallucinogens	1.8	1.9	1.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	0.7	0.9
Steroids not prescribed for student	1.8	0.6	1.9
Synthetic drugs (K2, bath salts, Spice, etc)	2.7	3.2	
Average age of students' first use of:			
Alcohol	12.25	12.15	11.98
Cigarettes	13.08	11.89	11.85
Marijuana	13.62	13.58	13.48
Inhalants	11.35	11.42	11.79
Percent of students who, in past 30 days, used:			
Alcohol	21.8	24.0	29.1
Alcohol (Binge: 5+ drinks on one occassion)		16.2	18.3
Cigarettes	6.4	14.9	15.4
Chewing Tobacco	9.0	10.4	12.0
Marijuana	0.9	5.2	6.0
Inhalants	1.8	0.6	2.3
Prescription medications not prescribed for student	3.6	1.9	6.0
Over-the-counter medications for non-medical use	1.8	1.3	4.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	10.0		
Percent whose friends used in past 12 months:			
Alcohol	50.9	61.7	69.0
Cigarettes	43.2	46.8	54.4
Marijuana	19.4	26.6	27.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5	8.4	11.7
Percent who would likely use, if offered by a best friend:			
Alcohol	32.4	45.5	42.1
Cigarettes	8.1	18.2	16.7
Marijuana	5.4	6.5	7.4
Percent who say it would be wrong to use:			
Alcohol	62.5	47.1	51.9
Cigarettes	85.7	76.6	76.7
Marijuana	91.0	89.0	87.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	96.7	95.8
Percent whose parents would disapprove if they use:			
Alcohol	77.3	69.9	71.8
Cigarettes	91.8	89.5	88.4
Marijuana	94.6	96.7	94.4
Percent who say it would be easy to obtain:			
Alcohol	51.4	61.7	62.0
Cigarettes	49.1	48.1	53.5
Marijuana	29.1	28.8	24.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	13.0	12.6

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	56.0		
Alcohol (Binge: 5+ drinks once or twice a week)	65.8		
Alcohol (any use)		56.2	76.9
Cigarettes (1+ packs per day)	83.6		
Cigarettes (any use)		72.1	76.4
Marijuana (once or twice a week)	73.9		
Marijuana (any use)		74.5	65.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	89.3	89.5	91.1
Percent of students who, in past 30 days:			
Were very sad	15.3	17.5	23.5
Were grouchy, irritable, or in a bad mood	25.2	24.7	25.1
Felt hopeless about the future	8.2	9.7	14.8
Felt like not eating or eating more than usual	17.1	15.6	19.7
Slept a lot more or a lot less than usual	11.8	20.1	29.7
Had difficulty concentrating on school work	20.7	22.7	24.1
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.8	11.7	10.1
Made plan about how they would attempt suicide	4.5	7.8	8.3
Attempted suicide	6.3	7.1	4.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.8	0.7	1.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.1	7.1	7.4
Were in a physical fight	19.8	26.0	24.0
Were in a fight and had to be treated by a doctor or nurse	3.6	3.2	1.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	56.8	56.6	54.6
Were made fun of by others	60.4	68.8	67.3
Were victims of an embarrassing or hurtful text message or something posted on the internet	26.8	24.7	18.5
Spread mean rumors or lies about other kids at school	36.0	31.2	34.7
Made fun of other people	57.7	71.4	70.8
Posted something on the internet or sent a text that might embarrass or hurt another student	13.4	15.6	19.2
Percent of students who agree that:			
Teachers notice and comment on student's good work	68.5	70.6	75.0
School provides feedback to parents on positive student performance	40.2	36.4	44.9
Rules are enforced fairly	60.4	57.1	58.3
Students of all races/ethnicities are treated equal	84.7	81.2	73.1
Percent of students who agree that:			
Parents notice and comment on student's good work	85.6	78.6	81.1
Parents involve student in making family decisions	74.8	66.9	67.1
It is important to be honest with parents regardless of consequences	91.9	86.4	84.3
Student could ask parent for help with a personal problem	81.1	76.0	80.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CARTER COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	6,265
2014 Estimate	6,258

BIRTH RISK	2013	2012	2011
Resident Births--Total	93	81	64
Mother Reported Smoking while Pregnant	23	30	22

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	6	9	1
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	58	65	92
Suicides	1	2	1
Self-inflicted Injuries	10	13	13
Homicides	0	0	0
Assault Injuries	22	14	15
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	1	1	2
Smoking Attributable Deaths	9	11	23

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	60	57	57
Mental Illness Secondary Diagnosis	121	95	101
Alcohol Principal Diagnosis	2	1	4
Alcohol Secondary Diagnosis	7	9	13
Drug Principal Diagnosis	2	1	5
Drug Secondary Diagnosis	1	3	8
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	16	16	6
Mental Illness Secondary Diagnosis	127	86	129
Alcohol Principal Diagnosis	0	4	2
Alcohol Secondary Diagnosis	3	8	8
Drug Principal Diagnosis	2	0	2
Drug Secondary Diagnosis	3	3	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	93	65	72
Mental Illness Secondary Diagnosis	151	64	49
Alcohol Principal Diagnosis	8	2	8
Alcohol Secondary Diagnosis	12	5	8
Drug Principal Diagnosis	8	10	10
Drug Secondary Diagnosis	11	10	7

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	10	8	8
Alcohol Package Carry-out Licenses	12	13	13

EMPLOYMENT	2014	2013	2012
Labor Force	2,537	3,015	2,908
Employed	2,312	2,789	2,674
Unemployed	225	226	234
Unemployment Rate	8.9%	7.5%	8.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	7	8	12
Fatal Crashes	2	0	1
Injury Crashes	3	5	8
Property Damage Crashes	2	3	3
Crash Fatalities	3	0	1
Crash Injuries	5	6	20
Drug Involved Crashes--Total	1	3	0
Fatal Crashes	0	0	0
Injury Crashes	1	2	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	1	2	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	44	39	45
Liquor Law Arrests	21	48	9
Drug Arrests	91	100	50
Violent Offenses	8	7	7
Property Offenses	59	44	86
Domestic Violence Reports	14	11	17
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	2	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	370	356	371
Drop-outs	0	1	1
Drop-out Rate	0.0%	0.3%	0.3%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	4	2	9
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	1	1	2
School Truancy Status Offense	0	1	1
Absent from Home Status Offense	3	1	2
Beyond Parental Control Status Offense	10	6	7
Injurious Behavior Status Offense	2	5	12
Child Abuse	0	0	0
Child Neglect	3	1	1
Child Custody Issues	6	0	2

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	2	0	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	8	5	5
Probation/Parole Admissions--DWI	1	1	0
Prison Admissions--Drug	1	4	3
Prison Admissions--DWI	1	0	0

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CARTER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5	5	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	35	34	15
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	17	26
Clinical SATOP (CIP, YCIP, SROP)	6	*	*
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	16	8	15
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	*	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	13	13	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	46	46	49
AGE			
Under 18	*	*	*
18 to 24	8	6	11
25 to 29	7	7	8
30 to 34	10	12	7
35 to 39	7	6	10
40 to 44	*	*	*
45 to 54	6	7	7
55 and Over	*	*	*
GENDER			
Male	28	27	32
Female	18	19	17
RACE / ETHNICITY			
Caucasian	44	44	47
African American	0	*	0
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	0	0	*
Other Race / Two or More Races	*	0	*
EDUCATION			
Less than High School Diploma	18	26	27
High School Graduate or G.E.D.	17	15	17
Associate Degree or Some College	11	5	5
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	14	20	14
Unemployed	24	16	22
Not in Labor Force	8	10	13
HOUSING / LIVING ARRANGEMENT			
Independent Living	44	43	46
Dependent Living	*	*	*
Homeless	0	*	*
MARITAL / FAMILY STATUS			
Never Married	14	18	23
Married / Cohabitating	20	16	18
Previously Married	12	12	8

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	17	14	16
Marijuana / Hashish	12	14	15
Cocaine (total)	*	0	*
- Crack	*	0	*
Stimulant (total)	6	10	12
- Methamphetamine	6	10	12
Heroin	*	*	0
Analgesic except Heroin	5	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	*	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	18.2	17.5	16.9
INJECTION DRUG USE			
Any Injection Use at Admission	6	6	5
- Daily Injection Use	*	*	*
- Weekly Injection Use	*	0	0
- Less than Weekly Injection Use	*	5	*
LIFETIME DUI / DWI ARRESTS			
0	20	26	30
1 or 2	18	15	12
3 or More	8	5	7
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	14	9	5
School	0	0	0
Mental Health Provider	*	0	*
Health Care Provider	*	5	*
Court / Criminal Justice	22	25	36
Other Referral Source	*	5	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	0
Military Veteran	*	*	*
Special Education Services Needed	6	10	10
Co-Occurring Psychological Problem	23	25	19
Co-Occurring Developmental Problem	6	*	5

CARTER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	19
CENSUS 2010	6,265
2014 POPULATION ESTIMATE	6,258

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	0
Anxiety Disorder	16	16	9
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	0	*	*
Mood Disorder	41	39	28
Personality Disorder	0	*	*
Psychotic Disorder	15	9	6
Sexual Disorder	0	0	0
Other Diagnosis	*	0	*
Diagnosis Unknown	5	*	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	70	66	47
AGE			
Under 6	*	0	0
6 to 9	*	*	0
10 to 13	*	*	6
14 to 17	*	7	*
18 to 24	5	5	*
25 to 29	*	5	*
30 to 34	5	*	*
35 to 39	14	11	*
40 to 44	7	*	6
45 to 49	8	*	5
50 to 54	9	10	6
55 to 59	*	*	*
60 and Over	11	13	7
Age Unknown	0	0	0
GENDER			
Male	24	26	21
Female	46	40	26
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	69	65	45
African American	0	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	*
Other Race	*	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	23	26	11
High School Grad or G.E.D.	0	0	7
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	47	40	26
EMPLOYMENT			
Employed	*	*	*
Unemployed	*	0	19
Not in Labor Force	45	40	*
Employment Status Unknown	20	25	24
HOUSING / LIVING ARRANGEMENT			
Independent Living	43	32	22
Dependent Living	5	7	6
Homeless	*	0	0
Other	0	0	0
Housing Unknown	21	27	19
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	24	26	24
School	0	0	0
Mental Health Provider	9	9	7
Health Care Provider	25	22	11
Court / Criminal Justice	*	*	*
Other	8	5	*
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	68	64	46
Civil	*	*	0
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

CARTER COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol		44.7	55.1
Cigarettes		32.0	46.0
Chewing Tobacco		17.5	23.8
Marijuana		18.4	29.9
Inhalants		2.9	11.0
Prescription medications not prescribed for student		12.6	15.7
Over-the-counter medications for non-medical use		6.8	18.3
Methamphetamine		2.9	4.7
Cocaine		2.0	4.0
Heroin		1.0	2.4
Hallucinogens		5.8	8.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.9	3.1
Steroids not prescribed for student		2.9	2.4
Synthetic drugs (K2, bath salts, Spice, etc)		4.9	
Average age of students' first use of:			
Alcohol		11.97	12.27
Cigarettes		11.58	11.36
Marijuana		12.88	12.83
Inhalants			12.61
Percent of students who, in past 30 days, used:			
Alcohol		18.8	23.6
Alcohol (Binge: 5+ drinks on one occassion)		14.6	17.1
Cigarettes		23.1	25.4
Chewing Tobacco		12.6	14.3
Marijuana		8.7	15.0
Inhalants		1.9	3.9
Prescription medications not prescribed for student		7.8	8.7
Over-the-counter medications for non-medical use		5.8	11.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol		55.3	72.1
Cigarettes		52.4	68.2
Marijuana		27.2	53.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.8	34.1
Percent who would likely use, if offered by a best friend:			
Alcohol		34.0	40.8
Cigarettes		23.8	23.6
Marijuana		17.3	23.2
Percent who say it would be wrong to use:			
Alcohol		55.3	53.1
Cigarettes		71.8	70.1
Marijuana		76.7	73.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		95.1	91.3
Percent whose parents would disapprove if they use:			
Alcohol		76.2	77.0
Cigarettes		87.9	84.4
Marijuana		94.0	91.2
Percent who say it would be easy to obtain:			
Alcohol		53.9	76.7
Cigarettes		54.9	80.6
Marijuana		37.6	55.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		14.9	31.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)		62.1	67.2
Cigarettes (1+ packs per day)			
Cigarettes (any use)		69.9	72.1
Marijuana (once or twice a week)			
Marijuana (any use)		65.7	76.7
Other: Cocaine, LSD, Meth, Club Drug (any use)		84.5	92.2
Percent of students who, in past 30 days:			
Were very sad		20.4	18.9
Were grouchy, irritable, or in a bad mood		23.5	22.5
Felt hopeless about the future		7.8	9.3
Felt like not eating or eating more than usual		11.8	17.8
Slept a lot more or a lot less than usual		16.8	24.0
Had difficulty concentrating on school work		31.1	26.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide		18.8	15.6
Made plan about how they would attempt suicide		18.6	7.8
Attempted suicide		11.5	4.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		6.9	2.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school		3.9	11.6
Were in a physical fight		19.4	27.9
Were in a fight and had to be treated by a doctor or nurse		4.9	7.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school		38.8	58.1
Were made fun of by others		58.4	61.2
Were victims of an embarrassing or hurtful text message or something posted on the internet		16.8	20.2
Spread mean rumors or lies about other kids at school		17.5	28.7
Made fun of other people		56.3	72.1
Posted something on the internet or sent a text that might embarrass or hurt another student		14.6	19.5
Percent of students who agree that:			
Teachers notice and comment on student's good work		58.3	60.2
School provides feedback to parents on positive student performance		36.9	31.3
Rules are enforced fairly		54.4	52.7
Students of all races/ethnicities are treated equal		68.0	72.4
Percent of students who agree that:			
Parents notice and comment on student's good work		77.5	78.0
Parents involve student in making family decisions		61.6	55.9
It is important to be honest with parents regardless of consequences		77.7	82.0
Student could ask parent for help with a personal problem		70.4	69.5

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CASS COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	7
Adult Psychiatric	7
POPULATION	
Census 2010	99,478
2014 Estimate	100,889

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,231	1,154	1,197
Mother Reported Smoking while Pregnant	217	202	253

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	7	2	2
Hepatitis B Chronic, Acute, Prenatal	1	3	6
Hepatitis C Chronic and Acute	31	38	42
Tuberculosis Infection Cases	25	12	13

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	946	890	817
Suicides	21	15	10
Self-inflicted Injuries	126	154	176
Homicides	2	1	5
Assault Injuries	242	248	319
Alcohol Induced Deaths	8	6	9
Drug Induced Deaths	12	5	15
Smoking Attributable Deaths	161	162	139

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	799	801	869
Mental Illness Secondary Diagnosis	969	990	1,013
Alcohol Principal Diagnosis	48	55	57
Alcohol Secondary Diagnosis	75	66	90
Drug Principal Diagnosis	35	42	29
Drug Secondary Diagnosis	82	74	76
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	220	186	96
Mental Illness Secondary Diagnosis	1,344	1,236	1,144
Alcohol Principal Diagnosis	53	45	36
Alcohol Secondary Diagnosis	145	119	113
Drug Principal Diagnosis	21	25	21
Drug Secondary Diagnosis	102	104	82
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	714	716	669
Mental Illness Secondary Diagnosis	857	935	1,893
Alcohol Principal Diagnosis	176	176	170
Alcohol Secondary Diagnosis	159	131	142
Drug Principal Diagnosis	128	140	112
Drug Secondary Diagnosis	208	265	179

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	68	72	76
Alcohol Package Carry-out Licenses	83	82	81

EMPLOYMENT	2014	2013	2012
Labor Force	53,809	49,900	50,413
Employed	50,788	46,780	46,992
Unemployed	3,021	3,120	3,421
Unemployment Rate	5.6%	6.3%	6.8%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	58	72	72
Fatal Crashes	3	4	1
Injury Crashes	19	26	27
Property Damage Crashes	36	42	44
Crash Fatalities	7	4	1
Crash Injuries	27	35	39
Drug Involved Crashes--Total	11	18	21
Fatal Crashes	0	1	0
Injury Crashes	3	11	4
Property Damage Crashes	8	6	17
Crash Fatalities	0	2	0
Crash Injuries	4	19	4

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	475	610	593
Liquor Law Arrests	152	146	144
Drug Arrests	382	410	361
Violent Offenses	160	186	153
Property Offenses	2,002	2,148	2,164
Domestic Violence Reports	824	910	949
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	0	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	5,538	5,515	5,478
Drop-outs	111	90	123
Drop-out Rate	2.0%	1.6%	2.2%
School Discipline Involving Alcohol	10	9	8
School Discipline Involving Drugs	71	35	84
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	102	154	84
Juvenile Alcohol Offenses	14	21	16
Juvenile Drug Offenses	38	78	30
School Truancy Status Offense	52	48	24
Absent from Home Status Offense	58	107	62
Beyond Parental Control Status Offense	43	69	59
Injurious Behavior Status Offense	149	217	72
Child Abuse	15	40	7
Child Neglect	231	253	45
Child Custody Issues	43	36	122

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	112	102	124
Parental Alcohol Use Related	3	0	7
Parental Drug Use Related	39	17	28
Parental Alcohol and Drug Use	5	11	8

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	78	103	60
Probation/Parole Admissions--Drug	120	103	115
Probation/Parole Admissions--DWI	37	46	38
Prison Admissions--Drug	48	53	47
Prison Admissions--DWI	15	20	28

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CASS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	22	19	26
CSTAR Adolescent	54	54	71
CSTAR Women and Children	14	23	14
CSTAR General Adult	246	321	313
CSTAR Opioid	*	*	0
Primary Recovery Treatment	*	*	9
Clinical SATOP (CIP, YCIP, SROP)	102	110	115
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	353	398	441
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	129	147	162
- Weekend Intervention Program	73	90	97
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	10	19	27
Compulsive Gambling	0	0	0
Recovery Supports	26	68	53
Early Intervention	10	*	18

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	454	564	571
AGE			
Under 18	54	57	74
18 to 24	73	85	110
25 to 29	81	89	103
30 to 34	71	106	83
35 to 39	55	60	53
40 to 44	40	48	51
45 to 54	62	97	73
55 and Over	18	22	24
GENDER			
Male	317	372	382
Female	137	192	189
RACE / ETHNICITY			
Caucasian	424	527	535
African American	15	11	14
Native American / Alaskan	0	*	*
Asian / Pacific Islander	0	*	*
Hispanic	12	15	17
Other Race / Two or More Races	7	12	11
EDUCATION			
Less than High School Diploma	142	184	190
High School Graduate or G.E.D.	194	262	232
Associate Degree or Some College	112	115	138
Bachelor or Advanced Degree	6	*	11
EMPLOYMENT			
Employed	172	205	196
Unemployed	149	163	113
Not in Labor Force	133	196	262
HOUSING / LIVING ARRANGEMENT			
Independent Living	359	466	458
Dependent Living	61	64	79
Homeless	9	10	13
MARITAL / FAMILY STATUS			
Never Married	254	298	314
Married / Cohabitating	112	149	144
Previously Married	88	117	113

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	195	257	253
Marijuana / Hashish	113	128	166
Cocaine (total)	6	7	11
- Crack	*	6	*
Stimulant (total)	101	118	100
- Methamphetamine	96	107	94
Heroin	9	5	6
Analgesic except Heroin	22	34	23
- Non-Prescription Methadone	0	0	*
PCP, LSD, other Hallucinogen	0	7	*
Tranquilizer	*	*	7
Inhalant	*	*	0
Sedative	*	*	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	17.3	17.0	16.4
INJECTION DRUG USE			
Any Injection Use at Admission	43	49	30
- Daily Injection Use	13	*	5
- Weekly Injection Use	15	15	13
- Less than Weekly Injection Use	15	30	12
LIFETIME DUI / DWI ARRESTS			
0	246	269	280
1 or 2	131	159	175
3 or More	77	136	116
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	161	320	316
School	*	0	*
Mental Health Provider	*	7	13
Health Care Provider	7	11	16
Court / Criminal Justice	177	112	160
Other Referral Source	99	71	64
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	6	10	5
Military Veteran	10	21	31
Special Education Services Needed	9	24	33
Co-Occurring Psychological Problem	165	156	130
Co-Occurring Developmental Problem	16	11	17

CASS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	7
CENSUS 2010	99,478
2014 POPULATION ESTIMATE	100,889

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	50	57	66
Anxiety Disorder	277	273	268
Dementia	*	0	0
Developmental Disorder	13	10	9
Impulse Control Disorder	138	148	195
Mood Disorder	374	410	427
Personality Disorder	41	40	27
Psychotic Disorder	88	93	92
Sexual Disorder	*	*	*
Other Diagnosis	40	39	58
Diagnosis Unknown	57	82	54

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	635	702	709
AGE			
Under 6	8	11	16
6 to 9	41	58	72
10 to 13	83	69	96
14 to 17	75	91	97
18 to 24	54	69	63
25 to 29	56	61	55
30 to 34	55	50	47
35 to 39	51	68	52
40 to 44	57	66	53
45 to 49	55	60	63
50 to 54	46	47	45
55 to 59	33	35	31
60 and Over	21	17	19
Age Unknown	0	0	0
GENDER			
Male	294	307	333
Female	341	395	376
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	572	630	642
African American	23	21	27
Native American / Alaskan	0	0	*
Asian / Pacific Islander	*	*	*
Hispanic	18	19	11
Other Race	20	30	23
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	14	15	16
Past or Current Military Service	17	23	24

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	195	211	72
High School Grad or G.E.D.	0	*	61
Associate Degree or Some College	0	0	9
Bachelor or Advanced Degree	0	0	7
Education Level Unknown	440	489	560
EMPLOYMENT			
Employed	21	31	19
Unemployed	28	35	103
Not in Labor Force	271	294	49
Employment Status Unknown	315	342	538
HOUSING / LIVING ARRANGEMENT			
Independent Living	148	152	116
Dependent Living	179	200	103
Homeless	7	6	*
Other	0	0	5
Housing Unknown	301	344	483
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	462	483	501
School	*	*	5
Mental Health Provider	9	16	17
Health Care Provider	64	70	69
Court / Criminal Justice	15	17	18
Other	81	111	97
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	629	692	699
Civil	*	*	*
Criminal	*	5	5
Sexual Predatory	*	*	*
Commitment Type Unknown	*	*	*

CASS COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	38.9	34.9	43.9
Cigarettes	21.1	19.3	26.5
Chewing Tobacco	13.4	11.3	12.0
Marijuana	16.7	8.2	15.9
Inhalants	2.6	5.3	7.0
Prescription medications not prescribed for student	10.0	7.6	11.9
Over-the-counter medications for non-medical use	3.2	6.8	8.9
Methamphetamine	0.8	1.8	1.2
Cocaine	1.9	2.1	2.0
Heroin	0.5	1.0	0.5
Hallucinogens	5.3	2.4	2.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.6	2.2	2.4
Steroids not prescribed for student	2.0	1.4	1.2
Synthetic drugs (K2, bath salts, Spice, etc)	6.3	5.5	
Average age of students' first use of:			
Alcohol	13.53	12.50	12.80
Cigarettes	13.36	12.50	12.89
Marijuana	14.06	13.40	13.80
Inhalants	11.58	11.39	11.78
Percent of students who, in past 30 days, used:			
Alcohol	18.0	11.6	19.4
Alcohol (Binge: 5+ drinks on one occassion)		6.9	11.5
Cigarettes	10.4	6.9	14.0
Chewing Tobacco	5.5	5.5	7.2
Marijuana	10.1	3.2	8.1
Inhalants	0.8	2.3	3.3
Prescription medications not prescribed for student	4.5	4.1	6.6
Over-the-counter medications for non-medical use	1.7	3.6	5.3
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.9		
Percent whose friends used in past 12 months:			
Alcohol	50.5	41.7	60.0
Cigarettes	37.8	32.1	49.1
Marijuana	37.8	20.1	37.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	9.8	17.8
Percent who would likely use, if offered by a best friend:			
Alcohol	30.8	28.7	35.2
Cigarettes	12.8	11.1	15.8
Marijuana	15.0	6.7	12.1
Percent who say it would be wrong to use:			
Alcohol	60.6	61.8	56.4
Cigarettes	82.2	83.3	77.4
Marijuana	76.9	88.5	81.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	95.7	94.5
Percent whose parents would disapprove if they use:			
Alcohol	78.6	77.9	75.8
Cigarettes	90.6	92.0	89.5
Marijuana	91.3	95.5	93.9
Percent who say it would be easy to obtain:			
Alcohol	57.1	51.0	61.5
Cigarettes	51.4	44.7	57.4
Marijuana	39.3	25.3	34.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.7	12.2	17.4

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	58.4		
Alcohol (Binge: 5+ drinks once or twice a week)	69.6		
Alcohol (any use)		66.5	75.0
Cigarettes (1+ packs per day)	87.5		
Cigarettes (any use)		79.7	80.6
Marijuana (once or twice a week)	61.9		
Marijuana (any use)		78.4	70.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	94.1	93.5
Percent of students who, in past 30 days:			
Were very sad	25.2	16.8	19.1
Were grouchy, irritable, or in a bad mood	26.3	18.8	25.6
Felt hopeless about the future	15.3	7.6	13.4
Felt like not eating or eating more than usual	19.5	16.0	19.4
Slept a lot more or a lot less than usual	17.3	19.4	27.2
Had difficulty concentrating on school work	28.4	22.2	26.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.8	10.7	11.4
Made plan about how they would attempt suicide	11.6	8.7	7.4
Attempted suicide	5.9	4.7	5.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.0	1.1	1.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	8.4	7.2	9.0
Were in a physical fight	20.4	22.2	22.6
Were in a fight and had to be treated by a doctor or nurse	3.3	1.9	2.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	54.4	50.8	54.2
Were made fun of by others	64.2	63.3	67.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	31.2	22.2	21.5
Spread mean rumors or lies about other kids at school	25.7	22.4	36.3
Made fun of other people	56.3	58.9	74.4
Posted something on the internet or sent a text that might embarrass or hurt another student	20.9	13.2	18.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	65.4	67.1	65.7
School provides feedback to parents on positive student performance	34.1	35.8	35.9
Rules are enforced fairly	62.3	59.8	60.9
Students of all races/ethnicities are treated equal	79.4	83.8	74.2
Percent of students who agree that:			
Parents notice and comment on student's good work	78.9	81.9	83.1
Parents involve student in making family decisions	65.9	69.6	69.0
It is important to be honest with parents regardless of consequences	87.9	85.9	81.9
Student could ask parent for help with a personal problem	75.3	75.9	75.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CEDAR COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	13,982
2014 Estimate	13,952

BIRTH RISK	2013	2012	2011
Resident Births--Total	162	186	148
Mother Reported Smoking while Pregnant	42	42	36

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	8	7	9
Tuberculosis Infection Cases	1	1	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	187	201	167
Suicides	5	2	4
Self-inflicted Injuries	20	17	23
Homicides	0	0	0
Assault Injuries	43	47	53
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	2	6	6
Smoking Attributable Deaths	39	33	30

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	125	123	105
Mental Illness Secondary Diagnosis	331	359	374
Alcohol Principal Diagnosis	4	6	4
Alcohol Secondary Diagnosis	19	20	15
Drug Principal Diagnosis	6	11	5
Drug Secondary Diagnosis	25	15	17
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	48	71	43
Mental Illness Secondary Diagnosis	161	166	142
Alcohol Principal Diagnosis	4	7	4
Alcohol Secondary Diagnosis	16	21	19
Drug Principal Diagnosis	8	10	5
Drug Secondary Diagnosis	13	15	10
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	138	166	182
Mental Illness Secondary Diagnosis	932	1,101	664
Alcohol Principal Diagnosis	21	27	30
Alcohol Secondary Diagnosis	58	53	37
Drug Principal Diagnosis	27	46	39
Drug Secondary Diagnosis	78	67	61

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	18	19	16
Alcohol Package Carry-out Licenses	14	16	17

EMPLOYMENT	2014	2013	2012
Labor Force	5,843	6,388	6,096
Employed	5,472	6,001	5,675
Unemployed	371	387	421
Unemployment Rate	6.3%	6.1%	6.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	12	24	5
Fatal Crashes	0	1	0
Injury Crashes	6	6	2
Property Damage Crashes	6	17	3
Crash Fatalities	0	1	0
Crash Injuries	9	13	3
Drug Involved Crashes--Total	0	2	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	2	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	49	70	42
Liquor Law Arrests	5	10	11
Drug Arrests	22	13	19
Violent Offenses	47	56	40
Property Offenses	386	336	351
Domestic Violence Reports	49	69	53
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	2	5

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	709	691	684
Drop-outs	14	8	13
Drop-out Rate	2.0%	1.2%	1.9%
School Discipline Involving Alcohol	1	2	1
School Discipline Involving Drugs	4	2	6
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	13	17	30
Juvenile Alcohol Offenses	4	2	9
Juvenile Drug Offenses	2	5	3
School Truancy Status Offense	12	24	20
Absent from Home Status Offense	3	3	4
Beyond Parental Control Status Offense	11	10	18
Injurious Behavior Status Offense	9	7	9
Child Abuse	20	16	8
Child Neglect	31	32	43
Child Custody Issues	1	1	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	7	6	8
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	1	1	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	13	16	14
Probation/Parole Admissions--Drug	27	22	15
Probation/Parole Admissions--DWI	6	7	11
Prison Admissions--Drug	14	14	15
Prison Admissions--DWI	5	5	5

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CEDAR COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	11	8	5
CSTAR Adolescent	7	*	7
CSTAR Women and Children	6	5	6
CSTAR General Adult	92	82	80
CSTAR Opioid	*	0	0
Primary Recovery Treatment	*	0	*
Clinical SATOP (CIP, YCIP, SROP)	5	9	9
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	32	48	42
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	9	19	16
- Weekend Intervention Program	7	8	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	*
Compulsive Gambling	0	0	*
Recovery Supports	8	8	6
Early Intervention	0	*	9

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	113	111	93
AGE			
Under 18	8	5	7
18 to 24	17	28	16
25 to 29	20	18	17
30 to 34	16	14	20
35 to 39	15	16	7
40 to 44	10	11	9
45 to 54	21	14	13
55 and Over	6	5	*
GENDER			
Male	77	66	56
Female	36	45	37
RACE / ETHNICITY			
Caucasian	109	108	91
African American	0	0	0
Native American / Alaskan	0	*	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	0
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	32	29	32
High School Graduate or G.E.D.	61	63	47
Associate Degree or Some College	20	19	14
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	27	23	26
Unemployed	36	50	26
Not in Labor Force	50	38	41
HOUSING / LIVING ARRANGEMENT			
Independent Living	88	84	74
Dependent Living	18	15	12
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	49	63	44
Married / Cohabitating	30	24	31
Previously Married	34	24	18

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	38	32	31
Marijuana / Hashish	24	26	25
Cocaine (total)	0	*	*
- Crack	0	0	*
Stimulant (total)	29	32	26
- Methamphetamine	29	32	24
Heroin	*	0	0
Analgesic except Heroin	18	15	8
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	*	*
Inhalant	0	0	0
Sedative	*	*	*
Other Medication or Illicit Drug	*	*	0
Average Age at First Use of Drug	18.0	18.6	17.0
INJECTION DRUG USE			
Any Injection Use at Admission	21	20	14
- Daily Injection Use	5	6	*
- Weekly Injection Use	8	5	6
- Less than Weekly Injection Use	8	9	6
LIFETIME DUI / DWI ARRESTS			
0	71	64	51
1 or 2	26	23	26
3 or More	16	24	16
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	34	51	39
School	*	0	0
Mental Health Provider	0	*	0
Health Care Provider	8	10	*
Court / Criminal Justice	20	33	41
Other Referral Source	48	16	10
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	*
Military Veteran	*	*	5
Special Education Services Needed	*	12	9
Co-Occurring Psychological Problem	46	45	18
Co-Occurring Developmental Problem	*	*	*

CEDAR COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	8B
CENSUS 2010	13,982
2014 POPULATION ESTIMATE	13,952

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	5	*	*
Anxiety Disorder	91	110	100
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	23	24	25
Mood Disorder	165	188	173
Personality Disorder	13	17	18
Psychotic Disorder	35	43	50
Sexual Disorder	0	*	0
Other Diagnosis	8	9	7
Diagnosis Unknown	23	20	15

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	232	267	242
AGE			
Under 6	*	*	*
6 to 9	13	13	11
10 to 13	25	15	15
14 to 17	9	16	11
18 to 24	13	23	22
25 to 29	21	24	13
30 to 34	25	22	24
35 to 39	26	26	20
40 to 44	15	25	32
45 to 49	22	33	30
50 to 54	22	28	24
55 to 59	23	22	23
60 and Over	16	18	15
Age Unknown	0	0	0
GENDER			
Male	94	104	89
Female	138	163	153
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	225	258	233
African American	*	6	5
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	0	*	*
Other Race	*	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	9	5
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	81	92	64
High School Grad or G.E.D.	0	0	59
Associate Degree or Some College	0	0	14
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	151	175	102
EMPLOYMENT			
Employed	5	11	20
Unemployed	6	5	107
Not in Labor Force	172	173	27
Employment Status Unknown	49	78	88
HOUSING / LIVING ARRANGEMENT			
Independent Living	58	45	118
Dependent Living	120	134	32
Homeless	*	5	*
Other	0	0	0
Housing Unknown	51	83	89
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	150	160	160
School	*	*	0
Mental Health Provider	11	23	22
Health Care Provider	33	40	26
Court / Criminal Justice	6	7	*
Other	29	34	28
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	228	259	235
Civil	*	5	*
Criminal	0	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

CEDAR COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	33.7	43.9	44.4
Cigarettes	17.2	35.9	26.0
Chewing Tobacco	16.4	21.8	18.0
Marijuana	10.8	23.2	12.1
Inhalants	2.4	11.8	9.2
Prescription medications not prescribed for student	3.6	13.6	9.5
Over-the-counter medications for non-medical use	3.6	10.5	7.8
Methamphetamine	1.3	8.5	0.0
Cocaine	2.5	9.6	0.0
Heroin	0.6	7.3	0.0
Hallucinogens	2.4	8.7	1.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	8.2	0.3
Steroids not prescribed for student	0.0	8.2	1.7
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	13.6	
Average age of students' first use of:			
Alcohol	13.14	11.26	11.74
Cigarettes	12.91	11.35	11.41
Marijuana	14.54	11.85	13.69
Inhalants	12.48	10.46	12.39
Percent of students who, in past 30 days, used:			
Alcohol	14.2	28.6	22.0
Alcohol (Binge: 5+ drinks on one occassion)		19.5	13.1
Cigarettes	6.1	15.5	14.3
Chewing Tobacco	8.5	12.7	12.9
Marijuana	4.8	11.5	4.7
Inhalants	1.2	6.8	2.7
Prescription medications not prescribed for student	1.2	9.5	6.4
Over-the-counter medications for non-medical use	1.2	8.6	5.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.4		
Percent whose friends used in past 12 months:			
Alcohol	38.2	62.7	53.5
Cigarettes	35.2	52.7	42.0
Marijuana	20.6	40.5	24.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.3	21.0	10.7
Percent who would likely use, if offered by a best friend:			
Alcohol	24.8	42.7	35.5
Cigarettes	7.3	19.6	14.0
Marijuana	4.9	17.8	11.4
Percent who say it would be wrong to use:			
Alcohol	66.9	52.1	58.6
Cigarettes	82.2	74.5	78.7
Marijuana	89.6	74.3	83.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	88.6	96.6
Percent whose parents would disapprove if they use:			
Alcohol	78.5	76.8	79.1
Cigarettes	88.5	89.9	91.1
Marijuana	94.4	91.2	93.9
Percent who say it would be easy to obtain:			
Alcohol	46.0	58.9	54.5
Cigarettes	50.3	56.8	53.3
Marijuana	17.8	29.0	24.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.8	18.3	13.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	58.1		
Alcohol (Binge: 5+ drinks once or twice a week)	79.2		
Alcohol (any use)		60.9	77.6
Cigarettes (1+ packs per day)	84.9		
Cigarettes (any use)		74.1	78.3
Marijuana (once or twice a week)	73.3		
Marijuana (any use)		67.0	72.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.2	87.3	91.6
Percent of students who, in past 30 days:			
Were very sad	16.4	29.2	21.0
Were grouchy, irritable, or in a bad mood	17.6	27.9	27.0
Felt hopeless about the future	10.5	14.7	16.0
Felt like not eating or eating more than usual	12.8	21.9	19.1
Slept a lot more or a lot less than usual	18.5	19.3	27.4
Had difficulty concentrating on school work	17.6	31.8	29.3
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	13.5	21.9	15.0
Made plan about how they would attempt suicide	9.3	15.0	10.4
Attempted suicide	1.2	11.3	9.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.3	6.4	3.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.7	10.0	9.3
Were in a physical fight	20.0	30.9	30.0
Were in a fight and had to be treated by a doctor or nurse	3.0	6.9	3.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	46.7	51.4	57.1
Were made fun of by others	54.5	57.8	68.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	17.6	16.4	17.5
Spread mean rumors or lies about other kids at school	17.0	25.0	27.8
Made fun of other people	51.8	61.4	70.0
Posted something on the internet or sent a text that might embarrass or hurt another student	10.4	15.9	15.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.3	71.4	72.2
School provides feedback to parents on positive student performance	44.4	35.6	37.2
Rules are enforced fairly	81.8	64.5	74.0
Students of all races/ethnicities are treated equal	78.0	71.5	80.3
Percent of students who agree that:			
Parents notice and comment on student's good work	82.1	79.4	79.1
Parents involve student in making family decisions	72.2	57.8	67.9
It is important to be honest with parents regardless of consequences	97.0	79.1	77.9
Student could ask parent for help with a personal problem	77.9	68.8	72.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CHARITON COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	7,831
2014 Estimate	7,694

BIRTH RISK	2013	2012	2011
Resident Births--Total	104	80	80
Mother Reported Smoking while Pregnant	21	14	11

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	2
Hepatitis C Chronic and Acute	4	0	2
Tuberculosis Infection Cases	1	1	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	78	88	90
Suicides	0	0	1
Self-inflicted Injuries	14	12	4
Homicides	1	0	0
Assault Injuries	16	22	10
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	1	1
Smoking Attributable Deaths	14	19	16

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	54	60	87
Mental Illness Secondary Diagnosis	192	267	242
Alcohol Principal Diagnosis	1	2	5
Alcohol Secondary Diagnosis	9	6	9
Drug Principal Diagnosis	3	3	4
Drug Secondary Diagnosis	9	9	6
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	18	20	12
Mental Illness Secondary Diagnosis	87	53	31
Alcohol Principal Diagnosis	2	3	4
Alcohol Secondary Diagnosis	7	6	7
Drug Principal Diagnosis	2	3	5
Drug Secondary Diagnosis	1	4	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	53	44	60
Mental Illness Secondary Diagnosis	196	197	172
Alcohol Principal Diagnosis	8	6	8
Alcohol Secondary Diagnosis	11	9	11
Drug Principal Diagnosis	4	7	11
Drug Secondary Diagnosis	7	14	9

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	11	11	10
Alcohol Package Carry-out Licenses	15	16	15

EMPLOYMENT	2014	2013	2012
Labor Force	3,806	3,950	4,214
Employed	3,583	3,724	3,951
Unemployed	223	226	263
Unemployment Rate	5.9%	5.7%	6.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	13	9	6
Fatal Crashes	1	1	0
Injury Crashes	7	4	0
Property Damage Crashes	5	4	6
Crash Fatalities	2	1	0
Crash Injuries	8	6	0
Drug Involved Crashes--Total	0	6	1
Fatal Crashes	0	0	0
Injury Crashes	0	4	0
Property Damage Crashes	0	2	1
Crash Fatalities	0	0	0
Crash Injuries	0	7	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	26	36	33
Liquor Law Arrests	1	4	6
Drug Arrests	11	6	2
Violent Offenses	25	24	23
Property Offenses	132	94	77
Domestic Violence Reports	17	24	6
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	320	328	324
Drop-outs	4	6	6
Drop-out Rate	1.2%	1.8%	1.9%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	2	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	1	3	1
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	0	1	0
School Truancy Status Offense	8	11	7
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	4	4	3
Injurious Behavior Status Offense	18	20	44
Child Abuse	0	1	0
Child Neglect	8	24	7
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	7	11	9
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	5	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	14	16	9
Probation/Parole Admissions--Drug	10	15	8
Probation/Parole Admissions--DWI	3	6	4
Prison Admissions--Drug	6	12	5
Prison Admissions--DWI	0	2	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CHARITON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	0	*	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	18	22	13
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	*	6
Clinical SATOP (CIP, YCIP, SROP)	*	5	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	24	27	30
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	7	9	15
- Weekend Intervention Program	6	5	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	25	33	25
AGE			
Under 18	0	*	0
18 to 24	*	5	5
25 to 29	*	6	6
30 to 34	5	6	5
35 to 39	5	7	*
40 to 44	*	*	*
45 to 54	6	5	*
55 and Over	0	*	*
GENDER			
Male	14	16	12
Female	11	17	13
RACE / ETHNICITY			
Caucasian	25	32	24
African American	0	*	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race / Two or More Races	0	0	*
EDUCATION			
Less than High School Diploma	9	8	8
High School Graduate or G.E.D.	12	15	14
Associate Degree or Some College	*	8	*
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	10	12	6
Unemployed	10	8	12
Not in Labor Force	5	13	7
HOUSING / LIVING ARRANGEMENT			
Independent Living	23	31	24
Dependent Living	*	*	0
Homeless	*	0	0
MARITAL / FAMILY STATUS			
Never Married	13	11	10
Married / Cohabitating	*	10	7
Previously Married	9	12	8

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	11	13	8
Marijuana / Hashish	*	8	10
Cocaine (total)	0	0	*
- Crack	0	0	0
Stimulant (total)	7	7	*
- Methamphetamine	7	6	*
Heroin	0	*	0
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	*	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	*
Average Age at First Use of Drug	19.4	19.0	18.2
INJECTION DRUG USE			
Any Injection Use at Admission	*	*	*
- Daily Injection Use	0	0	0
- Weekly Injection Use	0	*	0
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	12	16	13
1 or 2	9	10	7
3 or More	*	7	5
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	5	8	6
School	0	0	0
Mental Health Provider	0	0	0
Health Care Provider	*	*	0
Court / Criminal Justice	10	12	16
Other Referral Source	9	11	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	0
Military Veteran	*	*	*
Special Education Services Needed	0	*	0
Co-Occurring Psychological Problem	12	17	9
Co-Occurring Developmental Problem	0	0	0

CHARITON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	12
CENSUS 2010	7,831
2014 POPULATION ESTIMATE	7,694

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	0	0	0
Anxiety Disorder	25	14	20
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	9	5	6
Mood Disorder	42	28	40
Personality Disorder	10	*	5
Psychotic Disorder	10	6	8
Sexual Disorder	0	0	0
Other Diagnosis	5	*	5
Diagnosis Unknown	0	*	5

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	62	33	54
AGE			
Under 6	*	0	0
6 to 9	*	*	*
10 to 13	5	*	*
14 to 17	5	*	*
18 to 24	*	*	*
25 to 29	6	*	6
30 to 34	10	*	7
35 to 39	7	*	5
40 to 44	6	5	*
45 to 49	*	0	*
50 to 54	5	*	7
55 to 59	5	5	7
60 and Over	*	*	6
Age Unknown	0	0	0
GENDER			
Male	22	12	22
Female	40	21	32
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	56	31	51
African American	*	*	*
Native American / Alaskan	*	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	0
Other Race	*	0	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	6

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	25	12	8
High School Grad or G.E.D.	0	0	13
Associate Degree or Some College	0	0	7
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	37	21	26
EMPLOYMENT			
Employed	5	*	*
Unemployed	*	*	25
Not in Labor Force	47	26	5
Employment Status Unknown	6	*	23
HOUSING / LIVING ARRANGEMENT			
Independent Living	30	17	24
Dependent Living	23	12	6
Homeless	0	*	*
Other	0	0	*
Housing Unknown	9	*	21
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	38	22	30
School	0	0	0
Mental Health Provider	*	*	5
Health Care Provider	17	8	14
Court / Criminal Justice	*	0	*
Other	*	*	*
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	61	33	52
Civil	*	0	*
Criminal	0	0	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

CHARITON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	38.1	46.6	51.4
Cigarettes	25.0	23.7	27.4
Chewing Tobacco	19.0	19.5	13.1
Marijuana	6.0	10.2	9.0
Inhalants	4.7	5.1	5.5
Prescription medications not prescribed for student	6.0	7.6	8.8
Over-the-counter medications for non-medical use	1.2	4.2	6.2
Methamphetamine	0.0	0.0	0.0
Cocaine	0.0	0.9	0.7
Heroin	0.0	0.0	0.7
Hallucinogens	1.2	0.8	1.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	0.9	0.0
Steroids not prescribed for student	1.2	0.8	0.7
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	3.4	
Average age of students' first use of:			
Alcohol	13.02	12.70	12.58
Cigarettes	13.56	12.81	11.75
Marijuana	12.66	13.52	13.40
Inhalants	13.06	11.82	12.31
Percent of students who, in past 30 days, used:			
Alcohol	14.3	19.5	26.0
Alcohol (Binge: 5+ drinks on one occassion)		14.4	16.9
Cigarettes	11.9	11.8	10.3
Chewing Tobacco	11.9	11.9	9.0
Marijuana	3.6	4.2	4.1
Inhalants	0.0	1.7	1.4
Prescription medications not prescribed for student	1.2	4.2	5.4
Over-the-counter medications for non-medical use	1.2	2.5	4.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.1		
Percent whose friends used in past 12 months:			
Alcohol	47.1	51.7	66.4
Cigarettes	36.5	44.1	39.5
Marijuana	15.5	24.6	19.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.7	6.8	8.8
Percent who would likely use, if offered by a best friend:			
Alcohol	23.8	31.1	42.6
Cigarettes	13.1	11.1	10.2
Marijuana	4.8	5.9	5.6
Percent who say it would be wrong to use:			
Alcohol	68.2	56.8	57.8
Cigarettes	79.8	76.9	81.6
Marijuana	90.5	88.1	92.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	96.6	97.9
Percent whose parents would disapprove if they use:			
Alcohol	78.8	74.4	73.5
Cigarettes	89.4	90.7	92.5
Marijuana	97.6	96.6	98.0
Percent who say it would be easy to obtain:			
Alcohol	47.0	49.6	60.3
Cigarettes	44.0	50.0	54.4
Marijuana	17.9	21.4	21.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	11.1	8.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	56.6		
Alcohol (Binge: 5+ drinks once or twice a week)	66.3		
Alcohol (any use)		68.6	88.4
Cigarettes (1+ packs per day)	83.1		
Cigarettes (any use)		81.2	86.4
Marijuana (once or twice a week)	79.8		
Marijuana (any use)		81.5	70.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	95.1	93.2	95.2
Percent of students who, in past 30 days:			
Were very sad	14.1	21.0	26.9
Were grouchy, irritable, or in a bad mood	18.8	26.1	29.5
Felt hopeless about the future	7.1	11.0	16.4
Felt like not eating or eating more than usual	11.9	15.3	21.9
Slept a lot more or a lot less than usual	15.5	21.8	31.5
Had difficulty concentrating on school work	17.9	17.6	31.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	7.1	11.9	8.8
Made plan about how they would attempt suicide	4.8	6.7	6.1
Attempted suicide	1.2	2.5	2.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	1.7	0.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	3.5	5.1	5.4
Were in a physical fight	19.0	21.2	22.4
Were in a fight and had to be treated by a doctor or nurse	0.0	2.5	3.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.0	49.2	62.1
Were made fun of by others	60.0	67.5	74.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	20.2	24.8	25.2
Spread mean rumors or lies about other kids at school	16.7	32.2	41.8
Made fun of other people	56.0	66.1	77.4
Posted something on the internet or sent a text that might embarrass or hurt another student	10.6	16.1	20.7
Percent of students who agree that:			
Teachers notice and comment on student's good work	81.2	69.2	80.8
School provides feedback to parents on positive student performance	54.1	47.5	45.5
Rules are enforced fairly	65.5	66.9	67.8
Students of all races/ethnicities are treated equal	89.4	85.6	84.8
Percent of students who agree that:			
Parents notice and comment on student's good work	88.2	86.4	90.5
Parents involve student in making family decisions	77.4	68.4	75.5
It is important to be honest with parents regardless of consequences	94.0	88.0	90.4
Student could ask parent for help with a personal problem	85.7	78.8	82.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CHRISTIAN COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	77,422
2014 Estimate	82,101

BIRTH RISK	2013	2012	2011
Resident Births--Total	980	962	996
Mother Reported Smoking while Pregnant	134	108	145

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	2	2	3
Hepatitis B Chronic, Acute, Prenatal	7	8	5
Hepatitis C Chronic and Acute	41	39	35
Tuberculosis Infection Cases	6	10	14

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	563	557	504
Suicides	11	14	13
Self-inflicted Injuries	92	75	71
Homicides	2	0	2
Assault Injuries	144	139	127
Alcohol Induced Deaths	4	2	4
Drug Induced Deaths	7	14	12
Smoking Attributable Deaths	102	93	80

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	252	216	237
Mental Illness Secondary Diagnosis	508	563	516
Alcohol Principal Diagnosis	11	16	6
Alcohol Secondary Diagnosis	16	23	19
Drug Principal Diagnosis	14	18	11
Drug Secondary Diagnosis	31	33	36
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	312	322	263
Mental Illness Secondary Diagnosis	1,160	1,085	913
Alcohol Principal Diagnosis	111	87	77
Alcohol Secondary Diagnosis	112	105	91
Drug Principal Diagnosis	74	88	64
Drug Secondary Diagnosis	102	83	65
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	445	503	414
Mental Illness Secondary Diagnosis	1,985	1,977	732
Alcohol Principal Diagnosis	137	114	108
Alcohol Secondary Diagnosis	88	72	69
Drug Principal Diagnosis	109	133	126
Drug Secondary Diagnosis	122	135	88

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	48	43	42
Alcohol Package Carry-out Licenses	48	46	46

EMPLOYMENT	2014	2013	2012
Labor Force	42,022	40,999	40,892
Employed	39,959	38,798	38,523
Unemployed	2,063	2,201	2,369
Unemployment Rate	4.9%	5.4%	5.8%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	65	57	56
Fatal Crashes	1	3	1
Injury Crashes	29	25	26
Property Damage Crashes	35	29	29
Crash Fatalities	1	3	1
Crash Injuries	38	33	36
Drug Involved Crashes--Total	12	25	20
Fatal Crashes	0	1	0
Injury Crashes	7	11	12
Property Damage Crashes	5	13	8
Crash Fatalities	0	1	0
Crash Injuries	13	12	11

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	313	292	268
Liquor Law Arrests	134	94	91
Drug Arrests	463	409	312
Violent Offenses	138	140	147
Property Offenses	1,423	1,381	1,420
Domestic Violence Reports	472	444	514
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	15	18	22

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,171	4,082	4,128
Drop-outs	29	40	58
Drop-out Rate	0.7%	1.0%	1.4%
School Discipline Involving Alcohol	3	5	6
School Discipline Involving Drugs	20	29	28
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	74	77	100
Juvenile Alcohol Offenses	28	10	12
Juvenile Drug Offenses	44	39	48
School Truancy Status Offense	21	5	7
Absent from Home Status Offense	16	12	23
Beyond Parental Control Status Offense	16	17	32
Injurious Behavior Status Offense	130	177	187
Child Abuse	17	15	13
Child Neglect	92	120	87
Child Custody Issues	4	5	1

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	40	65	53
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	14	27	18
Parental Alcohol and Drug Use	0	5	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	59	58	49
Probation/Parole Admissions--Drug	156	126	141
Probation/Parole Admissions--DWI	18	16	28
Prison Admissions--Drug	71	61	61
Prison Admissions--DWI	7	8	13

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CHRISTIAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	57	49	51
CSTAR Adolescent	25	35	28
CSTAR Women and Children	24	35	18
CSTAR General Adult	64	91	80
CSTAR Opioid	0	0	0
Primary Recovery Treatment	160	104	125
Clinical SATOP (CIP, YCIP, SROP)	65	28	40
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	260	214	260
- Adolescent Diversion Education Prograr	*	0	6
- Offender Education Program	98	87	94
- Weekend Intervention Program	51	56	66
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	6	8
Compulsive Gambling	0	0	0
Recovery Supports	108	173	121
Early Intervention	15	17	21

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	392	428	400
AGE			
Under 18	24	37	30
18 to 24	74	80	72
25 to 29	71	76	69
30 to 34	70	85	68
35 to 39	46	64	53
40 to 44	48	36	44
45 to 54	37	39	54
55 and Over	22	11	10
GENDER			
Male	268	292	288
Female	124	136	112
RACE / ETHNICITY			
Caucasian	362	398	376
African American	6	*	7
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	*	*
Hispanic	10	11	9
Other Race / Two or More Races	16	17	9
EDUCATION			
Less than High School Diploma	108	153	130
High School Graduate or G.E.D.	177	189	175
Associate Degree or Some College	105	84	92
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	158	152	131
Unemployed	130	146	162
Not in Labor Force	104	130	107
HOUSING / LIVING ARRANGEMENT			
Independent Living	337	349	336
Dependent Living	40	63	52
Homeless	9	7	8
MARITAL / FAMILY STATUS			
Never Married	200	237	193
Married / Cohabitating	96	90	103
Previously Married	96	101	104

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	148	127	152
Marijuana / Hashish	90	89	91
Cocaine (total)	*	*	5
- Crack	*	0	5
Stimulant (total)	90	130	99
- Methamphetamine	84	114	96
Heroin	11	18	9
Analgesic except Heroin	42	47	33
- Non-Prescription Methadone	0	*	*
PCP, LSD, other Hallucinogen	*	*	*
Tranquilizer	*	9	8
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	17.9	17.8	17.5
INJECTION DRUG USE			
Any Injection Use at Admission	67	102	76
- Daily Injection Use	12	10	12
- Weekly Injection Use	14	20	19
- Less than Weekly Injection Use	41	72	45
LIFETIME DUI / DWI ARRESTS			
0	206	258	201
1 or 2	121	123	119
3 or More	65	47	80
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	183	293	99
School	*	*	*
Mental Health Provider	7	7	8
Health Care Provider	10	7	10
Court / Criminal Justice	157	80	264
Other Referral Source	34	33	18
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	9	8
Military Veteran	23	9	25
Special Education Services Needed	18	43	42
Co-Occurring Psychological Problem	112	130	142
Co-Occurring Developmental Problem	11	12	*

CHRISTIAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	10
CENSUS 2010	77,422
2014 POPULATION ESTIMATE	82,101

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	18	12	19
Anxiety Disorder	95	89	108
Dementia	*	*	*
Developmental Disorder	8	11	18
Impulse Control Disorder	39	39	53
Mood Disorder	163	161	181
Personality Disorder	43	37	46
Psychotic Disorder	90	91	100
Sexual Disorder	0	0	0
Other Diagnosis	44	41	38
Diagnosis Unknown	17	18	41

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	273	284	331
AGE			
Under 6	8	9	9
6 to 9	9	15	28
10 to 13	16	22	30
14 to 17	22	20	26
18 to 24	26	12	12
25 to 29	18	21	21
30 to 34	20	31	33
35 to 39	34	36	30
40 to 44	33	28	32
45 to 49	25	25	29
50 to 54	23	23	31
55 to 59	20	17	25
60 and Over	19	25	25
Age Unknown	0	0	0
GENDER			
Male	129	152	147
Female	144	132	184
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	254	263	311
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	*	*	*
Hispanic	5	*	*
Other Race	9	12	13
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	7	9
Past or Current Military Service	5	5	6

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	73	82	60
High School Grad or G.E.D.	0	*	56
Associate Degree or Some College	0	0	22
Bachelor or Advanced Degree	0	0	8
Education Level Unknown	200	201	185
EMPLOYMENT			
Employed	7	7	16
Unemployed	6	6	105
Not in Labor Force	159	183	64
Employment Status Unknown	101	88	146
HOUSING / LIVING ARRANGEMENT			
Independent Living	61	60	81
Dependent Living	105	126	114
Homeless	*	7	*
Other	0	0	*
Housing Unknown	104	91	134
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	132	139	208
School	*	*	*
Mental Health Provider	17	21	19
Health Care Provider	53	48	27
Court / Criminal Justice	17	16	11
Other	51	55	55
Referral Source Unknown	*	*	9
TYPE OF COMMITMENT			
Voluntary	263	271	315
Civil	*	6	*
Criminal	5	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	9

CHRISTIAN COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	20.9	25.3	33.2
Cigarettes	17.2	16.2	20.7
Chewing Tobacco	9.2	9.0	9.4
Marijuana	10.3	10.4	12.0
Inhalants	2.0	6.2	6.7
Prescription medications not prescribed for student	5.2	7.1	10.1
Over-the-counter medications for non-medical use	2.8	6.4	8.3
Methamphetamine	0.3	1.0	0.8
Cocaine	0.1	1.3	1.5
Heroin	0.0	0.6	0.8
Hallucinogens	0.5	2.1	3.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.5	2.4
Steroids not prescribed for student	0.4	1.0	1.7
Synthetic drugs (K2, bath salts, Spice, etc)	1.7	6.1	
Average age of students' first use of:			
Alcohol	12.79	12.51	12.27
Cigarettes	12.66	12.35	12.10
Marijuana	13.99	13.09	12.93
Inhalants	12.24	11.39	11.79
Percent of students who, in past 30 days, used:			
Alcohol	7.6	9.2	13.3
Alcohol (Binge: 5+ drinks on one occassion)		5.5	6.3
Cigarettes	7.4	7.1	10.7
Chewing Tobacco	3.2	4.3	4.8
Marijuana	3.1	4.9	6.3
Inhalants	1.6	2.2	2.9
Prescription medications not prescribed for student	3.0	3.2	5.3
Over-the-counter medications for non-medical use	2.2	3.5	4.9
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	2.7		
Percent whose friends used in past 12 months:			
Alcohol	32.3	40.0	52.2
Cigarettes	29.5	32.9	39.7
Marijuana	24.4	28.9	32.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.5	14.6	20.1
Percent who would likely use, if offered by a best friend:			
Alcohol	13.4	17.7	25.5
Cigarettes	8.4	8.8	12.3
Marijuana	7.6	9.2	12.2
Percent who say it would be wrong to use:			
Alcohol	75.6	73.6	65.6
Cigarettes	85.9	86.8	78.7
Marijuana	85.3	86.0	85.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	96.7	95.4
Percent whose parents would disapprove if they use:			
Alcohol	87.7	87.4	85.9
Cigarettes	95.6	95.1	93.9
Marijuana	95.1	95.1	95.9
Percent who say it would be easy to obtain:			
Alcohol	40.7	45.9	49.9
Cigarettes	39.3	39.4	52.4
Marijuana	24.6	28.1	29.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.6	12.9	16.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	67.0		
Alcohol (Binge: 5+ drinks once or twice a week)	78.4		
Alcohol (any use)		74.9	75.5
Cigarettes (1+ packs per day)	90.4		
Cigarettes (any use)		84.5	79.2
Marijuana (once or twice a week)	76.0		
Marijuana (any use)		77.6	72.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	94.0	89.1
Percent of students who, in past 30 days:			
Were very sad	18.7	17.4	16.1
Were grouchy, irritable, or in a bad mood	24.0	19.3	22.0
Felt hopeless about the future	9.8	8.8	11.0
Felt like not eating or eating more than usual	15.8	15.3	16.3
Slept a lot more or a lot less than usual	12.4	19.2	23.2
Had difficulty concentrating on school work	19.5	19.3	23.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.6	11.1	11.2
Made plan about how they would attempt suicide	7.8	8.1	9.0
Attempted suicide	4.1	5.4	5.3
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.7	1.7	2.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.0	6.7	8.8
Were in a physical fight	16.0	19.6	27.2
Were in a fight and had to be treated by a doctor or nurse	3.6	3.8	3.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.4	47.7	57.6
Were made fun of by others	58.8	59.0	70.3
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.2	21.6	20.4
Spread mean rumors or lies about other kids at school	24.7	24.1	35.7
Made fun of other people	51.0	55.8	71.7
Posted something on the internet or sent a text that might embarrass or hurt another student	14.0	14.0	18.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.0	66.6	68.7
School provides feedback to parents on positive student performance	45.2	36.3	33.3
Rules are enforced fairly	70.3	69.2	69.2
Students of all races/ethnicities are treated equal	86.9	80.8	83.8
Percent of students who agree that:			
Parents notice and comment on student's good work	84.4	84.1	84.7
Parents involve student in making family decisions	68.2	71.9	73.5
It is important to be honest with parents regardless of consequences	88.5	87.9	84.3
Student could ask parent for help with a personal problem	81.0	77.2	78.2

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CLARK COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	7,139
2014 Estimate	6,917

BIRTH RISK	2013	2012	2011
Resident Births--Total	75	103	68
Mother Reported Smoking while Pregnant	26	29	20

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	4	5	3
Tuberculosis Infection Cases	2	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	94	89	81
Suicides	1	0	2
Self-inflicted Injuries	3	3	3
Homicides	0	0	0
Assault Injuries	2	4	4
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	0	2
Smoking Attributable Deaths	21	18	16

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	11	20	17
Mental Illness Secondary Diagnosis	166	211	172
Alcohol Principal Diagnosis	2	1	4
Alcohol Secondary Diagnosis	8	6	4
Drug Principal Diagnosis	1	2	3
Drug Secondary Diagnosis	12	10	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1	1	2
Mental Illness Secondary Diagnosis	14	16	7
Alcohol Principal Diagnosis	0	0	0
Alcohol Secondary Diagnosis	3	4	1
Drug Principal Diagnosis	1	1	0
Drug Secondary Diagnosis	3	2	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	11	17	7
Mental Illness Secondary Diagnosis	27	49	12
Alcohol Principal Diagnosis	1	2	1
Alcohol Secondary Diagnosis	8	3	3
Drug Principal Diagnosis	5	3	0
Drug Secondary Diagnosis	5	4	1

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	10	11	12
Alcohol Package Carry-out Licenses	12	12	14

EMPLOYMENT	2014	2013	2012
Labor Force	3,421	3,374	3,481
Employed	3,185	3,127	3,231
Unemployed	236	247	250
Unemployment Rate	6.9%	7.3%	7.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	9	8	3
Fatal Crashes	1	0	2
Injury Crashes	4	6	0
Property Damage Crashes	4	2	1
Crash Fatalities	1	0	2
Crash Injuries	9	8	0
Drug Involved Crashes--Total	1	2	0
Fatal Crashes	0	0	0
Injury Crashes	1	1	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	1	1	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	54	78	66
Liquor Law Arrests	8	31	10
Drug Arrests	60	73	68
Violent Offenses	10	9	12
Property Offenses	50	42	31
Domestic Violence Reports	17	14	19
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	4	4	8

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	326	324	320
Drop-outs	0	4	4
Drop-out Rate	0.0%	1.2%	1.3%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	4	2	2
Juvenile Alcohol Offenses	4	7	0
Juvenile Drug Offenses	4	2	0
School Truancy Status Offense	9	16	11
Absent from Home Status Offense	0	1	2
Beyond Parental Control Status Offense	2	5	3
Injurious Behavior Status Offense	70	52	84
Child Abuse	0	0	0
Child Neglect	53	64	32
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	20	26	25
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	6	8	8
Parental Alcohol and Drug Use	3	2	2

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	29	36	38
Probation/Parole Admissions--Drug	26	32	25
Probation/Parole Admissions--DWI	13	13	12
Prison Admissions--Drug	12	18	14
Prison Admissions--DWI	3	7	9

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CLARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	5	*
CSTAR Adolescent	7	*	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	28	27	35
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	5	26
Clinical SATOP (CIP, YCIP, SROP)	*	5	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	34	27	23
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	14	8	11
- Weekend Intervention Program	7	9	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	13	9	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	39	40	53
AGE			
Under 18	7	*	*
18 to 24	*	*	8
25 to 29	9	6	11
30 to 34	6	6	14
35 to 39	6	9	5
40 to 44	*	6	5
45 to 54	8	6	*
55 and Over	0	*	*
GENDER			
Male	25	24	37
Female	14	16	16
RACE / ETHNICITY			
Caucasian	38	39	53
African American	*	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	*	0
Hispanic	0	0	0
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	16	14	15
High School Graduate or G.E.D.	18	22	33
Associate Degree or Some College	5	*	5
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	14	17	26
Unemployed	9	10	16
Not in Labor Force	16	13	11
HOUSING / LIVING ARRANGEMENT			
Independent Living	31	36	47
Dependent Living	7	*	5
Homeless	*	*	0
MARITAL / FAMILY STATUS			
Never Married	20	19	30
Married / Cohabitating	12	13	12
Previously Married	7	8	11

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	14	16	9
Marijuana / Hashish	16	8	27
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	6	11	13
- Methamphetamine	6	11	13
Heroin	*	0	0
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	0
Average Age at First Use of Drug	16.4	17.6	18.2
INJECTION DRUG USE			
Any Injection Use at Admission	*	5	*
- Daily Injection Use	*	0	0
- Weekly Injection Use	0	0	0
- Less than Weekly Injection Use	*	5	*
LIFETIME DUI / DWI ARRESTS			
0	26	25	40
1 or 2	7	6	10
3 or More	6	9	*
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	6	6	5
School	0	0	0
Mental Health Provider	0	0	*
Health Care Provider	0	*	*
Court / Criminal Justice	16	17	37
Other Referral Source	16	14	9
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	*
Military Veteran	*	0	*
Special Education Services Needed	*	8	*
Co-Occurring Psychological Problem	18	21	22
Co-Occurring Developmental Problem	0	*	*

CLARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	14
CENSUS 2010	7,139
2014 POPULATION ESTIMATE	6,917

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	27	24	27
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	29	24	23
Mood Disorder	44	46	45
Personality Disorder	*	*	*
Psychotic Disorder	7	*	*
Sexual Disorder	0	*	0
Other Diagnosis	14	11	10
Diagnosis Unknown	*	*	5

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	59	62	68
AGE			
Under 6	0	0	*
6 to 9	8	11	11
10 to 13	12	8	11
14 to 17	10	15	14
18 to 24	6	*	6
25 to 29	*	*	*
30 to 34	*	*	*
35 to 39	*	*	5
40 to 44	*	*	*
45 to 49	*	5	*
50 to 54	*	5	*
55 to 59	*	*	*
60 and Over	*	*	*
Age Unknown	0	0	0
GENDER			
Male	26	26	23
Female	33	36	45
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	58	60	66
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	*	0
Hispanic	0	0	0
Other Race	0	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	0	0	0
Past or Current Military Service	*	0	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	33	35	15
High School Grad or G.E.D.	0	0	13
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	26	27	37
EMPLOYMENT			
Employed	*	*	*
Unemployed	*	*	21
Not in Labor Force	48	50	10
Employment Status Unknown	8	9	34
HOUSING / LIVING ARRANGEMENT			
Independent Living	21	25	26
Dependent Living	30	26	19
Homeless	0	0	0
Other	0	0	0
Housing Unknown	8	11	23
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	15	19	21
School	*	*	*
Mental Health Provider	*	0	*
Health Care Provider	*	*	*
Court / Criminal Justice	*	*	*
Other	35	35	38
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	58	60	68
Civil	0	0	0
Criminal	*	*	0
Sexual Predatory	0	*	0
Commitment Type Unknown	0	0	0

CLARK COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	49.4		53.5
Cigarettes	24.1		35.9
Chewing Tobacco	11.5		20.6
Marijuana	12.7		10.3
Inhalants	3.8		9.1
Prescription medications not prescribed for student	16.7		13.5
Over-the-counter medications for non-medical use	6.4		11.0
Methamphetamine	0.0		0.0
Cocaine	0.0		0.7
Heroin	0.0		0.0
Hallucinogens	5.1		1.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0		0.6
Steroids not prescribed for student	0.0		2.6
Synthetic drugs (K2, bath salts, Spice, etc)	5.1		
Average age of students' first use of:			
Alcohol	12.36		12.08
Cigarettes	11.62		11.78
Marijuana	13.21		14.19
Inhalants	13.58		13.58
Percent of students who, in past 30 days, used:			
Alcohol	19.0		29.0
Alcohol (Binge: 5+ drinks on one occassion)			18.1
Cigarettes	11.5		16.8
Chewing Tobacco	6.3		12.3
Marijuana	1.3		5.1
Inhalants	1.3		2.6
Prescription medications not prescribed for student	3.8		9.7
Over-the-counter medications for non-medical use	1.3		5.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	10.3		
Percent whose friends used in past 12 months:			
Alcohol	64.1		65.6
Cigarettes	48.7		54.8
Marijuana	29.5		25.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5		9.7
Percent who would likely use, if offered by a best friend:			
Alcohol	29.5		45.5
Cigarettes	15.2		18.6
Marijuana	10.1		7.7
Percent who say it would be wrong to use:			
Alcohol	58.2		46.2
Cigarettes	79.7		74.2
Marijuana	83.3		85.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7		94.3
Percent whose parents would disapprove if they use:			
Alcohol	80.8		63.6
Cigarettes	96.2		90.3
Marijuana	97.5		94.8
Percent who say it would be easy to obtain:			
Alcohol	55.1		63.5
Cigarettes	53.8		58.7
Marijuana	33.3		31.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.7		15.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	46.8		
Alcohol (Binge: 5+ drinks once or twice a week)	64.1		
Alcohol (any use)			79.4
Cigarettes (1+ packs per day)	92.3		
Cigarettes (any use)			75.6
Marijuana (once or twice a week)	64.1		
Marijuana (any use)			65.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	97.5		92.8
Percent of students who, in past 30 days:			
Were very sad	13.2		17.5
Were grouchy, irritable, or in a bad mood	23.1		25.6
Felt hopeless about the future	3.8		11.0
Felt like not eating or eating more than usual	9.0		20.0
Slept a lot more or a lot less than usual	6.4		24.0
Had difficulty concentrating on school work	11.5		20.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	7.7		15.4
Made plan about how they would attempt suicide	7.6		10.3
Attempted suicide	1.3		4.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0		0.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	3.8		4.5
Were in a physical fight	12.8		25.6
Were in a fight and had to be treated by a doctor or nurse	1.3		3.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	59.5		61.5
Were made fun of by others	66.7		74.4
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.1		17.6
Spread mean rumors or lies about other kids at school	38.5		30.1
Made fun of other people	67.9		78.8
Posted something on the internet or sent a text that might embarrass or hurt another student	24.1		14.2
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.6		72.4
School provides feedback to parents on positive student performance	26.9		42.9
Rules are enforced fairly	69.2		60.0
Students of all races/ethnicities are treated equal	86.1		84.5
Percent of students who agree that:			
Parents notice and comment on student's good work	89.7		79.5
Parents involve student in making family decisions	59.5		64.1
It is important to be honest with parents regardless of consequences	91.1		84.5
Student could ask parent for help with a personal problem	78.2		74.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CLAY COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	6
Adult Psychiatric	6
POPULATION	
Census 2010	221,939
2014 Estimate	233,682

BIRTH RISK	2013	2012	2011
Resident Births--Total	3,043	3,121	3,005
Mother Reported Smoking while Pregnant	409	446	440

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	9	19	17
Hepatitis B Chronic, Acute, Prenatal	6	5	7
Hepatitis C Chronic and Acute	38	38	45
Tuberculosis Infection Cases	22	25	32

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,624	1,580	1,535
Suicides	39	36	28
Self-inflicted Injuries	423	343	351
Homicides	5	11	10
Assault Injuries	692	750	740
Alcohol Induced Deaths	21	19	22
Drug Induced Deaths	30	30	21
Smoking Attributable Deaths	298	282	268

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,568	1,543	1,587
Mental Illness Secondary Diagnosis	2,498	2,535	2,453
Alcohol Principal Diagnosis	119	132	144
Alcohol Secondary Diagnosis	179	178	173
Drug Principal Diagnosis	70	86	95
Drug Secondary Diagnosis	198	174	181
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	312	368	344
Mental Illness Secondary Diagnosis	4,856	4,986	5,254
Alcohol Principal Diagnosis	112	156	154
Alcohol Secondary Diagnosis	479	533	541
Drug Principal Diagnosis	71	77	90
Drug Secondary Diagnosis	345	377	331
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,037	1,975	1,752
Mental Illness Secondary Diagnosis	5,915	4,400	3,417
Alcohol Principal Diagnosis	536	594	629
Alcohol Secondary Diagnosis	515	554	508
Drug Principal Diagnosis	300	343	288
Drug Secondary Diagnosis	847	642	511

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	190	185	189
Alcohol Package Carry-out Licenses	148	146	151

EMPLOYMENT	2014	2013	2012
Labor Force	130,479	121,070	120,910
Employed	123,484	113,476	113,144
Unemployed	6,995	7,594	7,766
Unemployment Rate	5.4%	6.3%	6.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	165	176	154
Fatal Crashes	1	1	3
Injury Crashes	71	71	55
Property Damage Crashes	93	104	96
Crash Fatalities	1	1	3
Crash Injuries	100	96	87
Drug Involved Crashes--Total	33	42	29
Fatal Crashes	0	1	0
Injury Crashes	21	18	12
Property Damage Crashes	12	23	17
Crash Fatalities	0	1	0
Crash Injuries	27	25	13

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,029	989	1,049
Liquor Law Arrests	179	229	320
Drug Arrests	778	776	787
Violent Offenses	202	244	235
Property Offenses	2,435	2,828	2,682
Domestic Violence Reports	540	640	572
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	4	8

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	11,720	11,788	11,424
Drop-outs	138	154	245
Drop-out Rate	1.2%	1.3%	2.1%
School Discipline Involving Alcohol	13	0	16
School Discipline Involving Drugs	72	128	101
School Discipline Involving Tobacco	3	0	6

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	146	151	133
Juvenile Alcohol Offenses	26	33	35
Juvenile Drug Offenses	101	89	91
School Truancy Status Offense	13	13	10
Absent from Home Status Offense	26	25	24
Beyond Parental Control Status Offense	17	23	11
Injurious Behavior Status Offense	3	5	4
Child Abuse	24	17	18
Child Neglect	265	230	188
Child Custody Issues	9	17	13

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	85	44	34
Parental Alcohol Use Related	1	2	3
Parental Drug Use Related	39	11	7
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	40	50	57
Probation/Parole Admissions--Drug	273	219	231
Probation/Parole Admissions--DWI	82	72	70
Prison Admissions--Drug	140	119	108
Prison Admissions--DWI	39	42	35

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CLAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	62	59	60
CSTAR Adolescent	65	52	37
CSTAR Women and Children	40	33	28
CSTAR General Adult	673	631	631
CSTAR Opioid	12	*	7
Primary Recovery Treatment	10	35	33
Clinical SATOP (CIP, YCIP, SROP)	227	200	205
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	811	856	904
- Adolescent Diversion Education Prograr	7	6	18
- Offender Education Program	288	303	329
- Weekend Intervention Program	220	233	261
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	10	16	13
Compulsive Gambling	*	*	*
Recovery Supports	31	43	20
Early Intervention	30	5	12

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	1,056	988	969
AGE			
Under 18	66	57	44
18 to 24	215	195	211
25 to 29	193	171	163
30 to 34	171	161	141
35 to 39	117	90	125
40 to 44	92	103	97
45 to 54	146	163	147
55 and Over	56	48	41
GENDER			
Male	718	692	650
Female	338	296	319
RACE / ETHNICITY			
Caucasian	944	873	862
African American	49	52	50
Native American / Alaskan	6	*	*
Asian / Pacific Islander	*	8	*
Hispanic	44	38	42
Other Race / Two or More Races	31	26	22
EDUCATION			
Less than High School Diploma	256	260	251
High School Graduate or G.E.D.	522	456	456
Associate Degree or Some College	265	265	245
Bachelor or Advanced Degree	13	7	17
EMPLOYMENT			
Employed	414	347	357
Unemployed	333	380	342
Not in Labor Force	309	260	270
HOUSING / LIVING ARRANGEMENT			
Independent Living	925	869	874
Dependent Living	77	68	54
Homeless	23	32	30
MARITAL / FAMILY STATUS			
Never Married	618	562	537
Married / Cohabitating	221	222	193
Previously Married	217	204	239

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	448	424	472
Marijuana / Hashish	234	243	219
Cocaine (total)	27	28	31
- Crack	14	14	23
Stimulant (total)	237	187	159
- Methamphetamine	233	184	158
Heroin	27	20	13
Analgesic except Heroin	67	64	60
- Non-Prescription Methadone	0	*	0
PCP, LSD, other Hallucinogen	*	*	7
Tranquilizer	6	12	5
Inhalant	*	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	5	7	*
Average Age at First Use of Drug	17.7	17.9	17.9
INJECTION DRUG USE			
Any Injection Use at Admission	122	94	68
- Daily Injection Use	22	12	24
- Weekly Injection Use	28	22	9
- Less than Weekly Injection Use	72	60	35
LIFETIME DUI / DWI ARRESTS			
0	530	476	467
1 or 2	330	318	286
3 or More	196	194	216
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	259	190	169
School	5	*	*
Mental Health Provider	74	90	93
Health Care Provider	29	29	25
Court / Criminal Justice	428	454	564
Other Referral Source	121	113	89
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	12	16	17
Military Veteran	33	33	58
Special Education Services Needed	49	46	43
Co-Occurring Psychological Problem	344	319	313
Co-Occurring Developmental Problem	12	19	14

CLAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	6
CENSUS 2010	221,939
2014 POPULATION ESTIMATE	233,682

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	42	34	29
Anxiety Disorder	538	503	517
Dementia	0	*	*
Developmental Disorder	8	7	9
Impulse Control Disorder	320	274	250
Mood Disorder	1,805	1,796	1,763
Personality Disorder	33	32	31
Psychotic Disorder	363	344	341
Sexual Disorder	*	*	*
Other Diagnosis	43	43	39
Diagnosis Unknown	191	287	309

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	2,719	2,749	2,691
AGE			
Under 6	15	28	26
6 to 9	138	133	98
10 to 13	172	141	123
14 to 17	204	184	165
18 to 24	205	215	252
25 to 29	218	228	256
30 to 34	268	284	280
35 to 39	259	249	256
40 to 44	257	277	260
45 to 49	246	299	298
50 to 54	279	286	278
55 to 59	243	227	211
60 and Over	215	198	188
Age Unknown	0	0	0
GENDER			
Male	1,179	1,159	1,135
Female	1,540	1,590	1,556
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	2,347	2,351	2,329
African American	138	164	156
Native American / Alaskan	13	14	11
Asian / Pacific Islander	18	14	11
Hispanic	90	88	83
Other Race	113	118	101
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	52	46	53
Past or Current Military Service	28	28	33

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	432	381	154
High School Grad or G.E.D.	0	0	140
Associate Degree or Some College	0	0	60
Bachelor or Advanced Degree	0	0	20
Education Level Unknown	2,287	2,368	2,317
EMPLOYMENT			
Employed	161	191	80
Unemployed	184	201	290
Not in Labor Force	871	854	177
Employment Status Unknown	1,503	1,503	2,144
HOUSING / LIVING ARRANGEMENT			
Independent Living	780	860	420
Dependent Living	414	365	160
Homeless	36	34	10
Other	0	0	6
Housing Unknown	1,489	1,490	2,095
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	2,553	2,563	2,493
School	*	*	*
Mental Health Provider	36	38	47
Health Care Provider	53	49	51
Court / Criminal Justice	10	14	20
Other	42	57	54
Referral Source Unknown	23	26	24
TYPE OF COMMITMENT			
Voluntary	2,688	2,715	2,661
Civil	*	*	*
Criminal	5	*	*
Sexual Predatory	*	*	*
Commitment Type Unknown	23	26	24

CLAY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	28.0	35.6	37.9
Cigarettes	13.1	18.6	20.8
Chewing Tobacco	7.1	9.6	10.1
Marijuana	12.1	16.2	14.3
Inhalants	2.5	5.5	6.9
Prescription medications not prescribed for student	6.9	8.7	11.6
Over-the-counter medications for non-medical use	2.4	6.6	8.5
Methamphetamine	0.5	1.1	1.0
Cocaine	0.7	1.7	1.8
Heroin	0.2	0.8	0.7
Hallucinogens	1.8	3.2	3.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	2.3	2.5
Steroids not prescribed for student	0.8	1.0	1.2
Synthetic drugs (K2, bath salts, Spice, etc)	2.5	6.4	
Average age of students' first use of:			
Alcohol	13.31	13.00	12.75
Cigarettes	13.30	13.06	12.55
Marijuana	14.13	13.83	13.72
Inhalants	11.53	11.90	11.77
Percent of students who, in past 30 days, used:			
Alcohol	11.8	16.0	17.3
Alcohol (Binge: 5+ drinks on one occassion)		8.7	9.5
Cigarettes	5.3	8.3	11.5
Chewing Tobacco	2.9	5.2	5.3
Marijuana	6.2	8.3	7.7
Inhalants	1.0	2.0	3.3
Prescription medications not prescribed for student	3.4	4.5	6.8
Over-the-counter medications for non-medical use	1.6	3.8	5.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.2		
Percent whose friends used in past 12 months:			
Alcohol	40.9	51.1	54.9
Cigarettes	29.6	39.8	42.9
Marijuana	33.3	38.8	37.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	17.4	20.4
Percent who would likely use, if offered by a best friend:			
Alcohol	21.8	27.2	29.0
Cigarettes	8.0	11.0	13.4
Marijuana	11.5	13.5	12.3
Percent who say it would be wrong to use:			
Alcohol	68.8	64.9	63.2
Cigarettes	87.8	83.2	81.1
Marijuana	81.7	81.4	82.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	95.3	94.2
Percent whose parents would disapprove if they use:			
Alcohol	83.8	80.9	80.6
Cigarettes	94.7	93.0	91.6
Marijuana	94.4	93.9	94.5
Percent who say it would be easy to obtain:			
Alcohol	52.9	59.2	59.7
Cigarettes	43.8	51.0	52.5
Marijuana	33.6	37.9	35.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	17.7	18.3

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	63.8		
Alcohol (Binge: 5+ drinks once or twice a week)	75.6		
Alcohol (any use)		71.1	77.5
Cigarettes (1+ packs per day)	88.7		
Cigarettes (any use)		83.8	82.0
Marijuana (once or twice a week)	66.6		
Marijuana (any use)		73.1	72.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	94.1	93.8
Percent of students who, in past 30 days:			
Were very sad	19.0	18.4	20.2
Were grouchy, irritable, or in a bad mood	22.8	23.1	25.2
Felt hopeless about the future	11.8	11.3	12.3
Felt like not eating or eating more than usual	16.8	16.0	19.0
Slept a lot more or a lot less than usual	17.1	20.1	25.3
Had difficulty concentrating on school work	24.1	22.5	23.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.1	12.1	11.9
Made plan about how they would attempt suicide	7.9	8.5	8.0
Attempted suicide	4.7	4.5	5.3
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.5	1.6	2.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.3	5.2	8.8
Were in a physical fight	13.9	16.4	21.5
Were in a fight and had to be treated by a doctor or nurse	1.9	2.8	3.6
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	45.7	47.1	53.5
Were made fun of by others	58.7	61.3	68.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.6	22.5	21.4
Spread mean rumors or lies about other kids at school	25.3	29.0	36.4
Made fun of other people	52.6	60.9	72.1
Posted something on the internet or sent a text that might embarrass or hurt another student	17.9	15.9	19.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.1	67.2	68.3
School provides feedback to parents on positive student performance	36.3	34.0	37.9
Rules are enforced fairly	68.2	69.0	69.9
Students of all races/ethnicities are treated equal	83.2	79.0	78.3
Percent of students who agree that:			
Parents notice and comment on student's good work	83.2	82.7	83.6
Parents involve student in making family decisions	72.4	69.0	70.5
It is important to be honest with parents regardless of consequences	87.6	83.0	80.9
Student could ask parent for help with a personal problem	79.5	76.0	75.5

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CLINTON COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	20,743
2014 Estimate	20,299

BIRTH RISK	2013	2012	2011
Resident Births--Total	203	220	249
Mother Reported Smoking while Pregnant	54	49	59

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	10	12	16
Tuberculosis Infection Cases	7	7	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	247	239	254
Suicides	2	4	3
Self-inflicted Injuries	21	25	29
Homicides	0	2	2
Assault Injuries	47	60	51
Alcohol Induced Deaths	4	1	4
Drug Induced Deaths	4	5	3
Smoking Attributable Deaths	47	43	42

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	147	127	169
Mental Illness Secondary Diagnosis	237	256	261
Alcohol Principal Diagnosis	9	13	3
Alcohol Secondary Diagnosis	11	11	14
Drug Principal Diagnosis	3	8	3
Drug Secondary Diagnosis	10	10	11
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	56	53	57
Mental Illness Secondary Diagnosis	477	505	531
Alcohol Principal Diagnosis	10	8	12
Alcohol Secondary Diagnosis	37	46	29
Drug Principal Diagnosis	7	7	10
Drug Secondary Diagnosis	22	31	30
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	123	154	156
Mental Illness Secondary Diagnosis	239	183	163
Alcohol Principal Diagnosis	23	22	16
Alcohol Secondary Diagnosis	22	25	22
Drug Principal Diagnosis	20	13	20
Drug Secondary Diagnosis	40	50	31

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	15	18	19
Alcohol Package Carry-out Licenses	21	19	17

EMPLOYMENT	2014	2013	2012
Labor Force	11,057	9,890	10,174
Employed	10,418	9,184	9,383
Unemployed	639	706	791
Unemployment Rate	5.8%	7.1%	7.8%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	14	16	13
Fatal Crashes	0	1	1
Injury Crashes	8	10	9
Property Damage Crashes	6	5	3
Crash Fatalities	0	1	1
Crash Injuries	11	14	12
Drug Involved Crashes--Total	3	1	2
Fatal Crashes	0	0	1
Injury Crashes	1	1	0
Property Damage Crashes	2	0	1
Crash Fatalities	0	0	1
Crash Injuries	1	1	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	125	117	187
Liquor Law Arrests	32	20	51
Drug Arrests	208	144	158
Violent Offenses	71	71	92
Property Offenses	364	465	408
Domestic Violence Reports	278	296	298
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,024	1,022	1,010
Drop-outs	14	14	30
Drop-out Rate	1.4%	1.4%	3.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	1	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	24	32	28
Juvenile Alcohol Offenses	3	11	11
Juvenile Drug Offenses	2	3	13
School Truancy Status Offense	40	43	37
Absent from Home Status Offense	14	28	22
Beyond Parental Control Status Offense	17	29	16
Injurious Behavior Status Offense	28	25	25
Child Abuse	2	4	8
Child Neglect	11	24	9
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	17	21	18
Parental Alcohol Use Related	0	2	0
Parental Drug Use Related	9	9	6
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	41	41	46
Probation/Parole Admissions--DWI	8	11	7
Prison Admissions--Drug	25	35	29
Prison Admissions--DWI	7	4	5

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CLINTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	8	5	8
CSTAR Adolescent	5	14	9
CSTAR Women and Children	*	*	0
CSTAR General Adult	26	44	42
CSTAR Opioid	0	0	0
Primary Recovery Treatment	31	39	30
Clinical SATOP (CIP, YCIP, SROP)	14	25	18
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	63	77	89
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	19	32	29
- Weekend Intervention Program	18	14	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	*	0	0
Recovery Supports	*	0	*
Early Intervention	*	8	12

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	72	119	101
AGE			
Under 18	5	14	10
18 to 24	7	21	16
25 to 29	15	23	19
30 to 34	8	16	14
35 to 39	10	6	6
40 to 44	8	12	11
45 to 54	10	24	19
55 and Over	9	*	6
GENDER			
Male	50	82	73
Female	22	37	28
RACE / ETHNICITY			
Caucasian	70	114	97
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	*
Other Race / Two or More Races	0	*	0
EDUCATION			
Less than High School Diploma	24	39	39
High School Graduate or G.E.D.	38	61	45
Associate Degree or Some College	10	18	15
Bachelor or Advanced Degree	0	*	*
EMPLOYMENT			
Employed	17	38	44
Unemployed	20	34	29
Not in Labor Force	35	47	28
HOUSING / LIVING ARRANGEMENT			
Independent Living	58	98	87
Dependent Living	6	17	12
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	33	68	54
Married / Cohabitating	22	28	23
Previously Married	17	23	24

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	30	53	48
Marijuana / Hashish	15	31	30
Cocaine (total)	0	0	*
- Crack	0	0	*
Stimulant (total)	15	24	11
- Methamphetamine	15	23	10
Heroin	*	*	*
Analgesic except Heroin	8	7	6
- Non-Prescription Methadone	0	0	*
PCP, LSD, other Hallucinogen	*	*	0
Tranquilizer	0	*	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	*
Average Age at First Use of Drug	18.5	16.5	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	8	9	7
- Daily Injection Use	0	*	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	5	5	*
LIFETIME DUI / DWI ARRESTS			
0	36	65	46
1 or 2	21	31	31
3 or More	15	23	24
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	23	28	17
School	0	0	0
Mental Health Provider	0	*	*
Health Care Provider	*	*	*
Court / Criminal Justice	30	55	72
Other Referral Source	9	15	7
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	0
Military Veteran	6	10	7
Special Education Services Needed	*	7	*
Co-Occurring Psychological Problem	22	30	15
Co-Occurring Developmental Problem	*	*	*

CLINTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	1
CENSUS 2010	20,743
2014 POPULATION ESTIMATE	20,299

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	6	*	16
Anxiety Disorder	52	73	76
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	29	37	38
Mood Disorder	69	86	92
Personality Disorder	14	15	15
Psychotic Disorder	20	21	17
Sexual Disorder	0	*	0
Other Diagnosis	13	16	16
Diagnosis Unknown	6	29	31

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	112	178	206
AGE			
Under 6	*	5	7
6 to 9	14	24	30
10 to 13	14	23	36
14 to 17	7	20	25
18 to 24	9	16	20
25 to 29	6	12	14
30 to 34	12	24	19
35 to 39	8	12	17
40 to 44	9	12	13
45 to 49	8	8	8
50 to 54	13	10	8
55 to 59	*	8	7
60 and Over	7	*	*
Age Unknown	0	0	0
GENDER			
Male	45	77	84
Female	67	101	122
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	105	160	190
African American	*	*	*
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	*	8	6
Other Race	*	6	6
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	43	74	43
High School Grad or G.E.D.	0	*	25
Associate Degree or Some College	0	0	16
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	69	103	121
EMPLOYMENT			
Employed	11	10	12
Unemployed	11	16	59
Not in Labor Force	79	110	27
Employment Status Unknown	11	42	108
HOUSING / LIVING ARRANGEMENT			
Independent Living	63	81	81
Dependent Living	38	51	32
Homeless	*	*	0
Other	0	0	*
Housing Unknown	10	45	92
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	52	82	96
School	*	6	12
Mental Health Provider	16	28	29
Health Care Provider	25	29	30
Court / Criminal Justice	*	7	11
Other	13	24	26
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	108	168	203
Civil	*	8	*
Criminal	*	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

CLINTON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	36.7	34.8	41.9
Cigarettes	21.9	15.3	27.3
Chewing Tobacco	11.8	12.3	13.8
Marijuana	15.2	8.2	9.1
Inhalants	5.1	4.2	9.0
Prescription medications not prescribed for student	7.6	5.1	16.1
Over-the-counter medications for non-medical use	3.4	2.2	8.2
Methamphetamine	1.3	2.6	0.0
Cocaine	1.3	0.1	0.9
Heroin	0.8	0.4	0.2
Hallucinogens	1.7	1.6	0.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	0.4	0.7
Steroids not prescribed for student	1.3	0.3	1.5
Synthetic drugs (K2, bath salts, Spice, etc)	5.1	6.7	
Average age of students' first use of:			
Alcohol	13.36	11.86	11.77
Cigarettes	13.01	11.84	11.75
Marijuana	14.44	13.35	13.52
Inhalants	11.91	10.24	11.41
Percent of students who, in past 30 days, used:			
Alcohol	17.3	14.7	17.1
Alcohol (Binge: 5+ drinks on one occassion)		8.4	10.8
Cigarettes	11.8	5.6	14.2
Chewing Tobacco	5.5	5.4	7.3
Marijuana	9.3	3.7	5.9
Inhalants	1.7	1.5	3.4
Prescription medications not prescribed for student	3.8	3.2	9.9
Over-the-counter medications for non-medical use	1.7	0.5	6.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	9.3		
Percent whose friends used in past 12 months:			
Alcohol	47.5	50.2	54.1
Cigarettes	38.7	38.0	47.7
Marijuana	33.1	27.8	29.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	10.9	20.0
Percent who would likely use, if offered by a best friend:			
Alcohol	29.7	27.9	32.0
Cigarettes	15.2	11.1	15.3
Marijuana	13.1	8.0	9.4
Percent who say it would be wrong to use:			
Alcohol	62.7	61.7	60.5
Cigarettes	82.2	83.3	79.8
Marijuana	81.0	90.0	87.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	98.1	93.3
Percent whose parents would disapprove if they use:			
Alcohol	78.9	84.7	78.5
Cigarettes	90.3	97.6	89.9
Marijuana	91.8	98.0	95.7
Percent who say it would be easy to obtain:			
Alcohol	53.0	54.8	54.1
Cigarettes	50.4	42.1	56.9
Marijuana	37.9	24.6	31.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	12.8	19.6

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	59.5		
Alcohol (Binge: 5+ drinks once or twice a week)	72.0		
Alcohol (any use)		64.7	82.9
Cigarettes (1+ packs per day)	86.9		
Cigarettes (any use)		76.4	81.9
Marijuana (once or twice a week)	66.5		
Marijuana (any use)		80.6	73.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.5	91.8	91.9
Percent of students who, in past 30 days:			
Were very sad	25.3	12.8	23.0
Were grouchy, irritable, or in a bad mood	26.6	26.5	25.2
Felt hopeless about the future	13.5	9.1	10.3
Felt like not eating or eating more than usual	17.8	17.0	21.7
Slept a lot more or a lot less than usual	18.1	22.4	23.1
Had difficulty concentrating on school work	24.9	23.4	19.1
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.7	10.5	17.4
Made plan about how they would attempt suicide	9.3	9.9	8.1
Attempted suicide	5.1	3.3	5.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.9	2.5	1.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.6	7.2	13.9
Were in a physical fight	19.7	20.0	29.2
Were in a fight and had to be treated by a doctor or nurse	2.5	1.1	6.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	53.2	51.4	56.1
Were made fun of by others	65.0	68.2	69.3
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.7	19.4	20.5
Spread mean rumors or lies about other kids at school	26.1	26.1	34.3
Made fun of other people	57.4	58.1	68.6
Posted something on the internet or sent a text that might embarrass or hurt another student	17.2	10.8	17.2
Percent of students who agree that:			
Teachers notice and comment on student's good work	66.8	67.5	60.0
School provides feedback to parents on positive student performance	26.1	38.4	34.3
Rules are enforced fairly	57.8	69.1	59.5
Students of all races/ethnicities are treated equal	83.1	84.6	75.2
Percent of students who agree that:			
Parents notice and comment on student's good work	80.6	84.7	84.8
Parents involve student in making family decisions	68.2	70.1	63.9
It is important to be honest with parents regardless of consequences	86.4	86.2	79.9
Student could ask parent for help with a personal problem	74.6	81.1	72.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

COLE COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	75,990
2014 Estimate	76,557

BIRTH RISK	2013	2012	2011
Resident Births--Total	946	927	902
Mother Reported Smoking while Pregnant	141	169	172

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	2	6	5
Hepatitis B Chronic, Acute, Prenatal	10	5	8
Hepatitis C Chronic and Acute	72	56	76
Tuberculosis Infection Cases	46	30	38

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	627	608	593
Suicides	15	15	11
Self-inflicted Injuries	93	113	112
Homicides	4	1	1
Assault Injuries	278	304	334
Alcohol Induced Deaths	5	4	6
Drug Induced Deaths	7	9	8
Smoking Attributable Deaths	105	116	106

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	332	221	206
Mental Illness Secondary Diagnosis	812	740	792
Alcohol Principal Diagnosis	29	20	19
Alcohol Secondary Diagnosis	50	50	54
Drug Principal Diagnosis	18	12	7
Drug Secondary Diagnosis	57	56	54
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	435	500	408
Mental Illness Secondary Diagnosis	922	1,242	1,381
Alcohol Principal Diagnosis	89	98	129
Alcohol Secondary Diagnosis	122	126	138
Drug Principal Diagnosis	46	61	50
Drug Secondary Diagnosis	62	65	71
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	771	661	685
Mental Illness Secondary Diagnosis	2,291	1,957	1,692
Alcohol Principal Diagnosis	150	157	172
Alcohol Secondary Diagnosis	230	180	189
Drug Principal Diagnosis	107	103	109
Drug Secondary Diagnosis	192	201	112

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	105	104	108
Alcohol Package Carry-out Licenses	68	71	67

EMPLOYMENT	2014	2013	2012
Labor Force	39,931	39,543	39,483
Employed	37,932	37,484	37,394
Unemployed	1,999	2,059	2,089
Unemployment Rate	5.0%	5.2%	5.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	73	57	68
Fatal Crashes	2	1	2
Injury Crashes	37	18	31
Property Damage Crashes	34	38	35
Crash Fatalities	2	1	2
Crash Injuries	53	24	41
Drug Involved Crashes--Total	18	10	16
Fatal Crashes	1	0	2
Injury Crashes	8	4	5
Property Damage Crashes	9	6	9
Crash Fatalities	1	0	2
Crash Injuries	11	5	9

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	307	366	485
Liquor Law Arrests	162	136	138
Drug Arrests	566	534	371
Violent Offenses	269	319	306
Property Offenses	1,739	1,930	2,133
Domestic Violence Reports	607	540	617
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	5

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	3,452	3,516	3,518
Drop-outs	114	95	100
Drop-out Rate	3.3%	2.7%	2.8%
School Discipline Involving Alcohol	0	2	5
School Discipline Involving Drugs	18	25	32
School Discipline Involving Tobacco	1	1	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	77	95	138
Juvenile Alcohol Offenses	13	17	33
Juvenile Drug Offenses	25	36	51
School Truancy Status Offense	50	131	126
Absent from Home Status Offense	45	64	54
Beyond Parental Control Status Offense	28	15	30
Injurious Behavior Status Offense	112	65	79
Child Abuse	181	211	133
Child Neglect	94	158	108
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	114	98	77
Parental Alcohol Use Related	0	0	3
Parental Drug Use Related	25	33	33
Parental Alcohol and Drug Use	9	2	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	64	100	99
Probation/Parole Admissions--Drug	174	179	130
Probation/Parole Admissions--DWI	27	36	53
Prison Admissions--Drug	96	51	67
Prison Admissions--DWI	9	16	17

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

COLE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	42	53	49
CSTAR Adolescent	29	41	29
CSTAR Women and Children	76	34	42
CSTAR General Adult	388	419	358
CSTAR Opioid	0	*	0
Primary Recovery Treatment	36	47	55
Clinical SATOP (CIP, YCIP, SROP)	88	83	109
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	283	306	381
- Adolescent Diversion Education Prograr	14	14	9
- Offender Education Program	100	100	117
- Weekend Intervention Program	51	61	93
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	*	9
Compulsive Gambling	0	*	*
Recovery Supports	*	5	*
Early Intervention	30	30	47

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	538	587	540
AGE			
Under 18	29	40	29
18 to 24	82	112	100
25 to 29	102	105	107
30 to 34	82	92	95
35 to 39	67	69	63
40 to 44	60	52	41
45 to 54	75	85	75
55 and Over	41	32	30
GENDER			
Male	367	428	383
Female	171	159	157
RACE / ETHNICITY			
Caucasian	393	443	402
African American	116	116	114
Native American / Alaskan	*	*	0
Asian / Pacific Islander	*	*	*
Hispanic	8	9	6
Other Race / Two or More Races	17	20	16
EDUCATION			
Less than High School Diploma	149	174	169
High School Graduate or G.E.D.	243	260	218
Associate Degree or Some College	132	137	145
Bachelor or Advanced Degree	14	14	8
EMPLOYMENT			
Employed	165	199	204
Unemployed	211	223	163
Not in Labor Force	162	165	173
HOUSING / LIVING ARRANGEMENT			
Independent Living	441	485	472
Dependent Living	50	59	40
Homeless	20	19	11
MARITAL / FAMILY STATUS			
Never Married	311	351	329
Married / Cohabitating	115	118	98
Previously Married	112	118	113

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	215	268	258
Marijuana / Hashish	133	158	147
Cocaine (total)	23	21	22
- Crack	8	8	8
Stimulant (total)	84	54	55
- Methamphetamine	81	47	54
Heroin	51	42	34
Analgesic except Heroin	17	30	19
- Non-Prescription Methadone	*	*	0
PCP, LSD, other Hallucinogen	*	0	*
Tranquilizer	*	*	*
Inhalant	0	0	0
Sedative	*	*	*
Other Medication or Illicit Drug	11	9	0
Average Age at First Use of Drug	18.7	17.8	17.2
INJECTION DRUG USE			
Any Injection Use at Admission	69	53	60
- Daily Injection Use	17	13	12
- Weekly Injection Use	23	12	16
- Less than Weekly Injection Use	29	28	32
LIFETIME DUI / DWI ARRESTS			
0	308	326	265
1 or 2	149	167	163
3 or More	81	94	112
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	184	177	109
School	0	0	0
Mental Health Provider	6	15	6
Health Care Provider	20	17	18
Court / Criminal Justice	244	326	378
Other Referral Source	81	50	28
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	5	10	9
Military Veteran	20	30	30
Special Education Services Needed	9	39	59
Co-Occurring Psychological Problem	219	234	177
Co-Occurring Developmental Problem	*	20	17

COLE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	11
CENSUS 2010	75,990
2014 POPULATION ESTIMATE	76,557

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	13	12	14
Anxiety Disorder	209	192	197
Dementia	0	0	0
Developmental Disorder	9	6	*
Impulse Control Disorder	47	46	40
Mood Disorder	367	342	319
Personality Disorder	33	37	32
Psychotic Disorder	163	163	154
Sexual Disorder	*	*	0
Other Diagnosis	17	25	24
Diagnosis Unknown	55	37	65

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	620	591	594
AGE			
Under 6	*	0	*
6 to 9	15	10	11
10 to 13	29	24	32
14 to 17	39	49	34
18 to 24	32	37	37
25 to 29	58	46	46
30 to 34	48	47	51
35 to 39	49	44	48
40 to 44	55	63	53
45 to 49	78	67	82
50 to 54	82	83	84
55 to 59	71	61	53
60 and Over	63	60	59
Age Unknown	0	0	0
GENDER			
Male	275	250	255
Female	345	341	339
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	511	474	468
African American	80	81	88
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	13	13	16
Other Race	14	21	20
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	36	39	37
Past or Current Military Service	25	23	19

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	150	149	137
High School Grad or G.E.D.	0	*	158
Associate Degree or Some College	0	*	61
Bachelor or Advanced Degree	0	0	17
Education Level Unknown	470	438	221
EMPLOYMENT			
Employed	41	31	52
Unemployed	74	40	298
Not in Labor Force	350	395	84
Employment Status Unknown	155	125	160
HOUSING / LIVING ARRANGEMENT			
Independent Living	299	281	335
Dependent Living	161	182	125
Homeless	10	20	*
Other	0	0	9
Housing Unknown	150	108	121
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	373	324	302
School	*	*	0
Mental Health Provider	91	97	104
Health Care Provider	67	72	77
Court / Criminal Justice	13	17	24
Other	74	79	86
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	608	577	580
Civil	*	*	*
Criminal	9	8	11
Sexual Predatory	*	*	0
Commitment Type Unknown	*	*	*

COLE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	40.8	43.4	42.6
Cigarettes	22.0	25.1	25.5
Chewing Tobacco	11.6	9.5	10.6
Marijuana	18.6	16.8	16.1
Inhalants	1.7	4.5	5.3
Prescription medications not prescribed for student	8.6	9.6	11.2
Over-the-counter medications for non-medical use	3.7	7.3	7.5
Methamphetamine	0.1	0.9	0.7
Cocaine	0.9	1.7	2.0
Heroin	0.2	0.5	0.6
Hallucinogens	2.5	3.6	3.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.7	3.0
Steroids not prescribed for student	0.2	1.8	0.7
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	7.6	
Average age of students' first use of:			
Alcohol	13.26	12.64	12.64
Cigarettes	13.66	12.48	12.54
Marijuana	14.00	13.59	13.44
Inhalants	11.18	12.05	12.20
Percent of students who, in past 30 days, used:			
Alcohol	15.3	19.2	20.1
Alcohol (Binge: 5+ drinks on one occassion)		10.6	11.6
Cigarettes	9.1	11.3	13.6
Chewing Tobacco	6.1	5.1	5.6
Marijuana	7.7	8.2	7.6
Inhalants	0.1	1.8	2.2
Prescription medications not prescribed for student	4.8	5.1	7.4
Over-the-counter medications for non-medical use	2.1	4.7	4.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.0		
Percent whose friends used in past 12 months:			
Alcohol	52.1	62.6	62.7
Cigarettes	38.9	47.1	48.4
Marijuana	34.6	41.1	40.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5	16.9	20.9
Percent who would likely use, if offered by a best friend:			
Alcohol	30.1	32.8	33.9
Cigarettes	12.6	14.7	14.5
Marijuana	14.9	14.3	13.6
Percent who say it would be wrong to use:			
Alcohol	60.8	55.9	59.1
Cigarettes	82.0	80.4	78.4
Marijuana	78.1	79.3	80.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.6	95.0	93.7
Percent whose parents would disapprove if they use:			
Alcohol	80.4	77.1	79.6
Cigarettes	93.5	91.1	91.3
Marijuana	92.2	92.7	94.1
Percent who say it would be easy to obtain:			
Alcohol	54.4	63.9	64.2
Cigarettes	50.9	54.7	58.1
Marijuana	36.2	40.4	40.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	19.0	22.6

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	56.0		
Alcohol (Binge: 5+ drinks once or twice a week)	71.0		
Alcohol (any use)		69.2	75.9
Cigarettes (1+ packs per day)	86.9		
Cigarettes (any use)		83.6	83.1
Marijuana (once or twice a week)	64.3		
Marijuana (any use)		71.2	73.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.4	94.8	94.6
Percent of students who, in past 30 days:			
Were very sad	22.9	20.9	28.9
Were grouchy, irritable, or in a bad mood	24.7	25.2	27.9
Felt hopeless about the future	16.6	11.9	12.5
Felt like not eating or eating more than usual	20.7	17.4	22.0
Slept a lot more or a lot less than usual	21.4	19.5	26.8
Had difficulty concentrating on school work	26.1	23.7	20.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	13.6	13.8	11.4
Made plan about how they would attempt suicide	9.9	10.4	8.2
Attempted suicide	5.2	6.2	4.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.6	2.3	1.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	9.1	7.0	10.2
Were in a physical fight	17.8	18.6	22.6
Were in a fight and had to be treated by a doctor or nurse	3.6	3.0	4.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	54.3	49.1	52.1
Were made fun of by others	62.4	62.0	68.2
Were victims of an embarrassing or hurtful text message or something posted on the internet	26.8	21.9	18.3
Spread mean rumors or lies about other kids at school	24.1	31.9	33.7
Made fun of other people	54.0	66.5	73.2
Posted something on the internet or sent a text that might embarrass or hurt another student	15.1	16.4	17.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	70.6	65.3	71.0
School provides feedback to parents on positive student performance	39.2	33.4	35.3
Rules are enforced fairly	54.7	59.1	58.9
Students of all races/ethnicities are treated equal	73.6	68.6	71.3
Percent of students who agree that:			
Parents notice and comment on student's good work	76.1	82.5	85.5
Parents involve student in making family decisions	66.2	67.6	72.0
It is important to be honest with parents regardless of consequences	86.0	84.6	82.4
Student could ask parent for help with a personal problem	74.9	71.8	77.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

COOPER COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	17,601
2014 Estimate	17,585

BIRTH RISK	2013	2012	2011
Resident Births--Total	205	191	202
Mother Reported Smoking while Pregnant	41	38	53

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	4	1	0
Hepatitis C Chronic and Acute	9	15	17
Tuberculosis Infection Cases	1	8	3

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	182	186	209
Suicides	3	2	0
Self-inflicted Injuries	32	30	20
Homicides	0	1	0
Assault Injuries	43	72	48
Alcohol Induced Deaths	0	2	2
Drug Induced Deaths	1	3	0
Smoking Attributable Deaths	34	29	34

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	92	61	74
Mental Illness Secondary Diagnosis	265	325	366
Alcohol Principal Diagnosis	6	4	7
Alcohol Secondary Diagnosis	18	24	24
Drug Principal Diagnosis	4	3	2
Drug Secondary Diagnosis	9	17	13
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	68	42	64
Mental Illness Secondary Diagnosis	207	152	101
Alcohol Principal Diagnosis	13	13	19
Alcohol Secondary Diagnosis	33	20	14
Drug Principal Diagnosis	10	10	7
Drug Secondary Diagnosis	10	11	1
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	181	154	121
Mental Illness Secondary Diagnosis	748	464	368
Alcohol Principal Diagnosis	32	8	20
Alcohol Secondary Diagnosis	46	32	36
Drug Principal Diagnosis	25	21	5
Drug Secondary Diagnosis	91	23	19

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	18	21	21
Alcohol Package Carry-out Licenses	23	21	24

EMPLOYMENT	2014	2013	2012
Labor Force	7,671	8,570	8,434
Employed	7,216	8,031	7,857
Unemployed	455	539	577
Unemployment Rate	5.9%	6.3%	6.8%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	35	16	20
Fatal Crashes	1	0	0
Injury Crashes	17	7	6
Property Damage Crashes	17	9	14
Crash Fatalities	1	0	0
Crash Injuries	28	8	9
Drug Involved Crashes--Total	3	4	2
Fatal Crashes	0	0	0
Injury Crashes	1	2	1
Property Damage Crashes	2	2	1
Crash Fatalities	0	0	0
Crash Injuries	1	4	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	105	128	140
Liquor Law Arrests	26	42	53
Drug Arrests	193	188	164
Violent Offenses	36	34	13
Property Offenses	398	455	451
Domestic Violence Reports	53	77	69
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	3	6

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	781	822	859
Drop-outs	12	10	12
Drop-out Rate	1.5%	1.2%	1.4%
School Discipline Involving Alcohol	0	0	10
School Discipline Involving Drugs	3	10	11
School Discipline Involving Tobacco	0	0	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	84	19	19
Juvenile Alcohol Offenses	1	7	1
Juvenile Drug Offenses	8	14	4
School Truancy Status Offense	11	9	1
Absent from Home Status Offense	3	4	3
Beyond Parental Control Status Offense	27	26	24
Injurious Behavior Status Offense	69	92	71
Child Abuse	5	4	1
Child Neglect	17	5	2
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	14	17	12
Parental Alcohol Use Related	0	0	4
Parental Drug Use Related	4	3	2
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	9	17	16
Probation/Parole Admissions--Drug	47	52	46
Probation/Parole Admissions--DWI	10	16	15
Prison Admissions--Drug	26	17	21
Prison Admissions--DWI	11	10	7

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

COOPER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	7	9	5
CSTAR Women and Children	16	*	5
CSTAR General Adult	39	29	27
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	13
Clinical SATOP (CIP, YCIP, SROP)	10	14	14
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	58	65	78
- Adolescent Diversion Education Prograr	0	*	5
- Offender Education Program	21	22	34
- Weekend Intervention Program	14	17	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	67	56	63
AGE			
Under 18	8	8	5
18 to 24	*	9	7
25 to 29	17	15	13
30 to 34	13	8	11
35 to 39	5	*	9
40 to 44	5	*	7
45 to 54	10	7	6
55 and Over	5	*	5
GENDER			
Male	37	35	42
Female	30	21	21
RACE / ETHNICITY			
Caucasian	55	48	52
African American	8	7	7
Native American / Alaskan	*	0	0
Asian / Pacific Islander	*	*	0
Hispanic	*	*	*
Other Race / Two or More Races	*	0	*
EDUCATION			
Less than High School Diploma	24	19	19
High School Graduate or G.E.D.	26	19	25
Associate Degree or Some College	17	18	19
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	19	19	23
Unemployed	24	18	23
Not in Labor Force	24	19	17
HOUSING / LIVING ARRANGEMENT			
Independent Living	45	41	52
Dependent Living	11	12	6
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	35	37	31
Married / Cohabitating	21	9	23
Previously Married	11	10	9

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	27	22	31
Marijuana / Hashish	20	15	13
Cocaine (total)	*	*	*
- Crack	*	0	*
Stimulant (total)	11	10	11
- Methamphetamine	11	9	10
Heroin	0	0	*
Analgesic except Heroin	*	6	*
- Non-Prescription Methadone	0	*	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	0
Average Age at First Use of Drug	16.9	18.3	16.0
INJECTION DRUG USE			
Any Injection Use at Admission	6	*	10
- Daily Injection Use	*	*	*
- Weekly Injection Use	*	0	*
- Less than Weekly Injection Use	*	*	7
LIFETIME DUI / DWI ARRESTS			
0	43	29	29
1 or 2	18	19	19
3 or More	6	8	15
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	23	17	18
School	0	*	0
Mental Health Provider	*	0	*
Health Care Provider	*	0	*
Court / Criminal Justice	29	34	35
Other Referral Source	11	*	6
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	*
Military Veteran	*	*	5
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	27	15	18
Co-Occurring Developmental Problem	0	0	*

COOPER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	12
CENSUS 2010	17,601
2014 POPULATION ESTIMATE	17,585

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	13	10	5
Anxiety Disorder	79	67	78
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	15	11	13
Mood Disorder	98	88	115
Personality Disorder	7	9	15
Psychotic Disorder	23	23	26
Sexual Disorder	*	*	0
Other Diagnosis	10	9	7
Diagnosis Unknown	*	8	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	143	137	152
AGE			
Under 6	*	*	0
6 to 9	6	7	*
10 to 13	18	10	7
14 to 17	8	9	10
18 to 24	5	13	13
25 to 29	19	14	26
30 to 34	22	20	24
35 to 39	11	11	8
40 to 44	*	8	12
45 to 49	17	13	12
50 to 54	11	11	13
55 to 59	10	9	13
60 and Over	11	11	10
Age Unknown	0	0	0
GENDER			
Male	62	63	62
Female	81	74	90
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	117	114	130
African American	17	13	16
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	*
Other Race	9	8	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	54	43	37
High School Grad or G.E.D.	0	0	41
Associate Degree or Some College	0	0	22
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	89	94	50
EMPLOYMENT			
Employed	14	14	17
Unemployed	10	5	78
Not in Labor Force	104	83	21
Employment Status Unknown	15	35	36
HOUSING / LIVING ARRANGEMENT			
Independent Living	82	59	95
Dependent Living	47	41	24
Homeless	*	*	*
Other	0	0	*
Housing Unknown	13	34	31
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	93	84	94
School	0	0	0
Mental Health Provider	*	7	7
Health Care Provider	25	29	35
Court / Criminal Justice	8	6	*
Other	13	11	13
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	143	135	150
Civil	0	0	0
Criminal	0	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

COOPER COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	44.9	54.6	49.1
Cigarettes	20.6	31.7	33.9
Chewing Tobacco	16.1	15.8	25.6
Marijuana	13.2	22.9	22.5
Inhalants	2.0	8.1	9.2
Prescription medications not prescribed for student	7.9	12.0	13.8
Over-the-counter medications for non-medical use	2.5	8.8	9.5
Methamphetamine	0.5	1.1	1.3
Cocaine	2.0	2.1	4.0
Heroin	0.5	0.7	0.8
Hallucinogens	2.5	4.6	1.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.8	2.1
Steroids not prescribed for student	1.0	1.1	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	10.2	
Average age of students' first use of:			
Alcohol	12.73	12.31	12.46
Cigarettes	12.41	12.58	11.82
Marijuana	14.10	13.39	13.55
Inhalants	12.06	13.46	11.60
Percent of students who, in past 30 days, used:			
Alcohol	20.3	27.2	28.4
Alcohol (Binge: 5+ drinks on one occassion)		17.3	19.5
Cigarettes	8.4	16.0	16.2
Chewing Tobacco	10.2	7.7	14.2
Marijuana	4.9	13.0	12.4
Inhalants	1.0	3.5	3.9
Prescription medications not prescribed for student	4.4	6.3	6.9
Over-the-counter medications for non-medical use	2.0	6.0	4.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	9.9		
Percent whose friends used in past 12 months:			
Alcohol	49.5	62.9	69.1
Cigarettes	33.5	50.7	56.8
Marijuana	28.3	47.0	41.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.8	21.6	20.8
Percent who would likely use, if offered by a best friend:			
Alcohol	31.7	41.2	45.0
Cigarettes	10.7	16.0	17.1
Marijuana	10.3	17.7	18.2
Percent who say it would be wrong to use:			
Alcohol	56.7	50.2	49.5
Cigarettes	82.8	77.7	76.6
Marijuana	83.0	79.9	79.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	96.8	92.6
Percent whose parents would disapprove if they use:			
Alcohol	73.5	72.0	69.8
Cigarettes	92.1	90.7	89.1
Marijuana	93.0	93.8	94.1
Percent who say it would be easy to obtain:			
Alcohol	55.1	61.6	64.6
Cigarettes	49.8	57.3	58.4
Marijuana	30.7	46.2	39.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	19.4	19.0

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	58.3		
Alcohol (Binge: 5+ drinks once or twice a week)	67.6		
Alcohol (any use)		65.8	71.6
Cigarettes (1+ packs per day)	85.3		
Cigarettes (any use)		80.6	79.7
Marijuana (once or twice a week)	66.2		
Marijuana (any use)		68.7	68.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.6	93.3	91.8
Percent of students who, in past 30 days:			
Were very sad	17.0	20.1	15.9
Were grouchy, irritable, or in a bad mood	23.0	29.6	22.1
Felt hopeless about the future	10.8	14.0	12.3
Felt like not eating or eating more than usual	15.7	17.3	17.2
Slept a lot more or a lot less than usual	17.6	21.6	27.6
Had difficulty concentrating on school work	23.9	25.5	26.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	7.4	14.1	9.2
Made plan about how they would attempt suicide	5.4	13.4	7.6
Attempted suicide	2.9	5.3	3.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.5	2.2	1.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.9	6.7	10.8
Were in a physical fight	18.0	23.2	30.5
Were in a fight and had to be treated by a doctor or nurse	2.9	2.8	3.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.1	50.7	63.8
Were made fun of by others	57.8	68.3	75.3
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.5	25.9	25.4
Spread mean rumors or lies about other kids at school	27.8	33.3	41.9
Made fun of other people	54.6	72.4	75.3
Posted something on the internet or sent a text that might embarrass or hurt another student	15.5	17.0	21.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.8	62.9	68.9
School provides feedback to parents on positive student performance	48.3	36.7	44.9
Rules are enforced fairly	63.6	52.6	59.3
Students of all races/ethnicities are treated equal	84.4	73.5	77.0
Percent of students who agree that:			
Parents notice and comment on student's good work	82.9	80.2	78.4
Parents involve student in making family decisions	71.7	65.6	66.8
It is important to be honest with parents regardless of consequences	88.2	83.1	80.8
Student could ask parent for help with a personal problem	80.8	72.2	75.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CRAWFORD COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	24,696
2014 Estimate	24,650

BIRTH RISK	2013	2012	2011
Resident Births--Total	311	288	265
Mother Reported Smoking while Pregnant	110	78	81

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	1	2
Hepatitis C Chronic and Acute	21	18	26
Tuberculosis Infection Cases	3	4	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	264	268	298
Suicides	2	4	6
Self-inflicted Injuries	23	38	29
Homicides	0	0	0
Assault Injuries	80	93	90
Alcohol Induced Deaths	1	3	3
Drug Induced Deaths	5	3	5
Smoking Attributable Deaths	52	59	53

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	201	179	194
Mental Illness Secondary Diagnosis	341	326	447
Alcohol Principal Diagnosis	13	6	13
Alcohol Secondary Diagnosis	28	35	31
Drug Principal Diagnosis	40	23	24
Drug Secondary Diagnosis	31	16	33
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	138	141	93
Mental Illness Secondary Diagnosis	383	427	398
Alcohol Principal Diagnosis	16	12	10
Alcohol Secondary Diagnosis	30	40	26
Drug Principal Diagnosis	7	16	11
Drug Secondary Diagnosis	19	29	28
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	289	283	245
Mental Illness Secondary Diagnosis	1,023	1,059	908
Alcohol Principal Diagnosis	48	35	39
Alcohol Secondary Diagnosis	57	76	59
Drug Principal Diagnosis	42	58	45
Drug Secondary Diagnosis	89	97	58

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	31	27	29
Alcohol Package Carry-out Licenses	26	30	30

EMPLOYMENT	2014	2013	2012
Labor Force	10,888	12,297	11,676
Employed	10,040	11,416	10,749
Unemployed	848	881	927
Unemployment Rate	7.8%	7.2%	7.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	29	35	31
Fatal Crashes	0	3	0
Injury Crashes	12	18	14
Property Damage Crashes	17	14	17
Crash Fatalities	0	3	0
Crash Injuries	25	28	20
Drug Involved Crashes--Total	8	5	4
Fatal Crashes	0	0	0
Injury Crashes	1	2	2
Property Damage Crashes	7	3	2
Crash Fatalities	0	0	0
Crash Injuries	1	2	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	203	234	299
Liquor Law Arrests	93	119	147
Drug Arrests	288	403	219
Violent Offenses	81	64	60
Property Offenses	906	914	844
Domestic Violence Reports	230	306	347
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	37	51	51

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	938	994	984
Drop-outs	20	24	24
Drop-out Rate	2.1%	2.4%	2.4%
School Discipline Involving Alcohol	0	13	4
School Discipline Involving Drugs	5	9	15
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	21	23	17
Juvenile Alcohol Offenses	4	6	3
Juvenile Drug Offenses	10	7	10
School Truancy Status Offense	16	17	7
Absent from Home Status Offense	1	2	1
Beyond Parental Control Status Offense	28	30	11
Injurious Behavior Status Offense	6	2	4
Child Abuse	29	2	5
Child Neglect	117	20	32
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	33	17	43
Parental Alcohol Use Related	0	3	0
Parental Drug Use Related	17	4	16
Parental Alcohol and Drug Use	0	0	4

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	27	25	28
Probation/Parole Admissions--Drug	138	128	117
Probation/Parole Admissions--DWI	23	23	19
Prison Admissions--Drug	66	43	51
Prison Admissions--DWI	7	8	9

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CRAWFORD COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	17	11	13
CSTAR Adolescent	5	6	12
CSTAR Women and Children	5	5	6
CSTAR General Adult	103	132	81
CSTAR Opioid	0	*	*
Primary Recovery Treatment	*	51	174
Clinical SATOP (CIP, YCIP, SROP)	40	43	36
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	121	146	147
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	34	46	46
- Weekend Intervention Program	24	28	26
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	*	*	11

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	158	212	288
AGE			
Under 18	5	8	13
18 to 24	25	29	42
25 to 29	30	51	53
30 to 34	31	36	54
35 to 39	20	26	34
40 to 44	13	15	32
45 to 54	27	35	50
55 and Over	7	12	10
GENDER			
Male	100	137	212
Female	58	75	76
RACE / ETHNICITY			
Caucasian	148	202	279
African American	*	*	*
Native American / Alaskan	*	*	0
Asian / Pacific Islander	0	0	*
Hispanic	*	*	*
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	56	73	108
High School Graduate or G.E.D.	76	100	136
Associate Degree or Some College	26	39	44
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	57	66	110
Unemployed	62	86	119
Not in Labor Force	39	60	59
HOUSING / LIVING ARRANGEMENT			
Independent Living	139	191	257
Dependent Living	10	16	23
Homeless	*	*	5
MARITAL / FAMILY STATUS			
Never Married	74	109	127
Married / Cohabitating	51	66	89
Previously Married	33	37	72

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	61	94	116
Marijuana / Hashish	27	48	81
Cocaine (total)	0	*	*
- Crack	0	*	*
Stimulant (total)	41	33	54
- Methamphetamine	40	32	53
Heroin	12	10	17
Analgesic except Heroin	15	22	15
- Non-Prescription Methadone	0	*	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	*	*
Inhalant	0	0	*
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	19.0	18.7	17.5
INJECTION DRUG USE			
Any Injection Use at Admission	29	25	39
- Daily Injection Use	6	*	*
- Weekly Injection Use	7	6	5
- Less than Weekly Injection Use	16	17	30
LIFETIME DUI / DWI ARRESTS			
0	74	118	152
1 or 2	56	61	85
3 or More	28	33	51
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	59	54	42
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	*	*	6
Court / Criminal Justice	60	123	223
Other Referral Source	34	28	16
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	6	*
Military Veteran	6	10	19
Special Education Services Needed	19	37	54
Co-Occurring Psychological Problem	59	95	101
Co-Occurring Developmental Problem	*	19	11

CRAWFORD COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	17A
CENSUS 2010	24,696
2014 POPULATION ESTIMATE	24,650

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	25	17	14
Anxiety Disorder	225	237	191
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	86	60	70
Mood Disorder	351	359	303
Personality Disorder	16	12	14
Psychotic Disorder	66	58	47
Sexual Disorder	0	*	0
Other Diagnosis	19	17	12
Diagnosis Unknown	29	23	21

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	484	482	417
AGE			
Under 6	11	9	7
6 to 9	35	29	30
10 to 13	45	34	33
14 to 17	33	34	24
18 to 24	38	31	27
25 to 29	49	59	57
30 to 34	39	47	40
35 to 39	35	42	36
40 to 44	51	46	40
45 to 49	52	56	42
50 to 54	43	42	38
55 to 59	28	26	25
60 and Over	25	27	18
Age Unknown	0	0	0
GENDER			
Male	217	205	178
Female	267	277	239
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	466	458	402
African American	*	*	*
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	9	11	8
Other Race	*	7	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	11	14	10
Past or Current Military Service	8	10	7

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	184	238	149
High School Grad or G.E.D.	0	24	53
Associate Degree or Some College	0	14	29
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	300	206	186
EMPLOYMENT			
Employed	8	34	32
Unemployed	5	67	174
Not in Labor Force	301	281	27
Employment Status Unknown	170	100	184
HOUSING / LIVING ARRANGEMENT			
Independent Living	158	257	193
Dependent Living	145	128	70
Homeless	*	*	*
Other	0	0	*
Housing Unknown	178	93	152
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	367	354	281
School	5	8	12
Mental Health Provider	7	9	8
Health Care Provider	51	49	40
Court / Criminal Justice	*	6	11
Other	50	56	65
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	483	479	412
Civil	*	*	*
Criminal	0	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

CRAWFORD COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	37.8	46.6	52.7
Cigarettes	25.9	30.8	36.0
Chewing Tobacco	14.7	17.5	19.3
Marijuana	15.9	20.0	17.8
Inhalants	3.3	8.6	9.8
Prescription medications not prescribed for student	9.6	12.6	16.4
Over-the-counter medications for non-medical use	2.6	6.8	9.8
Methamphetamine	0.7	2.3	1.8
Cocaine	1.1	2.6	1.8
Heroin	0.0	1.5	0.8
Hallucinogens	1.5	4.8	3.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	3.3	1.8
Steroids not prescribed for student	1.1	1.8	1.2
Synthetic drugs (K2, bath salts, Spice, etc)	4.1	9.1	
Average age of students' first use of:			
Alcohol	12.66	12.37	12.32
Cigarettes	12.07	11.70	11.80
Marijuana	14.08	13.07	13.41
Inhalants	12.84	12.65	12.61
Percent of students who, in past 30 days, used:			
Alcohol	15.3	19.4	24.0
Alcohol (Binge: 5+ drinks on one occassion)		12.4	15.5
Cigarettes	9.9	16.8	19.1
Chewing Tobacco	8.1	8.9	8.8
Marijuana	7.7	11.1	10.8
Inhalants	1.5	4.0	4.5
Prescription medications not prescribed for student	4.4	7.1	10.5
Over-the-counter medications for non-medical use	1.1	4.8	5.3
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.2		
Percent whose friends used in past 12 months:			
Alcohol	49.6	60.2	66.7
Cigarettes	36.1	55.2	54.1
Marijuana	32.1	40.4	38.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	19.4	18.0
Percent who would likely use, if offered by a best friend:			
Alcohol	30.8	33.2	39.7
Cigarettes	14.0	18.5	18.4
Marijuana	13.3	15.7	12.8
Percent who say it would be wrong to use:			
Alcohol	61.1	55.9	49.7
Cigarettes	80.0	71.9	71.5
Marijuana	79.8	77.2	79.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	93.7	94.1
Percent whose parents would disapprove if they use:			
Alcohol	73.5	74.7	72.4
Cigarettes	87.1	86.5	85.7
Marijuana	88.8	88.7	93.9
Percent who say it would be easy to obtain:			
Alcohol	51.4	57.1	63.0
Cigarettes	50.7	56.5	67.1
Marijuana	35.6	38.5	40.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	20.9	21.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	60.9		
Alcohol (Binge: 5+ drinks once or twice a week)	64.5		
Alcohol (any use)		67.1	71.0
Cigarettes (1+ packs per day)	81.0		
Cigarettes (any use)		76.9	73.6
Marijuana (once or twice a week)	65.5		
Marijuana (any use)		67.8	69.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.7	90.6	92.0
Percent of students who, in past 30 days:			
Were very sad	20.9	25.1	8.7
Were grouchy, irritable, or in a bad mood	31.3	28.4	14.8
Felt hopeless about the future	12.0	12.9	7.4
Felt like not eating or eating more than usual	20.0	19.8	12.9
Slept a lot more or a lot less than usual	17.6	21.6	21.7
Had difficulty concentrating on school work	29.7	24.4	18.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.8	14.5	14.3
Made plan about how they would attempt suicide	9.4	11.2	10.3
Attempted suicide	5.4	8.1	7.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.6	3.4	1.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.9	7.9	11.1
Were in a physical fight	15.5	24.9	24.3
Were in a fight and had to be treated by a doctor or nurse	3.6	3.8	1.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	56.0	53.4	61.7
Were made fun of by others	61.4	62.9	72.0
Were victims of an embarrassing or hurtful text message or something posted on the internet	27.9	23.5	22.8
Spread mean rumors or lies about other kids at school	26.7	28.5	44.1
Made fun of other people	56.0	66.6	79.7
Posted something on the internet or sent a text that might embarrass or hurt another student	18.9	15.7	19.8
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.7	66.8	67.7
School provides feedback to parents on positive student performance	50.2	36.5	36.9
Rules are enforced fairly	65.7	57.4	59.7
Students of all races/ethnicities are treated equal	85.3	78.4	79.4
Percent of students who agree that:			
Parents notice and comment on student's good work	81.5	79.0	80.4
Parents involve student in making family decisions	62.5	61.9	60.5
It is important to be honest with parents regardless of consequences	89.5	83.8	82.8
Student could ask parent for help with a personal problem	77.4	69.3	72.8

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DADE COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	8A
POPULATION	
Census 2010	7,883
2014 Estimate	7,628

BIRTH RISK	2013	2012	2011
Resident Births--Total	62	60	73
Mother Reported Smoking while Pregnant	16	20	19

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	5	3	5
Tuberculosis Infection Cases	1	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	97	86	107
Suicides	2	1	1
Self-inflicted Injuries	7	13	10
Homicides	0	0	1
Assault Injuries	20	16	17
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	1	2
Smoking Attributable Deaths	21	11	15

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	51	33	51
Mental Illness Secondary Diagnosis	72	89	100
Alcohol Principal Diagnosis	0	3	2
Alcohol Secondary Diagnosis	4	2	6
Drug Principal Diagnosis	3	8	5
Drug Secondary Diagnosis	2	0	0
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	39	20	26
Mental Illness Secondary Diagnosis	139	105	102
Alcohol Principal Diagnosis	9	3	11
Alcohol Secondary Diagnosis	9	10	13
Drug Principal Diagnosis	8	7	6
Drug Secondary Diagnosis	5	15	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	51	55	48
Mental Illness Secondary Diagnosis	214	222	114
Alcohol Principal Diagnosis	5	5	6
Alcohol Secondary Diagnosis	22	11	12
Drug Principal Diagnosis	18	19	9
Drug Secondary Diagnosis	19	22	8

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	3	3	3
Alcohol Package Carry-out Licenses	12	11	12

EMPLOYMENT	2014	2013	2012
Labor Force	3,496	3,625	3,472
Employed	3,287	3,400	3,222
Unemployed	209	225	250
Unemployment Rate	6.0%	6.2%	7.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	4	6	10
Fatal Crashes	0	0	0
Injury Crashes	3	3	7
Property Damage Crashes	1	3	3
Crash Fatalities	0	0	0
Crash Injuries	4	4	8
Drug Involved Crashes--Total	1	3	1
Fatal Crashes	0	0	0
Injury Crashes	0	1	1
Property Damage Crashes	1	2	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	26	24	28
Liquor Law Arrests	3	0	2
Drug Arrests	33	36	21
Violent Offenses	33	10	14
Property Offenses	80	67	79
Domestic Violence Reports	26	17	19
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	2	4

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	350	344	342
Drop-outs	9	1	9
Drop-out Rate	2.6%	0.3%	2.6%
School Discipline Involving Alcohol	1	0	0
School Discipline Involving Drugs	2	0	7
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	1	7	3
Juvenile Alcohol Offenses	1	0	0
Juvenile Drug Offenses	3	2	1
School Truancy Status Offense	4	6	6
Absent from Home Status Offense	2	0	2
Beyond Parental Control Status Offense	4	1	4
Injurious Behavior Status Offense	5	13	13
Child Abuse	21	14	6
Child Neglect	27	39	38
Child Custody Issues	0	0	2

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	2	1	5
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	3

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	5	0	0
Probation/Parole Admissions--Drug	20	6	13
Probation/Parole Admissions--DWI	4	3	0
Prison Admissions--Drug	8	5	5
Prison Admissions--DWI	1	2	0

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DADE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	9	5	5
CSTAR Adolescent	*	*	0
CSTAR Women and Children	11	*	*
CSTAR General Adult	8	9	8
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	5
Clinical SATOP (CIP, YCIP, SROP)	6	6	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	13	20	20
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	*	5	13
- Weekend Intervention Program	*	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	0	6	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	30	27	15
AGE			
Under 18	*	*	0
18 to 24	5	9	*
25 to 29	*	*	*
30 to 34	7	0	*
35 to 39	6	*	*
40 to 44	*	*	*
45 to 54	5	*	*
55 and Over	0	*	0
GENDER			
Male	12	17	11
Female	18	10	*
RACE / ETHNICITY			
Caucasian	30	25	14
African American	0	*	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race / Two or More Races	0	*	*
EDUCATION			
Less than High School Diploma	8	7	*
High School Graduate or G.E.D.	17	12	7
Associate Degree or Some College	5	7	*
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	*	9	*
Unemployed	10	5	*
Not in Labor Force	16	13	8
HOUSING / LIVING ARRANGEMENT			
Independent Living	21	23	15
Dependent Living	*	*	0
Homeless	*	0	0
MARITAL / FAMILY STATUS			
Never Married	12	11	5
Married / Cohabitating	12	8	6
Previously Married	6	8	*

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	8	10	7
Marijuana / Hashish	*	5	*
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	9	6	*
- Methamphetamine	9	6	*
Heroin	*	0	*
Analgesic except Heroin	7	5	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	*
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	0
Average Age at First Use of Drug	21.2	18.0	18.3
INJECTION DRUG USE			
Any Injection Use at Admission	11	6	*
- Daily Injection Use	*	0	0
- Weekly Injection Use	6	*	*
- Less than Weekly Injection Use	*	*	0
LIFETIME DUI / DWI ARRESTS			
0	15	18	8
1 or 2	10	5	6
3 or More	5	*	*
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	11	16	8
School	*	0	0
Mental Health Provider	0	0	0
Health Care Provider	*	*	*
Court / Criminal Justice	7	9	5
Other Referral Source	8	*	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	0	*
Military Veteran	*	0	0
Special Education Services Needed	0	0	*
Co-Occurring Psychological Problem	10	12	8
Co-Occurring Developmental Problem	0	*	*

DADE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	8A
CENSUS 2010	7,883
2014 POPULATION ESTIMATE	7,628

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	0
Anxiety Disorder	7	7	7
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	6	*	5
Mood Disorder	14	14	14
Personality Disorder	*	*	*
Psychotic Disorder	6	6	*
Sexual Disorder	0	0	0
Other Diagnosis	8	5	5
Diagnosis Unknown	5	*	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	32	30	29
AGE			
Under 6	0	0	0
6 to 9	5	*	*
10 to 13	*	*	*
14 to 17	5	8	7
18 to 24	*	*	5
25 to 29	*	*	*
30 to 34	*	*	*
35 to 39	0	0	*
40 to 44	*	*	*
45 to 49	*	*	*
50 to 54	*	*	*
55 to 59	*	*	0
60 and Over	0	*	*
Age Unknown	0	0	0
GENDER			
Male	19	18	16
Female	13	12	13
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	30	25	26
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	*
Other Race	*	*	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	0	0	0
Past or Current Military Service	0	0	0

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	15	9	5
High School Grad or G.E.D.	0	0	*
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	17	21	20
EMPLOYMENT			
Employed	0	0	0
Unemployed	*	0	5
Not in Labor Force	19	12	*
Employment Status Unknown	12	18	20
HOUSING / LIVING ARRANGEMENT			
Independent Living	7	*	7
Dependent Living	11	10	5
Homeless	0	*	0
Other	0	0	0
Housing Unknown	14	17	17
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	15	9	7
School	*	*	0
Mental Health Provider	*	*	*
Health Care Provider	*	*	7
Court / Criminal Justice	*	*	0
Other	7	10	13
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	31	30	29
Civil	*	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

DADE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	28.7	36.7	37.3
Cigarettes	15.1	22.3	22.5
Chewing Tobacco	7.4	10.8	16.3
Marijuana	7.6	10.8	13.9
Inhalants	2.1	7.9	4.1
Prescription medications not prescribed for student	10.8	6.5	10.6
Over-the-counter medications for non-medical use	1.1	7.2	6.1
Methamphetamine	1.1	0.7	0.7
Cocaine	1.1	2.9	0.7
Heroin	0.0	0.0	0.0
Hallucinogens	1.1	1.4	1.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.2	2.0
Steroids not prescribed for student	0.0	0.7	0.0
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	5.7	
Average age of students' first use of:			
Alcohol	13.28	12.70	12.89
Cigarettes	12.70	12.11	12.56
Marijuana	14.09	13.72	13.61
Inhalants	11.76	12.36	13.90
Percent of students who, in past 30 days, used:			
Alcohol	12.9	17.3	14.7
Alcohol (Binge: 5+ drinks on one occassion)		10.1	13.9
Cigarettes	8.6	10.0	12.8
Chewing Tobacco	4.2	5.8	8.2
Marijuana	5.4	4.3	7.3
Inhalants	1.1	3.6	2.7
Prescription medications not prescribed for student	5.4	4.3	8.0
Over-the-counter medications for non-medical use	0.0	2.2	4.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.4		
Percent whose friends used in past 12 months:			
Alcohol	35.1	43.9	52.3
Cigarettes	29.0	33.8	40.4
Marijuana	22.3	23.0	30.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3	14.3	17.9
Percent who would likely use, if offered by a best friend:			
Alcohol	19.4	22.3	30.2
Cigarettes	10.9	10.8	14.7
Marijuana	10.6	6.5	9.4
Percent who say it would be wrong to use:			
Alcohol	71.0	69.8	65.8
Cigarettes	89.2	86.3	80.1
Marijuana	88.0	87.8	86.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	97.1	94.7
Percent whose parents would disapprove if they use:			
Alcohol	82.8	81.2	83.3
Cigarettes	94.6	92.8	90.5
Marijuana	95.7	95.6	93.9
Percent who say it would be easy to obtain:			
Alcohol	46.2	55.0	53.6
Cigarettes	47.3	50.7	54.0
Marijuana	29.0	29.5	38.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	15.8	22.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	62.8		
Alcohol (Binge: 5+ drinks once or twice a week)	74.5		
Alcohol (any use)		76.3	78.8
Cigarettes (1+ packs per day)	87.1		
Cigarettes (any use)		85.7	82.8
Marijuana (once or twice a week)	73.4		
Marijuana (any use)		79.1	74.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.5	96.4	91.4
Percent of students who, in past 30 days:			
Were very sad	19.4	17.1	11.3
Were grouchy, irritable, or in a bad mood	24.7	27.3	19.3
Felt hopeless about the future	12.8	13.0	10.1
Felt like not eating or eating more than usual	16.0	14.6	17.4
Slept a lot more or a lot less than usual	14.0	18.0	19.9
Had difficulty concentrating on school work	25.5	25.2	24.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.5	10.8	7.3
Made plan about how they would attempt suicide	8.5	7.9	6.0
Attempted suicide	4.3	4.3	3.3
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.2	1.5	1.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.5	7.9	7.9
Were in a physical fight	19.1	20.9	23.8
Were in a fight and had to be treated by a doctor or nurse	4.3	2.9	2.6
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	57.4	53.6	62.2
Were made fun of by others	65.6	66.2	75.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.5	22.1	23.5
Spread mean rumors or lies about other kids at school	23.2	31.4	39.7
Made fun of other people	52.1	67.9	73.5
Posted something on the internet or sent a text that might embarrass or hurt another student	13.8	13.7	20.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.5	72.9	72.5
School provides feedback to parents on positive student performance	42.6	38.1	50.3
Rules are enforced fairly	69.1	56.5	68.9
Students of all races/ethnicities are treated equal	85.1	78.3	85.3
Percent of students who agree that:			
Parents notice and comment on student's good work	79.8	87.1	88.6
Parents involve student in making family decisions	71.3	74.8	73.0
It is important to be honest with parents regardless of consequences	88.3	90.6	85.9
Student could ask parent for help with a personal problem	78.7	81.3	84.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DALLAS COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	16,777
2014 Estimate	16,389

BIRTH RISK	2013	2012	2011
Resident Births--Total	209	192	206
Mother Reported Smoking while Pregnant	43	41	39

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	1
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	16	8	13
Tuberculosis Infection Cases	1	1	5

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	194	162	149
Suicides	4	1	3
Self-inflicted Injuries	18	8	22
Homicides	0	1	0
Assault Injuries	35	64	35
Alcohol Induced Deaths	1	4	0
Drug Induced Deaths	2	1	3
Smoking Attributable Deaths	42	35	22

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	110	89	99
Mental Illness Secondary Diagnosis	148	165	163
Alcohol Principal Diagnosis	7	3	0
Alcohol Secondary Diagnosis	4	6	2
Drug Principal Diagnosis	3	8	0
Drug Secondary Diagnosis	8	14	6
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	72	69	57
Mental Illness Secondary Diagnosis	324	315	260
Alcohol Principal Diagnosis	10	15	16
Alcohol Secondary Diagnosis	31	31	31
Drug Principal Diagnosis	21	20	13
Drug Secondary Diagnosis	23	18	27
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	107	119	143
Mental Illness Secondary Diagnosis	1,013	893	394
Alcohol Principal Diagnosis	29	18	30
Alcohol Secondary Diagnosis	34	24	26
Drug Principal Diagnosis	16	33	32
Drug Secondary Diagnosis	44	53	40

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	8	10	10
Alcohol Package Carry-out Licenses	19	19	17

EMPLOYMENT	2014	2013	2012
Labor Force	7,086	7,106	7,201
Employed	6,561	6,584	6,623
Unemployed	525	522	578
Unemployment Rate	7.4%	7.3%	8.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	15	10	11
Fatal Crashes	0	1	0
Injury Crashes	9	6	5
Property Damage Crashes	6	3	6
Crash Fatalities	0	1	0
Crash Injuries	13	7	6
Drug Involved Crashes--Total	2	2	0
Fatal Crashes	0	0	0
Injury Crashes	1	2	0
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	5	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	74	116	76
Liquor Law Arrests	53	83	82
Drug Arrests	129	132	94
Violent Offenses	40	34	40
Property Offenses	340	401	325
Domestic Violence Reports	98	128	115
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	5	10	12

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	486	496	556
Drop-outs	10	19	28
Drop-out Rate	2.1%	3.8%	5.0%
School Discipline Involving Alcohol	0	1	1
School Discipline Involving Drugs	5	6	11
School Discipline Involving Tobacco	0	0	3

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	20	27	28
Juvenile Alcohol Offenses	6	2	2
Juvenile Drug Offenses	7	10	8
School Truancy Status Offense	12	14	6
Absent from Home Status Offense	6	6	14
Beyond Parental Control Status Offense	8	14	14
Injurious Behavior Status Offense	1	7	6
Child Abuse	44	42	58
Child Neglect	69	82	62
Child Custody Issues	3	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	16	22	6
Parental Alcohol Use Related	1	4	0
Parental Drug Use Related	5	4	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	39	30	24
Probation/Parole Admissions--DWI	6	5	8
Prison Admissions--Drug	16	18	18
Prison Admissions--DWI	11	8	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DALLAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	7	10	5
CSTAR Adolescent	5	*	8
CSTAR Women and Children	9	6	5
CSTAR General Adult	57	42	43
CSTAR Opioid	*	*	0
Primary Recovery Treatment	7	9	9
Clinical SATOP (CIP, YCIP, SROP)	*	9	6
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	46	42	55
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	12	20	27
- Weekend Intervention Program	13	8	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	10	*	6
Early Intervention	0	6	7

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	80	71	70
AGE			
Under 18	5	*	8
18 to 24	16	9	12
25 to 29	8	16	9
30 to 34	12	6	12
35 to 39	10	12	7
40 to 44	13	11	5
45 to 54	12	10	15
55 and Over	*	5	*
GENDER			
Male	52	46	48
Female	28	25	22
RACE / ETHNICITY			
Caucasian	78	70	68
African American	0	0	*
Native American / Alaskan	0	*	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	*
Other Race / Two or More Races	*	0	0
EDUCATION			
Less than High School Diploma	26	22	30
High School Graduate or G.E.D.	45	34	30
Associate Degree or Some College	9	15	10
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	16	19	20
Unemployed	31	15	24
Not in Labor Force	33	37	26
HOUSING / LIVING ARRANGEMENT			
Independent Living	68	61	57
Dependent Living	10	6	12
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	33	26	33
Married / Cohabitating	22	20	22
Previously Married	25	25	15

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	23	30	23
Marijuana / Hashish	20	13	23
Cocaine (total)	0	0	*
- Crack	0	0	*
Stimulant (total)	32	21	11
- Methamphetamine	31	21	11
Heroin	0	*	0
Analgesic except Heroin	5	*	10
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	*
Average Age at First Use of Drug	16.6	17.6	15.8
INJECTION DRUG USE			
Any Injection Use at Admission	27	12	12
- Daily Injection Use	0	*	0
- Weekly Injection Use	11	5	*
- Less than Weekly Injection Use	16	6	9
LIFETIME DUI / DWI ARRESTS			
0	55	39	36
1 or 2	16	23	22
3 or More	9	9	12
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	18	24	13
School	0	0	0
Mental Health Provider	*	*	0
Health Care Provider	*	5	*
Court / Criminal Justice	44	27	48
Other Referral Source	11	13	7
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	0	0
Military Veteran	*	*	*
Special Education Services Needed	6	10	13
Co-Occurring Psychological Problem	35	33	33
Co-Occurring Developmental Problem	*	7	*

DALLAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	10
CENSUS 2010	16,777
2014 POPULATION ESTIMATE	16,389

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	6	5	*
Anxiety Disorder	35	27	33
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	11	8	7
Mood Disorder	41	43	57
Personality Disorder	17	16	13
Psychotic Disorder	27	24	23
Sexual Disorder	0	0	0
Other Diagnosis	11	8	12
Diagnosis Unknown	*	7	14

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	79	75	95
AGE			
Under 6	*	*	*
6 to 9	12	6	*
10 to 13	*	*	5
14 to 17	*	5	9
18 to 24	*	*	5
25 to 29	*	5	5
30 to 34	9	5	8
35 to 39	9	8	11
40 to 44	8	10	10
45 to 49	8	10	11
50 to 54	8	6	8
55 to 59	5	6	8
60 and Over	6	6	10
Age Unknown	0	0	0
GENDER			
Male	41	38	49
Female	38	37	46
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	77	73	91
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	21	9	18
High School Grad or G.E.D.	0	0	20
Associate Degree or Some College	0	*	6
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	58	65	49
EMPLOYMENT			
Employed	*	*	0
Unemployed	*	*	37
Not in Labor Force	35	26	14
Employment Status Unknown	40	45	44
HOUSING / LIVING ARRANGEMENT			
Independent Living	20	19	33
Dependent Living	17	8	18
Homeless	0	0	*
Other	0	*	*
Housing Unknown	42	47	42
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	42	39	49
School	0	0	*
Mental Health Provider	*	5	5
Health Care Provider	12	8	13
Court / Criminal Justice	*	*	8
Other	20	20	18
Referral Source Unknown	0	0	*
TYPE OF COMMITMENT			
Voluntary	79	74	90
Civil	0	*	*
Criminal	0	0	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	*

DALLAS COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol		39.5	38.8
Cigarettes		30.3	27.1
Chewing Tobacco		17.5	21.6
Marijuana		13.2	11.2
Inhalants		4.9	5.6
Prescription medications not prescribed for student		8.0	13.3
Over-the-counter medications for non-medical use		6.3	6.5
Methamphetamine		1.8	0.8
Cocaine		2.1	0.8
Heroin		1.1	0.0
Hallucinogens		2.5	1.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.5	1.1
Steroids not prescribed for student		2.8	0.5
Synthetic drugs (K2, bath salts, Spice, etc)		5.9	
Average age of students' first use of:			
Alcohol		12.58	12.10
Cigarettes		12.05	11.72
Marijuana		13.17	12.98
Inhalants		12.10	12.45
Percent of students who, in past 30 days, used:			
Alcohol		13.3	15.4
Alcohol (Binge: 5+ drinks on one occassion)		7.0	8.9
Cigarettes		13.6	8.8
Chewing Tobacco		9.8	12.7
Marijuana		5.6	4.0
Inhalants		1.4	3.2
Prescription medications not prescribed for student		4.9	7.1
Over-the-counter medications for non-medical use		4.5	3.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol		47.6	56.2
Cigarettes		42.9	42.2
Marijuana		28.7	25.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.3	11.9
Percent who would likely use, if offered by a best friend:			
Alcohol		22.7	26.5
Cigarettes		11.3	10.4
Marijuana		11.2	6.1
Percent who say it would be wrong to use:			
Alcohol		66.0	64.2
Cigarettes		81.1	82.5
Marijuana		83.2	90.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		95.8	98.7
Percent whose parents would disapprove if they use:			
Alcohol		81.6	80.8
Cigarettes		90.2	91.0
Marijuana		92.6	95.9
Percent who say it would be easy to obtain:			
Alcohol		47.3	52.4
Cigarettes		49.1	53.7
Marijuana		32.0	27.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		18.0	16.4

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)		76.7	85.1
Cigarettes (1+ packs per day)			
Cigarettes (any use)		81.1	83.4
Marijuana (once or twice a week)			
Marijuana (any use)		76.8	80.5
Other: Cocaine, LSD, Meth, Club Drug (any use)		92.6	97.3
Percent of students who, in past 30 days:			
Were very sad		20.9	13.0
Were grouchy, irritable, or in a bad mood		27.3	21.9
Felt hopeless about the future		12.6	9.1
Felt like not eating or eating more than usual		19.0	11.9
Slept a lot more or a lot less than usual		19.6	21.1
Had difficulty concentrating on school work		24.8	19.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide		14.7	11.3
Made plan about how they would attempt suicide		9.5	9.8
Attempted suicide		6.7	3.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		3.2	0.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school		6.6	12.4
Were in a physical fight		21.3	21.6
Were in a fight and had to be treated by a doctor or nurse		3.5	2.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school		51.2	59.6
Were made fun of by others		61.1	67.1
Were victims of an embarrassing or hurtful text message or something posted on the internet		18.9	18.3
Spread mean rumors or lies about other kids at school		21.8	28.4
Made fun of other people		60.7	68.6
Posted something on the internet or sent a text that might embarrass or hurt another student		8.4	16.6
Percent of students who agree that:			
Teachers notice and comment on student's good work		58.7	61.3
School provides feedback to parents on positive student performance		26.8	33.9
Rules are enforced fairly		54.1	61.5
Students of all races/ethnicities are treated equal		72.7	78.0
Percent of students who agree that:			
Parents notice and comment on student's good work		78.5	84.5
Parents involve student in making family decisions		67.0	66.7
It is important to be honest with parents regardless of consequences		87.0	91.1
Student could ask parent for help with a personal problem		77.5	71.8

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DAVIESS COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	8,433
2014 Estimate	8,297

BIRTH RISK	2013	2012	2011
Resident Births--Total	107	106	110
Mother Reported Smoking while Pregnant	27	23	20

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	5	1	4
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	95	90	84
Suicides	3	2	3
Self-inflicted Injuries	1	9	11
Homicides	0	0	0
Assault Injuries	10	11	21
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	21	19	17

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	49	45	35
Mental Illness Secondary Diagnosis	80	94	93
Alcohol Principal Diagnosis	2	2	7
Alcohol Secondary Diagnosis	3	5	5
Drug Principal Diagnosis	1	2	2
Drug Secondary Diagnosis	7	5	7
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	10	18	13
Mental Illness Secondary Diagnosis	124	110	115
Alcohol Principal Diagnosis	2	2	3
Alcohol Secondary Diagnosis	6	11	5
Drug Principal Diagnosis	0	2	1
Drug Secondary Diagnosis	8	6	6
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	44	44	47
Mental Illness Secondary Diagnosis	55	61	74
Alcohol Principal Diagnosis	5	14	9
Alcohol Secondary Diagnosis	7	10	13
Drug Principal Diagnosis	2	6	4
Drug Secondary Diagnosis	9	9	8

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	5	5	6
Alcohol Package Carry-out Licenses	11	10	12

EMPLOYMENT	2014	2013	2012
Labor Force	4,059	3,972	3,931
Employed	3,823	3,735	3,656
Unemployed	236	237	275
Unemployment Rate	5.8%	6.0%	7.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	6	10	2
Fatal Crashes	1	1	0
Injury Crashes	5	5	1
Property Damage Crashes	0	4	1
Crash Fatalities	1	1	0
Crash Injuries	5	6	1
Drug Involved Crashes--Total	2	3	3
Fatal Crashes	0	0	0
Injury Crashes	1	1	2
Property Damage Crashes	1	2	1
Crash Fatalities	0	0	0
Crash Injuries	1	1	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	27	38	47
Liquor Law Arrests	3	1	7
Drug Arrests	57	44	53
Violent Offenses	6	6	7
Property Offenses	64	97	89
Domestic Violence Reports	14	15	18
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	353	348	350
Drop-outs	3	0	5
Drop-out Rate	0.8%	0.0%	1.4%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	2	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	6	6	2
Juvenile Alcohol Offenses	0	2	0
Juvenile Drug Offenses	2	0	0
School Truancy Status Offense	3	24	1
Absent from Home Status Offense	2	6	0
Beyond Parental Control Status Offense	7	9	1
Injurious Behavior Status Offense	17	14	1
Child Abuse	2	0	4
Child Neglect	3	5	3
Child Custody Issues	0	0	2

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	10	17	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	7	1
Parental Alcohol and Drug Use	0	3	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	29	45	40
Probation/Parole Admissions--DWI	8	7	8
Prison Admissions--Drug	21	22	27
Prison Admissions--DWI	2	5	6

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DAVIESS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	0
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	21	25	31
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	11	*
Clinical SATOP (CIP, YCIP, SROP)	*	5	7
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	24	32	19
- Adolescent Diversion Education Prograr	*	*	0
- Offender Education Program	*	9	6
- Weekend Intervention Program	7	11	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	*	*	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	31	39	43
AGE			
Under 18	*	*	*
18 to 24	6	13	6
25 to 29	*	*	6
30 to 34	*	7	9
35 to 39	5	5	*
40 to 44	*	*	8
45 to 54	7	9	7
55 and Over	*	0	*
GENDER			
Male	21	27	31
Female	10	12	12
RACE / ETHNICITY			
Caucasian	30	39	42
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	*
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	12	15	12
High School Graduate or G.E.D.	16	19	25
Associate Degree or Some College	*	5	6
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	13	10	14
Unemployed	11	23	22
Not in Labor Force	7	6	7
HOUSING / LIVING ARRANGEMENT			
Independent Living	27	36	39
Dependent Living	*	*	*
Homeless	0	0	0
MARITAL / FAMILY STATUS			
Never Married	14	18	19
Married / Cohabitating	11	11	12
Previously Married	6	10	12

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	13	18	20
Marijuana / Hashish	9	11	13
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	7	9	9
- Methamphetamine	7	9	9
Heroin	0	0	0
Analgesic except Heroin	*	*	0
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	15.4	16.6	16.9
INJECTION DRUG USE			
Any Injection Use at Admission	*	5	*
- Daily Injection Use	0	*	0
- Weekly Injection Use	0	0	0
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	17	18	27
1 or 2	8	13	9
3 or More	6	8	7
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	7	*	*
School	0	0	0
Mental Health Provider	*	0	*
Health Care Provider	*	*	0
Court / Criminal Justice	8	14	27
Other Referral Source	14	20	11
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	0
Military Veteran	0	*	6
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	16	16	9
Co-Occurring Developmental Problem	0	*	0

DAVIESS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	13
CENSUS 2010	8,433
2014 POPULATION ESTIMATE	8,297

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	26	29	41
Dementia	0	0	0
Developmental Disorder	*	5	5
Impulse Control Disorder	16	23	28
Mood Disorder	44	55	64
Personality Disorder	7	6	7
Psychotic Disorder	6	7	6
Sexual Disorder	*	0	0
Other Diagnosis	9	11	7
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	64	78	88
AGE			
Under 6	0	0	0
6 to 9	5	9	9
10 to 13	7	6	7
14 to 17	7	22	15
18 to 24	5	*	8
25 to 29	*	6	6
30 to 34	*	*	6
35 to 39	5	6	5
40 to 44	*	*	7
45 to 49	8	6	8
50 to 54	8	5	9
55 to 59	7	*	*
60 and Over	*	*	5
Age Unknown	0	0	0
GENDER			
Male	27	36	35
Female	37	42	53
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	62	76	86
African American	0	0	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	0
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	0	0
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	20	38	6
High School Grad or G.E.D.	*	5	11
Associate Degree or Some College	*	*	*
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	41	33	67
EMPLOYMENT			
Employed	9	11	6
Unemployed	6	5	11
Not in Labor Force	39	50	9
Employment Status Unknown	10	12	62
HOUSING / LIVING ARRANGEMENT			
Independent Living	36	32	22
Dependent Living	15	34	5
Homeless	0	0	0
Other	0	0	0
Housing Unknown	13	12	61
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	32	32	37
School	*	*	*
Mental Health Provider	6	8	13
Health Care Provider	10	9	15
Court / Criminal Justice	8	10	8
Other	7	17	13
Referral Source Unknown	0	0	*
TYPE OF COMMITMENT			
Voluntary	63	78	87
Civil	0	0	0
Criminal	*	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	*

DAVIESS COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	34.7	31.0	49.5
Cigarettes	26.7	30.3	29.3
Chewing Tobacco	14.9	19.3	23.4
Marijuana	11.9	13.0	14.8
Inhalants	5.0	9.6	7.1
Prescription medications not prescribed for student	8.0	12.3	19.2
Over-the-counter medications for non-medical use	3.0	8.3	9.5
Methamphetamine	0.0	2.8	1.7
Cocaine	1.0	2.8	4.9
Heroin	0.0	2.8	2.2
Hallucinogens	1.0	5.5	3.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	5.5	3.3
Steroids not prescribed for student	1.0	3.4	3.8
Synthetic drugs (K2, bath salts, Spice, etc)	5.9	11.6	
Average age of students' first use of:			
Alcohol	12.99	12.57	12.77
Cigarettes	13.38	12.17	12.61
Marijuana	14.27	13.48	13.94
Inhalants	12.75	12.17	12.55
Percent of students who, in past 30 days, used:			
Alcohol	14.9	13.8	21.3
Alcohol (Binge: 5+ drinks on one occassion)		9.0	13.5
Cigarettes	13.9	16.8	14.1
Chewing Tobacco	7.9	11.6	12.0
Marijuana	4.0	5.5	7.7
Inhalants	2.0	4.1	3.3
Prescription medications not prescribed for student	2.0	6.8	9.9
Over-the-counter medications for non-medical use	1.0	7.5	6.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.9		
Percent whose friends used in past 12 months:			
Alcohol	44.0	45.9	51.1
Cigarettes	40.6	43.2	48.4
Marijuana	24.0	23.8	26.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.0	12.3	11.1
Percent who would likely use, if offered by a best friend:			
Alcohol	26.7	27.4	27.1
Cigarettes	17.0	21.2	16.9
Marijuana	8.9	12.4	9.4
Percent who say it would be wrong to use:			
Alcohol	61.4	65.5	63.0
Cigarettes	78.0	76.6	79.2
Marijuana	85.0	84.8	86.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	93.8	95.1
Percent whose parents would disapprove if they use:			
Alcohol	78.0	89.0	77.7
Cigarettes	89.0	92.4	88.0
Marijuana	93.9	97.3	97.3
Percent who say it would be easy to obtain:			
Alcohol	50.0	39.3	54.9
Cigarettes	49.5	44.1	59.9
Marijuana	25.3	25.5	28.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.1	16.1	13.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	49.0		
Alcohol (Binge: 5+ drinks once or twice a week)	61.4		
Alcohol (any use)		68.3	82.6
Cigarettes (1+ packs per day)	80.0		
Cigarettes (any use)		76.7	79.3
Marijuana (once or twice a week)	69.0		
Marijuana (any use)		80.0	77.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	91.7	93.9
Percent of students who, in past 30 days:			
Were very sad	14.9	24.0	7.0
Were grouchy, irritable, or in a bad mood	24.0	31.0	12.6
Felt hopeless about the future	7.9	13.7	4.3
Felt like not eating or eating more than usual	16.8	9.7	6.7
Slept a lot more or a lot less than usual	15.0	19.9	10.4
Had difficulty concentrating on school work	20.8	23.4	14.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.9	12.6	10.3
Made plan about how they would attempt suicide	8.0	9.7	6.5
Attempted suicide	4.0	7.6	3.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	5.0	2.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	3.0	5.5	8.2
Were in a physical fight	16.8	16.4	24.5
Were in a fight and had to be treated by a doctor or nurse	2.0	3.4	3.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	47.5	46.2	55.0
Were made fun of by others	55.0	66.2	69.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.0	24.1	23.2
Spread mean rumors or lies about other kids at school	23.8	22.8	35.9
Made fun of other people	52.5	56.2	77.8
Posted something on the internet or sent a text that might embarrass or hurt another student	17.0	13.7	26.8
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.3	72.4	75.4
School provides feedback to parents on positive student performance	52.5	48.6	42.1
Rules are enforced fairly	66.3	67.6	67.8
Students of all races/ethnicities are treated equal	87.1	77.4	82.2
Percent of students who agree that:			
Parents notice and comment on student's good work	82.2	81.4	88.0
Parents involve student in making family decisions	71.3	73.8	70.1
It is important to be honest with parents regardless of consequences	89.0	92.5	83.7
Student could ask parent for help with a personal problem	80.2	72.6	76.5

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DE KALB COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	12,892
2014 Estimate	12,692

BIRTH RISK	2013	2012	2011
Resident Births--Total	104	100	116
Mother Reported Smoking while Pregnant	27	28	25

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	4	0	1
Hepatitis C Chronic and Acute	17	17	21
Tuberculosis Infection Cases	1	22	50

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	132	131	117
Suicides	2	2	1
Self-inflicted Injuries	6	17	5
Homicides	0	0	0
Assault Injuries	38	20	25
Alcohol Induced Deaths	2	2	0
Drug Induced Deaths	1	0	2
Smoking Attributable Deaths	24	25	20

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	44	51	40
Mental Illness Secondary Diagnosis	85	83	91
Alcohol Principal Diagnosis	0	0	1
Alcohol Secondary Diagnosis	10	4	5
Drug Principal Diagnosis	0	2	0
Drug Secondary Diagnosis	3	5	6
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	35	33	26
Mental Illness Secondary Diagnosis	175	199	181
Alcohol Principal Diagnosis	6	1	2
Alcohol Secondary Diagnosis	13	13	14
Drug Principal Diagnosis	3	3	3
Drug Secondary Diagnosis	11	9	10
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	53	72	69
Mental Illness Secondary Diagnosis	67	69	107
Alcohol Principal Diagnosis	5	7	6
Alcohol Secondary Diagnosis	6	9	8
Drug Principal Diagnosis	4	1	6
Drug Secondary Diagnosis	10	13	10

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	10	11	11
Alcohol Package Carry-out Licenses	12	12	12

EMPLOYMENT	2014	2013	2012
Labor Force	5,142	5,676	5,631
Employed	4,870	5,327	5,281
Unemployed	272	349	350
Unemployment Rate	5.3%	6.1%	6.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	10	8	14
Fatal Crashes	1	0	1
Injury Crashes	5	5	6
Property Damage Crashes	4	3	7
Crash Fatalities	2	0	1
Crash Injuries	6	5	8
Drug Involved Crashes--Total	3	1	0
Fatal Crashes	0	0	0
Injury Crashes	2	0	0
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	0
Crash Injuries	2	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	43	41	40
Liquor Law Arrests	4	3	9
Drug Arrests	20	48	50
Violent Offenses	12	7	8
Property Offenses	70	84	70
Domestic Violence Reports	28	18	28
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	336	328	332
Drop-outs	4	5	1
Drop-out Rate	1.2%	1.5%	0.3%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	1	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	8	18	10
Juvenile Alcohol Offenses	0	1	2
Juvenile Drug Offenses	2	1	0
School Truancy Status Offense	15	10	7
Absent from Home Status Offense	6	10	2
Beyond Parental Control Status Offense	14	10	5
Injurious Behavior Status Offense	9	19	11
Child Abuse	4	1	5
Child Neglect	10	17	1
Child Custody Issues	0	2	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	7	17	1
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	6	7	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	24	30	18
Probation/Parole Admissions--DWI	10	6	8
Prison Admissions--Drug	20	16	18
Prison Admissions--DWI	5	10	5

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DE KALB COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	0	0
CSTAR General Adult	13	18	13
CSTAR Opioid	0	0	0
Primary Recovery Treatment	16	15	14
Clinical SATOP (CIP, YCIP, SROP)	*	*	6
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	27	21	38
- Adolescent Diversion Education Prograr	0	0	*
- Offender Education Program	14	10	14
- Weekend Intervention Program	5	5	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	*	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	33	37	34
AGE			
Under 18	*	*	*
18 to 24	*	6	10
25 to 29	8	8	7
30 to 34	6	9	*
35 to 39	6	*	*
40 to 44	5	*	*
45 to 54	*	*	*
55 and Over	0	*	*
GENDER			
Male	18	19	24
Female	15	18	10
RACE / ETHNICITY			
Caucasian	32	35	33
African American	0	0	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	0
Other Race / Two or More Races	*	*	0
EDUCATION			
Less than High School Diploma	13	10	10
High School Graduate or G.E.D.	16	15	15
Associate Degree or Some College	*	12	8
Bachelor or Advanced Degree	0	0	*
EMPLOYMENT			
Employed	9	12	10
Unemployed	13	14	17
Not in Labor Force	11	11	7
HOUSING / LIVING ARRANGEMENT			
Independent Living	26	33	29
Dependent Living	6	*	*
Homeless	*	*	0
MARITAL / FAMILY STATUS			
Never Married	16	16	17
Married / Cohabitating	9	13	11
Previously Married	8	8	6

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	13	12	14
Marijuana / Hashish	5	11	9
Cocaine (total)	0	0	*
- Crack	0	0	*
Stimulant (total)	12	9	6
- Methamphetamine	11	9	6
Heroin	0	*	0
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	0
Average Age at First Use of Drug	17.8	18.6	17.2
INJECTION DRUG USE			
Any Injection Use at Admission	*	*	*
- Daily Injection Use	*	*	*
- Weekly Injection Use	0	*	*
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	22	24	18
1 or 2	*	11	10
3 or More	7	*	6
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	9	11	7
School	0	0	0
Mental Health Provider	0	0	0
Health Care Provider	0	*	0
Court / Criminal Justice	15	17	20
Other Referral Source	9	7	7
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	*
Military Veteran	*	*	*
Special Education Services Needed	0	*	*
Co-Occurring Psychological Problem	12	15	10
Co-Occurring Developmental Problem	0	*	*

DE KALB COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	1
CENSUS 2010	12,892
2014 POPULATION ESTIMATE	12,692

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	5
Anxiety Disorder	22	22	28
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	6	11	11
Mood Disorder	33	38	43
Personality Disorder	7	9	7
Psychotic Disorder	12	10	16
Sexual Disorder	*	*	*
Other Diagnosis	*	6	9
Diagnosis Unknown	*	8	12

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	49	67	86
AGE			
Under 6	0	0	0
6 to 9	*	8	9
10 to 13	*	7	10
14 to 17	*	6	14
18 to 24	*	6	*
25 to 29	*	*	5
30 to 34	7	*	*
35 to 39	*	*	8
40 to 44	5	7	7
45 to 49	5	*	5
50 to 54	7	7	8
55 to 59	5	6	8
60 and Over	5	5	*
Age Unknown	0	0	0
GENDER			
Male	18	29	39
Female	31	38	47
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	46	60	77
African American	*	*	*
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	0	0	*
Other Race	0	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	18	25	16
High School Grad or G.E.D.	0	*	19
Associate Degree or Some College	0	0	5
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	31	40	46
EMPLOYMENT			
Employed	*	*	*
Unemployed	*	5	35
Not in Labor Force	39	49	7
Employment Status Unknown	6	12	42
HOUSING / LIVING ARRANGEMENT			
Independent Living	29	31	36
Dependent Living	12	22	16
Homeless	0	0	0
Other	0	0	0
Housing Unknown	8	14	34
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	21	32	39
School	0	*	*
Mental Health Provider	7	10	15
Health Care Provider	10	9	8
Court / Criminal Justice	*	*	7
Other	9	10	15
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	48	63	85
Civil	0	*	0
Criminal	0	0	0
Sexual Predatory	*	*	*
Commitment Type Unknown	0	0	0

DE KALB COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	25.8	39.5	31.2
Cigarettes	21.0	27.1	28.9
Chewing Tobacco	12.8	20.5	10.3
Marijuana	6.4	9.6	5.0
Inhalants	3.2	2.4	4.5
Prescription medications not prescribed for student	3.2	3.0	7.1
Over-the-counter medications for non-medical use	0.0	2.4	2.5
Methamphetamine	0.0	0.6	0.5
Cocaine	0.8	0.6	0.5
Heroin	0.0	1.2	0.0
Hallucinogens	0.8	1.2	1.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	0.6	0.0
Steroids not prescribed for student	0.0	0.6	0.5
Synthetic drugs (K2, bath salts, Spice, etc)	0.8	1.8	
Average age of students' first use of:			
Alcohol	12.80	13.09	12.04
Cigarettes	13.74	13.15	10.89
Marijuana	15.24	14.65	14.33
Inhalants	11.28		10.32
Percent of students who, in past 30 days, used:			
Alcohol	11.3	15.6	9.1
Alcohol (Binge: 5+ drinks on one occassion)		6.6	5.4
Cigarettes	10.5	12.0	15.6
Chewing Tobacco	7.2	12.0	7.8
Marijuana	0.0	1.8	2.5
Inhalants	0.8	1.8	2.5
Prescription medications not prescribed for student	0.0	1.8	3.5
Over-the-counter medications for non-medical use	0.0	1.8	2.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.6		
Percent whose friends used in past 12 months:			
Alcohol	31.0	54.8	28.1
Cigarettes	32.0	50.0	34.8
Marijuana	12.8	27.7	14.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.6	7.8	9.3
Percent who would likely use, if offered by a best friend:			
Alcohol	18.3	28.5	19.9
Cigarettes	13.5	13.9	9.0
Marijuana	2.4	4.8	4.1
Percent who say it would be wrong to use:			
Alcohol	74.8	61.1	69.8
Cigarettes	82.3	82.4	86.1
Marijuana	90.2	91.0	90.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.2	97.0	98.0
Percent whose parents would disapprove if they use:			
Alcohol	81.6	79.4	88.8
Cigarettes	88.6	93.4	93.0
Marijuana	92.8	97.6	97.0
Percent who say it would be easy to obtain:			
Alcohol	46.4	59.0	39.9
Cigarettes	42.4	56.0	46.8
Marijuana	13.0	27.9	16.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.2	12.3	6.1

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	60.0		
Alcohol (Binge: 5+ drinks once or twice a week)	79.0		
Alcohol (any use)		63.5	87.3
Cigarettes (1+ packs per day)	86.1		
Cigarettes (any use)		75.6	89.2
Marijuana (once or twice a week)	80.0		
Marijuana (any use)		78.9	89.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	97.6	87.2	95.0
Percent of students who, in past 30 days:			
Were very sad	17.6	22.9	7.3
Were grouchy, irritable, or in a bad mood	20.8	21.7	14.6
Felt hopeless about the future	8.9	7.8	2.5
Felt like not eating or eating more than usual	15.2	12.7	12.2
Slept a lot more or a lot less than usual	15.2	11.6	11.4
Had difficulty concentrating on school work	21.6	10.8	14.3
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	5.6	7.9	13.2
Made plan about how they would attempt suicide	3.2	4.2	11.7
Attempted suicide	0.8	3.0	1.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.8	3.7	0.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	2.4	7.8	10.8
Were in a physical fight	17.6	27.1	23.0
Were in a fight and had to be treated by a doctor or nurse	3.2	1.8	9.3
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	55.2	51.8	47.8
Were made fun of by others	68.0	63.3	64.4
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.2	21.2	14.1
Spread mean rumors or lies about other kids at school	26.4	31.9	20.6
Made fun of other people	56.8	67.1	60.0
Posted something on the internet or sent a text that might embarrass or hurt another student	12.1	13.3	8.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.4	75.3	76.1
School provides feedback to parents on positive student performance	42.1	38.9	51.2
Rules are enforced fairly	61.6	65.9	56.2
Students of all races/ethnicities are treated equal	76.0	79.4	95.8
Percent of students who agree that:			
Parents notice and comment on student's good work	78.6	82.5	83.3
Parents involve student in making family decisions	69.6	66.3	80.4
It is important to be honest with parents regardless of consequences	92.8	89.2	91.5
Student could ask parent for help with a personal problem	79.8	79.6	85.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DENT COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	15,657
2014 Estimate	15,655

BIRTH RISK	2013	2012	2011
Resident Births--Total	180	173	173
Mother Reported Smoking while Pregnant	56	49	52

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	2	0	2
Hepatitis C Chronic and Acute	16	15	19
Tuberculosis Infection Cases	3	0	3

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	190	185	185
Suicides	3	2	2
Self-inflicted Injuries	22	26	34
Homicides	0	0	4
Assault Injuries	62	59	53
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	6	1
Smoking Attributable Deaths	41	37	34

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	142	142	136
Mental Illness Secondary Diagnosis	290	332	348
Alcohol Principal Diagnosis	9	12	7
Alcohol Secondary Diagnosis	13	15	19
Drug Principal Diagnosis	49	20	8
Drug Secondary Diagnosis	28	9	23
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	48	44	44
Mental Illness Secondary Diagnosis	222	148	162
Alcohol Principal Diagnosis	10	8	6
Alcohol Secondary Diagnosis	17	21	20
Drug Principal Diagnosis	7	6	9
Drug Secondary Diagnosis	9	16	13
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	180	175	180
Mental Illness Secondary Diagnosis	594	477	453
Alcohol Principal Diagnosis	32	52	38
Alcohol Secondary Diagnosis	19	12	18
Drug Principal Diagnosis	32	33	40
Drug Secondary Diagnosis	44	35	17

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	10	13	14
Alcohol Package Carry-out Licenses	14	15	18

EMPLOYMENT	2014	2013	2012
Labor Force	6,202	7,076	6,345
Employed	5,785	6,623	5,860
Unemployed	417	453	485
Unemployment Rate	6.7%	6.4%	7.6%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	16	23	15
Fatal Crashes	1	1	0
Injury Crashes	6	9	9
Property Damage Crashes	9	13	6
Crash Fatalities	1	1	0
Crash Injuries	6	12	16
Drug Involved Crashes--Total	9	3	2
Fatal Crashes	0	0	0
Injury Crashes	1	2	1
Property Damage Crashes	8	1	1
Crash Fatalities	0	0	0
Crash Injuries	1	2	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	67	100	71
Liquor Law Arrests	5	12	11
Drug Arrests	69	79	49
Violent Offenses	27	33	30
Property Offenses	376	296	288
Domestic Violence Reports	30	31	25
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	6	4	5

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	628	631	629
Drop-outs	1	7	10
Drop-out Rate	0.2%	1.1%	1.6%
School Discipline Involving Alcohol	1	5	2
School Discipline Involving Drugs	4	5	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	13	26	24
Juvenile Alcohol Offenses	2	0	1
Juvenile Drug Offenses	2	2	4
School Truancy Status Offense	1	21	1
Absent from Home Status Offense	4	4	4
Beyond Parental Control Status Offense	7	10	10
Injurious Behavior Status Offense	3	14	11
Child Abuse	1	2	2
Child Neglect	9	13	12
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	14	18	13
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	3	4	4
Parental Alcohol and Drug Use	0	3	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	34	27	19
Probation/Parole Admissions--Drug	54	49	54
Probation/Parole Admissions--DWI	2	7	5
Prison Admissions--Drug	30	26	34
Prison Admissions--DWI	3	2	4

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DENT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	24	28	23
CSTAR Adolescent	*	5	7
CSTAR Women and Children	*	5	*
CSTAR General Adult	102	118	64
CSTAR Opioid	0	*	0
Primary Recovery Treatment	0	36	106
Clinical SATOP (CIP, YCIP, SROP)	17	22	14
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	52	67	50
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	14	19	15
- Weekend Intervention Program	10	9	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	*	17

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012
NUMBER ADMITTED			
Total Individuals	123	151	174
AGE			
Under 18	*	6	8
18 to 24	18	33	44
25 to 29	27	32	41
30 to 34	26	24	24
35 to 39	14	17	14
40 to 44	6	15	12
45 to 54	24	18	24
55 and Over	*	6	7
GENDER			
Male	83	94	112
Female	40	57	62
RACE / ETHNICITY			
Caucasian	117	147	169
African American	*	*	*
Native American / Alaskan	*	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	47	65	70
High School Graduate or G.E.D.	57	57	80
Associate Degree or Some College	19	27	24
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	23	38	53
Unemployed	57	72	73
Not in Labor Force	43	41	48
HOUSING / LIVING ARRANGEMENT			
Independent Living	111	135	160
Dependent Living	8	7	10
Homeless	*	6	*
MARITAL / FAMILY STATUS			
Never Married	61	60	70
Married / Cohabitating	30	48	73
Previously Married	32	43	31

	FY2014	FY2013	FY2012
PRIMARY DRUG PROBLEM			
Alcohol	47	55	55
Marijuana / Hashish	21	27	50
Cocaine (total)	*	*	*
- Crack	0	*	0
Stimulant (total)	14	18	21
- Methamphetamine	13	18	21
Heroin	11	13	9
Analgesic except Heroin	25	36	33
- Non-Prescription Methadone	0	*	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	*	*
Inhalant	0	0	*
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	18.3	18.1	17.8
INJECTION DRUG USE			
Any Injection Use at Admission	29	42	31
- Daily Injection Use	*	9	*
- Weekly Injection Use	11	14	9
- Less than Weekly Injection Use	15	19	20
LIFETIME DUI / DWI ARRESTS			
0	60	79	94
1 or 2	38	54	57
3 or More	25	18	23
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	98	106	44
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	*	6	7
Court / Criminal Justice	11	32	105
Other Referral Source	8	6	16
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	*
Military Veteran	7	7	11
Special Education Services Needed	8	12	23
Co-Occurring Psychological Problem	61	67	71
Co-Occurring Developmental Problem	15	20	13

DENT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	17A
CENSUS 2010	15,657
2014 POPULATION ESTIMATE	15,655

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	6	5	*
Anxiety Disorder	188	170	125
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	49	46	42
Mood Disorder	203	174	145
Personality Disorder	14	12	8
Psychotic Disorder	31	33	30
Sexual Disorder	0	0	*
Other Diagnosis	24	15	12
Diagnosis Unknown	9	9	12

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	290	258	223
AGE			
Under 6	6	*	*
6 to 9	21	16	13
10 to 13	28	20	17
14 to 17	31	29	30
18 to 24	27	27	26
25 to 29	27	21	17
30 to 34	29	23	22
35 to 39	24	26	20
40 to 44	23	28	19
45 to 49	26	23	20
50 to 54	23	22	18
55 to 59	15	13	12
60 and Over	10	8	6
Age Unknown	0	0	0
GENDER			
Male	126	123	97
Female	164	135	126
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	279	247	213
African American	*	0	0
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	6	7	8
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	12	9	7
Past or Current Military Service	8	10	5

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	105	80	18
High School Grad or G.E.D.	0	*	18
Associate Degree or Some College	0	*	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	185	173	184
EMPLOYMENT			
Employed	15	6	*
Unemployed	7	12	27
Not in Labor Force	177	121	13
Employment Status Unknown	91	119	181
HOUSING / LIVING ARRANGEMENT			
Independent Living	124	78	32
Dependent Living	83	61	27
Homeless	*	0	0
Other	0	0	*
Housing Unknown	82	119	163
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	244	202	163
School	*	0	0
Mental Health Provider	*	*	*
Health Care Provider	24	29	21
Court / Criminal Justice	5	7	16
Other	15	17	20
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	289	256	220
Civil	0	*	*
Criminal	*	0	0
Sexual Predatory	0	0	*
Commitment Type Unknown	0	0	0

DENT COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	12.4	28.2	40.5
Cigarettes	14.1	22.4	30.8
Chewing Tobacco	35.6	22.9	23.7
Marijuana	1.9	13.9	12.8
Inhalants	1.8	12.6	5.8
Prescription medications not prescribed for student	4.3	8.6	11.7
Over-the-counter medications for non-medical use	1.2	9.8	8.4
Methamphetamine	0.0	0.8	1.6
Cocaine	0.6	1.2	1.6
Heroin	0.6	0.8	0.3
Hallucinogens	0.6	3.3	2.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	0.0	2.3
Steroids not prescribed for student	1.9	5.7	0.6
Synthetic drugs (K2, bath salts, Spice, etc)	0.6	8.2	
Average age of students' first use of:			
Alcohol	9.90	10.50	11.58
Cigarettes	10.97	10.78	11.55
Marijuana	12.27	13.30	12.30
Inhalants	9.57	9.89	11.39
Percent of students who, in past 30 days, used:			
Alcohol	1.9	17.1	15.3
Alcohol (Binge: 5+ drinks on one occassion)		9.8	8.9
Cigarettes	3.1	13.5	16.5
Chewing Tobacco	19.0	11.4	14.3
Marijuana	0.6	6.9	6.5
Inhalants	0.6	9.4	2.6
Prescription medications not prescribed for student	2.5	2.0	7.8
Over-the-counter medications for non-medical use	1.2	3.3	5.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	0.0		
Percent whose friends used in past 12 months:			
Alcohol	25.9	36.7	49.4
Cigarettes	26.4	34.7	44.8
Marijuana	16.6	19.3	28.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.9	4.9	11.9
Percent who would likely use, if offered by a best friend:			
Alcohol	29.4	17.1	27.2
Cigarettes	9.2	10.2	17.0
Marijuana	3.1	9.3	9.6
Percent who say it would be wrong to use:			
Alcohol	73.6	71.2	67.0
Cigarettes	78.3	82.7	76.1
Marijuana	94.5	83.5	85.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	96.5	94.6
Percent whose parents would disapprove if they use:			
Alcohol	70.7	76.3	79.6
Cigarettes	74.8	83.3	91.3
Marijuana	87.0	99.1	95.2
Percent who say it would be easy to obtain:			
Alcohol	33.1	40.2	49.4
Cigarettes	30.1	37.1	53.0
Marijuana	8.1	23.4	26.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3	7.8	16.3

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	59.5		
Alcohol (Binge: 5+ drinks once or twice a week)	69.8		
Alcohol (any use)		57.7	78.5
Cigarettes (1+ packs per day)	85.7		
Cigarettes (any use)		76.2	76.7
Marijuana (once or twice a week)	73.5		
Marijuana (any use)		73.2	74.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	89.6	96.1	92.3
Percent of students who, in past 30 days:			
Were very sad	8.6	28.5	9.3
Were grouchy, irritable, or in a bad mood	15.2	26.0	14.6
Felt hopeless about the future	6.7	21.2	6.4
Felt like not eating or eating more than usual	13.5	8.6	10.6
Slept a lot more or a lot less than usual	10.4	12.6	18.1
Had difficulty concentrating on school work	24.2	27.8	14.3
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	1.8	13.5	13.7
Made plan about how they would attempt suicide	1.2	4.9	8.9
Attempted suicide	0.6	2.0	6.4
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.6	0.4	2.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	8.5	13.5	7.9
Were in a physical fight	27.8	32.9	27.6
Were in a fight and had to be treated by a doctor or nurse	3.7	2.4	2.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	30.7	47.8	59.1
Were made fun of by others	38.0	66.5	72.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	13.4	17.3	17.2
Spread mean rumors or lies about other kids at school	12.4	24.9	36.7
Made fun of other people	49.7	59.0	72.7
Posted something on the internet or sent a text that might embarrass or hurt another student	8.6	19.6	12.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	79.8	61.9	71.9
School provides feedback to parents on positive student performance	47.2	43.5	39.2
Rules are enforced fairly	72.8	64.6	68.6
Students of all races/ethnicities are treated equal	93.3	84.4	80.6
Percent of students who agree that:			
Parents notice and comment on student's good work	78.7	86.1	84.9
Parents involve student in making family decisions	69.1	78.0	68.6
It is important to be honest with parents regardless of consequences	82.7	87.4	84.4
Student could ask parent for help with a personal problem	74.8	80.7	75.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DOUGLAS COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	13,684
2014 Estimate	13,546

BIRTH RISK	2013	2012	2011
Resident Births--Total	140	143	167
Mother Reported Smoking while Pregnant	29	35	40

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	2	1
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	6	13	13
Tuberculosis Infection Cases	0	2	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	185	140	163
Suicides	2	3	1
Self-inflicted Injuries	9	4	11
Homicides	1	0	0
Assault Injuries	14	18	10
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	1	0
Smoking Attributable Deaths	38	25	39

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	45	43	54
Mental Illness Secondary Diagnosis	77	93	114
Alcohol Principal Diagnosis	1	9	4
Alcohol Secondary Diagnosis	2	4	6
Drug Principal Diagnosis	4	6	2
Drug Secondary Diagnosis	2	6	4
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	25	34	30
Mental Illness Secondary Diagnosis	193	202	188
Alcohol Principal Diagnosis	4	13	13
Alcohol Secondary Diagnosis	12	12	20
Drug Principal Diagnosis	4	9	8
Drug Secondary Diagnosis	10	11	10
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	45	52	42
Mental Illness Secondary Diagnosis	262	276	79
Alcohol Principal Diagnosis	7	23	8
Alcohol Secondary Diagnosis	11	10	8
Drug Principal Diagnosis	12	18	12
Drug Secondary Diagnosis	8	16	17

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	4	5	4
Alcohol Package Carry-out Licenses	11	12	11

EMPLOYMENT	2014	2013	2012
Labor Force	4,996	6,254	6,156
Employed	4,620	5,798	5,649
Unemployed	376	456	507
Unemployment Rate	7.5%	7.3%	8.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	13	16	18
Fatal Crashes	1	2	0
Injury Crashes	4	11	9
Property Damage Crashes	8	3	9
Crash Fatalities	1	2	0
Crash Injuries	6	15	9
Drug Involved Crashes--Total	7	1	2
Fatal Crashes	0	0	0
Injury Crashes	2	0	2
Property Damage Crashes	5	1	0
Crash Fatalities	0	0	0
Crash Injuries	2	0	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	52	44	76
Liquor Law Arrests	24	23	25
Drug Arrests	106	69	56
Violent Offenses	37	24	38
Property Offenses	242	229	186
Domestic Violence Reports	0	0	0
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	10	5

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	424	450	446
Drop-outs	1	0	3
Drop-out Rate	0.2%	0.0%	0.7%
School Discipline Involving Alcohol	2	4	2
School Discipline Involving Drugs	1	1	6
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	11	25	4
Juvenile Alcohol Offenses	0	3	2
Juvenile Drug Offenses	2	4	3
School Truancy Status Offense	4	5	9
Absent from Home Status Offense	0	2	0
Beyond Parental Control Status Offense	7	11	6
Injurious Behavior Status Offense	0	1	0
Child Abuse	2	7	2
Child Neglect	11	16	22
Child Custody Issues	7	5	3

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	13	9	18
Parental Alcohol Use Related	1	0	2
Parental Drug Use Related	0	0	5
Parental Alcohol and Drug Use	3	1	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	37	29	29
Probation/Parole Admissions--Drug	29	28	39
Probation/Parole Admissions--DWI	4	8	10
Prison Admissions--Drug	16	15	15
Prison Admissions--DWI	1	3	3

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DOUGLAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	6	5	14
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	13	15	13
CSTAR Opioid	0	0	0
Primary Recovery Treatment	14	22	45
Clinical SATOP (CIP, YCIP, SROP)	6	12	8
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	27	43	47
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	12	18	15
- Weekend Intervention Program	*	5	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	6	*
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	39	52	76
AGE			
Under 18	*	*	*
18 to 24	6	10	17
25 to 29	*	9	12
30 to 34	5	9	10
35 to 39	8	5	6
40 to 44	6	6	10
45 to 54	6	10	12
55 and Over	*	*	5
GENDER			
Male	27	38	53
Female	12	14	23
RACE / ETHNICITY			
Caucasian	39	49	74
African American	0	*	0
Native American / Alaskan	0	0	*
Asian / Pacific Islander	0	0	0
Hispanic	0	0	*
Other Race / Two or More Races	0	*	*
EDUCATION			
Less than High School Diploma	13	18	25
High School Graduate or G.E.D.	16	27	39
Associate Degree or Some College	10	7	11
Bachelor or Advanced Degree	0	0	*
EMPLOYMENT			
Employed	6	10	9
Unemployed	15	30	41
Not in Labor Force	18	12	26
HOUSING / LIVING ARRANGEMENT			
Independent Living	31	43	67
Dependent Living	6	6	6
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	18	26	32
Married / Cohabitating	10	18	23
Previously Married	11	8	21

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	11	24	32
Marijuana / Hashish	6	8	12
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	17	9	19
- Methamphetamine	17	9	18
Heroin	*	*	*
Analgesic except Heroin	*	7	7
- Non-Prescription Methadone	0	*	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	*	*
Inhalant	0	0	*
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	*
Average Age at First Use of Drug	18.7	18.2	17.8
INJECTION DRUG USE			
Any Injection Use at Admission	11	10	13
- Daily Injection Use	*	0	*
- Weekly Injection Use	*	6	*
- Less than Weekly Injection Use	6	*	10
LIFETIME DUI / DWI ARRESTS			
0	20	26	40
1 or 2	11	14	24
3 or More	8	12	12
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	9	16	16
School	0	0	0
Mental Health Provider	0	*	*
Health Care Provider	*	*	*
Court / Criminal Justice	23	26	52
Other Referral Source	6	6	5
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	0	*
Military Veteran	*	*	*
Special Education Services Needed	*	*	0
Co-Occurring Psychological Problem	10	11	21
Co-Occurring Developmental Problem	0	*	0

DOUGLAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	18
CENSUS 2010	13,684
2014 POPULATION ESTIMATE	13,546

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	43	30	24
Dementia	0	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	10	10	9
Mood Disorder	72	51	45
Personality Disorder	9	7	*
Psychotic Disorder	*	7	5
Sexual Disorder	0	0	0
Other Diagnosis	5	*	*
Diagnosis Unknown	*	*	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	92	73	64
AGE			
Under 6	0	0	*
6 to 9	5	7	*
10 to 13	5	5	*
14 to 17	8	6	*
18 to 24	16	13	11
25 to 29	6	*	6
30 to 34	10	*	9
35 to 39	6	6	*
40 to 44	6	5	7
45 to 49	8	7	5
50 to 54	12	*	*
55 to 59	7	9	6
60 and Over	*	5	*
Age Unknown	0	0	0
GENDER			
Male	33	30	34
Female	59	43	30
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	90	72	62
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	0
Other Race	*	0	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	26	31	12
High School Grad or G.E.D.	0	0	6
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	66	42	43
EMPLOYMENT			
Employed	5	7	*
Unemployed	11	9	13
Not in Labor Force	52	53	6
Employment Status Unknown	24	*	42
HOUSING / LIVING ARRANGEMENT			
Independent Living	33	40	13
Dependent Living	19	18	6
Homeless	5	*	*
Other	0	0	0
Housing Unknown	35	14	43
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	44	38	27
School	0	0	0
Mental Health Provider	0	*	5
Health Care Provider	37	24	19
Court / Criminal Justice	*	*	9
Other	7	8	*
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	91	72	62
Civil	0	0	0
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

DOUGLAS COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	34.5	43.3	46.1
Cigarettes	25.6	29.3	39.5
Chewing Tobacco	17.0	25.0	26.9
Marijuana	8.0	14.5	13.5
Inhalants	3.4	3.4	9.8
Prescription medications not prescribed for student	6.3	7.2	13.5
Over-the-counter medications for non-medical use	0.6	1.9	9.4
Methamphetamine	0.0	1.4	0.7
Cocaine	0.6	2.0	1.4
Heroin	0.0	0.5	1.0
Hallucinogens	1.1	0.5	2.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	0.5	2.7
Steroids not prescribed for student	0.6	2.9	0.7
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	7.7	
Average age of students' first use of:			
Alcohol	12.59	12.95	12.02
Cigarettes	12.86	12.19	12.64
Marijuana	13.92	13.19	13.83
Inhalants	12.91	12.41	12.78
Percent of students who, in past 30 days, used:			
Alcohol	12.1	22.1	22.1
Alcohol (Binge: 5+ drinks on one occassion)		13.5	12.8
Cigarettes	9.1	11.1	20.3
Chewing Tobacco	7.4	16.4	15.9
Marijuana	2.3	7.7	6.1
Inhalants	0.6	1.9	4.7
Prescription medications not prescribed for student	4.0	1.4	6.8
Over-the-counter medications for non-medical use	0.0	1.4	5.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.6		
Percent whose friends used in past 12 months:			
Alcohol	39.7	62.5	62.2
Cigarettes	37.5	53.4	54.1
Marijuana	21.1	35.9	33.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.1	13.9	16.8
Percent who would likely use, if offered by a best friend:			
Alcohol	25.0	35.7	40.3
Cigarettes	9.1	19.3	23.2
Marijuana	4.6	11.3	11.6
Percent who say it would be wrong to use:			
Alcohol	68.4	60.3	53.4
Cigarettes	81.6	68.9	66.7
Marijuana	87.5	79.7	82.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	95.7	92.9
Percent whose parents would disapprove if they use:			
Alcohol	83.3	75.2	79.4
Cigarettes	90.3	84.6	88.6
Marijuana	95.3	92.7	95.9
Percent who say it would be easy to obtain:			
Alcohol	51.2	64.4	63.9
Cigarettes	50.0	65.5	65.5
Marijuana	22.7	35.8	38.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	15.2	22.3

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.8		
Alcohol (Binge: 5+ drinks once or twice a week)	69.9		
Alcohol (any use)		66.2	74.7
Cigarettes (1+ packs per day)	84.9		
Cigarettes (any use)		76.4	71.6
Marijuana (once or twice a week)	74.9		
Marijuana (any use)		72.6	70.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.3	93.7	90.6
Percent of students who, in past 30 days:			
Were very sad	16.8	25.6	22.0
Were grouchy, irritable, or in a bad mood	24.7	30.9	33.0
Felt hopeless about the future	10.8	15.2	19.5
Felt like not eating or eating more than usual	16.6	20.2	16.3
Slept a lot more or a lot less than usual	17.8	22.7	28.8
Had difficulty concentrating on school work	24.0	25.6	30.4
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	7.4	10.6	11.8
Made plan about how they would attempt suicide	6.8	8.7	9.5
Attempted suicide	5.7	3.8	6.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.7	2.0	1.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	2.3	7.2	10.8
Were in a physical fight	13.8	21.7	30.6
Were in a fight and had to be treated by a doctor or nurse	1.1	5.3	4.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	41.1	52.4	54.8
Were made fun of by others	46.6	63.6	66.9
Were victims of an embarrassing or hurtful text message or something posted on the internet	19.9	25.7	19.9
Spread mean rumors or lies about other kids at school	13.1	17.4	29.5
Made fun of other people	38.9	58.2	64.3
Posted something on the internet or sent a text that might embarrass or hurt another student	9.1	17.5	18.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.7	72.5	70.0
School provides feedback to parents on positive student performance	48.9	38.6	40.3
Rules are enforced fairly	70.1	57.2	59.7
Students of all races/ethnicities are treated equal	83.5	75.5	72.1
Percent of students who agree that:			
Parents notice and comment on student's good work	84.1	81.6	78.0
Parents involve student in making family decisions	72.0	68.8	63.1
It is important to be honest with parents regardless of consequences	90.9	89.5	84.1
Student could ask parent for help with a personal problem	82.1	76.9	74.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DUNKLIN COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	19
POPULATION	
Census 2010	31,953
2014 Estimate	31,344

BIRTH RISK	2013	2012	2011
Resident Births--Total	469	444	480
Mother Reported Smoking while Pregnant	139	149	140

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	2
Hepatitis C Chronic and Acute	29	29	25
Tuberculosis Infection Cases	3	2	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	423	453	433
Suicides	6	6	9
Self-inflicted Injuries	81	89	111
Homicides	1	0	2
Assault Injuries	207	183	199
Alcohol Induced Deaths	1	5	2
Drug Induced Deaths	4	15	6
Smoking Attributable Deaths	101	88	98

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	462	505	534
Mental Illness Secondary Diagnosis	772	829	929
Alcohol Principal Diagnosis	22	21	40
Alcohol Secondary Diagnosis	52	66	60
Drug Principal Diagnosis	47	42	50
Drug Secondary Diagnosis	40	42	50
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	153	155	171
Mental Illness Secondary Diagnosis	652	736	786
Alcohol Principal Diagnosis	8	13	11
Alcohol Secondary Diagnosis	30	58	48
Drug Principal Diagnosis	24	20	14
Drug Secondary Diagnosis	11	18	26
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	526	543	595
Mental Illness Secondary Diagnosis	785	238	355
Alcohol Principal Diagnosis	73	71	75
Alcohol Secondary Diagnosis	36	50	57
Drug Principal Diagnosis	68	62	75
Drug Secondary Diagnosis	46	38	52

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	25	26	29
Alcohol Package Carry-out Licenses	48	45	45

EMPLOYMENT	2014	2013	2012
Labor Force	12,946	14,829	14,254
Employed	11,794	13,648	13,041
Unemployed	1,152	1,181	1,213
Unemployment Rate	8.9%	8.0%	8.5%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	23	35	26
Fatal Crashes	2	2	1
Injury Crashes	10	19	12
Property Damage Crashes	11	14	13
Crash Fatalities	2	2	1
Crash Injuries	17	32	17
Drug Involved Crashes--Total	18	5	16
Fatal Crashes	1	0	0
Injury Crashes	10	3	8
Property Damage Crashes	7	2	8
Crash Fatalities	1	0	0
Crash Injuries	14	3	13

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	145	195	266
Liquor Law Arrests	42	79	33
Drug Arrests	152	204	294
Violent Offenses	92	121	115
Property Offenses	1,144	1,254	1,016
Domestic Violence Reports	151	158	122
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	3	4

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,598	1,619	1,518
Drop-outs	13	18	33
Drop-out Rate	0.8%	1.1%	2.2%
School Discipline Involving Alcohol	1	0	1
School Discipline Involving Drugs	26	4	12
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	50	21	48
Juvenile Alcohol Offenses	13	11	9
Juvenile Drug Offenses	7	0	13
School Truancy Status Offense	53	59	15
Absent from Home Status Offense	8	3	8
Beyond Parental Control Status Offense	26	30	30
Injurious Behavior Status Offense	11	8	3
Child Abuse	166	150	158
Child Neglect	265	422	346
Child Custody Issues	2	12	4

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	68	77	97
Parental Alcohol Use Related	0	1	5
Parental Drug Use Related	46	59	55
Parental Alcohol and Drug Use	0	1	4

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	72	80	55
Probation/Parole Admissions--Drug	117	112	135
Probation/Parole Admissions--DWI	22	38	48
Prison Admissions--Drug	78	68	69
Prison Admissions--DWI	19	22	27

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DUNKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	92	74	89
CSTAR Adolescent	21	26	31
CSTAR Women and Children	23	30	21
CSTAR General Adult	146	102	96
CSTAR Opioid	0	0	0
Primary Recovery Treatment	75	172	272
Clinical SATOP (CIP, YCIP, SROP)	19	23	21
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	98	110	126
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	38	29	52
- Weekend Intervention Program	19	22	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	23	8	5
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	278	348	408
AGE			
Under 18	25	28	34
18 to 24	44	68	79
25 to 29	45	61	81
30 to 34	50	57	75
35 to 39	37	37	40
40 to 44	29	32	30
45 to 54	36	48	54
55 and Over	12	17	15
GENDER			
Male	186	243	277
Female	92	105	131
RACE / ETHNICITY			
Caucasian	226	282	328
African American	41	55	69
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	*	0
Hispanic	5	9	8
Other Race / Two or More Races	7	*	*
EDUCATION			
Less than High School Diploma	118	159	195
High School Graduate or G.E.D.	126	146	179
Associate Degree or Some College	31	42	32
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	54	80	92
Unemployed	76	90	128
Not in Labor Force	148	178	188
HOUSING / LIVING ARRANGEMENT			
Independent Living	202	255	307
Dependent Living	64	78	91
Homeless	*	5	*
MARITAL / FAMILY STATUS			
Never Married	133	182	197
Married / Cohabitating	78	87	120
Previously Married	67	79	91

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	85	121	121
Marijuana / Hashish	91	115	151
Cocaine (total)	6	20	30
- Crack	*	11	14
Stimulant (total)	64	48	47
- Methamphetamine	64	48	44
Heroin	*	*	*
Analgesic except Heroin	20	27	40
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	8	11	11
Inhalant	0	0	*
Sedative	*	*	*
Other Medication or Illicit Drug	0	*	*
Average Age at First Use of Drug	17.5	17.8	17.6
INJECTION DRUG USE			
Any Injection Use at Admission	31	25	19
- Daily Injection Use	7	*	*
- Weekly Injection Use	7	7	6
- Less than Weekly Injection Use	17	16	10
LIFETIME DUI / DWI ARRESTS			
0	174	224	284
1 or 2	65	86	95
3 or More	39	38	29
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	58	52	53
School	0	*	*
Mental Health Provider	*	*	8
Health Care Provider	18	22	23
Court / Criminal Justice	148	234	283
Other Referral Source	46	33	40
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	6	7	*
Military Veteran	13	13	15
Special Education Services Needed	28	40	36
Co-Occurring Psychological Problem	67	84	110
Co-Occurring Developmental Problem	7	8	13

DUNKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	19
CENSUS 2010	31,953
2014 POPULATION ESTIMATE	31,344

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	35	26	11
Anxiety Disorder	86	45	28
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	67	51	33
Mood Disorder	370	316	242
Personality Disorder	*	*	*
Psychotic Disorder	101	80	70
Sexual Disorder	0	0	0
Other Diagnosis	11	8	10
Diagnosis Unknown	107	78	100

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	743	585	469
AGE			
Under 6	*	*	*
6 to 9	46	28	19
10 to 13	53	44	33
14 to 17	46	42	27
18 to 24	76	53	53
25 to 29	68	58	39
30 to 34	60	48	43
35 to 39	92	59	54
40 to 44	74	63	52
45 to 49	63	52	43
50 to 54	69	52	34
55 to 59	41	39	29
60 and Over	53	45	40
Age Unknown	0	0	0
GENDER			
Male	328	252	234
Female	415	333	235
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	583	485	385
African American	129	85	69
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	16	9	6
Other Race	15	6	9
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	16	10	10
Past or Current Military Service	12	9	13

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	156	132	86
High School Grad or G.E.D.	0	*	78
Associate Degree or Some College	0	0	9
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	587	452	292
EMPLOYMENT			
Employed	8	*	5
Unemployed	39	6	146
Not in Labor Force	302	261	65
Employment Status Unknown	394	314	253
HOUSING / LIVING ARRANGEMENT			
Independent Living	217	178	168
Dependent Living	98	85	43
Homeless	6	*	*
Other	0	0	10
Housing Unknown	422	320	246
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	237	155	102
School	6	*	*
Mental Health Provider	78	66	52
Health Care Provider	157	146	129
Court / Criminal Justice	143	122	109
Other	113	78	56
Referral Source Unknown	9	14	19
TYPE OF COMMITMENT			
Voluntary	729	568	447
Civil	*	*	*
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	9	14	19

DUNKLIN COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	49.3	42.2	42.9
Cigarettes	41.1	31.7	34.5
Chewing Tobacco	24.1	17.4	15.6
Marijuana	20.5	17.9	15.4
Inhalants	2.6	7.2	7.4
Prescription medications not prescribed for student	13.9	12.7	14.3
Over-the-counter medications for non-medical use	5.0	6.6	7.5
Methamphetamine	0.0	1.8	1.1
Cocaine	1.8	2.5	1.3
Heroin	0.5	1.5	0.3
Hallucinogens	0.0	2.2	1.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	2.4	1.1
Steroids not prescribed for student	0.8	2.2	1.9
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	10.2	
Average age of students' first use of:			
Alcohol	12.79	12.95	12.76
Cigarettes	12.22	12.11	12.24
Marijuana	13.34	13.41	13.67
Inhalants	10.81	12.95	12.26
Percent of students who, in past 30 days, used:			
Alcohol	18.9	18.8	17.9
Alcohol (Binge: 5+ drinks on one occassion)		10.8	11.2
Cigarettes	19.8	16.8	17.2
Chewing Tobacco	20.7	9.1	6.7
Marijuana	4.7	7.9	6.1
Inhalants	1.1	3.0	3.4
Prescription medications not prescribed for student	8.4	7.2	9.0
Over-the-counter medications for non-medical use	2.4	3.8	4.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	10.0		
Percent whose friends used in past 12 months:			
Alcohol	53.4	56.8	58.7
Cigarettes	55.1	50.6	54.8
Marijuana	38.5	36.9	35.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.6	15.5	16.2
Percent who would likely use, if offered by a best friend:			
Alcohol	32.5	33.9	33.4
Cigarettes	18.4	17.7	17.5
Marijuana	13.9	13.1	11.0
Percent who say it would be wrong to use:			
Alcohol	62.2	60.5	61.6
Cigarettes	75.1	76.7	75.6
Marijuana	70.1	81.8	83.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	96.2	94.5
Percent whose parents would disapprove if they use:			
Alcohol	81.4	82.8	82.9
Cigarettes	88.7	90.2	90.1
Marijuana	94.4	94.0	94.9
Percent who say it would be easy to obtain:			
Alcohol	44.4	53.5	55.5
Cigarettes	63.9	59.6	58.6
Marijuana	53.0	37.8	35.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	22.5	18.1	19.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.5		
Alcohol (Binge: 5+ drinks once or twice a week)	55.9		
Alcohol (any use)		74.4	77.5
Cigarettes (1+ packs per day)	77.6		
Cigarettes (any use)		82.8	80.3
Marijuana (once or twice a week)	59.9		
Marijuana (any use)		74.5	76.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	93.1	92.5
Percent of students who, in past 30 days:			
Were very sad	21.9	18.5	13.4
Were grouchy, irritable, or in a bad mood	36.4	27.6	19.7
Felt hopeless about the future	10.8	11.0	8.3
Felt like not eating or eating more than usual	17.6	17.3	12.4
Slept a lot more or a lot less than usual	17.1	21.5	20.2
Had difficulty concentrating on school work	19.4	22.1	21.4
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	15.9	11.8	13.1
Made plan about how they would attempt suicide	7.0	9.0	10.6
Attempted suicide	6.6	5.4	7.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.8	1.9	2.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.8	4.9	8.1
Were in a physical fight	35.6	25.3	25.6
Were in a fight and had to be treated by a doctor or nurse	5.0	3.2	4.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	55.9	58.0	60.1
Were made fun of by others	67.3	65.5	71.3
Were victims of an embarrassing or hurtful text message or something posted on the internet	20.6	23.9	19.2
Spread mean rumors or lies about other kids at school	23.6	24.4	33.8
Made fun of other people	51.4	67.4	75.8
Posted something on the internet or sent a text that might embarrass or hurt another student	17.2	14.3	20.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.0	69.5	74.1
School provides feedback to parents on positive student performance	40.7	37.3	44.0
Rules are enforced fairly	62.3	65.6	64.5
Students of all races/ethnicities are treated equal	83.6	73.8	71.4
Percent of students who agree that:			
Parents notice and comment on student's good work	87.1	85.0	85.0
Parents involve student in making family decisions	67.5	70.0	69.4
It is important to be honest with parents regardless of consequences	92.4	86.7	84.0
Student could ask parent for help with a personal problem	73.9	75.5	77.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

FRANKLIN COUNTY

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	16
POPULATION	
Census 2010	101,492
2014 Estimate	102,084

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,229	1,247	1,274
Mother Reported Smoking while Pregnant	267	308	286

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	2	0
Hepatitis B Chronic, Acute, Prenatal	3	2	1
Hepatitis C Chronic and Acute	61	62	72
Tuberculosis Infection Cases	5	10	12

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	906	968	1,000
Suicides	20	25	23
Self-inflicted Injuries	132	162	149
Homicides	3	4	5
Assault Injuries	311	371	366
Alcohol Induced Deaths	5	7	2
Drug Induced Deaths	21	18	27
Smoking Attributable Deaths	158	168	192

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	606	636	601
Mental Illness Secondary Diagnosis	1,372	1,281	1,425
Alcohol Principal Diagnosis	55	60	50
Alcohol Secondary Diagnosis	78	72	84
Drug Principal Diagnosis	96	92	96
Drug Secondary Diagnosis	73	74	85
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	598	641	485
Mental Illness Secondary Diagnosis	2,065	2,166	2,073
Alcohol Principal Diagnosis	69	60	58
Alcohol Secondary Diagnosis	215	209	195
Drug Principal Diagnosis	48	58	67
Drug Secondary Diagnosis	136	151	106
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	982	1,082	1,024
Mental Illness Secondary Diagnosis	8,573	7,694	4,136
Alcohol Principal Diagnosis	184	175	202
Alcohol Secondary Diagnosis	216	238	195
Drug Principal Diagnosis	233	220	221
Drug Secondary Diagnosis	318	375	480

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	127	122	128
Alcohol Package Carry-out Licenses	98	97	94

EMPLOYMENT	2014	2013	2012
Labor Force	52,061	51,661	52,500
Employed	48,705	48,061	48,311
Unemployed	3,356	3,600	4,189
Unemployment Rate	6.4%	7.0%	8.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	106	129	127
Fatal Crashes	5	8	5
Injury Crashes	45	46	44
Property Damage Crashes	56	75	78
Crash Fatalities	9	8	5
Crash Injuries	81	70	57
Drug Involved Crashes--Total	42	44	28
Fatal Crashes	2	1	1
Injury Crashes	9	22	9
Property Damage Crashes	31	21	18
Crash Fatalities	2	1	1
Crash Injuries	17	42	7

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	534	667	712
Liquor Law Arrests	104	113	154
Drug Arrests	559	619	487
Violent Offenses	182	178	219
Property Offenses	2,215	2,180	1,936
Domestic Violence Reports	720	553	544
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	21	68	102

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,902	4,916	4,870
Drop-outs	91	95	128
Drop-out Rate	1.9%	1.9%	2.6%
School Discipline Involving Alcohol	14	14	8
School Discipline Involving Drugs	30	54	43
School Discipline Involving Tobacco	0	3	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	62	96	76
Juvenile Alcohol Offenses	32	38	27
Juvenile Drug Offenses	39	33	31
School Truancy Status Offense	91	79	38
Absent from Home Status Offense	26	48	18
Beyond Parental Control Status Offense	8	19	28
Injurious Behavior Status Offense	38	52	74
Child Abuse	2	5	8
Child Neglect	129	127	96
Child Custody Issues	0	1	1

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	123	134	108
Parental Alcohol Use Related	3	4	11
Parental Drug Use Related	73	86	53
Parental Alcohol and Drug Use	0	6	5

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	78	111	108
Probation/Parole Admissions--Drug	183	188	132
Probation/Parole Admissions--DWI	57	72	57
Prison Admissions--Drug	95	53	55
Prison Admissions--DWI	26	24	18

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

FRANKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	52	54	47
CSTAR Adolescent	48	47	47
CSTAR Women and Children	40	31	45
CSTAR General Adult	211	175	178
CSTAR Opioid	*	*	0
Primary Recovery Treatment	11	44	72
Clinical SATOP (CIP, YCIP, SROP)	99	147	142
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	422	556	546
- Adolescent Diversion Education Prograr	7	*	*
- Offender Education Program	148	208	200
- Weekend Intervention Program	124	164	138
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	5	9
Compulsive Gambling	0	*	*
Recovery Supports	*	*	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	402	444	449
AGE			
Under 18	48	47	48
18 to 24	81	87	90
25 to 29	70	92	91
30 to 34	67	64	63
35 to 39	43	48	48
40 to 44	23	32	37
45 to 54	55	54	56
55 and Over	15	20	16
GENDER			
Male	259	296	315
Female	143	148	134
RACE / ETHNICITY			
Caucasian	386	431	433
African American	7	*	7
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	0	0
Hispanic	*	*	*
Other Race / Two or More Races	*	8	6
EDUCATION			
Less than High School Diploma	158	165	171
High School Graduate or G.E.D.	170	175	171
Associate Degree or Some College	72	96	104
Bachelor or Advanced Degree	*	8	*
EMPLOYMENT			
Employed	107	126	144
Unemployed	164	179	160
Not in Labor Force	131	139	145
HOUSING / LIVING ARRANGEMENT			
Independent Living	331	373	362
Dependent Living	52	53	59
Homeless	9	11	8
MARITAL / FAMILY STATUS			
Never Married	238	259	257
Married / Cohabitating	71	108	106
Previously Married	93	77	86

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	157	183	207
Marijuana / Hashish	70	85	94
Cocaine (total)	*	*	6
- Crack	*	*	*
Stimulant (total)	68	57	48
- Methamphetamine	59	57	44
Heroin	70	79	59
Analgesic except Heroin	25	29	23
- Non-Prescription Methadone	0	*	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	7	5	8
Inhalant	0	0	*
Sedative	*	*	*
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	17.5	18.1	16.8
INJECTION DRUG USE			
Any Injection Use at Admission	104	96	73
- Daily Injection Use	30	26	21
- Weekly Injection Use	33	24	22
- Less than Weekly Injection Use	41	46	30
LIFETIME DUI / DWI ARRESTS			
0	203	204	193
1 or 2	125	157	162
3 or More	74	83	94
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	141	117	115
School	6	*	*
Mental Health Provider	6	*	*
Health Care Provider	13	12	7
Court / Criminal Justice	168	251	270
Other Referral Source	58	48	51
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	5	10	7
Military Veteran	19	13	18
Special Education Services Needed	30	37	35
Co-Occurring Psychological Problem	142	143	152
Co-Occurring Developmental Problem	8	17	19

FRANKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Eastern
PSYCHIATRIC SERVICE AREA	16
CENSUS 2010	101,492
2014 POPULATION ESTIMATE	102,084

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	39	24	21
Anxiety Disorder	495	429	406
Dementia	*	*	*
Developmental Disorder	39	46	47
Impulse Control Disorder	282	251	259
Mood Disorder	755	710	726
Personality Disorder	94	95	83
Psychotic Disorder	147	137	120
Sexual Disorder	0	0	0
Other Diagnosis	71	58	64
Diagnosis Unknown	57	70	128

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	1,157	1,081	1,106
AGE			
Under 6	16	14	8
6 to 9	128	117	102
10 to 13	134	138	141
14 to 17	135	135	131
18 to 24	106	95	102
25 to 29	95	93	93
30 to 34	86	72	95
35 to 39	83	72	79
40 to 44	76	76	94
45 to 49	94	91	86
50 to 54	85	88	83
55 to 59	61	44	41
60 and Over	58	46	51
Age Unknown	0	0	0
GENDER			
Male	601	559	575
Female	556	522	531
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,102	1,033	1,057
African American	15	11	17
Native American / Alaskan	*	*	0
Asian / Pacific Islander	*	*	*
Hispanic	15	15	11
Other Race	21	18	18
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	45	36	27
Past or Current Military Service	11	9	14

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	505	538	236
High School Grad or G.E.D.	*	18	122
Associate Degree or Some College	*	10	72
Bachelor or Advanced Degree	0	0	10
Education Level Unknown	649	515	666
EMPLOYMENT			
Employed	59	61	55
Unemployed	38	45	259
Not in Labor Force	715	727	168
Employment Status Unknown	345	248	624
HOUSING / LIVING ARRANGEMENT			
Independent Living	418	418	365
Dependent Living	403	402	172
Homeless	15	11	7
Other	0	0	6
Housing Unknown	321	250	556
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	193	170	143
School	181	166	114
Mental Health Provider	70	75	85
Health Care Provider	209	146	90
Court / Criminal Justice	47	42	35
Other	451	474	628
Referral Source Unknown	6	8	11
TYPE OF COMMITMENT			
Voluntary	1,141	1,061	1,085
Civil	*	*	*
Criminal	8	9	7
Sexual Predatory	0	0	0
Commitment Type Unknown	6	8	12

FRANKLIN COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	32.9	43.2	44.7
Cigarettes	19.2	21.0	24.3
Chewing Tobacco	11.2	12.5	14.9
Marijuana	11.7	13.6	15.9
Inhalants	3.2	5.0	8.5
Prescription medications not prescribed for student	4.9	8.1	12.8
Over-the-counter medications for non-medical use	2.7	4.8	8.1
Methamphetamine	0.8	0.8	1.0
Cocaine	0.7	0.9	1.6
Heroin	0.3	0.5	0.6
Hallucinogens	1.7	2.2	4.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.7	2.1
Steroids not prescribed for student	0.7	1.1	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	4.9	
Average age of students' first use of:			
Alcohol	12.81	12.53	12.29
Cigarettes	12.77	12.14	11.87
Marijuana	13.61	13.16	13.25
Inhalants	12.06	12.24	12.36
Percent of students who, in past 30 days, used:			
Alcohol	11.5	18.1	20.2
Alcohol (Binge: 5+ drinks on one occassion)		10.1	12.7
Cigarettes	8.0	9.6	13.5
Chewing Tobacco	4.1	7.6	9.1
Marijuana	5.8	6.2	8.1
Inhalants	1.2	2.3	3.7
Prescription medications not prescribed for student	2.9	3.6	7.7
Over-the-counter medications for non-medical use	1.2	2.8	4.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.6		
Percent whose friends used in past 12 months:			
Alcohol	41.7	55.0	57.1
Cigarettes	34.2	39.5	44.5
Marijuana	29.3	32.3	33.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.5	13.2	16.7
Percent who would likely use, if offered by a best friend:			
Alcohol	21.9	32.1	33.9
Cigarettes	9.1	11.2	14.4
Marijuana	10.7	10.5	11.8
Percent who say it would be wrong to use:			
Alcohol	69.5	58.1	58.1
Cigarettes	88.9	84.1	80.1
Marijuana	83.9	84.0	83.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	96.1	95.3
Percent whose parents would disapprove if they use:			
Alcohol	82.6	78.3	76.4
Cigarettes	94.5	93.0	89.3
Marijuana	93.9	94.3	92.5
Percent who say it would be easy to obtain:			
Alcohol	47.9	58.4	58.3
Cigarettes	44.1	51.8	53.7
Marijuana	29.3	35.4	34.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	15.5	17.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	59.6		
Alcohol (Binge: 5+ drinks once or twice a week)	74.2		
Alcohol (any use)		67.9	76.5
Cigarettes (1+ packs per day)	86.2		
Cigarettes (any use)		83.0	80.0
Marijuana (once or twice a week)	66.4		
Marijuana (any use)		75.4	69.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.3	93.7	92.2
Percent of students who, in past 30 days:			
Were very sad	20.5	19.7	18.7
Were grouchy, irritable, or in a bad mood	24.5	26.1	21.9
Felt hopeless about the future	12.6	11.0	10.7
Felt like not eating or eating more than usual	20.5	18.9	18.2
Slept a lot more or a lot less than usual	19.2	20.8	27.5
Had difficulty concentrating on school work	23.8	24.8	20.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.8	11.9	10.9
Made plan about how they would attempt suicide	9.6	9.8	8.5
Attempted suicide	5.8	5.4	5.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.0	1.6	2.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.5	6.8	9.8
Were in a physical fight	17.8	21.8	24.2
Were in a fight and had to be treated by a doctor or nurse	2.6	3.3	4.3
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.8	51.8	55.1
Were made fun of by others	60.0	63.0	68.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	21.6	20.0	19.5
Spread mean rumors or lies about other kids at school	23.3	27.2	34.3
Made fun of other people	50.1	61.4	70.8
Posted something on the internet or sent a text that might embarrass or hurt another student	13.5	13.6	18.3
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.0	65.7	71.2
School provides feedback to parents on positive student performance	41.4	38.9	46.5
Rules are enforced fairly	68.8	61.2	67.6
Students of all races/ethnicities are treated equal	85.4	79.0	80.1
Percent of students who agree that:			
Parents notice and comment on student's good work	84.1	82.4	84.2
Parents involve student in making family decisions	67.5	65.8	68.7
It is important to be honest with parents regardless of consequences	89.0	86.4	82.8
Student could ask parent for help with a personal problem	80.1	76.0	77.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

GASCONADE COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	15,222
2014 Estimate	14,866

BIRTH RISK	2013	2012	2011
Resident Births--Total	183	133	153
Mother Reported Smoking while Pregnant	35	29	37

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	7	9	15
Tuberculosis Infection Cases	3	1	3

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	199	205	218
Suicides	3	4	3
Self-inflicted Injuries	11	19	10
Homicides	1	0	0
Assault Injuries	50	37	28
Alcohol Induced Deaths	1	2	2
Drug Induced Deaths	2	6	1
Smoking Attributable Deaths	30	30	34

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	75	84	70
Mental Illness Secondary Diagnosis	307	258	266
Alcohol Principal Diagnosis	4	3	3
Alcohol Secondary Diagnosis	21	22	12
Drug Principal Diagnosis	1	4	5
Drug Secondary Diagnosis	9	7	14
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	48	67	55
Mental Illness Secondary Diagnosis	254	281	316
Alcohol Principal Diagnosis	7	12	7
Alcohol Secondary Diagnosis	29	34	34
Drug Principal Diagnosis	9	8	3
Drug Secondary Diagnosis	9	13	19
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	101	123	116
Mental Illness Secondary Diagnosis	726	630	404
Alcohol Principal Diagnosis	22	28	39
Alcohol Secondary Diagnosis	27	35	31
Drug Principal Diagnosis	14	23	12
Drug Secondary Diagnosis	20	30	27

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	54	58	55
Alcohol Package Carry-out Licenses	19	19	19

EMPLOYMENT	2014	2013	2012
Labor Force	7,605	7,439	7,220
Employed	7,199	6,978	6,695
Unemployed	406	461	525
Unemployment Rate	5.3%	6.2%	7.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	13	26	25
Fatal Crashes	0	1	6
Injury Crashes	4	12	8
Property Damage Crashes	9	13	11
Crash Fatalities	0	1	6
Crash Injuries	6	18	14
Drug Involved Crashes--Total	5	5	3
Fatal Crashes	0	0	0
Injury Crashes	2	3	1
Property Damage Crashes	3	2	2
Crash Fatalities	0	0	0
Crash Injuries	3	5	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	54	63	71
Liquor Law Arrests	3	5	24
Drug Arrests	26	10	41
Violent Offenses	29	22	35
Property Offenses	200	281	263
Domestic Violence Reports	13	12	26
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	4	9	7

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	903	906	952
Drop-outs	12	13	9
Drop-out Rate	1.3%	1.4%	0.9%
School Discipline Involving Alcohol	4	3	0
School Discipline Involving Drugs	2	6	7
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	16	15	39
Juvenile Alcohol Offenses	4	1	9
Juvenile Drug Offenses	1	10	8
School Truancy Status Offense	2	5	4
Absent from Home Status Offense	6	3	6
Beyond Parental Control Status Offense	0	1	5
Injurious Behavior Status Offense	5	12	2
Child Abuse	0	0	0
Child Neglect	8	16	5
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	10	21	7
Parental Alcohol Use Related	0	2	0
Parental Drug Use Related	2	7	5
Parental Alcohol and Drug Use	0	0	2

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	6	13	13
Probation/Parole Admissions--Drug	31	20	31
Probation/Parole Admissions--DWI	6	4	4
Prison Admissions--Drug	9	10	8
Prison Admissions--DWI	2	0	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

GASCONADE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5	11	8
CSTAR Adolescent	5	*	*
CSTAR Women and Children	*	6	*
CSTAR General Adult	43	51	53
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	15
Clinical SATOP (CIP, YCIP, SROP)	5	8	18
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	41	48	90
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	15	14	36
- Weekend Intervention Program	11	16	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	61	70	81
AGE			
Under 18	5	*	*
18 to 24	12	15	18
25 to 29	15	12	15
30 to 34	11	12	14
35 to 39	*	*	8
40 to 44	8	7	8
45 to 54	7	12	11
55 and Over	*	*	5
GENDER			
Male	38	40	54
Female	23	30	27
RACE / ETHNICITY			
Caucasian	61	69	78
African American	0	0	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	*
Hispanic	*	*	*
Other Race / Two or More Races	0	*	0
EDUCATION			
Less than High School Diploma	25	28	29
High School Graduate or G.E.D.	25	28	39
Associate Degree or Some College	11	13	12
Bachelor or Advanced Degree	0	*	*
EMPLOYMENT			
Employed	15	16	31
Unemployed	29	29	38
Not in Labor Force	17	25	12
HOUSING / LIVING ARRANGEMENT			
Independent Living	50	58	72
Dependent Living	6	7	*
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	39	35	41
Married / Cohabitating	9	22	21
Previously Married	13	13	19

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	16	25	29
Marijuana / Hashish	13	17	22
Cocaine (total)	0	*	0
- Crack	0	0	0
Stimulant (total)	8	9	18
- Methamphetamine	8	9	18
Heroin	13	6	5
Analgesic except Heroin	9	11	5
- Non-Prescription Methadone	0	0	*
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	0	*
Inhalant	0	*	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	17.6	18.6	18.1
INJECTION DRUG USE			
Any Injection Use at Admission	17	8	5
- Daily Injection Use	*	*	*
- Weekly Injection Use	6	*	0
- Less than Weekly Injection Use	9	*	*
LIFETIME DUI / DWI ARRESTS			
0	40	36	37
1 or 2	15	23	31
3 or More	6	11	13
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	29	25	22
School	*	0	0
Mental Health Provider	0	0	0
Health Care Provider	*	7	*
Court / Criminal Justice	23	30	49
Other Referral Source	6	8	8
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	*
Military Veteran	*	6	8
Special Education Services Needed	*	*	6
Co-Occurring Psychological Problem	30	27	26
Co-Occurring Developmental Problem	5	*	*

GASCONADE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	17A
CENSUS 2010	15,222
2014 POPULATION ESTIMATE	14,866

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	12	7	*
Anxiety Disorder	79	76	76
Dementia	0	0	0
Developmental Disorder	*	5	*
Impulse Control Disorder	39	36	28
Mood Disorder	124	105	109
Personality Disorder	20	23	18
Psychotic Disorder	19	21	21
Sexual Disorder	0	0	0
Other Diagnosis	16	7	8
Diagnosis Unknown	13	*	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	174	154	152
AGE			
Under 6	*	*	0
6 to 9	21	12	9
10 to 13	18	14	11
14 to 17	12	11	13
18 to 24	13	10	8
25 to 29	17	15	11
30 to 34	17	15	18
35 to 39	16	13	9
40 to 44	11	8	16
45 to 49	14	19	19
50 to 54	19	18	18
55 to 59	9	9	10
60 and Over	5	7	10
Age Unknown	0	0	0
GENDER			
Male	80	69	58
Female	94	85	94
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	170	151	146
African American	0	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	7	5	7
Past or Current Military Service	*	*	5

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	66	60	28
High School Grad or G.E.D.	0	6	20
Associate Degree or Some College	0	*	8
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	108	86	95
EMPLOYMENT			
Employed	6	11	12
Unemployed	5	23	35
Not in Labor Force	80	74	15
Employment Status Unknown	83	46	90
HOUSING / LIVING ARRANGEMENT			
Independent Living	36	62	48
Dependent Living	53	46	18
Homeless	*	*	0
Other	0	0	*
Housing Unknown	84	45	84
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	87	76	61
School	0	*	0
Mental Health Provider	*	*	5
Health Care Provider	28	19	14
Court / Criminal Justice	*	*	*
Other	55	52	71
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	173	154	152
Civil	0	0	0
Criminal	*	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

GASCONADE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	39.5	44.7	52.4
Cigarettes	16.7	20.3	28.5
Chewing Tobacco	8.0	15.1	16.6
Marijuana	8.6	10.1	17.3
Inhalants	1.8	6.7	7.7
Prescription medications not prescribed for student	6.8	10.5	13.7
Over-the-counter medications for non-medical use	1.8	5.9	6.4
Methamphetamine	0.0	1.3	1.0
Cocaine	0.0	1.7	2.6
Heroin	0.0	0.4	0.6
Hallucinogens	0.6	2.6	4.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	1.3	2.2
Steroids not prescribed for student	1.2	1.3	1.3
Synthetic drugs (K2, bath salts, Spice, etc)	1.9	3.8	
Average age of students' first use of:			
Alcohol	13.05	11.79	12.44
Cigarettes	13.22	11.45	12.43
Marijuana	14.44	12.15	14.00
Inhalants	10.38	11.31	13.60
Percent of students who, in past 30 days, used:			
Alcohol	15.5	17.7	28.6
Alcohol (Binge: 5+ drinks on one occassion)		8.0	18.3
Cigarettes	6.8	9.7	13.9
Chewing Tobacco	4.3	9.7	10.3
Marijuana	2.5	6.8	7.7
Inhalants	0.6	2.9	2.9
Prescription medications not prescribed for student	2.5	5.9	7.6
Over-the-counter medications for non-medical use	0.6	2.9	3.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.5		
Percent whose friends used in past 12 months:			
Alcohol	51.2	53.0	67.9
Cigarettes	37.4	37.6	47.5
Marijuana	28.8	26.9	34.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	14.4	17.8
Percent who would likely use, if offered by a best friend:			
Alcohol	32.9	31.9	43.7
Cigarettes	10.5	11.8	15.9
Marijuana	8.0	11.4	12.5
Percent who say it would be wrong to use:			
Alcohol	57.4	55.9	50.8
Cigarettes	85.8	84.3	75.0
Marijuana	86.3	86.1	84.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	95.8	96.2
Percent whose parents would disapprove if they use:			
Alcohol	72.2	70.4	65.7
Cigarettes	92.6	94.1	86.6
Marijuana	94.4	95.8	93.6
Percent who say it would be easy to obtain:			
Alcohol	59.3	62.9	66.6
Cigarettes	50.9	47.3	60.8
Marijuana	27.2	28.4	36.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	14.3	18.0

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	56.8		
Alcohol (Binge: 5+ drinks once or twice a week)	69.1		
Alcohol (any use)		68.5	78.0
Cigarettes (1+ packs per day)	87.7		
Cigarettes (any use)		81.5	79.7
Marijuana (once or twice a week)	72.8		
Marijuana (any use)		82.2	71.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.2	92.7	93.3
Percent of students who, in past 30 days:			
Were very sad	22.7	22.8	10.1
Were grouchy, irritable, or in a bad mood	25.8	23.3	18.9
Felt hopeless about the future	14.8	11.0	8.2
Felt like not eating or eating more than usual	19.6	19.6	11.4
Slept a lot more or a lot less than usual	19.6	22.5	19.9
Had difficulty concentrating on school work	22.7	21.9	18.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.4	13.6	12.6
Made plan about how they would attempt suicide	8.0	10.2	8.8
Attempted suicide	4.3	5.9	4.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.9	2.6	0.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.1	8.4	6.3
Were in a physical fight	15.3	24.5	21.8
Were in a fight and had to be treated by a doctor or nurse	1.8	5.0	3.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	51.2	55.3	54.7
Were made fun of by others	62.0	67.2	73.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.7	27.1	19.6
Spread mean rumors or lies about other kids at school	29.6	30.8	31.3
Made fun of other people	59.5	66.2	75.4
Posted something on the internet or sent a text that might embarrass or hurt another student	13.5	14.4	13.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.4	65.8	77.5
School provides feedback to parents on positive student performance	40.4	32.8	45.6
Rules are enforced fairly	69.8	70.9	69.1
Students of all races/ethnicities are treated equal	88.3	82.7	88.3
Percent of students who agree that:			
Parents notice and comment on student's good work	79.0	84.4	83.8
Parents involve student in making family decisions	67.7	68.5	68.8
It is important to be honest with parents regardless of consequences	87.1	87.4	85.4
Student could ask parent for help with a personal problem	75.2	74.4	78.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

GENTRY COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	6,738
2014 Estimate	6,826

BIRTH RISK	2013	2012	2011
Resident Births--Total	88	104	71
Mother Reported Smoking while Pregnant	19	28	15

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	2	0
Hepatitis C Chronic and Acute	4	2	2
Tuberculosis Infection Cases	1	1	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	100	94	74
Suicides	2	2	0
Self-inflicted Injuries	11	14	5
Homicides	0	0	0
Assault Injuries	23	24	15
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	1	1	0
Smoking Attributable Deaths	22	16	13

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	56	51	62
Mental Illness Secondary Diagnosis	138	152	170
Alcohol Principal Diagnosis	1	2	2
Alcohol Secondary Diagnosis	6	10	2
Drug Principal Diagnosis	2	3	1
Drug Secondary Diagnosis	10	3	3
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	40	35	18
Mental Illness Secondary Diagnosis	97	114	115
Alcohol Principal Diagnosis	2	1	1
Alcohol Secondary Diagnosis	8	6	2
Drug Principal Diagnosis	3	2	1
Drug Secondary Diagnosis	4	9	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	67	75	59
Mental Illness Secondary Diagnosis	179	161	117
Alcohol Principal Diagnosis	3	6	5
Alcohol Secondary Diagnosis	11	8	11
Drug Principal Diagnosis	7	3	5
Drug Secondary Diagnosis	16	19	18

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	6	6	4
Alcohol Package Carry-out Licenses	9	10	12

EMPLOYMENT	2014	2013	2012
Labor Force	3,636	3,673	3,564
Employed	3,430	3,497	3,381
Unemployed	206	176	183
Unemployment Rate	5.7%	4.8%	5.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	4	4	7
Fatal Crashes	0	0	0
Injury Crashes	3	3	7
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	0
Crash Injuries	3	3	9
Drug Involved Crashes--Total	1	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	10	23	22
Liquor Law Arrests	5	5	9
Drug Arrests	6	2	6
Violent Offenses	2	0	1
Property Offenses	22	46	33
Domestic Violence Reports	1	0	1
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	1	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	322	336	338
Drop-outs	8	0	2
Drop-out Rate	2.5%	0.0%	0.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	2	1	1
Juvenile Alcohol Offenses	0	2	5
Juvenile Drug Offenses	1	0	4
School Truancy Status Offense	1	1	0
Absent from Home Status Offense	0	0	1
Beyond Parental Control Status Offense	4	2	12
Injurious Behavior Status Offense	14	7	1
Child Abuse	0	0	0
Child Neglect	40	22	10
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	12	4	3
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	3	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	1	0	1
Probation/Parole Admissions--Drug	3	0	1
Probation/Parole Admissions--DWI	1	0	1
Prison Admissions--Drug	1	1	2
Prison Admissions--DWI	0	1	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

GENTRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	6	5	*
CSTAR Adolescent	*	*	0
CSTAR Women and Children	*	*	0
CSTAR General Adult	11	9	6
CSTAR Opioid	0	0	0
Primary Recovery Treatment	13	7	12
Clinical SATOP (CIP, YCIP, SROP)	0	6	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	24	32	34
- Adolescent Diversion Education Prograr	5	5	11
- Offender Education Program	7	14	8
- Weekend Intervention Program	*	6	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	6	11

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	25	21	18
AGE			
Under 18	*	0	0
18 to 24	*	8	5
25 to 29	9	*	*
30 to 34	5	*	*
35 to 39	*	*	*
40 to 44	*	*	*
45 to 54	*	*	*
55 and Over	*	*	0
GENDER			
Male	16	12	11
Female	9	9	7
RACE / ETHNICITY			
Caucasian	25	21	18
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	6	*	6
High School Graduate or G.E.D.	13	12	8
Associate Degree or Some College	5	8	*
Bachelor or Advanced Degree	*	0	0
EMPLOYMENT			
Employed	11	10	6
Unemployed	8	8	9
Not in Labor Force	6	*	*
HOUSING / LIVING ARRANGEMENT			
Independent Living	21	19	16
Dependent Living	*	*	*
Homeless	*	*	0
MARITAL / FAMILY STATUS			
Never Married	9	11	8
Married / Cohabitating	12	*	5
Previously Married	*	6	5

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	8	10	7
Marijuana / Hashish	7	*	*
Cocaine (total)	0	0	*
- Crack	0	0	*
Stimulant (total)	5	*	*
- Methamphetamine	5	*	*
Heroin	*	*	0
Analgesic except Heroin	*	6	0
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	18.6	17.5	15.8
INJECTION DRUG USE			
Any Injection Use at Admission	7	9	*
- Daily Injection Use	*	*	0
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	*	5	*
LIFETIME DUI / DWI ARRESTS			
0	11	10	11
1 or 2	8	7	6
3 or More	6	*	*
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	11	5	*
School	0	0	0
Mental Health Provider	0	0	0
Health Care Provider	0	*	*
Court / Criminal Justice	8	14	11
Other Referral Source	6	*	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	0
Military Veteran	*	*	0
Special Education Services Needed	*	0	*
Co-Occurring Psychological Problem	7	5	8
Co-Occurring Developmental Problem	0	0	0

GENTRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	1
CENSUS 2010	6,738
2014 POPULATION ESTIMATE	6,826

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	14	13	14
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	*	*
Mood Disorder	19	16	23
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	0	0	*
Diagnosis Unknown	*	*	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	26	27	35
AGE			
Under 6	*	*	0
6 to 9	0	*	*
10 to 13	*	*	*
14 to 17	*	*	6
18 to 24	*	6	*
25 to 29	0	0	*
30 to 34	*	*	*
35 to 39	*	5	6
40 to 44	*	*	*
45 to 49	*	*	*
50 to 54	*	*	*
55 to 59	*	0	*
60 and Over	*	*	*
Age Unknown	0	0	0
GENDER			
Male	11	11	15
Female	15	16	20
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	26	27	35
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race	0	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	0

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	10	5	*
High School Grad or G.E.D.	0	*	9
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	*	0
Education Level Unknown	16	20	22
EMPLOYMENT			
Employed	*	*	*
Unemployed	0	6	11
Not in Labor Force	16	10	0
Employment Status Unknown	6	10	21
HOUSING / LIVING ARRANGEMENT			
Independent Living	14	13	13
Dependent Living	5	8	7
Homeless	0	0	0
Other	0	0	0
Housing Unknown	7	6	15
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	6	5	8
School	0	0	0
Mental Health Provider	7	7	8
Health Care Provider	8	7	9
Court / Criminal Justice	0	6	5
Other	5	*	*
Referral Source Unknown	0	0	*
TYPE OF COMMITMENT			
Voluntary	25	25	30
Civil	0	*	*
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	*

GENTRY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	2.2	29.1	
Cigarettes	28.9	18.1	
Chewing Tobacco	0.0	12.9	
Marijuana	0.0	6.8	
Inhalants	0.0	8.5	
Prescription medications not prescribed for student	3.3	6.9	
Over-the-counter medications for non-medical use	28.9	11.1	
Methamphetamine	0.0	3.5	
Cocaine	0.0	3.5	
Heroin	0.0	3.4	
Hallucinogens	0.0	3.4	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	3.4	
Steroids not prescribed for student	0.0	0.0	
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	3.4	
Average age of students' first use of:			
Alcohol	10.88	12.59	
Cigarettes	9.00	14.10	
Marijuana		13.27	
Inhalants	8.88	11.50	
Percent of students who, in past 30 days, used:			
Alcohol	0.0	14.7	
Alcohol (Binge: 5+ drinks on one occassion)		8.5	
Cigarettes	0.0	9.4	
Chewing Tobacco	0.0	6.9	
Marijuana	0.0	3.4	
Inhalants	0.0	0.0	
Prescription medications not prescribed for student	2.2	0.0	
Over-the-counter medications for non-medical use	28.9	0.0	
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	0.0		
Percent whose friends used in past 12 months:			
Alcohol	4.4	43.6	
Cigarettes	2.2	34.2	
Marijuana	28.9	21.4	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	3.4	
Percent who would likely use, if offered by a best friend:			
Alcohol	1.1	19.8	
Cigarettes	0.0	12.8	
Marijuana	0.0	7.7	
Percent who say it would be wrong to use:			
Alcohol	68.9	76.1	
Cigarettes	100.0	83.8	
Marijuana	70.0	92.3	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	100.0	
Percent whose parents would disapprove if they use:			
Alcohol	98.9	85.5	
Cigarettes	100.0	100.0	
Marijuana	100.0	100.0	
Percent who say it would be easy to obtain:			
Alcohol	44.4	53.8	
Cigarettes	42.2	53.0	
Marijuana	1.1	6.8	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	2.6	

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	82.2		
Alcohol (Binge: 5+ drinks once or twice a week)	88.9		
Alcohol (any use)		76.9	
Cigarettes (1+ packs per day)	95.6		
Cigarettes (any use)		89.7	
Marijuana (once or twice a week)	65.6		
Marijuana (any use)		78.6	
Other: Cocaine, LSD, Meth, Club Drug (any use)	67.8	88.0	
Percent of students who, in past 30 days:			
Were very sad	38.9	16.2	
Were grouchy, irritable, or in a bad mood	40.0	21.6	
Felt hopeless about the future	6.7	11.2	
Felt like not eating or eating more than usual	9.9	12.3	
Slept a lot more or a lot less than usual	36.7	14.7	
Had difficulty concentrating on school work	32.2	8.5	
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	3.3	9.5	
Made plan about how they would attempt suicide	3.4	9.4	
Attempted suicide	2.2	3.4	
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	0.0	
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.4	6.0	
Were in a physical fight	11.1	14.7	
Were in a fight and had to be treated by a doctor or nurse	28.9	1.7	
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	23.3	40.2	
Were made fun of by others	58.9	52.1	
Were victims of an embarrassing or hurtful text message or something posted on the internet	8.9	16.5	
Spread mean rumors or lies about other kids at school	6.7	19.5	
Made fun of other people	56.7	50.9	
Posted something on the internet or sent a text that might embarrass or hurt another student	4.4	6.0	
Percent of students who agree that:			
Teachers notice and comment on student's good work	97.8	69.8	
School provides feedback to parents on positive student performance	82.2	34.2	
Rules are enforced fairly	94.4	75.2	
Students of all races/ethnicities are treated equal	97.8	98.3	
Percent of students who agree that:			
Parents notice and comment on student's good work	96.7	81.2	
Parents involve student in making family decisions	36.7	76.1	
It is important to be honest with parents regardless of consequences	42.7	90.5	
Student could ask parent for help with a personal problem	68.5	73.5	

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

GREENE COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	275,174
2014 Estimate	285,865

BIRTH RISK	2013	2012	2011
Resident Births--Total	3,506	3,574	3,553
Mother Reported Smoking while Pregnant	670	633	658

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	11	26	18
Hepatitis B Chronic, Acute, Prenatal	44	26	32
Hepatitis C Chronic and Acute	393	395	403
Tuberculosis Infection Cases	127	110	158

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	2,643	2,530	2,533
Suicides	44	35	42
Self-inflicted Injuries	491	504	495
Homicides	11	16	11
Assault Injuries	1,105	1,153	1,231
Alcohol Induced Deaths	23	30	25
Drug Induced Deaths	64	50	63
Smoking Attributable Deaths	424	413	415

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,573	1,368	1,334
Mental Illness Secondary Diagnosis	2,449	2,311	2,248
Alcohol Principal Diagnosis	156	97	77
Alcohol Secondary Diagnosis	114	105	111
Drug Principal Diagnosis	145	153	87
Drug Secondary Diagnosis	182	155	186
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,120	1,959	1,872
Mental Illness Secondary Diagnosis	5,972	5,425	4,756
Alcohol Principal Diagnosis	778	772	658
Alcohol Secondary Diagnosis	735	670	600
Drug Principal Diagnosis	469	533	402
Drug Secondary Diagnosis	571	461	431
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,947	2,955	3,145
Mental Illness Secondary Diagnosis	12,821	12,757	4,740
Alcohol Principal Diagnosis	1,502	1,490	1,378
Alcohol Secondary Diagnosis	718	774	652
Drug Principal Diagnosis	897	938	898
Drug Secondary Diagnosis	1,042	1,012	775

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	334	328	342
Alcohol Package Carry-out Licenses	223	173	235

EMPLOYMENT	2014	2013	2012
Labor Force	147,884	142,013	142,285
Employed	140,723	134,370	133,902
Unemployed	7,161	7,643	8,383
Unemployment Rate	4.8%	5.4%	5.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	328	304	334
Fatal Crashes	4	6	6
Injury Crashes	121	123	134
Property Damage Crashes	203	175	194
Crash Fatalities	4	6	6
Crash Injuries	161	178	206
Drug Involved Crashes--Total	74	83	80
Fatal Crashes	1	2	3
Injury Crashes	31	42	34
Property Damage Crashes	42	39	43
Crash Fatalities	1	3	3
Crash Injuries	54	66	36

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,604	2,048	2,017
Liquor Law Arrests	114	171	282
Drug Arrests	1,413	1,414	1,325
Violent Offenses	2,032	1,761	1,503
Property Offenses	17,049	17,189	17,174
Domestic Violence Reports	3,438	3,428	3,190
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	26	67	94

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	11,328	11,322	11,120
Drop-outs	202	247	253
Drop-out Rate	1.8%	2.2%	2.3%
School Discipline Involving Alcohol	29	22	20
School Discipline Involving Drugs	175	135	124
School Discipline Involving Tobacco	11	6	47

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	410	422	505
Juvenile Alcohol Offenses	31	53	63
Juvenile Drug Offenses	105	127	138
School Truancy Status Offense	2	10	9
Absent from Home Status Offense	55	72	94
Beyond Parental Control Status Offense	10	1	4
Injurious Behavior Status Offense	241	301	325
Child Abuse	56	50	87
Child Neglect	354	261	347
Child Custody Issues	42	67	92

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	411	301	482
Parental Alcohol Use Related	10	6	32
Parental Drug Use Related	186	131	152
Parental Alcohol and Drug Use	8	7	14

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	1,168	888	770
Probation/Parole Admissions--Drug	649	587	579
Probation/Parole Admissions--DWI	140	164	146
Prison Admissions--Drug	324	364	324
Prison Admissions--DWI	49	57	54

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

GREENE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	470	447	473
CSTAR Adolescent	106	135	141
CSTAR Women and Children	264	246	197
CSTAR General Adult	494	638	563
CSTAR Opioid	*	*	0
Primary Recovery Treatment	495	424	514
Clinical SATOP (CIP, YCIP, SROP)	299	270	244
Other Substance Abuse Treatment	*	6	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	1,387	1,468	1,447
- Adolescent Diversion Education Prograr	12	29	33
- Offender Education Program	539	600	619
- Weekend Intervention Program	279	324	270
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	105	88	113
Compulsive Gambling	0	0	*
Recovery Supports	783	837	730
Early Intervention	115	112	218

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	1,863	1,971	1,944
AGE			
Under 18	101	140	142
18 to 24	292	289	351
25 to 29	349	370	357
30 to 34	316	322	288
35 to 39	222	211	192
40 to 44	183	209	220
45 to 54	307	322	311
55 and Over	93	108	83
GENDER			
Male	1,239	1,345	1,360
Female	624	626	583
RACE / ETHNICITY			
Caucasian	1,637	1,729	1,687
African American	120	147	166
Native American / Alaskan	10	11	11
Asian / Pacific Islander	6	7	8
Hispanic	38	55	42
Other Race / Two or More Races	65	47	50
EDUCATION			
Less than High School Diploma	575	683	656
High School Graduate or G.E.D.	758	774	797
Associate Degree or Some College	509	500	472
Bachelor or Advanced Degree	21	14	19
EMPLOYMENT			
Employed	526	511	522
Unemployed	557	621	650
Not in Labor Force	780	839	772
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,403	1,487	1,471
Dependent Living	236	264	275
Homeless	196	186	174
MARITAL / FAMILY STATUS			
Never Married	972	1,046	1,054
Married / Cohabitating	413	424	408
Previously Married	478	501	482

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	737	808	762
Marijuana / Hashish	369	383	434
Cocaine (total)	21	32	64
- Crack	12	12	39
Stimulant (total)	482	478	404
- Methamphetamine	464	464	396
Heroin	69	51	64
Analgesic except Heroin	139	160	153
- Non-Prescription Methadone	*	9	*
PCP, LSD, other Hallucinogen	6	12	11
Tranquilizer	26	27	31
Inhalant	*	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	8	13	15
Average Age at First Use of Drug	17.5	17.4	17.4
INJECTION DRUG USE			
Any Injection Use at Admission	375	372	343
- Daily Injection Use	84	88	65
- Weekly Injection Use	108	115	82
- Less than Weekly Injection Use	183	169	196
LIFETIME DUI / DWI ARRESTS			
0	927	968	988
1 or 2	594	625	617
3 or More	342	378	339
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	573	750	590
School	7	12	*
Mental Health Provider	40	44	20
Health Care Provider	115	106	103
Court / Criminal Justice	914	885	1,082
Other Referral Source	205	161	139
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	36	30	32
Military Veteran	73	94	98
Special Education Services Needed	122	167	147
Co-Occurring Psychological Problem	752	769	688
Co-Occurring Developmental Problem	76	103	55

GREENE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	10
CENSUS 2010	275,174
2014 POPULATION ESTIMATE	285,865

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	66	83	113
Anxiety Disorder	977	939	898
Dementia	13	9	8
Developmental Disorder	54	58	60
Impulse Control Disorder	230	226	266
Mood Disorder	1,512	1,430	1,395
Personality Disorder	366	309	330
Psychotic Disorder	618	590	611
Sexual Disorder	8	6	*
Other Diagnosis	226	208	206
Diagnosis Unknown	182	210	349

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	2,308	2,340	2,479
AGE			
Under 6	62	68	87
6 to 9	103	132	191
10 to 13	89	101	126
14 to 17	70	79	138
18 to 24	151	150	129
25 to 29	180	175	164
30 to 34	229	247	228
35 to 39	255	244	226
40 to 44	233	226	240
45 to 49	276	294	306
50 to 54	296	279	280
55 to 59	199	196	188
60 and Over	165	149	176
Age Unknown	0	0	0
GENDER			
Male	1,094	1,127	1,152
Female	1,214	1,213	1,327
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	2,001	2,044	2,199
African American	128	113	98
Native American / Alaskan	8	6	11
Asian / Pacific Islander	6	5	6
Hispanic	62	60	47
Other Race	103	112	118
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	72	78	76
Past or Current Military Service	74	74	70

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	587	630	477
High School Grad or G.E.D.	*	*	444
Associate Degree or Some College	0	0	234
Bachelor or Advanced Degree	0	0	57
Education Level Unknown	1,720	1,709	1,267
EMPLOYMENT			
Employed	86	67	114
Unemployed	92	101	929
Not in Labor Force	1,312	1,473	427
Employment Status Unknown	818	699	1,009
HOUSING / LIVING ARRANGEMENT			
Independent Living	827	937	1,083
Dependent Living	577	632	366
Homeless	55	89	48
Other	0	0	29
Housing Unknown	849	682	953
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,206	1,361	1,645
School	10	12	17
Mental Health Provider	108	87	82
Health Care Provider	382	304	237
Court / Criminal Justice	157	138	56
Other	387	379	383
Referral Source Unknown	58	59	59
TYPE OF COMMITMENT			
Voluntary	2,223	2,250	2,387
Civil	7	10	10
Criminal	17	18	19
Sexual Predatory	*	*	*
Commitment Type Unknown	59	60	61

GREENE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	32.0	33.1	38.0
Cigarettes	20.1	22.9	27.0
Chewing Tobacco	7.7	9.7	11.0
Marijuana	16.5	18.0	20.3
Inhalants	3.4	5.6	7.1
Prescription medications not prescribed for student	8.7	9.4	13.3
Over-the-counter medications for non-medical use	2.8	7.2	9.4
Methamphetamine	1.0	1.7	1.3
Cocaine	1.6	2.6	2.5
Heroin	0.5	1.1	0.9
Hallucinogens	4.0	4.5	4.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.9	3.0	3.1
Steroids not prescribed for student	0.8	1.5	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.8	8.3	
Average age of students' first use of:			
Alcohol	13.12	12.63	12.55
Cigarettes	12.69	12.39	12.24
Marijuana	13.52	13.19	13.46
Inhalants	12.27	12.20	12.32
Percent of students who, in past 30 days, used:			
Alcohol	12.9	13.9	16.6
Alcohol (Binge: 5+ drinks on one occassion)		8.1	9.7
Cigarettes	9.2	11.3	14.5
Chewing Tobacco	4.1	5.1	5.6
Marijuana	8.9	9.8	11.5
Inhalants	1.1	2.6	2.8
Prescription medications not prescribed for student	3.8	5.1	7.4
Over-the-counter medications for non-medical use	1.6	4.4	5.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.5		
Percent whose friends used in past 12 months:			
Alcohol	42.7	47.5	54.3
Cigarettes	36.7	40.9	48.0
Marijuana	35.6	38.6	42.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.8	19.2	23.8
Percent who would likely use, if offered by a best friend:			
Alcohol	21.6	25.5	29.4
Cigarettes	12.3	14.4	16.2
Marijuana	16.3	16.8	17.2
Percent who say it would be wrong to use:			
Alcohol	69.0	66.1	62.4
Cigarettes	83.7	79.7	75.6
Marijuana	77.3	77.9	76.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	93.5	92.4
Percent whose parents would disapprove if they use:			
Alcohol	84.8	81.9	81.6
Cigarettes	93.5	90.9	89.4
Marijuana	92.1	92.0	91.1
Percent who say it would be easy to obtain:			
Alcohol	49.2	54.2	57.3
Cigarettes	47.2	52.0	57.8
Marijuana	38.4	41.1	41.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.6	21.8	23.4

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	64.6		
Alcohol (Binge: 5+ drinks once or twice a week)	74.4		
Alcohol (any use)		73.0	71.3
Cigarettes (1+ packs per day)	86.5		
Cigarettes (any use)		82.4	80.8
Marijuana (once or twice a week)	64.2		
Marijuana (any use)		70.2	74.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	93.0	93.2
Percent of students who, in past 30 days:			
Were very sad	24.2	19.0	18.9
Were grouchy, irritable, or in a bad mood	24.4	24.3	24.3
Felt hopeless about the future	13.1	11.4	11.9
Felt like not eating or eating more than usual	18.4	18.4	18.8
Slept a lot more or a lot less than usual	18.8	20.1	26.3
Had difficulty concentrating on school work	24.4	22.4	26.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	13.3	13.0	11.7
Made plan about how they would attempt suicide	10.0	9.2	8.6
Attempted suicide	6.2	5.8	5.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.7	1.9	2.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.7	7.0	10.5
Were in a physical fight	16.4	18.9	21.7
Were in a fight and had to be treated by a doctor or nurse	2.8	3.7	3.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	51.8	47.0	51.2
Were made fun of by others	61.4	58.1	65.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	26.7	21.6	18.4
Spread mean rumors or lies about other kids at school	26.3	26.2	33.1
Made fun of other people	53.1	57.6	68.4
Posted something on the internet or sent a text that might embarrass or hurt another student	18.0	14.5	17.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.9	68.8	69.6
School provides feedback to parents on positive student performance	39.9	38.9	38.2
Rules are enforced fairly	65.9	64.2	65.2
Students of all races/ethnicities are treated equal	80.0	77.6	79.5
Percent of students who agree that:			
Parents notice and comment on student's good work	83.2	82.0	83.4
Parents involve student in making family decisions	69.7	69.8	70.5
It is important to be honest with parents regardless of consequences	85.7	83.9	80.8
Student could ask parent for help with a personal problem	78.8	77.3	78.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

GRUNDY COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	10,261
2014 Estimate	10,197

BIRTH RISK	2013	2012	2011
Resident Births--Total	163	153	118
Mother Reported Smoking while Pregnant	35	47	32

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	0	0
Hepatitis C Chronic and Acute	5	10	8
Tuberculosis Infection Cases	2	3	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	142	117	126
Suicides	1	0	1
Self-inflicted Injuries	14	11	13
Homicides	0	1	0
Assault Injuries	28	27	24
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	1	2	0
Smoking Attributable Deaths	21	23	24

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	91	71	83
Mental Illness Secondary Diagnosis	165	221	394
Alcohol Principal Diagnosis	4	2	5
Alcohol Secondary Diagnosis	12	10	11
Drug Principal Diagnosis	6	6	2
Drug Secondary Diagnosis	10	13	12
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	14	20	18
Mental Illness Secondary Diagnosis	130	147	79
Alcohol Principal Diagnosis	1	1	5
Alcohol Secondary Diagnosis	16	12	10
Drug Principal Diagnosis	2	9	2
Drug Secondary Diagnosis	7	12	13
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	89	98	91
Mental Illness Secondary Diagnosis	231	326	312
Alcohol Principal Diagnosis	10	15	16
Alcohol Secondary Diagnosis	29	18	27
Drug Principal Diagnosis	10	13	9
Drug Secondary Diagnosis	22	28	30

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	10	11	9
Alcohol Package Carry-out Licenses	11	11	12

EMPLOYMENT	2014	2013	2012
Labor Force	4,913	5,022	4,822
Employed	4,648	4,750	4,513
Unemployed	265	272	309
Unemployment Rate	5.4%	5.4%	6.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	13	5	9
Fatal Crashes	0	0	0
Injury Crashes	5	1	3
Property Damage Crashes	8	4	6
Crash Fatalities	0	0	0
Crash Injuries	6	2	3
Drug Involved Crashes--Total	3	2	2
Fatal Crashes	0	0	0
Injury Crashes	1	1	0
Property Damage Crashes	2	1	2
Crash Fatalities	0	0	0
Crash Injuries	1	2	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	40	32	35
Liquor Law Arrests	7	13	39
Drug Arrests	24	27	45
Violent Offenses	40	17	22
Property Offenses	217	248	220
Domestic Violence Reports	112	141	137
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	425	447	486
Drop-outs	8	8	10
Drop-out Rate	1.9%	1.8%	2.1%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	5	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	10	14	10
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	1	0	3
School Truancy Status Offense	15	8	37
Absent from Home Status Offense	8	9	5
Beyond Parental Control Status Offense	3	10	14
Injurious Behavior Status Offense	16	14	16
Child Abuse	42	30	17
Child Neglect	74	32	54
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	25	23	16
Parental Alcohol Use Related	0	4	2
Parental Drug Use Related	5	6	6
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	23	14	12
Probation/Parole Admissions--Drug	23	19	7
Probation/Parole Admissions--DWI	4	5	3
Prison Admissions--Drug	13	14	5
Prison Admissions--DWI	3	3	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

GRUNDY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	11	9	8
CSTAR Adolescent	*	10	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	90	80	93
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	7	8
Clinical SATOP (CIP, YCIP, SROP)	9	12	8
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	29	28	39
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	11	*	12
- Weekend Intervention Program	*	9	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	113	114	106
AGE			
Under 18	5	6	*
18 to 24	19	21	18
25 to 29	19	25	21
30 to 34	27	18	29
35 to 39	18	12	7
40 to 44	5	11	13
45 to 54	15	17	12
55 and Over	5	*	*
GENDER			
Male	66	74	67
Female	47	40	39
RACE / ETHNICITY			
Caucasian	110	112	103
African American	*	0	*
Native American / Alaskan	0	0	*
Asian / Pacific Islander	0	0	0
Hispanic	*	*	0
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	44	47	35
High School Graduate or G.E.D.	52	55	58
Associate Degree or Some College	17	11	13
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	26	29	34
Unemployed	71	66	59
Not in Labor Force	16	19	13
HOUSING / LIVING ARRANGEMENT			
Independent Living	99	98	96
Dependent Living	8	12	8
Homeless	6	*	*
MARITAL / FAMILY STATUS			
Never Married	56	61	52
Married / Cohabitating	31	25	31
Previously Married	26	28	23

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	30	43	44
Marijuana / Hashish	38	26	15
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	21	28	26
- Methamphetamine	20	28	26
Heroin	*	*	*
Analgesic except Heroin	20	14	15
- Non-Prescription Methadone	0	0	*
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	*	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	17.8	17.8	17.9
INJECTION DRUG USE			
Any Injection Use at Admission	24	21	25
- Daily Injection Use	*	*	*
- Weekly Injection Use	7	*	8
- Less than Weekly Injection Use	14	15	15
LIFETIME DUI / DWI ARRESTS			
0	71	68	66
1 or 2	32	33	24
3 or More	10	13	16
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	20	18	27
School	0	*	0
Mental Health Provider	0	0	0
Health Care Provider	*	*	*
Court / Criminal Justice	26	23	58
Other Referral Source	62	70	19
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	0	*
Military Veteran	*	5	8
Special Education Services Needed	9	8	12
Co-Occurring Psychological Problem	53	54	50
Co-Occurring Developmental Problem	*	*	*

GRUNDY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	13
CENSUS 2010	10,261
2014 POPULATION ESTIMATE	10,197

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	8	8	7
Anxiety Disorder	121	109	139
Dementia	*	*	*
Developmental Disorder	11	12	11
Impulse Control Disorder	53	57	57
Mood Disorder	188	195	214
Personality Disorder	25	26	33
Psychotic Disorder	25	31	34
Sexual Disorder	0	*	0
Other Diagnosis	40	29	29
Diagnosis Unknown	14	8	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	275	267	301
AGE			
Under 6	*	*	*
6 to 9	21	21	17
10 to 13	38	33	32
14 to 17	29	28	26
18 to 24	23	25	20
25 to 29	20	9	19
30 to 34	11	17	20
35 to 39	18	24	27
40 to 44	30	25	32
45 to 49	18	21	25
50 to 54	26	18	29
55 to 59	18	17	25
60 and Over	22	26	26
Age Unknown	0	0	0
GENDER			
Male	111	101	115
Female	164	166	186
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	265	256	291
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	6	6
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	8	7	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	130	114	44
High School Grad or G.E.D.	9	22	54
Associate Degree or Some College	*	*	15
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	135	127	184
EMPLOYMENT			
Employed	22	19	13
Unemployed	26	53	91
Not in Labor Force	195	156	32
Employment Status Unknown	32	39	165
HOUSING / LIVING ARRANGEMENT			
Independent Living	142	121	100
Dependent Living	103	101	48
Homeless	*	*	*
Other	0	0	*
Housing Unknown	29	41	151
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	165	151	158
School	5	5	*
Mental Health Provider	15	16	30
Health Care Provider	41	43	54
Court / Criminal Justice	8	6	11
Other	37	42	39
Referral Source Unknown	*	*	7
TYPE OF COMMITMENT			
Voluntary	271	262	294
Civil	0	*	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	7

GRUNDY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	36.9	45.7	43.1
Cigarettes	23.8	30.5	24.8
Chewing Tobacco	22.3	11.0	14.4
Marijuana	13.2	13.4	3.0
Inhalants	5.3	6.7	11.3
Prescription medications not prescribed for student	9.3	14.6	7.9
Over-the-counter medications for non-medical use	7.7	9.1	7.9
Methamphetamine	0.8	2.4	2.1
Cocaine	2.3	3.0	2.0
Heroin	0.0	2.5	2.0
Hallucinogens	3.1	3.7	0.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	3.1	0.5
Steroids not prescribed for student	0.8	3.1	0.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	6.7	
Average age of students' first use of:			
Alcohol	12.61	13.13	11.34
Cigarettes	11.18	12.52	11.16
Marijuana	13.25	13.32	10.30
Inhalants	11.12	12.27	12.26
Percent of students who, in past 30 days, used:			
Alcohol	11.8	25.2	17.9
Alcohol (Binge: 5+ drinks on one occassion)		14.5	9.0
Cigarettes	14.6	15.9	14.9
Chewing Tobacco	9.9	4.9	6.5
Marijuana	3.9	6.7	1.0
Inhalants	1.5	4.3	8.2
Prescription medications not prescribed for student	6.2	7.3	3.5
Over-the-counter medications for non-medical use	4.6	6.7	5.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.7		
Percent whose friends used in past 12 months:			
Alcohol	38.2	59.5	59.2
Cigarettes	31.3	51.2	46.0
Marijuana	16.8	38.9	27.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	15.3	9.5
Percent who would likely use, if offered by a best friend:			
Alcohol	30.0	39.6	35.6
Cigarettes	17.6	14.7	14.9
Marijuana	10.0	13.4	7.5
Percent who say it would be wrong to use:			
Alcohol	68.7	55.2	62.4
Cigarettes	84.7	77.2	85.4
Marijuana	89.2	82.7	88.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	92.5	98.5
Percent whose parents would disapprove if they use:			
Alcohol	81.5	86.0	81.7
Cigarettes	96.2	93.2	95.0
Marijuana	96.9	95.0	99.5
Percent who say it would be easy to obtain:			
Alcohol	42.3	60.4	67.2
Cigarettes	42.0	59.1	64.9
Marijuana	26.7	34.4	23.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	16.0	11.4

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	56.6		
Alcohol (Binge: 5+ drinks once or twice a week)	72.7		
Alcohol (any use)		69.1	89.8
Cigarettes (1+ packs per day)	82.2		
Cigarettes (any use)		74.7	82.2
Marijuana (once or twice a week)	69.5		
Marijuana (any use)		73.3	76.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.9	92.6	98.5
Percent of students who, in past 30 days:			
Were very sad	25.2	21.3	16.8
Were grouchy, irritable, or in a bad mood	24.2	25.0	22.4
Felt hopeless about the future	12.3	15.2	13.0
Felt like not eating or eating more than usual	21.4	15.9	13.5
Slept a lot more or a lot less than usual	22.5	20.7	27.0
Had difficulty concentrating on school work	24.0	24.1	22.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	15.3	14.0	14.9
Made plan about how they would attempt suicide	11.5	10.4	11.4
Attempted suicide	9.4	5.5	9.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	3.1	0.6	2.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	8.4	5.5	12.4
Were in a physical fight	19.7	26.4	21.8
Were in a fight and had to be treated by a doctor or nurse	3.8	1.9	6.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	53.4	59.1	54.3
Were made fun of by others	69.2	69.5	61.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	31.5	29.4	19.3
Spread mean rumors or lies about other kids at school	26.2	34.8	48.3
Made fun of other people	58.8	69.5	78.6
Posted something on the internet or sent a text that might embarrass or hurt another student	16.4	17.2	26.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	71.8	63.6	68.8
School provides feedback to parents on positive student performance	48.9	39.0	36.6
Rules are enforced fairly	72.5	60.4	65.2
Students of all races/ethnicities are treated equal	87.6	78.0	86.1
Percent of students who agree that:			
Parents notice and comment on student's good work	78.3	78.5	82.6
Parents involve student in making family decisions	66.2	61.0	73.8
It is important to be honest with parents regardless of consequences	86.3	82.9	85.6
Student could ask parent for help with a personal problem	73.3	72.6	68.8

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

HARRISON COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	8,957
2014 Estimate	8,639

BIRTH RISK	2013	2012	2011
Resident Births--Total	122	115	116
Mother Reported Smoking while Pregnant	38	27	39

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	4	3
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	120	112	118
Suicides	0	3	3
Self-inflicted Injuries	20	13	16
Homicides	0	2	1
Assault Injuries	12	9	10
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	2	2	2
Smoking Attributable Deaths	20	22	22

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	81	85	71
Mental Illness Secondary Diagnosis	214	219	228
Alcohol Principal Diagnosis	2	3	7
Alcohol Secondary Diagnosis	11	12	17
Drug Principal Diagnosis	5	2	1
Drug Secondary Diagnosis	6	15	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	27	20	19
Mental Illness Secondary Diagnosis	60	82	67
Alcohol Principal Diagnosis	0	3	2
Alcohol Secondary Diagnosis	8	9	9
Drug Principal Diagnosis	1	2	3
Drug Secondary Diagnosis	8	5	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	98	110	84
Mental Illness Secondary Diagnosis	108	83	115
Alcohol Principal Diagnosis	14	14	10
Alcohol Secondary Diagnosis	14	15	18
Drug Principal Diagnosis	15	8	6
Drug Secondary Diagnosis	16	17	14

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	5	6	7
Alcohol Package Carry-out Licenses	18	16	14

EMPLOYMENT	2014	2013	2012
Labor Force	3,988	4,398	4,262
Employed	3,730	4,122	3,979
Unemployed	258	276	283
Unemployment Rate	6.5%	6.3%	6.6%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	16	13	16
Fatal Crashes	1	1	0
Injury Crashes	4	8	7
Property Damage Crashes	11	4	9
Crash Fatalities	1	1	0
Crash Injuries	5	12	10
Drug Involved Crashes--Total	1	3	1
Fatal Crashes	0	0	0
Injury Crashes	1	1	0
Property Damage Crashes	0	2	1
Crash Fatalities	0	0	0
Crash Injuries	1	1	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	63	73	65
Liquor Law Arrests	11	12	35
Drug Arrests	79	81	71
Violent Offenses	8	12	13
Property Offenses	116	111	108
Domestic Violence Reports	13	12	11
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	378	386	356
Drop-outs	2	4	9
Drop-out Rate	0.5%	1.0%	2.5%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	19	0	6
Juvenile Alcohol Offenses	1	2	9
Juvenile Drug Offenses	3	0	0
School Truancy Status Offense	10	13	0
Absent from Home Status Offense	1	0	4
Beyond Parental Control Status Offense	4	0	9
Injurious Behavior Status Offense	3	4	4
Child Abuse	3	8	43
Child Neglect	57	42	16
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	20	18	15
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	7	8	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	9	13	12
Probation/Parole Admissions--Drug	28	34	33
Probation/Parole Admissions--DWI	5	6	4
Prison Admissions--Drug	16	15	20
Prison Admissions--DWI	4	3	4

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

HARRISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	0	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	39	26	37
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	6	*	7
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	29	22	28
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	*	7	13
- Weekend Intervention Program	*	7	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	52	33	50
AGE			
Under 18	0	*	*
18 to 24	15	9	15
25 to 29	12	8	9
30 to 34	8	*	*
35 to 39	6	*	9
40 to 44	*	*	*
45 to 54	*	5	7
55 and Over	*	0	*
GENDER			
Male	35	25	33
Female	17	8	17
RACE / ETHNICITY			
Caucasian	51	32	48
African American	*	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	*
Other Race / Two or More Races	0	*	*
EDUCATION			
Less than High School Diploma	20	11	15
High School Graduate or G.E.D.	27	18	30
Associate Degree or Some College	5	*	*
Bachelor or Advanced Degree	0	0	*
EMPLOYMENT			
Employed	22	9	17
Unemployed	24	20	26
Not in Labor Force	6	*	7
HOUSING / LIVING ARRANGEMENT			
Independent Living	48	29	46
Dependent Living	*	*	*
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	24	18	27
Married / Cohabitating	21	6	10
Previously Married	7	9	13

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	22	11	21
Marijuana / Hashish	7	14	12
Cocaine (total)	*	*	*
- Crack	0	0	*
Stimulant (total)	13	*	13
- Methamphetamine	12	*	13
Heroin	*	0	0
Analgesic except Heroin	5	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	0	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	17.9	16.5	18.6
INJECTION DRUG USE			
Any Injection Use at Admission	9	*	8
- Daily Injection Use	0	*	*
- Weekly Injection Use	*	0	0
- Less than Weekly Injection Use	6	*	7
LIFETIME DUI / DWI ARRESTS			
0	33	22	24
1 or 2	11	7	17
3 or More	8	*	9
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	9	7	8
School	0	0	*
Mental Health Provider	0	0	0
Health Care Provider	*	0	*
Court / Criminal Justice	14	6	32
Other Referral Source	27	19	8
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	0	*
Military Veteran	*	*	*
Special Education Services Needed	0	*	*
Co-Occurring Psychological Problem	16	15	26
Co-Occurring Developmental Problem	0	*	0

HARRISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	13
CENSUS 2010	8,957
2014 POPULATION ESTIMATE	8,639

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	51	57	61
Dementia	*	*	*
Developmental Disorder	0	0	0
Impulse Control Disorder	15	22	16
Mood Disorder	66	72	89
Personality Disorder	20	18	17
Psychotic Disorder	14	17	18
Sexual Disorder	0	0	0
Other Diagnosis	11	9	5
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	87	102	111
AGE			
Under 6	0	*	*
6 to 9	*	6	5
10 to 13	7	7	*
14 to 17	*	*	6
18 to 24	12	17	12
25 to 29	8	9	9
30 to 34	*	5	7
35 to 39	7	*	8
40 to 44	7	10	11
45 to 49	9	14	14
50 to 54	12	7	9
55 to 59	*	7	11
60 and Over	10	12	14
Age Unknown	0	0	0
GENDER			
Male	44	50	48
Female	43	52	63
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	84	97	104
African American	0	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	6
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	34	40	15
High School Grad or G.E.D.	*	*	17
Associate Degree or Some College	0	0	7
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	52	60	72
EMPLOYMENT			
Employed	14	14	7
Unemployed	9	11	31
Not in Labor Force	55	61	14
Employment Status Unknown	9	16	59
HOUSING / LIVING ARRANGEMENT			
Independent Living	58	60	44
Dependent Living	21	26	9
Homeless	0	*	0
Other	0	0	*
Housing Unknown	8	15	57
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	30	32	34
School	0	*	0
Mental Health Provider	8	13	18
Health Care Provider	32	38	43
Court / Criminal Justice	12	13	11
Other	5	5	5
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	87	101	111
Civil	0	*	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

HARRISON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	40.6	43.6	40.2
Cigarettes	32.0	32.3	32.4
Chewing Tobacco	21.4	28.4	20.2
Marijuana	5.2	15.7	9.4
Inhalants	6.3	3.7	3.8
Prescription medications not prescribed for student	2.1	2.2	12.6
Over-the-counter medications for non-medical use	1.0	0.8	7.1
Methamphetamine	1.1	0.0	0.5
Cocaine	1.1	0.0	1.1
Heroin	0.0	0.0	1.1
Hallucinogens	1.0	0.0	1.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0	1.6
Steroids not prescribed for student	0.0	0.0	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	4.2	3.0	
Average age of students' first use of:			
Alcohol	13.91	12.49	12.63
Cigarettes	13.33	13.49	12.36
Marijuana	13.78	13.64	14.32
Inhalants	9.31	11.98	12.18
Percent of students who, in past 30 days, used:			
Alcohol	14.6	27.6	16.2
Alcohol (Binge: 5+ drinks on one occassion)		15.8	12.0
Cigarettes	15.3	15.7	15.5
Chewing Tobacco	11.2	14.9	13.2
Marijuana	2.1	11.2	3.3
Inhalants	3.1	0.0	2.2
Prescription medications not prescribed for student	1.0	2.2	5.5
Over-the-counter medications for non-medical use	1.0	0.8	4.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.2		
Percent whose friends used in past 12 months:			
Alcohol	41.6	61.2	53.0
Cigarettes	37.6	59.0	55.4
Marijuana	13.9	18.8	20.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.0	0.0	11.1
Percent who would likely use, if offered by a best friend:			
Alcohol	29.2	35.4	29.0
Cigarettes	16.3	16.4	17.7
Marijuana	6.1	6.8	6.7
Percent who say it would be wrong to use:			
Alcohol	65.3	43.9	62.5
Cigarettes	83.0	72.3	71.6
Marijuana	86.7	88.1	89.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	100.0	95.7
Percent whose parents would disapprove if they use:			
Alcohol	83.0	70.2	76.6
Cigarettes	93.6	82.2	85.8
Marijuana	95.7	94.8	97.8
Percent who say it would be easy to obtain:			
Alcohol	40.8	45.7	62.0
Cigarettes	47.5	56.7	65.4
Marijuana	15.5	14.3	28.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.2	6.0	13.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.9		
Alcohol (Binge: 5+ drinks once or twice a week)	70.0		
Alcohol (any use)		75.2	84.2
Cigarettes (1+ packs per day)	88.2		
Cigarettes (any use)		73.7	78.0
Marijuana (once or twice a week)	80.8		
Marijuana (any use)		82.7	76.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	91.7	92.3
Percent of students who, in past 30 days:			
Were very sad	22.5	6.8	21.3
Were grouchy, irritable, or in a bad mood	20.8	14.3	23.5
Felt hopeless about the future	12.9	7.8	8.7
Felt like not eating or eating more than usual	16.0	18.0	19.6
Slept a lot more or a lot less than usual	17.0	14.5	25.8
Had difficulty concentrating on school work	18.8	14.9	19.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.9	3.8	8.7
Made plan about how they would attempt suicide	11.0	3.8	8.6
Attempted suicide	8.0	1.5	4.3
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	3.1	0.0	0.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.0	4.5	7.1
Were in a physical fight	13.9	20.3	20.1
Were in a fight and had to be treated by a doctor or nurse	3.0	1.5	2.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	45.0	46.3	50.3
Were made fun of by others	56.6	56.4	72.3
Were victims of an embarrassing or hurtful text message or something posted on the internet	26.0	20.3	16.2
Spread mean rumors or lies about other kids at school	18.8	25.6	34.8
Made fun of other people	45.5	61.2	72.3
Posted something on the internet or sent a text that might embarrass or hurt another student	12.9	14.2	21.7
Percent of students who agree that:			
Teachers notice and comment on student's good work	82.2	83.6	65.4
School provides feedback to parents on positive student performance	56.4	64.7	47.0
Rules are enforced fairly	72.0	68.4	59.8
Students of all races/ethnicities are treated equal	84.2	93.2	82.6
Percent of students who agree that:			
Parents notice and comment on student's good work	87.5	81.2	82.0
Parents involve student in making family decisions	76.0	74.6	67.6
It is important to be honest with parents regardless of consequences	95.0	87.3	83.9
Student could ask parent for help with a personal problem	80.0	70.7	76.5

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

HENRY COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	22,272
2014 Estimate	22,028

BIRTH RISK	2013	2012	2011
Resident Births--Total	250	275	273
Mother Reported Smoking while Pregnant	64	84	79

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	20	21	21
Tuberculosis Infection Cases	2	3	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	299	322	312
Suicides	6	3	6
Self-inflicted Injuries	27	31	60
Homicides	0	1	2
Assault Injuries	73	71	82
Alcohol Induced Deaths	2	1	1
Drug Induced Deaths	2	2	1
Smoking Attributable Deaths	58	61	70

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	269	266	258
Mental Illness Secondary Diagnosis	537	554	548
Alcohol Principal Diagnosis	6	9	17
Alcohol Secondary Diagnosis	37	35	39
Drug Principal Diagnosis	10	18	10
Drug Secondary Diagnosis	35	34	31
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	28	35	31
Mental Illness Secondary Diagnosis	442	501	430
Alcohol Principal Diagnosis	19	14	25
Alcohol Secondary Diagnosis	41	51	44
Drug Principal Diagnosis	5	11	8
Drug Secondary Diagnosis	25	38	35
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	268	277	197
Mental Illness Secondary Diagnosis	348	221	619
Alcohol Principal Diagnosis	36	40	37
Alcohol Secondary Diagnosis	45	36	42
Drug Principal Diagnosis	37	33	33
Drug Secondary Diagnosis	50	37	42

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	24	25	28
Alcohol Package Carry-out Licenses	32	31	35

EMPLOYMENT	2014	2013	2012
Labor Force	10,082	10,743	10,246
Employed	9,434	10,059	9,486
Unemployed	648	684	760
Unemployment Rate	6.4%	6.4%	7.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	16	29	32
Fatal Crashes	0	1	1
Injury Crashes	12	14	15
Property Damage Crashes	4	14	16
Crash Fatalities	0	1	1
Crash Injuries	18	21	17
Drug Involved Crashes--Total	8	6	6
Fatal Crashes	0	1	0
Injury Crashes	3	2	0
Property Damage Crashes	5	3	6
Crash Fatalities	0	1	0
Crash Injuries	3	2	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	113	106	139
Liquor Law Arrests	65	72	63
Drug Arrests	120	154	179
Violent Offenses	78	87	78
Property Offenses	725	802	796
Domestic Violence Reports	99	151	219
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	7

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	888	883	843
Drop-outs	14	19	46
Drop-out Rate	1.6%	2.2%	5.5%
School Discipline Involving Alcohol	0	5	1
School Discipline Involving Drugs	8	14	8
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	26	38	29
Juvenile Alcohol Offenses	5	15	9
Juvenile Drug Offenses	8	11	7
School Truancy Status Offense	14	5	12
Absent from Home Status Offense	1	2	3
Beyond Parental Control Status Offense	16	6	22
Injurious Behavior Status Offense	72	65	82
Child Abuse	25	39	57
Child Neglect	132	119	118
Child Custody Issues	19	11	8

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	41	38	64
Parental Alcohol Use Related	2	3	3
Parental Drug Use Related	20	24	17
Parental Alcohol and Drug Use	0	0	4

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	11	13	12
Probation/Parole Admissions--Drug	79	77	40
Probation/Parole Admissions--DWI	18	15	19
Prison Admissions--Drug	41	36	25
Prison Admissions--DWI	9	7	11

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

HENRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	8	7	14
CSTAR Adolescent	17	13	8
CSTAR Women and Children	8	12	*
CSTAR General Adult	139	140	213
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	19
Clinical SATOP (CIP, YCIP, SROP)	14	16	21
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	60	76	79
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	20	28	37
- Weekend Intervention Program	13	15	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	6	13
Compulsive Gambling	0	0	0
Recovery Supports	113	124	20
Early Intervention	*	*	11

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	263	265	262
AGE			
Under 18	16	15	8
18 to 24	43	52	69
25 to 29	40	40	37
30 to 34	37	58	44
35 to 39	41	28	30
40 to 44	21	26	29
45 to 54	46	34	37
55 and Over	19	12	8
GENDER			
Male	171	174	179
Female	92	91	83
RACE / ETHNICITY			
Caucasian	253	254	251
African American	*	*	*
Native American / Alaskan	*	0	*
Asian / Pacific Islander	*	0	*
Hispanic	*	7	5
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	82	87	74
High School Graduate or G.E.D.	146	139	142
Associate Degree or Some College	32	37	44
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	65	69	81
Unemployed	61	74	77
Not in Labor Force	137	122	104
HOUSING / LIVING ARRANGEMENT			
Independent Living	212	203	216
Dependent Living	23	18	15
Homeless	*	10	5
MARITAL / FAMILY STATUS			
Never Married	137	138	140
Married / Cohabitating	71	62	58
Previously Married	55	65	64

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	78	74	103
Marijuana / Hashish	71	82	63
Cocaine (total)	0	*	*
- Crack	0	*	*
Stimulant (total)	87	90	77
- Methamphetamine	82	87	75
Heroin	*	*	*
Analgesic except Heroin	20	9	13
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	0	*	0
Tranquilizer	0	*	0
Inhalant	0	*	*
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	18.3	17.1	17.2
INJECTION DRUG USE			
Any Injection Use at Admission	26	49	39
- Daily Injection Use	*	10	*
- Weekly Injection Use	7	11	7
- Less than Weekly Injection Use	18	28	29
LIFETIME DUI / DWI ARRESTS			
0	172	154	149
1 or 2	54	79	66
3 or More	37	32	47
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	62	79	87
School	0	0	0
Mental Health Provider	5	*	*
Health Care Provider	10	5	6
Court / Criminal Justice	44	72	59
Other Referral Source	141	105	108
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	6	*	*
Military Veteran	5	6	9
Special Education Services Needed	*	9	9
Co-Occurring Psychological Problem	59	40	23
Co-Occurring Developmental Problem	*	5	*

HENRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	8B
CENSUS 2010	22,272
2014 POPULATION ESTIMATE	22,028

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	27	32	46
Anxiety Disorder	240	255	251
Dementia	0	0	0
Developmental Disorder	*	6	8
Impulse Control Disorder	37	46	64
Mood Disorder	338	373	357
Personality Disorder	38	45	46
Psychotic Disorder	69	74	72
Sexual Disorder	0	0	0
Other Diagnosis	54	38	54
Diagnosis Unknown	38	44	48

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	493	533	546
AGE			
Under 6	5	*	7
6 to 9	26	26	30
10 to 13	33	36	48
14 to 17	23	19	33
18 to 24	47	51	43
25 to 29	39	39	37
30 to 34	57	66	49
35 to 39	40	42	39
40 to 44	43	45	60
45 to 49	43	61	74
50 to 54	73	66	47
55 to 59	35	49	44
60 and Over	29	29	35
Age Unknown	0	0	0
GENDER			
Male	207	227	229
Female	286	306	317
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	481	515	527
African American	*	5	*
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	*	5	7
Other Race	5	7	8
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	7	8	7
Past or Current Military Service	10	16	15

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	208	212	119
High School Grad or G.E.D.	0	0	101
Associate Degree or Some College	0	0	26
Bachelor or Advanced Degree	0	0	7
Education Level Unknown	285	321	293
EMPLOYMENT			
Employed	35	33	35
Unemployed	17	37	175
Not in Labor Force	333	341	88
Employment Status Unknown	108	122	248
HOUSING / LIVING ARRANGEMENT			
Independent Living	252	267	224
Dependent Living	125	130	96
Homeless	14	9	7
Other	0	0	5
Housing Unknown	102	127	214
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	275	323	383
School	*	0	0
Mental Health Provider	18	17	23
Health Care Provider	28	33	29
Court / Criminal Justice	10	16	9
Other	155	137	94
Referral Source Unknown	6	7	8
TYPE OF COMMITMENT			
Voluntary	486	523	535
Civil	*	*	*
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	6	7	8

HENRY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	41.6	39.8	51.1
Cigarettes	27.3	22.5	34.4
Chewing Tobacco	20.9	11.8	12.8
Marijuana	11.9	11.0	22.0
Inhalants	4.9	3.3	5.6
Prescription medications not prescribed for student	5.3	7.4	11.5
Over-the-counter medications for non-medical use	4.1	5.0	8.6
Methamphetamine	0.8	0.3	1.0
Cocaine	1.7	0.6	2.5
Heroin	0.4	0.3	0.5
Hallucinogens	1.6	0.6	3.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.7	1.2	4.0
Steroids not prescribed for student	0.4	1.2	0.5
Synthetic drugs (K2, bath salts, Spice, etc)	5.1	3.6	
Average age of students' first use of:			
Alcohol	12.81	12.55	12.89
Cigarettes	12.49	12.29	12.49
Marijuana	12.45	13.38	13.94
Inhalants	11.53	12.05	13.04
Percent of students who, in past 30 days, used:			
Alcohol	21.0	12.5	23.7
Alcohol (Binge: 5+ drinks on one occassion)		5.3	14.1
Cigarettes	13.1	8.3	17.3
Chewing Tobacco	14.7	4.7	5.8
Marijuana	4.1	3.6	10.7
Inhalants	2.0	1.2	2.2
Prescription medications not prescribed for student	2.1	2.7	7.2
Over-the-counter medications for non-medical use	2.0	3.3	6.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.7		
Percent whose friends used in past 12 months:			
Alcohol	46.9	52.8	68.3
Cigarettes	42.9	35.1	57.3
Marijuana	27.0	21.5	38.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	8.3	17.9
Percent who would likely use, if offered by a best friend:			
Alcohol	30.2	25.0	42.6
Cigarettes	13.6	9.9	17.1
Marijuana	6.5	6.3	15.7
Percent who say it would be wrong to use:			
Alcohol	66.4	62.3	59.7
Cigarettes	83.8	84.5	75.7
Marijuana	88.9	89.6	82.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	96.4	93.0
Percent whose parents would disapprove if they use:			
Alcohol	81.4	80.3	75.1
Cigarettes	92.2	92.1	86.2
Marijuana	95.1	95.1	91.1
Percent who say it would be easy to obtain:			
Alcohol	46.9	56.4	65.5
Cigarettes	46.1	50.7	66.5
Marijuana	17.1	26.6	46.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	11.4	26.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.9		
Alcohol (Binge: 5+ drinks once or twice a week)	61.5		
Alcohol (any use)		72.7	77.8
Cigarettes (1+ packs per day)	82.4		
Cigarettes (any use)		79.2	80.0
Marijuana (once or twice a week)	75.3		
Marijuana (any use)		82.4	76.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.2	96.1	95.4
Percent of students who, in past 30 days:			
Were very sad	23.3	23.7	22.8
Were grouchy, irritable, or in a bad mood	26.7	24.5	21.0
Felt hopeless about the future	14.8	9.0	11.8
Felt like not eating or eating more than usual	22.5	20.0	19.1
Slept a lot more or a lot less than usual	16.9	20.4	24.4
Had difficulty concentrating on school work	21.6	20.1	21.1
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.8	9.8	9.3
Made plan about how they would attempt suicide	10.2	5.3	4.4
Attempted suicide	7.8	3.9	3.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.7	1.2	1.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.9	4.5	13.2
Were in a physical fight	24.5	21.1	19.4
Were in a fight and had to be treated by a doctor or nurse	2.9	2.7	1.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	55.8	57.6	57.4
Were made fun of by others	61.2	69.9	71.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	26.9	24.7	22.5
Spread mean rumors or lies about other kids at school	27.6	30.1	36.8
Made fun of other people	54.3	65.8	79.7
Posted something on the internet or sent a text that might embarrass or hurt another student	18.0	15.5	17.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	82.0	72.0	70.5
School provides feedback to parents on positive student performance	55.7	41.5	38.8
Rules are enforced fairly	61.5	66.8	53.9
Students of all races/ethnicities are treated equal	91.0	84.2	80.9
Percent of students who agree that:			
Parents notice and comment on student's good work	84.9	83.6	77.4
Parents involve student in making family decisions	67.3	70.6	64.0
It is important to be honest with parents regardless of consequences	90.1	89.3	84.9
Student could ask parent for help with a personal problem	82.4	79.0	74.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

HICKORY COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	9,627
2014 Estimate	9,219

BIRTH RISK	2013	2012	2011
Resident Births--Total	59	71	81
Mother Reported Smoking while Pregnant	19	20	21

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	8	7	3
Tuberculosis Infection Cases	2	0	3

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	137	141	163
Suicides	3	1	1
Self-inflicted Injuries	9	20	10
Homicides	0	0	0
Assault Injuries	15	20	13
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	2	2	1
Smoking Attributable Deaths	24	30	31

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	78	66	60
Mental Illness Secondary Diagnosis	103	116	114
Alcohol Principal Diagnosis	3	4	4
Alcohol Secondary Diagnosis	7	6	9
Drug Principal Diagnosis	4	5	1
Drug Secondary Diagnosis	5	7	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	40	30	17
Mental Illness Secondary Diagnosis	157	153	144
Alcohol Principal Diagnosis	8	3	8
Alcohol Secondary Diagnosis	16	8	19
Drug Principal Diagnosis	3	3	5
Drug Secondary Diagnosis	15	7	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	82	64	48
Mental Illness Secondary Diagnosis	460	448	231
Alcohol Principal Diagnosis	20	10	8
Alcohol Secondary Diagnosis	18	16	14
Drug Principal Diagnosis	19	13	11
Drug Secondary Diagnosis	33	27	16

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	11	13	13
Alcohol Package Carry-out Licenses	12	11	11

EMPLOYMENT	2014	2013	2012
Labor Force	3,705	3,540	3,521
Employed	3,394	3,186	3,088
Unemployed	311	354	433
Unemployment Rate	8.4%	10.0%	12.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	5	6	11
Fatal Crashes	0	0	2
Injury Crashes	4	4	6
Property Damage Crashes	1	2	3
Crash Fatalities	0	0	3
Crash Injuries	4	5	6
Drug Involved Crashes--Total	2	1	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	0
Crash Injuries	2	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	17	18	38
Liquor Law Arrests	0	3	2
Drug Arrests	33	11	19
Violent Offenses	1	1	2
Property Offenses	110	143	132
Domestic Violence Reports	6	13	17
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	1	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	484	505	500
Drop-outs	3	0	3
Drop-out Rate	0.6%	0.0%	0.6%
School Discipline Involving Alcohol	0	4	0
School Discipline Involving Drugs	3	6	12
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	12	2	4
Juvenile Alcohol Offenses	1	3	0
Juvenile Drug Offenses	3	0	1
School Truancy Status Offense	0	2	4
Absent from Home Status Offense	1	2	0
Beyond Parental Control Status Offense	3	4	5
Injurious Behavior Status Offense	3	6	8
Child Abuse	5	14	10
Child Neglect	26	23	21
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	8	5	2
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	1	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	8	5	11
Probation/Parole Admissions--DWI	1	3	2
Prison Admissions--Drug	6	3	6
Prison Admissions--DWI	0	1	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

HICKORY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	0	0	0
CSTAR Women and Children	*	7	0
CSTAR General Adult	12	12	16
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	5	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	16	18	28
- Adolescent Diversion Education Prograr	0	0	*
- Offender Education Program	5	8	13
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	20	25	24
AGE			
Under 18	0	0	0
18 to 24	*	*	*
25 to 29	*	*	*
30 to 34	*	5	*
35 to 39	*	0	*
40 to 44	*	5	*
45 to 54	*	6	7
55 and Over	*	*	5
GENDER			
Male	13	15	15
Female	7	10	9
RACE / ETHNICITY			
Caucasian	20	25	24
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	8	9	*
High School Graduate or G.E.D.	9	11	12
Associate Degree or Some College	*	5	8
Bachelor or Advanced Degree	0	0	*
EMPLOYMENT			
Employed	6	8	*
Unemployed	*	6	8
Not in Labor Force	10	11	13
HOUSING / LIVING ARRANGEMENT			
Independent Living	17	23	21
Dependent Living	*	*	0
Homeless	*	0	*
MARITAL / FAMILY STATUS			
Never Married	10	9	5
Married / Cohabitating	5	7	7
Previously Married	5	9	12

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	8	14	15
Marijuana / Hashish	*	*	*
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	7	5	*
- Methamphetamine	7	5	*
Heroin	0	0	0
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	17.6	19.7	15.4
INJECTION DRUG USE			
Any Injection Use at Admission	5	5	*
- Daily Injection Use	*	0	0
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	9	11	12
1 or 2	7	8	6
3 or More	*	6	6
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	8	8	12
School	0	0	0
Mental Health Provider	*	0	0
Health Care Provider	*	*	*
Court / Criminal Justice	6	10	8
Other Referral Source	*	5	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	0
Military Veteran	*	0	*
Special Education Services Needed	0	*	0
Co-Occurring Psychological Problem	11	8	8
Co-Occurring Developmental Problem	0	0	0

HICKORY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	8B
CENSUS 2010	9,627
2014 POPULATION ESTIMATE	9,219

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	10	11	14
Dementia	0	*	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	0	*
Mood Disorder	17	22	23
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	23	29	28
AGE			
Under 6	*	0	0
6 to 9	*	0	0
10 to 13	*	*	*
14 to 17	*	*	*
18 to 24	*	*	*
25 to 29	*	6	5
30 to 34	*	*	0
35 to 39	*	*	*
40 to 44	*	*	*
45 to 49	*	5	*
50 to 54	*	*	5
55 to 59	*	*	*
60 and Over	0	0	0
Age Unknown	0	0	0
GENDER			
Male	10	11	13
Female	13	18	15
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	23	29	28
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race	0	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	0	0	0
Past or Current Military Service	0	0	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	9	8	*
High School Grad or G.E.D.	0	0	8
Associate Degree or Some College	0	0	5
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	14	21	13
EMPLOYMENT			
Employed	*	*	*
Unemployed	0	0	12
Not in Labor Force	17	21	*
Employment Status Unknown	5	7	11
HOUSING / LIVING ARRANGEMENT			
Independent Living	10	16	15
Dependent Living	9	6	*
Homeless	0	0	0
Other	0	0	0
Housing Unknown	*	7	10
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	18	17	15
School	0	0	0
Mental Health Provider	0	*	*
Health Care Provider	*	6	8
Court / Criminal Justice	*	*	*
Other	*	*	*
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	23	24	26
Civil	0	*	0
Criminal	0	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

HICKORY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	36.5	39.5	47.6
Cigarettes	20.0	29.5	30.8
Chewing Tobacco	28.6	17.8	27.6
Marijuana	7.1	6.2	13.0
Inhalants	1.2	6.2	3.4
Prescription medications not prescribed for student	7.1	7.0	9.0
Over-the-counter medications for non-medical use	2.4	5.4	6.1
Methamphetamine	0.0	0.0	0.7
Cocaine	0.0	0.8	1.4
Heroin	0.0	0.8	0.7
Hallucinogens	1.2	0.0	2.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0	1.4
Steroids not prescribed for student	0.0	0.0	1.4
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	0.8	
Average age of students' first use of:			
Alcohol	12.10	12.79	12.51
Cigarettes	13.11	12.07	12.19
Marijuana	12.65	13.66	13.05
Inhalants		11.93	11.45
Percent of students who, in past 30 days, used:			
Alcohol	21.2	14.0	20.7
Alcohol (Binge: 5+ drinks on one occassion)		7.0	14.3
Cigarettes	3.5	10.1	13.7
Chewing Tobacco	20.0	6.2	14.6
Marijuana	7.1	1.6	6.2
Inhalants	1.2	3.1	1.4
Prescription medications not prescribed for student	1.2	4.7	2.8
Over-the-counter medications for non-medical use	2.4	3.9	2.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	13.1		
Percent whose friends used in past 12 months:			
Alcohol	51.8	45.0	60.3
Cigarettes	28.2	39.5	51.0
Marijuana	21.2	24.0	27.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.9	11.8	12.2
Percent who would likely use, if offered by a best friend:			
Alcohol	31.8	31.3	33.8
Cigarettes	4.8	12.4	16.0
Marijuana	7.1	6.9	8.8
Percent who say it would be wrong to use:			
Alcohol	62.4	58.9	61.9
Cigarettes	89.3	82.2	77.6
Marijuana	90.5	89.1	86.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	96.9	97.3
Percent whose parents would disapprove if they use:			
Alcohol	85.7	81.9	75.5
Cigarettes	95.2	96.0	87.0
Marijuana	95.2	96.1	93.1
Percent who say it would be easy to obtain:			
Alcohol	49.4	54.3	55.5
Cigarettes	45.2	51.2	53.7
Marijuana	27.1	24.8	26.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	11.7	15.0

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.9		
Alcohol (Binge: 5+ drinks once or twice a week)	64.7		
Alcohol (any use)		59.7	77.4
Cigarettes (1+ packs per day)	87.1		
Cigarettes (any use)		77.5	76.9
Marijuana (once or twice a week)	73.5		
Marijuana (any use)		77.5	76.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	95.3	91.3	93.8
Percent of students who, in past 30 days:			
Were very sad	14.1	7.0	17.8
Were grouchy, irritable, or in a bad mood	27.1	22.5	24.0
Felt hopeless about the future	9.4	7.8	11.6
Felt like not eating or eating more than usual	21.2	14.7	20.0
Slept a lot more or a lot less than usual	20.0	15.5	24.0
Had difficulty concentrating on school work	21.4	18.6	18.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	8.2	10.2	5.4
Made plan about how they would attempt suicide	5.9	8.7	4.1
Attempted suicide	3.6	3.1	4.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	1.6	1.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.0	5.4	6.2
Were in a physical fight	10.6	27.1	24.3
Were in a fight and had to be treated by a doctor or nurse	3.6	3.9	3.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.0	47.3	56.9
Were made fun of by others	61.2	59.7	68.0
Were victims of an embarrassing or hurtful text message or something posted on the internet	18.8	20.2	18.6
Spread mean rumors or lies about other kids at school	18.8	31.0	26.7
Made fun of other people	71.8	65.9	71.4
Posted something on the internet or sent a text that might embarrass or hurt another student	18.8	10.9	15.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.9	75.2	76.6
School provides feedback to parents on positive student performance	42.4	39.8	51.7
Rules are enforced fairly	48.2	61.2	66.4
Students of all races/ethnicities are treated equal	78.6	89.1	85.0
Percent of students who agree that:			
Parents notice and comment on student's good work	79.5	90.7	88.3
Parents involve student in making family decisions	69.9	68.2	76.0
It is important to be honest with parents regardless of consequences	92.9	85.8	86.4
Student could ask parent for help with a personal problem	78.3	82.0	80.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

HOLT COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	4,912
2014 Estimate	4,516

BIRTH RISK	2013	2012	2011
Resident Births--Total	52	47	49
Mother Reported Smoking while Pregnant	11	12	17

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	4	3	4
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	69	69	61
Suicides	1	1	0
Self-inflicted Injuries	4	3	3
Homicides	0	0	0
Assault Injuries	6	7	12
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	1	0	0
Smoking Attributable Deaths	11	10	9

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	17	29	23
Mental Illness Secondary Diagnosis	40	49	60
Alcohol Principal Diagnosis	1	1	2
Alcohol Secondary Diagnosis	3	0	1
Drug Principal Diagnosis	2	3	1
Drug Secondary Diagnosis	1	0	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	9	10	15
Mental Illness Secondary Diagnosis	65	66	68
Alcohol Principal Diagnosis	3	3	6
Alcohol Secondary Diagnosis	8	9	6
Drug Principal Diagnosis	3	5	0
Drug Secondary Diagnosis	0	4	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	16	26	24
Mental Illness Secondary Diagnosis	67	59	54
Alcohol Principal Diagnosis	2	2	4
Alcohol Secondary Diagnosis	4	8	6
Drug Principal Diagnosis	2	4	3
Drug Secondary Diagnosis	1	5	3

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	8	12	10
Alcohol Package Carry-out Licenses	8	8	10

EMPLOYMENT	2014	2013	2012
Labor Force	2,726	2,877	2,710
Employed	2,592	2,738	2,572
Unemployed	134	139	138
Unemployment Rate	4.9%	4.8%	5.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	8	6	10
Fatal Crashes	0	0	0
Injury Crashes	4	3	5
Property Damage Crashes	4	3	5
Crash Fatalities	0	0	0
Crash Injuries	4	7	8
Drug Involved Crashes--Total	0	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	2	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	31	23	20
Liquor Law Arrests	4	9	4
Drug Arrests	42	22	25
Violent Offenses	5	9	9
Property Offenses	87	101	94
Domestic Violence Reports	12	24	16
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	153	166	178
Drop-outs	1	3	4
Drop-out Rate	0.7%	1.8%	2.3%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	3	1	3
Juvenile Alcohol Offenses	0	0	1
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	7	4	4
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	13	8	11
Injurious Behavior Status Offense	11	2	5
Child Abuse	4	2	0
Child Neglect	35	23	10
Child Custody Issues	0	5	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	2	1	10
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	1	3	3
Probation/Parole Admissions--Drug	11	17	11
Probation/Parole Admissions--DWI	6	3	6
Prison Admissions--Drug	4	12	8
Prison Admissions--DWI	6	2	4

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

HOLT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	*	*	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	5	5	7
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	8	13
Clinical SATOP (CIP, YCIP, SROP)	0	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	10	18	18
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	6	7	7
- Weekend Intervention Program	*	7	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	*
Recovery Supports	0	0	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	11	16	19
AGE			
Under 18	*	*	0
18 to 24	*	5	7
25 to 29	0	*	*
30 to 34	*	*	*
35 to 39	*	*	*
40 to 44	*	*	*
45 to 54	*	0	*
55 and Over	0	0	*
GENDER			
Male	8	13	16
Female	*	*	*
RACE / ETHNICITY			
Caucasian	10	16	18
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	*
Hispanic	0	0	0
Other Race / Two or More Races	*	0	0
EDUCATION			
Less than High School Diploma	5	*	*
High School Graduate or G.E.D.	*	8	15
Associate Degree or Some College	*	*	*
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	*	6	5
Unemployed	*	5	10
Not in Labor Force	5	5	*
HOUSING / LIVING ARRANGEMENT			
Independent Living	9	14	18
Dependent Living	*	*	*
Homeless	*	0	0
MARITAL / FAMILY STATUS			
Never Married	*	9	12
Married / Cohabitating	*	*	*
Previously Married	5	*	6

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	*	7	8
Marijuana / Hashish	5	6	*
Cocaine (total)	0	0	*
- Crack	0	0	0
Stimulant (total)	5	*	6
- Methamphetamine	5	*	6
Heroin	0	0	0
Analgesic except Heroin	0	0	0
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	17.5	16.1	18.5
INJECTION DRUG USE			
Any Injection Use at Admission	*	*	*
- Daily Injection Use	0	0	0
- Weekly Injection Use	*	0	*
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	8	9	11
1 or 2	*	5	6
3 or More	0	*	*
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	*	*	0
School	0	0	0
Mental Health Provider	0	*	*
Health Care Provider	*	0	*
Court / Criminal Justice	6	11	16
Other Referral Source	0	0	0
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	0
Military Veteran	*	*	0
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	7	8	*
Co-Occurring Developmental Problem	0	0	0

HOLT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	1
CENSUS 2010	4,912
2014 POPULATION ESTIMATE	4,516

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	7	8	7
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	*	5
Mood Disorder	16	15	15
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	0	0	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	21	17	21
AGE			
Under 6	*	0	0
6 to 9	0	0	*
10 to 13	*	*	*
14 to 17	*	*	*
18 to 24	*	*	*
25 to 29	*	*	*
30 to 34	0	*	*
35 to 39	0	0	0
40 to 44	*	*	*
45 to 49	*	*	*
50 to 54	*	*	*
55 to 59	*	*	*
60 and Over	*	*	*
Age Unknown	0	0	0
GENDER			
Male	8	7	9
Female	13	10	12
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	21	17	21
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race	0	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	0	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	8	*	*
High School Grad or G.E.D.	0	*	*
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	13	12	9
EMPLOYMENT			
Employed	0	*	0
Unemployed	*	*	12
Not in Labor Force	17	10	0
Employment Status Unknown	*	*	9
HOUSING / LIVING ARRANGEMENT			
Independent Living	13	10	12
Dependent Living	7	*	*
Homeless	0	0	0
Other	0	0	0
Housing Unknown	*	*	6
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	9	6	7
School	0	0	0
Mental Health Provider	*	0	*
Health Care Provider	7	*	5
Court / Criminal Justice	*	*	*
Other	*	*	*
Referral Source Unknown	0	0	*
TYPE OF COMMITMENT			
Voluntary	21	17	20
Civil	0	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	*

HOLT COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	20.9	49.2	18.4
Cigarettes	7.0	31.3	7.1
Chewing Tobacco	9.3	23.4	0.0
Marijuana	2.3	13.8	0.0
Inhalants	2.3	6.2	4.2
Prescription medications not prescribed for student	2.3	13.8	6.3
Over-the-counter medications for non-medical use	2.3	10.8	0.0
Methamphetamine	2.3	1.6	0.0
Cocaine	2.3	1.5	0.0
Heroin	2.3	1.6	0.0
Hallucinogens	2.3	1.5	0.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	4.6	0.0
Steroids not prescribed for student	0.0	4.6	0.0
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	6.2	
Average age of students' first use of:			
Alcohol	14.02	12.40	12.93
Cigarettes	14.57	12.72	15.00
Marijuana		14.58	
Inhalants	13.29		9.82
Percent of students who, in past 30 days, used:			
Alcohol	4.7	21.5	3.1
Alcohol (Binge: 5+ drinks on one occassion)		15.4	0.0
Cigarettes	0.0	16.9	0.0
Chewing Tobacco	4.7	18.5	0.0
Marijuana	0.0	7.7	0.0
Inhalants	2.3	4.6	1.1
Prescription medications not prescribed for student	0.0	9.2	5.3
Over-the-counter medications for non-medical use	2.3	6.2	0.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	2.3		
Percent whose friends used in past 12 months:			
Alcohol	20.9	64.1	17.3
Cigarettes	9.1	56.9	17.3
Marijuana	4.7	41.5	10.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.5	12.3	3.1
Percent who would likely use, if offered by a best friend:			
Alcohol	13.6	34.4	9.6
Cigarettes	0.0	17.5	0.0
Marijuana	0.0	7.8	6.3
Percent who say it would be wrong to use:			
Alcohol	81.4	56.3	82.7
Cigarettes	100.0	73.8	96.9
Marijuana	97.7	88.9	92.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	95.4	100.0
Percent whose parents would disapprove if they use:			
Alcohol	93.0	71.4	100.0
Cigarettes	100.0	87.7	97.9
Marijuana	100.0	95.3	100.0
Percent who say it would be easy to obtain:			
Alcohol	39.5	63.1	42.6
Cigarettes	30.2	58.5	29.6
Marijuana	9.1	36.9	15.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.5	13.8	1.0

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	72.7		
Alcohol (Binge: 5+ drinks once or twice a week)	77.3		
Alcohol (any use)		76.6	87.6
Cigarettes (1+ packs per day)	90.9		
Cigarettes (any use)		75.4	85.7
Marijuana (once or twice a week)	88.6		
Marijuana (any use)		86.2	87.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	95.3	94.7
Percent of students who, in past 30 days:			
Were very sad	11.6	18.5	20.4
Were grouchy, irritable, or in a bad mood	18.2	26.2	26.5
Felt hopeless about the future	4.7	12.5	17.3
Felt like not eating or eating more than usual	11.4	16.9	24.5
Slept a lot more or a lot less than usual	9.3	17.2	35.1
Had difficulty concentrating on school work	14.0	13.8	24.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.3	9.4	5.1
Made plan about how they would attempt suicide	9.1	6.3	5.1
Attempted suicide	4.5	4.6	1.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	0.0	0.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	0.0	6.2	2.1
Were in a physical fight	11.6	20.0	13.3
Were in a fight and had to be treated by a doctor or nurse	0.0	1.5	0.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	41.9	49.2	44.9
Were made fun of by others	55.8	64.6	73.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	11.6	21.5	23.5
Spread mean rumors or lies about other kids at school	20.5	30.8	29.6
Made fun of other people	50.0	70.8	78.6
Posted something on the internet or sent a text that might embarrass or hurt another student	11.4	20.3	18.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	90.7	85.9	92.6
School provides feedback to parents on positive student performance	65.9	57.8	79.6
Rules are enforced fairly	86.4	71.4	90.9
Students of all races/ethnicities are treated equal	95.5	79.7	99.0
Percent of students who agree that:			
Parents notice and comment on student's good work	88.6	83.1	98.9
Parents involve student in making family decisions	81.8	69.2	75.8
It is important to be honest with parents regardless of consequences	95.3	87.5	96.9
Student could ask parent for help with a personal problem	86.0	80.0	94.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

HOWARD COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	10,144
2014 Estimate	10,159

BIRTH RISK	2013	2012	2011
Resident Births--Total	124	115	123
Mother Reported Smoking while Pregnant	35	30	25

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	0	2	3
Tuberculosis Infection Cases	3	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	110	81	107
Suicides	1	2	0
Self-inflicted Injuries	6	10	8
Homicides	0	0	1
Assault Injuries	18	20	24
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	1	1	0
Smoking Attributable Deaths	16	11	19

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	47	20	35
Mental Illness Secondary Diagnosis	122	161	141
Alcohol Principal Diagnosis	1	2	1
Alcohol Secondary Diagnosis	11	11	7
Drug Principal Diagnosis	0	1	1
Drug Secondary Diagnosis	5	5	4
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	53	40	41
Mental Illness Secondary Diagnosis	172	87	72
Alcohol Principal Diagnosis	9	10	3
Alcohol Secondary Diagnosis	10	17	8
Drug Principal Diagnosis	5	1	1
Drug Secondary Diagnosis	11	6	1
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	71	50	45
Mental Illness Secondary Diagnosis	236	121	108
Alcohol Principal Diagnosis	9	8	9
Alcohol Secondary Diagnosis	27	11	21
Drug Principal Diagnosis	3	8	1
Drug Secondary Diagnosis	33	9	5

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	14	10	11
Alcohol Package Carry-out Licenses	10	11	13

EMPLOYMENT	2014	2013	2012
Labor Force	4,978	5,155	5,193
Employed	4,709	4,865	4,878
Unemployed	269	290	315
Unemployment Rate	5.4%	5.6%	6.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	7	13	8
Fatal Crashes	0	2	0
Injury Crashes	3	6	3
Property Damage Crashes	4	5	5
Crash Fatalities	0	2	0
Crash Injuries	5	11	3
Drug Involved Crashes--Total	2	2	1
Fatal Crashes	0	0	0
Injury Crashes	2	2	0
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	2	3	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	40	68	64
Liquor Law Arrests	12	47	32
Drug Arrests	51	45	37
Violent Offenses	13	14	16
Property Offenses	92	71	74
Domestic Violence Reports	24	27	26
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	5	0	2

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	408	418	425
Drop-outs	9	10	11
Drop-out Rate	2.2%	2.4%	2.6%
School Discipline Involving Alcohol	1	0	0
School Discipline Involving Drugs	5	3	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	9	16	4
Juvenile Alcohol Offenses	2	2	1
Juvenile Drug Offenses	6	3	2
School Truancy Status Offense	18	19	14
Absent from Home Status Offense	0	1	1
Beyond Parental Control Status Offense	4	6	4
Injurious Behavior Status Offense	20	35	11
Child Abuse	17	9	4
Child Neglect	24	23	10
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	26	22	9
Parental Alcohol Use Related	1	2	0
Parental Drug Use Related	5	8	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	31	20	23
Probation/Parole Admissions--DWI	5	5	1
Prison Admissions--Drug	14	12	17
Prison Admissions--DWI	3	3	6

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

HOWARD COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	6	6
CSTAR Adolescent	8	6	0
CSTAR Women and Children	8	*	11
CSTAR General Adult	12	19	12
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	10	13
Clinical SATOP (CIP, YCIP, SROP)	*	8	7
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	31	33	41
- Adolescent Diversion Education Prograr	*	*	0
- Offender Education Program	8	16	28
- Weekend Intervention Program	8	*	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	35	43	43
AGE			
Under 18	9	7	*
18 to 24	*	5	8
25 to 29	0	5	*
30 to 34	*	8	6
35 to 39	*	*	8
40 to 44	5	*	7
45 to 54	9	7	9
55 and Over	*	*	*
GENDER			
Male	20	32	27
Female	15	11	16
RACE / ETHNICITY			
Caucasian	30	40	37
African American	*	*	6
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	0
Other Race / Two or More Races	*	*	0
EDUCATION			
Less than High School Diploma	15	22	11
High School Graduate or G.E.D.	14	14	21
Associate Degree or Some College	6	6	9
Bachelor or Advanced Degree	0	*	*
EMPLOYMENT			
Employed	5	8	14
Unemployed	11	13	12
Not in Labor Force	19	22	17
HOUSING / LIVING ARRANGEMENT			
Independent Living	20	30	34
Dependent Living	12	9	5
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	18	20	16
Married / Cohabitating	8	13	15
Previously Married	9	10	12

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	10	18	17
Marijuana / Hashish	10	9	10
Cocaine (total)	*	*	*
- Crack	*	0	0
Stimulant (total)	10	12	14
- Methamphetamine	10	12	14
Heroin	0	0	0
Analgesic except Heroin	*	*	0
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	*	0
Tranquilizer	0	0	0
Inhalant	*	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	17.3	17.0	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	*	*	5
- Daily Injection Use	*	0	0
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	20	21	23
1 or 2	8	12	13
3 or More	7	10	7
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	13	19	10
School	0	0	0
Mental Health Provider	*	*	0
Health Care Provider	*	0	*
Court / Criminal Justice	14	18	24
Other Referral Source	*	*	8
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	*
Military Veteran	*	*	*
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	17	15	15
Co-Occurring Developmental Problem	*	0	*

HOWARD COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	12
CENSUS 2010	10,144
2014 POPULATION ESTIMATE	10,159

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	27	23	31
Dementia	0	0	0
Developmental Disorder	0	*	*
Impulse Control Disorder	6	8	9
Mood Disorder	41	50	52
Personality Disorder	*	6	*
Psychotic Disorder	22	25	25
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	18	22	22

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	79	91	96
AGE			
Under 6	0	0	0
6 to 9	0	*	*
10 to 13	*	0	*
14 to 17	6	5	*
18 to 24	8	11	11
25 to 29	*	9	5
30 to 34	7	13	12
35 to 39	6	5	5
40 to 44	10	9	12
45 to 49	6	11	17
50 to 54	11	12	14
55 to 59	12	8	6
60 and Over	8	7	8
Age Unknown	0	0	0
GENDER			
Male	52	61	61
Female	27	30	35
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	62	69	75
African American	14	17	16
Native American / Alaskan	0	0	0
Asian / Pacific Islander	*	*	0
Hispanic	0	*	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	0	*	*
Past or Current Military Service	7	7	8

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	33	30	27
High School Grad or G.E.D.	0	0	25
Associate Degree or Some College	0	0	14
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	46	61	28
EMPLOYMENT			
Employed	11	10	20
Unemployed	*	7	47
Not in Labor Force	57	53	11
Employment Status Unknown	10	21	18
HOUSING / LIVING ARRANGEMENT			
Independent Living	31	30	39
Dependent Living	36	44	39
Homeless	*	0	0
Other	0	0	*
Housing Unknown	11	17	15
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	40	40	48
School	0	0	0
Mental Health Provider	16	18	19
Health Care Provider	17	23	19
Court / Criminal Justice	*	6	*
Other	*	*	*
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	74	85	92
Civil	0	*	0
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

HOWARD COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	37.6	44.1	51.6
Cigarettes	24.0	26.3	30.0
Chewing Tobacco	11.9	19.6	10.9
Marijuana	11.2	15.1	14.1
Inhalants	4.0	6.1	2.3
Prescription medications not prescribed for student	5.6	7.8	7.3
Over-the-counter medications for non-medical use	1.6	6.1	5.9
Methamphetamine	1.6	1.7	0.9
Cocaine	0.8	2.2	2.7
Heroin	0.8	1.7	0.0
Hallucinogens	3.2	1.7	2.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.7	1.4
Steroids not prescribed for student	2.4	2.3	0.9
Synthetic drugs (K2, bath salts, Spice, etc)	4.8	7.8	
Average age of students' first use of:			
Alcohol	13.01	12.54	13.04
Cigarettes	12.64	13.13	12.91
Marijuana	14.48	14.43	13.82
Inhalants	11.02	11.37	12.40
Percent of students who, in past 30 days, used:			
Alcohol	14.4	20.2	21.5
Alcohol (Binge: 5+ drinks on one occassion)		11.2	11.3
Cigarettes	14.4	15.7	11.7
Chewing Tobacco	4.0	11.8	6.4
Marijuana	5.6	8.4	6.4
Inhalants	0.0	2.2	0.9
Prescription medications not prescribed for student	0.0	5.0	5.0
Over-the-counter medications for non-medical use	1.6	2.2	5.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.6		
Percent whose friends used in past 12 months:			
Alcohol	49.2	49.4	77.4
Cigarettes	38.1	44.1	48.9
Marijuana	22.2	21.3	32.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.3	3.9	9.0
Percent who would likely use, if offered by a best friend:			
Alcohol	25.4	28.5	48.0
Cigarettes	13.5	12.8	14.1
Marijuana	9.8	8.6	13.2
Percent who say it would be wrong to use:			
Alcohol	65.9	57.1	47.5
Cigarettes	79.2	74.3	82.8
Marijuana	86.4	84.7	82.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	96.6	98.2
Percent whose parents would disapprove if they use:			
Alcohol	73.6	76.0	73.3
Cigarettes	94.4	92.7	92.8
Marijuana	95.1	93.7	96.8
Percent who say it would be easy to obtain:			
Alcohol	53.2	45.8	76.6
Cigarettes	46.8	41.1	69.4
Marijuana	21.6	21.8	28.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	8.4	12.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	53.2		
Alcohol (Binge: 5+ drinks once or twice a week)	57.1		
Alcohol (any use)		62.4	77.5
Cigarettes (1+ packs per day)	88.8		
Cigarettes (any use)		67.0	88.7
Marijuana (once or twice a week)	65.9		
Marijuana (any use)		73.0	68.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.4	91.5	95.9
Percent of students who, in past 30 days:			
Were very sad	12.7	19.0	12.7
Were grouchy, irritable, or in a bad mood	22.4	21.9	15.8
Felt hopeless about the future	7.2	10.1	6.3
Felt like not eating or eating more than usual	12.8	13.5	17.6
Slept a lot more or a lot less than usual	8.7	17.9	20.5
Had difficulty concentrating on school work	20.0	16.9	15.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	4.8	7.8	7.7
Made plan about how they would attempt suicide	5.6	3.9	6.3
Attempted suicide	1.6	2.8	3.6
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	0.0	0.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	3.2	3.9	5.0
Were in a physical fight	19.8	19.0	17.6
Were in a fight and had to be treated by a doctor or nurse	2.4	3.4	2.3
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	46.8	41.3	61.5
Were made fun of by others	56.0	52.0	76.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	21.0	12.2	23.1
Spread mean rumors or lies about other kids at school	24.0	26.3	35.1
Made fun of other people	60.0	59.4	84.2
Posted something on the internet or sent a text that might embarrass or hurt another student	16.7	12.9	21.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	85.7	75.0	63.2
School provides feedback to parents on positive student performance	59.5	50.0	50.2
Rules are enforced fairly	84.9	73.1	58.4
Students of all races/ethnicities are treated equal	95.2	82.7	80.9
Percent of students who agree that:			
Parents notice and comment on student's good work	92.0	88.8	82.0
Parents involve student in making family decisions	84.8	81.4	67.4
It is important to be honest with parents regardless of consequences	89.7	85.5	86.5
Student could ask parent for help with a personal problem	88.8	83.1	76.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

HOWELL COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	40,400
2014 Estimate	40,173

BIRTH RISK	2013	2012	2011
Resident Births--Total	508	515	546
Mother Reported Smoking while Pregnant	162	129	130

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	1	1
Hepatitis B Chronic, Acute, Prenatal	0	4	1
Hepatitis C Chronic and Acute	54	56	56
Tuberculosis Infection Cases	5	28	16

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	547	479	508
Suicides	14	9	9
Self-inflicted Injuries	82	116	116
Homicides	2	3	2
Assault Injuries	121	115	169
Alcohol Induced Deaths	2	3	3
Drug Induced Deaths	7	4	5
Smoking Attributable Deaths	103	99	101

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	573	627	570
Mental Illness Secondary Diagnosis	1,140	1,269	1,285
Alcohol Principal Diagnosis	81	65	59
Alcohol Secondary Diagnosis	83	128	113
Drug Principal Diagnosis	98	98	67
Drug Secondary Diagnosis	63	82	83
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	29	31	28
Mental Illness Secondary Diagnosis	144	156	109
Alcohol Principal Diagnosis	3	11	10
Alcohol Secondary Diagnosis	20	19	20
Drug Principal Diagnosis	5	6	4
Drug Secondary Diagnosis	12	12	6
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	435	481	483
Mental Illness Secondary Diagnosis	2,936	2,214	1,223
Alcohol Principal Diagnosis	55	74	70
Alcohol Secondary Diagnosis	104	91	88
Drug Principal Diagnosis	59	67	62
Drug Secondary Diagnosis	87	81	93

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	31	30	34
Alcohol Package Carry-out Licenses	50	42	42

EMPLOYMENT	2014	2013	2012
Labor Force	16,169	19,762	18,719
Employed	15,026	18,550	17,410
Unemployed	1,143	1,212	1,309
Unemployment Rate	7.1%	6.1%	7.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	56	56	46
Fatal Crashes	3	2	1
Injury Crashes	17	26	21
Property Damage Crashes	36	28	24
Crash Fatalities	3	2	1
Crash Injuries	22	34	36
Drug Involved Crashes--Total	11	12	7
Fatal Crashes	0	0	0
Injury Crashes	4	6	5
Property Damage Crashes	7	6	2
Crash Fatalities	0	0	0
Crash Injuries	6	7	7

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	252	300	341
Liquor Law Arrests	26	26	47
Drug Arrests	394	348	317
Violent Offenses	103	131	113
Property Offenses	1,320	1,461	1,464
Domestic Violence Reports	446	330	262
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	11	11	19

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,911	1,979	1,950
Drop-outs	16	17	27
Drop-out Rate	0.8%	0.9%	1.4%
School Discipline Involving Alcohol	0	3	2
School Discipline Involving Drugs	12	20	24
School Discipline Involving Tobacco	0	0	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	18	24	23
Juvenile Alcohol Offenses	15	13	22
Juvenile Drug Offenses	13	18	18
School Truancy Status Offense	112	169	205
Absent from Home Status Offense	25	24	35
Beyond Parental Control Status Offense	51	75	61
Injurious Behavior Status Offense	42	64	92
Child Abuse	64	56	33
Child Neglect	127	111	94
Child Custody Issues	26	19	11

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	29	11	18
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	9	0	1
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	15	30	19
Probation/Parole Admissions--Drug	123	105	91
Probation/Parole Admissions--DWI	19	15	16
Prison Admissions--Drug	49	49	39
Prison Admissions--DWI	4	7	7

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

HOWELL COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	67	79	77
CSTAR Adolescent	30	27	22
CSTAR Women and Children	14	12	14
CSTAR General Adult	115	126	74
CSTAR Opioid	0	0	0
Primary Recovery Treatment	13	22	127
Clinical SATOP (CIP, YCIP, SROP)	25	45	54
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	144	170	209
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	69	69	88
- Weekend Intervention Program	38	33	37
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	10	5
Compulsive Gambling	0	0	0
Recovery Supports	7	10	*
Early Intervention	*	6	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	199	235	292
AGE			
Under 18	31	27	25
18 to 24	36	52	57
25 to 29	31	38	36
30 to 34	23	30	42
35 to 39	17	27	41
40 to 44	23	19	39
45 to 54	29	31	38
55 and Over	9	11	14
GENDER			
Male	125	146	195
Female	74	89	97
RACE / ETHNICITY			
Caucasian	192	228	278
African American	*	*	7
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	5	5	*
EDUCATION			
Less than High School Diploma	86	87	92
High School Graduate or G.E.D.	84	108	147
Associate Degree or Some College	25	40	49
Bachelor or Advanced Degree	*	0	*
EMPLOYMENT			
Employed	20	19	26
Unemployed	64	102	141
Not in Labor Force	115	114	125
HOUSING / LIVING ARRANGEMENT			
Independent Living	155	189	237
Dependent Living	37	34	33
Homeless	6	9	17
MARITAL / FAMILY STATUS			
Never Married	101	116	130
Married / Cohabitating	54	58	92
Previously Married	44	61	70

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	70	101	136
Marijuana / Hashish	47	42	78
Cocaine (total)	0	0	*
- Crack	0	0	0
Stimulant (total)	52	46	33
- Methamphetamine	52	46	33
Heroin	*	*	*
Analgesic except Heroin	25	33	30
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	*	*
Inhalant	0	0	*
Sedative	0	0	*
Other Medication or Illicit Drug	*	9	*
Average Age at First Use of Drug	17.4	17.4	17.4
INJECTION DRUG USE			
Any Injection Use at Admission	44	45	33
- Daily Injection Use	12	15	8
- Weekly Injection Use	19	14	9
- Less than Weekly Injection Use	13	16	16
LIFETIME DUI / DWI ARRESTS			
0	120	112	141
1 or 2	49	88	109
3 or More	30	35	42
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	84	108	72
School	*	*	5
Mental Health Provider	0	*	*
Health Care Provider	13	9	9
Court / Criminal Justice	64	78	175
Other Referral Source	36	33	28
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	6
Military Veteran	5	*	8
Special Education Services Needed	9	18	15
Co-Occurring Psychological Problem	65	78	82
Co-Occurring Developmental Problem	*	8	*

HOWELL COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	18
CENSUS 2010	40,400
2014 POPULATION ESTIMATE	40,173

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	114	102	53
Anxiety Disorder	611	561	410
Dementia	*	9	*
Developmental Disorder	10	5	*
Impulse Control Disorder	163	170	103
Mood Disorder	824	835	634
Personality Disorder	53	34	25
Psychotic Disorder	107	107	87
Sexual Disorder	*	*	0
Other Diagnosis	58	41	33
Diagnosis Unknown	68	46	95

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	1,221	1,216	975
AGE			
Under 6	0	*	*
6 to 9	44	33	23
10 to 13	55	42	36
14 to 17	61	59	33
18 to 24	160	177	134
25 to 29	155	139	122
30 to 34	141	155	126
35 to 39	125	111	81
40 to 44	119	127	112
45 to 49	102	116	103
50 to 54	127	129	99
55 to 59	77	71	54
60 and Over	55	56	48
Age Unknown	0	0	0
GENDER			
Male	542	565	447
Female	679	651	528
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,179	1,178	944
African American	9	10	*
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	17	14	13
Other Race	14	13	12
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	29	27	36
Past or Current Military Service	30	34	26

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	255	303	128
High School Grad or G.E.D.	0	*	156
Associate Degree or Some College	0	0	32
Bachelor or Advanced Degree	0	0	7
Education Level Unknown	966	912	652
EMPLOYMENT			
Employed	157	163	57
Unemployed	140	248	295
Not in Labor Force	567	587	117
Employment Status Unknown	357	218	506
HOUSING / LIVING ARRANGEMENT			
Independent Living	562	749	359
Dependent Living	162	157	76
Homeless	50	54	30
Other	0	*	*
Housing Unknown	447	255	507
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	679	739	432
School	*	*	*
Mental Health Provider	22	30	41
Health Care Provider	336	256	229
Court / Criminal Justice	*	5	24
Other	180	184	245
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	1,219	1,213	971
Civil	0	0	0
Criminal	*	*	*
Sexual Predatory	*	*	0
Commitment Type Unknown	0	0	*

HOWELL COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	39.9	41.4	43.9
Cigarettes	31.0	30.7	33.5
Chewing Tobacco	27.1	26.5	21.9
Marijuana	7.2	10.4	17.1
Inhalants	0.2	7.7	7.4
Prescription medications not prescribed for student	2.2	7.7	12.6
Over-the-counter medications for non-medical use	0.2	5.1	8.2
Methamphetamine	0.0	1.5	1.1
Cocaine	0.0	2.1	1.3
Heroin	0.0	1.6	0.6
Hallucinogens	0.0	2.8	3.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.2	3.4	2.0
Steroids not prescribed for student	0.0	2.9	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	8.0	
Average age of students' first use of:			
Alcohol	13.26	12.33	12.49
Cigarettes	13.53	12.33	12.00
Marijuana	14.19	12.66	13.85
Inhalants	10.27	12.66	12.26
Percent of students who, in past 30 days, used:			
Alcohol	19.9	16.2	19.8
Alcohol (Binge: 5+ drinks on one occassion)		10.1	12.7
Cigarettes	13.6	14.4	17.9
Chewing Tobacco	21.0	16.1	12.0
Marijuana	1.3	2.2	7.7
Inhalants	0.0	3.1	3.3
Prescription medications not prescribed for student	0.4	2.6	8.0
Over-the-counter medications for non-medical use	0.2	2.5	5.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	11.0		
Percent whose friends used in past 12 months:			
Alcohol	51.6	50.9	55.2
Cigarettes	44.2	41.7	50.2
Marijuana	19.7	21.8	33.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.4	9.8	17.0
Percent who would likely use, if offered by a best friend:			
Alcohol	31.2	33.4	31.8
Cigarettes	18.1	17.3	18.1
Marijuana	7.8	6.9	12.7
Percent who say it would be wrong to use:			
Alcohol	62.6	58.0	59.7
Cigarettes	71.3	75.1	75.2
Marijuana	87.0	87.4	83.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	96.6	94.4
Percent whose parents would disapprove if they use:			
Alcohol	75.8	76.8	77.3
Cigarettes	82.4	84.9	87.1
Marijuana	93.4	96.2	93.5
Percent who say it would be easy to obtain:			
Alcohol	48.2	51.4	55.2
Cigarettes	47.7	53.9	55.7
Marijuana	28.9	29.1	36.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.4	17.0	20.6

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	51.9		
Alcohol (Binge: 5+ drinks once or twice a week)	59.5		
Alcohol (any use)		70.8	78.6
Cigarettes (1+ packs per day)	86.2		
Cigarettes (any use)		79.4	79.9
Marijuana (once or twice a week)	71.0		
Marijuana (any use)		84.1	74.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	94.7	94.5
Percent of students who, in past 30 days:			
Were very sad	12.6	17.1	19.1
Were grouchy, irritable, or in a bad mood	20.6	19.0	19.8
Felt hopeless about the future	9.6	10.6	10.9
Felt like not eating or eating more than usual	13.1	13.5	17.3
Slept a lot more or a lot less than usual	14.6	16.9	22.8
Had difficulty concentrating on school work	22.9	17.3	20.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	4.6	8.5	11.9
Made plan about how they would attempt suicide	4.0	8.7	9.0
Attempted suicide	1.3	4.8	5.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.1	1.6	2.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.8	7.2	9.3
Were in a physical fight	20.9	21.4	24.6
Were in a fight and had to be treated by a doctor or nurse	0.8	2.2	3.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	55.2	51.9	57.9
Were made fun of by others	56.6	62.4	67.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	21.4	18.5	17.1
Spread mean rumors or lies about other kids at school	20.2	25.7	27.2
Made fun of other people	50.1	54.8	67.7
Posted something on the internet or sent a text that might embarrass or hurt another student	13.7	11.5	14.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.1	70.3	73.1
School provides feedback to parents on positive student performance	41.0	36.9	36.7
Rules are enforced fairly	59.9	65.3	61.7
Students of all races/ethnicities are treated equal	84.7	78.1	82.0
Percent of students who agree that:			
Parents notice and comment on student's good work	85.2	83.4	83.2
Parents involve student in making family decisions	77.5	65.9	70.8
It is important to be honest with parents regardless of consequences	92.3	86.1	84.8
Student could ask parent for help with a personal problem	86.3	77.3	77.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

IRON COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17B
POPULATION	
Census 2010	10,630
2014 Estimate	10,267

BIRTH RISK	2013	2012	2011
Resident Births--Total	91	114	118
Mother Reported Smoking while Pregnant	32	47	43

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	1	1
Hepatitis C Chronic and Acute	14	16	12
Tuberculosis Infection Cases	1	1	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	126	133	133
Suicides	4	4	0
Self-inflicted Injuries	21	18	27
Homicides	0	1	0
Assault Injuries	31	43	48
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	4	1	0
Smoking Attributable Deaths	27	32	32

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	248	274	244
Mental Illness Secondary Diagnosis	317	304	355
Alcohol Principal Diagnosis	3	7	1
Alcohol Secondary Diagnosis	24	23	18
Drug Principal Diagnosis	11	8	5
Drug Secondary Diagnosis	29	23	24
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	19	55	49
Mental Illness Secondary Diagnosis	161	265	185
Alcohol Principal Diagnosis	5	2	5
Alcohol Secondary Diagnosis	11	15	14
Drug Principal Diagnosis	5	6	3
Drug Secondary Diagnosis	10	17	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	174	189	212
Mental Illness Secondary Diagnosis	504	886	483
Alcohol Principal Diagnosis	27	22	13
Alcohol Secondary Diagnosis	26	36	44
Drug Principal Diagnosis	30	41	22
Drug Secondary Diagnosis	46	53	40

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	11	10	12
Alcohol Package Carry-out Licenses	8	8	10

EMPLOYMENT	2014	2013	2012
Labor Force	3,859	5,370	5,357
Employed	3,487	4,979	4,933
Unemployed	372	391	424
Unemployment Rate	9.6%	7.3%	7.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	11	6	25
Fatal Crashes	0	0	1
Injury Crashes	6	5	15
Property Damage Crashes	5	1	9
Crash Fatalities	0	0	1
Crash Injuries	6	9	22
Drug Involved Crashes--Total	1	3	1
Fatal Crashes	0	0	0
Injury Crashes	0	3	1
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	3	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	42	43	66
Liquor Law Arrests	6	3	20
Drug Arrests	23	21	48
Violent Offenses	40	47	32
Property Offenses	162	118	99
Domestic Violence Reports	36	19	14
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	3	13	5

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	576	575	552
Drop-outs	2	1	9
Drop-out Rate	0.3%	0.2%	1.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	3
School Discipline Involving Tobacco	0	0	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	2	5	8
Juvenile Alcohol Offenses	0	0	2
Juvenile Drug Offenses	0	1	3
School Truancy Status Offense	23	28	15
Absent from Home Status Offense	1	1	1
Beyond Parental Control Status Offense	5	7	11
Injurious Behavior Status Offense	47	69	26
Child Abuse	46	64	56
Child Neglect	134	99	82
Child Custody Issues	4	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	36	31	13
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	15	9	3
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	18	14	13
Probation/Parole Admissions--Drug	17	26	24
Probation/Parole Admissions--DWI	2	3	6
Prison Admissions--Drug	17	12	8
Prison Admissions--DWI	1	2	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

IRON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	12	9	5
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	50	52	22
CSTAR Opioid	0	0	*
Primary Recovery Treatment	*	23	61
Clinical SATOP (CIP, YCIP, SROP)	9	5	5
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	30	40	35
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	10	16	12
- Weekend Intervention Program	6	18	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	56	82	103
AGE			
Under 18	*	*	*
18 to 24	5	18	25
25 to 29	10	19	24
30 to 34	12	11	9
35 to 39	5	9	12
40 to 44	7	6	6
45 to 54	10	14	19
55 and Over	*	*	*
GENDER			
Male	36	51	74
Female	20	31	29
RACE / ETHNICITY			
Caucasian	54	81	98
African American	*	*	5
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	*
Other Race / Two or More Races	*	0	0
EDUCATION			
Less than High School Diploma	25	30	37
High School Graduate or G.E.D.	25	40	53
Associate Degree or Some College	6	12	13
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	10	13	24
Unemployed	25	50	59
Not in Labor Force	21	19	20
HOUSING / LIVING ARRANGEMENT			
Independent Living	47	76	89
Dependent Living	8	*	7
Homeless	0	*	7
MARITAL / FAMILY STATUS			
Never Married	24	36	56
Married / Cohabitating	18	28	26
Previously Married	14	18	21

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	19	21	31
Marijuana / Hashish	13	12	27
Cocaine (total)	*	*	*
- Crack	0	*	*
Stimulant (total)	6	12	13
- Methamphetamine	6	12	12
Heroin	6	10	*
Analgesic except Heroin	9	22	21
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	*
Tranquilizer	*	*	*
Inhalant	0	*	*
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	0
Average Age at First Use of Drug	18.6	19.3	18.3
INJECTION DRUG USE			
Any Injection Use at Admission	11	19	5
- Daily Injection Use	*	12	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	6	*	*
LIFETIME DUI / DWI ARRESTS			
0	38	52	70
1 or 2	11	22	21
3 or More	7	8	12
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	15	37	34
School	0	0	0
Mental Health Provider	*	0	0
Health Care Provider	11	*	5
Court / Criminal Justice	21	31	59
Other Referral Source	8	8	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	*
Military Veteran	*	6	11
Special Education Services Needed	11	7	7
Co-Occurring Psychological Problem	25	21	26
Co-Occurring Developmental Problem	5	11	5

IRON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	17B
CENSUS 2010	10,630
2014 POPULATION ESTIMATE	10,267

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	43	35	35
Dementia	*	*	*
Developmental Disorder	*	5	5
Impulse Control Disorder	15	15	14
Mood Disorder	86	85	80
Personality Disorder	10	10	11
Psychotic Disorder	39	39	32
Sexual Disorder	*	*	0
Other Diagnosis	*	*	*
Diagnosis Unknown	18	22	31

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	184	177	180
AGE			
Under 6	*	*	0
6 to 9	14	8	8
10 to 13	11	9	16
14 to 17	15	19	20
18 to 24	15	19	13
25 to 29	12	14	12
30 to 34	11	15	15
35 to 39	17	16	14
40 to 44	26	22	17
45 to 49	12	13	19
50 to 54	21	14	17
55 to 59	12	11	10
60 and Over	16	16	19
Age Unknown	0	0	0
GENDER			
Male	91	88	83
Female	93	89	97
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	177	170	173
African American	*	*	*
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	10	9	9
Past or Current Military Service	5	5	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	47	62	47
High School Grad or G.E.D.	0	0	36
Associate Degree or Some College	0	0	6
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	137	115	89
EMPLOYMENT			
Employed	*	*	6
Unemployed	*	7	75
Not in Labor Force	88	100	19
Employment Status Unknown	89	66	80
HOUSING / LIVING ARRANGEMENT			
Independent Living	32	37	68
Dependent Living	60	71	36
Homeless	*	*	0
Other	0	0	0
Housing Unknown	90	67	76
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	60	55	56
School	0	0	0
Mental Health Provider	27	28	30
Health Care Provider	40	43	34
Court / Criminal Justice	7	*	*
Other	49	46	55
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	177	173	176
Civil	0	0	*
Criminal	6	*	*
Sexual Predatory	*	*	0
Commitment Type Unknown	0	0	0

IRON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	29.5	44.8	55.6
Cigarettes	31.1	30.3	45.7
Chewing Tobacco	14.4	23.2	22.7
Marijuana	1.5	14.6	22.9
Inhalants	16.7	2.4	9.1
Prescription medications not prescribed for student	3.8	8.5	24.4
Over-the-counter medications for non-medical use	1.5	5.5	16.3
Methamphetamine	0.0	0.6	1.0
Cocaine	0.0	0.6	1.9
Heroin	0.0	0.6	0.0
Hallucinogens	0.0	1.2	4.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.8	2.4
Steroids not prescribed for student	0.0	1.8	2.9
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	5.5	
Average age of students' first use of:			
Alcohol	10.42	12.25	11.53
Cigarettes	10.80	11.72	11.24
Marijuana	12.00	13.25	13.08
Inhalants	10.58		12.85
Percent of students who, in past 30 days, used:			
Alcohol	1.5	17.6	24.6
Alcohol (Binge: 5+ drinks on one occassion)		12.8	20.1
Cigarettes	1.5	10.3	23.0
Chewing Tobacco	6.8	12.7	17.4
Marijuana	1.5	7.3	11.0
Inhalants	1.5	1.8	2.4
Prescription medications not prescribed for student	2.3	5.5	14.4
Over-the-counter medications for non-medical use	1.5	3.6	9.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	0.0		
Percent whose friends used in past 12 months:			
Alcohol	20.5	54.9	70.0
Cigarettes	12.9	41.8	54.5
Marijuana	1.5	27.3	39.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	9.7	15.9
Percent who would likely use, if offered by a best friend:			
Alcohol	5.3	38.7	41.8
Cigarettes	4.5	14.5	23.8
Marijuana	1.5	8.5	15.8
Percent who say it would be wrong to use:			
Alcohol	87.1	55.2	50.7
Cigarettes	90.7	75.6	68.5
Marijuana	96.2	85.5	79.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	95.2	93.9
Percent whose parents would disapprove if they use:			
Alcohol	92.2	77.3	74.5
Cigarettes	94.7	87.7	80.6
Marijuana	98.5	93.9	92.7
Percent who say it would be easy to obtain:			
Alcohol	31.8	57.3	63.2
Cigarettes	35.6	52.1	60.1
Marijuana	9.8	30.1	37.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.1	15.3	20.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	84.0		
Alcohol (Binge: 5+ drinks once or twice a week)	91.7		
Alcohol (any use)		70.1	72.3
Cigarettes (1+ packs per day)	93.2		
Cigarettes (any use)		75.6	70.8
Marijuana (once or twice a week)	72.0		
Marijuana (any use)		73.2	62.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	93.9	91.0
Percent of students who, in past 30 days:			
Were very sad	8.3	23.0	13.7
Were grouchy, irritable, or in a bad mood	9.8	25.6	23.0
Felt hopeless about the future	6.1	10.4	14.6
Felt like not eating or eating more than usual	5.3	22.0	12.7
Slept a lot more or a lot less than usual	8.3	20.7	22.2
Had difficulty concentrating on school work	14.5	16.4	23.1
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	3.8	9.8	15.5
Made plan about how they would attempt suicide	1.5	8.5	14.1
Attempted suicide	0.0	3.7	7.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	1.2	3.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	3.8	6.7	14.2
Were in a physical fight	6.8	26.2	32.4
Were in a fight and had to be treated by a doctor or nurse	1.5	3.0	9.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	66.2	55.8	63.4
Were made fun of by others	50.8	66.5	72.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	37.2	24.2	20.7
Spread mean rumors or lies about other kids at school	6.1	27.3	31.1
Made fun of other people	40.2	67.9	68.1
Posted something on the internet or sent a text that might embarrass or hurt another student	3.8	14.0	17.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.7	75.8	76.6
School provides feedback to parents on positive student performance	34.4	39.4	36.2
Rules are enforced fairly	66.7	61.6	57.1
Students of all races/ethnicities are treated equal	81.1	77.0	82.9
Percent of students who agree that:			
Parents notice and comment on student's good work	77.9	84.8	83.2
Parents involve student in making family decisions	88.5	68.1	68.6
It is important to be honest with parents regardless of consequences	94.7	85.5	82.5
Student could ask parent for help with a personal problem	68.2	75.3	70.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

JACKSON COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	2-5 (JC)
Adult Psychiatric	2, 3, 4, 5
POPULATION	
Census 2010	674,158
2014 Estimate	683,191

BIRTH RISK	2013	2012	2011
Resident Births--Total	9,478	9,630	9,583
Mother Reported Smoking while Pregnant	1,357	1,503	1,485

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	115	125	149
Hepatitis B Chronic, Acute, Prenatal	116	83	73
Hepatitis C Chronic and Acute	519	589	644
Tuberculosis Infection Cases	618	462	390

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	6,091	6,022	5,981
Suicides	116	108	127
Self-inflicted Injuries	1,122	1,150	1,120
Homicides	109	112	112
Assault Injuries	4,242	4,567	4,490
Alcohol Induced Deaths	77	82	65
Drug Induced Deaths	118	113	105
Smoking Attributable Deaths	1,005	1,013	974

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	6,521	6,293	7,059
Mental Illness Secondary Diagnosis	6,771	6,511	6,521
Alcohol Principal Diagnosis	815	726	732
Alcohol Secondary Diagnosis	1,622	1,377	1,363
Drug Principal Diagnosis	392	379	385
Drug Secondary Diagnosis	1,301	1,364	1,388
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,615	2,112	1,549
Mental Illness Secondary Diagnosis	12,373	11,745	11,971
Alcohol Principal Diagnosis	544	660	492
Alcohol Secondary Diagnosis	1,923	2,022	1,972
Drug Principal Diagnosis	263	330	265
Drug Secondary Diagnosis	1,557	2,052	1,896
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	5,482	5,886	5,955
Mental Illness Secondary Diagnosis	17,292	13,602	13,369
Alcohol Principal Diagnosis	4,099	4,113	3,963
Alcohol Secondary Diagnosis	3,119	3,617	2,731
Drug Principal Diagnosis	1,854	1,643	1,539
Drug Secondary Diagnosis	2,978	3,491	3,481

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	825	821	804
Alcohol Package Carry-out Licenses	461	463	463

EMPLOYMENT	2014	2013	2012
Labor Force	363,483	330,287	333,027
Employed	338,018	305,538	307,454
Unemployed	25,465	24,749	25,573
Unemployment Rate	7.0%	7.5%	7.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	698	650	648
Fatal Crashes	13	11	13
Injury Crashes	297	251	307
Property Damage Crashes	388	388	328
Crash Fatalities	14	12	14
Crash Injuries	448	362	500
Drug Involved Crashes--Total	166	149	148
Fatal Crashes	5	1	3
Injury Crashes	90	75	77
Property Damage Crashes	71	73	68
Crash Fatalities	5	1	3
Crash Injuries	150	115	85

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	3,014	3,435	3,096
Liquor Law Arrests	673	809	824
Drug Arrests	3,643	3,507	3,446
Violent Offenses	6,780	6,979	6,672
Property Offenses	38,691	40,982	39,947
Domestic Violence Reports	6,699	6,986	6,469
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	11	29	56

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	28,224	28,682	28,672
Drop-outs	1,541	1,113	1,515
Drop-out Rate	5.5%	3.9%	5.3%
School Discipline Involving Alcohol	44	41	38
School Discipline Involving Drugs	288	286	418
School Discipline Involving Tobacco	6	8	10

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	362	408	475
Juvenile Alcohol Offenses	8	0	4
Juvenile Drug Offenses	52	47	70
School Truancy Status Offense	2	7	3
Absent from Home Status Offense	18	6	18
Beyond Parental Control Status Offense	14	32	10
Injurious Behavior Status Offense	18	22	10
Child Abuse	315	323	142
Child Neglect	893	1,035	839
Child Custody Issues	119	239	331

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	1,022	1,176	994
Parental Alcohol Use Related	27	36	51
Parental Drug Use Related	319	413	294
Parental Alcohol and Drug Use	56	48	20

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	857	848	871
Probation/Parole Admissions--Drug	735	822	940
Probation/Parole Admissions--DWI	157	177	187
Prison Admissions--Drug	182	224	249
Prison Admissions--DWI	48	76	95

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

JACKSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	860	822	1,134
CSTAR Adolescent	243	267	260
CSTAR Women and Children	775	698	713
CSTAR General Adult	2,031	1,430	1,287
CSTAR Opioid	124	82	69
Primary Recovery Treatment	491	863	838
Clinical SATOP (CIP, YCIP, SROP)	622	620	460
Other Substance Abuse Treatment	8	359	469

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	2,449	2,570	2,643
- Adolescent Diversion Education Prograr	5	11	20
- Offender Education Program	859	1,000	1,044
- Weekend Intervention Program	502	538	611
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	171	177	216
Compulsive Gambling	8	10	17
Recovery Supports	1,669	1,873	2,043
Early Intervention	32	32	42

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	4,709	4,558	4,727
AGE			
Under 18	245	265	270
18 to 24	637	585	641
25 to 29	689	689	635
30 to 34	772	714	701
35 to 39	558	532	539
40 to 44	510	481	553
45 to 54	955	959	1,085
55 and Over	343	333	303
GENDER			
Male	3,254	3,099	3,264
Female	1,454	1,459	1,463
RACE / ETHNICITY			
Caucasian	2,669	2,563	2,522
African American	1,701	1,671	1,858
Native American / Alaskan	16	16	26
Asian / Pacific Islander	11	15	17
Hispanic	208	191	190
Other Race / Two or More Races	170	155	171
EDUCATION			
Less than High School Diploma	1,568	1,522	1,587
High School Graduate or G.E.D.	1,972	1,937	2,019
Associate Degree or Some College	1,114	1,054	1,069
Bachelor or Advanced Degree	55	45	52
EMPLOYMENT			
Employed	1,129	1,006	886
Unemployed	1,948	1,893	2,163
Not in Labor Force	1,632	1,658	1,678
HOUSING / LIVING ARRANGEMENT			
Independent Living	3,274	3,123	3,178
Dependent Living	637	710	743
Homeless	612	576	662
MARITAL / FAMILY STATUS			
Never Married	2,986	2,904	2,828
Married / Cohabitating	844	785	848
Previously Married	879	869	1,051

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	1,805	1,878	1,906
Marijuana / Hashish	1,161	1,081	1,140
Cocaine (total)	420	422	602
- Crack	251	313	462
Stimulant (total)	745	674	576
- Methamphetamine	706	647	556
Heroin	156	103	77
Analgesic except Heroin	208	189	158
- Non-Prescription Methadone	*	0	7
PCP, LSD, other Hallucinogen	168	166	203
Tranquilizer	25	32	46
Inhalant	0	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	19	10	14
Average Age at First Use of Drug	18.0	17.8	17.9
INJECTION DRUG USE			
Any Injection Use at Admission	408	328	283
- Daily Injection Use	125	95	65
- Weekly Injection Use	112	90	85
- Less than Weekly Injection Use	171	143	133
LIFETIME DUI / DWI ARRESTS			
0	2,806	2,662	2,816
1 or 2	1,224	1,161	1,161
3 or More	679	735	750
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,707	1,750	1,821
School	25	29	40
Mental Health Provider	87	85	102
Health Care Provider	233	197	230
Court / Criminal Justice	1,885	1,777	2,057
Other Referral Source	562	435	426
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	75	66	86
Military Veteran	180	192	239
Special Education Services Needed	293	323	353
Co-Occurring Psychological Problem	1,794	1,767	1,894
Co-Occurring Developmental Problem	104	135	168

JACKSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	2, 3, 4, 5
CENSUS 2010	674,158
2014 POPULATION ESTIMATE	683,191

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	640	748	736
Anxiety Disorder	4,150	4,404	4,090
Dementia	24	27	26
Developmental Disorder	135	156	134
Impulse Control Disorder	1,993	2,307	2,136
Mood Disorder	7,051	8,148	7,606
Personality Disorder	550	552	498
Psychotic Disorder	2,810	3,097	3,067
Sexual Disorder	18	25	6
Other Diagnosis	874	1,045	973
Diagnosis Unknown	1,770	2,223	2,706

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	12,448	14,911	14,664
AGE			
Under 6	102	130	169
6 to 9	718	807	867
10 to 13	855	1,030	1,054
14 to 17	870	1,021	1,104
18 to 24	1,055	1,357	1,322
25 to 29	1,002	1,269	1,134
30 to 34	1,157	1,421	1,336
35 to 39	1,065	1,258	1,177
40 to 44	1,090	1,276	1,292
45 to 49	1,189	1,513	1,569
50 to 54	1,411	1,693	1,666
55 to 59	1,059	1,183	1,074
60 and Over	875	953	900
Age Unknown	0	0	0
GENDER			
Male	6,102	7,339	7,232
Female	6,346	7,572	7,432
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	6,316	7,163	6,820
African American	4,966	6,219	6,497
Native American / Alaskan	52	54	58
Asian / Pacific Islander	45	62	56
Hispanic	390	438	437
Other Race	679	975	795
Race/Ethnicity Unknown	0	0	*
TREATMENT ACCOMMODATION			
Hearing Impaired	253	248	225
Past or Current Military Service	274	299	303

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	2,188	2,603	1,401
High School Grad or G.E.D.	0	15	1,304
Associate Degree or Some College	0	*	505
Bachelor or Advanced Degree	0	0	154
Education Level Unknown	10,260	12,289	11,300
EMPLOYMENT			
Employed	413	606	379
Unemployed	690	869	2,610
Not in Labor Force	4,135	4,834	1,082
Employment Status Unknown	7,210	8,602	10,593
HOUSING / LIVING ARRANGEMENT			
Independent Living	2,654	3,060	2,752
Dependent Living	2,114	2,753	1,143
Homeless	338	426	256
Other	0	*	117
Housing Unknown	7,342	8,671	10,396
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	5,822	7,437	7,149
School	165	170	185
Mental Health Provider	1,314	1,282	1,305
Health Care Provider	1,914	2,219	2,080
Court / Criminal Justice	503	688	824
Other	2,651	3,027	3,022
Referral Source Unknown	79	88	99
TYPE OF COMMITMENT			
Voluntary	12,204	14,676	14,380
Civil	49	39	84
Criminal	119	112	113
Sexual Predatory	10	10	6
Commitment Type Unknown	66	74	81

JACKSON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	30.5	36.7	37.7
Cigarettes	17.3	21.1	24.7
Chewing Tobacco	7.1	7.8	6.3
Marijuana	16.6	19.6	19.7
Inhalants	3.4	5.0	5.8
Prescription medications not prescribed for student	8.5	8.0	9.9
Over-the-counter medications for non-medical use	3.7	5.9	7.3
Methamphetamine	0.6	1.3	0.9
Cocaine	1.5	2.1	1.8
Heroin	0.5	1.0	0.6
Hallucinogens	1.8	3.0	2.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.4	2.1
Steroids not prescribed for student	1.1	1.6	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.4	
Average age of students' first use of:			
Alcohol	12.99	12.94	12.46
Cigarettes	12.76	12.65	12.12
Marijuana	13.73	13.61	13.33
Inhalants	11.00	11.55	11.21
Percent of students who, in past 30 days, used:			
Alcohol	11.5	14.9	16.3
Alcohol (Binge: 5+ drinks on one occassion)		7.8	9.1
Cigarettes	6.7	9.2	12.4
Chewing Tobacco	3.5	3.8	3.1
Marijuana	8.1	10.2	10.5
Inhalants	1.4	2.0	2.7
Prescription medications not prescribed for student	3.9	4.5	6.2
Over-the-counter medications for non-medical use	2.2	3.5	4.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.1		
Percent whose friends used in past 12 months:			
Alcohol	40.8	51.5	50.9
Cigarettes	30.9	41.0	42.5
Marijuana	35.2	42.9	39.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	15.1	17.0
Percent who would likely use, if offered by a best friend:			
Alcohol	23.7	29.3	29.3
Cigarettes	9.7	12.4	13.5
Marijuana	16.0	17.0	15.4
Percent who say it would be wrong to use:			
Alcohol	66.5	61.1	62.8
Cigarettes	86.1	81.3	79.3
Marijuana	76.0	76.9	78.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	93.9	93.6
Percent whose parents would disapprove if they use:			
Alcohol	83.3	79.3	80.4
Cigarettes	93.5	90.6	90.0
Marijuana	90.7	91.5	92.0
Percent who say it would be easy to obtain:			
Alcohol	48.3	56.9	52.7
Cigarettes	44.3	54.4	51.7
Marijuana	37.4	43.6	39.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.7	18.7	19.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	60.3		
Alcohol (Binge: 5+ drinks once or twice a week)	73.1		
Alcohol (any use)		71.4	71.5
Cigarettes (1+ packs per day)	83.2		
Cigarettes (any use)		81.9	78.3
Marijuana (once or twice a week)	56.4		
Marijuana (any use)		67.2	71.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	88.2	91.8	89.7
Percent of students who, in past 30 days:			
Were very sad	20.8	19.9	17.1
Were grouchy, irritable, or in a bad mood	27.6	25.5	23.4
Felt hopeless about the future	12.2	11.8	11.1
Felt like not eating or eating more than usual	17.8	17.4	17.2
Slept a lot more or a lot less than usual	20.1	21.6	24.5
Had difficulty concentrating on school work	24.7	23.3	22.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	13.3	12.5	11.4
Made plan about how they would attempt suicide	9.6	8.8	8.6
Attempted suicide	5.9	5.6	6.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.4	1.8	2.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.6	6.5	9.9
Were in a physical fight	18.6	19.9	26.5
Were in a fight and had to be treated by a doctor or nurse	2.9	3.0	4.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.7	44.7	48.6
Were made fun of by others	57.9	58.0	63.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.1	18.3	17.2
Spread mean rumors or lies about other kids at school	23.8	25.4	30.6
Made fun of other people	52.7	62.0	68.7
Posted something on the internet or sent a text that might embarrass or hurt another student	16.7	13.8	17.3
Percent of students who agree that:			
Teachers notice and comment on student's good work	70.6	65.8	70.7
School provides feedback to parents on positive student performance	39.3	36.7	42.0
Rules are enforced fairly	63.6	62.3	64.4
Students of all races/ethnicities are treated equal	74.1	71.7	76.3
Percent of students who agree that:			
Parents notice and comment on student's good work	80.8	80.9	82.2
Parents involve student in making family decisions	68.8	67.0	69.1
It is important to be honest with parents regardless of consequences	85.6	84.6	82.2
Student could ask parent for help with a personal problem	75.8	73.8	75.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

JASPER COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	9
POPULATION	
Census 2010	117,404
2014 Estimate	117,543

BIRTH RISK	**2013**	**2012**	**2011**
Resident Births--Total	1,686	1,745	1,688
Mother Reported Smoking while Pregnant	319	314	362

DISEASE INCIDENCE [1]	**2013**	**2012**	**2011**
HIV/AIDS Cases	7	6	6
Hepatitis B Chronic, Acute, Prenatal	12	11	11
Hepatitis C Chronic and Acute	123	112	141
Tuberculosis Infection Cases	62	76	94

DEATHS and INJURIES	**2013**	**2012**	**2011**
Resident Deaths--Total	1,154	1,108	1,215
Suicides	23	14	17
Self-inflicted Injuries	130	152	186
Homicides	3	4	3
Assault Injuries	329	400	442
Alcohol Induced Deaths	4	7	2
Drug Induced Deaths	12	10	17
Smoking Attributable Deaths	241	221	202

HOSPITAL EPISODES [2]	**2013**	**2012**	**2011**
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	878	881	1,225
Mental Illness Secondary Diagnosis	1,832	2,243	2,997
Alcohol Principal Diagnosis	92	147	175
Alcohol Secondary Diagnosis	120	173	310
Drug Principal Diagnosis	60	81	105
Drug Secondary Diagnosis	109	128	203
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	807	689	285
Mental Illness Secondary Diagnosis	2,157	1,562	836
Alcohol Principal Diagnosis	207	206	151
Alcohol Secondary Diagnosis	240	194	120
Drug Principal Diagnosis	174	123	71
Drug Secondary Diagnosis	119	107	69
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,207	1,420	1,496
Mental Illness Secondary Diagnosis	11,246	11,011	8,305
Alcohol Principal Diagnosis	363	403	308
Alcohol Secondary Diagnosis	346	334	309
Drug Principal Diagnosis	251	238	191
Drug Secondary Diagnosis	436	308	333

ALCOHOL OUTLETS	**2014**	**2013**	**2012**
Alcohol On-Premise Drink Licenses	124	114	112
Alcohol Package Carry-out Licenses	136	107	121

EMPLOYMENT	**2014**	**2013**	**2012**
Labor Force	57,830	57,039	57,547
Employed	54,779	53,783	54,125
Unemployed	3,051	3,256	3,422
Unemployment Rate	5.3%	5.7%	5.9%

IMPAIRED DRIVING	**2013**	**2012**	**2011**
Alcohol Involved Crashes--Total	110	113	101
Fatal Crashes	3	1	3
Injury Crashes	43	49	34
Property Damage Crashes	64	63	64
Crash Fatalities	4	2	3
Crash Injuries	57	66	54
Drug Involved Crashes--Total	31	42	41
Fatal Crashes	0	0	0
Injury Crashes	12	12	19
Property Damage Crashes	19	30	22
Crash Fatalities	0	0	0
Crash Injuries	14	18	21

POLICE REPORTS	**2013**	**2012**	**2011**
DUI Arrests, DWI Tracking System	1,018	1,095	1,283
Liquor Law Arrests	169	252	231
Drug Arrests	416	433	419
Violent Offenses	427	520	475
Property Offenses	6,089	6,084	5,213
Domestic Violence Reports	1,234	1,431	1,112
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	35	56	78

SCHOOL REPORTS	**2013-14**	**2012-13**	**2011-12**
Enrollment Grades 9-12	5,803	5,852	5,643
Drop-outs	139	164	198
Drop-out Rate	2.4%	2.8%	3.5%
School Discipline Involving Alcohol	3	7	10
School Discipline Involving Drugs	52	34	38
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS [3]	**2013**	**2012**	**2011**
Juvenile Violent Offenses	94	161	140
Juvenile Alcohol Offenses	19	19	33
Juvenile Drug Offenses	50	66	57
School Truancy Status Offense	30	42	92
Absent from Home Status Offense	25	40	40
Beyond Parental Control Status Offense	39	50	58
Injurious Behavior Status Offense	93	78	90
Child Abuse	4	9	5
Child Neglect	559	727	695
Child Custody Issues	0	4	0

JUVENILE COURT PLACEMENTS	**2013**	**2012**	**2011**
Out-of-Home Placements--Total	258	303	307
Parental Alcohol Use Related	5	13	10
Parental Drug Use Related	102	124	136
Parental Alcohol and Drug Use	2	6	16

CRIMINAL JUSTICE	**FY2014**	**FY2013**	**FY2012**
Drug Court Participants	46	35	32
Probation/Parole Admissions--Drug	237	211	261
Probation/Parole Admissions--DWI	84	95	109
Prison Admissions--Drug	106	121	103
Prison Admissions--DWI	16	27	30

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

JASPER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	166	263	149
CSTAR Adolescent	74	61	80
CSTAR Women and Children	168	176	180
CSTAR General Adult	470	583	533
CSTAR Opioid	*	0	0
Primary Recovery Treatment	25	30	36
Clinical SATOP (CIP, YCIP, SROP)	125	124	134
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	589	638	780
- Adolescent Diversion Education Prograr	29	42	45
- Offender Education Program	198	252	291
- Weekend Intervention Program	109	109	148
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	34	56	52
Compulsive Gambling	*	*	*
Recovery Supports	270	385	415
Early Intervention	97	62	61

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	973	1,141	1,134
AGE			
Under 18	76	65	83
18 to 24	129	167	174
25 to 29	133	182	193
30 to 34	167	195	200
35 to 39	124	158	128
40 to 44	97	125	116
45 to 54	181	183	182
55 and Over	66	66	58
GENDER			
Male	613	738	722
Female	360	403	412
RACE / ETHNICITY			
Caucasian	868	1,028	1,013
African American	55	63	55
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	*	*
Hispanic	32	32	42
Other Race / Two or More Races	25	22	28
EDUCATION			
Less than High School Diploma	334	422	411
High School Graduate or G.E.D.	384	425	464
Associate Degree or Some College	246	282	249
Bachelor or Advanced Degree	9	12	10
EMPLOYMENT			
Employed	265	340	345
Unemployed	386	486	464
Not in Labor Force	322	315	325
HOUSING / LIVING ARRANGEMENT			
Independent Living	744	868	888
Dependent Living	125	131	148
Homeless	72	103	57
MARITAL / FAMILY STATUS			
Never Married	445	504	518
Married / Cohabitating	252	318	309
Previously Married	276	319	307

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	407	479	487
Marijuana / Hashish	206	223	237
Cocaine (total)	17	18	26
- Crack	10	10	14
Stimulant (total)	242	301	288
- Methamphetamine	236	297	283
Heroin	6	7	*
Analgesic except Heroin	76	89	66
- Non-Prescription Methadone	*	*	*
PCP, LSD, other Hallucinogen	*	*	*
Tranquilizer	9	12	17
Inhalant	*	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	*	5	5
Average Age at First Use of Drug	18.1	18.2	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	151	182	148
- Daily Injection Use	30	33	15
- Weekly Injection Use	54	58	35
- Less than Weekly Injection Use	67	91	98
LIFETIME DUI / DWI ARRESTS			
0	479	555	515
1 or 2	302	369	386
3 or More	192	217	233
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	339	662	439
School	*	*	*
Mental Health Provider	6	*	7
Health Care Provider	125	111	42
Court / Criminal Justice	399	263	477
Other Referral Source	100	94	165
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	15	13	19
Military Veteran	51	60	45
Special Education Services Needed	139	167	129
Co-Occurring Psychological Problem	542	715	598
Co-Occurring Developmental Problem	40	29	25

JASPER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	9
CENSUS 2010	117,404
2014 POPULATION ESTIMATE	117,543

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	149	148	186
Anxiety Disorder	845	947	828
Dementia	*	*	5
Developmental Disorder	32	37	25
Impulse Control Disorder	420	510	519
Mood Disorder	1,201	1,502	1,445
Personality Disorder	340	300	173
Psychotic Disorder	202	223	252
Sexual Disorder	13	16	0
Other Diagnosis	205	188	131
Diagnosis Unknown	416	485	393

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	2,332	3,042	3,107
AGE			
Under 6	62	60	57
6 to 9	157	224	213
10 to 13	200	242	254
14 to 17	183	246	244
18 to 24	186	285	325
25 to 29	214	296	294
30 to 34	202	286	321
35 to 39	214	262	268
40 to 44	209	282	279
45 to 49	225	279	278
50 to 54	229	300	289
55 to 59	152	165	165
60 and Over	99	115	120
Age Unknown	0	0	0
GENDER			
Male	1,079	1,382	1,420
Female	1,253	1,660	1,687
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	2,104	2,775	2,846
African American	73	92	75
Native American / Alaskan	7	6	13
Asian / Pacific Islander	*	*	*
Hispanic	96	91	94
Other Race	49	74	76
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	32	35	47
Past or Current Military Service	38	51	67

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	587	625	271
High School Grad or G.E.D.	0	10	236
Associate Degree or Some College	0	*	127
Bachelor or Advanced Degree	0	0	32
Education Level Unknown	1,745	2,404	2,441
EMPLOYMENT			
Employed	179	175	116
Unemployed	162	176	501
Not in Labor Force	999	1,010	181
Employment Status Unknown	992	1,681	2,309
HOUSING / LIVING ARRANGEMENT			
Independent Living	741	677	575
Dependent Living	523	524	182
Homeless	35	59	39
Other	0	*	22
Housing Unknown	1,033	1,781	2,289
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,928	2,489	2,398
School	0	*	5
Mental Health Provider	28	60	91
Health Care Provider	123	115	121
Court / Criminal Justice	136	159	230
Other	104	201	241
Referral Source Unknown	13	16	21
TYPE OF COMMITMENT			
Voluntary	2,196	2,885	2,869
Civil	114	127	211
Criminal	5	8	5
Sexual Predatory	*	*	0
Commitment Type Unknown	14	18	22

JASPER COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	30.0	31.5	39.4
Cigarettes	20.2	22.3	28.4
Chewing Tobacco	14.3	9.1	12.7
Marijuana	9.6	13.3	16.8
Inhalants	2.4	5.2	7.5
Prescription medications not prescribed for student	5.5	6.5	11.7
Over-the-counter medications for non-medical use	2.0	5.7	8.2
Methamphetamine	0.5	1.2	1.3
Cocaine	0.3	1.6	2.0
Heroin	0.5	0.8	0.5
Hallucinogens	0.8	2.8	3.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.6	2.5
Steroids not prescribed for student	0.9	1.0	1.2
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	6.4	
Average age of students' first use of:			
Alcohol	13.05	12.70	12.62
Cigarettes	12.68	12.48	12.42
Marijuana	14.41	13.66	13.66
Inhalants	11.32	12.06	12.44
Percent of students who, in past 30 days, used:			
Alcohol	12.0	12.8	16.9
Alcohol (Binge: 5+ drinks on one occassion)		7.9	10.6
Cigarettes	8.1	10.4	14.9
Chewing Tobacco	8.7	4.4	6.8
Marijuana	3.6	5.6	7.9
Inhalants	1.3	1.9	3.8
Prescription medications not prescribed for student	2.2	3.5	6.5
Over-the-counter medications for non-medical use	0.8	3.3	4.9
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.8		
Percent whose friends used in past 12 months:			
Alcohol	37.1	44.0	51.1
Cigarettes	26.8	39.1	44.7
Marijuana	16.6	30.3	35.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.4	13.3	17.2
Percent who would likely use, if offered by a best friend:			
Alcohol	22.2	22.4	28.4
Cigarettes	11.7	12.0	15.7
Marijuana	6.6	10.0	12.7
Percent who say it would be wrong to use:			
Alcohol	70.0	68.5	64.4
Cigarettes	86.6	82.9	77.1
Marijuana	88.1	83.9	81.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	95.2	93.9
Percent whose parents would disapprove if they use:			
Alcohol	83.9	81.7	81.0
Cigarettes	94.3	91.0	88.4
Marijuana	94.2	93.8	93.0
Percent who say it would be easy to obtain:			
Alcohol	45.7	47.4	52.2
Cigarettes	42.3	46.7	55.6
Marijuana	22.7	31.3	37.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.2	15.6	19.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	61.9		
Alcohol (Binge: 5+ drinks once or twice a week)	75.3		
Alcohol (any use)		75.3	75.9
Cigarettes (1+ packs per day)	86.6		
Cigarettes (any use)		81.2	80.4
Marijuana (once or twice a week)	76.6		
Marijuana (any use)		73.5	76.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.3	93.8	93.2
Percent of students who, in past 30 days:			
Were very sad	21.6	17.3	20.9
Were grouchy, irritable, or in a bad mood	20.2	20.8	23.6
Felt hopeless about the future	11.8	10.5	10.5
Felt like not eating or eating more than usual	16.2	16.2	18.7
Slept a lot more or a lot less than usual	17.0	18.7	25.0
Had difficulty concentrating on school work	19.4	21.7	22.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.8	9.7	10.3
Made plan about how they would attempt suicide	8.1	7.0	7.7
Attempted suicide	3.7	4.6	4.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.0	1.4	2.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.4	6.6	8.8
Were in a physical fight	17.3	18.7	22.6
Were in a fight and had to be treated by a doctor or nurse	3.4	3.4	4.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.7	47.3	50.0
Were made fun of by others	57.3	57.6	61.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.0	20.7	17.5
Spread mean rumors or lies about other kids at school	23.6	23.9	27.8
Made fun of other people	48.2	54.4	64.1
Posted something on the internet or sent a text that might embarrass or hurt another student	15.6	12.3	14.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.9	68.1	67.4
School provides feedback to parents on positive student performance	46.5	36.8	39.4
Rules are enforced fairly	59.6	61.0	65.7
Students of all races/ethnicities are treated equal	79.2	77.0	77.2
Percent of students who agree that:			
Parents notice and comment on student's good work	83.1	82.0	84.5
Parents involve student in making family decisions	70.5	69.1	71.7
It is important to be honest with parents regardless of consequences	89.3	87.8	83.6
Student could ask parent for help with a personal problem	80.2	77.9	78.8

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

JEFFERSON COUNTY

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	22
Adult Psychiatric	22
POPULATION	
Census 2010	218,733
2014 Estimate	222,716

BIRTH RISK	**2013**	**2012**	**2011**
Resident Births--Total	2,639	2,702	2,662
Mother Reported Smoking while Pregnant	561	603	602

DISEASE INCIDENCE [1]	**2013**	**2012**	**2011**
HIV/AIDS Cases	3	4	4
Hepatitis B Chronic, Acute, Prenatal	11	7	13
Hepatitis C Chronic and Acute	145	113	122
Tuberculosis Infection Cases	45	39	51

DEATHS and INJURIES	**2013**	**2012**	**2011**
Resident Deaths--Total	1,834	1,839	1,822
Suicides	35	46	41
Self-inflicted Injuries	208	251	279
Homicides	3	7	4
Assault Injuries	453	491	523
Alcohol Induced Deaths	15	9	12
Drug Induced Deaths	63	61	54
Smoking Attributable Deaths	354	376	355

HOSPITAL EPISODES [2]	**2013**	**2012**	**2011**
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,594	1,691	1,659
Mental Illness Secondary Diagnosis	2,267	1,896	1,970
Alcohol Principal Diagnosis	44	52	33
Alcohol Secondary Diagnosis	141	103	101
Drug Principal Diagnosis	96	98	132
Drug Secondary Diagnosis	148	108	95
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	984	1,134	960
Mental Illness Secondary Diagnosis	4,716	5,353	5,065
Alcohol Principal Diagnosis	103	109	82
Alcohol Secondary Diagnosis	411	405	387
Drug Principal Diagnosis	107	107	119
Drug Secondary Diagnosis	235	272	280
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,388	1,328	1,299
Mental Illness Secondary Diagnosis	6,371	5,478	4,493
Alcohol Principal Diagnosis	248	237	197
Alcohol Secondary Diagnosis	225	193	208
Drug Principal Diagnosis	356	367	421
Drug Secondary Diagnosis	370	328	273

ALCOHOL OUTLETS	**2014**	**2013**	**2012**
Alcohol On-Premise Drink Licenses	177	181	183
Alcohol Package Carry-out Licenses	147	146	148

EMPLOYMENT	**2014**	**2013**	**2012**
Labor Force	115,975	115,155	115,338
Employed	108,717	107,194	106,839
Unemployed	7,258	7,961	8,499
Unemployment Rate	6.3%	6.9%	7.4%

IMPAIRED DRIVING	**2013**	**2012**	**2011**
Alcohol Involved Crashes--Total	214	236	240
Fatal Crashes	8	6	7
Injury Crashes	94	101	102
Property Damage Crashes	112	129	131
Crash Fatalities	8	7	8
Crash Injuries	147	141	142
Drug Involved Crashes--Total	45	52	33
Fatal Crashes	1	5	1
Injury Crashes	22	22	18
Property Damage Crashes	22	25	14
Crash Fatalities	1	6	1
Crash Injuries	28	31	23

POLICE REPORTS	**2013**	**2012**	**2011**
DUI Arrests, DWI Tracking System	1,474	1,787	1,609
Liquor Law Arrests	663	677	826
Drug Arrests	1,681	1,614	1,563
Violent Offenses	454	448	548
Property Offenses	4,144	4,390	4,462
Domestic Violence Reports	1,233	1,333	1,423
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	205	223	346

SCHOOL REPORTS	**2013-14**	**2012-13**	**2011-12**
Enrollment Grades 9-12	10,646	10,525	10,668
Drop-outs	154	195	247
Drop-out Rate	1.4%	1.9%	2.3%
School Discipline Involving Alcohol	9	7	26
School Discipline Involving Drugs	94	106	109
School Discipline Involving Tobacco	0	1	4

JUVENILE COURT REFERRALS [3]	**2013**	**2012**	**2011**
Juvenile Violent Offenses	381	376	395
Juvenile Alcohol Offenses	85	84	60
Juvenile Drug Offenses	117	121	131
School Truancy Status Offense	227	143	172
Absent from Home Status Offense	64	64	69
Beyond Parental Control Status Offense	71	32	38
Injurious Behavior Status Offense	71	59	76
Child Abuse	228	242	40
Child Neglect	495	430	56
Child Custody Issues	164	209	377

JUVENILE COURT PLACEMENTS	**2013**	**2012**	**2011**
Out-of-Home Placements--Total	352	368	284
Parental Alcohol Use Related	18	16	8
Parental Drug Use Related	145	215	150
Parental Alcohol and Drug Use	11	6	12

CRIMINAL JUSTICE	**FY2014**	**FY2013**	**FY2012**
Drug Court Participants	115	105	100
Probation/Parole Admissions--Drug	473	401	338
Probation/Parole Admissions--DWI	127	150	120
Prison Admissions--Drug	245	168	141
Prison Admissions--DWI	41	51	63

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

JEFFERSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	111	124	113
CSTAR Adolescent	154	164	178
CSTAR Women and Children	79	66	66
CSTAR General Adult	726	734	563
CSTAR Opioid	19	13	18
Primary Recovery Treatment	22	73	123
Clinical SATOP (CIP, YCIP, SROP)	312	345	301
Other Substance Abuse Treatment	12	12	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	985	1,093	1,261
- Adolescent Diversion Education Prograr	12	11	5
- Offender Education Program	330	431	490
- Weekend Intervention Program	213	208	262
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	13	17	18
Compulsive Gambling	*	*	7
Recovery Supports	38	17	5
Early Intervention	38	55	63

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	1,323	1,407	1,220
AGE			
Under 18	157	169	184
18 to 24	208	272	235
25 to 29	246	257	180
30 to 34	219	219	199
35 to 39	156	133	119
40 to 44	114	120	115
45 to 54	175	183	155
55 and Over	48	54	33
GENDER			
Male	883	949	785
Female	440	458	435
RACE / ETHNICITY			
Caucasian	1,275	1,350	1,174
African American	19	24	22
Native American / Alaskan	*	0	*
Asian / Pacific Islander	*	*	*
Hispanic	14	8	9
Other Race / Two or More Races	18	26	16
EDUCATION			
Less than High School Diploma	457	468	438
High School Graduate or G.E.D.	533	603	537
Associate Degree or Some College	324	328	239
Bachelor or Advanced Degree	9	8	6
EMPLOYMENT			
Employed	389	385	337
Unemployed	520	633	499
Not in Labor Force	414	389	384
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,023	1,109	907
Dependent Living	183	191	202
Homeless	37	34	29
MARITAL / FAMILY STATUS			
Never Married	830	905	779
Married / Cohabitating	257	269	232
Previously Married	236	233	209

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	490	528	480
Marijuana / Hashish	274	294	281
Cocaine (total)	16	20	24
- Crack	9	8	14
Stimulant (total)	187	166	132
- Methamphetamine	175	155	126
Heroin	269	289	229
Analgesic except Heroin	55	69	56
- Non-Prescription Methadone	0	0	*
PCP, LSD, other Hallucinogen	5	5	*
Tranquilizer	11	19	6
Inhalant	0	*	0
Sedative	*	*	*
Other Medication or Illicit Drug	16	14	7
Average Age at First Use of Drug	18.8	18.5	18.2
INJECTION DRUG USE			
Any Injection Use at Admission	339	362	266
- Daily Injection Use	104	108	74
- Weekly Injection Use	81	77	73
- Less than Weekly Injection Use	154	177	119
LIFETIME DUI / DWI ARRESTS			
0	687	738	671
1 or 2	413	426	346
3 or More	223	243	203
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	349	386	321
School	13	*	*
Mental Health Provider	*	*	5
Health Care Provider	42	31	22
Court / Criminal Justice	747	812	724
Other Referral Source	137	145	143
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	28	22	31
Military Veteran	56	58	43
Special Education Services Needed	72	87	52
Co-Occurring Psychological Problem	605	569	480
Co-Occurring Developmental Problem	28	46	40

JEFFERSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Eastern
PSYCHIATRIC SERVICE AREA	22
CENSUS 2010	218,733
2014 POPULATION ESTIMATE	222,716

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	39	34	38
Anxiety Disorder	1,085	1,003	960
Dementia	12	10	12
Developmental Disorder	61	49	52
Impulse Control Disorder	340	335	348
Mood Disorder	1,575	1,496	1,459
Personality Disorder	365	381	403
Psychotic Disorder	312	293	296
Sexual Disorder	*	5	*
Other Diagnosis	174	156	152
Diagnosis Unknown	87	99	127

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	1,982	1,916	1,934
AGE			
Under 6	6	5	7
6 to 9	34	36	34
10 to 13	71	70	76
14 to 17	111	106	119
18 to 24	164	168	175
25 to 29	195	182	210
30 to 34	252	223	220
35 to 39	196	178	179
40 to 44	195	206	202
45 to 49	219	238	238
50 to 54	240	227	218
55 to 59	164	160	137
60 and Over	135	117	119
Age Unknown	0	0	0
GENDER			
Male	851	816	839
Female	1,131	1,100	1,095
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,897	1,823	1,840
African American	37	44	44
Native American / Alaskan	*	*	*
Asian / Pacific Islander	8	9	7
Hispanic	12	13	12
Other Race	26	25	27
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	14	13	15
Past or Current Military Service	40	38	39

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	431	442	353
High School Grad or G.E.D.	0	*	357
Associate Degree or Some College	0	0	174
Bachelor or Advanced Degree	0	0	31
Education Level Unknown	1,551	1,473	1,019
EMPLOYMENT			
Employed	213	191	200
Unemployed	151	121	687
Not in Labor Force	897	864	153
Employment Status Unknown	721	740	894
HOUSING / LIVING ARRANGEMENT			
Independent Living	890	797	904
Dependent Living	370	395	167
Homeless	18	12	8
Other	0	0	9
Housing Unknown	704	712	846
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	799	765	841
School	8	6	7
Mental Health Provider	130	162	168
Health Care Provider	452	388	310
Court / Criminal Justice	96	108	102
Other	476	460	475
Referral Source Unknown	21	27	31
TYPE OF COMMITMENT			
Voluntary	1,951	1,874	1,888
Civil	*	*	8
Criminal	8	10	7
Sexual Predatory	*	*	*
Commitment Type Unknown	20	27	30

JEFFERSON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	40.0	43.9	49.4
Cigarettes	22.0	25.8	27.6
Chewing Tobacco	9.8	10.5	11.2
Marijuana	20.3	20.2	20.1
Inhalants	3.6	6.1	6.4
Prescription medications not prescribed for student	9.4	9.7	13.4
Over-the-counter medications for non-medical use	3.7	7.2	9.5
Methamphetamine	0.6	1.2	0.8
Cocaine	1.5	2.1	1.9
Heroin	0.5	1.1	0.7
Hallucinogens	3.1	3.6	3.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1	2.6	2.6
Steroids not prescribed for student	1.1	1.7	1.2
Synthetic drugs (K2, bath salts, Spice, etc)	5.4	8.3	
Average age of students' first use of:			
Alcohol	12.89	12.75	12.69
Cigarettes	12.83	12.85	12.44
Marijuana	13.79	13.79	13.68
Inhalants	12.53	12.48	12.20
Percent of students who, in past 30 days, used:			
Alcohol	18.1	20.0	25.1
Alcohol (Binge: 5+ drinks on one occassion)		11.8	15.6
Cigarettes	10.3	13.3	14.2
Chewing Tobacco	5.1	6.2	5.8
Marijuana	11.4	11.1	11.3
Inhalants	1.3	2.7	3.1
Prescription medications not prescribed for student	4.6	5.8	7.9
Over-the-counter medications for non-medical use	2.2	4.7	5.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.5		
Percent whose friends used in past 12 months:			
Alcohol	51.8	57.1	64.4
Cigarettes	43.8	47.7	51.4
Marijuana	43.3	43.1	44.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	18.5	21.2
Percent who would likely use, if offered by a best friend:			
Alcohol	30.5	34.0	39.0
Cigarettes	12.2	13.9	15.8
Marijuana	19.2	15.9	15.6
Percent who say it would be wrong to use:			
Alcohol	61.9	59.1	54.6
Cigarettes	84.5	80.6	78.8
Marijuana	72.9	77.7	78.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.2	95.0	94.9
Percent whose parents would disapprove if they use:			
Alcohol	79.4	77.1	75.3
Cigarettes	93.6	91.2	89.9
Marijuana	90.0	92.8	92.0
Percent who say it would be easy to obtain:			
Alcohol	58.0	59.6	63.0
Cigarettes	53.6	57.1	61.6
Marijuana	44.8	44.5	44.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.7	21.6	21.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	58.8		
Alcohol (Binge: 5+ drinks once or twice a week)	71.2		
Alcohol (any use)		68.3	72.6
Cigarettes (1+ packs per day)	87.5		
Cigarettes (any use)		81.2	81.1
Marijuana (once or twice a week)	57.6		
Marijuana (any use)		69.3	71.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	93.5	94.4
Percent of students who, in past 30 days:			
Were very sad	23.9	21.0	20.5
Were grouchy, irritable, or in a bad mood	28.0	24.2	28.4
Felt hopeless about the future	13.5	11.3	11.0
Felt like not eating or eating more than usual	20.6	18.5	20.1
Slept a lot more or a lot less than usual	21.9	20.6	25.5
Had difficulty concentrating on school work	29.7	26.1	23.4
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.4	12.2	11.5
Made plan about how they would attempt suicide	10.0	8.6	8.1
Attempted suicide	5.9	5.3	5.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.2	1.6	1.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.5	5.9	8.8
Were in a physical fight	18.3	20.8	23.9
Were in a fight and had to be treated by a doctor or nurse	3.3	3.2	4.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.8	48.5	50.7
Were made fun of by others	60.6	59.9	67.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	28.7	21.8	19.1
Spread mean rumors or lies about other kids at school	25.4	27.4	31.5
Made fun of other people	55.6	61.8	72.2
Posted something on the internet or sent a text that might embarrass or hurt another student	20.3	15.4	18.2
Percent of students who agree that:			
Teachers notice and comment on student's good work	67.1	65.6	70.0
School provides feedback to parents on positive student performance	34.6	34.2	39.0
Rules are enforced fairly	63.6	62.9	66.4
Students of all races/ethnicities are treated equal	80.9	78.8	79.9
Percent of students who agree that:			
Parents notice and comment on student's good work	79.4	81.8	83.1
Parents involve student in making family decisions	66.1	67.2	67.6
It is important to be honest with parents regardless of consequences	86.9	85.7	82.6
Student could ask parent for help with a personal problem	74.6	76.3	76.9

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

JOHNSON COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	7
Adult Psychiatric	7
POPULATION	
Census 2010	52,595
2014 Estimate	54,362

BIRTH RISK	2013	2012	2011
Resident Births--Total	714	722	712
Mother Reported Smoking while Pregnant	112	91	120

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	2	2
Hepatitis B Chronic, Acute, Prenatal	6	2	3
Hepatitis C Chronic and Acute	11	16	14
Tuberculosis Infection Cases	26	14	6

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	371	375	404
Suicides	8	1	11
Self-inflicted Injuries	70	70	52
Homicides	1	2	2
Assault Injuries	114	96	141
Alcohol Induced Deaths	2	1	1
Drug Induced Deaths	2	1	8
Smoking Attributable Deaths	69	62	67

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	328	375	431
Mental Illness Secondary Diagnosis	551	584	618
Alcohol Principal Diagnosis	26	27	29
Alcohol Secondary Diagnosis	43	41	47
Drug Principal Diagnosis	12	18	19
Drug Secondary Diagnosis	41	25	33
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	51	56	45
Mental Illness Secondary Diagnosis	692	739	558
Alcohol Principal Diagnosis	29	26	20
Alcohol Secondary Diagnosis	68	68	61
Drug Principal Diagnosis	9	14	9
Drug Secondary Diagnosis	39	38	50
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	367	403	312
Mental Illness Secondary Diagnosis	323	310	297
Alcohol Principal Diagnosis	75	61	81
Alcohol Secondary Diagnosis	69	56	76
Drug Principal Diagnosis	35	33	34
Drug Secondary Diagnosis	56	54	64

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	47	48	48
Alcohol Package Carry-out Licenses	41	44	42

EMPLOYMENT	2014	2013	2012
Labor Force	23,101	25,887	25,036
Employed	21,639	24,301	23,303
Unemployed	1,462	1,586	1,733
Unemployment Rate	6.3%	6.1%	6.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	60	63	68
Fatal Crashes	7	4	1
Injury Crashes	16	18	20
Property Damage Crashes	37	41	47
Crash Fatalities	9	4	1
Crash Injuries	37	28	24
Drug Involved Crashes--Total	9	8	7
Fatal Crashes	0	0	0
Injury Crashes	4	3	3
Property Damage Crashes	5	5	4
Crash Fatalities	0	0	0
Crash Injuries	4	3	3

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	233	245	270
Liquor Law Arrests	363	326	328
Drug Arrests	373	320	184
Violent Offenses	68	77	76
Property Offenses	1,213	1,392	1,366
Domestic Violence Reports	324	390	365
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	2	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	2,090	2,128	2,174
Drop-outs	24	29	30
Drop-out Rate	1.1%	1.4%	1.4%
School Discipline Involving Alcohol	6	0	3
School Discipline Involving Drugs	16	8	11
School Discipline Involving Tobacco	1	1	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	20	27	29
Juvenile Alcohol Offenses	2	0	1
Juvenile Drug Offenses	17	7	12
School Truancy Status Offense	20	4	12
Absent from Home Status Offense	11	20	30
Beyond Parental Control Status Offense	32	47	44
Injurious Behavior Status Offense	89	110	86
Child Abuse	0	4	3
Child Neglect	109	149	117
Child Custody Issues	13	9	3

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	41	31	18
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	21	6	4
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	95	74	76
Probation/Parole Admissions--DWI	18	23	35
Prison Admissions--Drug	43	33	33
Prison Admissions--DWI	13	13	12

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

JOHNSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	7	12	9
CSTAR Adolescent	22	17	20
CSTAR Women and Children	6	*	*
CSTAR General Adult	131	128	155
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	11	6
Clinical SATOP (CIP, YCIP, SROP)	31	53	38
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	193	206	240
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	88	83	119
- Weekend Intervention Program	47	44	60
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	8	15
Compulsive Gambling	0	0	0
Recovery Supports	112	146	136
Early Intervention	5	*	13

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	196	217	237
AGE			
Under 18	21	18	21
18 to 24	35	49	56
25 to 29	37	43	43
30 to 34	35	27	36
35 to 39	16	16	20
40 to 44	19	16	23
45 to 54	27	38	32
55 and Over	6	10	6
GENDER			
Male	118	154	160
Female	78	63	77
RACE / ETHNICITY			
Caucasian	173	197	211
African American	17	9	13
Native American / Alaskan	0	*	*
Asian / Pacific Islander	*	*	0
Hispanic	*	*	6
Other Race / Two or More Races	*	6	8
EDUCATION			
Less than High School Diploma	53	50	64
High School Graduate or G.E.D.	83	88	96
Associate Degree or Some College	58	78	72
Bachelor or Advanced Degree	*	*	5
EMPLOYMENT			
Employed	59	65	77
Unemployed	79	70	62
Not in Labor Force	58	82	98
HOUSING / LIVING ARRANGEMENT			
Independent Living	147	182	188
Dependent Living	23	22	26
Homeless	8	*	6
MARITAL / FAMILY STATUS			
Never Married	111	120	138
Married / Cohabitating	45	51	48
Previously Married	40	46	51

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	74	100	120
Marijuana / Hashish	59	55	57
Cocaine (total)	5	0	*
- Crack	*	0	*
Stimulant (total)	40	50	47
- Methamphetamine	38	50	45
Heroin	*	*	*
Analgesic except Heroin	13	8	7
- Non-Prescription Methadone	0	*	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	17.6	17.1	17.2
INJECTION DRUG USE			
Any Injection Use at Admission	22	24	22
- Daily Injection Use	*	5	*
- Weekly Injection Use	6	6	8
- Less than Weekly Injection Use	15	13	11
LIFETIME DUI / DWI ARRESTS			
0	114	106	120
1 or 2	63	69	74
3 or More	19	42	43
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	97	126	153
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	5	5	*
Court / Criminal Justice	39	63	45
Other Referral Source	53	21	31
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	11	14	9
Special Education Services Needed	6	5	7
Co-Occurring Psychological Problem	87	72	44
Co-Occurring Developmental Problem	0	*	*

JOHNSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	7
CENSUS 2010	52,595
2014 POPULATION ESTIMATE	54,362

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	29	33	39
Anxiety Disorder	250	240	228
Dementia	0	0	*
Developmental Disorder	12	14	13
Impulse Control Disorder	66	82	94
Mood Disorder	341	330	343
Personality Disorder	10	10	8
Psychotic Disorder	69	81	83
Sexual Disorder	0	*	*
Other Diagnosis	29	41	35
Diagnosis Unknown	33	48	36

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	463	491	513
AGE			
Under 6	6	10	7
6 to 9	22	23	28
10 to 13	43	45	62
14 to 17	42	51	48
18 to 24	35	50	51
25 to 29	40	30	39
30 to 34	41	51	46
35 to 39	49	52	44
40 to 44	50	46	47
45 to 49	38	37	52
50 to 54	53	45	41
55 to 59	21	25	25
60 and Over	23	26	23
Age Unknown	0	0	0
GENDER			
Male	203	229	236
Female	260	262	277
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	428	448	470
African American	16	19	16
Native American / Alaskan	0	*	*
Asian / Pacific Islander	*	*	*
Hispanic	7	6	7
Other Race	10	14	14
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	16	16	15
Past or Current Military Service	16	17	12

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	116	141	65
High School Grad or G.E.D.	0	*	72
Associate Degree or Some College	0	0	25
Bachelor or Advanced Degree	0	0	8
Education Level Unknown	347	347	343
EMPLOYMENT			
Employed	13	25	31
Unemployed	19	32	110
Not in Labor Force	193	239	50
Employment Status Unknown	238	195	322
HOUSING / LIVING ARRANGEMENT			
Independent Living	114	150	139
Dependent Living	103	139	79
Homeless	7	5	*
Other	0	0	*
Housing Unknown	239	197	288
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	378	397	421
School	0	*	0
Mental Health Provider	10	10	9
Health Care Provider	32	33	29
Court / Criminal Justice	10	7	12
Other	31	41	38
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	459	485	502
Civil	*	*	0
Criminal	*	*	6
Sexual Predatory	0	0	*
Commitment Type Unknown	*	*	*

JOHNSON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	39.3	38.3	45.4
Cigarettes	24.6	23.0	29.1
Chewing Tobacco	16.3	10.9	11.9
Marijuana	17.9	14.5	15.3
Inhalants	4.0	5.4	9.2
Prescription medications not prescribed for student	9.9	7.8	12.5
Over-the-counter medications for non-medical use	4.0	4.8	7.9
Methamphetamine	0.9	0.6	1.2
Cocaine	2.8	1.2	2.2
Heroin	0.6	0.4	0.4
Hallucinogens	4.1	2.8	3.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.8	2.2	2.5
Steroids not prescribed for student	1.6	0.8	1.3
Synthetic drugs (K2, bath salts, Spice, etc)	6.7	4.9	
Average age of students' first use of:			
Alcohol	13.14	13.08	12.72
Cigarettes	12.85	12.82	12.60
Marijuana	14.24	13.79	13.77
Inhalants	13.64	12.54	12.62
Percent of students who, in past 30 days, used:			
Alcohol	20.1	17.1	20.1
Alcohol (Binge: 5+ drinks on one occassion)		9.7	11.3
Cigarettes	10.6	11.6	15.3
Chewing Tobacco	9.5	6.1	5.9
Marijuana	9.6	5.9	7.5
Inhalants	1.2	2.0	3.3
Prescription medications not prescribed for student	4.7	4.3	7.9
Over-the-counter medications for non-medical use	2.5	2.4	5.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.6		
Percent whose friends used in past 12 months:			
Alcohol	46.9	55.5	61.0
Cigarettes	40.5	41.8	51.3
Marijuana	35.7	34.8	38.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.6	12.7	18.3
Percent who would likely use, if offered by a best friend:			
Alcohol	31.8	30.9	33.9
Cigarettes	15.2	13.7	16.3
Marijuana	13.4	13.2	13.1
Percent who say it would be wrong to use:			
Alcohol	59.3	60.8	58.4
Cigarettes	80.9	80.5	78.2
Marijuana	78.7	81.3	83.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.8	95.9	94.2
Percent whose parents would disapprove if they use:			
Alcohol	76.0	76.9	78.5
Cigarettes	91.1	92.5	91.1
Marijuana	94.2	94.6	94.7
Percent who say it would be easy to obtain:			
Alcohol	54.9	58.4	63.1
Cigarettes	48.5	52.3	62.7
Marijuana	36.3	37.3	39.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.0	15.9	21.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	57.5		
Alcohol (Binge: 5+ drinks once or twice a week)	69.4		
Alcohol (any use)		71.7	75.5
Cigarettes (1+ packs per day)	84.4		
Cigarettes (any use)		83.7	80.9
Marijuana (once or twice a week)	64.1		
Marijuana (any use)		72.6	72.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	95.3	92.2
Percent of students who, in past 30 days:			
Were very sad	23.3	16.7	24.2
Were grouchy, irritable, or in a bad mood	28.0	23.6	29.6
Felt hopeless about the future	15.7	10.0	14.1
Felt like not eating or eating more than usual	17.9	16.7	21.4
Slept a lot more or a lot less than usual	18.6	19.5	27.9
Had difficulty concentrating on school work	25.5	19.8	23.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.7	10.6	11.7
Made plan about how they would attempt suicide	12.8	8.6	8.8
Attempted suicide	6.5	4.8	5.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	1.1	2.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.1	3.9	9.3
Were in a physical fight	18.3	16.7	21.1
Were in a fight and had to be treated by a doctor or nurse	3.2	2.5	3.3
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	51.3	47.2	53.8
Were made fun of by others	62.0	57.5	68.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.6	17.4	19.9
Spread mean rumors or lies about other kids at school	25.3	23.7	34.4
Made fun of other people	56.2	60.4	73.2
Posted something on the internet or sent a text that might embarrass or hurt another student	16.0	12.8	17.3
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.8	70.6	71.5
School provides feedback to parents on positive student performance	34.9	40.7	42.3
Rules are enforced fairly	64.7	65.1	65.9
Students of all races/ethnicities are treated equal	83.4	81.8	82.9
Percent of students who agree that:			
Parents notice and comment on student's good work	81.2	85.2	82.8
Parents involve student in making family decisions	69.2	70.0	70.1
It is important to be honest with parents regardless of consequences	86.0	86.1	83.2
Student could ask parent for help with a personal problem	76.4	79.1	74.8

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

KNOX COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	4,131
2014 Estimate	4,000

BIRTH RISK	2013	2012	2011
Resident Births--Total	57	51	53
Mother Reported Smoking while Pregnant	7	8	7

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	0	1	2
Tuberculosis Infection Cases	0	1	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	56	55	45
Suicides	1	1	0
Self-inflicted Injuries	8	2	6
Homicides	2	1	0
Assault Injuries	5	6	8
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	7	10	10

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	30	15	7
Mental Illness Secondary Diagnosis	84	112	83
Alcohol Principal Diagnosis	1	0	1
Alcohol Secondary Diagnosis	4	4	5
Drug Principal Diagnosis	0	1	1
Drug Secondary Diagnosis	4	3	1
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2	3	3
Mental Illness Secondary Diagnosis	22	6	6
Alcohol Principal Diagnosis	1	1	0
Alcohol Secondary Diagnosis	8	2	2
Drug Principal Diagnosis	0	0	0
Drug Secondary Diagnosis	1	1	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	15	6	8
Mental Illness Secondary Diagnosis	47	28	28
Alcohol Principal Diagnosis	3	2	4
Alcohol Secondary Diagnosis	1	4	3
Drug Principal Diagnosis	3	2	3
Drug Secondary Diagnosis	3	0	3

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	3	3	3
Alcohol Package Carry-out Licenses	3	3	3

EMPLOYMENT	2014	2013	2012
Labor Force	1,994	2,282	2,186
Employed	1,903	2,180	2,078
Unemployed	91	102	108
Unemployment Rate	4.6%	4.5%	4.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	3	6	6
Fatal Crashes	0	1	0
Injury Crashes	2	5	4
Property Damage Crashes	1	0	2
Crash Fatalities	0	1	0
Crash Injuries	2	7	5
Drug Involved Crashes--Total	2	0	0
Fatal Crashes	1	0	0
Injury Crashes	1	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	1	0	0
Crash Injuries	2	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	16	14	16
Liquor Law Arrests	0	0	0
Drug Arrests	0	0	0
Violent Offenses	0	3	2
Property Offenses	44	43	49
Domestic Violence Reports	0	0	3
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	4	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	171	173	164
Drop-outs	2	2	1
Drop-out Rate	1.2%	1.2%	0.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	1	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	2	2	1
Juvenile Alcohol Offenses	0	2	0
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	13	3	10
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	4	5	2
Injurious Behavior Status Offense	30	20	23
Child Abuse	1	2	1
Child Neglect	10	10	8
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	8	4	2
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	1	1
Parental Alcohol and Drug Use	3	2	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	6	5	3
Probation/Parole Admissions--DWI	0	1	1
Prison Admissions--Drug	1	4	1
Prison Admissions--DWI	0	0	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

KNOX COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	0
CSTAR Adolescent	0	*	0
CSTAR Women and Children	*	0	*
CSTAR General Adult	23	17	19
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	*	7
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	12	10	19
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	*	*	6
- Weekend Intervention Program	*	0	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	5	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	29	20	28
AGE			
Under 18	0	*	*
18 to 24	8	6	5
25 to 29	9	*	7
30 to 34	6	*	*
35 to 39	*	*	*
40 to 44	*	*	*
45 to 54	*	*	*
55 and Over	*	*	*
GENDER			
Male	19	14	21
Female	10	6	7
RACE / ETHNICITY			
Caucasian	28	19	28
African American	*	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	*
Other Race / Two or More Races	0	*	0
EDUCATION			
Less than High School Diploma	9	6	8
High School Graduate or G.E.D.	16	12	12
Associate Degree or Some College	*	*	8
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	9	6	15
Unemployed	*	*	*
Not in Labor Force	16	12	10
HOUSING / LIVING ARRANGEMENT			
Independent Living	27	18	21
Dependent Living	*	*	*
Homeless	*	0	0
MARITAL / FAMILY STATUS			
Never Married	18	13	17
Married / Cohabitating	6	*	*
Previously Married	5	*	7

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	11	7	14
Marijuana / Hashish	8	6	8
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	5	*	*
- Methamphetamine	5	*	*
Heroin	0	0	*
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	*	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	18.4	18.1	16.8
INJECTION DRUG USE			
Any Injection Use at Admission	*	*	*
- Daily Injection Use	0	0	*
- Weekly Injection Use	0	0	0
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	15	12	15
1 or 2	13	8	9
3 or More	*	0	*
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	6	*	6
School	0	0	0
Mental Health Provider	0	0	0
Health Care Provider	*	*	*
Court / Criminal Justice	5	5	14
Other Referral Source	7	*	5
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	*
Military Veteran	*	0	*
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	17	12	9
Co-Occurring Developmental Problem	*	*	0

KNOX COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	14
CENSUS 2010	4,131
2014 POPULATION ESTIMATE	4,000

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	0	0
Anxiety Disorder	13	10	9
Dementia	0	*	0
Developmental Disorder	*	*	0
Impulse Control Disorder	7	*	5
Mood Disorder	31	31	21
Personality Disorder	*	*	*
Psychotic Disorder	27	20	8
Sexual Disorder	0	0	0
Other Diagnosis	5	6	*
Diagnosis Unknown	*	*	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	64	58	45
AGE			
Under 6	0	0	0
6 to 9	*	0	0
10 to 13	*	*	*
14 to 17	*	5	8
18 to 24	*	*	*
25 to 29	*	5	*
30 to 34	6	*	*
35 to 39	8	8	6
40 to 44	9	5	*
45 to 49	11	9	8
50 to 54	8	8	*
55 to 59	*	*	*
60 and Over	6	6	*
Age Unknown	0	0	0
GENDER			
Male	31	24	17
Female	33	34	28
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	52	46	40
African American	10	9	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	0	0	0
Past or Current Military Service	0	0	0

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	21	21	7
High School Grad or G.E.D.	0	0	21
Associate Degree or Some College	0	*	0
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	43	36	17
EMPLOYMENT			
Employed	0	*	5
Unemployed	0	*	21
Not in Labor Force	55	45	5
Employment Status Unknown	9	7	14
HOUSING / LIVING ARRANGEMENT			
Independent Living	17	18	18
Dependent Living	37	31	14
Homeless	0	*	0
Other	0	0	0
Housing Unknown	10	8	13
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	19	18	14
School	0	0	0
Mental Health Provider	7	8	9
Health Care Provider	21	18	8
Court / Criminal Justice	*	0	0
Other	16	14	14
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	63	58	45
Civil	*	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

KNOX COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	31.4		
Cigarettes	13.7		
Chewing Tobacco	5.9		
Marijuana	3.8		
Inhalants	2.0		
Prescription medications not prescribed for student	3.9		
Over-the-counter medications for non-medical use	2.0		
Methamphetamine	2.0		
Cocaine	0.0		
Heroin	0.0		
Hallucinogens	0.0		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0		
Steroids not prescribed for student	0.0		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0		
Average age of students' first use of:			
Alcohol	12.46		
Cigarettes	14.22		
Marijuana	14.98		
Inhalants			
Percent of students who, in past 30 days, used:			
Alcohol	10.0		
Alcohol (Binge: 5+ drinks on one occassion)			
Cigarettes	5.9		
Chewing Tobacco	3.9		
Marijuana	0.0		
Inhalants	0.0		
Prescription medications not prescribed for student	2.0		
Over-the-counter medications for non-medical use	2.0		
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	3.9		
Percent whose friends used in past 12 months:			
Alcohol	40.4		
Cigarettes	21.6		
Marijuana	9.8		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.0		
Percent who would likely use, if offered by a best friend:			
Alcohol	25.0		
Cigarettes	5.9		
Marijuana	0.0		
Percent who say it would be wrong to use:			
Alcohol	68.6		
Cigarettes	90.2		
Marijuana	94.1		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0		
Percent whose parents would disapprove if they use:			
Alcohol	74.5		
Cigarettes	90.4		
Marijuana	96.0		
Percent who say it would be easy to obtain:			
Alcohol	49.0		
Cigarettes	43.1		
Marijuana	15.7		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8		

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	62.0		
Alcohol (Binge: 5+ drinks once or twice a week)	72.0		
Alcohol (any use)			
Cigarettes (1+ packs per day)	86.0		
Cigarettes (any use)			
Marijuana (once or twice a week)	85.7		
Marijuana (any use)			
Other: Cocaine, LSD, Meth, Club Drug (any use)	96.0		
Percent of students who, in past 30 days:			
Were very sad	14.0		
Were grouchy, irritable, or in a bad mood	27.5		
Felt hopeless about the future	7.8		
Felt like not eating or eating more than usual	11.8		
Slept a lot more or a lot less than usual	13.7		
Had difficulty concentrating on school work	25.0		
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	13.7		
Made plan about how they would attempt suicide	7.8		
Attempted suicide	2.0		
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.0		
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.8		
Were in a physical fight	13.7		
Were in a fight and had to be treated by a doctor or nurse	2.0		
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	58.8		
Were made fun of by others	70.6		
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.0		
Spread mean rumors or lies about other kids at school	29.4		
Made fun of other people	62.7		
Posted something on the internet or sent a text that might embarrass or hurt another student	9.8		
Percent of students who agree that:			
Teachers notice and comment on student's good work	68.6		
School provides feedback to parents on positive student performance	40.4		
Rules are enforced fairly	62.7		
Students of all races/ethnicities are treated equal	84.6		
Percent of students who agree that:			
Parents notice and comment on student's good work	82.4		
Parents involve student in making family decisions	60.8		
It is important to be honest with parents regardless of consequences	90.2		
Student could ask parent for help with a personal problem	76.0		

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

LACLEDE COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	35,571
2014 Estimate	35,439

BIRTH RISK	2013	2012	2011
Resident Births--Total	441	445	489
Mother Reported Smoking while Pregnant	138	120	129

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	1	1
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	33	38	25
Tuberculosis Infection Cases	2	2	2

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	380	399	361
Suicides	7	5	8
Self-inflicted Injuries	50	47	43
Homicides	0	1	0
Assault Injuries	122	143	129
Alcohol Induced Deaths	1	1	3
Drug Induced Deaths	2	4	1
Smoking Attributable Deaths	72	77	75

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	368	343	331
Mental Illness Secondary Diagnosis	503	435	350
Alcohol Principal Diagnosis	22	18	8
Alcohol Secondary Diagnosis	24	25	17
Drug Principal Diagnosis	23	38	22
Drug Secondary Diagnosis	24	25	22
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	67	73	74
Mental Illness Secondary Diagnosis	586	588	482
Alcohol Principal Diagnosis	23	29	24
Alcohol Secondary Diagnosis	54	51	36
Drug Principal Diagnosis	19	8	24
Drug Secondary Diagnosis	37	49	35
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	414	429	440
Mental Illness Secondary Diagnosis	2,960	707	424
Alcohol Principal Diagnosis	112	96	95
Alcohol Secondary Diagnosis	101	75	57
Drug Principal Diagnosis	54	90	104
Drug Secondary Diagnosis	92	88	68

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	25	23	23
Alcohol Package Carry-out Licenses	41	43	49

EMPLOYMENT	2014	2013	2012
Labor Force	15,786	16,400	15,871
Employed	14,511	14,974	14,433
Unemployed	1,275	1,426	1,438
Unemployment Rate	8.1%	8.7%	9.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	40	35	41
Fatal Crashes	1	2	0
Injury Crashes	22	14	17
Property Damage Crashes	17	19	24
Crash Fatalities	1	2	0
Crash Injuries	34	28	28
Drug Involved Crashes--Total	5	3	5
Fatal Crashes	0	0	0
Injury Crashes	1	0	3
Property Damage Crashes	4	3	2
Crash Fatalities	0	0	0
Crash Injuries	1	0	3

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	135	184	187
Liquor Law Arrests	99	99	111
Drug Arrests	227	130	132
Violent Offenses	119	155	195
Property Offenses	1,027	994	1,083
Domestic Violence Reports	198	189	205
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	15	13	14

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,734	1,682	1,686
Drop-outs	24	49	51
Drop-out Rate	1.4%	2.9%	3.0%
School Discipline Involving Alcohol	11	9	6
School Discipline Involving Drugs	11	11	29
School Discipline Involving Tobacco	0	1	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	20	43	31
Juvenile Alcohol Offenses	13	10	3
Juvenile Drug Offenses	8	7	19
School Truancy Status Offense	29	54	58
Absent from Home Status Offense	21	15	10
Beyond Parental Control Status Offense	11	12	5
Injurious Behavior Status Offense	25	39	43
Child Abuse	6	27	60
Child Neglect	47	118	142
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	68	76	68
Parental Alcohol Use Related	0	3	0
Parental Drug Use Related	12	24	22
Parental Alcohol and Drug Use	6	3	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	194	193	165
Probation/Parole Admissions--DWI	24	29	32
Prison Admissions--Drug	90	117	81
Prison Admissions--DWI	14	16	19

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LACLEDE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	25	15	20
CSTAR Adolescent	10	17	30
CSTAR Women and Children	14	18	17
CSTAR General Adult	95	83	54
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	17	60
Clinical SATOP (CIP, YCIP, SROP)	25	32	18
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	106	133	153
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	26	47	52
- Weekend Intervention Program	27	25	39
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	154	181	187
AGE			
Under 18	13	18	29
18 to 24	35	43	32
25 to 29	23	25	25
30 to 34	32	30	31
35 to 39	14	22	18
40 to 44	15	18	21
45 to 54	19	19	26
55 and Over	*	6	5
GENDER			
Male	98	103	109
Female	56	78	78
RACE / ETHNICITY			
Caucasian	147	170	180
African American	*	*	*
Native American / Alaskan	0	*	0
Asian / Pacific Islander	0	0	0
Hispanic	*	6	*
Other Race / Two or More Races	*	0	*
EDUCATION			
Less than High School Diploma	60	81	79
High School Graduate or G.E.D.	66	65	79
Associate Degree or Some College	27	35	29
Bachelor or Advanced Degree	*	0	0
EMPLOYMENT			
Employed	26	35	31
Unemployed	72	69	66
Not in Labor Force	56	77	90
HOUSING / LIVING ARRANGEMENT			
Independent Living	120	143	128
Dependent Living	23	26	46
Homeless	*	5	9
MARITAL / FAMILY STATUS			
Never Married	86	90	91
Married / Cohabitating	29	50	52
Previously Married	39	41	44

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	55	76	63
Marijuana / Hashish	29	25	37
Cocaine (total)	0	*	*
- Crack	0	*	0
Stimulant (total)	46	35	49
- Methamphetamine	45	35	45
Heroin	6	10	6
Analgesic except Heroin	16	22	21
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	0
Tranquilizer	0	*	*
Inhalant	0	*	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	6	9
Average Age at First Use of Drug	17.8	18.0	17.7
INJECTION DRUG USE			
Any Injection Use at Admission	42	39	48
- Daily Injection Use	7	11	9
- Weekly Injection Use	17	7	16
- Less than Weekly Injection Use	18	21	23
LIFETIME DUI / DWI ARRESTS			
0	92	93	114
1 or 2	45	65	47
3 or More	17	23	26
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	59	76	64
School	*	0	0
Mental Health Provider	*	*	5
Health Care Provider	6	7	13
Court / Criminal Justice	39	61	77
Other Referral Source	43	32	27
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	7	*	7
Special Education Services Needed	5	17	12
Co-Occurring Psychological Problem	74	67	79
Co-Occurring Developmental Problem	*	12	10

LACLEDE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	11
CENSUS 2010	35,571
2014 POPULATION ESTIMATE	35,439

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	16	13	17
Anxiety Disorder	285	238	184
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	76	82	71
Mood Disorder	348	343	291
Personality Disorder	20	20	12
Psychotic Disorder	73	69	69
Sexual Disorder	*	*	0
Other Diagnosis	48	39	33
Diagnosis Unknown	31	21	37

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	485	445	399
AGE			
Under 6	8	*	*
6 to 9	32	23	18
10 to 13	50	41	47
14 to 17	54	59	42
18 to 24	42	43	29
25 to 29	31	34	29
30 to 34	44	42	38
35 to 39	43	31	34
40 to 44	41	39	28
45 to 49	42	41	44
50 to 54	46	41	45
55 to 59	24	24	19
60 and Over	28	23	23
Age Unknown	0	0	0
GENDER			
Male	218	209	190
Female	267	236	209
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	455	414	370
African American	6	6	6
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	10	6	9
Other Race	12	15	13
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	14	15	11
Past or Current Military Service	8	11	10

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	228	222	93
High School Grad or G.E.D.	0	0	53
Associate Degree or Some College	0	0	19
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	257	223	232
EMPLOYMENT			
Employed	32	33	20
Unemployed	21	56	110
Not in Labor Force	340	291	77
Employment Status Unknown	92	65	192
HOUSING / LIVING ARRANGEMENT			
Independent Living	212	206	152
Dependent Living	185	179	78
Homeless	*	5	*
Other	0	0	*
Housing Unknown	84	55	166
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	200	175	149
School	*	*	0
Mental Health Provider	18	25	29
Health Care Provider	80	82	64
Court / Criminal Justice	71	58	43
Other	112	103	114
Referral Source Unknown	*	0	0
TYPE OF COMMITMENT			
Voluntary	479	439	391
Civil	*	*	*
Criminal	5	*	5
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

LACLEDE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	27.1	22.4	41.9
Cigarettes	35.6	4.3	30.9
Chewing Tobacco	15.3	6.4	20.7
Marijuana	1.0	0.2	13.0
Inhalants	0.5	1.8	9.3
Prescription medications not prescribed for student	0.5	0.7	14.8
Over-the-counter medications for non-medical use	0.5	0.7	9.2
Methamphetamine	0.0	0.0	0.9
Cocaine	0.0	0.0	1.7
Heroin	0.0	0.0	1.7
Hallucinogens	0.0	0.0	4.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0	3.0
Steroids not prescribed for student	0.0	0.2	1.7
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	0.0	
Average age of students' first use of:			
Alcohol	10.16	12.09	11.93
Cigarettes	9.05	11.33	11.60
Marijuana	10.36		12.59
Inhalants	9.38	11.11	12.15
Percent of students who, in past 30 days, used:			
Alcohol	10.9	16.2	20.3
Alcohol (Binge: 5+ drinks on one occassion)		14.7	13.1
Cigarettes	11.6	1.6	17.1
Chewing Tobacco	1.6	2.8	13.1
Marijuana	0.5	0.2	7.3
Inhalants	0.0	0.8	4.5
Prescription medications not prescribed for student	0.5	0.7	9.0
Over-the-counter medications for non-medical use	0.5	0.2	6.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	0.0		
Percent whose friends used in past 12 months:			
Alcohol	16.3	39.6	58.1
Cigarettes	15.3	28.3	50.3
Marijuana	0.5	4.1	34.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.5	2.1	23.4
Percent who would likely use, if offered by a best friend:			
Alcohol	11.5	34.5	36.3
Cigarettes	1.0	15.9	17.6
Marijuana	0.5	15.6	12.4
Percent who say it would be wrong to use:			
Alcohol	72.8	62.1	61.6
Cigarettes	98.4	80.2	75.9
Marijuana	98.4	97.7	82.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.5	98.8	93.7
Percent whose parents would disapprove if they use:			
Alcohol	77.5	80.2	81.5
Cigarettes	100.0	98.5	90.7
Marijuana	100.0	99.3	94.5
Percent who say it would be easy to obtain:			
Alcohol	18.8	40.9	47.6
Cigarettes	31.3	42.3	50.8
Marijuana	0.5	5.6	27.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.1	3.8	18.1

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	63.4		
Alcohol (Binge: 5+ drinks once or twice a week)	72.5		
Alcohol (any use)		80.3	78.0
Cigarettes (1+ packs per day)	92.4		
Cigarettes (any use)		74.7	77.7
Marijuana (once or twice a week)	87.8		
Marijuana (any use)		91.0	72.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	93.9	90.6
Percent of students who, in past 30 days:			
Were very sad	14.8	3.6	17.7
Were grouchy, irritable, or in a bad mood	19.3	21.7	23.6
Felt hopeless about the future	4.9	3.1	8.6
Felt like not eating or eating more than usual	26.6	5.9	12.8
Slept a lot more or a lot less than usual	28.5	8.7	20.1
Had difficulty concentrating on school work	11.4	20.7	19.5
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.2	17.2	12.5
Made plan about how they would attempt suicide	3.4	2.5	11.5
Attempted suicide	10.4	0.7	6.4
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.6	1.3	2.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	2.1	1.3	11.4
Were in a physical fight	16.8	25.2	30.8
Were in a fight and had to be treated by a doctor or nurse	0.5	0.5	6.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	42.7	31.3	56.1
Were made fun of by others	52.1	34.4	68.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	20.7	3.8	18.0
Spread mean rumors or lies about other kids at school	14.2	24.3	37.2
Made fun of other people	41.2	40.0	71.8
Posted something on the internet or sent a text that might embarrass or hurt another student	8.3	3.6	19.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	82.1	72.5	65.8
School provides feedback to parents on positive student performance	65.5	41.9	41.6
Rules are enforced fairly	83.7	85.5	64.8
Students of all races/ethnicities are treated equal	99.0	93.6	76.6
Percent of students who agree that:			
Parents notice and comment on student's good work	92.7	78.8	83.4
Parents involve student in making family decisions	74.9	67.5	72.8
It is important to be honest with parents regardless of consequences	96.6	79.9	80.9
Student could ask parent for help with a personal problem	83.2	77.6	77.5

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

LAFAYETTE COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	7
Adult Psychiatric	7
POPULATION	
Census 2010	33,381
2014 Estimate	32,688

BIRTH RISK	2013	2012	2011
Resident Births--Total	361	386	378
Mother Reported Smoking while Pregnant	92	93	108

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	1	1
Hepatitis C Chronic and Acute	15	12	9
Tuberculosis Infection Cases	6	5	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	376	351	325
Suicides	5	5	2
Self-inflicted Injuries	46	45	50
Homicides	0	4	0
Assault Injuries	71	116	92
Alcohol Induced Deaths	3	0	2
Drug Induced Deaths	2	5	6
Smoking Attributable Deaths	69	66	61

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	315	324	318
Mental Illness Secondary Diagnosis	735	586	672
Alcohol Principal Diagnosis	13	16	19
Alcohol Secondary Diagnosis	37	32	59
Drug Principal Diagnosis	15	9	9
Drug Secondary Diagnosis	26	44	51
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	38	45	50
Mental Illness Secondary Diagnosis	520	453	414
Alcohol Principal Diagnosis	12	22	7
Alcohol Secondary Diagnosis	57	62	65
Drug Principal Diagnosis	6	13	9
Drug Secondary Diagnosis	33	68	45
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	273	307	262
Mental Illness Secondary Diagnosis	347	325	315
Alcohol Principal Diagnosis	57	52	45
Alcohol Secondary Diagnosis	39	64	44
Drug Principal Diagnosis	50	46	41
Drug Secondary Diagnosis	60	61	71

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	43	47	43
Alcohol Package Carry-out Licenses	39	40	39

EMPLOYMENT	2014	2013	2012
Labor Force	17,445	16,047	16,384
Employed	16,428	14,991	15,167
Unemployed	1,017	1,056	1,217
Unemployment Rate	5.8%	6.6%	7.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	31	26	24
Fatal Crashes	1	2	0
Injury Crashes	14	10	11
Property Damage Crashes	16	14	13
Crash Fatalities	1	2	0
Crash Injuries	15	12	20
Drug Involved Crashes--Total	6	8	1
Fatal Crashes	0	0	0
Injury Crashes	1	5	0
Property Damage Crashes	5	3	1
Crash Fatalities	0	0	0
Crash Injuries	1	6	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	188	225	192
Liquor Law Arrests	50	59	64
Drug Arrests	338	314	277
Violent Offenses	27	33	35
Property Offenses	499	675	612
Domestic Violence Reports	53	64	49
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	1	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,572	1,574	1,632
Drop-outs	13	27	26
Drop-out Rate	0.8%	1.7%	1.6%
School Discipline Involving Alcohol	1	2	2
School Discipline Involving Drugs	4	4	11
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	47	58	52
Juvenile Alcohol Offenses	11	11	21
Juvenile Drug Offenses	10	9	13
School Truancy Status Offense	22	15	13
Absent from Home Status Offense	16	17	22
Beyond Parental Control Status Offense	26	32	19
Injurious Behavior Status Offense	9	22	33
Child Abuse	1	3	0
Child Neglect	7	2	1
Child Custody Issues	17	29	32

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	22	21	31
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	4	5
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	49	60	45
Probation/Parole Admissions--Drug	135	141	187
Probation/Parole Admissions--DWI	22	29	24
Prison Admissions--Drug	110	96	106
Prison Admissions--DWI	24	25	13

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LAFAYETTE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5	9	10
CSTAR Adolescent	9	*	14
CSTAR Women and Children	8	9	9
CSTAR General Adult	103	115	119
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	32	36	31
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	143	135	135
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	55	48	47
- Weekend Intervention Program	27	25	31
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	17	60	73
Early Intervention	*	*	11

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	157	173	181
AGE			
Under 18	9	6	13
18 to 24	37	44	33
25 to 29	30	24	29
30 to 34	22	32	35
35 to 39	15	19	14
40 to 44	15	14	30
45 to 54	22	25	20
55 and Over	7	9	7
GENDER			
Male	111	121	120
Female	46	52	61
RACE / ETHNICITY			
Caucasian	148	162	158
African American	*	*	11
Native American / Alaskan	0	*	*
Asian / Pacific Islander	0	0	*
Hispanic	5	7	6
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	46	41	50
High School Graduate or G.E.D.	83	95	85
Associate Degree or Some College	27	36	44
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	53	61	58
Unemployed	44	55	55
Not in Labor Force	60	57	68
HOUSING / LIVING ARRANGEMENT			
Independent Living	128	150	154
Dependent Living	16	9	14
Homeless	*	5	5
MARITAL / FAMILY STATUS			
Never Married	92	87	93
Married / Cohabitating	31	52	55
Previously Married	34	34	33

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	64	66	86
Marijuana / Hashish	33	42	39
Cocaine (total)	*	*	*
- Crack	0	0	*
Stimulant (total)	41	44	42
- Methamphetamine	38	42	41
Heroin	*	*	0
Analgesic except Heroin	6	14	8
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	*	0
Tranquilizer	*	0	*
Inhalant	0	*	*
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	18.0	17.6	16.3
INJECTION DRUG USE			
Any Injection Use at Admission	22	23	13
- Daily Injection Use	*	*	5
- Weekly Injection Use	9	11	6
- Less than Weekly Injection Use	10	11	*
LIFETIME DUI / DWI ARRESTS			
0	80	96	96
1 or 2	52	56	52
3 or More	25	21	33
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	51	64	59
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	8	*	6
Court / Criminal Justice	55	86	93
Other Referral Source	37	15	19
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	0
Military Veteran	*	6	12
Special Education Services Needed	*	5	8
Co-Occurring Psychological Problem	57	65	55
Co-Occurring Developmental Problem	*	*	5

LAFAYETTE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	7
CENSUS 2010	33,381
2014 POPULATION ESTIMATE	32,688

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	45	35	30
Anxiety Disorder	171	171	172
Dementia	0	0	0
Developmental Disorder	*	0	*
Impulse Control Disorder	69	64	60
Mood Disorder	221	236	236
Personality Disorder	13	11	14
Psychotic Disorder	42	38	48
Sexual Disorder	*	0	0
Other Diagnosis	30	23	24
Diagnosis Unknown	31	42	32

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	330	361	359
AGE			
Under 6	6	6	9
6 to 9	25	26	22
10 to 13	32	31	34
14 to 17	41	35	35
18 to 24	27	36	43
25 to 29	19	33	32
30 to 34	20	34	22
35 to 39	25	19	25
40 to 44	26	31	30
45 to 49	34	29	34
50 to 54	34	44	36
55 to 59	28	21	22
60 and Over	13	16	15
Age Unknown	0	0	0
GENDER			
Male	138	141	147
Female	192	220	212
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	309	326	330
African American	9	15	14
Native American / Alaskan	0	*	0
Asian / Pacific Islander	0	*	*
Hispanic	*	7	*
Other Race	8	11	11
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	9	10	11
Past or Current Military Service	14	12	11

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	112	118	60
High School Grad or G.E.D.	0	*	55
Associate Degree or Some College	0	0	23
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	218	242	217
EMPLOYMENT			
Employed	11	16	20
Unemployed	8	18	104
Not in Labor Force	169	189	37
Employment Status Unknown	142	138	198
HOUSING / LIVING ARRANGEMENT			
Independent Living	93	109	127
Dependent Living	94	105	43
Homeless	0	*	*
Other	0	0	8
Housing Unknown	143	146	180
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	253	269	253
School	*	*	*
Mental Health Provider	6	*	5
Health Care Provider	17	18	22
Court / Criminal Justice	22	25	11
Other	30	43	65
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	327	358	357
Civil	0	0	*
Criminal	*	*	0
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

LAFAYETTE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	33.8	39.9	45.1
Cigarettes	19.2	25.8	27.5
Chewing Tobacco	13.2	16.4	16.6
Marijuana	12.9	14.2	13.1
Inhalants	4.0	5.7	6.7
Prescription medications not prescribed for student	4.5	9.1	11.4
Over-the-counter medications for non-medical use	1.5	6.9	6.9
Methamphetamine	0.3	0.9	0.7
Cocaine	0.2	1.2	1.4
Heroin	0.3	0.3	0.6
Hallucinogens	0.7	1.4	2.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.2	1.5
Steroids not prescribed for student	0.5	0.9	0.8
Synthetic drugs (K2, bath salts, Spice, etc)	4.0	5.4	
Average age of students' first use of:			
Alcohol	13.12	12.37	12.46
Cigarettes	13.98	12.22	12.01
Marijuana	14.75	13.33	13.17
Inhalants	10.39	11.59	12.39
Percent of students who, in past 30 days, used:			
Alcohol	11.6	17.3	22.8
Alcohol (Binge: 5+ drinks on one occassion)		10.6	12.3
Cigarettes	7.5	13.0	14.5
Chewing Tobacco	7.0	9.5	10.3
Marijuana	5.5	8.1	5.2
Inhalants	1.2	2.4	3.8
Prescription medications not prescribed for student	2.5	5.6	6.3
Over-the-counter medications for non-medical use	0.7	3.9	4.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.0		
Percent whose friends used in past 12 months:			
Alcohol	43.2	53.8	61.0
Cigarettes	33.7	47.6	49.2
Marijuana	29.2	31.4	28.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.2	11.7	13.6
Percent who would likely use, if offered by a best friend:			
Alcohol	25.6	29.2	38.1
Cigarettes	9.9	13.1	16.2
Marijuana	10.7	11.2	9.4
Percent who say it would be wrong to use:			
Alcohol	68.4	64.0	58.3
Cigarettes	87.3	83.4	78.8
Marijuana	82.4	85.5	87.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	95.9	95.5
Percent whose parents would disapprove if they use:			
Alcohol	81.5	80.0	78.0
Cigarettes	91.6	92.8	90.6
Marijuana	94.8	95.5	95.1
Percent who say it would be easy to obtain:			
Alcohol	49.3	51.3	58.9
Cigarettes	45.8	50.3	55.1
Marijuana	27.5	27.2	27.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.6	10.5	15.0

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	61.1		
Alcohol (Binge: 5+ drinks once or twice a week)	69.5		
Alcohol (any use)		72.0	80.3
Cigarettes (1+ packs per day)	85.7		
Cigarettes (any use)		79.5	80.8
Marijuana (once or twice a week)	68.4		
Marijuana (any use)		77.2	72.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	92.7	92.9
Percent of students who, in past 30 days:			
Were very sad	19.6	20.5	26.7
Were grouchy, irritable, or in a bad mood	24.9	23.4	30.6
Felt hopeless about the future	10.4	10.2	12.6
Felt like not eating or eating more than usual	14.1	16.2	23.0
Slept a lot more or a lot less than usual	14.0	19.4	30.0
Had difficulty concentrating on school work	22.8	19.9	26.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	7.2	12.4	11.6
Made plan about how they would attempt suicide	5.5	9.7	8.6
Attempted suicide	2.2	6.1	6.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.3	0.7	1.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	2.2	4.9	11.2
Were in a physical fight	18.1	19.4	20.5
Were in a fight and had to be treated by a doctor or nurse	2.2	2.5	3.6
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	51.1	49.4	58.5
Were made fun of by others	62.5	60.9	67.4
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.9	19.8	19.8
Spread mean rumors or lies about other kids at school	24.6	27.1	33.0
Made fun of other people	60.3	60.3	69.8
Posted something on the internet or sent a text that might embarrass or hurt another student	16.0	13.9	17.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.3	72.0	76.7
School provides feedback to parents on positive student performance	45.4	42.7	46.4
Rules are enforced fairly	63.5	70.4	70.9
Students of all races/ethnicities are treated equal	84.4	80.7	85.8
Percent of students who agree that:			
Parents notice and comment on student's good work	85.3	82.5	83.8
Parents involve student in making family decisions	68.5	68.4	71.1
It is important to be honest with parents regardless of consequences	86.8	87.9	85.7
Student could ask parent for help with a personal problem	76.8	77.9	77.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

LAWRENCE COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	8A
POPULATION	
Census 2010	38,634
2014 Estimate	38,023

BIRTH RISK	2013	2012	2011
Resident Births--Total	498	484	490
Mother Reported Smoking while Pregnant	100	111	115

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	1	6	3
Hepatitis C Chronic and Acute	25	37	28
Tuberculosis Infection Cases	6	7	8

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	461	420	423
Suicides	6	3	4
Self-inflicted Injuries	63	58	43
Homicides	1	2	0
Assault Injuries	88	124	83
Alcohol Induced Deaths	5	1	5
Drug Induced Deaths	6	5	9
Smoking Attributable Deaths	84	77	70

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	182	205	201
Mental Illness Secondary Diagnosis	342	381	414
Alcohol Principal Diagnosis	14	7	9
Alcohol Secondary Diagnosis	25	21	21
Drug Principal Diagnosis	21	18	12
Drug Secondary Diagnosis	23	29	27
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	125	126	102
Mental Illness Secondary Diagnosis	639	571	472
Alcohol Principal Diagnosis	27	45	20
Alcohol Secondary Diagnosis	66	68	55
Drug Principal Diagnosis	32	45	27
Drug Secondary Diagnosis	34	31	36
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	257	334	309
Mental Illness Secondary Diagnosis	896	1,061	984
Alcohol Principal Diagnosis	55	65	56
Alcohol Secondary Diagnosis	51	94	87
Drug Principal Diagnosis	76	70	61
Drug Secondary Diagnosis	103	140	105

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	17	19	17
Alcohol Package Carry-out Licenses	42	36	43

EMPLOYMENT	2014	2013	2012
Labor Force	17,416	19,294	18,453
Employed	16,388	18,190	17,336
Unemployed	1,028	1,104	1,117
Unemployment Rate	5.9%	5.7%	6.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	40	45	44
Fatal Crashes	1	3	1
Injury Crashes	18	22	22
Property Damage Crashes	21	20	21
Crash Fatalities	1	3	1
Crash Injuries	23	33	29
Drug Involved Crashes--Total	12	5	6
Fatal Crashes	0	0	0
Injury Crashes	8	2	2
Property Damage Crashes	4	3	4
Crash Fatalities	0	0	0
Crash Injuries	10	3	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	206	198	201
Liquor Law Arrests	50	38	44
Drug Arrests	207	146	151
Violent Offenses	128	172	154
Property Offenses	1,196	1,248	1,180
Domestic Violence Reports	140	208	234
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	16	14	17

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,714	1,808	1,776
Drop-outs	24	34	36
Drop-out Rate	1.4%	1.9%	2.0%
School Discipline Involving Alcohol	5	0	0
School Discipline Involving Drugs	13	11	16
School Discipline Involving Tobacco	0	1	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	13	26	22
Juvenile Alcohol Offenses	0	2	7
Juvenile Drug Offenses	5	3	8
School Truancy Status Offense	3	2	7
Absent from Home Status Offense	13	5	9
Beyond Parental Control Status Offense	4	12	8
Injurious Behavior Status Offense	14	8	12
Child Abuse	12	12	16
Child Neglect	39	66	46
Child Custody Issues	79	83	42

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	81	75	50
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	16	28	12
Parental Alcohol and Drug Use	2	2	2

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	51	41	29
Probation/Parole Admissions--Drug	67	64	74
Probation/Parole Admissions--DWI	17	15	26
Prison Admissions--Drug	42	37	25
Prison Admissions--DWI	9	5	5

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LAWRENCE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	24	35	22
CSTAR Adolescent	5	*	10
CSTAR Women and Children	24	12	20
CSTAR General Adult	160	140	96
CSTAR Opioid	0	0	0
Primary Recovery Treatment	21	29	25
Clinical SATOP (CIP, YCIP, SROP)	31	26	13
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	141	144	110
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	50	57	40
- Weekend Intervention Program	22	20	30
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	9	5
Compulsive Gambling	0	0	0
Recovery Supports	12	14	13
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	248	207	175
AGE			
Under 18	6	*	10
18 to 24	41	37	34
25 to 29	46	32	35
30 to 34	45	39	30
35 to 39	36	28	22
40 to 44	25	17	17
45 to 54	35	34	17
55 and Over	14	16	10
GENDER			
Male	156	135	110
Female	92	72	65
RACE / ETHNICITY			
Caucasian	238	194	167
African American	*	*	0
Native American / Alaskan	*	*	0
Asian / Pacific Islander	*	*	0
Hispanic	10	*	*
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	83	71	74
High School Graduate or G.E.D.	128	99	68
Associate Degree or Some College	37	36	32
Bachelor or Advanced Degree	0	*	*
EMPLOYMENT			
Employed	80	62	41
Unemployed	86	78	61
Not in Labor Force	82	67	73
HOUSING / LIVING ARRANGEMENT			
Independent Living	225	187	150
Dependent Living	19	11	20
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	115	93	76
Married / Cohabitating	61	49	57
Previously Married	72	65	42

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	91	96	69
Marijuana / Hashish	53	22	37
Cocaine (total)	0	0	*
- Crack	0	0	*
Stimulant (total)	73	52	40
- Methamphetamine	67	50	39
Heroin	*	*	*
Analgesic except Heroin	24	31	19
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	0
Tranquilizer	*	*	*
Inhalant	0	0	0
Sedative	0	0	*
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	17.2	17.7	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	46	42	39
- Daily Injection Use	7	7	8
- Weekly Injection Use	6	8	13
- Less than Weekly Injection Use	33	27	18
LIFETIME DUI / DWI ARRESTS			
0	128	89	90
1 or 2	78	75	55
3 or More	42	43	30
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	54	73	52
School	0	*	0
Mental Health Provider	*	0	*
Health Care Provider	16	17	7
Court / Criminal Justice	146	55	49
Other Referral Source	25	61	66
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	5	*
Military Veteran	12	14	7
Special Education Services Needed	36	33	26
Co-Occurring Psychological Problem	84	79	75
Co-Occurring Developmental Problem	8	11	12

LAWRENCE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	8A
CENSUS 2010	38,634
2014 POPULATION ESTIMATE	38,023

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	27	29	43
Anxiety Disorder	181	175	159
Dementia	*	*	*
Developmental Disorder	9	6	7
Impulse Control Disorder	92	82	84
Mood Disorder	253	248	240
Personality Disorder	51	59	63
Psychotic Disorder	52	44	41
Sexual Disorder	0	*	0
Other Diagnosis	45	36	34
Diagnosis Unknown	205	173	90

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	582	544	464
AGE			
Under 6	5	9	15
6 to 9	34	28	38
10 to 13	52	48	41
14 to 17	51	52	44
18 to 24	47	40	42
25 to 29	47	52	40
30 to 34	59	47	38
35 to 39	52	52	35
40 to 44	60	53	42
45 to 49	43	41	39
50 to 54	62	64	40
55 to 59	35	31	28
60 and Over	35	27	22
Age Unknown	0	0	0
GENDER			
Male	280	254	247
Female	302	290	217
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	554	521	437
African American	*	*	*
Native American / Alaskan	*	0	0
Asian / Pacific Islander	*	*	*
Hispanic	15	14	19
Other Race	8	7	6
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	28	22	18
Past or Current Military Service	11	5	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	167	114	46
High School Grad or G.E.D.	0	0	34
Associate Degree or Some College	0	0	10
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	415	430	373
EMPLOYMENT			
Employed	21	*	*
Unemployed	20	9	63
Not in Labor Force	283	174	40
Employment Status Unknown	258	358	357
HOUSING / LIVING ARRANGEMENT			
Independent Living	160	80	83
Dependent Living	129	98	40
Homeless	*	*	0
Other	0	0	*
Housing Unknown	291	364	340
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	351	335	208
School	25	19	12
Mental Health Provider	22	23	33
Health Care Provider	63	56	50
Court / Criminal Justice	21	12	21
Other	98	97	139
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	575	540	457
Civil	*	*	6
Criminal	*	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

LAWRENCE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	35.4	27.3	38.3
Cigarettes	18.9	18.8	27.2
Chewing Tobacco	13.6	12.1	17.7
Marijuana	10.4	10.2	11.4
Inhalants	0.2	3.8	7.4
Prescription medications not prescribed for student	6.7	6.8	10.9
Over-the-counter medications for non-medical use	2.9	5.2	8.4
Methamphetamine	1.1	1.6	1.0
Cocaine	0.0	1.1	0.7
Heroin	0.2	1.0	0.8
Hallucinogens	2.1	3.4	1.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.9	2.0
Steroids not prescribed for student	0.0	1.3	1.2
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	9.0	
Average age of students' first use of:			
Alcohol	13.45	11.93	12.24
Cigarettes	12.91	11.58	11.74
Marijuana	14.50	12.84	13.39
Inhalants	12.85	12.12	12.15
Percent of students who, in past 30 days, used:			
Alcohol	15.2	9.2	14.4
Alcohol (Binge: 5+ drinks on one occassion)		4.0	8.0
Cigarettes	7.4	9.6	13.5
Chewing Tobacco	6.3	7.1	9.7
Marijuana	3.2	5.8	4.7
Inhalants	0.2	1.3	2.7
Prescription medications not prescribed for student	3.8	3.2	6.8
Over-the-counter medications for non-medical use	2.9	2.7	4.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	9.9		
Percent whose friends used in past 12 months:			
Alcohol	44.3	40.7	52.7
Cigarettes	31.5	29.3	41.6
Marijuana	22.9	16.8	30.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.8	9.2	16.8
Percent who would likely use, if offered by a best friend:			
Alcohol	25.9	19.0	29.2
Cigarettes	10.7	9.8	15.2
Marijuana	7.1	8.6	8.8
Percent who say it would be wrong to use:			
Alcohol	70.0	72.7	63.9
Cigarettes	85.4	87.7	80.2
Marijuana	86.3	88.5	86.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	97.2	95.4
Percent whose parents would disapprove if they use:			
Alcohol	82.0	87.5	82.6
Cigarettes	91.0	94.4	91.3
Marijuana	93.4	96.0	94.3
Percent who say it would be easy to obtain:			
Alcohol	52.5	43.5	49.1
Cigarettes	50.8	40.1	50.8
Marijuana	27.8	21.7	29.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.6	13.6	17.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	55.1		
Alcohol (Binge: 5+ drinks once or twice a week)	63.7		
Alcohol (any use)		74.2	79.5
Cigarettes (1+ packs per day)	81.7		
Cigarettes (any use)		82.8	75.8
Marijuana (once or twice a week)	66.8		
Marijuana (any use)		77.7	72.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	88.4	94.3	92.0
Percent of students who, in past 30 days:			
Were very sad	18.9	19.2	15.6
Were grouchy, irritable, or in a bad mood	20.0	19.5	20.2
Felt hopeless about the future	14.5	10.5	10.2
Felt like not eating or eating more than usual	17.1	17.0	15.6
Slept a lot more or a lot less than usual	15.2	15.4	18.6
Had difficulty concentrating on school work	23.1	15.8	19.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.1	9.8	12.9
Made plan about how they would attempt suicide	8.4	7.4	9.9
Attempted suicide	5.0	5.5	6.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.9	2.0	2.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.6	7.9	10.8
Were in a physical fight	13.8	17.9	26.6
Were in a fight and had to be treated by a doctor or nurse	2.1	2.5	5.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	44.4	49.4	57.9
Were made fun of by others	55.4	61.4	72.3
Were victims of an embarrassing or hurtful text message or something posted on the internet	18.8	15.2	20.3
Spread mean rumors or lies about other kids at school	19.2	24.7	34.1
Made fun of other people	48.6	60.4	71.0
Posted something on the internet or sent a text that might embarrass or hurt another student	15.1	12.4	18.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	79.5	71.8	68.9
School provides feedback to parents on positive student performance	49.3	45.9	40.0
Rules are enforced fairly	59.7	68.3	64.1
Students of all races/ethnicities are treated equal	86.6	83.1	80.2
Percent of students who agree that:			
Parents notice and comment on student's good work	86.0	86.4	84.6
Parents involve student in making family decisions	74.0	74.8	70.8
It is important to be honest with parents regardless of consequences	89.3	89.9	85.9
Student could ask parent for help with a personal problem	80.0	78.4	79.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

LEWIS COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	10,211
2014 Estimate	10,138

BIRTH RISK	2013	2012	2011
Resident Births--Total	117	108	109
Mother Reported Smoking while Pregnant	24	21	27

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	0	2	0
Hepatitis C Chronic and Acute	2	5	3
Tuberculosis Infection Cases	1	1	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	91	128	98
Suicides	1	0	0
Self-inflicted Injuries	1	1	3
Homicides	0	0	0
Assault Injuries	2	2	3
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	0	1
Smoking Attributable Deaths	19	28	18

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	14	13	28
Mental Illness Secondary Diagnosis	76	74	92
Alcohol Principal Diagnosis	0	2	2
Alcohol Secondary Diagnosis	8	3	5
Drug Principal Diagnosis	1	0	0
Drug Secondary Diagnosis	2	5	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	7	1	2
Mental Illness Secondary Diagnosis	47	55	15
Alcohol Principal Diagnosis	0	1	0
Alcohol Secondary Diagnosis	5	3	2
Drug Principal Diagnosis	1	1	1
Drug Secondary Diagnosis	3	2	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	19	14	16
Mental Illness Secondary Diagnosis	28	23	53
Alcohol Principal Diagnosis	1	2	4
Alcohol Secondary Diagnosis	3	2	2
Drug Principal Diagnosis	4	2	0
Drug Secondary Diagnosis	3	2	4

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	12	13	13
Alcohol Package Carry-out Licenses	10	11	11

EMPLOYMENT	2014	2013	2012
Labor Force	5,141	5,470	5,492
Employed	4,873	5,154	5,183
Unemployed	268	316	309
Unemployment Rate	5.2%	5.8%	5.6%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	5	10	4
Fatal Crashes	0	1	0
Injury Crashes	3	4	4
Property Damage Crashes	2	5	0
Crash Fatalities	0	1	0
Crash Injuries	4	5	5
Drug Involved Crashes--Total	2	2	2
Fatal Crashes	0	0	0
Injury Crashes	2	1	0
Property Damage Crashes	0	1	2
Crash Fatalities	0	0	0
Crash Injuries	2	2	4

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	69	69	62
Liquor Law Arrests	12	23	10
Drug Arrests	31	34	47
Violent Offenses	12	6	2
Property Offenses	154	151	174
Domestic Violence Reports	52	65	52
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	7	1	10

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	513	466	454
Drop-outs	4	12	5
Drop-out Rate	0.8%	2.6%	1.1%
School Discipline Involving Alcohol	0	2	6
School Discipline Involving Drugs	0	6	5
School Discipline Involving Tobacco	0	0	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	14	7	6
Juvenile Alcohol Offenses	2	4	3
Juvenile Drug Offenses	3	8	4
School Truancy Status Offense	14	18	9
Absent from Home Status Offense	4	1	1
Beyond Parental Control Status Offense	12	7	11
Injurious Behavior Status Offense	52	69	93
Child Abuse	4	6	6
Child Neglect	45	48	43
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	17	15	8
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	8	5	0
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	12	20	24
Probation/Parole Admissions--Drug	26	30	28
Probation/Parole Admissions--DWI	6	6	10
Prison Admissions--Drug	11	9	12
Prison Admissions--DWI	1	0	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LEWIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	0	6	7
CSTAR Adolescent	*	*	5
CSTAR Women and Children	*	*	*
CSTAR General Adult	39	10	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	24	27
Clinical SATOP (CIP, YCIP, SROP)	6	6	11
Other Substance Abuse Treatment	*	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	49	51	46
- Adolescent Diversion Education Prograr	6	5	*
- Offender Education Program	12	18	16
- Weekend Intervention Program	8	9	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	48	42	49
AGE			
Under 18	*	*	*
18 to 24	6	5	13
25 to 29	*	7	5
30 to 34	10	11	8
35 to 39	5	*	5
40 to 44	*	7	*
45 to 54	12	*	10
55 and Over	*	*	0
GENDER			
Male	36	31	35
Female	12	11	14
RACE / ETHNICITY			
Caucasian	41	37	47
African American	5	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	*
Other Race / Two or More Races	*	*	0
EDUCATION			
Less than High School Diploma	13	15	18
High School Graduate or G.E.D.	27	20	22
Associate Degree or Some College	8	7	8
Bachelor or Advanced Degree	0	0	*
EMPLOYMENT			
Employed	20	13	21
Unemployed	16	16	15
Not in Labor Force	12	13	13
HOUSING / LIVING ARRANGEMENT			
Independent Living	42	32	37
Dependent Living	6	8	5
Homeless	0	0	*
MARITAL / FAMILY STATUS			
Never Married	21	21	24
Married / Cohabitating	9	11	11
Previously Married	18	10	14

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	31	21	26
Marijuana / Hashish	12	10	14
Cocaine (total)	0	*	0
- Crack	0	*	0
Stimulant (total)	*	6	5
- Methamphetamine	*	6	5
Heroin	0	*	0
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	*	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	*
Average Age at First Use of Drug	17.0	17.5	15.9
INJECTION DRUG USE			
Any Injection Use at Admission	0	*	*
- Daily Injection Use	0	0	*
- Weekly Injection Use	0	*	0
- Less than Weekly Injection Use	0	*	*
LIFETIME DUI / DWI ARRESTS			
0	19	23	26
1 or 2	19	15	17
3 or More	10	*	6
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	*	7	6
School	0	0	0
Mental Health Provider	*	*	0
Health Care Provider	0	0	0
Court / Criminal Justice	36	23	39
Other Referral Source	5	5	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	*
Military Veteran	*	*	*
Special Education Services Needed	5	*	5
Co-Occurring Psychological Problem	13	19	23
Co-Occurring Developmental Problem	*	*	6

LEWIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	14
CENSUS 2010	10,211
2014 POPULATION ESTIMATE	10,138

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	5	*
Anxiety Disorder	27	17	16
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	27	18	15
Mood Disorder	52	43	46
Personality Disorder	*	*	*
Psychotic Disorder	*	6	8
Sexual Disorder	0	0	0
Other Diagnosis	11	5	*
Diagnosis Unknown	*	*	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	68	62	67
AGE			
Under 6	0	*	0
6 to 9	9	*	*
10 to 13	5	*	6
14 to 17	7	*	7
18 to 24	6	5	8
25 to 29	*	6	5
30 to 34	6	9	5
35 to 39	6	*	8
40 to 44	5	5	*
45 to 49	5	6	6
50 to 54	8	9	10
55 to 59	5	*	*
60 and Over	*	*	*
Age Unknown	0	0	0
GENDER			
Male	29	23	25
Female	39	37	42
Gender Unknown	0	*	0
RACE / ETHNICITY			
Caucasian	61	59	63
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	0
Other Race	*	0	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	0	0	0
Past or Current Military Service	0	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	29	28	10
High School Grad or G.E.D.	0	0	17
Associate Degree or Some College	0	0	9
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	39	34	29
EMPLOYMENT			
Employed	6	7	6
Unemployed	6	*	31
Not in Labor Force	45	42	6
Employment Status Unknown	11	11	24
HOUSING / LIVING ARRANGEMENT			
Independent Living	36	35	41
Dependent Living	14	11	6
Homeless	0	*	0
Other	0	0	0
Housing Unknown	18	15	20
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	9	13	18
School	*	*	*
Mental Health Provider	*	0	0
Health Care Provider	7	6	6
Court / Criminal Justice	0	*	*
Other	49	39	39
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	67	61	66
Civil	0	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

LEWIS COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	39.3	38.3	44.0
Cigarettes	17.1	18.6	25.2
Chewing Tobacco	11.3	11.4	8.6
Marijuana	5.6	7.2	13.8
Inhalants	3.3	3.6	6.1
Prescription medications not prescribed for student	4.0	6.0	12.5
Over-the-counter medications for non-medical use	1.6	6.0	9.1
Methamphetamine	0.0	0.6	1.3
Cocaine	0.8	1.2	3.5
Heroin	0.0	1.8	0.0
Hallucinogens	0.8	1.8	3.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	0.6	3.1
Steroids not prescribed for student	0.0	1.2	0.4
Synthetic drugs (K2, bath salts, Spice, etc)	1.6	4.2	
Average age of students' first use of:			
Alcohol	13.36	13.12	12.52
Cigarettes	12.65	13.58	12.06
Marijuana	12.29	13.99	13.67
Inhalants	11.43	10.98	10.86
Percent of students who, in past 30 days, used:			
Alcohol	13.0	13.8	17.4
Alcohol (Binge: 5+ drinks on one occassion)		6.0	10.8
Cigarettes	9.8	8.3	17.8
Chewing Tobacco	4.8	5.4	3.9
Marijuana	3.2	3.0	6.0
Inhalants	0.8	1.8	3.5
Prescription medications not prescribed for student	2.4	2.4	8.2
Over-the-counter medications for non-medical use	1.6	1.8	7.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.4		
Percent whose friends used in past 12 months:			
Alcohol	47.2	49.7	50.4
Cigarettes	35.5	40.4	42.0
Marijuana	18.5	26.3	25.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	13.9	12.1
Percent who would likely use, if offered by a best friend:			
Alcohol	35.0	33.5	37.0
Cigarettes	11.3	12.0	17.4
Marijuana	6.5	8.4	12.6
Percent who say it would be wrong to use:			
Alcohol	60.2	60.0	52.0
Cigarettes	86.2	84.2	79.6
Marijuana	87.9	88.6	85.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.4	94.3
Percent whose parents would disapprove if they use:			
Alcohol	83.1	79.1	75.2
Cigarettes	96.0	93.3	87.9
Marijuana	97.6	96.4	94.8
Percent who say it would be easy to obtain:			
Alcohol	54.0	54.2	57.4
Cigarettes	48.4	50.0	53.0
Marijuana	22.1	25.6	29.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	15.1	16.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	54.8		
Alcohol (Binge: 5+ drinks once or twice a week)	64.5		
Alcohol (any use)		72.9	74.3
Cigarettes (1+ packs per day)	87.0		
Cigarettes (any use)		78.3	75.1
Marijuana (once or twice a week)	74.0		
Marijuana (any use)		82.4	65.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	95.9	92.7	92.6
Percent of students who, in past 30 days:			
Were very sad	16.9	15.1	10.4
Were grouchy, irritable, or in a bad mood	20.2	20.4	13.4
Felt hopeless about the future	8.9	7.8	6.6
Felt like not eating or eating more than usual	13.6	13.9	9.1
Slept a lot more or a lot less than usual	12.8	13.9	16.0
Had difficulty concentrating on school work	16.3	20.5	15.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	8.8	10.8	8.6
Made plan about how they would attempt suicide	7.3	8.4	7.4
Attempted suicide	4.0	6.5	4.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.6	1.2	2.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.0	9.6	8.3
Were in a physical fight	16.1	21.1	30.6
Were in a fight and had to be treated by a doctor or nurse	1.6	6.6	4.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	45.6	52.7	59.8
Were made fun of by others	58.9	60.5	75.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	21.8	22.9	25.4
Spread mean rumors or lies about other kids at school	20.8	33.1	32.0
Made fun of other people	56.5	60.7	74.9
Posted something on the internet or sent a text that might embarrass or hurt another student	16.0	11.4	16.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	77.4	62.0	68.1
School provides feedback to parents on positive student performance	49.2	22.9	32.2
Rules are enforced fairly	59.7	39.2	53.7
Students of all races/ethnicities are treated equal	85.6	76.6	77.7
Percent of students who agree that:			
Parents notice and comment on student's good work	82.4	83.1	83.0
Parents involve student in making family decisions	70.2	68.5	69.3
It is important to be honest with parents regardless of consequences	87.9	83.2	84.9
Student could ask parent for help with a personal problem	81.5	74.5	78.2

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

LINCOLN COUNTY

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	16
POPULATION	
Census 2010	52,566
2014 Estimate	54,249

BIRTH RISK	2013	2012	2011
Resident Births--Total	736	707	725
Mother Reported Smoking while Pregnant	212	165	164

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	2	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	36	44	44
Tuberculosis Infection Cases	18	5	11

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	420	404	455
Suicides	7	8	14
Self-inflicted Injuries	67	91	82
Homicides	0	1	5
Assault Injuries	187	197	221
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	9	12	7
Smoking Attributable Deaths	73	75	85

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	581	429	407
Mental Illness Secondary Diagnosis	995	830	853
Alcohol Principal Diagnosis	24	19	17
Alcohol Secondary Diagnosis	60	54	51
Drug Principal Diagnosis	34	43	37
Drug Secondary Diagnosis	56	37	46
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	352	526	496
Mental Illness Secondary Diagnosis	876	910	1,026
Alcohol Principal Diagnosis	15	29	26
Alcohol Secondary Diagnosis	95	104	114
Drug Principal Diagnosis	14	25	32
Drug Secondary Diagnosis	65	62	60
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	492	584	585
Mental Illness Secondary Diagnosis	1,490	2,540	1,293
Alcohol Principal Diagnosis	89	213	106
Alcohol Secondary Diagnosis	166	202	204
Drug Principal Diagnosis	81	146	153
Drug Secondary Diagnosis	218	307	163

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	44	46	47
Alcohol Package Carry-out Licenses	37	37	38

EMPLOYMENT	2014	2013	2012
Labor Force	26,446	26,568	26,706
Employed	24,727	24,613	24,485
Unemployed	1,719	1,955	2,221
Unemployment Rate	6.5%	7.4%	8.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	52	48	52
Fatal Crashes	1	2	3
Injury Crashes	29	29	26
Property Damage Crashes	22	17	23
Crash Fatalities	1	2	4
Crash Injuries	36	51	39
Drug Involved Crashes--Total	13	10	10
Fatal Crashes	0	1	0
Injury Crashes	7	5	6
Property Damage Crashes	6	4	4
Crash Fatalities	0	2	0
Crash Injuries	9	11	4

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	292	389	274
Liquor Law Arrests	32	40	37
Drug Arrests	331	265	374
Violent Offenses	93	91	120
Property Offenses	694	778	783
Domestic Violence Reports	268	296	332
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	4	4	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	2,800	2,710	2,724
Drop-outs	25	46	65
Drop-out Rate	0.9%	1.7%	2.4%
School Discipline Involving Alcohol	2	4	1
School Discipline Involving Drugs	30	41	52
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	41	60	38
Juvenile Alcohol Offenses	6	8	8
Juvenile Drug Offenses	19	28	13
School Truancy Status Offense	237	113	217
Absent from Home Status Offense	22	36	39
Beyond Parental Control Status Offense	1	6	13
Injurious Behavior Status Offense	59	38	59
Child Abuse	13	20	15
Child Neglect	205	168	197
Child Custody Issues	12	15	5

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	43	70	61
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	15	13	17
Parental Alcohol and Drug Use	0	2	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	60	84	90
Probation/Parole Admissions--Drug	126	113	175
Probation/Parole Admissions--DWI	29	27	34
Prison Admissions--Drug	66	62	81
Prison Admissions--DWI	8	8	6

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LINCOLN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	26	32	34
CSTAR Adolescent	27	40	42
CSTAR Women and Children	29	43	31
CSTAR General Adult	229	186	175
CSTAR Opioid	*	7	11
Primary Recovery Treatment	7	29	40
Clinical SATOP (CIP, YCIP, SROP)	86	101	96
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	250	255	271
- Adolescent Diversion Education Prograr	7	5	11
- Offender Education Program	80	70	77
- Weekend Intervention Program	41	40	48
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	*	0	*
Recovery Supports	*	*	0
Early Intervention	5	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	366	375	376
AGE			
Under 18	27	43	49
18 to 24	78	72	85
25 to 29	54	59	60
30 to 34	66	62	55
35 to 39	37	37	30
40 to 44	33	34	39
45 to 54	62	55	43
55 and Over	9	13	15
GENDER			
Male	244	246	241
Female	122	129	135
RACE / ETHNICITY			
Caucasian	343	344	349
African American	15	17	12
Native American / Alaskan	0	0	*
Asian / Pacific Islander	*	0	0
Hispanic	*	5	9
Other Race / Two or More Races	6	10	7
EDUCATION			
Less than High School Diploma	139	136	152
High School Graduate or G.E.D.	159	179	172
Associate Degree or Some College	65	60	50
Bachelor or Advanced Degree	*	0	*
EMPLOYMENT			
Employed	132	110	130
Unemployed	157	148	133
Not in Labor Force	77	117	113
HOUSING / LIVING ARRANGEMENT			
Independent Living	309	312	303
Dependent Living	40	56	58
Homeless	11	5	10
MARITAL / FAMILY STATUS			
Never Married	198	204	227
Married / Cohabitating	93	102	85
Previously Married	75	69	64

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	150	161	163
Marijuana / Hashish	85	87	88
Cocaine (total)	6	5	5
- Crack	*	*	*
Stimulant (total)	43	36	18
- Methamphetamine	40	33	18
Heroin	65	64	66
Analgesic except Heroin	12	12	16
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	5
Tranquilizer	*	*	*
Inhalant	*	*	*
Sedative	0	0	*
Other Medication or Illicit Drug	*	5	10
Average Age at First Use of Drug	17.4	17.8	17.8
INJECTION DRUG USE			
Any Injection Use at Admission	82	80	68
- Daily Injection Use	12	14	18
- Weekly Injection Use	18	23	16
- Less than Weekly Injection Use	52	43	34
LIFETIME DUI / DWI ARRESTS			
0	193	186	198
1 or 2	118	118	120
3 or More	55	71	58
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	67	58	62
School	8	16	9
Mental Health Provider	5	5	*
Health Care Provider	8	12	6
Court / Criminal Justice	231	225	236
Other Referral Source	36	54	58
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	8	8
Military Veteran	9	18	9
Special Education Services Needed	27	37	41
Co-Occurring Psychological Problem	97	128	134
Co-Occurring Developmental Problem	8	12	15

LINCOLN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Eastern
PSYCHIATRIC SERVICE AREA	16
CENSUS 2010	52,566
2014 POPULATION ESTIMATE	54,249

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	8	8	12
Anxiety Disorder	495	409	408
Dementia	*	*	*
Developmental Disorder	36	31	31
Impulse Control Disorder	191	173	190
Mood Disorder	697	619	642
Personality Disorder	78	73	75
Psychotic Disorder	164	155	156
Sexual Disorder	*	*	0
Other Diagnosis	48	47	48
Diagnosis Unknown	57	64	113

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	982	904	989
AGE			
Under 6	5	5	*
6 to 9	73	61	66
10 to 13	79	76	85
14 to 17	100	84	96
18 to 24	85	74	106
25 to 29	73	71	78
30 to 34	93	85	94
35 to 39	79	70	80
40 to 44	84	87	93
45 to 49	75	77	89
50 to 54	107	99	85
55 to 59	61	53	52
60 and Over	68	62	61
Age Unknown	0	0	0
GENDER			
Male	467	425	488
Female	515	479	501
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	883	816	895
African American	50	42	50
Native American / Alaskan	*	*	7
Asian / Pacific Islander	*	0	0
Hispanic	15	14	13
Other Race	29	28	24
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	33	18	15
Past or Current Military Service	22	18	18

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	351	312	197
High School Grad or G.E.D.	*	16	158
Associate Degree or Some College	*	5	65
Bachelor or Advanced Degree	0	*	10
Education Level Unknown	628	569	559
EMPLOYMENT			
Employed	67	49	59
Unemployed	68	63	311
Not in Labor Force	553	489	123
Employment Status Unknown	294	303	496
HOUSING / LIVING ARRANGEMENT			
Independent Living	465	431	396
Dependent Living	205	166	137
Homeless	10	*	12
Other	0	0	*
Housing Unknown	302	303	441
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	333	266	208
School	137	104	96
Mental Health Provider	58	67	78
Health Care Provider	111	98	102
Court / Criminal Justice	36	41	46
Other	303	324	454
Referral Source Unknown	*	*	5
TYPE OF COMMITMENT			
Voluntary	970	890	974
Civil	*	*	*
Criminal	*	*	*
Sexual Predatory	*	*	0
Commitment Type Unknown	6	8	8

LINCOLN COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol		51.2	45.6
Cigarettes		29.2	27.6
Chewing Tobacco		14.8	12.7
Marijuana		17.2	13.7
Inhalants		3.7	6.4
Prescription medications not prescribed for student		8.8	8.7
Over-the-counter medications for non-medical use		7.2	6.3
Methamphetamine		1.2	0.6
Cocaine		1.4	1.5
Heroin		0.4	0.6
Hallucinogens		2.6	3.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.9	1.4
Steroids not prescribed for student		1.4	1.2
Synthetic drugs (K2, bath salts, Spice, etc)		6.8	
Average age of students' first use of:			
Alcohol		12.64	12.56
Cigarettes		12.44	12.16
Marijuana		13.86	13.57
Inhalants		12.72	11.18
Percent of students who, in past 30 days, used:			
Alcohol		22.7	22.4
Alcohol (Binge: 5+ drinks on one occassion)		14.2	15.6
Cigarettes		10.4	15.4
Chewing Tobacco		8.3	7.0
Marijuana		6.7	6.7
Inhalants		1.2	2.9
Prescription medications not prescribed for student		3.8	5.1
Over-the-counter medications for non-medical use		3.3	4.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol		63.4	65.4
Cigarettes		44.7	54.2
Marijuana		40.4	35.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		15.3	17.3
Percent who would likely use, if offered by a best friend:			
Alcohol		39.9	37.1
Cigarettes		12.7	16.0
Marijuana		14.4	10.0
Percent who say it would be wrong to use:			
Alcohol		53.1	56.6
Cigarettes		79.8	77.7
Marijuana		78.9	83.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		96.1	94.6
Percent whose parents would disapprove if they use:			
Alcohol		70.1	73.7
Cigarettes		88.9	87.5
Marijuana		93.3	92.6
Percent who say it would be easy to obtain:			
Alcohol		64.4	61.7
Cigarettes		60.2	60.7
Marijuana		37.7	37.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		14.1	19.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)		67.8	74.4
Cigarettes (1+ packs per day)			
Cigarettes (any use)		80.3	78.1
Marijuana (once or twice a week)			
Marijuana (any use)		71.3	68.2
Other: Cocaine, LSD, Meth, Club Drug (any use)		93.6	91.4
Percent of students who, in past 30 days:			
Were very sad		20.0	15.2
Were grouchy, irritable, or in a bad mood		25.1	21.7
Felt hopeless about the future		14.6	9.1
Felt like not eating or eating more than usual		19.9	13.8
Slept a lot more or a lot less than usual		21.6	22.3
Had difficulty concentrating on school work		22.0	19.1
Percent of students who, in past 12 months:			
Seriously considered attempting suicide		10.4	9.6
Made plan about how they would attempt suicide		6.0	7.4
Attempted suicide		4.6	4.4
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		1.4	1.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school		5.2	11.6
Were in a physical fight		19.0	25.8
Were in a fight and had to be treated by a doctor or nurse		1.8	5.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school		48.3	52.1
Were made fun of by others		57.2	68.8
Were victims of an embarrassing or hurtful text message or something posted on the internet		22.0	16.9
Spread mean rumors or lies about other kids at school		27.3	31.4
Made fun of other people		64.8	71.7
Posted something on the internet or sent a text that might embarrass or hurt another student		14.4	15.9
Percent of students who agree that:			
Teachers notice and comment on student's good work		64.3	67.1
School provides feedback to parents on positive student performance		31.0	33.8
Rules are enforced fairly		58.8	58.7
Students of all races/ethnicities are treated equal		71.7	70.1
Percent of students who agree that:			
Parents notice and comment on student's good work		80.0	83.1
Parents involve student in making family decisions		64.9	70.7
It is important to be honest with parents regardless of consequences		86.3	83.9
Student could ask parent for help with a personal problem		74.7	78.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

LINN COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	12,761
2014 Estimate	12,311

BIRTH RISK	2013	2012	2011
Resident Births--Total	144	133	141
Mother Reported Smoking while Pregnant	38	32	34

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	4	0
Hepatitis C Chronic and Acute	2	2	8
Tuberculosis Infection Cases	0	3	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	182	157	175
Suicides	1	4	2
Self-inflicted Injuries	33	23	16
Homicides	0	1	0
Assault Injuries	28	23	35
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	1	1	0
Smoking Attributable Deaths	38	30	32

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	83	89	104
Mental Illness Secondary Diagnosis	418	463	420
Alcohol Principal Diagnosis	4	5	11
Alcohol Secondary Diagnosis	50	33	35
Drug Principal Diagnosis	7	8	4
Drug Secondary Diagnosis	32	33	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	40	33	30
Mental Illness Secondary Diagnosis	71	50	60
Alcohol Principal Diagnosis	4	4	3
Alcohol Secondary Diagnosis	8	20	8
Drug Principal Diagnosis	3	8	6
Drug Secondary Diagnosis	7	4	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	137	142	158
Mental Illness Secondary Diagnosis	505	520	424
Alcohol Principal Diagnosis	6	17	18
Alcohol Secondary Diagnosis	29	33	36
Drug Principal Diagnosis	28	21	7
Drug Secondary Diagnosis	24	18	17

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	21	22	19
Alcohol Package Carry-out Licenses	17	18	19

EMPLOYMENT	2014	2013	2012
Labor Force	5,191	6,106	5,703
Employed	4,773	5,661	5,231
Unemployed	418	445	472
Unemployment Rate	8.1%	7.3%	8.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	12	5	13
Fatal Crashes	0	0	1
Injury Crashes	5	3	5
Property Damage Crashes	7	2	7
Crash Fatalities	0	0	2
Crash Injuries	6	3	5
Drug Involved Crashes--Total	3	4	2
Fatal Crashes	0	0	0
Injury Crashes	1	4	2
Property Damage Crashes	2	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	4	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	51	58	55
Liquor Law Arrests	4	9	18
Drug Arrests	24	34	37
Violent Offenses	48	31	24
Property Offenses	302	261	252
Domestic Violence Reports	146	127	148
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	1	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	734	698	722
Drop-outs	8	13	11
Drop-out Rate	1.1%	1.9%	1.5%
School Discipline Involving Alcohol	1	0	4
School Discipline Involving Drugs	1	3	8
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	4	2	5
Juvenile Alcohol Offenses	2	5	1
Juvenile Drug Offenses	4	7	2
School Truancy Status Offense	114	56	92
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	10	8	15
Injurious Behavior Status Offense	12	11	30
Child Abuse	2	2	3
Child Neglect	30	26	38
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	23	28	26
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	3	10	4
Parental Alcohol and Drug Use	4	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	24	38	44
Probation/Parole Admissions--Drug	23	18	25
Probation/Parole Admissions--DWI	2	0	1
Prison Admissions--Drug	20	13	12
Prison Admissions--DWI	1	0	0

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LINN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	12	8	5
CSTAR Adolescent	*	11	9
CSTAR Women and Children	*	5	*
CSTAR General Adult	101	97	98
CSTAR Opioid	0	0	*
Primary Recovery Treatment	*	9	10
Clinical SATOP (CIP, YCIP, SROP)	15	11	15
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	52	53	48
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	8	25	18
- Weekend Intervention Program	7	13	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012
NUMBER ADMITTED			
Total Individuals	124	135	123
AGE			
Under 18	*	11	9
18 to 24	23	31	29
25 to 29	26	25	21
30 to 34	29	23	18
35 to 39	13	10	10
40 to 44	13	13	11
45 to 54	10	11	20
55 and Over	7	11	5
GENDER			
Male	74	82	89
Female	50	53	34
RACE / ETHNICITY			
Caucasian	119	127	111
African American	*	*	5
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	*	5	7
EDUCATION			
Less than High School Diploma	35	48	52
High School Graduate or G.E.D.	73	72	53
Associate Degree or Some College	13	13	18
Bachelor or Advanced Degree	*	*	0
EMPLOYMENT			
Employed	35	38	47
Unemployed	49	49	49
Not in Labor Force	40	48	27
HOUSING / LIVING ARRANGEMENT			
Independent Living	109	110	104
Dependent Living	5	14	10
Homeless	7	*	*
MARITAL / FAMILY STATUS			
Never Married	58	77	63
Married / Cohabitating	33	33	36
Previously Married	33	25	24

	FY2014	FY2013	FY2012
PRIMARY DRUG PROBLEM			
Alcohol	44	36	49
Marijuana / Hashish	29	49	40
Cocaine (total)	0	*	*
- Crack	0	*	0
Stimulant (total)	27	20	22
- Methamphetamine	27	20	21
Heroin	*	*	0
Analgesic except Heroin	18	21	11
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	0	0
Tranquilizer	0	*	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	0
Average Age at First Use of Drug	19.0	18.6	17.1
INJECTION DRUG USE			
Any Injection Use at Admission	24	19	7
- Daily Injection Use	8	*	0
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	12	14	5
LIFETIME DUI / DWI ARRESTS			
0	72	87	64
1 or 2	41	36	42
3 or More	11	12	17
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	25	25	21
School	0	0	0
Mental Health Provider	*	0	0
Health Care Provider	*	5	*
Court / Criminal Justice	48	64	78
Other Referral Source	44	32	10
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	*	*	9
Special Education Services Needed	12	22	23
Co-Occurring Psychological Problem	70	80	65
Co-Occurring Developmental Problem	*	*	0

LINN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	13
CENSUS 2010	12,761
2014 POPULATION ESTIMATE	12,311

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	5	7	8
Anxiety Disorder	122	102	111
Dementia	0	0	0
Developmental Disorder	16	11	8
Impulse Control Disorder	62	54	47
Mood Disorder	161	148	171
Personality Disorder	23	21	29
Psychotic Disorder	14	17	19
Sexual Disorder	*	*	0
Other Diagnosis	37	29	27
Diagnosis Unknown	8	6	13

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	235	211	230
AGE			
Under 6	*	*	0
6 to 9	23	17	14
10 to 13	33	35	28
14 to 17	26	19	20
18 to 24	14	20	23
25 to 29	13	8	13
30 to 34	30	22	20
35 to 39	14	14	25
40 to 44	21	21	29
45 to 49	12	13	10
50 to 54	19	14	18
55 to 59	10	9	14
60 and Over	17	16	16
Age Unknown	0	0	0
GENDER			
Male	126	100	114
Female	109	111	116
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	225	200	222
African American	6	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	0	5	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	8	9	9
Past or Current Military Service	7	*	5

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	103	90	39
High School Grad or G.E.D.	*	*	39
Associate Degree or Some College	0	0	5
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	131	119	143
EMPLOYMENT			
Employed	20	14	11
Unemployed	21	30	60
Not in Labor Force	174	132	33
Employment Status Unknown	20	35	126
HOUSING / LIVING ARRANGEMENT			
Independent Living	123	101	86
Dependent Living	87	73	35
Homeless	*	*	0
Other	0	0	0
Housing Unknown	23	36	109
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	117	101	93
School	6	6	*
Mental Health Provider	15	18	28
Health Care Provider	39	35	46
Court / Criminal Justice	22	22	31
Other	36	29	29
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	234	209	228
Civil	*	*	*
Criminal	0	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

LINN COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	46.2	51.5	50.0
Cigarettes	31.7	38.2	29.3
Chewing Tobacco	20.5	18.6	21.7
Marijuana	15.2	15.3	9.4
Inhalants	4.1	4.4	4.7
Prescription medications not prescribed for student	9.0	9.8	7.7
Over-the-counter medications for non-medical use	5.6	6.9	6.1
Methamphetamine	1.4	1.0	0.7
Cocaine	0.0	1.5	0.4
Heroin	0.0	1.0	0.4
Hallucinogens	2.1	2.0	1.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.5	0.7
Steroids not prescribed for student	2.1	1.5	0.7
Synthetic drugs (K2, bath salts, Spice, etc)	4.8	6.9	
Average age of students' first use of:			
Alcohol	12.25	12.64	12.37
Cigarettes	12.74	12.81	12.64
Marijuana	13.26	13.74	13.83
Inhalants	11.81	12.19	12.54
Percent of students who, in past 30 days, used:			
Alcohol	21.4	25.1	22.8
Alcohol (Binge: 5+ drinks on one occassion)		15.7	14.0
Cigarettes	13.9	19.7	15.6
Chewing Tobacco	11.6	11.3	12.3
Marijuana	8.9	7.9	4.3
Inhalants	2.1	1.5	2.2
Prescription medications not prescribed for student	3.5	5.4	3.3
Over-the-counter medications for non-medical use	4.1	4.4	3.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	11.0		
Percent whose friends used in past 12 months:			
Alcohol	56.2	58.9	63.7
Cigarettes	48.6	54.2	51.1
Marijuana	30.1	32.7	24.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	11.9	14.4
Percent who would likely use, if offered by a best friend:			
Alcohol	41.4	39.2	40.7
Cigarettes	20.7	23.5	19.9
Marijuana	13.1	10.3	6.2
Percent who say it would be wrong to use:			
Alcohol	51.4	52.5	54.3
Cigarettes	75.3	72.4	75.8
Marijuana	82.1	85.6	89.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	97.0	97.5
Percent whose parents would disapprove if they use:			
Alcohol	71.5	71.8	75.1
Cigarettes	90.4	90.6	90.3
Marijuana	93.1	94.0	98.2
Percent who say it would be easy to obtain:			
Alcohol	63.4	63.9	62.9
Cigarettes	54.5	63.7	58.1
Marijuana	34.2	41.4	25.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	20.9	14.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	47.9		
Alcohol (Binge: 5+ drinks once or twice a week)	64.6		
Alcohol (any use)		69.3	85.6
Cigarettes (1+ packs per day)	81.3		
Cigarettes (any use)		81.2	78.8
Marijuana (once or twice a week)	67.6		
Marijuana (any use)		75.2	68.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.5	95.0	93.5
Percent of students who, in past 30 days:			
Were very sad	20.4	20.2	21.7
Were grouchy, irritable, or in a bad mood	24.8	23.2	26.4
Felt hopeless about the future	11.6	10.3	13.0
Felt like not eating or eating more than usual	19.0	18.3	20.2
Slept a lot more or a lot less than usual	16.4	17.3	26.0
Had difficulty concentrating on school work	23.1	19.6	27.4
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.3	13.2	11.1
Made plan about how they would attempt suicide	11.0	10.3	7.9
Attempted suicide	4.1	5.9	5.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.7	2.5	1.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.8	5.4	7.2
Were in a physical fight	18.5	20.7	23.3
Were in a fight and had to be treated by a doctor or nurse	2.1	2.5	2.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	58.2	55.0	59.4
Were made fun of by others	70.3	65.8	71.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	30.3	22.3	18.9
Spread mean rumors or lies about other kids at school	34.0	32.0	36.0
Made fun of other people	68.0	66.5	73.8
Posted something on the internet or sent a text that might embarrass or hurt another student	21.4	15.8	18.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	68.7	64.5	76.3
School provides feedback to parents on positive student performance	41.1	35.5	48.6
Rules are enforced fairly	61.6	61.9	67.5
Students of all races/ethnicities are treated equal	78.1	80.7	85.9
Percent of students who agree that:			
Parents notice and comment on student's good work	79.5	80.3	85.5
Parents involve student in making family decisions	67.8	71.1	70.7
It is important to be honest with parents regardless of consequences	86.3	88.7	88.1
Student could ask parent for help with a personal problem	72.6	78.7	79.9

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

LIVINGSTON COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	15,195
2014 Estimate	15,053

BIRTH RISK	2013	2012	2011
Resident Births--Total	165	179	142
Mother Reported Smoking while Pregnant	35	42	42

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	2	4	2
Hepatitis C Chronic and Acute	6	11	10
Tuberculosis Infection Cases	2	1	2

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	167	185	208
Suicides	4	1	2
Self-inflicted Injuries	14	33	20
Homicides	0	0	2
Assault Injuries	45	60	34
Alcohol Induced Deaths	0	1	1
Drug Induced Deaths	4	1	1
Smoking Attributable Deaths	31	34	43

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	111	142	97
Mental Illness Secondary Diagnosis	278	274	364
Alcohol Principal Diagnosis	4	4	5
Alcohol Secondary Diagnosis	19	17	18
Drug Principal Diagnosis	0	3	7
Drug Secondary Diagnosis	12	31	15
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	25	27	21
Mental Illness Secondary Diagnosis	251	276	195
Alcohol Principal Diagnosis	1	12	3
Alcohol Secondary Diagnosis	24	17	14
Drug Principal Diagnosis	3	4	4
Drug Secondary Diagnosis	8	15	5
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	188	203	109
Mental Illness Secondary Diagnosis	731	784	584
Alcohol Principal Diagnosis	11	26	24
Alcohol Secondary Diagnosis	30	33	20
Drug Principal Diagnosis	13	20	27
Drug Secondary Diagnosis	27	31	22

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	21	26	29
Alcohol Package Carry-out Licenses	15	17	17

EMPLOYMENT	2014	2013	2012
Labor Force	7,274	7,462	6,996
Employed	6,909	7,052	6,542
Unemployed	365	410	454
Unemployment Rate	5.0%	5.5%	6.5%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	18	18	9
Fatal Crashes	1	0	0
Injury Crashes	6	11	4
Property Damage Crashes	11	7	5
Crash Fatalities	2	0	0
Crash Injuries	9	15	6
Drug Involved Crashes--Total	7	3	1
Fatal Crashes	0	0	0
Injury Crashes	3	2	1
Property Damage Crashes	4	1	0
Crash Fatalities	0	0	0
Crash Injuries	5	4	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	85	70	80
Liquor Law Arrests	26	37	40
Drug Arrests	126	90	85
Violent Offenses	27	20	43
Property Offenses	298	358	330
Domestic Violence Reports	35	57	57
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	3	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	620	654	656
Drop-outs	7	17	10
Drop-out Rate	1.1%	2.6%	1.5%
School Discipline Involving Alcohol	0	11	3
School Discipline Involving Drugs	4	1	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	11	21	22
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	1	5	3
School Truancy Status Offense	9	21	5
Absent from Home Status Offense	1	3	1
Beyond Parental Control Status Offense	16	22	7
Injurious Behavior Status Offense	25	11	7
Child Abuse	0	8	6
Child Neglect	3	11	11
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	2	9	11
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	3	2
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	88	69	57
Probation/Parole Admissions--DWI	11	10	9
Prison Admissions--Drug	72	49	45
Prison Admissions--DWI	10	9	5

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LIVINGSTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	12	5	6
CSTAR Adolescent	5	9	12
CSTAR Women and Children	*	*	*
CSTAR General Adult	120	127	126
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	5
Clinical SATOP (CIP, YCIP, SROP)	11	*	16
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	41	36	49
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	17	15	20
- Weekend Intervention Program	5	6	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	5
Early Intervention	*	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	139	153	160
AGE			
Under 18	6	13	13
18 to 24	27	26	26
25 to 29	21	30	36
30 to 34	24	34	31
35 to 39	25	16	20
40 to 44	13	15	18
45 to 54	19	16	11
55 and Over	*	*	5
GENDER			
Male	76	100	104
Female	63	53	56
RACE / ETHNICITY			
Caucasian	130	141	140
African American	*	5	10
Native American / Alaskan	*	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	*	5	7
EDUCATION			
Less than High School Diploma	50	55	67
High School Graduate or G.E.D.	71	79	76
Associate Degree or Some College	18	19	14
Bachelor or Advanced Degree	0	0	*
EMPLOYMENT			
Employed	37	37	60
Unemployed	78	87	76
Not in Labor Force	24	29	24
HOUSING / LIVING ARRANGEMENT			
Independent Living	112	121	140
Dependent Living	15	24	15
Homeless	*	5	5
MARITAL / FAMILY STATUS			
Never Married	69	89	87
Married / Cohabitating	27	40	38
Previously Married	43	24	35

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	49	48	71
Marijuana / Hashish	31	47	43
Cocaine (total)	*	*	7
- Crack	*	0	*
Stimulant (total)	36	36	19
- Methamphetamine	36	36	19
Heroin	*	*	*
Analgesic except Heroin	16	12	12
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	0
Tranquilizer	*	*	*
Inhalant	*	*	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	*
Average Age at First Use of Drug	18.9	16.7	16.6
INJECTION DRUG USE			
Any Injection Use at Admission	24	21	17
- Daily Injection Use	0	*	*
- Weekly Injection Use	5	*	5
- Less than Weekly Injection Use	19	15	11
LIFETIME DUI / DWI ARRESTS			
0	80	94	92
1 or 2	42	37	50
3 or More	17	22	18
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	33	29	22
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	*	*	*
Court / Criminal Justice	60	26	101
Other Referral Source	33	88	28
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	*
Military Veteran	8	10	11
Special Education Services Needed	11	10	14
Co-Occurring Psychological Problem	62	77	73
Co-Occurring Developmental Problem	*	5	20

LIVINGSTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	13
CENSUS 2010	15,195
2014 POPULATION ESTIMATE	15,053

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	11	7	11
Anxiety Disorder	197	194	199
Dementia	*	*	*
Developmental Disorder	5	5	9
Impulse Control Disorder	60	52	52
Mood Disorder	289	253	273
Personality Disorder	52	42	47
Psychotic Disorder	60	57	58
Sexual Disorder	*	*	0
Other Diagnosis	34	31	33
Diagnosis Unknown	18	20	29

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	403	373	403
AGE			
Under 6	*	*	*
6 to 9	17	13	15
10 to 13	25	27	36
14 to 17	37	37	28
18 to 24	52	39	37
25 to 29	27	24	35
30 to 34	29	28	35
35 to 39	38	27	21
40 to 44	34	31	36
45 to 49	25	32	35
50 to 54	34	32	41
55 to 59	39	41	41
60 and Over	44	40	41
Age Unknown	0	0	0
GENDER			
Male	167	159	153
Female	236	214	250
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	378	357	383
African American	9	5	7
Native American / Alaskan	*	0	0
Asian / Pacific Islander	0	0	0
Hispanic	7	6	5
Other Race	8	5	8
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	6	9	6
Past or Current Military Service	7	7	6

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	134	118	69
High School Grad or G.E.D.	*	14	96
Associate Degree or Some College	0	*	23
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	267	239	213
EMPLOYMENT			
Employed	48	42	33
Unemployed	45	56	126
Not in Labor Force	260	238	63
Employment Status Unknown	50	37	181
HOUSING / LIVING ARRANGEMENT			
Independent Living	196	184	134
Dependent Living	154	140	100
Homeless	6	9	*
Other	0	0	*
Housing Unknown	47	40	166
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	211	181	173
School	9	12	10
Mental Health Provider	32	35	43
Health Care Provider	62	61	86
Court / Criminal Justice	42	34	31
Other	45	48	58
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	401	371	401
Civil	0	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

LIVINGSTON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	41.5	46.7	54.2
Cigarettes	25.7	32.1	39.8
Chewing Tobacco	17.4	13.7	21.4
Marijuana	6.8	15.1	14.9
Inhalants	5.4	5.7	5.0
Prescription medications not prescribed for student	3.4	8.0	11.3
Over-the-counter medications for non-medical use	1.4	6.6	8.5
Methamphetamine	0.0	1.4	0.0
Cocaine	1.4	1.4	0.4
Heroin	1.4	1.0	0.0
Hallucinogens	0.0	2.4	0.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	0.9	0.8
Steroids not prescribed for student	2.7	1.9	0.0
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	8.0	
Average age of students' first use of:			
Alcohol	12.43	12.24	12.87
Cigarettes	13.41	12.60	12.74
Marijuana	15.24	13.81	14.38
Inhalants	12.42	12.36	12.39
Percent of students who, in past 30 days, used:			
Alcohol	13.0	24.4	26.2
Alcohol (Binge: 5+ drinks on one occassion)		16.0	17.2
Cigarettes	10.7	17.5	22.7
Chewing Tobacco	11.5	7.5	11.8
Marijuana	2.7	8.0	6.1
Inhalants	2.0	3.3	1.5
Prescription medications not prescribed for student	2.7	5.2	6.6
Over-the-counter medications for non-medical use	0.0	3.8	3.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	9.7		
Percent whose friends used in past 12 months:			
Alcohol	45.6	65.4	65.5
Cigarettes	27.5	58.0	66.0
Marijuana	10.2	42.6	31.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.1	18.4	13.5
Percent who would likely use, if offered by a best friend:			
Alcohol	34.7	36.3	44.4
Cigarettes	12.8	18.0	25.2
Marijuana	3.4	12.3	8.9
Percent who say it would be wrong to use:			
Alcohol	64.4	56.6	51.3
Cigarettes	82.8	76.8	65.9
Marijuana	93.8	85.8	83.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	96.2	98.1
Percent whose parents would disapprove if they use:			
Alcohol	72.8	79.5	73.6
Cigarettes	90.3	90.6	86.2
Marijuana	95.1	96.2	98.1
Percent who say it would be easy to obtain:			
Alcohol	51.0	67.0	64.0
Cigarettes	39.9	59.7	61.3
Marijuana	16.4	33.5	30.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.5	16.2	16.1

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	49.7		
Alcohol (Binge: 5+ drinks once or twice a week)	61.5		
Alcohol (any use)		63.0	77.7
Cigarettes (1+ packs per day)	87.2		
Cigarettes (any use)		78.9	72.0
Marijuana (once or twice a week)	80.3		
Marijuana (any use)		74.9	68.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	91.4	97.3
Percent of students who, in past 30 days:			
Were very sad	16.1	20.8	31.0
Were grouchy, irritable, or in a bad mood	17.4	25.4	30.2
Felt hopeless about the future	8.1	11.8	17.2
Felt like not eating or eating more than usual	9.0	19.4	18.2
Slept a lot more or a lot less than usual	13.4	26.4	26.8
Had difficulty concentrating on school work	18.8	23.8	18.3
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.5	11.8	12.2
Made plan about how they would attempt suicide	6.8	8.1	6.9
Attempted suicide	4.7	5.2	6.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	1.9	0.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.4	10.9	9.9
Were in a physical fight	21.1	19.9	22.5
Were in a fight and had to be treated by a doctor or nurse	0.0	1.9	1.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.4	57.8	64.9
Were made fun of by others	61.2	67.6	73.3
Were victims of an embarrassing or hurtful text message or something posted on the internet	17.7	27.1	25.6
Spread mean rumors or lies about other kids at school	27.7	41.7	35.5
Made fun of other people	67.8	76.3	76.3
Posted something on the internet or sent a text that might embarrass or hurt another student	14.3	20.4	17.2
Percent of students who agree that:			
Teachers notice and comment on student's good work	80.5	64.6	78.9
School provides feedback to parents on positive student performance	53.7	35.1	43.0
Rules are enforced fairly	60.5	59.9	61.5
Students of all races/ethnicities are treated equal	96.6	81.6	82.4
Percent of students who agree that:			
Parents notice and comment on student's good work	79.3	83.5	83.9
Parents involve student in making family decisions	70.3	67.8	64.6
It is important to be honest with parents regardless of consequences	90.4	84.4	81.3
Student could ask parent for help with a personal problem	76.8	71.6	76.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MC DONALD COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	9
POPULATION	
Census 2010	23,083
2014 Estimate	22,800

BIRTH RISK	2013	2012	2011
Resident Births--Total	315	320	296
Mother Reported Smoking while Pregnant	62	65	71

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	8	3	3
Hepatitis C Chronic and Acute	28	16	28
Tuberculosis Infection Cases	17	19	22

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	227	205	194
Suicides	6	4	5
Self-inflicted Injuries	25	10	23
Homicides	1	2	1
Assault Injuries	35	31	31
Alcohol Induced Deaths	3	2	1
Drug Induced Deaths	2	0	0
Smoking Attributable Deaths	48	37	42

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	136	150	182
Mental Illness Secondary Diagnosis	360	448	563
Alcohol Principal Diagnosis	19	14	16
Alcohol Secondary Diagnosis	47	41	64
Drug Principal Diagnosis	9	9	14
Drug Secondary Diagnosis	14	34	30
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	78	75	10
Mental Illness Secondary Diagnosis	190	112	31
Alcohol Principal Diagnosis	14	14	3
Alcohol Secondary Diagnosis	19	13	6
Drug Principal Diagnosis	9	8	2
Drug Secondary Diagnosis	13	8	1
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	96	114	118
Mental Illness Secondary Diagnosis	765	629	618
Alcohol Principal Diagnosis	28	25	23
Alcohol Secondary Diagnosis	32	37	30
Drug Principal Diagnosis	12	19	8
Drug Secondary Diagnosis	27	35	28

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	17	24	20
Alcohol Package Carry-out Licenses	39	32	32

EMPLOYMENT	2014	2013	2012
Labor Force	10,364	10,756	10,843
Employed	9,770	10,077	10,167
Unemployed	594	679	676
Unemployment Rate	5.7%	6.3%	6.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	53	45	48
Fatal Crashes	4	0	1
Injury Crashes	24	23	27
Property Damage Crashes	25	22	20
Crash Fatalities	4	0	1
Crash Injuries	37	30	40
Drug Involved Crashes--Total	4	4	9
Fatal Crashes	1	0	1
Injury Crashes	1	2	4
Property Damage Crashes	2	2	4
Crash Fatalities	1	0	1
Crash Injuries	1	2	3

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	213	199	241
Liquor Law Arrests	29	26	17
Drug Arrests	110	100	77
Violent Offenses	173	152	113
Property Offenses	600	410	466
Domestic Violence Reports	436	217	411
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	15	34	29

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,099	1,080	991
Drop-outs	16	30	19
Drop-out Rate	1.5%	2.8%	1.9%
School Discipline Involving Alcohol	3	10	2
School Discipline Involving Drugs	13	17	12
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	5	44	22
Juvenile Alcohol Offenses	2	8	2
Juvenile Drug Offenses	1	11	6
School Truancy Status Offense	3	2	0
Absent from Home Status Offense	5	11	6
Beyond Parental Control Status Offense	8	14	5
Injurious Behavior Status Offense	7	14	3
Child Abuse	12	12	21
Child Neglect	62	39	30
Child Custody Issues	2	2	3

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	53	31	52
Parental Alcohol Use Related	0	2	0
Parental Drug Use Related	22	6	23
Parental Alcohol and Drug Use	0	3	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	55	36	18
Probation/Parole Admissions--Drug	40	29	24
Probation/Parole Admissions--DWI	33	39	21
Prison Admissions--Drug	11	13	9
Prison Admissions--DWI	21	18	20

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MC DONALD COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	11	18	11
CSTAR Adolescent	7	13	15
CSTAR Women and Children	24	18	18
CSTAR General Adult	64	30	26
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	6
Clinical SATOP (CIP, YCIP, SROP)	21	22	23
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	68	82	88
- Adolescent Diversion Education Prograr	*	0	*
- Offender Education Program	17	26	29
- Weekend Intervention Program	12	24	23
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	13	*
Compulsive Gambling	0	0	0
Recovery Supports	25	57	46
Early Intervention	6	6	9

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	140	146	133
AGE			
Under 18	7	15	16
18 to 24	24	16	20
25 to 29	25	25	22
30 to 34	17	19	20
35 to 39	20	21	17
40 to 44	9	15	9
45 to 54	28	29	23
55 and Over	10	6	6
GENDER			
Male	103	108	96
Female	37	38	37
RACE / ETHNICITY			
Caucasian	125	125	115
African American	0	*	*
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	*	*
Hispanic	8	13	10
Other Race / Two or More Races	5	*	*
EDUCATION			
Less than High School Diploma	58	65	55
High School Graduate or G.E.D.	58	58	59
Associate Degree or Some College	24	23	19
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	54	55	50
Unemployed	55	50	45
Not in Labor Force	31	41	38
HOUSING / LIVING ARRANGEMENT			
Independent Living	126	125	107
Dependent Living	10	18	18
Homeless	0	*	*
MARITAL / FAMILY STATUS			
Never Married	58	59	56
Married / Cohabitating	48	47	46
Previously Married	34	40	31

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	56	73	62
Marijuana / Hashish	38	27	33
Cocaine (total)	0	*	*
- Crack	0	*	*
Stimulant (total)	40	21	22
- Methamphetamine	39	19	21
Heroin	0	0	0
Analgesic except Heroin	5	15	5
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	*
Tranquilizer	*	*	*
Inhalant	0	*	*
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	*
Average Age at First Use of Drug	17.0	18.4	17.4
INJECTION DRUG USE			
Any Injection Use at Admission	25	14	14
- Daily Injection Use	*	0	*
- Weekly Injection Use	5	*	*
- Less than Weekly Injection Use	17	13	10
LIFETIME DUI / DWI ARRESTS			
0	74	63	65
1 or 2	34	46	40
3 or More	32	37	28
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	37	37	30
School	0	0	*
Mental Health Provider	0	0	*
Health Care Provider	*	15	5
Court / Criminal Justice	81	74	78
Other Referral Source	18	19	18
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	0	0
Military Veteran	8	12	6
Special Education Services Needed	14	21	17
Co-Occurring Psychological Problem	62	77	61
Co-Occurring Developmental Problem	*	6	7

MC DONALD COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	9
CENSUS 2010	23,083
2014 POPULATION ESTIMATE	22,800

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	26	17	23
Anxiety Disorder	81	94	75
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	73	63	62
Mood Disorder	110	139	135
Personality Disorder	24	22	17
Psychotic Disorder	16	20	23
Sexual Disorder	*	*	0
Other Diagnosis	29	19	17
Diagnosis Unknown	33	25	26

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	254	281	290
AGE			
Under 6	10	6	6
6 to 9	32	24	24
10 to 13	39	35	36
14 to 17	46	38	33
18 to 24	17	21	26
25 to 29	18	25	16
30 to 34	14	21	31
35 to 39	11	15	19
40 to 44	15	19	20
45 to 49	15	24	28
50 to 54	24	26	28
55 to 59	7	16	10
60 and Over	6	11	13
Age Unknown	0	0	0
GENDER			
Male	137	136	142
Female	117	145	148
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	230	269	271
African American	*	0	0
Native American / Alaskan	0	0	*
Asian / Pacific Islander	0	0	0
Hispanic	20	9	8
Other Race	*	*	10
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	91	71	32
High School Grad or G.E.D.	0	*	19
Associate Degree or Some College	0	*	7
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	163	208	231
EMPLOYMENT			
Employed	*	5	6
Unemployed	9	11	42
Not in Labor Force	126	111	19
Employment Status Unknown	115	154	223
HOUSING / LIVING ARRANGEMENT			
Independent Living	41	58	50
Dependent Living	99	58	19
Homeless	0	*	0
Other	0	0	0
Housing Unknown	114	164	221
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	216	227	217
School	0	0	*
Mental Health Provider	*	5	14
Health Care Provider	8	10	12
Court / Criminal Justice	13	18	25
Other	16	20	20
Referral Source Unknown	0	*	*
TYPE OF COMMITMENT			
Voluntary	243	266	268
Civil	11	14	19
Criminal	0	0	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	*	*

MC DONALD COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol			
Cigarettes			
Chewing Tobacco			
Marijuana			
Inhalants			
Prescription medications not prescribed for student			
Over-the-counter medications for non-medical use			
Methamphetamine			
Cocaine			
Heroin			
Hallucinogens			
Club drugs (Ecstasy, GHB, roofie, Special K, etc)			
Steroids not prescribed for student			
Synthetic drugs (K2, bath salts, Spice, etc)			
Average age of students' first use of:			
Alcohol			
Cigarettes			
Marijuana			
Inhalants			
Percent of students who, in past 30 days, used:			
Alcohol			
Alcohol (Binge: 5+ drinks on one occassion)			
Cigarettes			
Chewing Tobacco			
Marijuana			
Inhalants			
Prescription medications not prescribed for student			
Over-the-counter medications for non-medical use			
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol			
Cigarettes			
Marijuana			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			
Percent who would likely use, if offered by a best friend:			
Alcohol			
Cigarettes			
Marijuana			
Percent who say it would be wrong to use:			
Alcohol			
Cigarettes			
Marijuana			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			
Percent whose parents would disapprove if they use:			
Alcohol			
Cigarettes			
Marijuana			
Percent who say it would be easy to obtain:			
Alcohol			
Cigarettes			
Marijuana			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)			
Cigarettes (1+ packs per day)			
Cigarettes (any use)			
Marijuana (once or twice a week)			
Marijuana (any use)			
Other: Cocaine, LSD, Meth, Club Drug (any use)			
Percent of students who, in past 30 days:			
Were very sad			
Were grouchy, irritable, or in a bad mood			
Felt hopeless about the future			
Felt like not eating or eating more than usual			
Slept a lot more or a lot less than usual			
Had difficulty concentrating on school work			
Percent of students who, in past 12 months:			
Seriously considered attempting suicide			
Made plan about how they would attempt suicide			
Attempted suicide			
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse			
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school			
Were in a physical fight			
Were in a fight and had to be treated by a doctor or nurse			
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school			
Were made fun of by others			
Were victims of an embarrassing or hurtful text message or something posted on the internet			
Spread mean rumors or lies about other kids at school			
Made fun of other people			
Posted something on the internet or sent a text that might embarrass or hurt another student			
Percent of students who agree that:			
Teachers notice and comment on student's good work			
School provides feedback to parents on positive student performance			
Rules are enforced fairly			
Students of all races/ethnicities are treated equal			
Percent of students who agree that:			
Parents notice and comment on student's good work			
Parents involve student in making family decisions			
It is important to be honest with parents regardless of consequences			
Student could ask parent for help with a personal problem			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MACON COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	15,566
2014 Estimate	15,479

BIRTH RISK	2013	2012	2011
Resident Births--Total	198	162	184
Mother Reported Smoking while Pregnant	51	41	37

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	2	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	5	3	6
Tuberculosis Infection Cases	1	1	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	188	208	199
Suicides	9	8	1
Self-inflicted Injuries	26	23	15
Homicides	0	0	0
Assault Injuries	17	31	26
Alcohol Induced Deaths	2	0	0
Drug Induced Deaths	1	4	1
Smoking Attributable Deaths	30	26	32

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	71	83	83
Mental Illness Secondary Diagnosis	330	409	324
Alcohol Principal Diagnosis	6	8	9
Alcohol Secondary Diagnosis	25	16	20
Drug Principal Diagnosis	3	3	3
Drug Secondary Diagnosis	9	9	15
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	45	52	40
Mental Illness Secondary Diagnosis	184	129	95
Alcohol Principal Diagnosis	10	7	5
Alcohol Secondary Diagnosis	11	10	9
Drug Principal Diagnosis	5	8	5
Drug Secondary Diagnosis	6	7	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	90	83	96
Mental Illness Secondary Diagnosis	110	76	104
Alcohol Principal Diagnosis	22	24	23
Alcohol Secondary Diagnosis	6	6	7
Drug Principal Diagnosis	12	10	13
Drug Secondary Diagnosis	6	5	8

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	25	26	24
Alcohol Package Carry-out Licenses	21	20	21

EMPLOYMENT	2014	2013	2012
Labor Force	7,446	8,221	7,753
Employed	6,988	7,759	7,258
Unemployed	458	462	495
Unemployment Rate	6.2%	5.6%	6.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	9	13	11
Fatal Crashes	0	0	0
Injury Crashes	6	8	7
Property Damage Crashes	3	5	4
Crash Fatalities	0	0	0
Crash Injuries	7	11	9
Drug Involved Crashes--Total	3	1	1
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	2	1	1
Crash Fatalities	0	0	0
Crash Injuries	2	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	60	73	73
Liquor Law Arrests	22	25	42
Drug Arrests	102	92	76
Violent Offenses	32	41	33
Property Offenses	282	365	326
Domestic Violence Reports	80	96	95
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	5	2

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	718	720	716
Drop-outs	13	15	15
Drop-out Rate	1.8%	2.1%	2.1%
School Discipline Involving Alcohol	1	0	0
School Discipline Involving Drugs	2	3	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	36	31	23
Juvenile Alcohol Offenses	3	8	2
Juvenile Drug Offenses	14	4	3
School Truancy Status Offense	19	11	14
Absent from Home Status Offense	6	7	3
Beyond Parental Control Status Offense	53	57	46
Injurious Behavior Status Offense	40	38	40
Child Abuse	33	34	69
Child Neglect	79	67	95
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	32	12	31
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	20	6	5
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	21	17	14
Probation/Parole Admissions--Drug	38	49	24
Probation/Parole Admissions--DWI	5	9	13
Prison Admissions--Drug	17	16	15
Prison Admissions--DWI	4	4	10

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MACON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	15	6	13
CSTAR Adolescent	13	17	7
CSTAR Women and Children	10	*	6
CSTAR General Adult	112	45	33
CSTAR Opioid	0	0	0
Primary Recovery Treatment	14	53	56
Clinical SATOP (CIP, YCIP, SROP)	14	16	15
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	49	59	71
- Adolescent Diversion Education Prograr	5	6	8
- Offender Education Program	15	13	18
- Weekend Intervention Program	7	16	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	5	9	14

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	147	128	103
AGE			
Under 18	12	16	7
18 to 24	43	25	26
25 to 29	32	20	13
30 to 34	23	22	18
35 to 39	11	10	8
40 to 44	8	8	10
45 to 54	11	19	19
55 and Over	7	8	*
GENDER			
Male	94	83	70
Female	53	45	33
RACE / ETHNICITY			
Caucasian	121	110	90
African American	17	13	11
Native American / Alaskan	*	*	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	6	*	*
EDUCATION			
Less than High School Diploma	48	51	34
High School Graduate or G.E.D.	74	62	58
Associate Degree or Some College	24	14	10
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	54	43	40
Unemployed	41	35	32
Not in Labor Force	52	50	31
HOUSING / LIVING ARRANGEMENT			
Independent Living	121	102	84
Dependent Living	18	19	11
Homeless	*	5	0
MARITAL / FAMILY STATUS			
Never Married	90	70	55
Married / Cohabitating	26	30	17
Previously Married	31	28	31

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	51	48	48
Marijuana / Hashish	44	48	33
Cocaine (total)	*	*	*
- Crack	0	*	*
Stimulant (total)	34	25	13
- Methamphetamine	33	22	13
Heroin	*	*	0
Analgesic except Heroin	6	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	*	*
Tranquilizer	*	*	0
Inhalant	*	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	17.4	17.1	16.8
INJECTION DRUG USE			
Any Injection Use at Admission	13	10	13
- Daily Injection Use	0	*	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	11	5	8
LIFETIME DUI / DWI ARRESTS			
0	86	77	47
1 or 2	48	30	35
3 or More	13	21	21
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	25	20	16
School	*	*	0
Mental Health Provider	0	0	0
Health Care Provider	11	7	*
Court / Criminal Justice	50	57	70
Other Referral Source	25	30	12
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	7	5	6
Special Education Services Needed	11	11	18
Co-Occurring Psychological Problem	47	42	28
Co-Occurring Developmental Problem	*	0	*

MACON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	14
CENSUS 2010	15,566
2014 POPULATION ESTIMATE	15,479

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	33	26	31
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	23	20	18
Mood Disorder	81	78	76
Personality Disorder	21	12	10
Psychotic Disorder	8	9	13
Sexual Disorder	*	*	*
Other Diagnosis	14	11	7
Diagnosis Unknown	9	*	12

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	112	108	117
AGE			
Under 6	0	*	0
6 to 9	*	*	*
10 to 13	7	8	7
14 to 17	20	17	17
18 to 24	12	8	17
25 to 29	6	7	8
30 to 34	13	13	13
35 to 39	12	11	8
40 to 44	8	12	9
45 to 49	12	11	12
50 to 54	12	12	11
55 to 59	5	*	8
60 and Over	*	*	5
Age Unknown	0	0	0
GENDER			
Male	54	53	52
Female	58	55	65
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	92	91	102
African American	17	14	12
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	0	0
Past or Current Military Service	0	0	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	46	47	28
High School Grad or G.E.D.	0	*	28
Associate Degree or Some College	0	0	11
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	66	57	50
EMPLOYMENT			
Employed	6	7	9
Unemployed	*	10	51
Not in Labor Force	84	78	13
Employment Status Unknown	20	13	44
HOUSING / LIVING ARRANGEMENT			
Independent Living	58	65	62
Dependent Living	32	29	18
Homeless	0	0	*
Other	0	0	*
Housing Unknown	22	14	35
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	27	36	35
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	17	16	17
Court / Criminal Justice	*	*	*
Other	58	47	55
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	107	104	114
Civil	*	0	0
Criminal	*	*	0
Sexual Predatory	*	*	*
Commitment Type Unknown	*	*	*

MACON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	36.0	50.8	58.3
Cigarettes	13.2	35.2	36.0
Chewing Tobacco	19.9	17.4	28.6
Marijuana	11.4	15.0	12.1
Inhalants	2.8	4.9	8.4
Prescription medications not prescribed for student	5.0	10.5	7.9
Over-the-counter medications for non-medical use	5.0	5.7	5.5
Methamphetamine	0.0	1.2	1.9
Cocaine	0.0	1.6	2.8
Heroin	0.0	0.4	1.8
Hallucinogens	0.0	1.6	1.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.2	1.0
Steroids not prescribed for student	0.0	1.6	0.9
Synthetic drugs (K2, bath salts, Spice, etc)	6.9	10.9	
Average age of students' first use of:			
Alcohol	12.86	12.28	12.21
Cigarettes	11.07	12.36	12.29
Marijuana	14.33	13.59	14.68
Inhalants	11.00	11.18	12.21
Percent of students who, in past 30 days, used:			
Alcohol	13.3	25.0	24.8
Alcohol (Binge: 5+ drinks on one occassion)		14.6	17.5
Cigarettes	1.7	18.8	24.2
Chewing Tobacco	11.0	9.7	16.7
Marijuana	6.3	6.5	6.2
Inhalants	0.0	1.6	5.0
Prescription medications not prescribed for student	1.7	5.3	3.2
Over-the-counter medications for non-medical use	3.9	4.5	3.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.4		
Percent whose friends used in past 12 months:			
Alcohol	35.8	66.0	60.7
Cigarettes	28.3	57.6	49.9
Marijuana	7.8	34.0	18.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.0	15.4	9.9
Percent who would likely use, if offered by a best friend:			
Alcohol	22.2	38.2	41.9
Cigarettes	8.4	22.8	22.6
Marijuana	16.2	11.3	14.8
Percent who say it would be wrong to use:			
Alcohol	67.0	47.3	40.4
Cigarettes	82.4	69.5	71.3
Marijuana	73.9	84.0	77.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.6	96.7	94.8
Percent whose parents would disapprove if they use:			
Alcohol	87.0	69.0	74.7
Cigarettes	93.1	86.1	84.7
Marijuana	98.2	93.4	93.7
Percent who say it would be easy to obtain:			
Alcohol	52.5	63.0	63.2
Cigarettes	53.9	63.0	69.7
Marijuana	35.5	27.8	18.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	16.8	7.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	49.7		
Alcohol (Binge: 5+ drinks once or twice a week)	57.1		
Alcohol (any use)		57.9	84.6
Cigarettes (1+ packs per day)	85.4		
Cigarettes (any use)		76.3	78.9
Marijuana (once or twice a week)	63.8		
Marijuana (any use)		74.4	62.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	85.3	93.0	95.7
Percent of students who, in past 30 days:			
Were very sad	27.9	19.9	17.5
Were grouchy, irritable, or in a bad mood	30.7	24.8	27.0
Felt hopeless about the future	20.7	12.2	7.3
Felt like not eating or eating more than usual	23.5	20.2	12.6
Slept a lot more or a lot less than usual	20.1	20.7	20.8
Had difficulty concentrating on school work	44.7	25.4	13.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	6.7	14.8	7.4
Made plan about how they would attempt suicide	4.0	11.4	4.2
Attempted suicide	2.8	6.1	2.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	2.0	0.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	10.6	6.5	9.6
Were in a physical fight	19.6	27.5	43.0
Were in a fight and had to be treated by a doctor or nurse	0.0	6.9	4.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	62.8	53.3	50.7
Were made fun of by others	61.5	64.6	66.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	19.0	25.6	17.2
Spread mean rumors or lies about other kids at school	26.8	34.8	15.9
Made fun of other people	60.2	68.3	66.5
Posted something on the internet or sent a text that might embarrass or hurt another student	26.3	16.7	8.3
Percent of students who agree that:			
Teachers notice and comment on student's good work	45.0	64.0	82.0
School provides feedback to parents on positive student performance	41.9	31.6	60.8
Rules are enforced fairly	39.7	45.1	67.4
Students of all races/ethnicities are treated equal	70.4	72.2	81.6
Percent of students who agree that:			
Parents notice and comment on student's good work	65.6	80.5	82.6
Parents involve student in making family decisions	47.8	64.0	64.6
It is important to be honest with parents regardless of consequences	73.9	80.6	87.3
Student could ask parent for help with a personal problem	64.2	72.4	76.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MADISON COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	12,226
2014 Estimate	12,368

BIRTH RISK	2013	2012	2011
Resident Births--Total	136	151	137
Mother Reported Smoking while Pregnant	43	45	54

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	0	0	2
Hepatitis C Chronic and Acute	15	11	7
Tuberculosis Infection Cases	0	2	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	188	154	162
Suicides	4	1	4
Self-inflicted Injuries	24	20	18
Homicides	0	0	0
Assault Injuries	59	61	29
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	4	3	3
Smoking Attributable Deaths	41	33	28

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	178	147	167
Mental Illness Secondary Diagnosis	347	356	366
Alcohol Principal Diagnosis	4	4	3
Alcohol Secondary Diagnosis	19	14	24
Drug Principal Diagnosis	9	10	7
Drug Secondary Diagnosis	21	20	20
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	16	51	15
Mental Illness Secondary Diagnosis	153	204	156
Alcohol Principal Diagnosis	3	3	3
Alcohol Secondary Diagnosis	12	13	13
Drug Principal Diagnosis	0	4	3
Drug Secondary Diagnosis	5	10	9
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	176	167	207
Mental Illness Secondary Diagnosis	432	462	211
Alcohol Principal Diagnosis	34	17	27
Alcohol Secondary Diagnosis	18	31	34
Drug Principal Diagnosis	40	38	38
Drug Secondary Diagnosis	87	62	51

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	10	11	12
Alcohol Package Carry-out Licenses	12	12	13

EMPLOYMENT	2014	2013	2012
Labor Force	5,469	6,558	6,033
Employed	5,099	6,158	5,607
Unemployed	370	400	426
Unemployment Rate	6.8%	6.1%	7.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	7	12	20
Fatal Crashes	0	0	0
Injury Crashes	5	5	13
Property Damage Crashes	2	7	7
Crash Fatalities	0	0	0
Crash Injuries	7	7	16
Drug Involved Crashes--Total	5	1	6
Fatal Crashes	0	1	0
Injury Crashes	2	0	4
Property Damage Crashes	3	0	2
Crash Fatalities	0	1	0
Crash Injuries	4	7	4

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	34	59	89
Liquor Law Arrests	3	25	17
Drug Arrests	31	23	19
Violent Offenses	38	13	19
Property Offenses	302	224	161
Domestic Violence Reports	227	126	111
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	624	620	612
Drop-outs	1	5	8
Drop-out Rate	0.2%	0.8%	1.3%
School Discipline Involving Alcohol	7	5	2
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	23	18	28
Juvenile Alcohol Offenses	0	0	4
Juvenile Drug Offenses	3	4	4
School Truancy Status Offense	5	14	21
Absent from Home Status Offense	1	2	9
Beyond Parental Control Status Offense	22	16	10
Injurious Behavior Status Offense	15	15	5
Child Abuse	1	1	0
Child Neglect	21	11	15
Child Custody Issues	5	1	7

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	25	12	18
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	8	1	3
Parental Alcohol and Drug Use	7	1	5

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	15	12	8
Probation/Parole Admissions--Drug	22	33	21
Probation/Parole Admissions--DWI	7	9	11
Prison Admissions--Drug	11	15	7
Prison Admissions--DWI	2	5	5

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MADISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	13	14	14
CSTAR Adolescent	7	5	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	35	28	19
CSTAR Opioid	0	*	*
Primary Recovery Treatment	*	16	35
Clinical SATOP (CIP, YCIP, SROP)	*	14	10
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	28	50	49
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	10	18	24
- Weekend Intervention Program	8	11	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	*
Recovery Supports	7	5	7
Early Intervention	*	*	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	48	62	59
AGE			
Under 18	*	5	*
18 to 24	9	15	12
25 to 29	12	13	15
30 to 34	10	17	6
35 to 39	7	*	6
40 to 44	*	*	6
45 to 54	*	6	7
55 and Over	*	*	*
GENDER			
Male	28	39	37
Female	20	23	22
RACE / ETHNICITY			
Caucasian	46	60	56
African American	0	*	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	*
Other Race / Two or More Races	*	0	*
EDUCATION			
Less than High School Diploma	15	23	21
High School Graduate or G.E.D.	25	28	30
Associate Degree or Some College	8	11	7
Bachelor or Advanced Degree	0	0	*
EMPLOYMENT			
Employed	7	20	9
Unemployed	29	31	33
Not in Labor Force	12	11	17
HOUSING / LIVING ARRANGEMENT			
Independent Living	40	50	52
Dependent Living	6	8	5
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	22	36	29
Married / Cohabitating	17	20	16
Previously Married	9	6	14

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	10	18	19
Marijuana / Hashish	10	10	10
Cocaine (total)	0	0	*
- Crack	0	0	*
Stimulant (total)	10	10	8
- Methamphetamine	10	10	7
Heroin	*	12	*
Analgesic except Heroin	13	8	13
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	*	*
Inhalant	0	0	*
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	18.8	17.8	17.6
INJECTION DRUG USE			
Any Injection Use at Admission	9	16	8
- Daily Injection Use	5	*	*
- Weekly Injection Use	*	7	5
- Less than Weekly Injection Use	*	5	*
LIFETIME DUI / DWI ARRESTS			
0	27	34	33
1 or 2	14	21	18
3 or More	7	7	8
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	19	30	21
School	0	0	0
Mental Health Provider	0	0	*
Health Care Provider	*	*	5
Court / Criminal Justice	19	21	28
Other Referral Source	6	7	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	0
Military Veteran	5	*	5
Special Education Services Needed	*	*	7
Co-Occurring Psychological Problem	22	25	30
Co-Occurring Developmental Problem	*	15	6

MADISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	21
CENSUS 2010	12,226
2014 POPULATION ESTIMATE	12,368

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	24	22	23
Anxiety Disorder	81	72	68
Dementia	0	0	0
Developmental Disorder	5	6	*
Impulse Control Disorder	208	152	189
Mood Disorder	454	372	410
Personality Disorder	6	9	8
Psychotic Disorder	50	44	38
Sexual Disorder	0	*	*
Other Diagnosis	41	30	49
Diagnosis Unknown	28	29	127

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	772	633	820
AGE			
Under 6	*	*	*
6 to 9	72	52	76
10 to 13	102	85	116
14 to 17	118	80	123
18 to 24	79	55	83
25 to 29	59	44	60
30 to 34	46	64	64
35 to 39	55	44	50
40 to 44	55	40	49
45 to 49	47	54	67
50 to 54	59	52	55
55 to 59	36	29	32
60 and Over	40	31	42
Age Unknown	0	0	0
GENDER			
Male	375	292	389
Female	397	341	431
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	715	587	754
African American	7	8	9
Native American / Alaskan	*	*	0
Asian / Pacific Islander	0	0	0
Hispanic	26	24	40
Other Race	23	13	17
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	39	39	46
Past or Current Military Service	15	13	15

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	99	115	58
High School Grad or G.E.D.	0	0	40
Associate Degree or Some College	0	0	12
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	673	518	707
EMPLOYMENT			
Employed	11	6	18
Unemployed	5	5	74
Not in Labor Force	187	192	34
Employment Status Unknown	569	430	694
HOUSING / LIVING ARRANGEMENT			
Independent Living	100	93	105
Dependent Living	113	107	48
Homeless	0	*	*
Other	0	0	*
Housing Unknown	559	429	661
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	459	394	538
School	9	*	7
Mental Health Provider	41	23	36
Health Care Provider	82	85	80
Court / Criminal Justice	12	12	15
Other	169	115	144
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	771	632	818
Civil	0	0	0
Criminal	*	0	*
Sexual Predatory	0	*	*
Commitment Type Unknown	0	0	0

MADISON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	34.0	37.1	48.1
Cigarettes	32.2	29.2	37.8
Chewing Tobacco	19.6	20.6	21.8
Marijuana	11.1	11.3	14.1
Inhalants	4.2	4.1	6.4
Prescription medications not prescribed for student	4.3	6.7	9.3
Over-the-counter medications for non-medical use	2.1	4.6	8.1
Methamphetamine	2.8	2.1	0.4
Cocaine	0.7	1.0	1.2
Heroin	0.7	1.0	1.1
Hallucinogens	2.1	2.1	2.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.8	0.5	1.9
Steroids not prescribed for student	0.7	2.1	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	3.6	
Average age of students' first use of:			
Alcohol	13.06	12.76	12.26
Cigarettes	12.96	12.37	12.03
Marijuana	13.78	13.49	13.14
Inhalants	13.13	11.85	12.39
Percent of students who, in past 30 days, used:			
Alcohol	16.1	15.5	28.7
Alcohol (Binge: 5+ drinks on one occassion)		8.2	17.0
Cigarettes	11.3	17.4	23.4
Chewing Tobacco	10.4	13.4	14.5
Marijuana	4.2	5.2	9.5
Inhalants	2.1	1.5	2.3
Prescription medications not prescribed for student	2.1	4.6	5.8
Over-the-counter medications for non-medical use	1.4	2.6	6.9
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	9.9		
Percent whose friends used in past 12 months:			
Alcohol	52.8	56.4	74.8
Cigarettes	47.2	55.2	67.2
Marijuana	30.7	30.3	38.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.6	12.3	21.8
Percent who would likely use, if offered by a best friend:			
Alcohol	34.7	32.5	43.6
Cigarettes	18.2	20.6	24.5
Marijuana	9.0	10.3	12.2
Percent who say it would be wrong to use:			
Alcohol	53.8	56.5	48.7
Cigarettes	76.4	75.8	65.4
Marijuana	82.5	85.9	82.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	94.8	94.3
Percent whose parents would disapprove if they use:			
Alcohol	75.0	79.8	72.1
Cigarettes	92.3	87.6	85.5
Marijuana	93.0	95.3	95.8
Percent who say it would be easy to obtain:			
Alcohol	54.6	52.8	66.4
Cigarettes	56.9	58.2	66.9
Marijuana	33.6	32.0	35.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.6	19.4	22.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.8		
Alcohol (Binge: 5+ drinks once or twice a week)	54.6		
Alcohol (any use)		69.9	75.6
Cigarettes (1+ packs per day)	86.7		
Cigarettes (any use)		73.3	72.7
Marijuana (once or twice a week)	66.4		
Marijuana (any use)		74.1	69.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.4	92.8	93.2
Percent of students who, in past 30 days:			
Were very sad	17.4	17.9	18.6
Were grouchy, irritable, or in a bad mood	26.6	24.0	27.5
Felt hopeless about the future	10.6	10.8	16.0
Felt like not eating or eating more than usual	18.8	18.6	19.8
Slept a lot more or a lot less than usual	14.0	16.6	23.7
Had difficulty concentrating on school work	22.4	19.9	22.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.5	10.4	12.9
Made plan about how they would attempt suicide	12.0	9.3	12.8
Attempted suicide	4.9	4.1	6.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.7	1.0	2.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	3.5	5.2	10.2
Were in a physical fight	24.3	17.6	21.5
Were in a fight and had to be treated by a doctor or nurse	1.4	1.5	5.3
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	41.7	41.5	59.4
Were made fun of by others	45.5	53.9	66.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	21.5	16.7	22.0
Spread mean rumors or lies about other kids at school	20.1	22.2	35.6
Made fun of other people	50.3	57.7	75.0
Posted something on the internet or sent a text that might embarrass or hurt another student	14.1	12.4	18.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	81.3	71.0	65.6
School provides feedback to parents on positive student performance	43.4	35.8	37.2
Rules are enforced fairly	65.3	66.5	68.4
Students of all races/ethnicities are treated equal	83.9	66.8	75.3
Percent of students who agree that:			
Parents notice and comment on student's good work	79.0	82.5	80.5
Parents involve student in making family decisions	63.4	64.1	64.6
It is important to be honest with parents regardless of consequences	86.7	83.5	84.8
Student could ask parent for help with a personal problem	76.8	72.5	70.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MARIES COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	9,176
2014 Estimate	9,013

BIRTH RISK	2013	2012	2011
Resident Births--Total	62	95	80
Mother Reported Smoking while Pregnant	14	18	17

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	7	8	7
Tuberculosis Infection Cases	1	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	107	85	102
Suicides	3	3	3
Self-inflicted Injuries	1	12	7
Homicides	0	0	0
Assault Injuries	20	8	17
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	2	2
Smoking Attributable Deaths	19	15	20

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	50	35	24
Mental Illness Secondary Diagnosis	84	97	87
Alcohol Principal Diagnosis	1	2	0
Alcohol Secondary Diagnosis	4	2	5
Drug Principal Diagnosis	3	7	3
Drug Secondary Diagnosis	2	3	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	33	49	32
Mental Illness Secondary Diagnosis	132	129	142
Alcohol Principal Diagnosis	2	0	5
Alcohol Secondary Diagnosis	4	12	12
Drug Principal Diagnosis	0	7	1
Drug Secondary Diagnosis	7	3	6
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	75	59	56
Mental Illness Secondary Diagnosis	396	370	352
Alcohol Principal Diagnosis	4	8	5
Alcohol Secondary Diagnosis	11	9	11
Drug Principal Diagnosis	5	11	9
Drug Secondary Diagnosis	8	10	8

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	4	5	4
Alcohol Package Carry-out Licenses	13	12	13

EMPLOYMENT	2014	2013	2012
Labor Force	3,982	4,889	4,687
Employed	3,738	4,629	4,394
Unemployed	244	260	293
Unemployment Rate	6.1%	5.3%	6.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	11	12	7
Fatal Crashes	1	1	1
Injury Crashes	5	8	3
Property Damage Crashes	5	3	3
Crash Fatalities	1	2	1
Crash Injuries	7	9	5
Drug Involved Crashes--Total	1	2	1
Fatal Crashes	1	0	0
Injury Crashes	0	2	0
Property Damage Crashes	0	0	1
Crash Fatalities	1	0	0
Crash Injuries	0	2	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	48	46	42
Liquor Law Arrests	8	24	35
Drug Arrests	144	141	143
Violent Offenses	21	21	58
Property Offenses	119	131	94
Domestic Violence Reports	60	57	53
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	4	13	11

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	424	412	398
Drop-outs	8	13	9
Drop-out Rate	1.9%	3.2%	2.3%
School Discipline Involving Alcohol	0	0	1
School Discipline Involving Drugs	0	5	1
School Discipline Involving Tobacco	0	1	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	4	13	19
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	0	2	1
School Truancy Status Offense	14	20	16
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	6	2	1
Injurious Behavior Status Offense	5	1	11
Child Abuse	15	37	37
Child Neglect	19	70	50
Child Custody Issues	2	0	3

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	1	5	1
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	3	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	12	20	21
Probation/Parole Admissions--DWI	5	3	3
Prison Admissions--Drug	10	7	7
Prison Admissions--DWI	3	1	0

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MARIES COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	8
CSTAR Adolescent	0	*	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	26	24	20
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	8	16
Clinical SATOP (CIP, YCIP, SROP)	7	7	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	29	22	29
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	8	*	13
- Weekend Intervention Program	9	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	39	35	39
AGE			
Under 18	*	*	*
18 to 24	9	8	8
25 to 29	*	7	10
30 to 34	9	5	7
35 to 39	*	*	5
40 to 44	*	*	*
45 to 54	6	6	5
55 and Over	*	*	*
GENDER			
Male	26	23	28
Female	13	12	11
RACE / ETHNICITY			
Caucasian	38	32	39
African American	*	*	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race / Two or More Races	0	*	0
EDUCATION			
Less than High School Diploma	12	14	16
High School Graduate or G.E.D.	17	14	13
Associate Degree or Some College	9	7	9
Bachelor or Advanced Degree	*	0	*
EMPLOYMENT			
Employed	16	8	8
Unemployed	13	14	23
Not in Labor Force	10	13	8
HOUSING / LIVING ARRANGEMENT			
Independent Living	36	29	38
Dependent Living	*	*	*
Homeless	*	*	0
MARITAL / FAMILY STATUS			
Never Married	19	16	20
Married / Cohabitating	9	10	10
Previously Married	11	9	9

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	14	16	17
Marijuana / Hashish	9	9	9
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	10	6	7
- Methamphetamine	8	6	7
Heroin	*	*	*
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	17.5	16.3	16.0
INJECTION DRUG USE			
Any Injection Use at Admission	7	*	7
- Daily Injection Use	*	*	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	23	14	18
1 or 2	8	14	14
3 or More	8	7	7
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	6	8	12
School	0	0	0
Mental Health Provider	0	0	0
Health Care Provider	*	*	*
Court / Criminal Justice	24	23	21
Other Referral Source	6	*	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	0	*
Military Veteran	*	*	*
Special Education Services Needed	0	*	*
Co-Occurring Psychological Problem	14	17	15
Co-Occurring Developmental Problem	*	*	*

MARIES COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	17A
CENSUS 2010	9,176
2014 POPULATION ESTIMATE	9,013

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	0	*	0
Anxiety Disorder	34	33	38
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	6	6	11
Mood Disorder	45	46	46
Personality Disorder	5	6	9
Psychotic Disorder	11	10	8
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	5	5

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	60	64	63
AGE			
Under 6	0	0	0
6 to 9	*	*	*
10 to 13	*	5	10
14 to 17	5	8	5
18 to 24	*	*	*
25 to 29	6	7	*
30 to 34	9	11	6
35 to 39	6	*	8
40 to 44	8	10	7
45 to 49	*	*	6
50 to 54	6	5	5
55 to 59	*	*	*
60 and Over	*	*	6
Age Unknown	0	0	0
GENDER			
Male	21	27	26
Female	39	37	37
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	56	62	60
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race	*	0	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	0

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	14	23	19
High School Grad or G.E.D.	0	*	9
Associate Degree or Some College	0	*	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	46	38	32
EMPLOYMENT			
Employed	*	*	*
Unemployed	*	13	22
Not in Labor Force	28	29	8
Employment Status Unknown	26	20	31
HOUSING / LIVING ARRANGEMENT			
Independent Living	17	28	20
Dependent Living	18	17	15
Homeless	0	*	0
Other	0	0	0
Housing Unknown	25	17	28
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	32	36	24
School	0	0	*
Mental Health Provider	*	*	*
Health Care Provider	6	8	13
Court / Criminal Justice	*	*	*
Other	18	17	21
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	60	63	63
Civil	0	0	0
Criminal	0	*	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

MARIES COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol			
Cigarettes			
Chewing Tobacco			
Marijuana			
Inhalants			
Prescription medications not prescribed for student			
Over-the-counter medications for non-medical use			
Methamphetamine			
Cocaine			
Heroin			
Hallucinogens			
Club drugs (Ecstasy, GHB, roofie, Special K, etc)			
Steroids not prescribed for student			
Synthetic drugs (K2, bath salts, Spice, etc)			
Average age of students' first use of:			
Alcohol			
Cigarettes			
Marijuana			
Inhalants			
Percent of students who, in past 30 days, used:			
Alcohol			
Alcohol (Binge: 5+ drinks on one occassion)			
Cigarettes			
Chewing Tobacco			
Marijuana			
Inhalants			
Prescription medications not prescribed for student			
Over-the-counter medications for non-medical use			
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol			
Cigarettes			
Marijuana			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			
Percent who would likely use, if offered by a best friend:			
Alcohol			
Cigarettes			
Marijuana			
Percent who say it would be wrong to use:			
Alcohol			
Cigarettes			
Marijuana			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			
Percent whose parents would disapprove if they use:			
Alcohol			
Cigarettes			
Marijuana			
Percent who say it would be easy to obtain:			
Alcohol			
Cigarettes			
Marijuana			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)			
Cigarettes (1+ packs per day)			
Cigarettes (any use)			
Marijuana (once or twice a week)			
Marijuana (any use)			
Other: Cocaine, LSD, Meth, Club Drug (any use)			
Percent of students who, in past 30 days:			
Were very sad			
Were grouchy, irritable, or in a bad mood			
Felt hopeless about the future			
Felt like not eating or eating more than usual			
Slept a lot more or a lot less than usual			
Had difficulty concentrating on school work			
Percent of students who, in past 12 months:			
Seriously considered attempting suicide			
Made plan about how they would attempt suicide			
Attempted suicide			
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse			
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school			
Were in a physical fight			
Were in a fight and had to be treated by a doctor or nurse			
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school			
Were made fun of by others			
Were victims of an embarrassing or hurtful text message or something posted on the internet			
Spread mean rumors or lies about other kids at school			
Made fun of other people			
Posted something on the internet or sent a text that might embarrass or hurt another student			
Percent of students who agree that:			
Teachers notice and comment on student's good work			
School provides feedback to parents on positive student performance			
Rules are enforced fairly			
Students of all races/ethnicities are treated equal			
Percent of students who agree that:			
Parents notice and comment on student's good work			
Parents involve student in making family decisions			
It is important to be honest with parents regardless of consequences			
Student could ask parent for help with a personal problem			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MARION COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	28,781
2014 Estimate	28,920

BIRTH RISK	2013	2012	2011
Resident Births--Total	389	350	383
Mother Reported Smoking while Pregnant	104	106	114

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	2	1	1
Hepatitis B Chronic, Acute, Prenatal	0	2	1
Hepatitis C Chronic and Acute	19	26	25
Tuberculosis Infection Cases	3	4	8

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	307	293	335
Suicides	4	1	3
Self-inflicted Injuries	31	53	48
Homicides	1	1	0
Assault Injuries	107	115	118
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	6	4	4
Smoking Attributable Deaths	60	54	58

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	227	219	291
Mental Illness Secondary Diagnosis	334	332	801
Alcohol Principal Diagnosis	5	5	26
Alcohol Secondary Diagnosis	14	14	52
Drug Principal Diagnosis	7	6	21
Drug Secondary Diagnosis	29	14	26
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	42	46	40
Mental Illness Secondary Diagnosis	693	710	194
Alcohol Principal Diagnosis	11	22	4
Alcohol Secondary Diagnosis	56	73	26
Drug Principal Diagnosis	13	16	2
Drug Secondary Diagnosis	34	35	14
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	328	339	314
Mental Illness Secondary Diagnosis	475	511	1,150
Alcohol Principal Diagnosis	87	78	61
Alcohol Secondary Diagnosis	55	48	49
Drug Principal Diagnosis	45	35	54
Drug Secondary Diagnosis	20	34	29

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	49	50	53
Alcohol Package Carry-out Licenses	40	36	40

EMPLOYMENT	2014	2013	2012
Labor Force	14,535	15,112	14,122
Employed	13,728	14,254	13,262
Unemployed	807	858	860
Unemployment Rate	5.6%	5.7%	6.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	24	37	36
Fatal Crashes	1	1	1
Injury Crashes	7	13	12
Property Damage Crashes	16	23	23
Crash Fatalities	1	1	1
Crash Injuries	10	16	24
Drug Involved Crashes--Total	5	8	12
Fatal Crashes	0	0	0
Injury Crashes	1	1	6
Property Damage Crashes	4	7	6
Crash Fatalities	0	0	0
Crash Injuries	2	2	8

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	151	230	257
Liquor Law Arrests	109	159	156
Drug Arrests	166	248	230
Violent Offenses	87	73	65
Property Offenses	1,281	1,388	1,328
Domestic Violence Reports	183	257	256
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	25	44	48

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,457	1,494	1,470
Drop-outs	22	18	17
Drop-out Rate	1.5%	1.2%	1.2%
School Discipline Involving Alcohol	1	0	0
School Discipline Involving Drugs	4	3	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	16	19	24
Juvenile Alcohol Offenses	11	6	8
Juvenile Drug Offenses	11	9	15
School Truancy Status Offense	21	33	18
Absent from Home Status Offense	0	3	3
Beyond Parental Control Status Offense	2	5	5
Injurious Behavior Status Offense	50	70	50
Child Abuse	15	3	1
Child Neglect	72	70	36
Child Custody Issues	0	0	1

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	74	60	15
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	34	32	10
Parental Alcohol and Drug Use	5	4	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	28	29	27
Probation/Parole Admissions--Drug	128	121	98
Probation/Parole Admissions--DWI	21	30	35
Prison Admissions--Drug	92	92	81
Prison Admissions--DWI	10	8	15

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MARION COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	54	73	88
CSTAR Adolescent	34	27	19
CSTAR Women and Children	93	93	76
CSTAR General Adult	232	25	29
CSTAR Opioid	*	0	0
Primary Recovery Treatment	31	216	249
Clinical SATOP (CIP, YCIP, SROP)	17	20	16
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	168	174	167
- Adolescent Diversion Education Prograr	16	20	13
- Offender Education Program	47	50	61
- Weekend Intervention Program	28	31	35
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	23	32	31
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	13	19

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	381	387	391
AGE			
Under 18	34	29	23
18 to 24	89	109	100
25 to 29	69	81	66
30 to 34	56	50	48
35 to 39	42	31	40
40 to 44	28	26	37
45 to 54	54	42	59
55 and Over	9	19	18
GENDER			
Male	264	255	286
Female	117	132	105
RACE / ETHNICITY			
Caucasian	316	315	328
African American	46	45	45
Native American / Alaskan	*	*	0
Asian / Pacific Islander	0	*	*
Hispanic	*	*	*
Other Race / Two or More Races	15	23	15
EDUCATION			
Less than High School Diploma	122	135	126
High School Graduate or G.E.D.	216	205	226
Associate Degree or Some College	42	47	36
Bachelor or Advanced Degree	*	0	*
EMPLOYMENT			
Employed	139	141	135
Unemployed	161	157	171
Not in Labor Force	81	89	85
HOUSING / LIVING ARRANGEMENT			
Independent Living	274	286	292
Dependent Living	93	87	83
Homeless	9	13	12
MARITAL / FAMILY STATUS			
Never Married	251	242	225
Married / Cohabitating	66	79	68
Previously Married	64	66	98

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	123	153	160
Marijuana / Hashish	132	135	120
Cocaine (total)	11	10	27
- Crack	8	*	12
Stimulant (total)	65	49	47
- Methamphetamine	62	49	45
Heroin	27	27	27
Analgesic except Heroin	9	6	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	0	0
Tranquilizer	*	*	*
Inhalant	*	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	9	5	5
Average Age at First Use of Drug	17.5	16.9	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	52	43	47
- Daily Injection Use	9	8	7
- Weekly Injection Use	6	10	12
- Less than Weekly Injection Use	37	25	28
LIFETIME DUI / DWI ARRESTS			
0	239	237	221
1 or 2	99	99	103
3 or More	43	51	67
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	34	53	54
School	0	*	*
Mental Health Provider	*	0	*
Health Care Provider	8	7	6
Court / Criminal Justice	174	202	287
Other Referral Source	70	68	34
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	5	*	*
Military Veteran	16	11	15
Special Education Services Needed	29	33	40
Co-Occurring Psychological Problem	99	87	93
Co-Occurring Developmental Problem	7	10	6

MARION COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	14
CENSUS 2010	28,781
2014 POPULATION ESTIMATE	28,920

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	24	17	18
Anxiety Disorder	243	181	162
Dementia	0	0	*
Developmental Disorder	28	24	20
Impulse Control Disorder	272	207	191
Mood Disorder	552	502	494
Personality Disorder	54	31	27
Psychotic Disorder	199	196	195
Sexual Disorder	0	0	0
Other Diagnosis	96	81	81
Diagnosis Unknown	74	64	90

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	881	841	876
AGE			
Under 6	5	*	10
6 to 9	48	47	53
10 to 13	64	63	73
14 to 17	64	61	59
18 to 24	107	84	93
25 to 29	75	75	84
30 to 34	90	90	85
35 to 39	85	79	77
40 to 44	80	76	75
45 to 49	72	80	91
50 to 54	80	74	72
55 to 59	45	49	51
60 and Over	66	59	53
Age Unknown	0	0	0
GENDER			
Male	458	442	450
Female	423	399	426
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	726	717	745
African American	108	81	96
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	16	15	8
Other Race	30	26	24
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	13	12	11
Past or Current Military Service	26	27	29

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	363	348	209
High School Grad or G.E.D.	0	9	231
Associate Degree or Some College	0	0	51
Bachelor or Advanced Degree	0	0	10
Education Level Unknown	518	484	375
EMPLOYMENT			
Employed	74	78	78
Unemployed	58	62	367
Not in Labor Force	610	593	98
Employment Status Unknown	139	108	333
HOUSING / LIVING ARRANGEMENT			
Independent Living	343	422	368
Dependent Living	335	260	210
Homeless	6	12	7
Other	0	0	5
Housing Unknown	197	147	286
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	227	248	241
School	*	*	*
Mental Health Provider	55	63	69
Health Care Provider	85	72	59
Court / Criminal Justice	19	26	43
Other	478	416	445
Referral Source Unknown	14	14	16
TYPE OF COMMITMENT			
Voluntary	858	816	848
Civil	0	0	*
Criminal	8	11	11
Sexual Predatory	*	0	0
Commitment Type Unknown	14	14	16

MARION COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	38.0	34.0	53.9
Cigarettes	14.5	17.8	30.7
Chewing Tobacco	10.7	8.4	15.7
Marijuana	4.6	7.3	11.9
Inhalants	2.3	3.6	6.7
Prescription medications not prescribed for student	5.3	6.0	11.6
Over-the-counter medications for non-medical use	1.7	6.0	9.8
Methamphetamine	0.9	0.7	1.3
Cocaine	0.9	1.4	0.7
Heroin	0.0	0.0	0.5
Hallucinogens	1.8	2.7	1.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	1.4	1.8
Steroids not prescribed for student	1.7	0.4	1.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.2	3.3	
Average age of students' first use of:			
Alcohol	11.78	11.97	12.11
Cigarettes	11.80	12.07	11.77
Marijuana	12.40	12.81	12.75
Inhalants	14.48	11.61	11.77
Percent of students who, in past 30 days, used:			
Alcohol	9.0	17.1	24.6
Alcohol (Binge: 5+ drinks on one occassion)		8.2	12.0
Cigarettes	9.3	11.4	18.3
Chewing Tobacco	7.5	4.4	9.6
Marijuana	0.9	3.8	4.7
Inhalants	1.4	1.3	3.4
Prescription medications not prescribed for student	2.9	2.4	6.4
Over-the-counter medications for non-medical use	0.9	4.9	5.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	2.3		
Percent whose friends used in past 12 months:			
Alcohol	52.0	45.9	69.1
Cigarettes	37.1	37.5	54.9
Marijuana	18.0	21.1	35.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	10.0	18.2
Percent who would likely use, if offered by a best friend:			
Alcohol	18.6	26.0	43.0
Cigarettes	8.4	12.4	18.8
Marijuana	5.5	6.5	10.7
Percent who say it would be wrong to use:			
Alcohol	63.8	66.4	49.0
Cigarettes	87.6	82.3	73.4
Marijuana	92.2	88.2	83.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.2	96.2	94.0
Percent whose parents would disapprove if they use:			
Alcohol	85.4	84.2	71.3
Cigarettes	94.8	91.5	90.2
Marijuana	96.7	96.6	94.6
Percent who say it would be easy to obtain:			
Alcohol	56.6	52.3	65.4
Cigarettes	47.2	44.0	60.5
Marijuana	18.8	18.7	31.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	8.0	17.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	58.0		
Alcohol (Binge: 5+ drinks once or twice a week)	72.5		
Alcohol (any use)		64.4	82.0
Cigarettes (1+ packs per day)	83.8		
Cigarettes (any use)		79.5	81.8
Marijuana (once or twice a week)	77.0		
Marijuana (any use)		83.6	67.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.3	93.0	94.8
Percent of students who, in past 30 days:			
Were very sad	24.8	22.9	14.7
Were grouchy, irritable, or in a bad mood	33.5	24.9	24.0
Felt hopeless about the future	12.5	13.6	11.7
Felt like not eating or eating more than usual	14.4	13.4	15.4
Slept a lot more or a lot less than usual	21.4	22.8	22.7
Had difficulty concentrating on school work	22.9	25.3	25.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.2	15.1	15.3
Made plan about how they would attempt suicide	6.4	13.8	11.3
Attempted suicide	7.0	7.6	6.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	1.4	1.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.5	8.9	7.5
Were in a physical fight	13.5	18.8	25.4
Were in a fight and had to be treated by a doctor or nurse	4.1	2.4	3.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	43.7	49.9	63.0
Were made fun of by others	62.1	63.2	75.0
Were victims of an embarrassing or hurtful text message or something posted on the internet	29.4	21.7	23.8
Spread mean rumors or lies about other kids at school	37.6	30.9	40.5
Made fun of other people	75.4	66.4	81.1
Posted something on the internet or sent a text that might embarrass or hurt another student	24.9	13.0	23.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	68.4	63.8	68.4
School provides feedback to parents on positive student performance	29.6	35.8	37.1
Rules are enforced fairly	62.6	56.3	60.9
Students of all races/ethnicities are treated equal	77.1	78.8	77.3
Percent of students who agree that:			
Parents notice and comment on student's good work	80.1	78.4	79.1
Parents involve student in making family decisions	68.0	61.9	63.2
It is important to be honest with parents regardless of consequences	90.1	86.4	82.5
Student could ask parent for help with a personal problem	80.2	76.7	72.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MERCER COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	3,785
2014 Estimate	3,719

BIRTH RISK	2013	2012	2011
Resident Births--Total	34	45	39
Mother Reported Smoking while Pregnant	9	13	9

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	3	1	1
Tuberculosis Infection Cases	0	0	2

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	28	48	47
Suicides	0	0	0
Self-inflicted Injuries	9	5	2
Homicides	0	0	3
Assault Injuries	2	3	3
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	9	9	7

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	17	23	16
Mental Illness Secondary Diagnosis	50	76	68
Alcohol Principal Diagnosis	0	1	4
Alcohol Secondary Diagnosis	6	3	4
Drug Principal Diagnosis	4	0	2
Drug Secondary Diagnosis	2	5	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	7	5	5
Mental Illness Secondary Diagnosis	21	35	29
Alcohol Principal Diagnosis	0	0	1
Alcohol Secondary Diagnosis	0	4	3
Drug Principal Diagnosis	0	1	2
Drug Secondary Diagnosis	2	1	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	17	19	27
Mental Illness Secondary Diagnosis	27	42	52
Alcohol Principal Diagnosis	1	3	2
Alcohol Secondary Diagnosis	0	5	4
Drug Principal Diagnosis	1	2	1
Drug Secondary Diagnosis	3	3	3

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	4	4	4
Alcohol Package Carry-out Licenses	7	6	7

EMPLOYMENT	2014	2013	2012
Labor Force	1,857	1,901	1,932
Employed	1,763	1,807	1,839
Unemployed	94	94	93
Unemployment Rate	5.1%	4.9%	4.8%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	1	2	6
Fatal Crashes	0	0	1
Injury Crashes	1	1	3
Property Damage Crashes	0	1	2
Crash Fatalities	0	0	2
Crash Injuries	1	1	5
Drug Involved Crashes--Total	0	0	2
Fatal Crashes	0	0	1
Injury Crashes	0	0	0
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	1
Crash Injuries	0	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	13	14	13
Liquor Law Arrests	4	1	3
Drug Arrests	15	10	4
Violent Offenses	6	1	10
Property Offenses	32	19	14
Domestic Violence Reports	0	6	5
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	194	182	182
Drop-outs	0	0	0
Drop-out Rate	0.0%	0.0%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	5	5	2
Juvenile Alcohol Offenses	0	1	0
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	1	0	0
Absent from Home Status Offense	0	1	0
Beyond Parental Control Status Offense	1	1	2
Injurious Behavior Status Offense	4	1	2
Child Abuse	8	6	1
Child Neglect	12	7	9
Child Custody Issues	0	0	4

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	1	5	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	5	4	5
Probation/Parole Admissions--Drug	5	1	0
Probation/Parole Admissions--DWI	2	4	2
Prison Admissions--Drug	0	0	0
Prison Admissions--DWI	1	3	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MERCER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	0	0	*
CSTAR Adolescent	*	0	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	8	12	15
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	0
Clinical SATOP (CIP, YCIP, SROP)	*	5	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	8	13	10
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	14	16	19
AGE			
Under 18	*	0	0
18 to 24	0	*	*
25 to 29	*	0	*
30 to 34	*	*	*
35 to 39	*	*	*
40 to 44	5	*	*
45 to 54	*	6	*
55 and Over	0	*	*
GENDER			
Male	9	11	15
Female	5	5	*
RACE / ETHNICITY			
Caucasian	14	16	19
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	6	5	*
High School Graduate or G.E.D.	8	8	13
Associate Degree or Some College	0	*	*
Bachelor or Advanced Degree	0	0	*
EMPLOYMENT			
Employed	*	8	8
Unemployed	8	8	8
Not in Labor Force	*	0	*
HOUSING / LIVING ARRANGEMENT			
Independent Living	13	16	18
Dependent Living	*	0	*
Homeless	0	0	0
MARITAL / FAMILY STATUS			
Never Married	6	7	7
Married / Cohabitating	6	*	8
Previously Married	*	6	*

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	7	13	15
Marijuana / Hashish	*	*	*
Cocaine (total)	0	0	*
- Crack	0	0	0
Stimulant (total)	*	*	*
- Methamphetamine	*	*	*
Heroin	0	0	0
Analgesic except Heroin	*	0	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	*	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	18.4	18.4	15.5
INJECTION DRUG USE			
Any Injection Use at Admission	*	0	*
- Daily Injection Use	0	0	0
- Weekly Injection Use	*	0	0
- Less than Weekly Injection Use	*	0	*
LIFETIME DUI / DWI ARRESTS			
0	7	6	10
1 or 2	*	6	9
3 or More	*	*	0
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	*	*	*
School	0	0	0
Mental Health Provider	*	0	0
Health Care Provider	0	0	*
Court / Criminal Justice	6	5	12
Other Referral Source	*	7	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	0
Military Veteran	0	0	*
Special Education Services Needed	*	0	*
Co-Occurring Psychological Problem	7	6	7
Co-Occurring Developmental Problem	0	0	*

MERCER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	13
CENSUS 2010	3,785
2014 POPULATION ESTIMATE	3,719

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	16	20	22
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	11	7	5
Mood Disorder	25	30	32
Personality Disorder	5	6	5
Psychotic Disorder	*	*	6
Sexual Disorder	0	0	0
Other Diagnosis	10	5	6
Diagnosis Unknown	*	0	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	37	38	44
AGE			
Under 6	0	0	0
6 to 9	*	*	*
10 to 13	7	5	*
14 to 17	5	7	5
18 to 24	*	0	*
25 to 29	*	*	0
30 to 34	*	*	*
35 to 39	*	0	*
40 to 44	*	*	*
45 to 49	*	*	5
50 to 54	*	6	5
55 to 59	*	6	7
60 and Over	*	*	6
Age Unknown	0	0	0
GENDER			
Male	15	12	15
Female	22	26	29
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	34	37	44
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	0
Other Race	*	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	0	*	0
Past or Current Military Service	0	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	19	15	7
High School Grad or G.E.D.	0	*	9
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	18	21	23
EMPLOYMENT			
Employed	*	*	0
Unemployed	*	*	17
Not in Labor Force	31	27	5
Employment Status Unknown	*	6	22
HOUSING / LIVING ARRANGEMENT			
Independent Living	13	16	14
Dependent Living	18	17	11
Homeless	0	0	0
Other	0	0	0
Housing Unknown	6	5	19
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	18	15	18
School	0	0	0
Mental Health Provider	5	6	6
Health Care Provider	6	11	14
Court / Criminal Justice	0	0	*
Other	8	6	5
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	37	38	44
Civil	0	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

MERCER COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	32.5	43.3	
Cigarettes	14.6	31.3	
Chewing Tobacco	20.0	20.6	
Marijuana	0.0	7.4	
Inhalants	2.5	6.0	
Prescription medications not prescribed for student	4.9	7.4	
Over-the-counter medications for non-medical use	2.5	5.9	
Methamphetamine	0.0	1.5	
Cocaine	0.0	1.5	
Heroin	0.0	1.5	
Hallucinogens	0.0	1.5	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0	
Steroids not prescribed for student	0.0	0.0	
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	0.0	
Average age of students' first use of:			
Alcohol	12.84	12.71	
Cigarettes	12.57	13.69	
Marijuana		14.06	
Inhalants			
Percent of students who, in past 30 days, used:			
Alcohol	15.0	19.1	
Alcohol (Binge: 5+ drinks on one occassion)		9.0	
Cigarettes	9.8	13.4	
Chewing Tobacco	10.0	14.7	
Marijuana	0.0	1.5	
Inhalants	0.0	3.0	
Prescription medications not prescribed for student	2.5	1.5	
Over-the-counter medications for non-medical use	0.0	2.9	
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.0		
Percent whose friends used in past 12 months:			
Alcohol	58.5	45.6	
Cigarettes	41.5	35.8	
Marijuana	15.0	14.9	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	4.5	
Percent who would likely use, if offered by a best friend:			
Alcohol	22.0	28.4	
Cigarettes	10.0	19.1	
Marijuana	5.1	6.1	
Percent who say it would be wrong to use:			
Alcohol	68.3	56.7	
Cigarettes	90.0	75.8	
Marijuana	92.3	89.6	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	94.1	
Percent whose parents would disapprove if they use:			
Alcohol	82.5	81.5	
Cigarettes	95.0	90.9	
Marijuana	97.4	98.5	
Percent who say it would be easy to obtain:			
Alcohol	47.5	52.2	
Cigarettes	41.5	52.2	
Marijuana	12.5	11.9	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	9.0	

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	47.5		
Alcohol (Binge: 5+ drinks once or twice a week)	65.0		
Alcohol (any use)		61.2	
Cigarettes (1+ packs per day)	82.5		
Cigarettes (any use)		72.1	
Marijuana (once or twice a week)	82.1		
Marijuana (any use)		77.6	
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	88.2	
Percent of students who, in past 30 days:			
Were very sad	12.5	23.9	
Were grouchy, irritable, or in a bad mood	20.0	28.4	
Felt hopeless about the future	12.5	9.0	
Felt like not eating or eating more than usual	12.2	13.2	
Slept a lot more or a lot less than usual	14.6	16.4	
Had difficulty concentrating on school work	14.6	19.4	
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.8	10.4	
Made plan about how they would attempt suicide	9.8	4.5	
Attempted suicide	2.5	4.4	
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	0.0	
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	15.0	7.6	
Were in a physical fight	26.8	19.1	
Were in a fight and had to be treated by a doctor or nurse	2.4	3.0	
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.8	53.7	
Were made fun of by others	65.9	63.2	
Were victims of an embarrassing or hurtful text message or something posted on the internet	31.7	25.0	
Spread mean rumors or lies about other kids at school	31.7	28.4	
Made fun of other people	53.7	64.2	
Posted something on the internet or sent a text that might embarrass or hurt another student	17.1	20.6	
Percent of students who agree that:			
Teachers notice and comment on student's good work	70.7	83.8	
School provides feedback to parents on positive student performance	46.3	58.2	
Rules are enforced fairly	55.0	74.6	
Students of all races/ethnicities are treated equal	80.5	91.2	
Percent of students who agree that:			
Parents notice and comment on student's good work	85.0	87.9	
Parents involve student in making family decisions	68.3	70.1	
It is important to be honest with parents regardless of consequences	87.8	86.6	
Student could ask parent for help with a personal problem	82.9	77.6	

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MILLER COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	24,748
2014 Estimate	25,141

BIRTH RISK	2013	2012	2011
Resident Births--Total	303	302	273
Mother Reported Smoking while Pregnant	70	93	83

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	3	2
Hepatitis C Chronic and Acute	17	13	12
Tuberculosis Infection Cases	4	0	5

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	294	273	269
Suicides	2	4	0
Self-inflicted Injuries	26	23	25
Homicides	1	0	0
Assault Injuries	65	65	58
Alcohol Induced Deaths	2	0	0
Drug Induced Deaths	1	0	2
Smoking Attributable Deaths	62	49	53

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	117	92	106
Mental Illness Secondary Diagnosis	252	247	194
Alcohol Principal Diagnosis	6	2	1
Alcohol Secondary Diagnosis	19	14	16
Drug Principal Diagnosis	4	3	1
Drug Secondary Diagnosis	15	18	16
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	112	112	98
Mental Illness Secondary Diagnosis	385	411	454
Alcohol Principal Diagnosis	20	46	25
Alcohol Secondary Diagnosis	53	52	75
Drug Principal Diagnosis	15	12	12
Drug Secondary Diagnosis	24	26	32
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	169	175	186
Mental Illness Secondary Diagnosis	650	536	442
Alcohol Principal Diagnosis	32	27	25
Alcohol Secondary Diagnosis	33	37	33
Drug Principal Diagnosis	36	40	35
Drug Secondary Diagnosis	30	37	26

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	57	59	55
Alcohol Package Carry-out Licenses	35	38	38

EMPLOYMENT	2014	2013	2012
Labor Force	11,611	12,231	11,522
Employed	10,718	11,269	10,506
Unemployed	893	962	1,016
Unemployment Rate	7.7%	7.9%	8.8%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	44	48	45
Fatal Crashes	8	2	4
Injury Crashes	18	24	21
Property Damage Crashes	18	22	20
Crash Fatalities	10	2	4
Crash Injuries	26	31	28
Drug Involved Crashes--Total	9	8	4
Fatal Crashes	0	0	0
Injury Crashes	5	4	1
Property Damage Crashes	4	4	3
Crash Fatalities	0	0	0
Crash Injuries	7	5	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	194	246	221
Liquor Law Arrests	30	38	60
Drug Arrests	134	147	182
Violent Offenses	47	39	95
Property Offenses	570	618	513
Domestic Violence Reports	278	547	501
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	2	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,480	1,452	1,456
Drop-outs	12	15	34
Drop-out Rate	0.8%	1.0%	2.3%
School Discipline Involving Alcohol	11	0	2
School Discipline Involving Drugs	16	10	12
School Discipline Involving Tobacco	0	2	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	10	15	43
Juvenile Alcohol Offenses	4	6	14
Juvenile Drug Offenses	7	9	16
School Truancy Status Offense	42	31	44
Absent from Home Status Offense	7	18	27
Beyond Parental Control Status Offense	2	6	17
Injurious Behavior Status Offense	11	24	24
Child Abuse	3	5	18
Child Neglect	41	30	64
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	43	19	45
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	16	2	13
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	92	96	75
Probation/Parole Admissions--DWI	12	21	21
Prison Admissions--Drug	52	45	29
Prison Admissions--DWI	5	8	11

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MILLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	6	9	16
CSTAR Adolescent	11	10	8
CSTAR Women and Children	11	10	13
CSTAR General Adult	82	91	70
CSTAR Opioid	0	0	0
Primary Recovery Treatment	8	12	17
Clinical SATOP (CIP, YCIP, SROP)	27	20	25
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	144	136	126
- Adolescent Diversion Education Prograr	0	0	*
- Offender Education Program	61	54	56
- Weekend Intervention Program	26	33	26
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	7
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	137	136	128
AGE			
Under 18	12	10	7
18 to 24	29	28	20
25 to 29	29	20	30
30 to 34	19	21	22
35 to 39	11	7	14
40 to 44	9	11	15
45 to 54	22	28	14
55 and Over	6	11	6
GENDER			
Male	96	81	78
Female	41	55	50
RACE / ETHNICITY			
Caucasian	133	131	124
African American	0	*	*
Native American / Alaskan	*	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	0
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	54	52	53
High School Graduate or G.E.D.	54	58	40
Associate Degree or Some College	29	23	35
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	36	33	38
Unemployed	55	47	52
Not in Labor Force	46	56	38
HOUSING / LIVING ARRANGEMENT			
Independent Living	107	113	106
Dependent Living	22	17	14
Homeless	5	*	*
MARITAL / FAMILY STATUS			
Never Married	67	69	65
Married / Cohabitating	39	35	36
Previously Married	31	32	27

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	51	55	57
Marijuana / Hashish	25	25	20
Cocaine (total)	0	0	*
- Crack	0	0	*
Stimulant (total)	42	27	25
- Methamphetamine	41	22	25
Heroin	*	*	*
Analgesic except Heroin	13	17	16
- Non-Prescription Methadone	0	*	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	*	*
Inhalant	0	0	0
Sedative	0	0	*
Other Medication or Illicit Drug	*	10	*
Average Age at First Use of Drug	17.2	17.8	17.9
INJECTION DRUG USE			
Any Injection Use at Admission	29	16	19
- Daily Injection Use	7	*	*
- Weekly Injection Use	9	*	5
- Less than Weekly Injection Use	13	11	11
LIFETIME DUI / DWI ARRESTS			
0	75	68	55
1 or 2	49	46	46
3 or More	13	22	27
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	47	57	41
School	*	0	*
Mental Health Provider	*	*	*
Health Care Provider	6	6	*
Court / Criminal Justice	54	56	69
Other Referral Source	26	14	11
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	*
Military Veteran	7	7	7
Special Education Services Needed	*	7	11
Co-Occurring Psychological Problem	60	41	45
Co-Occurring Developmental Problem	*	*	*

MILLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	11
CENSUS 2010	24,748
2014 POPULATION ESTIMATE	25,141

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	20	24	17
Anxiety Disorder	160	161	143
Dementia	0	0	0
Developmental Disorder	*	0	*
Impulse Control Disorder	34	43	37
Mood Disorder	246	233	210
Personality Disorder	14	15	21
Psychotic Disorder	51	41	46
Sexual Disorder	*	0	0
Other Diagnosis	26	27	22
Diagnosis Unknown	25	15	17

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	369	332	298
AGE			
Under 6	7	7	*
6 to 9	20	16	17
10 to 13	35	31	31
14 to 17	33	37	28
18 to 24	31	35	31
25 to 29	28	24	18
30 to 34	44	31	36
35 to 39	37	35	31
40 to 44	31	26	21
45 to 49	32	35	33
50 to 54	35	23	20
55 to 59	21	17	15
60 and Over	15	15	13
Age Unknown	0	0	0
GENDER			
Male	193	155	133
Female	176	177	165
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	360	321	291
African American	*	*	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	5	8	5
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	149	157	87
High School Grad or G.E.D.	0	0	70
Associate Degree or Some College	0	0	23
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	220	175	115
EMPLOYMENT			
Employed	14	18	19
Unemployed	39	44	134
Not in Labor Force	243	229	49
Employment Status Unknown	73	41	96
HOUSING / LIVING ARRANGEMENT			
Independent Living	207	184	167
Dependent Living	94	109	39
Homeless	*	*	*
Other	0	0	*
Housing Unknown	66	38	85
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	244	216	192
School	0	*	*
Mental Health Provider	5	*	8
Health Care Provider	28	35	28
Court / Criminal Justice	34	24	23
Other	58	52	46
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	365	330	297
Civil	*	*	0
Criminal	*	0	*
Sexual Predatory	0	*	0
Commitment Type Unknown	0	0	0

MILLER COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	34.7	34.6	44.6
Cigarettes	21.7	21.4	29.5
Chewing Tobacco	16.6	13.3	19.6
Marijuana	8.6	9.6	12.2
Inhalants	3.3	4.9	5.0
Prescription medications not prescribed for student	6.5	7.6	10.0
Over-the-counter medications for non-medical use	2.5	4.4	6.9
Methamphetamine	0.7	1.0	0.4
Cocaine	0.7	1.5	1.5
Heroin	0.4	1.0	0.6
Hallucinogens	1.1	2.7	2.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.7	2.1
Steroids not prescribed for student	1.1	1.2	1.7
Synthetic drugs (K2, bath salts, Spice, etc)	3.6	5.4	
Average age of students' first use of:			
Alcohol	12.67	12.54	12.17
Cigarettes	12.29	12.17	12.22
Marijuana	13.59	12.97	13.19
Inhalants	12.36	12.55	12.51
Percent of students who, in past 30 days, used:			
Alcohol	14.1	12.1	19.7
Alcohol (Binge: 5+ drinks on one occassion)		7.4	12.8
Cigarettes	9.4	8.9	14.5
Chewing Tobacco	6.9	6.4	11.7
Marijuana	3.2	3.7	4.1
Inhalants	1.1	2.0	2.4
Prescription medications not prescribed for student	3.2	4.2	5.4
Over-the-counter medications for non-medical use	1.8	2.9	3.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.3		
Percent whose friends used in past 12 months:			
Alcohol	44.1	51.4	59.0
Cigarettes	33.9	42.4	47.3
Marijuana	19.6	27.2	28.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.2	13.6	15.3
Percent who would likely use, if offered by a best friend:			
Alcohol	23.8	24.1	32.2
Cigarettes	10.8	11.1	15.1
Marijuana	6.8	7.4	7.2
Percent who say it would be wrong to use:			
Alcohol	69.4	68.5	63.0
Cigarettes	85.1	84.7	80.3
Marijuana	90.5	89.1	86.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	95.8	96.3
Percent whose parents would disapprove if they use:			
Alcohol	81.2	81.3	80.2
Cigarettes	91.7	93.3	91.6
Marijuana	95.3	94.8	94.5
Percent who say it would be easy to obtain:			
Alcohol	55.2	53.2	58.6
Cigarettes	53.2	50.1	57.5
Marijuana	24.9	29.7	30.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	15.4	16.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	56.7		
Alcohol (Binge: 5+ drinks once or twice a week)	68.2		
Alcohol (any use)		74.3	78.8
Cigarettes (1+ packs per day)	84.1		
Cigarettes (any use)		82.5	83.2
Marijuana (once or twice a week)	74.0		
Marijuana (any use)		77.4	74.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	92.3	94.1
Percent of students who, in past 30 days:			
Were very sad	20.1	19.2	24.0
Were grouchy, irritable, or in a bad mood	28.0	23.2	32.7
Felt hopeless about the future	12.6	9.4	14.2
Felt like not eating or eating more than usual	20.1	15.6	23.3
Slept a lot more or a lot less than usual	16.8	19.5	28.2
Had difficulty concentrating on school work	23.7	23.9	28.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.1	10.1	10.4
Made plan about how they would attempt suicide	7.6	8.1	7.3
Attempted suicide	4.7	5.7	3.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	3.0	2.3	1.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.1	5.9	9.2
Were in a physical fight	18.9	20.7	23.8
Were in a fight and had to be treated by a doctor or nurse	3.6	4.0	4.3
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	47.0	49.6	53.7
Were made fun of by others	56.8	59.9	67.3
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.6	17.4	18.2
Spread mean rumors or lies about other kids at school	21.6	26.4	29.8
Made fun of other people	49.8	57.3	71.4
Posted something on the internet or sent a text that might embarrass or hurt another student	13.9	10.4	14.2
Percent of students who agree that:			
Teachers notice and comment on student's good work	77.1	68.7	66.6
School provides feedback to parents on positive student performance	48.0	42.7	45.8
Rules are enforced fairly	67.7	64.4	61.4
Students of all races/ethnicities are treated equal	87.8	80.2	81.7
Percent of students who agree that:			
Parents notice and comment on student's good work	83.1	83.3	83.1
Parents involve student in making family decisions	73.3	68.7	70.7
It is important to be honest with parents regardless of consequences	89.6	85.2	85.3
Student could ask parent for help with a personal problem	81.7	77.7	77.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MISSISSIPPI COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	20
POPULATION	
Census 2010	14,358
2014 Estimate	14,232

BIRTH RISK	2013	2012	2011
Resident Births--Total	159	180	194
Mother Reported Smoking while Pregnant	52	55	59

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	2	0	2
Hepatitis C Chronic and Acute	34	13	18
Tuberculosis Infection Cases	0	2	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	168	193	193
Suicides	2	1	1
Self-inflicted Injuries	12	19	30
Homicides	0	1	0
Assault Injuries	70	70	56
Alcohol Induced Deaths	0	0	3
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	33	41	43

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	123	128	109
Mental Illness Secondary Diagnosis	273	188	333
Alcohol Principal Diagnosis	1	4	11
Alcohol Secondary Diagnosis	23	28	38
Drug Principal Diagnosis	5	11	8
Drug Secondary Diagnosis	19	18	41
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	19	24	17
Mental Illness Secondary Diagnosis	193	244	129
Alcohol Principal Diagnosis	4	9	5
Alcohol Secondary Diagnosis	24	22	17
Drug Principal Diagnosis	1	5	3
Drug Secondary Diagnosis	23	20	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	92	112	99
Mental Illness Secondary Diagnosis	113	201	114
Alcohol Principal Diagnosis	19	17	18
Alcohol Secondary Diagnosis	11	26	24
Drug Principal Diagnosis	16	24	19
Drug Secondary Diagnosis	35	27	39

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	8	11	12
Alcohol Package Carry-out Licenses	15	15	14

EMPLOYMENT	2014	2013	2012
Labor Force	6,212	6,229	6,099
Employed	5,750	5,719	5,586
Unemployed	462	510	513
Unemployment Rate	7.4%	8.2%	8.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	13	7	7
Fatal Crashes	1	0	0
Injury Crashes	5	4	3
Property Damage Crashes	7	3	4
Crash Fatalities	1	0	0
Crash Injuries	7	5	3
Drug Involved Crashes--Total	2	2	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	2	2	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	66	76	80
Liquor Law Arrests	7	17	17
Drug Arrests	97	70	93
Violent Offenses	45	99	64
Property Offenses	329	402	390
Domestic Violence Reports	175	258	235
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	6	9

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	576	578	542
Drop-outs	4	3	10
Drop-out Rate	0.7%	0.5%	1.8%
School Discipline Involving Alcohol	0	1	1
School Discipline Involving Drugs	5	6	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	35	80	51
Juvenile Alcohol Offenses	5	6	3
Juvenile Drug Offenses	6	6	11
School Truancy Status Offense	16	26	19
Absent from Home Status Offense	0	1	2
Beyond Parental Control Status Offense	5	2	1
Injurious Behavior Status Offense	37	28	19
Child Abuse	0	1	0
Child Neglect	40	13	43
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	34	22	16
Parental Alcohol Use Related	3	1	0
Parental Drug Use Related	15	7	5
Parental Alcohol and Drug Use	0	0	2

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	16	18	27
Probation/Parole Admissions--Drug	49	63	62
Probation/Parole Admissions--DWI	8	6	4
Prison Admissions--Drug	26	34	39
Prison Admissions--DWI	3	2	4

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MISSISSIPPI COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	28	33	34
CSTAR Adolescent	7	7	11
CSTAR Women and Children	16	13	30
CSTAR General Adult	116	65	12
CSTAR Opioid	0	*	0
Primary Recovery Treatment	0	73	100
Clinical SATOP (CIP, YCIP, SROP)	14	11	13
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	51	53	42
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	17	25	18
- Weekend Intervention Program	13	10	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	39	32	35
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	168	176	173
AGE			
Under 18	7	8	10
18 to 24	24	38	32
25 to 29	28	30	32
30 to 34	30	28	19
35 to 39	18	19	23
40 to 44	28	12	14
45 to 54	22	32	32
55 and Over	11	9	11
GENDER			
Male	114	128	122
Female	54	48	51
RACE / ETHNICITY			
Caucasian	115	128	127
African American	49	46	44
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	0
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	64	80	79
High School Graduate or G.E.D.	84	82	71
Associate Degree or Some College	20	14	23
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	46	53	55
Unemployed	72	69	61
Not in Labor Force	50	54	57
HOUSING / LIVING ARRANGEMENT			
Independent Living	144	153	139
Dependent Living	12	16	28
Homeless	*	0	*
MARITAL / FAMILY STATUS			
Never Married	81	91	81
Married / Cohabitating	42	53	45
Previously Married	45	32	47

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	45	51	59
Marijuana / Hashish	54	58	57
Cocaine (total)	8	9	13
- Crack	5	5	8
Stimulant (total)	36	33	26
- Methamphetamine	34	33	26
Heroin	9	5	5
Analgesic except Heroin	15	15	9
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	0
Tranquilizer	*	*	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	18.9	18.0	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	19	18	12
- Daily Injection Use	7	*	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	9	10	5
LIFETIME DUI / DWI ARRESTS			
0	99	113	122
1 or 2	39	47	36
3 or More	30	16	15
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	24	27	36
School	0	0	0
Mental Health Provider	0	*	0
Health Care Provider	6	9	*
Court / Criminal Justice	114	117	116
Other Referral Source	20	19	19
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	5	6	5
Special Education Services Needed	7	7	10
Co-Occurring Psychological Problem	27	25	25
Co-Occurring Developmental Problem	5	*	*

MISSISSIPPI COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	20
CENSUS 2010	14,358
2014 POPULATION ESTIMATE	14,232

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	11	13	12
Anxiety Disorder	102	101	94
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	56	68	53
Mood Disorder	243	247	208
Personality Disorder	27	31	33
Psychotic Disorder	54	51	48
Sexual Disorder	0	0	0
Other Diagnosis	35	35	36
Diagnosis Unknown	22	30	28

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	391	398	325
AGE			
Under 6	*	*	*
6 to 9	16	26	15
10 to 13	46	31	36
14 to 17	52	59	44
18 to 24	28	37	22
25 to 29	37	37	23
30 to 34	37	33	23
35 to 39	24	24	23
40 to 44	36	34	25
45 to 49	38	35	35
50 to 54	32	28	28
55 to 59	25	28	24
60 and Over	19	23	25
Age Unknown	0	0	0
GENDER			
Male	163	174	141
Female	228	224	184
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	303	322	259
African American	76	64	52
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	7	9
Other Race	9	5	5
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	8	8	6
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	186	204	62
High School Grad or G.E.D.	0	0	31
Associate Degree or Some College	0	0	6
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	205	194	225
EMPLOYMENT			
Employed	24	18	8
Unemployed	34	34	69
Not in Labor Force	222	241	31
Employment Status Unknown	111	105	217
HOUSING / LIVING ARRANGEMENT			
Independent Living	201	198	93
Dependent Living	125	130	35
Homeless	*	*	*
Other	0	0	0
Housing Unknown	63	69	195
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	162	147	136
School	8	7	*
Mental Health Provider	33	37	35
Health Care Provider	54	47	37
Court / Criminal Justice	47	58	41
Other	87	102	72
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	390	397	325
Civil	0	0	0
Criminal	*	*	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

MISSISSIPPI COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	46.7	39.3	43.3
Cigarettes	32.9	41.8	33.4
Chewing Tobacco	20.4	19.3	23.2
Marijuana	23.3	27.0	17.9
Inhalants	3.3	9.6	9.9
Prescription medications not prescribed for student	7.2	17.9	12.1
Over-the-counter medications for non-medical use	2.6	5.1	4.9
Methamphetamine	2.0	0.0	1.4
Cocaine	0.7	4.1	4.2
Heroin	2.0	0.0	1.4
Hallucinogens	2.0	0.0	4.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	0.5	3.5
Steroids not prescribed for student	0.7	1.0	2.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	2.6	
Average age of students' first use of:			
Alcohol	13.20	12.02	12.57
Cigarettes	12.87	10.90	11.91
Marijuana	13.72	14.31	13.60
Inhalants	13.03	11.05	11.86
Percent of students who, in past 30 days, used:			
Alcohol	17.1	10.7	21.4
Alcohol (Binge: 5+ drinks on one occassion)		9.6	13.9
Cigarettes	15.1	25.0	18.3
Chewing Tobacco	11.8	10.7	13.7
Marijuana	10.7	18.4	7.9
Inhalants	2.6	5.1	3.1
Prescription medications not prescribed for student	3.9	11.7	7.3
Over-the-counter medications for non-medical use	2.0	5.1	4.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	10.6		
Percent whose friends used in past 12 months:			
Alcohol	58.6	48.0	56.1
Cigarettes	55.3	54.6	51.4
Marijuana	47.0	37.1	40.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	8.2	15.2
Percent who would likely use, if offered by a best friend:			
Alcohol	33.1	33.0	41.1
Cigarettes	18.3	24.9	19.7
Marijuana	21.3	24.1	13.0
Percent who say it would be wrong to use:			
Alcohol	61.3	56.6	55.1
Cigarettes	79.9	71.9	68.5
Marijuana	70.2	76.5	75.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	94.8	89.2
Percent whose parents would disapprove if they use:			
Alcohol	79.6	76.5	74.7
Cigarettes	89.3	84.1	84.9
Marijuana	90.7	88.7	86.6
Percent who say it would be easy to obtain:			
Alcohol	57.6	43.1	60.5
Cigarettes	58.3	49.7	66.1
Marijuana	50.3	35.2	52.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.5	13.8	29.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	62.5		
Alcohol (Binge: 5+ drinks once or twice a week)	72.4		
Alcohol (any use)		67.5	70.9
Cigarettes (1+ packs per day)	86.7		
Cigarettes (any use)		75.0	70.9
Marijuana (once or twice a week)	55.3		
Marijuana (any use)		69.0	71.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	89.4	86.2	83.4
Percent of students who, in past 30 days:			
Were very sad	18.4	18.4	31.6
Were grouchy, irritable, or in a bad mood	25.8	36.0	41.6
Felt hopeless about the future	15.2	8.7	21.2
Felt like not eating or eating more than usual	15.8	17.9	35.1
Slept a lot more or a lot less than usual	17.9	15.2	40.5
Had difficulty concentrating on school work	22.9	20.4	38.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	15.8	19.4	13.9
Made plan about how they would attempt suicide	11.8	21.5	9.5
Attempted suicide	7.9	12.2	9.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	4.1	3.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	14.5	8.9	11.8
Were in a physical fight	23.0	31.9	22.6
Were in a fight and had to be treated by a doctor or nurse	2.0	2.1	7.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	60.5	54.8	58.1
Were made fun of by others	64.9	68.0	62.2
Were victims of an embarrassing or hurtful text message or something posted on the internet	26.8	12.6	20.2
Spread mean rumors or lies about other kids at school	22.1	22.3	24.7
Made fun of other people	61.4	67.3	62.2
Posted something on the internet or sent a text that might embarrass or hurt another student	17.2	10.9	15.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	79.5	82.7	75.3
School provides feedback to parents on positive student performance	44.1	51.3	41.1
Rules are enforced fairly	44.7	54.8	55.5
Students of all races/ethnicities are treated equal	58.6	66.3	59.2
Percent of students who agree that:			
Parents notice and comment on student's good work	86.8	85.7	75.9
Parents involve student in making family decisions	72.8	74.0	64.9
It is important to be honest with parents regardless of consequences	89.9	83.2	77.3
Student could ask parent for help with a personal problem	77.0	80.8	72.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MONITEAU COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	12
POPULATION	
Census 2010	15,607
2014 Estimate	15,856

BIRTH RISK	2013	2012	2011
Resident Births--Total	220	216	200
Mother Reported Smoking while Pregnant	45	38	33

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	3
Hepatitis C Chronic and Acute	7	2	5
Tuberculosis Infection Cases	2	2	6

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	149	145	139
Suicides	2	2	2
Self-inflicted Injuries	17	14	13
Homicides	0	0	2
Assault Injuries	28	28	44
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	32	26	20

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	46	27	28
Mental Illness Secondary Diagnosis	150	143	124
Alcohol Principal Diagnosis	6	0	1
Alcohol Secondary Diagnosis	20	7	7
Drug Principal Diagnosis	2	2	1
Drug Secondary Diagnosis	4	5	7
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	49	49	51
Mental Illness Secondary Diagnosis	183	202	236
Alcohol Principal Diagnosis	21	15	10
Alcohol Secondary Diagnosis	20	15	13
Drug Principal Diagnosis	3	7	10
Drug Secondary Diagnosis	8	10	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	97	81	94
Mental Illness Secondary Diagnosis	305	213	213
Alcohol Principal Diagnosis	12	8	5
Alcohol Secondary Diagnosis	17	17	17
Drug Principal Diagnosis	21	10	9
Drug Secondary Diagnosis	22	13	13

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	9	9	9
Alcohol Package Carry-out Licenses	15	17	18

EMPLOYMENT	2014	2013	2012
Labor Force	7,369	7,347	7,391
Employed	6,930	6,899	6,907
Unemployed	439	448	484
Unemployment Rate	6.0%	6.1%	6.5%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	20	16	13
Fatal Crashes	1	1	0
Injury Crashes	7	5	4
Property Damage Crashes	12	10	9
Crash Fatalities	1	1	0
Crash Injuries	8	7	5
Drug Involved Crashes--Total	2	1	2
Fatal Crashes	0	0	0
Injury Crashes	1	0	1
Property Damage Crashes	1	1	1
Crash Fatalities	0	0	0
Crash Injuries	1	0	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	66	68	52
Liquor Law Arrests	4	5	1
Drug Arrests	39	25	51
Violent Offenses	24	24	14
Property Offenses	206	209	128
Domestic Violence Reports	47	43	29
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	1	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	720	678	706
Drop-outs	12	7	19
Drop-out Rate	1.7%	1.0%	2.7%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	1	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	3	4	3
Juvenile Alcohol Offenses	0	3	4
Juvenile Drug Offenses	3	5	0
School Truancy Status Offense	5	6	7
Absent from Home Status Offense	1	1	0
Beyond Parental Control Status Offense	5	3	1
Injurious Behavior Status Offense	3	8	7
Child Abuse	5	4	0
Child Neglect	7	19	16
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	5	2	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	3
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	36	26	20
Probation/Parole Admissions--DWI	7	8	4
Prison Admissions--Drug	17	12	19
Prison Admissions--DWI	2	6	5

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MONITEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	5	*	*
CSTAR Women and Children	7	9	8
CSTAR General Adult	54	80	53
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	*	14
Clinical SATOP (CIP, YCIP, SROP)	15	5	8
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	60	43	45
- Adolescent Diversion Education Prograr	*	5	*
- Offender Education Program	20	19	18
- Weekend Intervention Program	13	14	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	*	0
Recovery Supports	*	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	82	98	73
AGE			
Under 18	5	*	5
18 to 24	11	14	13
25 to 29	13	22	16
30 to 34	8	18	11
35 to 39	14	13	13
40 to 44	8	6	5
45 to 54	17	17	9
55 and Over	6	*	*
GENDER			
Male	60	64	44
Female	22	34	29
RACE / ETHNICITY			
Caucasian	73	90	66
African American	*	*	*
Native American / Alaskan	0	*	0
Asian / Pacific Islander	0	*	0
Hispanic	5	*	6
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	22	25	26
High School Graduate or G.E.D.	41	51	36
Associate Degree or Some College	19	22	10
Bachelor or Advanced Degree	0	0	*
EMPLOYMENT			
Employed	22	31	20
Unemployed	30	33	24
Not in Labor Force	30	34	29
HOUSING / LIVING ARRANGEMENT			
Independent Living	70	87	67
Dependent Living	8	5	6
Homeless	0	0	0
MARITAL / FAMILY STATUS			
Never Married	35	49	35
Married / Cohabitating	34	22	20
Previously Married	13	27	18

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	37	39	24
Marijuana / Hashish	13	24	20
Cocaine (total)	0	0	*
- Crack	0	0	0
Stimulant (total)	22	27	24
- Methamphetamine	21	18	22
Heroin	*	*	*
Analgesic except Heroin	*	6	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	5	*	0
Average Age at First Use of Drug	18.3	17.7	17.8
INJECTION DRUG USE			
Any Injection Use at Admission	6	15	12
- Daily Injection Use	0	*	*
- Weekly Injection Use	*	*	0
- Less than Weekly Injection Use	5	10	11
LIFETIME DUI / DWI ARRESTS			
0	41	54	45
1 or 2	23	28	19
3 or More	18	16	9
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	15	22	9
School	0	0	0
Mental Health Provider	*	*	0
Health Care Provider	*	0	*
Court / Criminal Justice	52	62	57
Other Referral Source	11	11	5
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	0
Military Veteran	6	7	*
Special Education Services Needed	*	*	8
Co-Occurring Psychological Problem	33	32	36
Co-Occurring Developmental Problem	*	*	*

MONITEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	12
CENSUS 2010	15,607
2014 POPULATION ESTIMATE	15,856

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	39	48	46
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	8	14	17
Mood Disorder	67	70	66
Personality Disorder	9	7	8
Psychotic Disorder	14	14	15
Sexual Disorder	0	0	0
Other Diagnosis	5	8	7
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	85	88	85
AGE			
Under 6	0	*	0
6 to 9	*	*	*
10 to 13	*	5	6
14 to 17	5	*	*
18 to 24	*	*	5
25 to 29	5	5	*
30 to 34	7	8	8
35 to 39	*	*	*
40 to 44	11	11	9
45 to 49	12	9	13
50 to 54	12	16	8
55 to 59	7	9	9
60 and Over	15	14	17
Age Unknown	0	0	0
GENDER			
Male	28	27	24
Female	57	61	61
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	82	86	81
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	*
Other Race	*	0	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	17	27	23
High School Grad or G.E.D.	0	0	29
Associate Degree or Some College	0	0	8
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	68	61	23
EMPLOYMENT			
Employed	*	*	7
Unemployed	*	*	46
Not in Labor Force	47	65	13
Employment Status Unknown	31	15	19
HOUSING / LIVING ARRANGEMENT			
Independent Living	45	59	59
Dependent Living	11	16	9
Homeless	0	*	0
Other	0	0	*
Housing Unknown	29	12	15
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	46	42	43
School	0	0	0
Mental Health Provider	5	5	8
Health Care Provider	16	24	15
Court / Criminal Justice	*	0	0
Other	17	17	19
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	84	88	85
Civil	0	0	0
Criminal	*	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

MONITEAU COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	43.9	47.7	51.7
Cigarettes	28.8	19.2	24.6
Chewing Tobacco	17.6	19.2	24.7
Marijuana	17.6	11.3	10.4
Inhalants	2.1	4.5	3.8
Prescription medications not prescribed for student	3.7	6.4	5.1
Over-the-counter medications for non-medical use	2.1	4.9	3.5
Methamphetamine	1.6	1.2	1.3
Cocaine	4.3	1.1	1.0
Heroin	0.0	0.4	0.9
Hallucinogens	2.7	0.4	1.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.5	0.3
Steroids not prescribed for student	1.1	1.5	1.9
Synthetic drugs (K2, bath salts, Spice, etc)	3.2	3.4	
Average age of students' first use of:			
Alcohol	13.15	12.19	12.06
Cigarettes	13.20	11.63	12.64
Marijuana	14.03	13.25	13.83
Inhalants	14.23	11.08	10.26
Percent of students who, in past 30 days, used:			
Alcohol	20.2	20.3	21.9
Alcohol (Binge: 5+ drinks on one occassion)		9.8	15.5
Cigarettes	15.2	8.6	11.1
Chewing Tobacco	11.7	5.6	15.1
Marijuana	13.3	4.9	6.6
Inhalants	0.5	2.6	1.6
Prescription medications not prescribed for student	2.7	2.3	2.6
Over-the-counter medications for non-medical use	1.6	3.0	1.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	9.1		
Percent whose friends used in past 12 months:			
Alcohol	45.5	63.2	69.6
Cigarettes	31.9	32.5	42.6
Marijuana	30.9	27.5	29.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.6	9.0	18.1
Percent who would likely use, if offered by a best friend:			
Alcohol	34.2	38.0	43.2
Cigarettes	21.3	9.0	13.2
Marijuana	14.4	13.2	10.1
Percent who say it would be wrong to use:			
Alcohol	62.2	56.0	53.6
Cigarettes	83.9	86.4	85.7
Marijuana	79.0	84.5	90.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.6	98.7
Percent whose parents would disapprove if they use:			
Alcohol	74.5	73.2	72.8
Cigarettes	89.9	95.1	93.2
Marijuana	91.8	97.7	97.5
Percent who say it would be easy to obtain:			
Alcohol	55.0	60.8	65.3
Cigarettes	51.9	44.0	51.4
Marijuana	29.3	31.2	28.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	14.8	15.6

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	55.1		
Alcohol (Binge: 5+ drinks once or twice a week)	69.1		
Alcohol (any use)		69.4	88.0
Cigarettes (1+ packs per day)	80.7		
Cigarettes (any use)		82.7	81.9
Marijuana (once or twice a week)	72.9		
Marijuana (any use)		75.2	69.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.6	92.8	95.2
Percent of students who, in past 30 days:			
Were very sad	14.4	15.4	16.5
Were grouchy, irritable, or in a bad mood	16.6	16.5	29.2
Felt hopeless about the future	8.5	7.5	12.1
Felt like not eating or eating more than usual	13.0	13.2	19.9
Slept a lot more or a lot less than usual	8.5	15.4	28.6
Had difficulty concentrating on school work	16.0	17.7	31.1
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.0	12.8	9.8
Made plan about how they would attempt suicide	7.0	8.6	5.7
Attempted suicide	4.3	6.7	3.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	3.3	1.2	0.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.3	7.9	13.3
Were in a physical fight	18.2	25.5	27.8
Were in a fight and had to be treated by a doctor or nurse	2.7	4.9	1.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.7	47.7	60.4
Were made fun of by others	56.4	63.5	77.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	18.1	24.0	19.2
Spread mean rumors or lies about other kids at school	33.9	32.6	45.3
Made fun of other people	65.1	68.6	82.3
Posted something on the internet or sent a text that might embarrass or hurt another student	13.4	14.0	17.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.5	64.3	74.1
School provides feedback to parents on positive student performance	41.7	36.5	43.0
Rules are enforced fairly	67.6	66.2	74.0
Students of all races/ethnicities are treated equal	84.6	80.1	83.7
Percent of students who agree that:			
Parents notice and comment on student's good work	79.8	80.5	82.5
Parents involve student in making family decisions	71.3	69.3	74.2
It is important to be honest with parents regardless of consequences	88.8	86.1	89.2
Student could ask parent for help with a personal problem	82.3	77.1	78.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MONROE COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	8,840
2014 Estimate	8,707

BIRTH RISK	2013	2012	2011
Resident Births--Total	91	85	96
Mother Reported Smoking while Pregnant	22	19	25

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	3	2
Tuberculosis Infection Cases	1	0	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	89	74	94
Suicides	1	1	3
Self-inflicted Injuries	10	12	21
Homicides	0	0	0
Assault Injuries	21	17	11
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	20	16	13

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	63	54	58
Mental Illness Secondary Diagnosis	144	176	224
Alcohol Principal Diagnosis	3	0	1
Alcohol Secondary Diagnosis	9	5	15
Drug Principal Diagnosis	1	2	3
Drug Secondary Diagnosis	2	6	7
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	21	18	12
Mental Illness Secondary Diagnosis	115	112	72
Alcohol Principal Diagnosis	10	1	2
Alcohol Secondary Diagnosis	15	21	8
Drug Principal Diagnosis	7	1	2
Drug Secondary Diagnosis	3	12	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	42	45	53
Mental Illness Secondary Diagnosis	114	118	116
Alcohol Principal Diagnosis	8	3	8
Alcohol Secondary Diagnosis	11	12	9
Drug Principal Diagnosis	6	6	7
Drug Secondary Diagnosis	7	11	9

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	11	10	10
Alcohol Package Carry-out Licenses	12	12	12

EMPLOYMENT	2014	2013	2012
Labor Force	4,161	4,059	3,851
Employed	3,886	3,761	3,534
Unemployed	275	298	317
Unemployment Rate	6.6%	7.3%	8.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	4	9	4
Fatal Crashes	0	0	1
Injury Crashes	3	7	3
Property Damage Crashes	1	2	0
Crash Fatalities	0	0	0
Crash Injuries	3	12	9
Drug Involved Crashes--Total	0	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	32	49	39
Liquor Law Arrests	3	8	25
Drug Arrests	66	35	28
Violent Offenses	12	10	28
Property Offenses	83	99	122
Domestic Violence Reports	29	14	25
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	4	5	6

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	450	470	498
Drop-outs	8	5	15
Drop-out Rate	1.8%	1.1%	3.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	4	1	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	11	5	7
Juvenile Alcohol Offenses	1	3	0
Juvenile Drug Offenses	0	2	2
School Truancy Status Offense	6	6	1
Absent from Home Status Offense	0	2	1
Beyond Parental Control Status Offense	0	0	1
Injurious Behavior Status Offense	34	28	15
Child Abuse	2	2	1
Child Neglect	11	12	20
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	7	13	12
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	1	5
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	9	19	13
Probation/Parole Admissions--DWI	4	4	2
Prison Admissions--Drug	6	7	5
Prison Admissions--DWI	1	1	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MONROE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	6	*
CSTAR Adolescent	6	8	7
CSTAR Women and Children	*	10	6
CSTAR General Adult	18	7	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	18	29
Clinical SATOP (CIP, YCIP, SROP)	9	8	6
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	33	27	43
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	14	8	13
- Weekend Intervention Program	*	6	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	42	45	50
AGE			
Under 18	6	8	8
18 to 24	11	9	13
25 to 29	*	7	10
30 to 34	8	7	8
35 to 39	*	*	*
40 to 44	*	6	*
45 to 54	6	*	6
55 and Over	5	*	0
GENDER			
Male	31	26	40
Female	11	19	10
RACE / ETHNICITY			
Caucasian	38	42	44
African American	*	*	5
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	12	14	18
High School Graduate or G.E.D.	25	22	25
Associate Degree or Some College	*	8	7
Bachelor or Advanced Degree	*	*	0
EMPLOYMENT			
Employed	15	13	20
Unemployed	16	15	18
Not in Labor Force	11	17	12
HOUSING / LIVING ARRANGEMENT			
Independent Living	32	28	34
Dependent Living	8	17	13
Homeless	*	0	*
MARITAL / FAMILY STATUS			
Never Married	26	29	31
Married / Cohabitating	8	8	10
Previously Married	8	8	9

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	16	17	21
Marijuana / Hashish	11	19	19
Cocaine (total)	*	0	*
- Crack	*	0	0
Stimulant (total)	9	5	*
- Methamphetamine	9	5	*
Heroin	0	*	0
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	0	0
Tranquilizer	0	*	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	*
Average Age at First Use of Drug	17.6	16.1	16.3
INJECTION DRUG USE			
Any Injection Use at Admission	*	*	*
- Daily Injection Use	0	0	0
- Weekly Injection Use	*	0	0
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	22	27	21
1 or 2	12	14	21
3 or More	8	*	8
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	11	6	*
School	0	0	0
Mental Health Provider	0	0	*
Health Care Provider	0	*	*
Court / Criminal Justice	21	21	35
Other Referral Source	6	12	6
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	0
Military Veteran	*	*	*
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	12	14	13
Co-Occurring Developmental Problem	*	*	*

MONROE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	15
CENSUS 2010	8,840
2014 POPULATION ESTIMATE	8,707

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	9	9	6
Anxiety Disorder	49	41	41
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	42	41	37
Mood Disorder	74	58	53
Personality Disorder	6	6	7
Psychotic Disorder	13	11	7
Sexual Disorder	*	*	*
Other Diagnosis	18	9	8
Diagnosis Unknown	*	*	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	105	101	97
AGE			
Under 6	0	0	*
6 to 9	5	7	8
10 to 13	14	16	8
14 to 17	26	22	24
18 to 24	6	8	6
25 to 29	*	5	5
30 to 34	8	7	7
35 to 39	6	6	6
40 to 44	9	8	5
45 to 49	8	6	9
50 to 54	7	6	*
55 to 59	7	7	6
60 and Over	5	*	8
Age Unknown	0	0	0
GENDER			
Male	54	51	46
Female	51	50	51
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	96	90	89
African American	6	7	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	44	47	16
High School Grad or G.E.D.	0	0	15
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	61	54	61
EMPLOYMENT			
Employed	5	8	6
Unemployed	*	*	22
Not in Labor Force	70	73	12
Employment Status Unknown	27	17	57
HOUSING / LIVING ARRANGEMENT			
Independent Living	27	32	31
Dependent Living	47	45	12
Homeless	*	*	0
Other	0	0	*
Housing Unknown	30	23	53
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	44	47	49
School	*	*	*
Mental Health Provider	9	10	6
Health Care Provider	5	6	7
Court / Criminal Justice	5	6	6
Other	39	30	27
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	103	99	95
Civil	0	0	0
Criminal	0	0	0
Sexual Predatory	*	*	*
Commitment Type Unknown	*	*	*

MONROE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	37.9	52.2	40.1
Cigarettes	27.5	35.3	29.2
Chewing Tobacco	19.4	15.6	15.3
Marijuana	6.8	14.1	9.5
Inhalants	2.9	3.7	3.7
Prescription medications not prescribed for student	10.8	7.4	9.5
Over-the-counter medications for non-medical use	1.9	5.2	5.3
Methamphetamine	1.0	0.8	0.5
Cocaine	1.0	0.7	0.5
Heroin	0.0	0.0	0.0
Hallucinogens	1.0	0.7	1.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	0.7	1.6
Steroids not prescribed for student	1.9	0.7	0.5
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	4.4	
Average age of students' first use of:			
Alcohol	13.43	12.55	11.67
Cigarettes	13.72	12.59	11.49
Marijuana	13.80	13.29	12.95
Inhalants	11.51	10.47	11.31
Percent of students who, in past 30 days, used:			
Alcohol	19.6	22.2	16.8
Alcohol (Binge: 5+ drinks on one occassion)		13.2	9.3
Cigarettes	6.9	13.2	17.2
Chewing Tobacco	11.7	9.6	9.5
Marijuana	2.9	5.1	4.7
Inhalants	1.0	2.2	2.1
Prescription medications not prescribed for student	4.9	3.0	3.7
Over-the-counter medications for non-medical use	1.0	3.7	2.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.9		
Percent whose friends used in past 12 months:			
Alcohol	43.1	61.0	56.3
Cigarettes	30.4	54.1	50.5
Marijuana	13.7	29.6	28.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	11.2	11.9
Percent who would likely use, if offered by a best friend:			
Alcohol	35.0	40.4	28.8
Cigarettes	10.7	20.0	17.6
Marijuana	4.9	8.9	7.8
Percent who say it would be wrong to use:			
Alcohol	57.4	51.9	60.4
Cigarettes	81.2	74.1	77.5
Marijuana	92.2	85.3	87.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	95.6	96.8
Percent whose parents would disapprove if they use:			
Alcohol	72.5	69.6	81.3
Cigarettes	85.3	88.1	91.5
Marijuana	94.1	94.8	96.8
Percent who say it would be easy to obtain:			
Alcohol	53.5	58.2	51.3
Cigarettes	57.3	55.2	55.5
Marijuana	21.0	31.3	27.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.7	14.3	13.0

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	51.5		
Alcohol (Binge: 5+ drinks once or twice a week)	69.6		
Alcohol (any use)		62.2	82.6
Cigarettes (1+ packs per day)	76.5		
Cigarettes (any use)		77.0	75.6
Marijuana (once or twice a week)	76.7		
Marijuana (any use)		74.8	72.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.1	93.3	92.7
Percent of students who, in past 30 days:			
Were very sad	12.6	19.1	25.4
Were grouchy, irritable, or in a bad mood	16.5	26.7	33.0
Felt hopeless about the future	7.8	11.8	17.9
Felt like not eating or eating more than usual	12.6	17.0	20.3
Slept a lot more or a lot less than usual	9.7	17.6	32.1
Had difficulty concentrating on school work	15.7	21.8	32.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	5.9	11.2	11.9
Made plan about how they would attempt suicide	4.9	9.0	8.8
Attempted suicide	3.9	5.1	7.3
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.0	3.0	2.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.7	3.7	14.0
Were in a physical fight	15.5	22.8	26.8
Were in a fight and had to be treated by a doctor or nurse	2.9	3.0	4.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	47.6	55.6	71.9
Were made fun of by others	58.3	65.7	78.9
Were victims of an embarrassing or hurtful text message or something posted on the internet	18.4	20.9	27.0
Spread mean rumors or lies about other kids at school	23.5	34.1	35.9
Made fun of other people	53.5	71.9	76.8
Posted something on the internet or sent a text that might embarrass or hurt another student	11.7	20.0	17.7
Percent of students who agree that:			
Teachers notice and comment on student's good work	68.6	71.3	76.4
School provides feedback to parents on positive student performance	47.1	44.8	49.2
Rules are enforced fairly	67.0	65.7	64.8
Students of all races/ethnicities are treated equal	79.6	78.7	80.3
Percent of students who agree that:			
Parents notice and comment on student's good work	81.4	80.0	86.8
Parents involve student in making family decisions	70.3	65.2	70.4
It is important to be honest with parents regardless of consequences	90.4	84.4	89.7
Student could ask parent for help with a personal problem	81.4	71.1	74.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MONTGOMERY COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	12,236
2014 Estimate	11,841

BIRTH RISK	2013	2012	2011
Resident Births--Total	128	146	167
Mother Reported Smoking while Pregnant	42	51	48

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	5	5
Tuberculosis Infection Cases	3	2	5

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	152	135	172
Suicides	2	2	0
Self-inflicted Injuries	12	18	18
Homicides	0	0	0
Assault Injuries	33	42	28
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	2	0	4
Smoking Attributable Deaths	23	25	35

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	81	67	73
Mental Illness Secondary Diagnosis	175	216	167
Alcohol Principal Diagnosis	5	1	5
Alcohol Secondary Diagnosis	13	17	17
Drug Principal Diagnosis	7	5	2
Drug Secondary Diagnosis	10	8	13
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	70	82	81
Mental Illness Secondary Diagnosis	210	226	208
Alcohol Principal Diagnosis	4	6	9
Alcohol Secondary Diagnosis	19	21	17
Drug Principal Diagnosis	5	6	5
Drug Secondary Diagnosis	12	16	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	83	83	73
Mental Illness Secondary Diagnosis	212	266	219
Alcohol Principal Diagnosis	10	13	14
Alcohol Secondary Diagnosis	18	16	9
Drug Principal Diagnosis	9	11	18
Drug Secondary Diagnosis	23	22	18

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	19	22	22
Alcohol Package Carry-out Licenses	20	20	22

EMPLOYMENT	2014	2013	2012
Labor Force	5,696	5,733	5,662
Employed	5,354	5,331	5,208
Unemployed	342	402	454
Unemployment Rate	6.0%	7.0%	8.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	15	17	16
Fatal Crashes	2	1	0
Injury Crashes	5	9	6
Property Damage Crashes	8	7	10
Crash Fatalities	2	1	0
Crash Injuries	10	12	8
Drug Involved Crashes--Total	6	1	3
Fatal Crashes	0	0	0
Injury Crashes	1	0	2
Property Damage Crashes	5	1	1
Crash Fatalities	0	0	0
Crash Injuries	1	0	4

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	59	47	75
Liquor Law Arrests	1	4	9
Drug Arrests	37	48	36
Violent Offenses	10	18	18
Property Offenses	167	189	208
Domestic Violence Reports	49	51	51
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	6	16	19

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	454	461	514
Drop-outs	6	15	7
Drop-out Rate	1.3%	3.3%	1.4%
School Discipline Involving Alcohol	2	1	0
School Discipline Involving Drugs	0	11	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	18	11	7
Juvenile Alcohol Offenses	2	2	1
Juvenile Drug Offenses	2	5	1
School Truancy Status Offense	2	6	10
Absent from Home Status Offense	3	2	2
Beyond Parental Control Status Offense	2	0	5
Injurious Behavior Status Offense	7	7	9
Child Abuse	11	9	1
Child Neglect	16	17	25
Child Custody Issues	0	0	1

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	12	20	22
Parental Alcohol Use Related	0	3	4
Parental Drug Use Related	2	5	4
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	4	6	12
Probation/Parole Admissions--Drug	51	46	62
Probation/Parole Admissions--DWI	8	8	6
Prison Admissions--Drug	19	26	34
Prison Admissions--DWI	3	9	3

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MONTGOMERY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	9	5
CSTAR Adolescent	6	7	*
CSTAR Women and Children	*	6	8
CSTAR General Adult	78	46	44
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	23	22
Clinical SATOP (CIP, YCIP, SROP)	17	9	17
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	43	32	57
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	8	7	15
- Weekend Intervention Program	8	*	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012
NUMBER ADMITTED			
Total Individuals	107	82	86
AGE			
Under 18	6	6	*
18 to 24	20	15	19
25 to 29	20	16	20
30 to 34	14	9	16
35 to 39	10	10	8
40 to 44	6	7	7
45 to 54	24	14	11
55 and Over	7	5	*
GENDER			
Male	74	53	60
Female	33	29	26
RACE / ETHNICITY			
Caucasian	102	75	81
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	0
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	35	38	24
High School Graduate or G.E.D.	60	33	49
Associate Degree or Some College	12	10	13
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	49	20	30
Unemployed	30	42	39
Not in Labor Force	28	20	17
HOUSING / LIVING ARRANGEMENT			
Independent Living	96	67	70
Dependent Living	6	13	9
Homeless	*	0	*
MARITAL / FAMILY STATUS			
Never Married	51	48	49
Married / Cohabitating	29	20	21
Previously Married	27	14	16

	FY2014	FY2013	FY2012
PRIMARY DRUG PROBLEM			
Alcohol	40	31	37
Marijuana / Hashish	34	25	23
Cocaine (total)	*	0	0
- Crack	*	0	0
Stimulant (total)	22	15	14
- Methamphetamine	21	15	12
Heroin	*	*	6
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	*	0
PCP, LSD, other Hallucinogen	0	*	*
Tranquilizer	*	0	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	0
Average Age at First Use of Drug	18.2	17.9	16.9
INJECTION DRUG USE			
Any Injection Use at Admission	9	12	13
- Daily Injection Use	*	*	*
- Weekly Injection Use	0	*	*
- Less than Weekly Injection Use	6	8	8
LIFETIME DUI / DWI ARRESTS			
0	61	47	41
1 or 2	26	23	28
3 or More	20	12	17
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	56	13	11
School	0	*	0
Mental Health Provider	0	0	*
Health Care Provider	*	*	*
Court / Criminal Justice	40	56	67
Other Referral Source	7	8	5
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	0	0
Military Veteran	7	5	*
Special Education Services Needed	19	12	9
Co-Occurring Psychological Problem	37	23	27
Co-Occurring Developmental Problem	13	0	*

MONTGOMERY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	15
CENSUS 2010	12,236
2014 POPULATION ESTIMATE	11,841

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	17	16	16
Anxiety Disorder	83	84	74
Dementia	*	0	0
Developmental Disorder	18	16	16
Impulse Control Disorder	58	70	78
Mood Disorder	118	127	138
Personality Disorder	20	21	21
Psychotic Disorder	32	28	25
Sexual Disorder	0	0	0
Other Diagnosis	21	25	28
Diagnosis Unknown	22	10	17

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	198	199	214
AGE			
Under 6	5	6	*
6 to 9	17	23	22
10 to 13	18	16	29
14 to 17	21	25	25
18 to 24	18	16	19
25 to 29	11	16	19
30 to 34	16	13	14
35 to 39	23	20	16
40 to 44	13	14	14
45 to 49	15	18	20
50 to 54	23	17	14
55 to 59	12	10	11
60 and Over	6	5	7
Age Unknown	0	0	0
GENDER			
Male	99	100	109
Female	99	99	105
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	184	189	199
African American	7	5	7
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	5	*	*
Other Race	*	*	6
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	71	79	32
High School Grad or G.E.D.	0	*	22
Associate Degree or Some College	0	0	6
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	127	119	154
EMPLOYMENT			
Employed	13	11	*
Unemployed	20	14	47
Not in Labor Force	110	121	15
Employment Status Unknown	55	53	149
HOUSING / LIVING ARRANGEMENT			
Independent Living	76	67	52
Dependent Living	48	67	24
Homeless	*	*	0
Other	0	0	0
Housing Unknown	73	64	138
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	129	126	143
School	*	*	*
Mental Health Provider	8	9	8
Health Care Provider	18	24	29
Court / Criminal Justice	9	7	5
Other	32	31	26
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	198	199	214
Civil	0	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

MONTGOMERY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	39.6	48.9	68.4
Cigarettes	16.3	28.3	36.2
Chewing Tobacco	18.1	16.6	19.3
Marijuana	11.9	13.9	18.4
Inhalants	0.0	3.7	3.5
Prescription medications not prescribed for student	3.5	9.0	14.1
Over-the-counter medications for non-medical use	2.1	6.9	8.0
Methamphetamine	0.0	1.1	0.9
Cocaine	0.7	1.6	2.6
Heroin	0.0	1.1	0.4
Hallucinogens	0.0	3.2	3.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.2	1.8
Steroids not prescribed for student	0.7	0.5	3.0
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	7.4	
Average age of students' first use of:			
Alcohol	13.05	12.36	12.57
Cigarettes	11.60	12.39	12.44
Marijuana	13.88	13.61	13.11
Inhalants		11.79	12.54
Percent of students who, in past 30 days, used:			
Alcohol	16.7	19.3	34.6
Alcohol (Binge: 5+ drinks on one occassion)		12.2	22.3
Cigarettes	2.8	12.8	19.7
Chewing Tobacco	9.0	10.1	12.7
Marijuana	2.8	5.3	7.5
Inhalants	0.0	1.6	0.9
Prescription medications not prescribed for student	0.7	5.9	7.5
Over-the-counter medications for non-medical use	0.0	3.7	4.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.3		
Percent whose friends used in past 12 months:			
Alcohol	47.9	62.6	83.8
Cigarettes	33.8	47.3	59.0
Marijuana	31.7	32.3	38.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.3	15.0	16.2
Percent who would likely use, if offered by a best friend:			
Alcohol	28.5	36.4	60.9
Cigarettes	6.3	12.4	22.4
Marijuana	7.7	7.4	10.5
Percent who say it would be wrong to use:			
Alcohol	60.3	54.8	31.9
Cigarettes	89.6	81.2	71.9
Marijuana	83.8	83.8	80.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	94.1	94.7
Percent whose parents would disapprove if they use:			
Alcohol	70.6	70.4	58.6
Cigarettes	90.3	89.8	85.5
Marijuana	91.7	95.1	94.3
Percent who say it would be easy to obtain:			
Alcohol	54.5	51.9	73.2
Cigarettes	50.0	50.3	66.7
Marijuana	30.6	28.6	35.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	14.8	15.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	55.9		
Alcohol (Binge: 5+ drinks once or twice a week)	71.5		
Alcohol (any use)		64.0	73.2
Cigarettes (1+ packs per day)	88.1		
Cigarettes (any use)		77.0	77.7
Marijuana (once or twice a week)	65.0		
Marijuana (any use)		76.2	64.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	91.9	94.3
Percent of students who, in past 30 days:			
Were very sad	22.5	17.1	21.9
Were grouchy, irritable, or in a bad mood	31.3	19.8	36.4
Felt hopeless about the future	9.9	8.0	15.7
Felt like not eating or eating more than usual	18.2	16.7	26.3
Slept a lot more or a lot less than usual	21.5	16.0	34.8
Had difficulty concentrating on school work	22.9	21.5	30.3
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.5	8.6	13.0
Made plan about how they would attempt suicide	8.5	3.8	10.0
Attempted suicide	4.9	3.2	9.6
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.7	2.2	3.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	3.5	4.3	7.4
Were in a physical fight	20.3	15.0	21.7
Were in a fight and had to be treated by a doctor or nurse	2.8	2.2	3.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	51.4	54.5	58.6
Were made fun of by others	59.9	62.6	69.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.5	17.8	20.3
Spread mean rumors or lies about other kids at school	21.7	25.1	27.4
Made fun of other people	52.8	66.5	75.2
Posted something on the internet or sent a text that might embarrass or hurt another student	12.1	12.8	15.8
Percent of students who agree that:			
Teachers notice and comment on student's good work	77.1	74.5	72.6
School provides feedback to parents on positive student performance	53.8	37.2	31.0
Rules are enforced fairly	63.9	64.9	50.7
Students of all races/ethnicities are treated equal	93.0	84.4	83.0
Percent of students who agree that:			
Parents notice and comment on student's good work	79.0	85.0	83.4
Parents involve student in making family decisions	69.2	70.3	74.7
It is important to be honest with parents regardless of consequences	86.0	87.7	82.9
Student could ask parent for help with a personal problem	75.0	77.3	80.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MORGAN COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	20,565
2014 Estimate	20,240

BIRTH RISK	2013	2012	2011
Resident Births--Total	236	264	254
Mother Reported Smoking while Pregnant	68	65	69

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	25	14	11
Tuberculosis Infection Cases	1	1	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	266	296	326
Suicides	1	4	8
Self-inflicted Injuries	18	21	24
Homicides	2	3	0
Assault Injuries	55	40	36
Alcohol Induced Deaths	3	3	3
Drug Induced Deaths	2	2	3
Smoking Attributable Deaths	54	62	57

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	93	86	91
Mental Illness Secondary Diagnosis	308	288	266
Alcohol Principal Diagnosis	4	4	13
Alcohol Secondary Diagnosis	38	22	25
Drug Principal Diagnosis	3	3	1
Drug Secondary Diagnosis	9	7	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	78	96	74
Mental Illness Secondary Diagnosis	395	459	397
Alcohol Principal Diagnosis	12	23	22
Alcohol Secondary Diagnosis	47	68	72
Drug Principal Diagnosis	8	13	11
Drug Secondary Diagnosis	24	20	27
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	132	145	117
Mental Illness Secondary Diagnosis	696	552	500
Alcohol Principal Diagnosis	24	18	26
Alcohol Secondary Diagnosis	40	41	31
Drug Principal Diagnosis	16	28	12
Drug Secondary Diagnosis	34	30	26

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	37	39	45
Alcohol Package Carry-out Licenses	36	37	36

EMPLOYMENT	2014	2013	2012
Labor Force	7,972	9,053	8,695
Employed	7,291	8,360	7,931
Unemployed	681	693	764
Unemployment Rate	8.5%	7.7%	8.8%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	32	31	32
Fatal Crashes	0	1	3
Injury Crashes	16	16	21
Property Damage Crashes	16	14	8
Crash Fatalities	0	1	3
Crash Injuries	18	20	33
Drug Involved Crashes--Total	2	4	1
Fatal Crashes	0	1	1
Injury Crashes	0	2	0
Property Damage Crashes	2	1	0
Crash Fatalities	0	1	1
Crash Injuries	0	3	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	100	106	90
Liquor Law Arrests	12	19	10
Drug Arrests	79	137	110
Violent Offenses	71	108	63
Property Offenses	438	436	436
Domestic Violence Reports	223	249	202
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	3	2	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	616	604	613
Drop-outs	2	1	1
Drop-out Rate	0.3%	0.2%	0.2%
School Discipline Involving Alcohol	0	1	2
School Discipline Involving Drugs	10	4	12
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	21	25	26
Juvenile Alcohol Offenses	8	1	6
Juvenile Drug Offenses	11	4	9
School Truancy Status Offense	12	14	3
Absent from Home Status Offense	1	4	3
Beyond Parental Control Status Offense	3	5	0
Injurious Behavior Status Offense	21	13	17
Child Abuse	9	3	8
Child Neglect	26	22	22
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	16	12	17
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	1	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	70	61	60
Probation/Parole Admissions--DWI	13	11	11
Prison Admissions--Drug	37	31	29
Prison Admissions--DWI	3	6	8

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MORGAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	7
CSTAR Adolescent	*	*	*
CSTAR Women and Children	10	*	11
CSTAR General Adult	42	58	49
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	33
Clinical SATOP (CIP, YCIP, SROP)	15	21	14
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	81	74	61
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	33	30	15
- Weekend Intervention Program	12	14	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	6	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	71	89	99
AGE			
Under 18	*	*	*
18 to 24	9	14	18
25 to 29	8	16	18
30 to 34	14	10	19
35 to 39	8	11	16
40 to 44	*	9	6
45 to 54	17	17	17
55 and Over	8	10	*
GENDER			
Male	41	57	58
Female	30	32	41
RACE / ETHNICITY			
Caucasian	68	87	97
African American	*	0	*
Native American / Alaskan	*	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	0
Other Race / Two or More Races	0	*	*
EDUCATION			
Less than High School Diploma	26	30	40
High School Graduate or G.E.D.	31	36	42
Associate Degree or Some College	13	22	17
Bachelor or Advanced Degree	*	*	0
EMPLOYMENT			
Employed	24	28	26
Unemployed	20	21	42
Not in Labor Force	27	40	31
HOUSING / LIVING ARRANGEMENT			
Independent Living	55	77	82
Dependent Living	6	*	8
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	31	37	38
Married / Cohabitating	14	29	35
Previously Married	26	23	26

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	33	42	45
Marijuana / Hashish	9	15	13
Cocaine (total)	*	*	0
- Crack	*	0	0
Stimulant (total)	20	24	28
- Methamphetamine	20	22	28
Heroin	*	*	*
Analgesic except Heroin	*	5	9
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	*	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	*
Average Age at First Use of Drug	19.2	18.8	17.4
INJECTION DRUG USE			
Any Injection Use at Admission	9	12	13
- Daily Injection Use	*	*	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	6	5	9
LIFETIME DUI / DWI ARRESTS			
0	31	34	45
1 or 2	26	30	38
3 or More	14	25	16
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	22	35	29
School	0	0	*
Mental Health Provider	0	*	*
Health Care Provider	0	*	*
Court / Criminal Justice	31	38	56
Other Referral Source	18	10	8
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	*
Military Veteran	*	*	*
Special Education Services Needed	*	*	10
Co-Occurring Psychological Problem	35	22	28
Co-Occurring Developmental Problem	0	*	*

MORGAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	12
CENSUS 2010	20,565
2014 POPULATION ESTIMATE	20,240

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	5	6	7
Anxiety Disorder	129	128	139
Dementia	*	0	0
Developmental Disorder	11	8	*
Impulse Control Disorder	36	37	53
Mood Disorder	180	174	173
Personality Disorder	17	21	18
Psychotic Disorder	38	34	39
Sexual Disorder	*	*	0
Other Diagnosis	15	14	16
Diagnosis Unknown	7	5	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	229	223	229
AGE			
Under 6	*	0	*
6 to 9	6	8	7
10 to 13	13	13	13
14 to 17	13	15	19
18 to 24	24	25	22
25 to 29	18	15	20
30 to 34	21	20	19
35 to 39	22	20	22
40 to 44	24	23	17
45 to 49	27	30	33
50 to 54	27	21	21
55 to 59	15	17	20
60 and Over	17	16	13
Age Unknown	0	0	0
GENDER			
Male	102	102	93
Female	127	121	136
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	218	217	216
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	*
Hispanic	*	*	*
Other Race	6	*	6
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	6	*	*
Past or Current Military Service	*	5	5

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	60	79	68
High School Grad or G.E.D.	0	0	57
Associate Degree or Some College	0	0	22
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	169	144	81
EMPLOYMENT			
Employed	11	7	15
Unemployed	11	11	116
Not in Labor Force	126	156	41
Employment Status Unknown	81	49	57
HOUSING / LIVING ARRANGEMENT			
Independent Living	116	138	156
Dependent Living	35	41	21
Homeless	*	*	*
Other	0	0	*
Housing Unknown	74	43	48
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	124	113	113
School	*	5	*
Mental Health Provider	13	17	17
Health Care Provider	42	45	50
Court / Criminal Justice	9	9	8
Other	38	34	39
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	227	223	228
Civil	*	0	*
Criminal	*	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

MORGAN COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	42.4	51.6	47.4
Cigarettes	31.0	33.7	33.3
Chewing Tobacco	19.7	21.8	20.8
Marijuana	16.2	22.4	18.9
Inhalants	2.0	6.7	7.9
Prescription medications not prescribed for student	11.2	10.6	10.8
Over-the-counter medications for non-medical use	6.1	9.3	7.5
Methamphetamine	2.6	2.0	1.4
Cocaine	1.5	2.3	1.0
Heroin	1.0	1.0	0.5
Hallucinogens	3.6	5.5	2.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.6	1.9	2.1
Steroids not prescribed for student	1.0	1.9	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	7.3	7.7	
Average age of students' first use of:			
Alcohol	12.98	12.41	12.50
Cigarettes	12.94	11.62	12.10
Marijuana	13.32	12.87	13.76
Inhalants	11.46	11.73	13.21
Percent of students who, in past 30 days, used:			
Alcohol	16.8	25.3	23.4
Alcohol (Binge: 5+ drinks on one occassion)		14.7	16.4
Cigarettes	13.7	17.0	18.4
Chewing Tobacco	11.6	13.5	13.2
Marijuana	9.7	11.9	9.5
Inhalants	1.0	3.5	3.3
Prescription medications not prescribed for student	4.1	6.1	6.5
Over-the-counter medications for non-medical use	3.6	6.7	3.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	9.7		
Percent whose friends used in past 12 months:			
Alcohol	57.9	66.0	62.6
Cigarettes	47.2	57.7	53.1
Marijuana	34.5	48.7	39.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.7	18.4	18.5
Percent who would likely use, if offered by a best friend:			
Alcohol	31.2	42.6	37.9
Cigarettes	14.6	20.6	19.9
Marijuana	14.8	17.6	13.9
Percent who say it would be wrong to use:			
Alcohol	63.5	48.2	56.5
Cigarettes	80.3	70.5	73.3
Marijuana	77.4	71.9	81.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.9	93.3	94.2
Percent whose parents would disapprove if they use:			
Alcohol	74.7	74.9	73.4
Cigarettes	87.9	91.0	84.9
Marijuana	90.8	91.8	94.0
Percent who say it would be easy to obtain:			
Alcohol	55.3	65.7	56.6
Cigarettes	55.8	62.2	54.8
Marijuana	38.5	42.9	36.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.9	21.0	19.3

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	53.0		
Alcohol (Binge: 5+ drinks once or twice a week)	63.3		
Alcohol (any use)		67.9	76.2
Cigarettes (1+ packs per day)	81.6		
Cigarettes (any use)		76.9	81.1
Marijuana (once or twice a week)	59.9		
Marijuana (any use)		64.7	74.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	89.1	94.3
Percent of students who, in past 30 days:			
Were very sad	24.1	19.9	21.1
Were grouchy, irritable, or in a bad mood	35.0	34.2	30.1
Felt hopeless about the future	11.7	14.9	16.9
Felt like not eating or eating more than usual	19.2	23.2	25.9
Slept a lot more or a lot less than usual	18.3	21.5	29.3
Had difficulty concentrating on school work	32.1	26.9	28.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	13.1	15.4	12.8
Made plan about how they would attempt suicide	8.6	14.1	8.5
Attempted suicide	5.6	4.2	5.4
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.5	1.0	1.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	9.1	6.8	10.0
Were in a physical fight	22.7	27.9	24.6
Were in a fight and had to be treated by a doctor or nurse	4.0	4.2	4.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	56.1	56.6	54.5
Were made fun of by others	69.5	69.1	69.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.1	23.4	19.4
Spread mean rumors or lies about other kids at school	27.9	35.9	30.0
Made fun of other people	64.0	75.6	70.9
Posted something on the internet or sent a text that might embarrass or hurt another student	16.3	19.2	18.3
Percent of students who agree that:			
Teachers notice and comment on student's good work	64.8	66.7	70.4
School provides feedback to parents on positive student performance	31.2	31.4	43.7
Rules are enforced fairly	51.3	57.1	56.7
Students of all races/ethnicities are treated equal	75.3	74.3	78.4
Percent of students who agree that:			
Parents notice and comment on student's good work	83.3	81.7	85.9
Parents involve student in making family decisions	61.9	62.6	72.0
It is important to be honest with parents regardless of consequences	88.9	85.6	83.7
Student could ask parent for help with a personal problem	75.8	74.9	77.2

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

NEW MADRID COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	20
POPULATION	
Census 2010	18,956
2014 Estimate	18,272

BIRTH RISK	2013	2012	2011
Resident Births--Total	274	216	209
Mother Reported Smoking while Pregnant	88	55	65

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	14	12	8
Tuberculosis Infection Cases	2	3	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	237	255	256
Suicides	1	2	2
Self-inflicted Injuries	20	14	30
Homicides	0	4	0
Assault Injuries	69	75	70
Alcohol Induced Deaths	1	2	0
Drug Induced Deaths	6	1	0
Smoking Attributable Deaths	47	54	67

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	242	266	285
Mental Illness Secondary Diagnosis	374	292	408
Alcohol Principal Diagnosis	5	9	17
Alcohol Secondary Diagnosis	34	28	46
Drug Principal Diagnosis	7	8	13
Drug Secondary Diagnosis	21	22	31
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	35	26	22
Mental Illness Secondary Diagnosis	328	374	206
Alcohol Principal Diagnosis	11	12	3
Alcohol Secondary Diagnosis	29	29	24
Drug Principal Diagnosis	5	6	6
Drug Secondary Diagnosis	16	19	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	184	133	143
Mental Illness Secondary Diagnosis	152	218	147
Alcohol Principal Diagnosis	29	18	32
Alcohol Secondary Diagnosis	27	38	37
Drug Principal Diagnosis	19	16	28
Drug Secondary Diagnosis	24	33	34

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	15	16	15
Alcohol Package Carry-out Licenses	23	23	25

EMPLOYMENT	2014	2013	2012
Labor Force	8,380	8,799	8,417
Employed	7,760	8,185	7,771
Unemployed	620	614	646
Unemployment Rate	7.4%	7.0%	7.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	29	17	21
Fatal Crashes	2	0	2
Injury Crashes	12	8	9
Property Damage Crashes	15	9	10
Crash Fatalities	2	0	4
Crash Injuries	17	10	18
Drug Involved Crashes--Total	8	6	9
Fatal Crashes	0	0	2
Injury Crashes	3	2	5
Property Damage Crashes	5	4	2
Crash Fatalities	0	0	4
Crash Injuries	3	3	6

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	144	150	160
Liquor Law Arrests	0	4	6
Drug Arrests	143	145	129
Violent Offenses	24	41	42
Property Offenses	194	181	165
Domestic Violence Reports	56	62	90
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	9	21

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	806	812	800
Drop-outs	5	1	11
Drop-out Rate	0.6%	0.1%	1.4%
School Discipline Involving Alcohol	0	0	5
School Discipline Involving Drugs	6	1	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	13	15	4
Juvenile Alcohol Offenses	15	2	12
Juvenile Drug Offenses	19	11	5
School Truancy Status Offense	26	11	20
Absent from Home Status Offense	8	9	4
Beyond Parental Control Status Offense	60	15	29
Injurious Behavior Status Offense	73	41	40
Child Abuse	18	9	5
Child Neglect	65	41	27
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	54	35	30
Parental Alcohol Use Related	1	0	1
Parental Drug Use Related	31	18	16
Parental Alcohol and Drug Use	2	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	8	8	0
Probation/Parole Admissions--Drug	86	91	75
Probation/Parole Admissions--DWI	12	24	19
Prison Admissions--Drug	45	53	47
Prison Admissions--DWI	10	5	13

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

NEW MADRID COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	45	44	47
CSTAR Adolescent	12	20	15
CSTAR Women and Children	14	17	14
CSTAR General Adult	88	73	40
CSTAR Opioid	0	0	0
Primary Recovery Treatment	71	103	136
Clinical SATOP (CIP, YCIP, SROP)	14	20	14
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	56	79	61
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	16	31	26
- Weekend Intervention Program	20	12	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	32	38	27
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	217	228	215
AGE			
Under 18	16	23	15
18 to 24	33	37	37
25 to 29	35	38	48
30 to 34	38	44	35
35 to 39	34	24	27
40 to 44	14	22	15
45 to 54	37	28	29
55 and Over	10	12	9
GENDER			
Male	145	158	147
Female	72	70	68
RACE / ETHNICITY			
Caucasian	168	180	163
African American	44	42	49
Native American / Alaskan	*	0	*
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	*	6	0
EDUCATION			
Less than High School Diploma	97	106	95
High School Graduate or G.E.D.	99	105	108
Associate Degree or Some College	19	16	12
Bachelor or Advanced Degree	*	*	0
EMPLOYMENT			
Employed	50	47	48
Unemployed	52	87	74
Not in Labor Force	115	94	93
HOUSING / LIVING ARRANGEMENT			
Independent Living	185	186	182
Dependent Living	23	34	26
Homeless	*	0	*
MARITAL / FAMILY STATUS			
Never Married	101	104	106
Married / Cohabitating	63	68	67
Previously Married	53	56	42

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	59	69	60
Marijuana / Hashish	67	83	78
Cocaine (total)	11	11	13
- Crack	*	8	8
Stimulant (total)	59	39	37
- Methamphetamine	59	39	34
Heroin	0	*	*
Analgesic except Heroin	9	18	21
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	0
Tranquilizer	9	*	*
Inhalant	*	0	0
Sedative	*	*	*
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	18.5	17.8	18.2
INJECTION DRUG USE			
Any Injection Use at Admission	23	12	10
- Daily Injection Use	*	*	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	18	5	6
LIFETIME DUI / DWI ARRESTS			
0	143	134	127
1 or 2	44	47	55
3 or More	30	47	33
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	34	42	30
School	0	0	*
Mental Health Provider	*	0	*
Health Care Provider	5	9	9
Court / Criminal Justice	131	138	148
Other Referral Source	41	37	26
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	11	9	5
Special Education Services Needed	18	16	9
Co-Occurring Psychological Problem	63	63	46
Co-Occurring Developmental Problem	*	*	0

NEW MADRID COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	20
CENSUS 2010	18,956
2014 POPULATION ESTIMATE	18,272

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	18	17	20
Anxiety Disorder	92	113	109
Dementia	*	*	*
Developmental Disorder	*	6	6
Impulse Control Disorder	49	54	52
Mood Disorder	224	219	200
Personality Disorder	16	23	26
Psychotic Disorder	59	54	54
Sexual Disorder	*	0	0
Other Diagnosis	38	37	32
Diagnosis Unknown	19	30	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	378	385	331
AGE			
Under 6	7	*	5
6 to 9	18	23	19
10 to 13	28	31	29
14 to 17	39	31	24
18 to 24	32	30	27
25 to 29	31	32	21
30 to 34	29	38	36
35 to 39	28	31	36
40 to 44	35	36	25
45 to 49	31	26	24
50 to 54	46	44	37
55 to 59	25	28	22
60 and Over	29	31	26
Age Unknown	0	0	0
GENDER			
Male	181	169	140
Female	197	216	191
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	288	304	260
African American	76	64	56
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	*	5	5
Other Race	10	11	9
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	9	12	15
Past or Current Military Service	6	6	6

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	162	146	56
High School Grad or G.E.D.	0	0	30
Associate Degree or Some College	0	0	8
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	216	239	237
EMPLOYMENT			
Employed	10	25	9
Unemployed	29	32	62
Not in Labor Force	229	193	30
Employment Status Unknown	110	135	230
HOUSING / LIVING ARRANGEMENT			
Independent Living	202	179	81
Dependent Living	95	106	35
Homeless	5	*	*
Other	0	0	*
Housing Unknown	76	98	213
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	157	151	136
School	7	9	6
Mental Health Provider	45	48	46
Health Care Provider	75	77	59
Court / Criminal Justice	23	18	10
Other	70	80	72
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	371	380	327
Civil	*	*	*
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

NEW MADRID COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	44.0	46.4	42.0
Cigarettes	31.7	33.4	35.7
Chewing Tobacco	19.1	14.3	12.8
Marijuana	14.0	17.7	10.1
Inhalants	5.7	6.5	4.9
Prescription medications not prescribed for student	7.2	10.2	10.2
Over-the-counter medications for non-medical use	4.8	3.1	4.4
Methamphetamine	1.4	0.7	0.3
Cocaine	1.4	1.7	0.8
Heroin	0.5	0.7	0.5
Hallucinogens	2.0	1.4	0.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.7	0.5
Steroids not prescribed for student	1.9	1.0	1.6
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	5.8	
Average age of students' first use of:			
Alcohol	12.48	12.52	12.43
Cigarettes	12.90	12.19	11.76
Marijuana	14.19	13.85	13.35
Inhalants	11.69	12.36	10.99
Percent of students who, in past 30 days, used:			
Alcohol	18.4	22.9	18.6
Alcohol (Binge: 5+ drinks on one occassion)		14.3	10.7
Cigarettes	13.0	16.7	10.8
Chewing Tobacco	8.7	6.8	5.5
Marijuana	6.8	8.2	3.6
Inhalants	2.4	1.0	1.6
Prescription medications not prescribed for student	2.9	6.2	6.8
Over-the-counter medications for non-medical use	2.4	2.0	2.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	10.6		
Percent whose friends used in past 12 months:			
Alcohol	51.7	57.8	58.9
Cigarettes	48.8	49.3	52.7
Marijuana	34.0	38.0	35.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	10.7	13.0
Percent who would likely use, if offered by a best friend:			
Alcohol	37.2	36.9	31.6
Cigarettes	18.8	18.8	13.3
Marijuana	11.2	11.9	5.1
Percent who say it would be wrong to use:			
Alcohol	58.7	60.1	63.7
Cigarettes	76.9	75.4	81.0
Marijuana	82.3	83.2	87.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	96.1	96.6
Percent whose parents would disapprove if they use:			
Alcohol	77.0	81.0	82.7
Cigarettes	89.5	90.3	92.3
Marijuana	93.8	96.1	96.3
Percent who say it would be easy to obtain:			
Alcohol	53.4	54.3	57.3
Cigarettes	55.8	55.7	55.5
Marijuana	31.6	35.9	32.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.1	20.1	15.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	48.1		
Alcohol (Binge: 5+ drinks once or twice a week)	66.7		
Alcohol (any use)		73.8	81.6
Cigarettes (1+ packs per day)	81.6		
Cigarettes (any use)		82.5	80.4
Marijuana (once or twice a week)	67.1		
Marijuana (any use)		76.0	74.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.6	95.5	91.7
Percent of students who, in past 30 days:			
Were very sad	18.8	20.1	16.8
Were grouchy, irritable, or in a bad mood	25.5	32.9	27.8
Felt hopeless about the future	11.1	10.0	9.7
Felt like not eating or eating more than usual	18.4	16.2	18.8
Slept a lot more or a lot less than usual	16.1	22.4	23.8
Had difficulty concentrating on school work	19.1	23.4	29.4
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	15.2	8.2	7.9
Made plan about how they would attempt suicide	8.6	6.2	4.9
Attempted suicide	6.7	2.7	3.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	3.4	1.7	3.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.2	4.5	8.0
Were in a physical fight	23.4	22.3	25.8
Were in a fight and had to be treated by a doctor or nurse	2.9	3.5	4.6
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	53.6	49.1	58.6
Were made fun of by others	61.2	60.4	68.4
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.1	19.4	22.2
Spread mean rumors or lies about other kids at school	29.2	29.0	31.2
Made fun of other people	63.0	67.9	73.1
Posted something on the internet or sent a text that might embarrass or hurt another student	20.8	16.0	17.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	71.9	72.1	72.5
School provides feedback to parents on positive student performance	50.7	47.9	41.5
Rules are enforced fairly	66.5	63.6	56.5
Students of all races/ethnicities are treated equal	79.9	72.4	74.7
Percent of students who agree that:			
Parents notice and comment on student's good work	81.8	85.0	82.8
Parents involve student in making family decisions	67.5	69.9	71.1
It is important to be honest with parents regardless of consequences	82.8	84.9	85.1
Student could ask parent for help with a personal problem	76.1	81.5	78.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

NEWTON COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	9
POPULATION	
Census 2010	58,114
2014 Estimate	58,598

BIRTH RISK	2013	2012	2011
Resident Births--Total	708	746	754
Mother Reported Smoking while Pregnant	152	143	144

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	2	1	5
Hepatitis C Chronic and Acute	33	20	44
Tuberculosis Infection Cases	13	16	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	674	619	581
Suicides	9	12	8
Self-inflicted Injuries	46	49	59
Homicides	2	3	2
Assault Injuries	114	127	131
Alcohol Induced Deaths	3	2	2
Drug Induced Deaths	10	2	10
Smoking Attributable Deaths	121	110	107

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	259	276	373
Mental Illness Secondary Diagnosis	868	1,222	1,468
Alcohol Principal Diagnosis	15	39	50
Alcohol Secondary Diagnosis	52	95	112
Drug Principal Diagnosis	20	30	23
Drug Secondary Diagnosis	31	53	68
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	202	170	45
Mental Illness Secondary Diagnosis	758	448	146
Alcohol Principal Diagnosis	32	49	18
Alcohol Secondary Diagnosis	62	72	21
Drug Principal Diagnosis	38	26	11
Drug Secondary Diagnosis	34	26	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	328	411	440
Mental Illness Secondary Diagnosis	3,183	2,989	2,690
Alcohol Principal Diagnosis	87	78	70
Alcohol Secondary Diagnosis	92	98	83
Drug Principal Diagnosis	66	66	69
Drug Secondary Diagnosis	100	100	105

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	36	41	41
Alcohol Package Carry-out Licenses	62	50	59

EMPLOYMENT	2014	2013	2012
Labor Force	28,860	29,511	28,754
Employed	27,322	27,848	26,971
Unemployed	1,538	1,663	1,783
Unemployment Rate	5.3%	5.6%	6.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	75	69	76
Fatal Crashes	2	2	3
Injury Crashes	37	31	31
Property Damage Crashes	36	36	42
Crash Fatalities	2	2	3
Crash Injuries	49	42	37
Drug Involved Crashes--Total	16	19	21
Fatal Crashes	1	0	2
Injury Crashes	4	10	9
Property Damage Crashes	11	9	10
Crash Fatalities	1	0	2
Crash Injuries	5	13	12

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	343	350	370
Liquor Law Arrests	60	39	28
Drug Arrests	218	160	176
Violent Offenses	86	114	73
Property Offenses	1,533	1,549	1,298
Domestic Violence Reports	416	424	352
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	27	29	34

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	2,490	2,450	2,457
Drop-outs	62	44	57
Drop-out Rate	2.5%	1.8%	2.3%
School Discipline Involving Alcohol	9	5	7
School Discipline Involving Drugs	23	16	29
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	21	68	68
Juvenile Alcohol Offenses	0	16	12
Juvenile Drug Offenses	2	17	20
School Truancy Status Offense	2	11	6
Absent from Home Status Offense	11	29	25
Beyond Parental Control Status Offense	10	30	29
Injurious Behavior Status Offense	8	24	22
Child Abuse	41	39	61
Child Neglect	144	154	133
Child Custody Issues	249	200	35

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	159	185	173
Parental Alcohol Use Related	0	15	12
Parental Drug Use Related	52	52	51
Parental Alcohol and Drug Use	3	1	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	87	119	95
Probation/Parole Admissions--Drug	66	61	65
Probation/Parole Admissions--DWI	43	44	37
Prison Admissions--Drug	22	32	26
Prison Admissions--DWI	18	28	11

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

NEWTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	36	49	29
CSTAR Adolescent	24	27	40
CSTAR Women and Children	59	60	52
CSTAR General Adult	141	101	104
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	*	15
Clinical SATOP (CIP, YCIP, SROP)	68	61	45
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	226	232	246
- Adolescent Diversion Education Prograr	14	10	*
- Offender Education Program	79	76	88
- Weekend Intervention Program	41	64	36
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	23	16	23
Compulsive Gambling	0	*	*
Recovery Supports	32	36	32
Early Intervention	11	14	26

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	315	290	302
AGE			
Under 18	21	25	39
18 to 24	44	43	50
25 to 29	49	57	53
30 to 34	55	49	46
35 to 39	40	30	39
40 to 44	46	25	25
45 to 54	43	51	39
55 and Over	17	10	11
GENDER			
Male	194	179	190
Female	121	111	112
RACE / ETHNICITY			
Caucasian	287	268	272
African American	6	*	11
Native American / Alaskan	*	*	0
Asian / Pacific Islander	5	*	*
Hispanic	14	7	8
Other Race / Two or More Races	8	13	10
EDUCATION			
Less than High School Diploma	119	111	121
High School Graduate or G.E.D.	98	111	109
Associate Degree or Some College	95	65	67
Bachelor or Advanced Degree	*	*	5
EMPLOYMENT			
Employed	95	99	87
Unemployed	119	84	94
Not in Labor Force	101	107	121
HOUSING / LIVING ARRANGEMENT			
Independent Living	261	242	234
Dependent Living	32	33	52
Homeless	17	8	10
MARITAL / FAMILY STATUS			
Never Married	132	127	153
Married / Cohabitating	94	99	81
Previously Married	89	64	68

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	128	137	136
Marijuana / Hashish	64	54	67
Cocaine (total)	*	*	*
- Crack	0	0	*
Stimulant (total)	90	66	68
- Methamphetamine	86	64	64
Heroin	*	0	0
Analgesic except Heroin	25	23	16
- Non-Prescription Methadone	0	*	0
PCP, LSD, other Hallucinogen	0	*	*
Tranquilizer	*	*	*
Inhalant	*	*	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	5
Average Age at First Use of Drug	17.9	17.6	16.8
INJECTION DRUG USE			
Any Injection Use at Admission	54	29	31
- Daily Injection Use	8	11	7
- Weekly Injection Use	18	8	8
- Less than Weekly Injection Use	28	10	16
LIFETIME DUI / DWI ARRESTS			
0	143	136	145
1 or 2	96	95	98
3 or More	76	59	59
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	77	138	104
School	0	*	*
Mental Health Provider	*	*	*
Health Care Provider	28	23	14
Court / Criminal Justice	173	79	133
Other Referral Source	35	46	45
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	7	*	5
Military Veteran	14	16	6
Special Education Services Needed	42	35	40
Co-Occurring Psychological Problem	161	147	145
Co-Occurring Developmental Problem	10	12	9

NEWTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	9
CENSUS 2010	58,114
2014 POPULATION ESTIMATE	58,598

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	42	29	39
Anxiety Disorder	290	257	202
Dementia	*	*	0
Developmental Disorder	7	9	9
Impulse Control Disorder	143	127	143
Mood Disorder	412	411	398
Personality Disorder	105	65	38
Psychotic Disorder	92	92	93
Sexual Disorder	*	*	0
Other Diagnosis	56	50	48
Diagnosis Unknown	135	149	146

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	814	841	909
AGE			
Under 6	16	21	11
6 to 9	55	64	62
10 to 13	67	64	72
14 to 17	72	78	93
18 to 24	94	73	99
25 to 29	71	84	76
30 to 34	57	67	73
35 to 39	54	57	82
40 to 44	81	81	81
45 to 49	72	75	93
50 to 54	75	86	92
55 to 59	56	55	47
60 and Over	44	36	28
Age Unknown	0	0	0
GENDER			
Male	378	395	448
Female	436	446	461
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	747	783	849
African American	15	9	11
Native American / Alaskan	8	8	8
Asian / Pacific Islander	*	*	*
Hispanic	16	13	17
Other Race	25	25	21
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	5	7	8
Past or Current Military Service	10	9	18

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	190	180	91
High School Grad or G.E.D.	0	*	94
Associate Degree or Some College	0	*	35
Bachelor or Advanced Degree	0	0	7
Education Level Unknown	624	658	682
EMPLOYMENT			
Employed	42	42	34
Unemployed	54	37	172
Not in Labor Force	338	344	63
Employment Status Unknown	380	418	640
HOUSING / LIVING ARRANGEMENT			
Independent Living	227	204	195
Dependent Living	202	181	77
Homeless	22	9	*
Other	0	0	*
Housing Unknown	363	447	632
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	652	666	695
School	0	*	*
Mental Health Provider	17	23	33
Health Care Provider	53	34	39
Court / Criminal Justice	51	53	69
Other	38	60	70
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	766	795	841
Civil	40	42	64
Criminal	5	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

NEWTON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	31.8	32.3	40.2
Cigarettes	23.8	25.0	30.2
Chewing Tobacco	13.5	14.5	17.7
Marijuana	12.9	10.9	12.0
Inhalants	3.9	5.9	7.2
Prescription medications not prescribed for student	6.8	7.8	9.6
Over-the-counter medications for non-medical use	2.3	6.3	8.5
Methamphetamine	0.5	0.9	1.4
Cocaine	0.9	1.2	1.4
Heroin	0.1	0.5	0.7
Hallucinogens	2.2	2.5	2.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.6	1.3	1.4
Steroids not prescribed for student	1.4	1.5	1.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.6	
Average age of students' first use of:			
Alcohol	12.61	12.11	12.33
Cigarettes	12.32	11.85	12.03
Marijuana	13.72	12.37	13.13
Inhalants	10.90	12.59	11.92
Percent of students who, in past 30 days, used:			
Alcohol	11.0	11.2	19.4
Alcohol (Binge: 5+ drinks on one occassion)		4.6	10.1
Cigarettes	8.6	8.4	15.1
Chewing Tobacco	5.2	7.8	9.5
Marijuana	4.7	3.3	5.1
Inhalants	2.2	2.3	2.3
Prescription medications not prescribed for student	3.3	4.3	5.2
Over-the-counter medications for non-medical use	1.1	4.4	5.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.6		
Percent whose friends used in past 12 months:			
Alcohol	42.1	43.7	54.5
Cigarettes	38.7	38.1	47.0
Marijuana	26.6	23.7	30.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.0	13.2	16.5
Percent who would likely use, if offered by a best friend:			
Alcohol	21.0	21.7	29.9
Cigarettes	12.0	12.5	15.8
Marijuana	10.8	8.6	10.6
Percent who say it would be wrong to use:			
Alcohol	68.2	69.7	63.5
Cigarettes	84.9	82.0	77.4
Marijuana	83.7	87.1	84.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	94.9	94.7
Percent whose parents would disapprove if they use:			
Alcohol	82.0	85.3	80.3
Cigarettes	92.8	94.0	92.3
Marijuana	93.6	96.8	95.3
Percent who say it would be easy to obtain:			
Alcohol	49.7	43.8	51.5
Cigarettes	50.8	44.2	53.8
Marijuana	29.1	25.7	31.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5	15.1	15.4

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	59.0		
Alcohol (Binge: 5+ drinks once or twice a week)	72.7		
Alcohol (any use)		74.2	77.6
Cigarettes (1+ packs per day)	86.9		
Cigarettes (any use)		81.1	80.8
Marijuana (once or twice a week)	67.9		
Marijuana (any use)		79.4	73.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	95.1	93.8
Percent of students who, in past 30 days:			
Were very sad	22.6	20.0	19.4
Were grouchy, irritable, or in a bad mood	25.6	22.2	23.3
Felt hopeless about the future	14.0	11.7	9.7
Felt like not eating or eating more than usual	18.3	19.0	16.3
Slept a lot more or a lot less than usual	18.6	19.7	26.8
Had difficulty concentrating on school work	22.5	23.7	25.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	15.6	11.4	9.5
Made plan about how they would attempt suicide	12.4	7.7	7.0
Attempted suicide	6.9	4.9	5.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.8	1.7	0.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.8	4.7	8.8
Were in a physical fight	19.3	19.7	25.8
Were in a fight and had to be treated by a doctor or nurse	3.4	2.8	4.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	49.9	50.0	56.6
Were made fun of by others	60.1	59.5	66.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.6	18.8	16.1
Spread mean rumors or lies about other kids at school	20.1	23.4	31.0
Made fun of other people	47.7	54.5	66.1
Posted something on the internet or sent a text that might embarrass or hurt another student	11.1	10.6	14.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.3	66.8	66.9
School provides feedback to parents on positive student performance	41.2	41.4	38.9
Rules are enforced fairly	59.7	62.9	61.2
Students of all races/ethnicities are treated equal	78.2	72.7	81.6
Percent of students who agree that:			
Parents notice and comment on student's good work	83.2	84.1	83.6
Parents involve student in making family decisions	68.3	74.1	71.5
It is important to be honest with parents regardless of consequences	89.2	89.6	86.3
Student could ask parent for help with a personal problem	77.2	77.7	77.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

NODAWAY COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	23,370
2014 Estimate	23,081

BIRTH RISK	2013	2012	2011
Resident Births--Total	235	226	206
Mother Reported Smoking while Pregnant	37	39	42

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	1	1
Hepatitis C Chronic and Acute	13	7	12
Tuberculosis Infection Cases	1	2	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	194	188	200
Suicides	3	6	0
Self-inflicted Injuries	15	13	6
Homicides	0	0	0
Assault Injuries	16	29	27
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	1	2	1
Smoking Attributable Deaths	30	33	40

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	129	159	146
Mental Illness Secondary Diagnosis	240	191	191
Alcohol Principal Diagnosis	6	6	4
Alcohol Secondary Diagnosis	19	6	16
Drug Principal Diagnosis	7	1	1
Drug Secondary Diagnosis	10	10	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	62	50	30
Mental Illness Secondary Diagnosis	128	153	190
Alcohol Principal Diagnosis	2	4	7
Alcohol Secondary Diagnosis	5	7	7
Drug Principal Diagnosis	4	0	1
Drug Secondary Diagnosis	8	5	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	144	126	127
Mental Illness Secondary Diagnosis	926	777	392
Alcohol Principal Diagnosis	12	16	24
Alcohol Secondary Diagnosis	7	15	12
Drug Principal Diagnosis	6	12	11
Drug Secondary Diagnosis	5	8	8

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	27	27	24
Alcohol Package Carry-out Licenses	19	18	19

EMPLOYMENT	2014	2013	2012
Labor Force	11,637	12,168	11,834
Employed	10,879	11,450	11,183
Unemployed	758	718	651
Unemployment Rate	6.5%	5.9%	5.5%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	17	11	12
Fatal Crashes	1	1	1
Injury Crashes	7	4	5
Property Damage Crashes	9	6	6
Crash Fatalities	1	1	3
Crash Injuries	8	5	10
Drug Involved Crashes--Total	2	0	4
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	2	0	4
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	126	145	160
Liquor Law Arrests	255	360	358
Drug Arrests	103	98	130
Violent Offenses	56	28	70
Property Offenses	324	383	430
Domestic Violence Reports	57	76	88
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	836	818	820
Drop-outs	6	8	3
Drop-out Rate	0.7%	1.0%	0.4%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	1	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	13	7	6
Juvenile Alcohol Offenses	6	7	9
Juvenile Drug Offenses	3	3	4
School Truancy Status Offense	2	6	9
Absent from Home Status Offense	0	0	2
Beyond Parental Control Status Offense	38	44	25
Injurious Behavior Status Offense	72	35	30
Child Abuse	13	3	0
Child Neglect	144	94	102
Child Custody Issues	1	13	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	65	31	49
Parental Alcohol Use Related	6	0	2
Parental Drug Use Related	9	4	7
Parental Alcohol and Drug Use	1	1	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	13	14	14
Probation/Parole Admissions--Drug	34	41	60
Probation/Parole Admissions--DWI	12	12	9
Prison Admissions--Drug	15	26	25
Prison Admissions--DWI	4	7	5

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

NODAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	7
CSTAR Adolescent	*	0	*
CSTAR Women and Children	*	*	0
CSTAR General Adult	11	9	16
CSTAR Opioid	0	0	0
Primary Recovery Treatment	49	54	64
Clinical SATOP (CIP, YCIP, SROP)	10	11	12
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	123	135	161
- Adolescent Diversion Education Prograr	50	53	76
- Offender Education Program	36	43	46
- Weekend Intervention Program	9	17	26
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	10	28

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	68	67	92
AGE			
Under 18	*	0	*
18 to 24	26	25	35
25 to 29	13	11	9
30 to 34	5	9	19
35 to 39	5	6	7
40 to 44	5	8	5
45 to 54	12	5	12
55 and Over	*	*	*
GENDER			
Male	44	46	58
Female	24	21	34
RACE / ETHNICITY			
Caucasian	67	66	88
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	*
Hispanic	*	0	*
Other Race / Two or More Races	0	*	*
EDUCATION			
Less than High School Diploma	8	9	19
High School Graduate or G.E.D.	41	37	44
Associate Degree or Some College	18	19	26
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	31	28	35
Unemployed	20	22	35
Not in Labor Force	17	17	22
HOUSING / LIVING ARRANGEMENT			
Independent Living	59	64	87
Dependent Living	*	0	*
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	45	42	56
Married / Cohabitating	13	9	19
Previously Married	10	16	17

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	29	40	37
Marijuana / Hashish	23	14	24
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	7	9	16
- Methamphetamine	7	9	16
Heroin	*	0	0
Analgesic except Heroin	8	*	10
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	*
Tranquilizer	0	0	0
Inhalant	0	0	*
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	*
Average Age at First Use of Drug	17.5	17.7	17.6
INJECTION DRUG USE			
Any Injection Use at Admission	10	7	7
- Daily Injection Use	*	0	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	7	*	*
LIFETIME DUI / DWI ARRESTS			
0	40	31	60
1 or 2	21	22	21
3 or More	7	14	11
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	15	9	10
School	0	0	0
Mental Health Provider	0	*	*
Health Care Provider	0	*	*
Court / Criminal Justice	41	48	70
Other Referral Source	12	5	5
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	0
Military Veteran	*	*	*
Special Education Services Needed	0	*	8
Co-Occurring Psychological Problem	26	25	30
Co-Occurring Developmental Problem	6	*	*

NODAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	1
CENSUS 2010	23,370
2014 POPULATION ESTIMATE	23,081

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	5	6	5
Anxiety Disorder	65	53	44
Dementia	0	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	34	27	24
Mood Disorder	102	88	75
Personality Disorder	10	14	12
Psychotic Disorder	14	17	17
Sexual Disorder	0	*	0
Other Diagnosis	17	14	12
Diagnosis Unknown	9	12	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	151	142	121
AGE			
Under 6	*	*	*
6 to 9	18	15	12
10 to 13	13	18	13
14 to 17	9	7	10
18 to 24	15	15	7
25 to 29	10	6	8
30 to 34	12	12	7
35 to 39	8	9	10
40 to 44	14	10	5
45 to 49	12	11	14
50 to 54	17	14	13
55 to 59	12	13	11
60 and Over	7	9	10
Age Unknown	0	0	0
GENDER			
Male	75	71	56
Female	76	71	65
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	146	137	118
African American	*	*	*
Native American / Alaskan	0	0	*
Asian / Pacific Islander	0	0	0
Hispanic	*	*	0
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	8	13	11
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	56	44	11
High School Grad or G.E.D.	0	5	34
Associate Degree or Some College	0	*	15
Bachelor or Advanced Degree	0	*	8
Education Level Unknown	95	90	53
EMPLOYMENT			
Employed	10	9	6
Unemployed	16	27	58
Not in Labor Force	92	72	5
Employment Status Unknown	33	34	52
HOUSING / LIVING ARRANGEMENT			
Independent Living	84	74	65
Dependent Living	37	46	17
Homeless	0	*	*
Other	0	0	0
Housing Unknown	30	21	38
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	43	37	40
School	*	*	*
Mental Health Provider	30	32	27
Health Care Provider	24	22	20
Court / Criminal Justice	18	11	6
Other	32	35	25
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	150	140	119
Civil	0	0	*
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

NODAWAY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	42.4	46.8	38.8
Cigarettes	20.7	23.8	19.3
Chewing Tobacco	14.3	16.2	14.7
Marijuana	12.9	10.0	5.5
Inhalants	2.1	3.0	2.1
Prescription medications not prescribed for student	7.0	7.4	5.3
Over-the-counter medications for non-medical use	1.8	4.7	3.6
Methamphetamine	0.3	0.9	0.2
Cocaine	2.1	0.6	0.6
Heroin	0.3	0.4	0.0
Hallucinogens	2.0	2.8	0.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.2	1.5	0.6
Steroids not prescribed for student	2.1	1.7	0.6
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	3.4	
Average age of students' first use of:			
Alcohol	13.64	13.68	12.74
Cigarettes	13.34	13.47	12.42
Marijuana	14.77	14.62	13.64
Inhalants	9.60	14.34	11.21
Percent of students who, in past 30 days, used:			
Alcohol	21.8	20.1	14.2
Alcohol (Binge: 5+ drinks on one occassion)		11.3	10.3
Cigarettes	8.5	10.7	8.3
Chewing Tobacco	10.0	9.1	7.6
Marijuana	4.7	4.5	1.7
Inhalants	0.6	1.1	1.1
Prescription medications not prescribed for student	3.2	3.4	3.6
Over-the-counter medications for non-medical use	0.9	3.0	2.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	14.7		
Percent whose friends used in past 12 months:			
Alcohol	51.3	57.3	58.6
Cigarettes	31.9	35.5	39.6
Marijuana	26.8	28.8	17.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	10.0	6.6
Percent who would likely use, if offered by a best friend:			
Alcohol	35.1	37.5	29.1
Cigarettes	12.3	12.6	12.1
Marijuana	15.5	9.8	4.6
Percent who say it would be wrong to use:			
Alcohol	53.1	54.5	63.6
Cigarettes	79.2	77.8	84.1
Marijuana	76.4	85.2	91.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.9	96.1	97.9
Percent whose parents would disapprove if they use:			
Alcohol	73.2	71.9	82.0
Cigarettes	87.9	88.1	91.5
Marijuana	89.4	95.4	98.3
Percent who say it would be easy to obtain:			
Alcohol	62.6	67.1	62.3
Cigarettes	56.9	61.7	52.5
Marijuana	36.1	35.6	22.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5	14.4	9.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	54.1		
Alcohol (Binge: 5+ drinks once or twice a week)	64.1		
Alcohol (any use)		63.3	86.8
Cigarettes (1+ packs per day)	86.5		
Cigarettes (any use)		80.2	84.0
Marijuana (once or twice a week)	66.6		
Marijuana (any use)		72.9	75.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	93.6	95.8
Percent of students who, in past 30 days:			
Were very sad	17.3	17.0	13.7
Were grouchy, irritable, or in a bad mood	26.4	23.2	22.7
Felt hopeless about the future	10.9	10.1	12.0
Felt like not eating or eating more than usual	16.0	12.6	12.1
Slept a lot more or a lot less than usual	17.5	18.5	20.6
Had difficulty concentrating on school work	22.5	22.4	30.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	7.9	6.4	11.0
Made plan about how they would attempt suicide	6.7	4.7	6.9
Attempted suicide	3.8	2.1	3.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.1	0.7	2.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.8	3.6	9.5
Were in a physical fight	17.5	14.1	16.6
Were in a fight and had to be treated by a doctor or nurse	2.3	1.7	2.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	44.9	43.8	56.6
Were made fun of by others	57.6	63.5	74.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.2	20.9	17.7
Spread mean rumors or lies about other kids at school	26.4	26.7	32.9
Made fun of other people	55.7	63.2	73.3
Posted something on the internet or sent a text that might embarrass or hurt another student	18.7	14.7	16.2
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.6	73.2	73.9
School provides feedback to parents on positive student performance	47.2	45.2	53.1
Rules are enforced fairly	55.1	55.6	72.0
Students of all races/ethnicities are treated equal	87.8	86.4	90.4
Percent of students who agree that:			
Parents notice and comment on student's good work	83.9	87.6	87.1
Parents involve student in making family decisions	74.9	72.0	74.8
It is important to be honest with parents regardless of consequences	84.5	87.0	87.3
Student could ask parent for help with a personal problem	81.2	85.3	82.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

OREGON COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	10,881
2014 Estimate	10,911

BIRTH RISK	2013	2012	2011
Resident Births--Total	124	130	132
Mother Reported Smoking while Pregnant	41	32	46

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	1	2
Hepatitis C Chronic and Acute	6	5	7
Tuberculosis Infection Cases	3	3	5

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	151	135	137
Suicides	0	4	3
Self-inflicted Injuries	30	23	25
Homicides	0	1	0
Assault Injuries	18	31	29
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	4	0
Smoking Attributable Deaths	26	21	24

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	124	149	124
Mental Illness Secondary Diagnosis	232	293	288
Alcohol Principal Diagnosis	5	13	8
Alcohol Secondary Diagnosis	22	30	22
Drug Principal Diagnosis	21	19	10
Drug Secondary Diagnosis	23	25	16
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2	7	1
Mental Illness Secondary Diagnosis	28	20	21
Alcohol Principal Diagnosis	1	1	0
Alcohol Secondary Diagnosis	2	2	5
Drug Principal Diagnosis	1	3	0
Drug Secondary Diagnosis	0	2	1
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	88	92	106
Mental Illness Secondary Diagnosis	605	547	203
Alcohol Principal Diagnosis	10	16	8
Alcohol Secondary Diagnosis	13	17	14
Drug Principal Diagnosis	14	9	10
Drug Secondary Diagnosis	14	19	18

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	4	5	7
Alcohol Package Carry-out Licenses	13	10	10

EMPLOYMENT	2014	2013	2012
Labor Force	4,129	4,693	4,488
Employed	3,820	4,383	4,175
Unemployed	309	310	313
Unemployment Rate	7.5%	6.6%	7.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	9	19	17
Fatal Crashes	0	1	0
Injury Crashes	3	9	8
Property Damage Crashes	6	9	9
Crash Fatalities	0	1	0
Crash Injuries	4	12	9
Drug Involved Crashes--Total	4	7	6
Fatal Crashes	0	0	0
Injury Crashes	0	4	2
Property Damage Crashes	4	3	4
Crash Fatalities	0	0	0
Crash Injuries	0	7	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	51	75	66
Liquor Law Arrests	2	8	20
Drug Arrests	38	56	31
Violent Offenses	18	40	11
Property Offenses	115	117	95
Domestic Violence Reports	32	29	7
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	592	652	632
Drop-outs	1	2	1
Drop-out Rate	0.2%	0.3%	0.2%
School Discipline Involving Alcohol	0	0	1
School Discipline Involving Drugs	4	3	8
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	5	13	2
Juvenile Alcohol Offenses	2	3	4
Juvenile Drug Offenses	0	3	1
School Truancy Status Offense	16	7	23
Absent from Home Status Offense	3	1	0
Beyond Parental Control Status Offense	6	6	7
Injurious Behavior Status Offense	16	14	7
Child Abuse	8	1	3
Child Neglect	30	12	31
Child Custody Issues	0	6	5

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	18	10	6
Parental Alcohol Use Related	1	3	0
Parental Drug Use Related	8	6	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	12	19	11
Probation/Parole Admissions--DWI	2	5	5
Prison Admissions--Drug	5	4	6
Prison Admissions--DWI	2	7	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

OREGON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	12	8	13
CSTAR Adolescent	5	*	*
CSTAR Women and Children	*	6	*
CSTAR General Adult	22	16	13
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	5	25
Clinical SATOP (CIP, YCIP, SROP)	*	10	6
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	29	28	40
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	13	8	22
- Weekend Intervention Program	7	*	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	38	42	38
AGE			
Under 18	6	*	*
18 to 24	7	8	10
25 to 29	*	7	*
30 to 34	6	9	5
35 to 39	*	7	*
40 to 44	*	0	*
45 to 54	5	*	10
55 and Over	*	*	*
GENDER			
Male	27	23	24
Female	11	19	14
RACE / ETHNICITY			
Caucasian	36	40	38
African American	0	*	0
Native American / Alaskan	*	*	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	0
Other Race / Two or More Races	*	0	0
EDUCATION			
Less than High School Diploma	14	13	23
High School Graduate or G.E.D.	16	24	15
Associate Degree or Some College	8	5	0
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	*	5	*
Unemployed	9	18	19
Not in Labor Force	25	19	17
HOUSING / LIVING ARRANGEMENT			
Independent Living	29	34	35
Dependent Living	7	7	*
Homeless	*	0	0
MARITAL / FAMILY STATUS			
Never Married	13	19	16
Married / Cohabitating	11	12	6
Previously Married	14	11	16

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	13	17	18
Marijuana / Hashish	11	*	7
Cocaine (total)	0	*	0
- Crack	0	*	0
Stimulant (total)	11	14	6
- Methamphetamine	11	14	6
Heroin	0	0	0
Analgesic except Heroin	*	7	6
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	*	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	*
Average Age at First Use of Drug	17.9	18.5	15.9
INJECTION DRUG USE			
Any Injection Use at Admission	9	12	5
- Daily Injection Use	*	0	0
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	*	8	*
LIFETIME DUI / DWI ARRESTS			
0	24	17	19
1 or 2	13	16	13
3 or More	*	9	6
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	12	17	8
School	0	0	0
Mental Health Provider	0	*	0
Health Care Provider	*	*	*
Court / Criminal Justice	9	15	25
Other Referral Source	13	8	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	*
Military Veteran	*	*	0
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	14	14	10
Co-Occurring Developmental Problem	*	*	0

OREGON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	18
CENSUS 2010	10,881
2014 POPULATION ESTIMATE	10,911

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	19	18	*
Anxiety Disorder	100	108	89
Dementia	*	*	*
Developmental Disorder	0	0	0
Impulse Control Disorder	41	39	23
Mood Disorder	151	170	124
Personality Disorder	10	9	6
Psychotic Disorder	19	20	12
Sexual Disorder	0	0	0
Other Diagnosis	9	6	8
Diagnosis Unknown	19	11	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	237	239	179
AGE			
Under 6	0	0	*
6 to 9	9	*	7
10 to 13	14	11	6
14 to 17	12	11	13
18 to 24	30	31	25
25 to 29	24	18	13
30 to 34	23	21	8
35 to 39	21	22	19
40 to 44	19	24	23
45 to 49	24	32	25
50 to 54	35	30	21
55 to 59	8	17	10
60 and Over	18	18	8
Age Unknown	0	0	0
GENDER			
Male	118	103	74
Female	119	136	105
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	231	230	172
African American	*	*	*
Native American / Alaskan	0	*	*
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	8	8	11
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	63	57	38
High School Grad or G.E.D.	0	0	20
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	174	182	118
EMPLOYMENT			
Employed	20	30	5
Unemployed	37	40	47
Not in Labor Force	106	135	36
Employment Status Unknown	74	34	91
HOUSING / LIVING ARRANGEMENT			
Independent Living	102	151	72
Dependent Living	34	30	19
Homeless	8	6	0
Other	0	0	0
Housing Unknown	93	52	88
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	119	161	93
School	*	*	*
Mental Health Provider	*	*	*
Health Care Provider	89	51	43
Court / Criminal Justice	0	*	*
Other	26	22	34
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	237	239	179
Civil	0	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

OREGON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol		37.6	37.2
Cigarettes		31.2	33.6
Chewing Tobacco		23.1	22.8
Marijuana		12.7	10.3
Inhalants		5.8	5.7
Prescription medications not prescribed for student		12.6	8.2
Over-the-counter medications for non-medical use		8.1	6.5
Methamphetamine		1.8	0.4
Cocaine		1.8	0.4
Heroin		1.2	0.0
Hallucinogens		3.5	2.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.7	2.2
Steroids not prescribed for student		1.7	1.3
Synthetic drugs (K2, bath salts, Spice, etc)		10.3	
Average age of students' first use of:			
Alcohol		12.60	12.47
Cigarettes		12.71	11.91
Marijuana		13.51	13.58
Inhalants		11.79	11.83
Percent of students who, in past 30 days, used:			
Alcohol		12.1	18.5
Alcohol (Binge: 5+ drinks on one occassion)		8.0	12.3
Cigarettes		14.5	19.4
Chewing Tobacco		12.1	13.8
Marijuana		5.8	6.8
Inhalants		2.3	2.2
Prescription medications not prescribed for student		5.7	5.6
Over-the-counter medications for non-medical use		5.2	3.9
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol		45.9	57.0
Cigarettes		44.5	51.7
Marijuana		22.2	30.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		11.6	12.4
Percent who would likely use, if offered by a best friend:			
Alcohol		23.1	29.4
Cigarettes		14.5	20.2
Marijuana		8.1	9.9
Percent who say it would be wrong to use:			
Alcohol		70.2	64.2
Cigarettes		82.1	74.7
Marijuana		88.5	84.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		95.9	94.4
Percent whose parents would disapprove if they use:			
Alcohol		83.1	83.2
Cigarettes		91.3	90.0
Marijuana		94.7	95.7
Percent who say it would be easy to obtain:			
Alcohol		50.3	52.8
Cigarettes		52.9	60.3
Marijuana		31.6	35.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		17.5	19.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)		78.0	81.7
Cigarettes (1+ packs per day)			
Cigarettes (any use)		80.3	78.4
Marijuana (once or twice a week)			
Marijuana (any use)		81.4	80.3
Other: Cocaine, LSD, Meth, Club Drug (any use)		93.0	94.5
Percent of students who, in past 30 days:			
Were very sad		20.2	12.8
Were grouchy, irritable, or in a bad mood		24.3	23.1
Felt hopeless about the future		11.0	11.1
Felt like not eating or eating more than usual		16.8	15.5
Slept a lot more or a lot less than usual		20.8	21.6
Had difficulty concentrating on school work		23.3	27.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide		12.7	8.1
Made plan about how they would attempt suicide		9.9	5.1
Attempted suicide		5.7	2.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		1.7	0.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school		7.5	7.6
Were in a physical fight		17.4	20.8
Were in a fight and had to be treated by a doctor or nurse		2.9	4.3
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school		52.6	58.1
Were made fun of by others		65.5	68.2
Were victims of an embarrassing or hurtful text message or something posted on the internet		22.9	19.8
Spread mean rumors or lies about other kids at school		23.8	25.1
Made fun of other people		60.1	64.8
Posted something on the internet or sent a text that might embarrass or hurt another student		11.7	11.2
Percent of students who agree that:			
Teachers notice and comment on student's good work		79.1	78.2
School provides feedback to parents on positive student performance		46.8	49.6
Rules are enforced fairly		66.5	63.5
Students of all races/ethnicities are treated equal		83.2	82.1
Percent of students who agree that:			
Parents notice and comment on student's good work		85.5	88.5
Parents involve student in making family decisions		74.3	76.1
It is important to be honest with parents regardless of consequences		88.4	88.6
Student could ask parent for help with a personal problem		77.3	82.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

OSAGE COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	13,878
2014 Estimate	13,703

BIRTH RISK	2013	2012	2011
Resident Births--Total	150	155	144
Mother Reported Smoking while Pregnant	27	35	22

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	10	5	5
Tuberculosis Infection Cases	2	1	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	115	138	131
Suicides	3	1	2
Self-inflicted Injuries	10	9	6
Homicides	0	0	0
Assault Injuries	14	21	28
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	1	3	0
Smoking Attributable Deaths	14	28	27

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	37	27	23
Mental Illness Secondary Diagnosis	145	118	111
Alcohol Principal Diagnosis	0	3	3
Alcohol Secondary Diagnosis	5	8	6
Drug Principal Diagnosis	2	4	1
Drug Secondary Diagnosis	6	3	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	48	82	47
Mental Illness Secondary Diagnosis	147	236	223
Alcohol Principal Diagnosis	6	4	9
Alcohol Secondary Diagnosis	21	9	16
Drug Principal Diagnosis	7	5	6
Drug Secondary Diagnosis	3	3	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	96	87	90
Mental Illness Secondary Diagnosis	258	235	191
Alcohol Principal Diagnosis	10	3	15
Alcohol Secondary Diagnosis	17	9	19
Drug Principal Diagnosis	4	15	10
Drug Secondary Diagnosis	7	14	9

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	22	23	20
Alcohol Package Carry-out Licenses	12	13	13

EMPLOYMENT	2014	2013	2012
Labor Force	7,252	7,162	7,190
Employed	6,916	6,814	6,819
Unemployed	336	348	371
Unemployment Rate	4.6%	4.9%	5.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	14	16	12
Fatal Crashes	0	1	1
Injury Crashes	6	4	3
Property Damage Crashes	8	11	8
Crash Fatalities	0	1	1
Crash Injuries	10	8	7
Drug Involved Crashes--Total	1	5	0
Fatal Crashes	0	2	0
Injury Crashes	1	2	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	2	0
Crash Injuries	3	5	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	44	74	46
Liquor Law Arrests	7	38	38
Drug Arrests	58	21	21
Violent Offenses	5	9	41
Property Offenses	99	141	110
Domestic Violence Reports	30	36	16
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	6	9	6

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	664	706	660
Drop-outs	2	3	4
Drop-out Rate	0.3%	0.4%	0.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	3	1	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	6	15	4
Juvenile Alcohol Offenses	2	0	0
Juvenile Drug Offenses	4	2	0
School Truancy Status Offense	6	5	15
Absent from Home Status Offense	3	1	0
Beyond Parental Control Status Offense	1	0	0
Injurious Behavior Status Offense	2	14	11
Child Abuse	0	0	0
Child Neglect	5	0	5
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	6	0	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	5	0	2
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	23	14	16
Probation/Parole Admissions--Drug	22	10	7
Probation/Parole Admissions--DWI	6	6	3
Prison Admissions--Drug	9	3	2
Prison Admissions--DWI	2	0	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

OSAGE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	7	*
CSTAR General Adult	24	34	25
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	10
Clinical SATOP (CIP, YCIP, SROP)	10	14	15
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	31	69	62
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	9	28	25
- Weekend Intervention Program	8	19	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	*
Recovery Supports	0	0	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	39	62	59
AGE			
Under 18	*	*	*
18 to 24	8	10	16
25 to 29	6	17	8
30 to 34	10	14	12
35 to 39	*	8	10
40 to 44	*	*	*
45 to 54	5	5	8
55 and Over	*	*	*
GENDER			
Male	31	39	38
Female	8	23	21
RACE / ETHNICITY			
Caucasian	39	61	59
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	0
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	11	18	18
High School Graduate or G.E.D.	20	30	27
Associate Degree or Some College	8	13	13
Bachelor or Advanced Degree	0	*	*
EMPLOYMENT			
Employed	15	18	29
Unemployed	10	22	15
Not in Labor Force	14	22	15
HOUSING / LIVING ARRANGEMENT			
Independent Living	36	51	51
Dependent Living	*	7	7
Homeless	0	*	*
MARITAL / FAMILY STATUS			
Never Married	22	39	30
Married / Cohabitating	9	12	17
Previously Married	8	11	12

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	13	27	27
Marijuana / Hashish	9	12	17
Cocaine (total)	*	*	*
- Crack	0	0	0
Stimulant (total)	9	12	8
- Methamphetamine	9	8	7
Heroin	*	*	*
Analgesic except Heroin	*	5	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	0
Average Age at First Use of Drug	18.5	17.8	16.7
INJECTION DRUG USE			
Any Injection Use at Admission	5	9	7
- Daily Injection Use	*	*	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	*	5	5
LIFETIME DUI / DWI ARRESTS			
0	16	30	30
1 or 2	15	25	19
3 or More	8	7	10
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	12	14	15
School	0	0	0
Mental Health Provider	0	0	0
Health Care Provider	0	*	*
Court / Criminal Justice	26	39	38
Other Referral Source	*	*	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	*
Military Veteran	*	0	0
Special Education Services Needed	0	*	6
Co-Occurring Psychological Problem	15	25	29
Co-Occurring Developmental Problem	0	*	*

OSAGE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	11
CENSUS 2010	13,878
2014 POPULATION ESTIMATE	13,703

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	0
Anxiety Disorder	23	24	22
Dementia	*	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	*	*	*
Mood Disorder	25	31	33
Personality Disorder	*	8	5
Psychotic Disorder	13	11	9
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	10	12

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	48	61	58
AGE			
Under 6	*	*	0
6 to 9	*	*	*
10 to 13	6	*	*
14 to 17	*	*	*
18 to 24	*	6	5
25 to 29	*	*	5
30 to 34	7	8	8
35 to 39	*	*	*
40 to 44	*	*	*
45 to 49	6	7	10
50 to 54	6	7	5
55 to 59	6	8	7
60 and Over	*	5	*
Age Unknown	0	0	0
GENDER			
Male	30	32	30
Female	18	29	28
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	43	56	56
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	0
Other Race	0	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	0
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	18	16	10
High School Grad or G.E.D.	0	0	17
Associate Degree or Some College	0	*	9
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	30	44	22
EMPLOYMENT			
Employed	*	*	*
Unemployed	0	*	32
Not in Labor Force	28	38	6
Employment Status Unknown	19	17	17
HOUSING / LIVING ARRANGEMENT			
Independent Living	12	22	27
Dependent Living	19	24	17
Homeless	0	*	0
Other	0	0	*
Housing Unknown	17	13	13
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	28	33	30
School	*	0	0
Mental Health Provider	8	11	11
Health Care Provider	*	8	9
Court / Criminal Justice	*	*	0
Other	5	7	8
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	47	60	58
Civil	0	0	0
Criminal	*	*	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

OSAGE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	42.5	47.9	64.1
Cigarettes	14.6	22.3	41.3
Chewing Tobacco	17.6	17.7	11.5
Marijuana	6.8	5.5	23.6
Inhalants	2.8	3.8	3.8
Prescription medications not prescribed for student	4.4	9.7	7.8
Over-the-counter medications for non-medical use	1.6	5.1	10.1
Methamphetamine	1.7	0.0	2.2
Cocaine	1.7	0.8	0.0
Heroin	0.0	0.0	0.0
Hallucinogens	1.7	0.8	0.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	0.0	1.0
Steroids not prescribed for student	0.0	0.8	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	1.7	5.9	
Average age of students' first use of:			
Alcohol	12.53	12.81	11.98
Cigarettes	13.01	13.12	12.25
Marijuana	13.68	14.18	14.02
Inhalants	12.89	12.16	10.00
Percent of students who, in past 30 days, used:			
Alcohol	14.4	24.9	42.9
Alcohol (Binge: 5+ drinks on one occassion)		12.2	32.9
Cigarettes	5.1	10.1	9.3
Chewing Tobacco	8.8	10.9	7.7
Marijuana	1.7	3.0	2.4
Inhalants	2.2	2.1	2.8
Prescription medications not prescribed for student	4.4	4.6	5.7
Over-the-counter medications for non-medical use	1.6	3.4	7.3
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.6		
Percent whose friends used in past 12 months:			
Alcohol	44.8	60.3	57.0
Cigarettes	34.3	42.6	51.2
Marijuana	11.5	20.7	34.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.4	12.9	6.8
Percent who would likely use, if offered by a best friend:			
Alcohol	23.6	35.0	48.3
Cigarettes	9.3	13.9	7.5
Marijuana	5.6	5.5	4.2
Percent who say it would be wrong to use:			
Alcohol	72.5	54.9	49.8
Cigarettes	89.4	81.4	64.8
Marijuana	89.3	92.0	95.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	97.1	99.0
Percent whose parents would disapprove if they use:			
Alcohol	81.5	69.9	62.9
Cigarettes	92.7	89.4	92.9
Marijuana	97.1	97.0	100.0
Percent who say it would be easy to obtain:			
Alcohol	49.2	63.0	67.9
Cigarettes	41.8	59.3	53.9
Marijuana	21.0	30.6	15.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	22.3	10.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	63.9		
Alcohol (Binge: 5+ drinks once or twice a week)	76.5		
Alcohol (any use)		62.3	90.4
Cigarettes (1+ packs per day)	86.7		
Cigarettes (any use)		82.8	90.1
Marijuana (once or twice a week)	81.5		
Marijuana (any use)		83.5	53.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	91.9	98.3
Percent of students who, in past 30 days:			
Were very sad	25.1	19.6	30.7
Were grouchy, irritable, or in a bad mood	18.6	22.6	32.1
Felt hopeless about the future	12.5	14.8	21.8
Felt like not eating or eating more than usual	18.0	24.3	26.7
Slept a lot more or a lot less than usual	16.9	23.1	33.1
Had difficulty concentrating on school work	26.9	25.6	33.4
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.1	12.4	12.6
Made plan about how they would attempt suicide	9.8	10.2	6.5
Attempted suicide	4.5	3.8	6.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.6	1.7	2.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	8.2	3.8	19.1
Were in a physical fight	16.5	21.4	51.9
Were in a fight and had to be treated by a doctor or nurse	1.6	3.8	12.6
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	53.8	52.3	50.9
Were made fun of by others	59.9	65.1	59.4
Were victims of an embarrassing or hurtful text message or something posted on the internet	14.8	21.8	18.3
Spread mean rumors or lies about other kids at school	24.5	18.7	32.5
Made fun of other people	50.5	62.9	77.8
Posted something on the internet or sent a text that might embarrass or hurt another student	10.9	9.4	13.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	77.0	73.8	82.9
School provides feedback to parents on positive student performance	50.8	39.8	37.2
Rules are enforced fairly	74.7	67.2	71.9
Students of all races/ethnicities are treated equal	83.6	84.3	84.1
Percent of students who agree that:			
Parents notice and comment on student's good work	89.1	82.3	79.9
Parents involve student in making family decisions	68.4	68.4	68.3
It is important to be honest with parents regardless of consequences	88.6	91.6	83.6
Student could ask parent for help with a personal problem	77.7	73.5	81.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

OZARK COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	9,723
2014 Estimate	9,492

BIRTH RISK	2013	2012	2011
Resident Births--Total	81	109	82
Mother Reported Smoking while Pregnant	17	24	19

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	1
Hepatitis C Chronic and Acute	3	7	5
Tuberculosis Infection Cases	0	0	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	126	124	128
Suicides	1	2	3
Self-inflicted Injuries	6	11	9
Homicides	0	1	0
Assault Injuries	14	17	9
Alcohol Induced Deaths	0	1	1
Drug Induced Deaths	1	3	0
Smoking Attributable Deaths	28	20	26

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	52	67	65
Mental Illness Secondary Diagnosis	146	161	180
Alcohol Principal Diagnosis	10	10	13
Alcohol Secondary Diagnosis	13	19	18
Drug Principal Diagnosis	10	6	6
Drug Secondary Diagnosis	12	9	15
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	9	14	8
Mental Illness Secondary Diagnosis	30	43	35
Alcohol Principal Diagnosis	0	3	4
Alcohol Secondary Diagnosis	7	6	6
Drug Principal Diagnosis	0	3	1
Drug Secondary Diagnosis	2	1	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	33	38	48
Mental Illness Secondary Diagnosis	230	154	81
Alcohol Principal Diagnosis	8	9	6
Alcohol Secondary Diagnosis	9	14	15
Drug Principal Diagnosis	5	8	4
Drug Secondary Diagnosis	8	11	12

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	11	11	13
Alcohol Package Carry-out Licenses	21	17	20

EMPLOYMENT	2014	2013	2012
Labor Force	3,632	4,504	4,287
Employed	3,315	4,163	3,940
Unemployed	317	341	347
Unemployment Rate	8.7%	7.6%	8.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	18	17	20
Fatal Crashes	1	1	1
Injury Crashes	5	6	10
Property Damage Crashes	12	10	9
Crash Fatalities	1	1	1
Crash Injuries	9	10	10
Drug Involved Crashes--Total	1	1	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	2
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	3

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	51	55	55
Liquor Law Arrests	20	5	4
Drug Arrests	93	74	56
Violent Offenses	40	30	12
Property Offenses	118	140	149
Domestic Violence Reports	69	35	21
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	3	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	522	527	546
Drop-outs	2	0	9
Drop-out Rate	0.4%	0.0%	1.6%
School Discipline Involving Alcohol	2	0	0
School Discipline Involving Drugs	1	2	5
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	5	3	1
Juvenile Alcohol Offenses	3	0	1
Juvenile Drug Offenses	1	0	1
School Truancy Status Offense	5	0	0
Absent from Home Status Offense	4	0	2
Beyond Parental Control Status Offense	5	5	4
Injurious Behavior Status Offense	0	1	1
Child Abuse	0	0	1
Child Neglect	9	11	9
Child Custody Issues	2	0	2

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	16	10	12
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	12	1	3
Parental Alcohol and Drug Use	1	1	3

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	13	15	13
Probation/Parole Admissions--Drug	15	14	16
Probation/Parole Admissions--DWI	0	1	3
Prison Admissions--Drug	5	5	2
Prison Admissions--DWI	0	1	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

OZARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5	9	13
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	7	17	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	9	*	20
Clinical SATOP (CIP, YCIP, SROP)	*	10	8
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	20	37	40
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	8	17	7
- Weekend Intervention Program	*	12	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	27	31	45
AGE			
Under 18	*	*	*
18 to 24	*	*	9
25 to 29	*	8	6
30 to 34	5	*	5
35 to 39	5	*	*
40 to 44	*	*	6
45 to 54	*	*	8
55 and Over	*	*	5
GENDER			
Male	18	19	35
Female	9	12	10
RACE / ETHNICITY			
Caucasian	26	31	44
African American	0	0	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race / Two or More Races	*	0	0
EDUCATION			
Less than High School Diploma	6	5	15
High School Graduate or G.E.D.	17	17	22
Associate Degree or Some College	*	9	8
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	*	5	8
Unemployed	13	11	24
Not in Labor Force	12	15	13
HOUSING / LIVING ARRANGEMENT			
Independent Living	19	28	39
Dependent Living	*	*	*
Homeless	*	*	0
MARITAL / FAMILY STATUS			
Never Married	13	12	19
Married / Cohabitating	5	10	12
Previously Married	9	9	14

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	11	19	28
Marijuana / Hashish	*	5	8
Cocaine (total)	*	0	0
- Crack	*	0	0
Stimulant (total)	8	5	5
- Methamphetamine	8	5	5
Heroin	0	*	0
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	*
Average Age at First Use of Drug	16.7	16.9	16.6
INJECTION DRUG USE			
Any Injection Use at Admission	7	*	*
- Daily Injection Use	0	*	0
- Weekly Injection Use	*	*	0
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	11	10	22
1 or 2	11	12	13
3 or More	5	9	10
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	12	12	16
School	0	0	0
Mental Health Provider	*	0	0
Health Care Provider	*	*	0
Court / Criminal Justice	9	12	28
Other Referral Source	*	6	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	0	*
Military Veteran	*	*	0
Special Education Services Needed	*	*	0
Co-Occurring Psychological Problem	13	7	11
Co-Occurring Developmental Problem	0	0	0

OZARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	18
CENSUS 2010	9,723
2014 POPULATION ESTIMATE	9,492

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	11	*	*
Anxiety Disorder	51	64	51
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	9	14	10
Mood Disorder	71	92	75
Personality Disorder	7	*	6
Psychotic Disorder	11	10	11
Sexual Disorder	0	0	0
Other Diagnosis	5	5	*
Diagnosis Unknown	11	6	5

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	110	125	106
AGE			
Under 6	0	0	0
6 to 9	*	*	*
10 to 13	*	*	*
14 to 17	7	7	*
18 to 24	7	12	11
25 to 29	16	15	17
30 to 34	11	15	11
35 to 39	11	12	7
40 to 44	11	17	13
45 to 49	14	18	13
50 to 54	13	17	11
55 to 59	10	7	12
60 and Over	5	*	*
Age Unknown	0	0	0
GENDER			
Male	52	57	49
Female	58	68	57
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	108	125	104
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	*
Other Race	*	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	26	28	21
High School Grad or G.E.D.	0	0	9
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	84	97	70
EMPLOYMENT			
Employed	13	16	*
Unemployed	9	18	28
Not in Labor Force	55	67	15
Employment Status Unknown	33	24	60
HOUSING / LIVING ARRANGEMENT			
Independent Living	54	81	42
Dependent Living	15	10	5
Homeless	*	*	0
Other	0	0	0
Housing Unknown	39	32	59
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	72	87	54
School	0	0	0
Mental Health Provider	*	5	5
Health Care Provider	27	20	21
Court / Criminal Justice	*	*	*
Other	7	12	22
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	109	124	106
Civil	0	*	0
Criminal	*	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

OZARK COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	36.4	33.8	45.4
Cigarettes	27.8	20.3	33.9
Chewing Tobacco	17.3	16.5	24.0
Marijuana	14.3	16.5	13.8
Inhalants	3.1	3.0	6.9
Prescription medications not prescribed for student	5.2	4.5	10.4
Over-the-counter medications for non-medical use	1.1	5.3	8.0
Methamphetamine	0.0	0.0	1.2
Cocaine	1.0	0.0	1.7
Heroin	0.0	0.0	0.0
Hallucinogens	0.0	3.1	3.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.8	3.4
Steroids not prescribed for student	0.0	0.0	0.6
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	6.8	
Average age of students' first use of:			
Alcohol	13.15	12.34	12.12
Cigarettes	13.57	12.16	11.44
Marijuana	14.93	12.61	13.59
Inhalants	10.69		13.38
Percent of students who, in past 30 days, used:			
Alcohol	14.1	8.3	17.7
Alcohol (Binge: 5+ drinks on one occassion)		5.3	8.6
Cigarettes	11.1	6.0	14.9
Chewing Tobacco	8.2	7.6	10.9
Marijuana	4.1	7.5	6.3
Inhalants	1.0	1.5	2.9
Prescription medications not prescribed for student	3.1	3.0	4.6
Over-the-counter medications for non-medical use	0.0	4.5	4.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.1		
Percent whose friends used in past 12 months:			
Alcohol	38.4	50.4	55.4
Cigarettes	39.0	45.5	45.7
Marijuana	27.6	35.3	31.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.0	11.3	14.9
Percent who would likely use, if offered by a best friend:			
Alcohol	25.7	27.3	36.4
Cigarettes	12.1	10.4	21.1
Marijuana	8.1	13.0	10.4
Percent who say it would be wrong to use:			
Alcohol	66.0	55.4	58.0
Cigarettes	82.7	78.9	76.9
Marijuana	79.4	81.2	83.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	94.7	94.8
Percent whose parents would disapprove if they use:			
Alcohol	80.4	87.0	85.0
Cigarettes	87.8	94.7	91.9
Marijuana	88.5	94.5	94.7
Percent who say it would be easy to obtain:			
Alcohol	52.6	61.1	57.5
Cigarettes	50.0	57.1	60.1
Marijuana	28.4	36.2	35.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	15.9	18.6

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	57.1		
Alcohol (Binge: 5+ drinks once or twice a week)	66.0		
Alcohol (any use)		66.9	74.9
Cigarettes (1+ packs per day)	89.5		
Cigarettes (any use)		80.5	75.9
Marijuana (once or twice a week)	71.1		
Marijuana (any use)		68.4	71.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	96.8	92.3	91.9
Percent of students who, in past 30 days:			
Were very sad	15.2	20.3	24.1
Were grouchy, irritable, or in a bad mood	21.0	25.8	27.6
Felt hopeless about the future	9.0	9.0	12.1
Felt like not eating or eating more than usual	12.0	12.8	23.4
Slept a lot more or a lot less than usual	12.1	18.8	29.9
Had difficulty concentrating on school work	16.0	20.9	24.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.0	9.0	10.9
Made plan about how they would attempt suicide	7.0	6.1	7.4
Attempted suicide	4.0	3.1	4.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.1	3.1	1.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.0	10.6	8.7
Were in a physical fight	13.0	22.0	25.3
Were in a fight and had to be treated by a doctor or nurse	5.0	3.1	6.3
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	46.5	52.6	65.3
Were made fun of by others	48.5	60.2	73.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	18.4	18.5	17.8
Spread mean rumors or lies about other kids at school	30.3	28.0	36.2
Made fun of other people	59.0	56.4	69.1
Posted something on the internet or sent a text that might embarrass or hurt another student	13.0	13.1	15.7
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.3	76.7	67.0
School provides feedback to parents on positive student performance	39.8	35.9	39.7
Rules are enforced fairly	61.0	56.4	55.4
Students of all races/ethnicities are treated equal	87.0	85.7	84.5
Percent of students who agree that:			
Parents notice and comment on student's good work	80.8	78.8	78.7
Parents involve student in making family decisions	73.7	64.7	69.7
It is important to be honest with parents regardless of consequences	94.9	83.5	83.3
Student could ask parent for help with a personal problem	83.7	71.8	77.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

PEMISCOT COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	19
POPULATION	
Census 2010	18,296
2014 Estimate	17,650

BIRTH RISK	2013	2012	2011
Resident Births--Total	301	282	288
Mother Reported Smoking while Pregnant	76	68	64

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	1	1
Hepatitis B Chronic, Acute, Prenatal	0	1	1
Hepatitis C Chronic and Acute	17	39	22
Tuberculosis Infection Cases	8	22	8

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	269	226	218
Suicides	6	3	3
Self-inflicted Injuries	26	21	42
Homicides	2	0	2
Assault Injuries	114	157	126
Alcohol Induced Deaths	0	4	0
Drug Induced Deaths	5	5	4
Smoking Attributable Deaths	58	55	45

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	316	342	395
Mental Illness Secondary Diagnosis	444	566	761
Alcohol Principal Diagnosis	9	14	13
Alcohol Secondary Diagnosis	30	39	60
Drug Principal Diagnosis	12	7	16
Drug Secondary Diagnosis	26	38	60
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	48	46	37
Mental Illness Secondary Diagnosis	345	427	310
Alcohol Principal Diagnosis	3	7	6
Alcohol Secondary Diagnosis	26	31	21
Drug Principal Diagnosis	8	9	10
Drug Secondary Diagnosis	20	24	17
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	180	174	182
Mental Illness Secondary Diagnosis	188	92	111
Alcohol Principal Diagnosis	52	36	56
Alcohol Secondary Diagnosis	23	29	49
Drug Principal Diagnosis	32	30	33
Drug Secondary Diagnosis	40	40	61

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	16	17	19
Alcohol Package Carry-out Licenses	28	28	28

EMPLOYMENT	2014	2013	2012
Labor Force	7,019	8,247	8,205
Employed	6,377	7,567	7,541
Unemployed	642	680	664
Unemployment Rate	9.1%	8.2%	8.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	25	29	25
Fatal Crashes	1	1	1
Injury Crashes	9	15	12
Property Damage Crashes	15	13	12
Crash Fatalities	1	1	1
Crash Injuries	12	23	15
Drug Involved Crashes--Total	9	8	4
Fatal Crashes	0	0	0
Injury Crashes	2	4	3
Property Damage Crashes	7	4	1
Crash Fatalities	0	0	0
Crash Injuries	3	4	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	106	178	190
Liquor Law Arrests	6	18	47
Drug Arrests	151	242	365
Violent Offenses	161	179	144
Property Offenses	769	688	674
Domestic Violence Reports	237	248	128
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	1	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,045	1,037	990
Drop-outs	17	20	56
Drop-out Rate	1.6%	1.9%	5.7%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	1	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	5	33	7
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	1	6	1
School Truancy Status Offense	0	8	0
Absent from Home Status Offense	0	9	0
Beyond Parental Control Status Offense	3	22	4
Injurious Behavior Status Offense	0	17	0
Child Abuse	3	21	2
Child Neglect	28	48	12
Child Custody Issues	6	6	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	57	52	45
Parental Alcohol Use Related	4	8	9
Parental Drug Use Related	29	7	7
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	101	113	146
Probation/Parole Admissions--DWI	14	22	25
Prison Admissions--Drug	56	65	67
Prison Admissions--DWI	10	10	20

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PEMISCOT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	68	60	99
CSTAR Adolescent	20	17	17
CSTAR Women and Children	18	19	12
CSTAR General Adult	116	117	47
CSTAR Opioid	0	0	0
Primary Recovery Treatment	31	135	233
Clinical SATOP (CIP, YCIP, SROP)	18	18	17
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	69	76	81
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	18	20	27
- Weekend Intervention Program	16	15	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	5	*
Compulsive Gambling	0	0	0
Recovery Supports	13	5	6
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	220	279	342
AGE			
Under 18	19	19	19
18 to 24	38	63	71
25 to 29	40	54	59
30 to 34	36	36	45
35 to 39	24	29	41
40 to 44	19	16	40
45 to 54	33	42	42
55 and Over	11	20	25
GENDER			
Male	149	193	255
Female	71	86	87
RACE / ETHNICITY			
Caucasian	137	160	202
African American	76	116	133
Native American / Alaskan	*	0	*
Asian / Pacific Islander	0	0	0
Hispanic	*	0	*
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	94	120	167
High School Graduate or G.E.D.	104	139	155
Associate Degree or Some College	22	20	18
Bachelor or Advanced Degree	0	0	*
EMPLOYMENT			
Employed	39	63	86
Unemployed	47	73	102
Not in Labor Force	134	143	154
HOUSING / LIVING ARRANGEMENT			
Independent Living	178	243	305
Dependent Living	29	28	25
Homeless	5	*	*
MARITAL / FAMILY STATUS			
Never Married	127	161	167
Married / Cohabitating	51	77	107
Previously Married	42	41	68

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	64	84	98
Marijuana / Hashish	66	106	124
Cocaine (total)	11	23	47
- Crack	6	10	28
Stimulant (total)	51	48	43
- Methamphetamine	50	44	42
Heroin	*	*	*
Analgesic except Heroin	16	10	18
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	*	0
Tranquilizer	10	5	10
Inhalant	0	0	0
Sedative	*	*	0
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	18.0	18.1	18.4
INJECTION DRUG USE			
Any Injection Use at Admission	7	8	7
- Daily Injection Use	*	*	0
- Weekly Injection Use	*	0	*
- Less than Weekly Injection Use	*	6	5
LIFETIME DUI / DWI ARRESTS			
0	175	216	255
1 or 2	38	39	67
3 or More	7	24	20
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	42	25	55
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	11	12	16
Court / Criminal Justice	122	193	246
Other Referral Source	43	46	24
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	8	8	*
Military Veteran	10	13	8
Special Education Services Needed	26	28	19
Co-Occurring Psychological Problem	40	52	65
Co-Occurring Developmental Problem	*	6	7

PEMISCOT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	19
CENSUS 2010	18,296
2014 POPULATION ESTIMATE	17,650

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	19	*	*
Anxiety Disorder	25	14	9
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	40	24	21
Mood Disorder	129	110	88
Personality Disorder	*	*	*
Psychotic Disorder	44	42	33
Sexual Disorder	*	*	*
Other Diagnosis	16	9	14
Diagnosis Unknown	47	31	26

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	310	226	181
AGE			
Under 6	6	*	0
6 to 9	33	18	16
10 to 13	37	26	20
14 to 17	36	15	13
18 to 24	26	21	10
25 to 29	23	18	21
30 to 34	27	24	20
35 to 39	31	26	16
40 to 44	21	18	16
45 to 49	23	15	14
50 to 54	22	22	15
55 to 59	12	10	12
60 and Over	13	9	8
Age Unknown	0	0	0
GENDER			
Male	163	114	96
Female	147	112	85
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	194	145	103
African American	101	75	72
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	11	5	5
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	9	10	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	116	73	34
High School Grad or G.E.D.	0	0	21
Associate Degree or Some College	0	0	5
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	194	153	121
EMPLOYMENT			
Employed	*	7	*
Unemployed	23	18	47
Not in Labor Force	159	102	19
Employment Status Unknown	124	99	114
HOUSING / LIVING ARRANGEMENT			
Independent Living	100	92	51
Dependent Living	77	31	17
Homeless	*	*	*
Other	0	0	5
Housing Unknown	131	102	107
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	75	47	33
School	16	6	9
Mental Health Provider	25	20	20
Health Care Provider	52	52	35
Court / Criminal Justice	69	61	63
Other	71	38	19
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	305	219	174
Civil	0	0	0
Criminal	*	*	*
Sexual Predatory	*	*	*
Commitment Type Unknown	*	*	*

PEMISCOT COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	27.6	44.1	49.0
Cigarettes	20.8	30.8	37.9
Chewing Tobacco	10.9	11.7	16.7
Marijuana	11.5	15.3	20.1
Inhalants	3.5	5.7	10.2
Prescription medications not prescribed for student	9.2	14.6	21.0
Over-the-counter medications for non-medical use	3.5	8.0	10.9
Methamphetamine	0.0	1.3	0.7
Cocaine	0.4	1.3	2.2
Heroin	0.4	1.0	1.3
Hallucinogens	1.3	1.0	1.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	1.0	2.7
Steroids not prescribed for student	1.8	1.6	1.6
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	8.3	
Average age of students' first use of:			
Alcohol	12.90	12.85	12.77
Cigarettes	11.93	12.02	12.42
Marijuana	13.34	14.02	14.02
Inhalants	10.77	12.62	12.62
Percent of students who, in past 30 days, used:			
Alcohol	11.8	17.8	25.4
Alcohol (Binge: 5+ drinks on one occassion)		12.4	16.3
Cigarettes	10.5	12.4	22.2
Chewing Tobacco	7.4	5.4	10.1
Marijuana	5.3	5.7	9.9
Inhalants	1.3	1.6	4.9
Prescription medications not prescribed for student	4.8	8.6	14.3
Over-the-counter medications for non-medical use	1.7	3.5	7.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.4		
Percent whose friends used in past 12 months:			
Alcohol	37.8	57.6	60.1
Cigarettes	31.2	52.2	56.6
Marijuana	21.5	36.5	36.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.2	11.8	13.0
Percent who would likely use, if offered by a best friend:			
Alcohol	26.8	29.3	37.5
Cigarettes	12.6	10.5	21.2
Marijuana	10.1	9.2	14.1
Percent who say it would be wrong to use:			
Alcohol	69.3	66.7	60.3
Cigarettes	82.6	80.5	73.9
Marijuana	81.7	84.3	81.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.6	95.8	95.8
Percent whose parents would disapprove if they use:			
Alcohol	89.4	85.0	82.3
Cigarettes	94.2	90.7	88.7
Marijuana	95.5	95.8	94.5
Percent who say it would be easy to obtain:			
Alcohol	45.7	59.6	58.5
Cigarettes	46.8	60.3	62.3
Marijuana	34.8	46.9	41.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.0	25.0	24.1

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	49.6		
Alcohol (Binge: 5+ drinks once or twice a week)	62.5		
Alcohol (any use)		79.3	76.8
Cigarettes (1+ packs per day)	70.9		
Cigarettes (any use)		85.4	77.5
Marijuana (once or twice a week)	59.1		
Marijuana (any use)		77.1	74.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	79.7	92.3	91.9
Percent of students who, in past 30 days:			
Were very sad	23.1	19.1	15.7
Were grouchy, irritable, or in a bad mood	28.2	32.8	20.8
Felt hopeless about the future	15.5	8.6	10.1
Felt like not eating or eating more than usual	23.3	20.3	16.4
Slept a lot more or a lot less than usual	22.3	22.4	23.2
Had difficulty concentrating on school work	19.7	23.9	19.3
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.5	13.0	13.0
Made plan about how they would attempt suicide	10.8	11.3	10.9
Attempted suicide	7.4	7.3	8.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	3.1	2.9	3.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	9.4	6.7	9.4
Were in a physical fight	26.2	28.0	29.6
Were in a fight and had to be treated by a doctor or nurse	5.6	3.8	5.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	57.9	58.3	63.4
Were made fun of by others	64.8	61.0	72.0
Were victims of an embarrassing or hurtful text message or something posted on the internet	27.9	22.8	21.5
Spread mean rumors or lies about other kids at school	23.6	27.6	33.5
Made fun of other people	60.5	67.2	77.3
Posted something on the internet or sent a text that might embarrass or hurt another student	19.2	17.3	21.8
Percent of students who agree that:			
Teachers notice and comment on student's good work	79.1	68.6	73.1
School provides feedback to parents on positive student performance	48.9	40.7	44.5
Rules are enforced fairly	60.1	51.8	53.7
Students of all races/ethnicities are treated equal	72.5	61.8	68.0
Percent of students who agree that:			
Parents notice and comment on student's good work	84.6	83.2	82.4
Parents involve student in making family decisions	73.3	67.7	73.7
It is important to be honest with parents regardless of consequences	84.1	88.4	84.9
Student could ask parent for help with a personal problem	78.8	77.6	76.5

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

PERRY COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	18,971
2014 Estimate	19,202

BIRTH RISK	2013	2012	2011
Resident Births--Total	231	223	211
Mother Reported Smoking while Pregnant	56	43	47

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	7	4	5
Tuberculosis Infection Cases	2	4	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	189	193	183
Suicides	2	2	1
Self-inflicted Injuries	28	15	28
Homicides	1	0	1
Assault Injuries	55	61	40
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	3	1	2
Smoking Attributable Deaths	37	34	27

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	136	140	144
Mental Illness Secondary Diagnosis	419	543	452
Alcohol Principal Diagnosis	5	9	16
Alcohol Secondary Diagnosis	17	22	23
Drug Principal Diagnosis	6	10	13
Drug Secondary Diagnosis	10	13	14
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	14	26	12
Mental Illness Secondary Diagnosis	266	141	197
Alcohol Principal Diagnosis	8	2	0
Alcohol Secondary Diagnosis	14	27	14
Drug Principal Diagnosis	1	4	2
Drug Secondary Diagnosis	5	8	10
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	182	192	216
Mental Illness Secondary Diagnosis	732	308	375
Alcohol Principal Diagnosis	27	25	45
Alcohol Secondary Diagnosis	41	47	51
Drug Principal Diagnosis	26	30	32
Drug Secondary Diagnosis	42	72	52

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	32	34	30
Alcohol Package Carry-out Licenses	22	22	21

EMPLOYMENT	2014	2013	2012
Labor Force	10,224	11,349	10,625
Employed	9,667	10,825	10,124
Unemployed	557	524	501
Unemployment Rate	5.4%	4.6%	4.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	20	25	24
Fatal Crashes	1	0	0
Injury Crashes	8	14	8
Property Damage Crashes	11	11	16
Crash Fatalities	1	0	0
Crash Injuries	11	15	12
Drug Involved Crashes--Total	5	1	8
Fatal Crashes	0	0	0
Injury Crashes	2	1	4
Property Damage Crashes	3	0	4
Crash Fatalities	0	0	0
Crash Injuries	2	1	5

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	114	115	140
Liquor Law Arrests	25	26	25
Drug Arrests	124	93	78
Violent Offenses	32	28	18
Property Offenses	232	271	313
Domestic Violence Reports	96	78	90
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	3	1	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	731	742	751
Drop-outs	22	17	18
Drop-out Rate	3.0%	2.3%	2.4%
School Discipline Involving Alcohol	1	2	1
School Discipline Involving Drugs	19	7	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	16	19	15
Juvenile Alcohol Offenses	7	3	10
Juvenile Drug Offenses	9	8	7
School Truancy Status Offense	4	3	3
Absent from Home Status Offense	7	10	6
Beyond Parental Control Status Offense	23	21	24
Injurious Behavior Status Offense	16	19	5
Child Abuse	15	18	22
Child Neglect	59	59	71
Child Custody Issues	1	5	2

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	11	6	19
Parental Alcohol Use Related	2	0	1
Parental Drug Use Related	3	2	2
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	6
Probation/Parole Admissions--Drug	50	72	43
Probation/Parole Admissions--DWI	7	8	8
Prison Admissions--Drug	19	22	19
Prison Admissions--DWI	0	2	6

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PERRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	19	21	17
CSTAR Adolescent	12	7	9
CSTAR Women and Children	5	9	11
CSTAR General Adult	75	86	36
CSTAR Opioid	0	0	*
Primary Recovery Treatment	0	7	43
Clinical SATOP (CIP, YCIP, SROP)	17	10	13
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	96	100	112
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	45	47	59
- Weekend Intervention Program	24	28	33
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	*	0	0
Recovery Supports	47	29	45
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	142	113	129
AGE			
Under 18	11	8	9
18 to 24	41	38	28
25 to 29	31	21	23
30 to 34	16	12	22
35 to 39	16	11	14
40 to 44	9	8	*
45 to 54	12	15	25
55 and Over	6	0	5
GENDER			
Male	98	72	89
Female	44	41	40
RACE / ETHNICITY			
Caucasian	134	105	122
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	*	5	*
EDUCATION			
Less than High School Diploma	53	38	50
High School Graduate or G.E.D.	63	59	53
Associate Degree or Some College	25	16	25
Bachelor or Advanced Degree	*	0	*
EMPLOYMENT			
Employed	58	46	44
Unemployed	47	39	49
Not in Labor Force	37	28	36
HOUSING / LIVING ARRANGEMENT			
Independent Living	122	91	109
Dependent Living	14	16	18
Homeless	*	5	*
MARITAL / FAMILY STATUS			
Never Married	84	64	70
Married / Cohabitating	35	23	31
Previously Married	23	26	28

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	54	36	58
Marijuana / Hashish	45	41	35
Cocaine (total)	*	*	*
- Crack	0	*	*
Stimulant (total)	9	12	10
- Methamphetamine	8	11	10
Heroin	12	12	5
Analgesic except Heroin	11	6	12
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	0	*
Tranquilizer	*	*	5
Inhalant	0	*	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	16.8	16.9	17.5
INJECTION DRUG USE			
Any Injection Use at Admission	16	21	11
- Daily Injection Use	*	*	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	10	14	5
LIFETIME DUI / DWI ARRESTS			
0	87	59	75
1 or 2	36	42	34
3 or More	19	12	20
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	18	8	25
School	0	0	0
Mental Health Provider	*	0	0
Health Care Provider	*	8	9
Court / Criminal Justice	98	80	90
Other Referral Source	15	15	5
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	0
Military Veteran	5	*	6
Special Education Services Needed	19	9	21
Co-Occurring Psychological Problem	58	51	62
Co-Occurring Developmental Problem	*	5	5

PERRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	21
CENSUS 2010	18,971
2014 POPULATION ESTIMATE	19,202

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	64	56	48
Anxiety Disorder	96	64	84
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	109	100	140
Mood Disorder	345	260	353
Personality Disorder	9	9	8
Psychotic Disorder	21	20	28
Sexual Disorder	0	0	0
Other Diagnosis	16	14	23
Diagnosis Unknown	32	52	108

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	595	502	717
AGE			
Under 6	*	0	*
6 to 9	23	28	58
10 to 13	42	48	76
14 to 17	69	51	75
18 to 24	62	62	82
25 to 29	60	52	60
30 to 34	55	44	75
35 to 39	55	48	63
40 to 44	52	38	51
45 to 49	50	42	55
50 to 54	50	38	52
55 to 59	36	23	28
60 and Over	40	28	39
Age Unknown	0	0	0
GENDER			
Male	253	212	302
Female	342	290	415
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	538	445	627
African American	6	5	8
Native American / Alaskan	*	*	0
Asian / Pacific Islander	0	0	0
Hispanic	31	36	63
Other Race	17	15	19
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	22	23	30
Past or Current Military Service	14	7	9

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	64	78	39
High School Grad or G.E.D.	0	0	37
Associate Degree or Some College	0	0	5
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	531	424	634
EMPLOYMENT			
Employed	5	10	8
Unemployed	*	8	69
Not in Labor Force	119	127	13
Employment Status Unknown	467	357	627
HOUSING / LIVING ARRANGEMENT			
Independent Living	83	83	80
Dependent Living	47	58	46
Homeless	0	*	*
Other	0	0	*
Housing Unknown	465	359	587
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	383	342	524
School	8	8	9
Mental Health Provider	35	26	32
Health Care Provider	71	54	74
Court / Criminal Justice	21	20	15
Other	76	52	63
Referral Source Unknown	*	0	0
TYPE OF COMMITMENT			
Voluntary	592	501	716
Civil	0	0	0
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	*	0	0

PERRY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	36.4	44.1	42.8
Cigarettes	20.4	27.8	28.4
Chewing Tobacco	13.9	17.7	17.0
Marijuana	9.3	12.7	9.8
Inhalants	2.6	4.0	5.1
Prescription medications not prescribed for student	7.8	5.4	9.4
Over-the-counter medications for non-medical use	1.3	5.0	3.6
Methamphetamine	1.3	2.0	0.0
Cocaine	0.0	1.4	1.0
Heroin	0.0	0.7	0.5
Hallucinogens	0.0	2.4	1.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	2.4	0.3
Steroids not prescribed for student	1.3	1.3	0.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	5.7	
Average age of students' first use of:			
Alcohol	13.44	12.51	12.24
Cigarettes	14.52	12.54	12.78
Marijuana	13.94	13.78	13.60
Inhalants	8.95	12.61	11.05
Percent of students who, in past 30 days, used:			
Alcohol	18.0	23.1	22.8
Alcohol (Binge: 5+ drinks on one occassion)		15.7	14.6
Cigarettes	4.8	11.7	16.5
Chewing Tobacco	6.1	8.7	8.3
Marijuana	4.4	7.3	3.3
Inhalants	1.3	2.0	2.0
Prescription medications not prescribed for student	4.4	3.3	5.0
Over-the-counter medications for non-medical use	1.3	3.7	2.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.7		
Percent whose friends used in past 12 months:			
Alcohol	39.3	54.9	59.2
Cigarettes	22.2	43.1	44.7
Marijuana	21.9	34.2	30.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.0	12.0	15.2
Percent who would likely use, if offered by a best friend:			
Alcohol	25.3	36.1	37.0
Cigarettes	6.8	14.3	14.0
Marijuana	7.5	11.0	7.0
Percent who say it would be wrong to use:			
Alcohol	61.0	54.5	57.3
Cigarettes	88.6	79.7	78.1
Marijuana	84.3	84.6	87.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.2	94.9	96.1
Percent whose parents would disapprove if they use:			
Alcohol	75.9	71.6	72.3
Cigarettes	90.4	88.9	90.5
Marijuana	95.5	94.5	95.0
Percent who say it would be easy to obtain:			
Alcohol	52.6	57.2	59.0
Cigarettes	43.3	50.8	55.6
Marijuana	27.8	34.7	25.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	14.9	16.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	63.8		
Alcohol (Binge: 5+ drinks once or twice a week)	69.1		
Alcohol (any use)		62.4	79.1
Cigarettes (1+ packs per day)	85.2		
Cigarettes (any use)		75.6	76.5
Marijuana (once or twice a week)	71.7		
Marijuana (any use)		76.1	63.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.4	89.0	89.7
Percent of students who, in past 30 days:			
Were very sad	19.7	18.5	17.7
Were grouchy, irritable, or in a bad mood	23.6	24.7	26.0
Felt hopeless about the future	7.8	12.2	13.9
Felt like not eating or eating more than usual	14.6	19.9	16.0
Slept a lot more or a lot less than usual	13.5	21.2	27.1
Had difficulty concentrating on school work	13.7	20.3	27.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.4	12.4	10.9
Made plan about how they would attempt suicide	6.0	7.5	8.0
Attempted suicide	1.3	6.0	5.4
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	2.7	1.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	1.7	6.0	7.6
Were in a physical fight	10.7	16.9	18.0
Were in a fight and had to be treated by a doctor or nurse	3.4	3.7	3.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	47.6	53.5	55.5
Were made fun of by others	58.8	58.6	68.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.0	20.9	16.5
Spread mean rumors or lies about other kids at school	30.6	30.4	36.0
Made fun of other people	55.8	53.2	70.6
Posted something on the internet or sent a text that might embarrass or hurt another student	16.3	14.6	14.2
Percent of students who agree that:			
Teachers notice and comment on student's good work	68.7	63.5	70.7
School provides feedback to parents on positive student performance	46.4	34.2	37.2
Rules are enforced fairly	63.9	50.0	49.5
Students of all races/ethnicities are treated equal	82.0	64.1	66.1
Percent of students who agree that:			
Parents notice and comment on student's good work	80.9	76.1	84.3
Parents involve student in making family decisions	73.4	67.0	68.9
It is important to be honest with parents regardless of consequences	86.3	80.9	83.2
Student could ask parent for help with a personal problem	75.1	75.3	76.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

PETTIS COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	42,201
2014 Estimate	42,225

BIRTH RISK	2013	2012	2011
Resident Births--Total	559	585	599
Mother Reported Smoking while Pregnant	123	130	145

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	2	1	3
Hepatitis B Chronic, Acute, Prenatal	6	6	6
Hepatitis C Chronic and Acute	32	23	20
Tuberculosis Infection Cases	6	4	10

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	425	401	441
Suicides	8	8	4
Self-inflicted Injuries	73	61	48
Homicides	3	1	3
Assault Injuries	181	166	174
Alcohol Induced Deaths	1	2	2
Drug Induced Deaths	4	4	7
Smoking Attributable Deaths	80	63	72

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	401	438	376
Mental Illness Secondary Diagnosis	1,375	1,304	1,426
Alcohol Principal Diagnosis	50	43	42
Alcohol Secondary Diagnosis	104	113	164
Drug Principal Diagnosis	16	23	19
Drug Secondary Diagnosis	94	67	81
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	89	91	70
Mental Illness Secondary Diagnosis	136	185	90
Alcohol Principal Diagnosis	14	22	20
Alcohol Secondary Diagnosis	23	16	15
Drug Principal Diagnosis	8	13	16
Drug Secondary Diagnosis	12	9	6
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	414	418	364
Mental Illness Secondary Diagnosis	4,633	3,932	3,907
Alcohol Principal Diagnosis	89	74	69
Alcohol Secondary Diagnosis	219	160	143
Drug Principal Diagnosis	42	40	43
Drug Secondary Diagnosis	172	149	170

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	49	53	53
Alcohol Package Carry-out Licenses	42	41	41

EMPLOYMENT	2014	2013	2012
Labor Force	20,530	20,844	19,869
Employed	19,266	19,580	18,486
Unemployed	1,264	1,264	1,383
Unemployment Rate	6.2%	6.1%	7.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	50	43	52
Fatal Crashes	3	1	2
Injury Crashes	22	20	16
Property Damage Crashes	25	22	34
Crash Fatalities	4	1	2
Crash Injuries	26	25	23
Drug Involved Crashes--Total	12	5	9
Fatal Crashes	1	0	2
Injury Crashes	4	2	3
Property Damage Crashes	7	3	4
Crash Fatalities	1	0	2
Crash Injuries	5	2	4

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	163	161	172
Liquor Law Arrests	44	44	66
Drug Arrests	327	313	266
Violent Offenses	141	121	159
Property Offenses	1,789	1,986	1,905
Domestic Violence Reports	445	507	500
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	3	5

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,865	1,877	1,848
Drop-outs	7	10	15
Drop-out Rate	0.4%	0.5%	0.8%
School Discipline Involving Alcohol	2	4	0
School Discipline Involving Drugs	7	15	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	88	98	84
Juvenile Alcohol Offenses	9	5	8
Juvenile Drug Offenses	34	37	44
School Truancy Status Offense	14	18	17
Absent from Home Status Offense	40	32	30
Beyond Parental Control Status Offense	24	31	43
Injurious Behavior Status Offense	141	96	37
Child Abuse	3	0	7
Child Neglect	2	1	8
Child Custody Issues	4	22	19

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	42	56	60
Parental Alcohol Use Related	0	0	8
Parental Drug Use Related	16	23	24
Parental Alcohol and Drug Use	0	1	4

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	36	17	18
Probation/Parole Admissions--Drug	134	124	112
Probation/Parole Admissions--DWI	13	14	19
Prison Admissions--Drug	100	81	92
Prison Admissions--DWI	8	18	8

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PETTIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	7	20	18
CSTAR Adolescent	25	16	17
CSTAR Women and Children	9	8	5
CSTAR General Adult	226	153	183
CSTAR Opioid	0	0	0
Primary Recovery Treatment	9	7	17
Clinical SATOP (CIP, YCIP, SROP)	47	35	30
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	138	140	149
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	33	40	51
- Weekend Intervention Program	29	34	40
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	8	7	20
Compulsive Gambling	0	0	*
Recovery Supports	88	191	169
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	306	253	258
AGE			
Under 18	25	18	18
18 to 24	52	48	48
25 to 29	55	41	47
30 to 34	49	35	40
35 to 39	39	33	35
40 to 44	26	20	18
45 to 54	45	39	41
55 and Over	15	19	11
GENDER			
Male	193	157	161
Female	113	96	97
RACE / ETHNICITY			
Caucasian	263	220	224
African American	19	24	16
Native American / Alaskan	*	0	*
Asian / Pacific Islander	*	0	0
Hispanic	13	5	8
Other Race / Two or More Races	10	5	9
EDUCATION			
Less than High School Diploma	102	64	93
High School Graduate or G.E.D.	144	129	112
Associate Degree or Some College	57	57	51
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	90	41	46
Unemployed	115	71	74
Not in Labor Force	101	141	138
HOUSING / LIVING ARRANGEMENT			
Independent Living	250	202	198
Dependent Living	34	28	25
Homeless	5	13	7
MARITAL / FAMILY STATUS			
Never Married	166	137	133
Married / Cohabitating	70	54	68
Previously Married	70	62	57

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	111	89	91
Marijuana / Hashish	88	75	76
Cocaine (total)	6	7	11
- Crack	*	*	*
Stimulant (total)	79	61	63
- Methamphetamine	68	59	58
Heroin	*	*	0
Analgesic except Heroin	15	14	12
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	*
Tranquilizer	*	*	*
Inhalant	*	0	*
Sedative	*	*	0
Other Medication or Illicit Drug	*	*	0
Average Age at First Use of Drug	17.2	17.5	17.0
INJECTION DRUG USE			
Any Injection Use at Admission	34	26	22
- Daily Injection Use	5	10	8
- Weekly Injection Use	8	5	*
- Less than Weekly Injection Use	21	11	11
LIFETIME DUI / DWI ARRESTS			
0	176	153	151
1 or 2	93	69	79
3 or More	37	31	28
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	84	111	145
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	6	6	*
Court / Criminal Justice	126	103	83
Other Referral Source	84	28	23
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	5	5
Military Veteran	6	19	11
Special Education Services Needed	8	9	11
Co-Occurring Psychological Problem	98	62	36
Co-Occurring Developmental Problem	*	*	0

PETTIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	12
CENSUS 2010	42,201
2014 POPULATION ESTIMATE	42,225

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	8	*	6
Anxiety Disorder	266	288	298
Dementia	*	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	61	63	68
Mood Disorder	332	347	363
Personality Disorder	59	53	52
Psychotic Disorder	64	73	75
Sexual Disorder	0	0	*
Other Diagnosis	28	22	22
Diagnosis Unknown	30	33	49

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	454	478	518
AGE			
Under 6	0	0	0
6 to 9	7	8	11
10 to 13	20	18	17
14 to 17	36	36	27
18 to 24	38	41	52
25 to 29	41	45	51
30 to 34	44	57	61
35 to 39	43	47	63
40 to 44	44	59	66
45 to 49	62	70	69
50 to 54	56	44	48
55 to 59	39	35	40
60 and Over	24	18	13
Age Unknown	0	0	0
GENDER			
Male	183	189	218
Female	271	289	300
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	408	432	467
African American	29	30	32
Native American / Alaskan	0	0	*
Asian / Pacific Islander	0	0	0
Hispanic	6	6	*
Other Race	11	10	13
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	9	10	12
Past or Current Military Service	13	13	13

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	133	125	105
High School Grad or G.E.D.	0	12	114
Associate Degree or Some College	0	*	61
Bachelor or Advanced Degree	0	*	9
Education Level Unknown	321	337	229
EMPLOYMENT			
Employed	35	33	46
Unemployed	23	67	235
Not in Labor Force	316	271	50
Employment Status Unknown	80	107	187
HOUSING / LIVING ARRANGEMENT			
Independent Living	272	310	280
Dependent Living	104	84	52
Homeless	8	10	6
Other	0	*	6
Housing Unknown	70	73	174
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	199	248	310
School	*	*	0
Mental Health Provider	81	75	71
Health Care Provider	81	73	70
Court / Criminal Justice	37	29	30
Other	53	49	37
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	444	469	513
Civil	0	*	*
Criminal	10	7	*
Sexual Predatory	0	0	*
Commitment Type Unknown	0	0	0

PETTIS COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	36.1	39.6	41.8
Cigarettes	19.1	24.0	29.0
Chewing Tobacco	12.2	11.6	12.1
Marijuana	12.0	16.5	17.5
Inhalants	5.1	6.5	6.9
Prescription medications not prescribed for student	10.4	10.9	13.7
Over-the-counter medications for non-medical use	4.7	6.9	8.8
Methamphetamine	0.8	1.6	0.7
Cocaine	1.8	2.6	3.7
Heroin	0.6	0.7	0.7
Hallucinogens	2.0	2.6	3.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.6	2.8	3.3
Steroids not prescribed for student	1.9	1.5	2.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.5	7.4	
Average age of students' first use of:			
Alcohol	13.18	12.49	12.87
Cigarettes	12.96	12.64	12.53
Marijuana	13.26	13.80	13.50
Inhalants	12.32	11.40	11.72
Percent of students who, in past 30 days, used:			
Alcohol	16.5	18.9	21.4
Alcohol (Binge: 5+ drinks on one occassion)		11.5	13.0
Cigarettes	9.6	11.7	15.7
Chewing Tobacco	5.8	7.2	7.5
Marijuana	5.4	8.0	9.6
Inhalants	1.6	3.4	3.2
Prescription medications not prescribed for student	5.6	5.0	9.1
Over-the-counter medications for non-medical use	3.1	3.0	5.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.1		
Percent whose friends used in past 12 months:			
Alcohol	44.2	49.3	56.8
Cigarettes	33.3	40.8	46.4
Marijuana	25.9	34.4	33.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	15.8	18.5
Percent who would likely use, if offered by a best friend:			
Alcohol	28.2	33.6	32.8
Cigarettes	13.0	13.4	18.4
Marijuana	9.5	13.1	12.7
Percent who say it would be wrong to use:			
Alcohol	64.5	58.9	59.1
Cigarettes	83.9	81.1	79.3
Marijuana	85.0	80.6	82.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	95.5	94.6
Percent whose parents would disapprove if they use:			
Alcohol	80.7	80.2	78.4
Cigarettes	94.0	91.9	88.9
Marijuana	95.9	93.2	94.2
Percent who say it would be easy to obtain:			
Alcohol	48.7	52.7	53.7
Cigarettes	45.0	49.9	54.1
Marijuana	30.3	35.5	37.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	15.8	20.1

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	62.7		
Alcohol (Binge: 5+ drinks once or twice a week)	71.0		
Alcohol (any use)		67.9	75.7
Cigarettes (1+ packs per day)	83.9		
Cigarettes (any use)		78.2	80.2
Marijuana (once or twice a week)	65.0		
Marijuana (any use)		71.3	70.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	93.5	92.9
Percent of students who, in past 30 days:			
Were very sad	17.1	19.4	17.6
Were grouchy, irritable, or in a bad mood	23.6	24.8	22.9
Felt hopeless about the future	11.8	12.6	11.3
Felt like not eating or eating more than usual	18.0	16.3	16.6
Slept a lot more or a lot less than usual	17.6	20.1	23.6
Had difficulty concentrating on school work	24.4	21.1	21.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.0	11.4	10.3
Made plan about how they would attempt suicide	8.3	8.9	6.6
Attempted suicide	5.0	4.9	5.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.0	1.5	1.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.0	6.2	9.4
Were in a physical fight	17.5	21.7	23.4
Were in a fight and had to be treated by a doctor or nurse	2.3	3.3	3.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	53.9	49.6	57.2
Were made fun of by others	60.0	61.1	66.0
Were victims of an embarrassing or hurtful text message or something posted on the internet	26.7	21.8	19.3
Spread mean rumors or lies about other kids at school	26.0	27.7	29.9
Made fun of other people	53.3	61.2	68.3
Posted something on the internet or sent a text that might embarrass or hurt another student	14.5	12.9	15.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	70.1	69.1	72.7
School provides feedback to parents on positive student performance	43.2	37.0	44.3
Rules are enforced fairly	60.0	60.7	66.1
Students of all races/ethnicities are treated equal	78.8	74.6	80.5
Percent of students who agree that:			
Parents notice and comment on student's good work	81.6	84.6	82.5
Parents involve student in making family decisions	69.5	66.4	70.6
It is important to be honest with parents regardless of consequences	89.8	87.2	84.3
Student could ask parent for help with a personal problem	78.3	76.9	78.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

PHELPS COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	45,156
2014 Estimate	44,847

BIRTH RISK	2013	2012	2011
Resident Births--Total	531	533	573
Mother Reported Smoking while Pregnant	112	102	118

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	6	5	5
Hepatitis C Chronic and Acute	38	75	31
Tuberculosis Infection Cases	79	42	81

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	419	433	420
Suicides	7	3	9
Self-inflicted Injuries	47	67	55
Homicides	2	2	2
Assault Injuries	164	186	210
Alcohol Induced Deaths	3	0	0
Drug Induced Deaths	5	11	16
Smoking Attributable Deaths	70	82	74

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	287	294	304
Mental Illness Secondary Diagnosis	560	664	628
Alcohol Principal Diagnosis	13	8	19
Alcohol Secondary Diagnosis	42	24	30
Drug Principal Diagnosis	83	84	46
Drug Secondary Diagnosis	45	48	32
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	257	247	218
Mental Illness Secondary Diagnosis	770	773	839
Alcohol Principal Diagnosis	36	52	33
Alcohol Secondary Diagnosis	56	79	71
Drug Principal Diagnosis	46	28	27
Drug Secondary Diagnosis	43	67	57
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	479	520	454
Mental Illness Secondary Diagnosis	5,295	5,565	5,136
Alcohol Principal Diagnosis	123	124	131
Alcohol Secondary Diagnosis	73	83	94
Drug Principal Diagnosis	92	91	118
Drug Secondary Diagnosis	89	80	73

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	51	51	51
Alcohol Package Carry-out Licenses	40	39	39

EMPLOYMENT	2014	2013	2012
Labor Force	20,052	22,257	21,427
Employed	18,798	20,941	20,058
Unemployed	1,254	1,316	1,369
Unemployment Rate	6.3%	5.9%	6.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	51	66	60
Fatal Crashes	2	6	2
Injury Crashes	16	28	25
Property Damage Crashes	33	32	33
Crash Fatalities	2	6	2
Crash Injuries	20	36	31
Drug Involved Crashes--Total	17	19	18
Fatal Crashes	0	0	0
Injury Crashes	9	9	9
Property Damage Crashes	8	10	9
Crash Fatalities	0	0	0
Crash Injuries	13	12	9

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	254	281	314
Liquor Law Arrests	23	32	76
Drug Arrests	211	198	284
Violent Offenses	144	119	139
Property Offenses	1,149	1,417	1,433
Domestic Violence Reports	21	119	149
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	24	31	48

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,970	1,936	1,925
Drop-outs	51	50	77
Drop-out Rate	2.6%	2.6%	4.0%
School Discipline Involving Alcohol	2	3	5
School Discipline Involving Drugs	13	10	1
School Discipline Involving Tobacco	1	1	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	33	67	132
Juvenile Alcohol Offenses	0	0	1
Juvenile Drug Offenses	4	6	24
School Truancy Status Offense	48	58	118
Absent from Home Status Offense	8	7	29
Beyond Parental Control Status Offense	21	25	34
Injurious Behavior Status Offense	31	23	84
Child Abuse	177	218	272
Child Neglect	149	423	355
Child Custody Issues	12	9	12

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	67	45	48
Parental Alcohol Use Related	2	0	1
Parental Drug Use Related	35	10	13
Parental Alcohol and Drug Use	4	2	4

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	22	29	34
Probation/Parole Admissions--Drug	138	207	168
Probation/Parole Admissions--DWI	18	24	15
Prison Admissions--Drug	89	67	68
Prison Admissions--DWI	13	8	7

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PHELPS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	45	34	38
CSTAR Adolescent	10	17	24
CSTAR Women and Children	25	17	14
CSTAR General Adult	214	188	122
CSTAR Opioid	*	*	0
Primary Recovery Treatment	9	86	177
Clinical SATOP (CIP, YCIP, SROP)	45	47	42
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	168	175	220
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	60	64	86
- Weekend Intervention Program	35	35	42
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	7
Compulsive Gambling	0	0	*
Recovery Supports	*	*	*
Early Intervention	8	*	12

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	279	319	376
AGE			
Under 18	9	16	27
18 to 24	51	54	69
25 to 29	68	70	72
30 to 34	54	70	65
35 to 39	33	26	35
40 to 44	19	24	33
45 to 54	35	49	60
55 and Over	10	10	15
GENDER			
Male	165	198	239
Female	114	121	137
RACE / ETHNICITY			
Caucasian	269	304	353
African American	*	8	12
Native American / Alaskan	*	*	5
Asian / Pacific Islander	0	0	0
Hispanic	*	*	7
Other Race / Two or More Races	*	5	5
EDUCATION			
Less than High School Diploma	80	117	106
High School Graduate or G.E.D.	114	131	188
Associate Degree or Some College	82	69	79
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	76	82	93
Unemployed	100	120	170
Not in Labor Force	103	117	113
HOUSING / LIVING ARRANGEMENT			
Independent Living	247	285	332
Dependent Living	20	28	31
Homeless	10	5	8
MARITAL / FAMILY STATUS			
Never Married	137	165	168
Married / Cohabitating	80	81	105
Previously Married	62	73	103

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	86	121	141
Marijuana / Hashish	46	60	78
Cocaine (total)	0	*	5
- Crack	0	0	*
Stimulant (total)	59	44	37
- Methamphetamine	57	43	37
Heroin	30	21	28
Analgesic except Heroin	52	60	70
- Non-Prescription Methadone	*	0	*
PCP, LSD, other Hallucinogen	0	0	*
Tranquilizer	*	8	12
Inhalant	*	0	0
Sedative	*	*	*
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	19.1	18.4	18.4
INJECTION DRUG USE			
Any Injection Use at Admission	57	44	36
- Daily Injection Use	15	15	10
- Weekly Injection Use	20	12	9
- Less than Weekly Injection Use	22	17	17
LIFETIME DUI / DWI ARRESTS			
0	160	164	213
1 or 2	85	109	105
3 or More	34	46	58
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	101	107	96
School	0	*	0
Mental Health Provider	5	5	*
Health Care Provider	23	12	25
Court / Criminal Justice	88	145	222
Other Referral Source	60	46	30
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	9	*	6
Military Veteran	17	13	19
Special Education Services Needed	19	35	52
Co-Occurring Psychological Problem	139	129	148
Co-Occurring Developmental Problem	31	17	20

PHELPS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	17A
CENSUS 2010	45,156
2014 POPULATION ESTIMATE	44,847

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	12	7	6
Anxiety Disorder	342	315	268
Dementia	0	0	*
Developmental Disorder	10	*	6
Impulse Control Disorder	89	68	66
Mood Disorder	384	378	335
Personality Disorder	27	29	36
Psychotic Disorder	59	65	73
Sexual Disorder	0	0	0
Other Diagnosis	41	26	24
Diagnosis Unknown	34	26	28

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	559	534	498
AGE			
Under 6	*	*	0
6 to 9	35	31	26
10 to 13	48	33	29
14 to 17	52	41	45
18 to 24	57	47	47
25 to 29	56	63	51
30 to 34	65	51	44
35 to 39	38	36	36
40 to 44	48	55	53
45 to 49	40	46	55
50 to 54	62	55	44
55 to 59	26	37	35
60 and Over	30	37	33
Age Unknown	0	0	0
GENDER			
Male	236	217	212
Female	323	317	286
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	535	507	461
African American	15	15	24
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	5	7	8
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	11	17	12
Past or Current Military Service	10	9	8

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	184	184	110
High School Grad or G.E.D.	0	51	153
Associate Degree or Some College	0	14	48
Bachelor or Advanced Degree	0	*	8
Education Level Unknown	375	281	179
EMPLOYMENT			
Employed	23	23	38
Unemployed	43	124	265
Not in Labor Force	338	263	23
Employment Status Unknown	155	124	172
HOUSING / LIVING ARRANGEMENT			
Independent Living	221	272	267
Dependent Living	158	132	80
Homeless	15	13	5
Other	0	0	*
Housing Unknown	165	117	145
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	414	353	289
School	*	*	*
Mental Health Provider	5	7	5
Health Care Provider	46	53	63
Court / Criminal Justice	8	17	19
Other	82	102	120
Referral Source Unknown	*	0	0
TYPE OF COMMITMENT			
Voluntary	555	532	493
Civil	0	0	0
Criminal	*	*	5
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

PHELPS COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	41.7	41.0	41.4
Cigarettes	26.6	24.6	22.8
Chewing Tobacco	13.8	16.8	21.2
Marijuana	19.4	15.7	18.9
Inhalants	3.9	4.5	10.4
Prescription medications not prescribed for student	14.1	8.7	15.2
Over-the-counter medications for non-medical use	4.3	5.9	10.3
Methamphetamine	0.2	1.0	1.0
Cocaine	1.5	1.7	2.0
Heroin	0.2	0.9	1.4
Hallucinogens	3.4	2.5	3.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.8	1.9	1.6
Steroids not prescribed for student	0.9	1.9	1.8
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	6.1	
Average age of students' first use of:			
Alcohol	13.50	12.88	11.76
Cigarettes	13.72	12.55	11.27
Marijuana	14.31	13.87	12.98
Inhalants	12.06	12.58	11.17
Percent of students who, in past 30 days, used:			
Alcohol	17.5	20.5	21.6
Alcohol (Binge: 5+ drinks on one occassion)		12.3	15.6
Cigarettes	12.1	12.3	13.4
Chewing Tobacco	6.5	9.8	12.5
Marijuana	13.9	8.5	11.0
Inhalants	2.4	2.1	5.6
Prescription medications not prescribed for student	8.0	5.4	7.6
Over-the-counter medications for non-medical use	2.9	4.1	7.9
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.3		
Percent whose friends used in past 12 months:			
Alcohol	48.2	54.5	58.5
Cigarettes	42.7	42.9	43.9
Marijuana	45.7	34.2	39.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	22.2	14.1	21.9
Percent who would likely use, if offered by a best friend:			
Alcohol	32.5	32.2	34.3
Cigarettes	15.2	13.8	16.8
Marijuana	20.9	13.2	18.8
Percent who say it would be wrong to use:			
Alcohol	55.7	58.6	62.3
Cigarettes	80.8	80.7	82.1
Marijuana	71.6	80.7	79.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	95.7	93.9
Percent whose parents would disapprove if they use:			
Alcohol	73.5	78.4	76.6
Cigarettes	89.8	91.4	95.1
Marijuana	88.5	93.9	97.2
Percent who say it would be easy to obtain:			
Alcohol	52.5	56.7	60.1
Cigarettes	53.1	51.1	54.1
Marijuana	40.9	32.7	38.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.8	17.0	25.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.9		
Alcohol (Binge: 5+ drinks once or twice a week)	66.5		
Alcohol (any use)		69.4	74.8
Cigarettes (1+ packs per day)	88.8		
Cigarettes (any use)		81.9	77.8
Marijuana (once or twice a week)	60.1		
Marijuana (any use)		75.7	72.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	94.9	93.9
Percent of students who, in past 30 days:			
Were very sad	20.6	17.0	29.6
Were grouchy, irritable, or in a bad mood	23.2	21.8	34.0
Felt hopeless about the future	13.0	10.9	19.4
Felt like not eating or eating more than usual	20.1	17.3	30.0
Slept a lot more or a lot less than usual	20.8	20.8	31.5
Had difficulty concentrating on school work	25.1	23.7	32.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	16.1	11.3	14.4
Made plan about how they would attempt suicide	11.5	8.3	9.2
Attempted suicide	5.2	3.9	5.4
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.8	2.0	1.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.1	5.8	10.4
Were in a physical fight	11.8	19.4	19.8
Were in a fight and had to be treated by a doctor or nurse	2.2	3.6	1.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.7	48.1	58.6
Were made fun of by others	62.4	59.1	68.4
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.5	20.8	19.9
Spread mean rumors or lies about other kids at school	19.9	28.4	32.7
Made fun of other people	55.6	63.2	73.9
Posted something on the internet or sent a text that might embarrass or hurt another student	14.5	13.9	12.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.6	71.4	71.5
School provides feedback to parents on positive student performance	49.8	48.7	55.8
Rules are enforced fairly	65.5	62.3	61.3
Students of all races/ethnicities are treated equal	79.9	78.7	74.9
Percent of students who agree that:			
Parents notice and comment on student's good work	80.4	84.5	88.0
Parents involve student in making family decisions	68.5	71.1	73.2
It is important to be honest with parents regardless of consequences	87.5	88.4	79.2
Student could ask parent for help with a personal problem	74.9	75.2	78.9

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

PIKE COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	18,516
2014 Estimate	18,541

BIRTH RISK	2013	2012	2011
Resident Births--Total	196	236	219
Mother Reported Smoking while Pregnant	46	53	59

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	2	0
Hepatitis C Chronic and Acute	16	12	15
Tuberculosis Infection Cases	4	2	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	202	187	178
Suicides	4	3	4
Self-inflicted Injuries	27	47	51
Homicides	0	0	0
Assault Injuries	45	54	56
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	3	0	0
Smoking Attributable Deaths	41	40	30

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	95	90	127
Mental Illness Secondary Diagnosis	314	311	477
Alcohol Principal Diagnosis	9	14	6
Alcohol Secondary Diagnosis	25	21	37
Drug Principal Diagnosis	3	6	8
Drug Secondary Diagnosis	19	12	25
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	35	54	48
Mental Illness Secondary Diagnosis	251	262	129
Alcohol Principal Diagnosis	2	4	4
Alcohol Secondary Diagnosis	23	23	11
Drug Principal Diagnosis	2	7	2
Drug Secondary Diagnosis	11	8	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	166	148	132
Mental Illness Secondary Diagnosis	403	621	695
Alcohol Principal Diagnosis	30	30	20
Alcohol Secondary Diagnosis	51	28	41
Drug Principal Diagnosis	20	23	22
Drug Secondary Diagnosis	35	34	38

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	27	25	30
Alcohol Package Carry-out Licenses	21	22	25

EMPLOYMENT	2014	2013	2012
Labor Force	8,132	9,172	8,862
Employed	7,667	8,629	8,272
Unemployed	465	543	590
Unemployment Rate	5.7%	5.9%	6.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	16	18	10
Fatal Crashes	0	2	0
Injury Crashes	7	10	7
Property Damage Crashes	9	6	3
Crash Fatalities	0	2	0
Crash Injuries	9	11	9
Drug Involved Crashes--Total	7	6	7
Fatal Crashes	0	2	0
Injury Crashes	0	2	3
Property Damage Crashes	7	2	4
Crash Fatalities	0	2	0
Crash Injuries	0	2	3

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	71	63	79
Liquor Law Arrests	28	6	17
Drug Arrests	45	40	48
Violent Offenses	20	15	45
Property Offenses	224	314	207
Domestic Violence Reports	126	94	138
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	6	5	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	714	794	760
Drop-outs	4	19	20
Drop-out Rate	0.6%	2.4%	2.6%
School Discipline Involving Alcohol	8	2	0
School Discipline Involving Drugs	4	4	3
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	22	27	24
Juvenile Alcohol Offenses	7	6	3
Juvenile Drug Offenses	3	5	6
School Truancy Status Offense	23	18	31
Absent from Home Status Offense	1	1	2
Beyond Parental Control Status Offense	4	8	7
Injurious Behavior Status Offense	11	8	8
Child Abuse	2	2	11
Child Neglect	48	33	64
Child Custody Issues	3	7	2

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	28	27	34
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	1	4	11
Parental Alcohol and Drug Use	4	1	6

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	4	1	0
Probation/Parole Admissions--Drug	79	53	51
Probation/Parole Admissions--DWI	9	9	5
Prison Admissions--Drug	26	22	23
Prison Admissions--DWI	3	3	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PIKE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	14	10	19
CSTAR Adolescent	10	7	10
CSTAR Women and Children	8	14	12
CSTAR General Adult	89	7	16
CSTAR Opioid	0	*	0
Primary Recovery Treatment	8	86	120
Clinical SATOP (CIP, YCIP, SROP)	11	14	12
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	55	66	70
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	8	13	22
- Weekend Intervention Program	13	17	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	0	5	11

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	119	112	164
AGE			
Under 18	9	7	11
18 to 24	21	24	32
25 to 29	30	23	36
30 to 34	17	19	21
35 to 39	15	10	8
40 to 44	7	5	17
45 to 54	14	18	30
55 and Over	6	6	9
GENDER			
Male	80	79	116
Female	39	33	48
RACE / ETHNICITY			
Caucasian	107	97	134
African American	5	9	24
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	*
Other Race / Two or More Races	6	6	6
EDUCATION			
Less than High School Diploma	46	33	48
High School Graduate or G.E.D.	58	69	93
Associate Degree or Some College	15	8	22
Bachelor or Advanced Degree	0	*	*
EMPLOYMENT			
Employed	41	37	53
Unemployed	50	50	74
Not in Labor Force	28	25	37
HOUSING / LIVING ARRANGEMENT			
Independent Living	99	95	139
Dependent Living	19	15	20
Homeless	*	0	*
MARITAL / FAMILY STATUS			
Never Married	59	60	97
Married / Cohabitating	34	36	43
Previously Married	26	16	24

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	51	53	77
Marijuana / Hashish	37	38	53
Cocaine (total)	*	*	8
- Crack	*	0	*
Stimulant (total)	11	5	*
- Methamphetamine	9	5	*
Heroin	6	8	12
Analgesic except Heroin	9	*	7
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	0
Tranquilizer	0	0	0
Inhalant	0	*	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	17.8	16.2	16.7
INJECTION DRUG USE			
Any Injection Use at Admission	12	9	11
- Daily Injection Use	*	*	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	8	7	7
LIFETIME DUI / DWI ARRESTS			
0	75	74	83
1 or 2	31	27	53
3 or More	13	11	28
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	8	6	17
School	0	0	0
Mental Health Provider	*	0	*
Health Care Provider	*	*	*
Court / Criminal Justice	68	82	127
Other Referral Source	23	11	14
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	0	*
Military Veteran	*	*	6
Special Education Services Needed	14	*	16
Co-Occurring Psychological Problem	28	25	42
Co-Occurring Developmental Problem	*	9	11

PIKE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	15
CENSUS 2010	18,516
2014 POPULATION ESTIMATE	18,541

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	16	7	7
Anxiety Disorder	70	58	61
Dementia	*	*	0
Developmental Disorder	8	10	10
Impulse Control Disorder	62	65	56
Mood Disorder	151	139	125
Personality Disorder	14	11	21
Psychotic Disorder	44	33	32
Sexual Disorder	*	*	0
Other Diagnosis	22	17	16
Diagnosis Unknown	11	7	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	218	196	182
AGE			
Under 6	*	*	*
6 to 9	12	12	11
10 to 13	17	14	14
14 to 17	19	14	17
18 to 24	27	29	23
25 to 29	11	16	16
30 to 34	17	12	15
35 to 39	16	12	8
40 to 44	27	21	16
45 to 49	18	19	17
50 to 54	25	20	17
55 to 59	15	13	14
60 and Over	12	13	10
Age Unknown	0	0	0
GENDER			
Male	118	106	88
Female	100	90	94
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	196	181	169
African American	14	11	9
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	5	5	*
Past or Current Military Service	8	8	9

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	73	66	25
High School Grad or G.E.D.	0	*	31
Associate Degree or Some College	0	*	14
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	145	128	111
EMPLOYMENT			
Employed	18	22	7
Unemployed	10	14	58
Not in Labor Force	141	119	18
Employment Status Unknown	49	41	99
HOUSING / LIVING ARRANGEMENT			
Independent Living	91	89	64
Dependent Living	62	54	30
Homeless	0	0	0
Other	0	0	0
Housing Unknown	65	53	88
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	112	103	105
School	7	7	7
Mental Health Provider	11	14	11
Health Care Provider	22	23	17
Court / Criminal Justice	*	5	*
Other	62	44	39
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	216	194	182
Civil	0	0	0
Criminal	*	*	0
Sexual Predatory	*	*	0
Commitment Type Unknown	0	0	0

PIKE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	45.9	50.0	56.0
Cigarettes	28.4	24.0	31.9
Chewing Tobacco	10.5	17.8	19.7
Marijuana	18.1	14.5	13.8
Inhalants	2.8	8.4	4.7
Prescription medications not prescribed for student	7.8	9.1	10.5
Over-the-counter medications for non-medical use	3.8	8.0	8.6
Methamphetamine	1.9	3.0	1.1
Cocaine	1.8	2.6	1.1
Heroin	0.9	2.2	0.3
Hallucinogens	1.8	3.3	2.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	3.3	1.7
Steroids not prescribed for student	2.3	3.7	1.7
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	8.8	
Average age of students' first use of:			
Alcohol	12.83	12.12	12.52
Cigarettes	13.87	12.00	12.64
Marijuana	14.54	13.07	14.13
Inhalants	12.37	11.09	11.06
Percent of students who, in past 30 days, used:			
Alcohol	16.4	24.8	31.1
Alcohol (Binge: 5+ drinks on one occassion)		17.5	22.0
Cigarettes	11.9	14.0	15.2
Chewing Tobacco	5.0	9.1	11.4
Marijuana	6.5	8.0	6.3
Inhalants	0.9	2.9	1.7
Prescription medications not prescribed for student	3.7	7.7	6.4
Over-the-counter medications for non-medical use	1.9	5.1	6.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.9		
Percent whose friends used in past 12 months:			
Alcohol	46.8	59.5	66.8
Cigarettes	45.2	47.3	50.4
Marijuana	36.7	27.0	32.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.7	10.9	14.9
Percent who would likely use, if offered by a best friend:			
Alcohol	35.8	36.5	47.5
Cigarettes	12.3	15.3	14.8
Marijuana	11.0	9.5	8.3
Percent who say it would be wrong to use:			
Alcohol	51.4	52.9	43.4
Cigarettes	77.9	75.2	73.8
Marijuana	76.6	84.7	85.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	92.6	94.8
Percent whose parents would disapprove if they use:			
Alcohol	74.5	73.8	64.2
Cigarettes	97.2	90.4	87.2
Marijuana	93.1	94.1	94.1
Percent who say it would be easy to obtain:			
Alcohol	50.9	57.5	69.3
Cigarettes	49.5	52.6	64.9
Marijuana	25.9	29.7	35.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.0	18.8	16.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.3		
Alcohol (Binge: 5+ drinks once or twice a week)	60.7		
Alcohol (any use)		62.7	75.5
Cigarettes (1+ packs per day)	74.3		
Cigarettes (any use)		71.1	78.8
Marijuana (once or twice a week)	54.6		
Marijuana (any use)		70.4	67.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	89.4	88.6	93.1
Percent of students who, in past 30 days:			
Were very sad	18.7	18.6	9.6
Were grouchy, irritable, or in a bad mood	25.3	23.7	17.9
Felt hopeless about the future	6.9	11.0	8.0
Felt like not eating or eating more than usual	13.2	15.0	12.4
Slept a lot more or a lot less than usual	21.0	15.3	19.7
Had difficulty concentrating on school work	23.1	22.0	25.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	5.1	10.2	11.0
Made plan about how they would attempt suicide	3.8	8.4	6.6
Attempted suicide	2.8	6.2	5.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.9	2.2	2.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.6	11.0	10.2
Were in a physical fight	24.8	27.4	24.9
Were in a fight and had to be treated by a doctor or nurse	0.9	5.1	2.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	49.1	50.9	53.2
Were made fun of by others	57.1	59.6	67.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.8	25.3	19.6
Spread mean rumors or lies about other kids at school	18.5	30.9	30.3
Made fun of other people	50.5	64.6	72.3
Posted something on the internet or sent a text that might embarrass or hurt another student	19.1	13.9	17.8
Percent of students who agree that:			
Teachers notice and comment on student's good work	64.8	62.4	73.4
School provides feedback to parents on positive student performance	29.6	33.6	29.0
Rules are enforced fairly	67.3	55.7	63.3
Students of all races/ethnicities are treated equal	83.0	73.6	78.2
Percent of students who agree that:			
Parents notice and comment on student's good work	75.9	83.6	78.6
Parents involve student in making family decisions	69.4	71.7	67.6
It is important to be honest with parents regardless of consequences	90.8	84.1	82.6
Student could ask parent for help with a personal problem	79.8	76.4	75.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

PLATTE COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	6
Adult Psychiatric	6
POPULATION	
Census 2010	89,322
2014 Estimate	94,788

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,142	1,136	1,158
Mother Reported Smoking while Pregnant	125	130	131

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	4	6	8
Hepatitis B Chronic, Acute, Prenatal	7	3	2
Hepatitis C Chronic and Acute	14	17	18
Tuberculosis Infection Cases	12	13	9

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	617	607	573
Suicides	15	6	14
Self-inflicted Injuries	101	128	124
Homicides	5	2	4
Assault Injuries	188	231	234
Alcohol Induced Deaths	5	10	4
Drug Induced Deaths	13	14	7
Smoking Attributable Deaths	106	88	107

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	445	548	590
Mental Illness Secondary Diagnosis	912	773	797
Alcohol Principal Diagnosis	57	70	54
Alcohol Secondary Diagnosis	60	72	79
Drug Principal Diagnosis	16	31	29
Drug Secondary Diagnosis	65	75	64
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	134	135	113
Mental Illness Secondary Diagnosis	1,325	1,241	1,305
Alcohol Principal Diagnosis	44	32	45
Alcohol Secondary Diagnosis	182	137	152
Drug Principal Diagnosis	20	25	25
Drug Secondary Diagnosis	83	82	85
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	678	722	680
Mental Illness Secondary Diagnosis	1,283	1,114	936
Alcohol Principal Diagnosis	172	171	186
Alcohol Secondary Diagnosis	133	143	140
Drug Principal Diagnosis	97	112	99
Drug Secondary Diagnosis	108	153	110

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	135	129	129
Alcohol Package Carry-out Licenses	58	57	56

EMPLOYMENT	2014	2013	2012
Labor Force	54,335	51,142	50,773
Employed	51,589	48,145	47,913
Unemployed	2,746	2,997	2,860
Unemployment Rate	5.1%	5.9%	5.6%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	72	91	73
Fatal Crashes	2	3	1
Injury Crashes	24	28	24
Property Damage Crashes	46	60	48
Crash Fatalities	2	3	1
Crash Injuries	36	40	34
Drug Involved Crashes--Total	14	11	14
Fatal Crashes	2	1	1
Injury Crashes	4	6	6
Property Damage Crashes	8	4	7
Crash Fatalities	2	1	1
Crash Injuries	6	9	7

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	429	484	483
Liquor Law Arrests	147	146	121
Drug Arrests	311	298	287
Violent Offenses	73	94	93
Property Offenses	802	886	846
Domestic Violence Reports	227	206	218
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	5

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,748	4,647	4,748
Drop-outs	45	84	94
Drop-out Rate	0.9%	1.8%	2.0%
School Discipline Involving Alcohol	1	8	8
School Discipline Involving Drugs	32	44	40
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	64	56	48
Juvenile Alcohol Offenses	7	6	15
Juvenile Drug Offenses	25	38	25
School Truancy Status Offense	25	31	16
Absent from Home Status Offense	3	1	4
Beyond Parental Control Status Offense	9	14	20
Injurious Behavior Status Offense	4	9	7
Child Abuse	6	5	7
Child Neglect	15	14	9
Child Custody Issues	0	0	1

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	16	17	13
Parental Alcohol Use Related	0	2	1
Parental Drug Use Related	1	4	3
Parental Alcohol and Drug Use	0	1	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	38	50	38
Probation/Parole Admissions--Drug	132	89	81
Probation/Parole Admissions--DWI	43	25	42
Prison Admissions--Drug	42	30	23
Prison Admissions--DWI	19	19	19

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PLATTE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	22	21	19
CSTAR Adolescent	9	*	8
CSTAR Women and Children	8	11	9
CSTAR General Adult	195	188	222
CSTAR Opioid	*	*	*
Primary Recovery Treatment	5	10	6
Clinical SATOP (CIP, YCIP, SROP)	74	71	82
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	341	284	367
- Adolescent Diversion Education Prograr	*	5	*
- Offender Education Program	152	105	161
- Weekend Intervention Program	67	73	106
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	5	*
Compulsive Gambling	0	0	*
Recovery Supports	8	10	9
Early Intervention	6	6	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	310	302	332
AGE			
Under 18	9	10	7
18 to 24	70	87	78
25 to 29	54	48	65
30 to 34	46	43	51
35 to 39	34	31	30
40 to 44	21	30	36
45 to 54	50	44	49
55 and Over	26	9	16
GENDER			
Male	220	211	231
Female	90	90	101
RACE / ETHNICITY			
Caucasian	272	255	288
African American	15	24	19
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	*	*
Hispanic	14	18	19
Other Race / Two or More Races	10	10	7
EDUCATION			
Less than High School Diploma	44	75	59
High School Graduate or G.E.D.	152	133	153
Associate Degree or Some College	107	91	108
Bachelor or Advanced Degree	7	*	12
EMPLOYMENT			
Employed	155	143	164
Unemployed	79	97	108
Not in Labor Force	76	62	60
HOUSING / LIVING ARRANGEMENT			
Independent Living	268	268	300
Dependent Living	14	14	12
Homeless	8	8	10
MARITAL / FAMILY STATUS			
Never Married	175	200	192
Married / Cohabitating	54	49	68
Previously Married	81	53	72

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	156	138	171
Marijuana / Hashish	67	86	79
Cocaine (total)	8	8	13
- Crack	*	5	8
Stimulant (total)	41	38	38
- Methamphetamine	40	38	38
Heroin	11	7	*
Analgesic except Heroin	23	15	21
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	0	*	*
Tranquilizer	*	*	*
Inhalant	0	0	*
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	18.0	17.1	18.0
INJECTION DRUG USE			
Any Injection Use at Admission	34	23	20
- Daily Injection Use	6	5	5
- Weekly Injection Use	7	*	5
- Less than Weekly Injection Use	21	14	10
LIFETIME DUI / DWI ARRESTS			
0	141	148	144
1 or 2	111	92	123
3 or More	58	62	65
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	71	60	57
School	0	*	0
Mental Health Provider	32	25	38
Health Care Provider	11	13	9
Court / Criminal Justice	123	115	188
Other Referral Source	27	28	27
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	8	*	7
Military Veteran	24	8	17
Special Education Services Needed	5	11	7
Co-Occurring Psychological Problem	82	93	113
Co-Occurring Developmental Problem	*	*	0

PLATTE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	6
CENSUS 2010	89,322
2014 POPULATION ESTIMATE	94,788

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	9	10	8
Anxiety Disorder	128	146	156
Dementia	*	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	93	94	74
Mood Disorder	438	458	460
Personality Disorder	8	10	6
Psychotic Disorder	87	84	90
Sexual Disorder	*	*	*
Other Diagnosis	6	10	10
Diagnosis Unknown	60	77	97

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	688	726	740
AGE			
Under 6	*	5	*
6 to 9	31	34	20
10 to 13	43	36	35
14 to 17	69	70	66
18 to 24	56	58	73
25 to 29	61	70	67
30 to 34	67	86	91
35 to 39	73	67	75
40 to 44	48	63	80
45 to 49	64	69	72
50 to 54	72	75	70
55 to 59	57	56	53
60 and Over	43	37	37
Age Unknown	0	0	0
GENDER			
Male	295	305	304
Female	393	421	436
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	581	609	638
African American	48	56	55
Native American / Alaskan	*	*	*
Asian / Pacific Islander	7	6	6
Hispanic	25	25	16
Other Race	24	28	22
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	18	16	15
Past or Current Military Service	11	9	11

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	90	107	32
High School Grad or G.E.D.	0	0	25
Associate Degree or Some College	0	0	9
Bachelor or Advanced Degree	0	0	5
Education Level Unknown	598	619	669
EMPLOYMENT			
Employed	47	51	26
Unemployed	42	49	51
Not in Labor Force	209	214	36
Employment Status Unknown	390	412	627
HOUSING / LIVING ARRANGEMENT			
Independent Living	177	210	63
Dependent Living	111	97	55
Homeless	10	12	*
Other	0	0	*
Housing Unknown	390	407	616
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	634	666	679
School	0	*	*
Mental Health Provider	14	17	18
Health Care Provider	20	18	19
Court / Criminal Justice	*	5	*
Other	12	14	15
Referral Source Unknown	5	5	5
TYPE OF COMMITMENT			
Voluntary	680	717	732
Civil	0	0	0
Criminal	*	*	*
Sexual Predatory	*	*	*
Commitment Type Unknown	5	5	5

PLATTE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	29.9	37.1	37.7
Cigarettes	13.2	19.3	20.2
Chewing Tobacco	5.5	7.4	7.5
Marijuana	13.2	17.9	16.2
Inhalants	2.2	4.3	4.1
Prescription medications not prescribed for student	7.0	8.3	9.9
Over-the-counter medications for non-medical use	2.1	6.5	6.3
Methamphetamine	0.6	1.3	0.5
Cocaine	0.9	2.0	1.8
Heroin	0.3	0.9	0.4
Hallucinogens	1.4	3.6	2.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.5	2.4
Steroids not prescribed for student	0.7	1.6	0.8
Synthetic drugs (K2, bath salts, Spice, etc)	2.3	5.8	
Average age of students' first use of:			
Alcohol	13.31	13.13	13.16
Cigarettes	13.28	13.16	12.94
Marijuana	14.13	13.80	13.87
Inhalants	11.24	11.85	12.32
Percent of students who, in past 30 days, used:			
Alcohol	12.0	18.0	18.4
Alcohol (Binge: 5+ drinks on one occassion)		10.3	10.0
Cigarettes	4.8	8.8	9.9
Chewing Tobacco	2.6	4.0	3.3
Marijuana	6.5	10.2	8.3
Inhalants	0.9	2.0	1.3
Prescription medications not prescribed for student	3.7	4.9	5.6
Over-the-counter medications for non-medical use	1.1	4.0	3.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.9		
Percent whose friends used in past 12 months:			
Alcohol	41.1	54.5	55.0
Cigarettes	27.2	39.6	41.7
Marijuana	33.2	45.8	39.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	18.9	19.8
Percent who would likely use, if offered by a best friend:			
Alcohol	21.6	30.3	28.9
Cigarettes	8.1	11.6	11.4
Marijuana	13.9	15.7	13.4
Percent who say it would be wrong to use:			
Alcohol	67.7	60.6	62.7
Cigarettes	88.5	82.4	80.7
Marijuana	78.3	77.0	79.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	93.7	94.0
Percent whose parents would disapprove if they use:			
Alcohol	83.3	79.7	80.7
Cigarettes	94.7	92.2	90.5
Marijuana	93.2	92.9	93.2
Percent who say it would be easy to obtain:			
Alcohol	53.8	64.1	61.0
Cigarettes	43.1	53.2	53.9
Marijuana	34.7	45.4	40.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.5	19.5	19.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	66.5		
Alcohol (Binge: 5+ drinks once or twice a week)	76.9		
Alcohol (any use)		70.6	72.8
Cigarettes (1+ packs per day)	89.6		
Cigarettes (any use)		83.3	83.7
Marijuana (once or twice a week)	64.8		
Marijuana (any use)		65.8	73.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	93.1	93.2
Percent of students who, in past 30 days:			
Were very sad	19.0	16.9	18.0
Were grouchy, irritable, or in a bad mood	22.9	22.7	25.2
Felt hopeless about the future	11.9	11.2	12.8
Felt like not eating or eating more than usual	17.8	17.8	17.4
Slept a lot more or a lot less than usual	19.2	23.5	25.7
Had difficulty concentrating on school work	23.6	23.9	26.5
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.4	11.6	9.5
Made plan about how they would attempt suicide	9.1	9.3	6.4
Attempted suicide	5.6	5.3	3.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.9	2.0	1.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.4	5.3	7.5
Were in a physical fight	10.6	13.5	16.4
Were in a fight and had to be treated by a doctor or nurse	1.3	2.6	2.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	37.6	42.2	47.9
Were made fun of by others	48.2	56.3	64.3
Were victims of an embarrassing or hurtful text message or something posted on the internet	19.7	20.7	19.3
Spread mean rumors or lies about other kids at school	20.7	28.5	30.4
Made fun of other people	46.5	61.7	70.0
Posted something on the internet or sent a text that might embarrass or hurt another student	13.4	16.1	17.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.0	73.0	72.1
School provides feedback to parents on positive student performance	44.8	39.4	44.3
Rules are enforced fairly	69.3	63.9	65.3
Students of all races/ethnicities are treated equal	81.4	75.6	76.1
Percent of students who agree that:			
Parents notice and comment on student's good work	85.2	82.6	83.7
Parents involve student in making family decisions	72.6	70.2	72.1
It is important to be honest with parents regardless of consequences	86.2	83.4	81.8
Student could ask parent for help with a personal problem	79.8	78.1	78.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

POLK COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	31,137
2014 Estimate	31,054

BIRTH RISK	2013	2012	2011
Resident Births--Total	407	337	424
Mother Reported Smoking while Pregnant	81	79	83

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	1	0
Hepatitis B Chronic, Acute, Prenatal	3	8	2
Hepatitis C Chronic and Acute	25	36	35
Tuberculosis Infection Cases	10	5	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	349	321	352
Suicides	1	8	6
Self-inflicted Injuries	44	46	47
Homicides	1	1	2
Assault Injuries	82	98	93
Alcohol Induced Deaths	6	0	3
Drug Induced Deaths	6	5	9
Smoking Attributable Deaths	72	63	53

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	283	346	287
Mental Illness Secondary Diagnosis	332	333	344
Alcohol Principal Diagnosis	12	6	7
Alcohol Secondary Diagnosis	15	15	12
Drug Principal Diagnosis	15	16	9
Drug Secondary Diagnosis	22	25	20
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	125	132	127
Mental Illness Secondary Diagnosis	627	583	566
Alcohol Principal Diagnosis	23	16	11
Alcohol Secondary Diagnosis	56	44	46
Drug Principal Diagnosis	22	22	27
Drug Secondary Diagnosis	40	35	40
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	307	380	313
Mental Illness Secondary Diagnosis	2,465	2,751	1,285
Alcohol Principal Diagnosis	57	73	72
Alcohol Secondary Diagnosis	70	78	68
Drug Principal Diagnosis	66	69	61
Drug Secondary Diagnosis	145	101	87

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	12	13	18
Alcohol Package Carry-out Licenses	23	18	26

EMPLOYMENT	2014	2013	2012
Labor Force	14,206	13,949	14,282
Employed	13,319	13,045	13,224
Unemployed	887	904	1,058
Unemployment Rate	6.2%	6.5%	7.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	17	25	27
Fatal Crashes	2	1	4
Injury Crashes	4	16	14
Property Damage Crashes	11	8	9
Crash Fatalities	2	1	4
Crash Injuries	6	18	23
Drug Involved Crashes--Total	4	8	19
Fatal Crashes	0	0	0
Injury Crashes	3	3	11
Property Damage Crashes	1	5	8
Crash Fatalities	0	0	0
Crash Injuries	5	3	13

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	86	132	124
Liquor Law Arrests	22	48	39
Drug Arrests	117	125	152
Violent Offenses	115	128	142
Property Offenses	801	771	649
Domestic Violence Reports	250	245	243
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	11	11	7

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,617	1,583	1,574
Drop-outs	15	15	37
Drop-out Rate	0.9%	0.9%	2.3%
School Discipline Involving Alcohol	0	7	9
School Discipline Involving Drugs	9	30	13
School Discipline Involving Tobacco	0	1	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	42	48	46
Juvenile Alcohol Offenses	2	17	4
Juvenile Drug Offenses	17	7	16
School Truancy Status Offense	9	17	19
Absent from Home Status Offense	8	7	10
Beyond Parental Control Status Offense	13	23	29
Injurious Behavior Status Offense	9	11	17
Child Abuse	29	28	24
Child Neglect	142	90	91
Child Custody Issues	0	0	4

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	31	20	22
Parental Alcohol Use Related	1	1	0
Parental Drug Use Related	9	11	7
Parental Alcohol and Drug Use	3	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	9	18	24
Probation/Parole Admissions--Drug	97	84	104
Probation/Parole Admissions--DWI	7	15	13
Prison Admissions--Drug	57	45	43
Prison Admissions--DWI	9	4	3

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

POLK COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	19	13	25
CSTAR Adolescent	6	7	9
CSTAR Women and Children	7	12	8
CSTAR General Adult	126	86	101
CSTAR Opioid	0	0	0
Primary Recovery Treatment	15	15	31
Clinical SATOP (CIP, YCIP, SROP)	22	12	14
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	88	91	109
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	34	36	46
- Weekend Intervention Program	18	19	23
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	12	13	5
Early Intervention	0	*	12

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	171	139	170
AGE			
Under 18	6	7	9
18 to 24	30	29	34
25 to 29	34	33	41
30 to 34	30	20	19
35 to 39	23	10	20
40 to 44	21	13	14
45 to 54	22	19	24
55 and Over	5	8	9
GENDER			
Male	114	91	120
Female	57	48	50
RACE / ETHNICITY			
Caucasian	159	137	166
African American	*	0	*
Native American / Alaskan	*	0	0
Asian / Pacific Islander	0	0	0
Hispanic	5	*	*
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	53	63	74
High School Graduate or G.E.D.	90	51	64
Associate Degree or Some College	28	25	32
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	67	34	45
Unemployed	57	59	71
Not in Labor Force	47	46	54
HOUSING / LIVING ARRANGEMENT			
Independent Living	157	120	143
Dependent Living	8	11	19
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	70	65	75
Married / Cohabitating	64	38	54
Previously Married	37	36	41

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	55	44	54
Marijuana / Hashish	49	30	45
Cocaine (total)	0	*	*
- Crack	0	*	*
Stimulant (total)	47	34	37
- Methamphetamine	47	32	33
Heroin	*	*	*
Analgesic except Heroin	15	19	23
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	*
Tranquilizer	*	5	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	16.5	17.9	17.7
INJECTION DRUG USE			
Any Injection Use at Admission	38	39	42
- Daily Injection Use	*	*	6
- Weekly Injection Use	*	9	9
- Less than Weekly Injection Use	31	28	27
LIFETIME DUI / DWI ARRESTS			
0	104	83	97
1 or 2	50	31	43
3 or More	17	25	30
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	18	37	36
School	0	0	*
Mental Health Provider	0	*	0
Health Care Provider	8	*	8
Court / Criminal Justice	135	89	119
Other Referral Source	10	7	6
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	5	*
Military Veteran	5	*	7
Special Education Services Needed	23	9	28
Co-Occurring Psychological Problem	74	44	43
Co-Occurring Developmental Problem	8	*	5

POLK COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	10
CENSUS 2010	31,137
2014 POPULATION ESTIMATE	31,054

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	11	6	9
Anxiety Disorder	89	81	79
Dementia	*	0	*
Developmental Disorder	8	8	11
Impulse Control Disorder	32	28	28
Mood Disorder	127	125	131
Personality Disorder	32	32	34
Psychotic Disorder	62	69	74
Sexual Disorder	*	*	0
Other Diagnosis	28	17	22
Diagnosis Unknown	19	16	38

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	220	209	250
AGE			
Under 6	8	7	5
6 to 9	10	11	11
10 to 13	13	8	15
14 to 17	21	20	19
18 to 24	15	21	24
25 to 29	21	18	18
30 to 34	18	12	22
35 to 39	17	17	19
40 to 44	18	23	28
45 to 49	25	25	25
50 to 54	17	15	23
55 to 59	21	15	22
60 and Over	16	17	19
Age Unknown	0	0	0
GENDER			
Male	119	104	132
Female	101	105	118
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	198	189	227
African American	*	*	*
Native American / Alaskan	0	0	*
Asian / Pacific Islander	*	*	*
Hispanic	*	*	*
Other Race	15	14	14
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	9	5	6
Past or Current Military Service	*	*	5

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	60	42	35
High School Grad or G.E.D.	0	0	53
Associate Degree or Some College	0	0	20
Bachelor or Advanced Degree	0	0	5
Education Level Unknown	160	167	137
EMPLOYMENT			
Employed	7	*	12
Unemployed	7	*	97
Not in Labor Force	122	129	25
Employment Status Unknown	84	76	116
HOUSING / LIVING ARRANGEMENT			
Independent Living	55	55	71
Dependent Living	78	69	69
Homeless	*	*	*
Other	0	0	*
Housing Unknown	85	81	108
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	102	101	145
School	0	*	*
Mental Health Provider	8	9	9
Health Care Provider	40	42	32
Court / Criminal Justice	17	6	9
Other	46	43	46
Referral Source Unknown	7	7	7
TYPE OF COMMITMENT			
Voluntary	213	200	237
Civil	0	*	*
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	6	6	7

POLK COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	25.4	36.5	39.0
Cigarettes	17.4	29.0	28.6
Chewing Tobacco	13.0	18.8	21.7
Marijuana	6.9	10.6	15.4
Inhalants	3.6	8.7	6.5
Prescription medications not prescribed for student	4.1	9.5	11.9
Over-the-counter medications for non-medical use	0.8	5.8	7.2
Methamphetamine	0.5	2.2	1.0
Cocaine	0.5	1.0	1.5
Heroin	0.0	0.8	0.6
Hallucinogens	0.5	3.0	2.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	2.2	1.5
Steroids not prescribed for student	0.5	1.5	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	4.8	
Average age of students' first use of:			
Alcohol	13.06	12.35	12.56
Cigarettes	12.40	12.27	12.29
Marijuana	13.37	13.30	13.69
Inhalants	11.64	11.43	12.45
Percent of students who, in past 30 days, used:			
Alcohol	7.5	18.0	16.8
Alcohol (Binge: 5+ drinks on one occassion)		11.8	11.3
Cigarettes	4.1	12.2	14.6
Chewing Tobacco	5.9	11.2	11.1
Marijuana	3.3	5.3	7.9
Inhalants	0.8	2.7	3.2
Prescription medications not prescribed for student	1.0	6.5	7.9
Over-the-counter medications for non-medical use	0.5	4.3	4.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	2.1		
Percent whose friends used in past 12 months:			
Alcohol	35.5	45.7	58.0
Cigarettes	21.4	38.9	50.1
Marijuana	18.5	28.0	32.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.9	11.1	16.7
Percent who would likely use, if offered by a best friend:			
Alcohol	16.6	31.2	31.7
Cigarettes	8.2	13.5	16.6
Marijuana	6.4	10.4	12.0
Percent who say it would be wrong to use:			
Alcohol	76.7	67.2	59.9
Cigarettes	86.3	80.5	76.8
Marijuana	90.4	84.1	82.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	95.5	94.1
Percent whose parents would disapprove if they use:			
Alcohol	87.2	80.8	79.1
Cigarettes	94.4	87.5	88.6
Marijuana	96.4	92.6	94.3
Percent who say it would be easy to obtain:			
Alcohol	43.4	52.6	56.9
Cigarettes	44.5	57.2	59.8
Marijuana	21.4	28.6	36.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	14.0	19.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	57.4		
Alcohol (Binge: 5+ drinks once or twice a week)	69.2		
Alcohol (any use)		72.4	78.4
Cigarettes (1+ packs per day)	84.9		
Cigarettes (any use)		79.3	79.4
Marijuana (once or twice a week)	71.0		
Marijuana (any use)		74.8	71.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	92.5	93.5
Percent of students who, in past 30 days:			
Were very sad	15.5	20.0	23.7
Were grouchy, irritable, or in a bad mood	17.7	25.8	22.7
Felt hopeless about the future	9.8	12.5	11.2
Felt like not eating or eating more than usual	11.8	17.6	22.0
Slept a lot more or a lot less than usual	14.7	19.5	24.6
Had difficulty concentrating on school work	18.6	20.6	18.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	8.4	10.8	10.4
Made plan about how they would attempt suicide	5.4	9.2	6.7
Attempted suicide	4.6	7.0	5.4
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.0	1.7	1.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.9	5.8	10.1
Were in a physical fight	14.6	21.6	24.5
Were in a fight and had to be treated by a doctor or nurse	3.1	4.6	3.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	45.4	53.1	57.2
Were made fun of by others	53.5	64.7	71.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	18.2	22.4	19.5
Spread mean rumors or lies about other kids at school	22.0	29.3	32.5
Made fun of other people	49.7	67.2	69.6
Posted something on the internet or sent a text that might embarrass or hurt another student	11.0	11.7	14.7
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.8	71.0	75.1
School provides feedback to parents on positive student performance	50.4	41.8	42.5
Rules are enforced fairly	65.9	59.9	66.2
Students of all races/ethnicities are treated equal	84.4	77.1	79.9
Percent of students who agree that:			
Parents notice and comment on student's good work	86.0	80.1	84.6
Parents involve student in making family decisions	73.7	64.5	69.8
It is important to be honest with parents regardless of consequences	89.7	86.6	85.7
Student could ask parent for help with a personal problem	81.4	69.8	76.8

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

PULASKI COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	52,274
2014 Estimate	53,436

BIRTH RISK	2013	2012	2011
Resident Births--Total	834	842	834
Mother Reported Smoking while Pregnant	154	147	150

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	7	0	2
Hepatitis B Chronic, Acute, Prenatal	7	2	7
Hepatitis C Chronic and Acute	31	28	33
Tuberculosis Infection Cases	11	22	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	302	300	297
Suicides	2	10	8
Self-inflicted Injuries	46	30	53
Homicides	7	7	9
Assault Injuries	101	123	114
Alcohol Induced Deaths	3	3	4
Drug Induced Deaths	9	10	14
Smoking Attributable Deaths	62	56	57

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	282	308	270
Mental Illness Secondary Diagnosis	446	384	431
Alcohol Principal Diagnosis	6	5	6
Alcohol Secondary Diagnosis	29	20	25
Drug Principal Diagnosis	48	39	19
Drug Secondary Diagnosis	45	35	29
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	148	131	102
Mental Illness Secondary Diagnosis	509	511	516
Alcohol Principal Diagnosis	15	15	17
Alcohol Secondary Diagnosis	53	31	61
Drug Principal Diagnosis	25	30	28
Drug Secondary Diagnosis	44	35	40
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	240	238	255
Mental Illness Secondary Diagnosis	1,634	1,304	1,159
Alcohol Principal Diagnosis	55	47	66
Alcohol Secondary Diagnosis	51	36	49
Drug Principal Diagnosis	103	62	82
Drug Secondary Diagnosis	56	57	40

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	54	54	52
Alcohol Package Carry-out Licenses	38	37	38

EMPLOYMENT	2014	2013	2012
Labor Force	15,185	20,414	19,316
Employed	14,066	18,885	17,721
Unemployed	1,119	1,529	1,595
Unemployment Rate	7.4%	7.5%	8.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	58	48	66
Fatal Crashes	5	3	5
Injury Crashes	23	23	25
Property Damage Crashes	30	22	36
Crash Fatalities	5	3	5
Crash Injuries	40	38	39
Drug Involved Crashes--Total	9	8	13
Fatal Crashes	0	0	1
Injury Crashes	6	2	1
Property Damage Crashes	3	6	11
Crash Fatalities	0	0	1
Crash Injuries	7	2	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	238	292	396
Liquor Law Arrests	64	61	55
Drug Arrests	431	325	306
Violent Offenses	151	213	160
Property Offenses	1,078	1,147	1,042
Domestic Violence Reports	308	399	303
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	3	12	7

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	2,461	2,540	2,598
Drop-outs	26	21	49
Drop-out Rate	1.1%	0.8%	1.9%
School Discipline Involving Alcohol	5	1	11
School Discipline Involving Drugs	37	20	44
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	57	73	61
Juvenile Alcohol Offenses	4	3	3
Juvenile Drug Offenses	18	17	11
School Truancy Status Offense	44	48	85
Absent from Home Status Offense	12	20	23
Beyond Parental Control Status Offense	8	19	13
Injurious Behavior Status Offense	95	199	286
Child Abuse	158	314	405
Child Neglect	251	390	486
Child Custody Issues	9	8	3

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	55	54	87
Parental Alcohol Use Related	2	1	3
Parental Drug Use Related	13	6	30
Parental Alcohol and Drug Use	5	8	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	48	31	15
Probation/Parole Admissions--Drug	123	77	64
Probation/Parole Admissions--DWI	8	9	11
Prison Admissions--Drug	60	31	38
Prison Admissions--DWI	5	2	4

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PULASKI COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	37	23	25
CSTAR Adolescent	8	9	8
CSTAR Women and Children	16	26	17
CSTAR General Adult	106	82	43
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	15	33
Clinical SATOP (CIP, YCIP, SROP)	38	39	28
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	170	173	219
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	63	73	110
- Weekend Intervention Program	35	38	51
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	8	6
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	170	160	129
AGE			
Under 18	6	9	9
18 to 24	36	28	18
25 to 29	30	31	29
30 to 34	27	29	19
35 to 39	26	16	17
40 to 44	14	11	9
45 to 54	21	25	19
55 and Over	10	11	9
GENDER			
Male	95	87	80
Female	75	73	49
RACE / ETHNICITY			
Caucasian	144	134	103
African American	15	11	14
Native American / Alaskan	*	0	*
Asian / Pacific Islander	0	5	*
Hispanic	6	5	6
Other Race / Two or More Races	*	6	5
EDUCATION			
Less than High School Diploma	44	45	31
High School Graduate or G.E.D.	82	58	66
Associate Degree or Some College	43	56	29
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	40	42	32
Unemployed	74	58	48
Not in Labor Force	56	60	49
HOUSING / LIVING ARRANGEMENT			
Independent Living	150	135	106
Dependent Living	13	17	13
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	84	66	67
Married / Cohabitating	53	58	32
Previously Married	33	36	30

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	62	58	52
Marijuana / Hashish	13	24	16
Cocaine (total)	0	*	*
- Crack	0	*	0
Stimulant (total)	16	15	15
- Methamphetamine	15	15	13
Heroin	59	43	33
Analgesic except Heroin	14	14	5
- Non-Prescription Methadone	*	*	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	*	*
Inhalant	0	0	0
Sedative	0	0	*
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	19.9	20.2	19.3
INJECTION DRUG USE			
Any Injection Use at Admission	56	33	36
- Daily Injection Use	26	14	15
- Weekly Injection Use	17	11	13
- Less than Weekly Injection Use	13	8	8
LIFETIME DUI / DWI ARRESTS			
0	97	84	62
1 or 2	55	38	42
3 or More	18	38	25
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	68	56	41
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	7	*	6
Court / Criminal Justice	58	71	72
Other Referral Source	29	21	7
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	5	*
Military Veteran	14	12	7
Special Education Services Needed	5	8	10
Co-Occurring Psychological Problem	72	54	45
Co-Occurring Developmental Problem	7	7	*

PULASKI COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	11
CENSUS 2010	52,274
2014 POPULATION ESTIMATE	53,436

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	22	15	11
Anxiety Disorder	221	165	132
Dementia	0	0	0
Developmental Disorder	10	5	*
Impulse Control Disorder	67	55	46
Mood Disorder	256	216	197
Personality Disorder	14	7	11
Psychotic Disorder	33	31	30
Sexual Disorder	*	0	*
Other Diagnosis	48	34	27
Diagnosis Unknown	17	14	24

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	371	301	276
AGE			
Under 6	10	5	*
6 to 9	30	24	18
10 to 13	34	25	29
14 to 17	47	34	26
18 to 24	34	31	35
25 to 29	27	28	26
30 to 34	33	20	15
35 to 39	28	15	18
40 to 44	26	30	21
45 to 49	26	18	28
50 to 54	35	27	23
55 to 59	23	27	23
60 and Over	18	17	13
Age Unknown	0	0	0
GENDER			
Male	159	124	123
Female	212	177	153
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	317	254	237
African American	31	23	17
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	5	*
Hispanic	7	5	5
Other Race	12	10	10
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	10	6	8
Past or Current Military Service	5	6	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	163	127	67
High School Grad or G.E.D.	0	*	58
Associate Degree or Some College	0	*	19
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	208	171	129
EMPLOYMENT			
Employed	17	13	18
Unemployed	24	26	115
Not in Labor Force	252	210	27
Employment Status Unknown	78	52	116
HOUSING / LIVING ARRANGEMENT			
Independent Living	149	154	135
Dependent Living	135	96	46
Homeless	5	*	*
Other	0	0	*
Housing Unknown	82	49	92
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	298	220	196
School	*	*	*
Mental Health Provider	6	10	16
Health Care Provider	32	31	30
Court / Criminal Justice	8	9	7
Other	26	30	26
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	368	298	272
Civil	*	*	*
Criminal	*	*	*
Sexual Predatory	*	*	*
Commitment Type Unknown	0	0	0

PULASKI COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol		55.2	47.4
Cigarettes		36.9	31.4
Chewing Tobacco		24.7	11.5
Marijuana		22.7	14.8
Inhalants		7.7	9.1
Prescription medications not prescribed for student		15.2	14.1
Over-the-counter medications for non-medical use		13.3	9.6
Methamphetamine		2.0	1.5
Cocaine		4.4	2.4
Heroin		4.2	0.7
Hallucinogens		3.5	2.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		5.7	3.1
Steroids not prescribed for student		2.6	2.1
Synthetic drugs (K2, bath salts, Spice, etc)		9.4	
Average age of students' first use of:			
Alcohol		12.43	12.18
Cigarettes		12.47	11.99
Marijuana		13.32	13.35
Inhalants		12.40	12.65
Percent of students who, in past 30 days, used:			
Alcohol		25.9	20.0
Alcohol (Binge: 5+ drinks on one occassion)		16.9	11.8
Cigarettes		18.9	13.0
Chewing Tobacco		12.5	6.7
Marijuana		12.5	7.2
Inhalants		3.9	4.6
Prescription medications not prescribed for student		8.5	8.7
Over-the-counter medications for non-medical use		10.5	5.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol		64.5	62.2
Cigarettes		60.6	48.2
Marijuana		44.1	36.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		23.1	23.7
Percent who would likely use, if offered by a best friend:			
Alcohol		42.4	35.9
Cigarettes		23.2	15.0
Marijuana		17.5	13.3
Percent who say it would be wrong to use:			
Alcohol		47.9	58.1
Cigarettes		69.2	76.0
Marijuana		72.9	81.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		89.7	93.3
Percent whose parents would disapprove if they use:			
Alcohol		70.5	77.6
Cigarettes		84.8	89.6
Marijuana		87.9	95.1
Percent who say it would be easy to obtain:			
Alcohol		64.4	62.9
Cigarettes		65.9	60.8
Marijuana		51.0	36.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		29.3	23.6

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)		62.0	78.2
Cigarettes (1+ packs per day)			
Cigarettes (any use)		76.8	81.9
Marijuana (once or twice a week)			
Marijuana (any use)		65.6	73.1
Other: Cocaine, LSD, Meth, Club Drug (any use)		91.6	94.2
Percent of students who, in past 30 days:			
Were very sad		23.7	22.5
Were grouchy, irritable, or in a bad mood		30.5	27.3
Felt hopeless about the future		12.9	11.5
Felt like not eating or eating more than usual		22.4	21.8
Slept a lot more or a lot less than usual		24.5	31.5
Had difficulty concentrating on school work		30.3	28.5
Percent of students who, in past 12 months:			
Seriously considered attempting suicide		13.6	17.1
Made plan about how they would attempt suicide		10.0	12.7
Attempted suicide		7.2	8.3
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		3.6	4.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school		10.2	10.9
Were in a physical fight		29.2	28.1
Were in a fight and had to be treated by a doctor or nurse		6.8	5.6
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school		54.9	56.0
Were made fun of by others		59.0	69.9
Were victims of an embarrassing or hurtful text message or something posted on the internet		24.8	17.0
Spread mean rumors or lies about other kids at school		26.9	30.0
Made fun of other people		64.6	73.2
Posted something on the internet or sent a text that might embarrass or hurt another student		19.8	16.9
Percent of students who agree that:			
Teachers notice and comment on student's good work		59.4	66.0
School provides feedback to parents on positive student performance		31.4	34.5
Rules are enforced fairly		49.3	61.3
Students of all races/ethnicities are treated equal		72.9	76.0
Percent of students who agree that:			
Parents notice and comment on student's good work		74.4	83.3
Parents involve student in making family decisions		65.4	67.1
It is important to be honest with parents regardless of consequences		81.2	84.0
Student could ask parent for help with a personal problem		70.7	75.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

PUTNAM COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	4,979
2014 Estimate	4,829

BIRTH RISK	2013	2012	2011
Resident Births--Total	59	47	49
Mother Reported Smoking while Pregnant	17	15	7

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	0	3
Tuberculosis Infection Cases	4	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	58	72	58
Suicides	2	1	2
Self-inflicted Injuries	10	4	7
Homicides	0	0	0
Assault Injuries	13	4	11
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	3	0	0
Smoking Attributable Deaths	13	15	10

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	28	20	26
Mental Illness Secondary Diagnosis	116	126	139
Alcohol Principal Diagnosis	0	2	1
Alcohol Secondary Diagnosis	9	10	14
Drug Principal Diagnosis	1	1	4
Drug Secondary Diagnosis	6	4	1
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	11	16	8
Mental Illness Secondary Diagnosis	13	9	8
Alcohol Principal Diagnosis	0	0	1
Alcohol Secondary Diagnosis	2	3	0
Drug Principal Diagnosis	0	2	1
Drug Secondary Diagnosis	2	2	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	65	38	27
Mental Illness Secondary Diagnosis	143	151	87
Alcohol Principal Diagnosis	4	9	5
Alcohol Secondary Diagnosis	10	6	9
Drug Principal Diagnosis	7	5	3
Drug Secondary Diagnosis	7	3	2

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	2	2	2
Alcohol Package Carry-out Licenses	6	6	6

EMPLOYMENT	2014	2013	2012
Labor Force	2,504	2,412	2,338
Employed	2,379	2,274	2,204
Unemployed	125	138	134
Unemployment Rate	5.0%	5.7%	5.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	3	4	5
Fatal Crashes	0	0	0
Injury Crashes	0	1	4
Property Damage Crashes	3	3	1
Crash Fatalities	0	0	0
Crash Injuries	0	2	4
Drug Involved Crashes--Total	1	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	30	24	35
Liquor Law Arrests	2	7	7
Drug Arrests	15	29	27
Violent Offenses	0	0	0
Property Offenses	39	38	33
Domestic Violence Reports	22	28	10
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	216	218	212
Drop-outs	2	1	0
Drop-out Rate	0.9%	0.5%	0.0%
School Discipline Involving Alcohol	1	4	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	1	3	5
Juvenile Alcohol Offenses	2	2	8
Juvenile Drug Offenses	1	0	1
School Truancy Status Offense	1	3	0
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	0	1	2
Injurious Behavior Status Offense	6	7	6
Child Abuse	20	9	14
Child Neglect	21	31	21
Child Custody Issues	0	0	3

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	12	10	7
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	8	0	3
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	8	12	8
Probation/Parole Admissions--Drug	13	23	13
Probation/Parole Admissions--DWI	1	2	2
Prison Admissions--Drug	5	10	6
Prison Admissions--DWI	1	3	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PUTNAM COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	0	0
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	29	38	38
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	5	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	13	16	13
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	5	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	39	52	46
AGE			
Under 18	*	*	*
18 to 24	10	16	18
25 to 29	11	9	5
30 to 34	*	*	*
35 to 39	*	6	*
40 to 44	5	*	*
45 to 54	*	8	6
55 and Over	*	*	*
GENDER			
Male	27	40	35
Female	12	12	11
RACE / ETHNICITY			
Caucasian	38	51	44
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	*
Hispanic	0	0	0
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	19	16	24
High School Graduate or G.E.D.	18	32	20
Associate Degree or Some College	*	*	*
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	13	20	18
Unemployed	13	20	13
Not in Labor Force	13	12	15
HOUSING / LIVING ARRANGEMENT			
Independent Living	35	44	42
Dependent Living	*	6	*
Homeless	*	*	0
MARITAL / FAMILY STATUS			
Never Married	16	31	26
Married / Cohabitating	17	8	9
Previously Married	6	13	11

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	15	23	23
Marijuana / Hashish	11	17	15
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	8	7	*
- Methamphetamine	8	7	*
Heroin	0	0	0
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	0
Tranquilizer	0	0	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	16.2	16.4	16.8
INJECTION DRUG USE			
Any Injection Use at Admission	*	*	5
- Daily Injection Use	0	0	0
- Weekly Injection Use	*	0	*
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	21	32	22
1 or 2	12	15	19
3 or More	6	5	5
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	*	7	*
School	*	0	0
Mental Health Provider	*	0	0
Health Care Provider	*	*	*
Court / Criminal Justice	11	11	29
Other Referral Source	16	26	10
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	0
Military Veteran	*	*	*
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	12	15	14
Co-Occurring Developmental Problem	*	*	*

PUTNAM COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	13
CENSUS 2010	4,979
2014 POPULATION ESTIMATE	4,829

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	0
Anxiety Disorder	19	21	20
Dementia	0	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	6	6	5
Mood Disorder	23	24	28
Personality Disorder	*	8	12
Psychotic Disorder	7	8	10
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	0	0

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	34	37	41
AGE			
Under 6	0	0	0
6 to 9	*	*	0
10 to 13	*	*	*
14 to 17	*	*	*
18 to 24	5	*	*
25 to 29	*	*	*
30 to 34	5	7	7
35 to 39	0	*	*
40 to 44	*	*	5
45 to 49	*	*	*
50 to 54	*	*	*
55 to 59	*	*	8
60 and Over	*	6	*
Age Unknown	0	0	0
GENDER			
Male	17	16	19
Female	17	21	22
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	34	36	40
African American	0	*	0
Native American / Alaskan	0	0	*
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race	0	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	0	*	*
Past or Current Military Service	*	0	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	10	12	5
High School Grad or G.E.D.	0	*	14
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	24	23	18
EMPLOYMENT			
Employed	6	*	*
Unemployed	*	*	18
Not in Labor Force	21	26	*
Employment Status Unknown	*	7	17
HOUSING / LIVING ARRANGEMENT			
Independent Living	23	25	22
Dependent Living	7	8	*
Homeless	0	0	0
Other	0	0	0
Housing Unknown	*	*	17
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	15	15	14
School	0	0	0
Mental Health Provider	*	6	7
Health Care Provider	8	6	8
Court / Criminal Justice	*	6	6
Other	*	*	6
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	34	37	41
Civil	0	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

PUTNAM COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol		61.4	51.1
Cigarettes		38.6	26.6
Chewing Tobacco		22.9	17.0
Marijuana		11.4	10.6
Inhalants		10.0	8.5
Prescription medications not prescribed for student		24.6	14.1
Over-the-counter medications for non-medical use		14.5	6.5
Methamphetamine		1.4	1.1
Cocaine		1.5	2.2
Heroin		1.4	1.1
Hallucinogens		5.9	3.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.5	2.2
Steroids not prescribed for student		4.3	4.3
Synthetic drugs (K2, bath salts, Spice, etc)		5.8	
Average age of students' first use of:			
Alcohol		11.77	11.78
Cigarettes		12.00	11.84
Marijuana		13.27	13.35
Inhalants		13.05	10.48
Percent of students who, in past 30 days, used:			
Alcohol		24.3	22.6
Alcohol (Binge: 5+ drinks on one occassion)		14.3	19.1
Cigarettes		15.9	14.0
Chewing Tobacco		22.9	7.5
Marijuana		4.3	5.3
Inhalants		2.9	4.3
Prescription medications not prescribed for student		14.5	9.9
Over-the-counter medications for non-medical use		12.9	5.3
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol		84.3	60.6
Cigarettes		78.6	54.3
Marijuana		50.7	31.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		26.1	19.6
Percent who would likely use, if offered by a best friend:			
Alcohol		48.6	41.9
Cigarettes		28.6	14.9
Marijuana		15.9	7.4
Percent who say it would be wrong to use:			
Alcohol		37.7	52.7
Cigarettes		62.3	83.9
Marijuana		78.3	88.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		87.0	96.7
Percent whose parents would disapprove if they use:			
Alcohol		66.7	73.9
Cigarettes		80.9	89.4
Marijuana		91.4	96.7
Percent who say it would be easy to obtain:			
Alcohol		77.9	67.7
Cigarettes		88.2	67.0
Marijuana		63.8	33.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		39.7	27.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)		56.5	80.6
Cigarettes (1+ packs per day)			
Cigarettes (any use)		48.6	81.7
Marijuana (once or twice a week)			
Marijuana (any use)		59.4	68.5
Other: Cocaine, LSD, Meth, Club Drug (any use)		81.2	94.7
Percent of students who, in past 30 days:			
Were very sad		31.4	31.9
Were grouchy, irritable, or in a bad mood		33.3	46.2
Felt hopeless about the future		15.9	23.4
Felt like not eating or eating more than usual		28.6	37.6
Slept a lot more or a lot less than usual		36.2	47.8
Had difficulty concentrating on school work		32.9	39.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide		17.1	4.3
Made plan about how they would attempt suicide		15.9	3.2
Attempted suicide		5.8	1.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		0.0	1.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school		8.7	9.6
Were in a physical fight		21.4	16.1
Were in a fight and had to be treated by a doctor or nurse		4.3	3.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school		54.3	65.2
Were made fun of by others		60.0	76.6
Were victims of an embarrassing or hurtful text message or something posted on the internet		36.2	23.9
Spread mean rumors or lies about other kids at school		26.1	25.8
Made fun of other people		58.0	72.3
Posted something on the internet or sent a text that might embarrass or hurt another student		25.7	21.5
Percent of students who agree that:			
Teachers notice and comment on student's good work		68.6	78.9
School provides feedback to parents on positive student performance		34.8	46.8
Rules are enforced fairly		52.9	64.5
Students of all races/ethnicities are treated equal		94.1	89.4
Percent of students who agree that:			
Parents notice and comment on student's good work		78.3	81.7
Parents involve student in making family decisions		51.4	67.0
It is important to be honest with parents regardless of consequences		74.3	81.9
Student could ask parent for help with a personal problem		62.3	74.2

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

RALLS COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	10,167
2014 Estimate	10,255

BIRTH RISK	2013	2012	2011
Resident Births--Total	102	86	103
Mother Reported Smoking while Pregnant	19	16	26

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	6	3	5
Tuberculosis Infection Cases	0	0	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	107	89	85
Suicides	0	2	0
Self-inflicted Injuries	1	6	9
Homicides	1	0	0
Assault Injuries	5	16	15
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	2	1
Smoking Attributable Deaths	24	19	20

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	31	34	38
Mental Illness Secondary Diagnosis	74	85	168
Alcohol Principal Diagnosis	1	1	2
Alcohol Secondary Diagnosis	5	1	5
Drug Principal Diagnosis	0	3	5
Drug Secondary Diagnosis	1	3	3
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	12	10	3
Mental Illness Secondary Diagnosis	96	111	44
Alcohol Principal Diagnosis	2	1	0
Alcohol Secondary Diagnosis	12	11	2
Drug Principal Diagnosis	1	2	0
Drug Secondary Diagnosis	2	8	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	37	46	35
Mental Illness Secondary Diagnosis	65	68	141
Alcohol Principal Diagnosis	6	3	4
Alcohol Secondary Diagnosis	6	6	3
Drug Principal Diagnosis	6	7	9
Drug Secondary Diagnosis	2	3	4

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	15	15	15
Alcohol Package Carry-out Licenses	19	19	20

EMPLOYMENT	2014	2013	2012
Labor Force	5,576	5,982	5,652
Employed	5,279	5,682	5,294
Unemployed	297	300	358
Unemployment Rate	5.3%	5.0%	6.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	13	16	11
Fatal Crashes	1	0	1
Injury Crashes	9	11	9
Property Damage Crashes	3	5	1
Crash Fatalities	1	0	1
Crash Injuries	14	14	12
Drug Involved Crashes--Total	0	1	2
Fatal Crashes	0	0	0
Injury Crashes	0	1	1
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	1	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	44	41	50
Liquor Law Arrests	2	0	3
Drug Arrests	12	10	15
Violent Offenses	11	7	9
Property Offenses	88	187	197
Domestic Violence Reports	35	50	37
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	13	33	29

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	229	228	223
Drop-outs	9	3	7
Drop-out Rate	3.9%	1.3%	3.1%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	2	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	5	4	7
Juvenile Alcohol Offenses	0	0	3
Juvenile Drug Offenses	1	3	2
School Truancy Status Offense	4	5	4
Absent from Home Status Offense	2	0	1
Beyond Parental Control Status Offense	0	0	0
Injurious Behavior Status Offense	8	11	14
Child Abuse	0	2	1
Child Neglect	13	23	16
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	2	13	8
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	1	0
Parental Alcohol and Drug Use	0	4	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	28	19	19
Probation/Parole Admissions--DWI	1	0	0
Prison Admissions--Drug	25	13	17
Prison Admissions--DWI	1	0	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

RALLS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	6	12	6
CSTAR Adolescent	6	*	0
CSTAR Women and Children	8	9	9
CSTAR General Adult	21	5	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	32	41
Clinical SATOP (CIP, YCIP, SROP)	*	*	5
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	28	36	44
- Adolescent Diversion Education Prograr	*	*	7
- Offender Education Program	8	11	16
- Weekend Intervention Program	8	12	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	0	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	46	47	58
AGE			
Under 18	7	*	*
18 to 24	5	9	14
25 to 29	*	9	14
30 to 34	8	10	12
35 to 39	8	6	*
40 to 44	6	*	*
45 to 54	5	5	8
55 and Over	*	*	*
GENDER			
Male	33	36	50
Female	13	11	8
RACE / ETHNICITY			
Caucasian	44	46	57
African American	*	*	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race / Two or More Races	0	0	*
EDUCATION			
Less than High School Diploma	14	14	10
High School Graduate or G.E.D.	30	27	40
Associate Degree or Some College	*	5	7
Bachelor or Advanced Degree	0	*	*
EMPLOYMENT			
Employed	10	16	23
Unemployed	23	21	26
Not in Labor Force	13	10	9
HOUSING / LIVING ARRANGEMENT			
Independent Living	33	38	46
Dependent Living	11	8	6
Homeless	*	0	*
MARITAL / FAMILY STATUS			
Never Married	26	30	30
Married / Cohabitating	9	11	15
Previously Married	11	6	13

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	21	17	28
Marijuana / Hashish	14	13	17
Cocaine (total)	*	0	*
- Crack	0	0	0
Stimulant (total)	*	9	7
- Methamphetamine	*	8	7
Heroin	*	6	*
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	0
Average Age at First Use of Drug	17.5	18.1	16.9
INJECTION DRUG USE			
Any Injection Use at Admission	*	*	*
- Daily Injection Use	0	*	0
- Weekly Injection Use	*	0	*
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	26	23	31
1 or 2	12	16	15
3 or More	8	8	12
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	8	8	*
School	0	0	0
Mental Health Provider	0	0	0
Health Care Provider	*	0	0
Court / Criminal Justice	16	23	38
Other Referral Source	8	9	14
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	*
Military Veteran	*	*	*
Special Education Services Needed	*	5	9
Co-Occurring Psychological Problem	12	7	11
Co-Occurring Developmental Problem	0	*	0

RALLS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	15
CENSUS 2010	10,167
2014 POPULATION ESTIMATE	10,255

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	0
Anxiety Disorder	28	15	18
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	26	19	16
Mood Disorder	65	48	50
Personality Disorder	*	*	*
Psychotic Disorder	7	13	10
Sexual Disorder	0	0	0
Other Diagnosis	10	10	6
Diagnosis Unknown	8	8	15

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	93	78	84
AGE			
Under 6	*	*	*
6 to 9	5	*	7
10 to 13	7	7	6
14 to 17	5	5	*
18 to 24	7	*	11
25 to 29	12	6	8
30 to 34	12	5	6
35 to 39	7	8	*
40 to 44	7	8	11
45 to 49	8	10	14
50 to 54	12	11	5
55 to 59	6	6	6
60 and Over	*	*	*
Age Unknown	0	0	0
GENDER			
Male	44	37	41
Female	49	41	43
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	88	75	81
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	0
Other Race	*	0	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	5	5	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	37	30	15
High School Grad or G.E.D.	0	0	17
Associate Degree or Some College	0	*	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	56	47	47
EMPLOYMENT			
Employed	12	7	6
Unemployed	8	7	30
Not in Labor Force	62	54	*
Employment Status Unknown	11	10	44
HOUSING / LIVING ARRANGEMENT			
Independent Living	43	38	30
Dependent Living	32	25	13
Homeless	0	0	0
Other	0	0	0
Housing Unknown	18	15	41
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	27	27	28
School	*	*	*
Mental Health Provider	11	12	8
Health Care Provider	7	5	5
Court / Criminal Justice	*	*	*
Other	43	29	37
Referral Source Unknown	0	0	*
TYPE OF COMMITMENT			
Voluntary	91	76	82
Civil	0	0	0
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	*

RALLS COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	47.9		
Cigarettes	22.4		
Chewing Tobacco	17.0		
Marijuana	8.3		
Inhalants	2.0		
Prescription medications not prescribed for student	6.3		
Over-the-counter medications for non-medical use	0.0		
Methamphetamine	0.0		
Cocaine	0.0		
Heroin	0.0		
Hallucinogens	0.0		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1		
Steroids not prescribed for student	0.0		
Synthetic drugs (K2, bath salts, Spice, etc)	6.1		
Average age of students' first use of:			
Alcohol	12.26		
Cigarettes	14.03		
Marijuana	15.33		
Inhalants	12.66		
Percent of students who, in past 30 days, used:			
Alcohol	22.9		
Alcohol (Binge: 5+ drinks on one occassion)			
Cigarettes	8.3		
Chewing Tobacco	10.6		
Marijuana	4.2		
Inhalants	2.0		
Prescription medications not prescribed for student	2.1		
Over-the-counter medications for non-medical use	0.0		
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	11.1		
Percent whose friends used in past 12 months:			
Alcohol	53.1		
Cigarettes	37.5		
Marijuana	18.4		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.3		
Percent who would likely use, if offered by a best friend:			
Alcohol	36.7		
Cigarettes	12.2		
Marijuana	6.4		
Percent who say it would be wrong to use:			
Alcohol	61.2		
Cigarettes	77.1		
Marijuana	83.3		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9		
Percent whose parents would disapprove if they use:			
Alcohol	79.2		
Cigarettes	89.8		
Marijuana	91.7		
Percent who say it would be easy to obtain:			
Alcohol	53.2		
Cigarettes	49.0		
Marijuana	26.5		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.6		

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	53.1		
Alcohol (Binge: 5+ drinks once or twice a week)	62.5		
Alcohol (any use)			
Cigarettes (1+ packs per day)	76.6		
Cigarettes (any use)			
Marijuana (once or twice a week)	70.8		
Marijuana (any use)			
Other: Cocaine, LSD, Meth, Club Drug (any use)	89.6		
Percent of students who, in past 30 days:			
Were very sad	20.4		
Were grouchy, irritable, or in a bad mood	28.6		
Felt hopeless about the future	16.3		
Felt like not eating or eating more than usual	14.6		
Slept a lot more or a lot less than usual	16.3		
Had difficulty concentrating on school work	25.0		
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	8.2		
Made plan about how they would attempt suicide	8.2		
Attempted suicide	6.1		
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0		
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	8.2		
Were in a physical fight	24.5		
Were in a fight and had to be treated by a doctor or nurse	0.0		
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	45.8		
Were made fun of by others	53.1		
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.4		
Spread mean rumors or lies about other kids at school	26.5		
Made fun of other people	67.3		
Posted something on the internet or sent a text that might embarrass or hurt another student	16.7		
Percent of students who agree that:			
Teachers notice and comment on student's good work	68.8		
School provides feedback to parents on positive student performance	36.7		
Rules are enforced fairly	52.1		
Students of all races/ethnicities are treated equal	77.6		
Percent of students who agree that:			
Parents notice and comment on student's good work	81.3		
Parents involve student in making family decisions	70.2		
It is important to be honest with parents regardless of consequences	81.3		
Student could ask parent for help with a personal problem	79.2		

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

RANDOLPH COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	25,414
2014 Estimate	25,072

BIRTH RISK	2013	2012	2011
Resident Births--Total	290	276	267
Mother Reported Smoking while Pregnant	81	85	70

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	3	1	1
Hepatitis C Chronic and Acute	8	14	14
Tuberculosis Infection Cases	1	5	3

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	304	273	252
Suicides	5	5	0
Self-inflicted Injuries	51	50	40
Homicides	1	1	0
Assault Injuries	115	121	137
Alcohol Induced Deaths	1	2	2
Drug Induced Deaths	5	1	1
Smoking Attributable Deaths	46	52	47

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	240	234	245
Mental Illness Secondary Diagnosis	810	987	936
Alcohol Principal Diagnosis	33	22	18
Alcohol Secondary Diagnosis	55	58	56
Drug Principal Diagnosis	8	12	5
Drug Secondary Diagnosis	34	31	39
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	110	119	81
Mental Illness Secondary Diagnosis	221	130	81
Alcohol Principal Diagnosis	16	13	18
Alcohol Secondary Diagnosis	35	22	13
Drug Principal Diagnosis	14	17	5
Drug Secondary Diagnosis	19	9	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	271	273	228
Mental Illness Secondary Diagnosis	1,258	1,137	1,153
Alcohol Principal Diagnosis	37	43	19
Alcohol Secondary Diagnosis	73	64	47
Drug Principal Diagnosis	30	38	41
Drug Secondary Diagnosis	59	66	58

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	28	27	29
Alcohol Package Carry-out Licenses	24	25	24

EMPLOYMENT	2014	2013	2012
Labor Force	10,490	12,851	12,424
Employed	9,774	12,022	11,500
Unemployed	716	829	924
Unemployment Rate	6.8%	6.5%	7.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	22	24	15
Fatal Crashes	2	1	0
Injury Crashes	8	14	6
Property Damage Crashes	12	9	9
Crash Fatalities	2	1	0
Crash Injuries	11	25	9
Drug Involved Crashes--Total	6	4	1
Fatal Crashes	0	0	0
Injury Crashes	3	3	0
Property Damage Crashes	3	1	1
Crash Fatalities	0	0	0
Crash Injuries	3	3	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	170	230	171
Liquor Law Arrests	19	49	21
Drug Arrests	200	380	208
Violent Offenses	41	45	40
Property Offenses	678	716	618
Domestic Violence Reports	141	116	131
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	2	9

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,178	1,160	1,099
Drop-outs	19	34	32
Drop-out Rate	1.6%	2.9%	2.9%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	2	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	45	51	56
Juvenile Alcohol Offenses	2	6	9
Juvenile Drug Offenses	9	14	11
School Truancy Status Offense	53	104	116
Absent from Home Status Offense	26	37	19
Beyond Parental Control Status Offense	20	35	36
Injurious Behavior Status Offense	83	131	131
Child Abuse	40	86	65
Child Neglect	112	152	97
Child Custody Issues	1	1	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	53	80	54
Parental Alcohol Use Related	0	4	3
Parental Drug Use Related	24	37	9
Parental Alcohol and Drug Use	0	1	3

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	32	22	37
Probation/Parole Admissions--Drug	155	124	109
Probation/Parole Admissions--DWI	30	32	33
Prison Admissions--Drug	83	86	60
Prison Admissions--DWI	22	14	11

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

RANDOLPH COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	12	13	20
CSTAR Adolescent	27	29	33
CSTAR Women and Children	15	17	21
CSTAR General Adult	186	113	112
CSTAR Opioid	0	0	0
Primary Recovery Treatment	41	93	112
Clinical SATOP (CIP, YCIP, SROP)	24	23	27
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	125	117	105
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	39	45	44
- Weekend Intervention Program	31	25	29
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	5
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	13	7	13

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	276	256	280
AGE			
Under 18	32	28	41
18 to 24	55	39	48
25 to 29	51	53	45
30 to 34	41	43	37
35 to 39	28	26	33
40 to 44	19	21	29
45 to 54	40	40	41
55 and Over	10	6	6
GENDER			
Male	169	177	183
Female	107	79	97
RACE / ETHNICITY			
Caucasian	231	210	236
African American	36	34	28
Native American / Alaskan	0	*	0
Asian / Pacific Islander	0	0	*
Hispanic	8	7	10
Other Race / Two or More Races	6	7	9
EDUCATION			
Less than High School Diploma	108	98	130
High School Graduate or G.E.D.	121	125	115
Associate Degree or Some College	42	30	32
Bachelor or Advanced Degree	5	*	*
EMPLOYMENT			
Employed	77	68	80
Unemployed	104	121	108
Not in Labor Force	95	67	92
HOUSING / LIVING ARRANGEMENT			
Independent Living	218	202	211
Dependent Living	44	44	58
Homeless	8	6	5
MARITAL / FAMILY STATUS			
Never Married	161	142	147
Married / Cohabitating	54	59	66
Previously Married	61	55	67

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	86	95	100
Marijuana / Hashish	98	81	115
Cocaine (total)	11	10	13
- Crack	8	5	5
Stimulant (total)	62	44	38
- Methamphetamine	62	43	37
Heroin	*	*	*
Analgesic except Heroin	9	14	6
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	0	0
Tranquilizer	*	5	5
Inhalant	0	*	0
Sedative	0	0	*
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	17.8	17.1	16.5
INJECTION DRUG USE			
Any Injection Use at Admission	38	22	19
- Daily Injection Use	*	*	*
- Weekly Injection Use	8	*	5
- Less than Weekly Injection Use	27	18	11
LIFETIME DUI / DWI ARRESTS			
0	145	141	148
1 or 2	92	80	89
3 or More	39	35	43
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	88	68	42
School	0	0	0
Mental Health Provider	*	0	*
Health Care Provider	8	8	5
Court / Criminal Justice	87	83	192
Other Referral Source	85	85	34
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	5	5
Military Veteran	10	12	10
Special Education Services Needed	23	23	28
Co-Occurring Psychological Problem	116	109	95
Co-Occurring Developmental Problem	9	10	10

RANDOLPH COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	12
CENSUS 2010	25,414
2014 POPULATION ESTIMATE	25,072

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	15	11	22
Anxiety Disorder	200	171	178
Dementia	*	0	*
Developmental Disorder	11	8	11
Impulse Control Disorder	44	36	74
Mood Disorder	282	249	253
Personality Disorder	41	49	44
Psychotic Disorder	53	58	52
Sexual Disorder	*	*	*
Other Diagnosis	29	14	8
Diagnosis Unknown	16	35	47

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	367	365	413
AGE			
Under 6	*	0	*
6 to 9	7	6	16
10 to 13	22	19	33
14 to 17	25	22	41
18 to 24	25	36	49
25 to 29	24	35	44
30 to 34	33	26	37
35 to 39	44	49	33
40 to 44	37	30	29
45 to 49	40	34	35
50 to 54	38	42	39
55 to 59	33	29	27
60 and Over	37	37	29
Age Unknown	0	0	0
GENDER			
Male	154	155	178
Female	213	210	235
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	327	322	372
African American	29	26	27
Native American / Alaskan	0	*	0
Asian / Pacific Islander	0	0	0
Hispanic	*	5	*
Other Race	9	11	11
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	12	14	8
Past or Current Military Service	8	10	8

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	136	122	93
High School Grad or G.E.D.	0	0	105
Associate Degree or Some College	0	0	36
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	231	243	175
EMPLOYMENT			
Employed	33	29	35
Unemployed	22	36	186
Not in Labor Force	275	264	68
Employment Status Unknown	37	36	124
HOUSING / LIVING ARRANGEMENT			
Independent Living	218	211	203
Dependent Living	114	106	83
Homeless	*	*	*
Other	0	0	*
Housing Unknown	31	45	122
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	210	192	274
School	*	*	*
Mental Health Provider	27	31	29
Health Care Provider	65	78	63
Court / Criminal Justice	34	38	21
Other	28	25	23
Referral Source Unknown	0	0	*
TYPE OF COMMITMENT			
Voluntary	365	363	405
Civil	0	0	*
Criminal	*	*	*
Sexual Predatory	*	*	*
Commitment Type Unknown	0	0	*

RANDOLPH COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	36.2	37.8	46.6
Cigarettes	25.8	25.2	30.5
Chewing Tobacco	16.0	7.8	12.8
Marijuana	7.7	13.4	12.3
Inhalants	3.9	8.3	6.8
Prescription medications not prescribed for student	4.2	9.4	9.8
Over-the-counter medications for non-medical use	2.8	8.0	8.8
Methamphetamine	1.4	1.6	0.8
Cocaine	1.1	1.6	1.4
Heroin	0.4	0.5	0.2
Hallucinogens	2.1	2.7	2.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.4	1.2
Steroids not prescribed for student	0.4	1.4	0.8
Synthetic drugs (K2, bath salts, Spice, etc)	5.0	5.9	
Average age of students' first use of:			
Alcohol	12.22	11.82	12.15
Cigarettes	12.32	11.84	11.83
Marijuana	12.72	13.21	13.52
Inhalants	12.96	11.21	11.88
Percent of students who, in past 30 days, used:			
Alcohol	18.1	14.0	22.6
Alcohol (Binge: 5+ drinks on one occassion)		9.7	14.1
Cigarettes	13.6	11.5	15.0
Chewing Tobacco	8.7	4.3	8.6
Marijuana	4.9	7.2	6.4
Inhalants	2.1	3.2	3.1
Prescription medications not prescribed for student	2.1	5.1	5.5
Over-the-counter medications for non-medical use	2.4	4.8	6.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.9		
Percent whose friends used in past 12 months:			
Alcohol	42.9	51.9	60.9
Cigarettes	45.8	48.9	51.2
Marijuana	21.8	35.5	34.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	15.9	17.9
Percent who would likely use, if offered by a best friend:			
Alcohol	27.1	28.8	36.5
Cigarettes	15.7	14.5	16.4
Marijuana	10.8	11.9	10.2
Percent who say it would be wrong to use:			
Alcohol	63.1	61.8	57.3
Cigarettes	77.9	78.8	78.1
Marijuana	84.3	80.9	85.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.7	92.7	95.0
Percent whose parents would disapprove if they use:			
Alcohol	77.8	78.7	72.8
Cigarettes	88.8	90.5	89.2
Marijuana	90.7	94.9	94.7
Percent who say it would be easy to obtain:			
Alcohol	50.0	56.9	60.0
Cigarettes	49.3	54.8	53.7
Marijuana	26.0	39.0	34.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	20.4	20.0

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	46.9		
Alcohol (Binge: 5+ drinks once or twice a week)	60.6		
Alcohol (any use)		64.9	78.8
Cigarettes (1+ packs per day)	79.8		
Cigarettes (any use)		74.1	75.8
Marijuana (once or twice a week)	66.8		
Marijuana (any use)		71.6	67.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	88.6	89.5	91.7
Percent of students who, in past 30 days:			
Were very sad	16.3	21.0	28.8
Were grouchy, irritable, or in a bad mood	26.6	26.8	30.4
Felt hopeless about the future	7.5	12.9	17.4
Felt like not eating or eating more than usual	16.2	16.8	23.9
Slept a lot more or a lot less than usual	11.6	21.2	29.9
Had difficulty concentrating on school work	21.0	24.9	27.4
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	8.5	13.7	9.7
Made plan about how they would attempt suicide	6.5	10.9	6.8
Attempted suicide	2.7	9.1	5.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.0	1.9	1.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.5	7.8	11.1
Were in a physical fight	28.1	24.2	31.3
Were in a fight and had to be treated by a doctor or nurse	2.0	4.6	5.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	49.0	55.5	55.1
Were made fun of by others	59.2	65.3	66.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.0	24.8	16.1
Spread mean rumors or lies about other kids at school	18.8	28.2	30.0
Made fun of other people	55.8	64.6	70.3
Posted something on the internet or sent a text that might embarrass or hurt another student	14.3	15.7	16.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	79.0	64.1	68.4
School provides feedback to parents on positive student performance	51.0	43.4	40.6
Rules are enforced fairly	72.5	60.6	62.9
Students of all races/ethnicities are treated equal	81.6	73.2	77.0
Percent of students who agree that:			
Parents notice and comment on student's good work	83.9	80.4	82.4
Parents involve student in making family decisions	73.9	65.1	69.8
It is important to be honest with parents regardless of consequences	87.4	84.8	81.0
Student could ask parent for help with a personal problem	77.5	75.3	77.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

RAY COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	6
Adult Psychiatric	6
POPULATION	
Census 2010	23,494
2014 Estimate	22,949

BIRTH RISK	2013	2012	2011
Resident Births--Total	248	235	236
Mother Reported Smoking while Pregnant	71	71	54

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	2	0
Hepatitis C Chronic and Acute	12	6	11
Tuberculosis Infection Cases	1	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	264	251	223
Suicides	4	8	4
Self-inflicted Injuries	37	40	36
Homicides	0	2	0
Assault Injuries	59	69	65
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	1	2	5
Smoking Attributable Deaths	58	43	43

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	160	182	153
Mental Illness Secondary Diagnosis	386	394	391
Alcohol Principal Diagnosis	7	10	3
Alcohol Secondary Diagnosis	24	14	24
Drug Principal Diagnosis	5	12	7
Drug Secondary Diagnosis	24	22	20
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	19	36	28
Mental Illness Secondary Diagnosis	522	568	535
Alcohol Principal Diagnosis	8	8	8
Alcohol Secondary Diagnosis	38	44	42
Drug Principal Diagnosis	6	6	6
Drug Secondary Diagnosis	31	28	32
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	203	209	197
Mental Illness Secondary Diagnosis	444	251	201
Alcohol Principal Diagnosis	18	32	14
Alcohol Secondary Diagnosis	48	40	31
Drug Principal Diagnosis	36	18	21
Drug Secondary Diagnosis	116	68	48

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	17	16	14
Alcohol Package Carry-out Licenses	20	19	19

EMPLOYMENT	2014	2013	2012
Labor Force	11,413	10,972	11,299
Employed	10,651	10,132	10,285
Unemployed	762	840	1,014
Unemployment Rate	6.7%	7.7%	9.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	30	31	27
Fatal Crashes	0	1	1
Injury Crashes	14	15	12
Property Damage Crashes	16	15	14
Crash Fatalities	0	1	1
Crash Injuries	21	27	16
Drug Involved Crashes--Total	7	17	12
Fatal Crashes	0	1	1
Injury Crashes	2	12	6
Property Damage Crashes	5	4	5
Crash Fatalities	0	1	1
Crash Injuries	2	22	8

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	110	98	89
Liquor Law Arrests	45	52	65
Drug Arrests	68	59	54
Violent Offenses	64	57	43
Property Offenses	546	623	537
Domestic Violence Reports	230	227	224
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,096	1,083	1,054
Drop-outs	21	22	19
Drop-out Rate	1.9%	2.0%	1.8%
School Discipline Involving Alcohol	4	0	1
School Discipline Involving Drugs	5	6	5
School Discipline Involving Tobacco	0	0	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	57	35	75
Juvenile Alcohol Offenses	2	8	15
Juvenile Drug Offenses	10	6	9
School Truancy Status Offense	10	16	18
Absent from Home Status Offense	23	13	18
Beyond Parental Control Status Offense	13	24	20
Injurious Behavior Status Offense	31	32	15
Child Abuse	37	11	21
Child Neglect	2	2	9
Child Custody Issues	0	3	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	7	13	11
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	3	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	37	35	39
Probation/Parole Admissions--Drug	70	67	71
Probation/Parole Admissions--DWI	14	20	12
Prison Admissions--Drug	52	40	51
Prison Admissions--DWI	11	5	15

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

RAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5	5	7
CSTAR Adolescent	10	8	6
CSTAR Women and Children	*	5	5
CSTAR General Adult	129	151	131
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	14	16	13
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	73	74	76
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	23	21	19
- Weekend Intervention Program	14	17	21
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	6	12
Early Intervention	*	*	7

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	168	189	160
AGE			
Under 18	11	10	6
18 to 24	37	56	41
25 to 29	28	23	25
30 to 34	38	31	34
35 to 39	17	18	19
40 to 44	11	19	8
45 to 54	21	25	26
55 and Over	5	7	*
GENDER			
Male	108	118	104
Female	60	71	56
RACE / ETHNICITY			
Caucasian	159	181	150
African American	0	*	*
Native American / Alaskan	*	*	0
Asian / Pacific Islander	*	0	0
Hispanic	*	*	*
Other Race / Two or More Races	5	*	6
EDUCATION			
Less than High School Diploma	49	61	43
High School Graduate or G.E.D.	82	87	87
Associate Degree or Some College	37	39	30
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	50	64	51
Unemployed	69	64	72
Not in Labor Force	49	61	37
HOUSING / LIVING ARRANGEMENT			
Independent Living	145	175	146
Dependent Living	16	9	8
Homeless	*	0	*
MARITAL / FAMILY STATUS			
Never Married	100	103	89
Married / Cohabitating	33	45	41
Previously Married	35	41	30

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	49	62	58
Marijuana / Hashish	43	54	44
Cocaine (total)	*	*	*
- Crack	0	*	*
Stimulant (total)	60	56	42
- Methamphetamine	60	55	42
Heroin	*	*	0
Analgesic except Heroin	9	11	13
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	0	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	0
Average Age at First Use of Drug	17.3	18.0	17.4
INJECTION DRUG USE			
Any Injection Use at Admission	27	28	19
- Daily Injection Use	*	*	*
- Weekly Injection Use	5	*	*
- Less than Weekly Injection Use	21	24	14
LIFETIME DUI / DWI ARRESTS			
0	94	108	99
1 or 2	50	55	40
3 or More	24	26	21
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	52	44	44
School	*	*	0
Mental Health Provider	*	5	0
Health Care Provider	5	*	6
Court / Criminal Justice	75	96	91
Other Referral Source	25	22	14
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	6	*	*
Military Veteran	*	*	*
Special Education Services Needed	12	8	15
Co-Occurring Psychological Problem	88	85	70
Co-Occurring Developmental Problem	*	*	*

RAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	6
CENSUS 2010	23,494
2014 POPULATION ESTIMATE	22,949

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	0	6	8
Anxiety Disorder	70	71	61
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	49	36	37
Mood Disorder	189	179	178
Personality Disorder	*	*	*
Psychotic Disorder	32	32	27
Sexual Disorder	0	0	0
Other Diagnosis	7	8	*
Diagnosis Unknown	19	29	25

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	291	299	274
AGE			
Under 6	*	*	*
6 to 9	12	14	8
10 to 13	22	22	17
14 to 17	20	22	23
18 to 24	19	19	29
25 to 29	25	27	26
30 to 34	32	35	30
35 to 39	31	27	28
40 to 44	24	28	22
45 to 49	33	39	32
50 to 54	29	27	25
55 to 59	17	17	16
60 and Over	24	19	17
Age Unknown	0	0	0
GENDER			
Male	137	136	113
Female	154	163	161
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	280	284	260
African American	*	5	6
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	5	*	*
Other Race	*	5	6
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	11	12	9
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	49	46	19
High School Grad or G.E.D.	0	0	13
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	242	253	238
EMPLOYMENT			
Employed	8	17	9
Unemployed	22	11	20
Not in Labor Force	84	105	24
Employment Status Unknown	177	166	221
HOUSING / LIVING ARRANGEMENT			
Independent Living	84	94	34
Dependent Living	31	36	16
Homeless	*	*	*
Other	0	0	*
Housing Unknown	173	168	220
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	276	277	252
School	0	0	0
Mental Health Provider	0	*	0
Health Care Provider	8	10	6
Court / Criminal Justice	*	*	*
Other	*	5	11
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	289	297	272
Civil	0	0	0
Criminal	0	*	*
Sexual Predatory	*	0	0
Commitment Type Unknown	*	*	*

RAY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	34.7	41.3	42.4
Cigarettes	27.8	27.1	27.7
Chewing Tobacco	8.1	17.3	18.9
Marijuana	11.0	15.0	13.2
Inhalants	3.7	7.4	7.7
Prescription medications not prescribed for student	7.3	12.1	14.2
Over-the-counter medications for non-medical use	0.7	8.6	8.5
Methamphetamine	0.7	2.4	0.4
Cocaine	0.7	3.6	1.1
Heroin	0.3	1.7	0.6
Hallucinogens	0.3	4.3	1.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	2.9	0.9
Steroids not prescribed for student	0.0	1.9	0.9
Synthetic drugs (K2, bath salts, Spice, etc)	5.3	8.1	
Average age of students' first use of:			
Alcohol	13.39	12.50	12.13
Cigarettes	13.28	12.70	12.25
Marijuana	14.04	13.37	13.29
Inhalants	11.84	12.25	11.93
Percent of students who, in past 30 days, used:			
Alcohol	8.6	16.2	16.8
Alcohol (Binge: 5+ drinks on one occassion)		11.0	10.0
Cigarettes	12.1	14.3	11.7
Chewing Tobacco	2.3	9.5	10.1
Marijuana	1.7	7.1	6.7
Inhalants	1.7	2.4	3.7
Prescription medications not prescribed for student	3.3	6.9	7.7
Over-the-counter medications for non-medical use	0.3	5.7	4.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	2.7		
Percent whose friends used in past 12 months:			
Alcohol	41.9	57.5	56.5
Cigarettes	40.2	50.1	45.5
Marijuana	20.3	35.8	32.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.0	14.3	14.3
Percent who would likely use, if offered by a best friend:			
Alcohol	20.7	31.5	28.8
Cigarettes	15.5	16.3	14.1
Marijuana	6.7	11.2	10.3
Percent who say it would be wrong to use:			
Alcohol	73.7	60.9	64.1
Cigarettes	83.3	78.2	81.0
Marijuana	89.6	84.4	88.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	94.0	96.5
Percent whose parents would disapprove if they use:			
Alcohol	83.2	79.1	80.3
Cigarettes	84.5	90.4	91.8
Marijuana	96.3	94.2	96.7
Percent who say it would be easy to obtain:			
Alcohol	44.0	57.9	54.3
Cigarettes	51.5	55.0	53.5
Marijuana	26.3	31.9	32.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.1	14.6	14.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	61.2		
Alcohol (Binge: 5+ drinks once or twice a week)	70.6		
Alcohol (any use)		72.1	83.7
Cigarettes (1+ packs per day)	87.0		
Cigarettes (any use)		83.8	82.6
Marijuana (once or twice a week)	75.1		
Marijuana (any use)		78.2	75.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.6	94.7	94.5
Percent of students who, in past 30 days:			
Were very sad	16.7	22.3	21.3
Were grouchy, irritable, or in a bad mood	28.7	27.1	22.4
Felt hopeless about the future	14.6	14.0	10.8
Felt like not eating or eating more than usual	14.8	20.8	19.4
Slept a lot more or a lot less than usual	17.7	21.3	27.0
Had difficulty concentrating on school work	21.3	25.9	18.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	7.7	14.6	10.9
Made plan about how they would attempt suicide	7.0	11.5	10.4
Attempted suicide	2.3	4.5	5.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.3	2.7	1.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.3	7.2	9.1
Were in a physical fight	15.1	20.7	24.4
Were in a fight and had to be treated by a doctor or nurse	0.3	1.7	4.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	56.0	51.2	57.0
Were made fun of by others	70.1	61.2	68.3
Were victims of an embarrassing or hurtful text message or something posted on the internet	28.7	22.7	19.8
Spread mean rumors or lies about other kids at school	29.2	21.9	30.1
Made fun of other people	58.3	62.4	71.1
Posted something on the internet or sent a text that might embarrass or hurt another student	17.9	13.9	18.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	76.3	68.3	72.2
School provides feedback to parents on positive student performance	46.3	36.7	46.4
Rules are enforced fairly	74.9	63.1	65.3
Students of all races/ethnicities are treated equal	93.0	81.5	84.2
Percent of students who agree that:			
Parents notice and comment on student's good work	83.7	77.8	87.2
Parents involve student in making family decisions	63.6	65.7	69.0
It is important to be honest with parents regardless of consequences	88.0	83.7	84.6
Student could ask parent for help with a personal problem	73.0	72.2	75.8

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

REYNOLDS COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	6,696
2014 Estimate	6,565

BIRTH RISK	2013	2012	2011
Resident Births--Total	61	64	63
Mother Reported Smoking while Pregnant	20	19	16

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	3	5	10
Tuberculosis Infection Cases	0	4	2

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	89	66	85
Suicides	1	0	0
Self-inflicted Injuries	8	9	9
Homicides	0	1	1
Assault Injuries	15	15	26
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	5	0	0
Smoking Attributable Deaths	19	15	21

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	69	49	41
Mental Illness Secondary Diagnosis	120	174	153
Alcohol Principal Diagnosis	5	2	3
Alcohol Secondary Diagnosis	18	5	8
Drug Principal Diagnosis	0	6	2
Drug Secondary Diagnosis	8	6	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	6	12	8
Mental Illness Secondary Diagnosis	84	72	57
Alcohol Principal Diagnosis	1	0	2
Alcohol Secondary Diagnosis	5	6	5
Drug Principal Diagnosis	2	1	0
Drug Secondary Diagnosis	7	5	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	51	84	49
Mental Illness Secondary Diagnosis	163	155	116
Alcohol Principal Diagnosis	9	7	8
Alcohol Secondary Diagnosis	16	28	27
Drug Principal Diagnosis	6	6	5
Drug Secondary Diagnosis	15	19	25

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	6	6	8
Alcohol Package Carry-out Licenses	12	12	11

EMPLOYMENT	2014	2013	2012
Labor Force	2,629	2,551	2,458
Employed	2,407	2,322	2,213
Unemployed	222	229	245
Unemployment Rate	8.4%	9.0%	10.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	9	21	16
Fatal Crashes	0	3	1
Injury Crashes	6	9	9
Property Damage Crashes	3	9	6
Crash Fatalities	0	3	1
Crash Injuries	7	15	12
Drug Involved Crashes--Total	1	1	1
Fatal Crashes	0	1	0
Injury Crashes	1	0	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	1	0
Crash Injuries	1	0	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	23	40	47
Liquor Law Arrests	44	23	13
Drug Arrests	46	39	65
Violent Offenses	18	25	31
Property Offenses	57	90	91
Domestic Violence Reports	13	8	11
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	1	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	324	330	337
Drop-outs	0	0	1
Drop-out Rate	0.0%	0.0%	0.3%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	0	0	3
Juvenile Alcohol Offenses	1	1	0
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	0	1	0
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	24	24	10
Injurious Behavior Status Offense	5	9	9
Child Abuse	16	12	20
Child Neglect	90	77	31
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	16	15	10
Parental Alcohol Use Related	0	2	0
Parental Drug Use Related	7	2	0
Parental Alcohol and Drug Use	0	2	2

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	13	19	13
Probation/Parole Admissions--Drug	12	16	26
Probation/Parole Admissions--DWI	1	0	2
Prison Admissions--Drug	7	3	4
Prison Admissions--DWI	1	1	0

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

REYNOLDS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	5	*
CSTAR Adolescent	*	0	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	21	22	7
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	12	15
Clinical SATOP (CIP, YCIP, SROP)	*	7	7
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	19	21	21
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	5	*	8
- Weekend Intervention Program	*	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	9	5	0
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	29	41	28
AGE			
Under 18	0	0	*
18 to 24	5	7	*
25 to 29	*	8	5
30 to 34	7	7	*
35 to 39	8	6	5
40 to 44	*	6	5
45 to 54	5	*	7
55 and Over	0	*	*
GENDER			
Male	19	27	21
Female	10	14	7
RACE / ETHNICITY			
Caucasian	29	39	26
African American	0	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	0
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	13	16	10
High School Graduate or G.E.D.	12	20	9
Associate Degree or Some College	*	*	9
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	11	12	12
Unemployed	15	19	10
Not in Labor Force	*	10	6
HOUSING / LIVING ARRANGEMENT			
Independent Living	29	38	27
Dependent Living	0	0	*
Homeless	0	*	0
MARITAL / FAMILY STATUS			
Never Married	11	17	9
Married / Cohabitating	11	11	9
Previously Married	7	13	10

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	10	13	11
Marijuana / Hashish	6	12	9
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	6	9	5
- Methamphetamine	5	9	5
Heroin	*	*	0
Analgesic except Heroin	5	6	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	*
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	20.8	18.9	19.8
INJECTION DRUG USE			
Any Injection Use at Admission	*	6	*
- Daily Injection Use	*	*	0
- Weekly Injection Use	*	*	0
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	15	23	16
1 or 2	11	13	10
3 or More	*	5	*
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	13	12	7
School	0	0	0
Mental Health Provider	0	0	*
Health Care Provider	*	*	*
Court / Criminal Justice	13	23	18
Other Referral Source	*	*	0
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	0
Military Veteran	*	0	*
Special Education Services Needed	7	*	*
Co-Occurring Psychological Problem	10	15	7
Co-Occurring Developmental Problem	*	5	*

REYNOLDS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	19
CENSUS 2010	6,696
2014 POPULATION ESTIMATE	6,565

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	0	*	0
Anxiety Disorder	5	*	*
Dementia	0	0	0
Developmental Disorder	0	*	0
Impulse Control Disorder	*	7	*
Mood Disorder	27	27	23
Personality Disorder	0	*	0
Psychotic Disorder	11	11	*
Sexual Disorder	*	*	*
Other Diagnosis	0	0	*
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	45	44	29
AGE			
Under 6	0	0	0
6 to 9	*	*	0
10 to 13	*	5	*
14 to 17	0	*	*
18 to 24	*	*	*
25 to 29	5	*	*
30 to 34	*	*	0
35 to 39	*	*	*
40 to 44	8	5	*
45 to 49	7	10	10
50 to 54	10	8	*
55 to 59	*	*	*
60 and Over	*	*	*
Age Unknown	0	0	0
GENDER			
Male	18	19	14
Female	27	25	15
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	44	43	29
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	0
Other Race	0	*	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	12	17	8
High School Grad or G.E.D.	0	*	6
Associate Degree or Some College	0	0	0
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	33	26	15
EMPLOYMENT			
Employed	*	*	0
Unemployed	*	0	15
Not in Labor Force	31	33	*
Employment Status Unknown	10	10	12
HOUSING / LIVING ARRANGEMENT			
Independent Living	30	25	17
Dependent Living	5	8	*
Homeless	0	0	0
Other	0	0	0
Housing Unknown	10	11	10
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	14	12	9
School	0	0	0
Mental Health Provider	5	8	5
Health Care Provider	17	16	10
Court / Criminal Justice	*	*	*
Other	6	5	*
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	42	41	26
Civil	0	0	0
Criminal	*	*	*
Sexual Predatory	*	*	*
Commitment Type Unknown	0	0	0

REYNOLDS COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	33.3	17.0	53.8
Cigarettes	23.5	17.0	42.6
Chewing Tobacco	17.6	8.0	26.9
Marijuana	10.3	0.0	19.2
Inhalants	1.5	1.8	5.4
Prescription medications not prescribed for student	7.4	1.8	14.1
Over-the-counter medications for non-medical use	2.9	1.8	8.5
Methamphetamine	1.5	0.0	1.6
Cocaine	1.5	0.0	2.3
Heroin	0.0	0.0	0.0
Hallucinogens	1.5	0.0	3.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	0.0	3.8
Steroids not prescribed for student	1.4	0.0	1.6
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	0.0	
Average age of students' first use of:			
Alcohol	12.31	13.88	11.96
Cigarettes	12.51	12.39	12.19
Marijuana	13.58		14.04
Inhalants	11.63		13.43
Percent of students who, in past 30 days, used:			
Alcohol	11.6	3.6	24.6
Alcohol (Binge: 5+ drinks on one occassion)		1.8	17.7
Cigarettes	10.3	0.0	20.3
Chewing Tobacco	11.8	5.4	15.5
Marijuana	5.8	0.0	8.5
Inhalants	1.4	1.8	2.3
Prescription medications not prescribed for student	2.9	1.8	9.4
Over-the-counter medications for non-medical use	1.5	1.8	6.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.4		
Percent whose friends used in past 12 months:			
Alcohol	47.1	14.2	72.9
Cigarettes	38.2	12.4	64.1
Marijuana	22.1	6.3	40.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	1.8	17.6
Percent who would likely use, if offered by a best friend:			
Alcohol	23.5	14.3	48.5
Cigarettes	13.2	1.8	27.9
Marijuana	8.8	0.0	11.5
Percent who say it would be wrong to use:			
Alcohol	67.2	75.9	45.8
Cigarettes	82.6	88.4	66.9
Marijuana	86.6	95.6	82.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	100.0	94.6
Percent whose parents would disapprove if they use:			
Alcohol	79.4	89.7	70.0
Cigarettes	92.8	95.5	89.1
Marijuana	94.1	100.0	97.6
Percent who say it would be easy to obtain:			
Alcohol	38.8	33.9	65.4
Cigarettes	43.3	37.5	67.7
Marijuana	25.4	8.0	41.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	3.7	19.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	54.4		
Alcohol (Binge: 5+ drinks once or twice a week)	60.3		
Alcohol (any use)		82.1	78.3
Cigarettes (1+ packs per day)	80.9		
Cigarettes (any use)		71.4	76.2
Marijuana (once or twice a week)	67.2		
Marijuana (any use)		88.4	69.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	95.5	90.7
Percent of students who, in past 30 days:			
Were very sad	15.9	8.0	22.1
Were grouchy, irritable, or in a bad mood	22.1	8.9	26.7
Felt hopeless about the future	7.5	6.3	11.5
Felt like not eating or eating more than usual	15.9	12.6	20.0
Slept a lot more or a lot less than usual	17.4	17.7	22.3
Had difficulty concentrating on school work	17.6	10.7	30.5
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	8.8	5.4	9.9
Made plan about how they would attempt suicide	5.8	4.4	5.3
Attempted suicide	4.4	6.4	4.6
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.5	5.8	3.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	2.9	0.0	6.9
Were in a physical fight		8.0	29.8
Were in a fight and had to be treated by a doctor or nurse	4.4	0.0	4.6
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.0	34.5	63.1
Were made fun of by others	58.8	39.3	71.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.5	9.8	16.9
Spread mean rumors or lies about other kids at school	19.1	10.7	35.4
Made fun of other people	52.9	46.3	72.5
Posted something on the internet or sent a text that might embarrass or hurt another student	13.2	0.0	14.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	84.1	83.6	73.3
School provides feedback to parents on positive student performance	58.8	71.8	43.1
Rules are enforced fairly	72.5	83.5	54.3
Students of all races/ethnicities are treated equal	89.7	91.9	80.9
Percent of students who agree that:			
Parents notice and comment on student's good work	88.4	89.4	86.3
Parents involve student in making family decisions	75.0	83.9	72.3
It is important to be honest with parents regardless of consequences	89.6	95.6	86.2
Student could ask parent for help with a personal problem	83.8	87.2	81.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

RIPLEY COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	14,100
2014 Estimate	13,969

BIRTH RISK	2013	2012	2011
Resident Births--Total	177	182	174
Mother Reported Smoking while Pregnant	41	58	46

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	17	20	10
Tuberculosis Infection Cases	1	1	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	189	176	195
Suicides	3	1	1
Self-inflicted Injuries	38	36	40
Homicides	1	0	0
Assault Injuries	61	54	55
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	1	4
Smoking Attributable Deaths	44	43	43

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	132	152	149
Mental Illness Secondary Diagnosis	315	286	334
Alcohol Principal Diagnosis	6	11	3
Alcohol Secondary Diagnosis	29	33	30
Drug Principal Diagnosis	21	14	14
Drug Secondary Diagnosis	20	20	12
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	28	24	36
Mental Illness Secondary Diagnosis	239	283	288
Alcohol Principal Diagnosis	3	2	1
Alcohol Secondary Diagnosis	14	10	16
Drug Principal Diagnosis	3	6	4
Drug Secondary Diagnosis	16	11	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	216	199	230
Mental Illness Secondary Diagnosis	302	197	309
Alcohol Principal Diagnosis	21	22	18
Alcohol Secondary Diagnosis	32	22	14
Drug Principal Diagnosis	44	38	34
Drug Secondary Diagnosis	52	56	44

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	13	14	14
Alcohol Package Carry-out Licenses	17	17	17

EMPLOYMENT	2014	2013	2012
Labor Force	5,497	6,843	6,773
Employed	5,053	6,370	6,218
Unemployed	444	473	555
Unemployment Rate	8.1%	6.9%	8.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	18	18	28
Fatal Crashes	1	2	2
Injury Crashes	7	8	15
Property Damage Crashes	10	8	11
Crash Fatalities	2	2	2
Crash Injuries	8	18	22
Drug Involved Crashes--Total	4	8	8
Fatal Crashes	0	0	1
Injury Crashes	3	4	6
Property Damage Crashes	1	4	1
Crash Fatalities	0	0	1
Crash Injuries	4	5	8

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	61	100	79
Liquor Law Arrests	15	23	14
Drug Arrests	135	117	81
Violent Offenses	41	45	32
Property Offenses	499	479	453
Domestic Violence Reports	132	98	85
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	1	10

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	566	560	573
Drop-outs	13	18	14
Drop-out Rate	2.3%	3.2%	2.4%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	3	5	7
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	25	27	31
Juvenile Alcohol Offenses	1	0	0
Juvenile Drug Offenses	10	5	4
School Truancy Status Offense	19	25	43
Absent from Home Status Offense	6	6	5
Beyond Parental Control Status Offense	8	6	13
Injurious Behavior Status Offense	1	1	0
Child Abuse	1	1	3
Child Neglect	53	80	48
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	22	44	14
Parental Alcohol Use Related	0	2	0
Parental Drug Use Related	13	24	1
Parental Alcohol and Drug Use	2	1	4

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	15	21	20
Probation/Parole Admissions--Drug	34	32	31
Probation/Parole Admissions--DWI	1	4	1
Prison Admissions--Drug	14	15	10
Prison Admissions--DWI	2	1	0

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

RIPLEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	14	18	17
CSTAR Adolescent	7	8	6
CSTAR Women and Children	12	11	8
CSTAR General Adult	54	61	42
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	22	57
Clinical SATOP (CIP, YCIP, SROP)	9	16	15
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	43	41	49
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	13	17	11
- Weekend Intervention Program	11	11	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	24	13	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	96	111	121
AGE			
Under 18	7	8	7
18 to 24	13	17	27
25 to 29	15	19	26
30 to 34	22	31	22
35 to 39	14	11	8
40 to 44	11	7	10
45 to 54	11	11	19
55 and Over	*	7	*
GENDER			
Male	61	67	67
Female	35	44	54
RACE / ETHNICITY			
Caucasian	93	110	120
African American	*	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	31	49	52
High School Graduate or G.E.D.	52	53	53
Associate Degree or Some College	12	7	16
Bachelor or Advanced Degree	*	*	0
EMPLOYMENT			
Employed	22	21	34
Unemployed	44	49	45
Not in Labor Force	30	41	42
HOUSING / LIVING ARRANGEMENT			
Independent Living	79	88	103
Dependent Living	15	21	13
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	37	42	43
Married / Cohabitating	29	40	45
Previously Married	30	29	33

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	25	34	35
Marijuana / Hashish	19	25	35
Cocaine (total)	0	*	*
- Crack	0	0	*
Stimulant (total)	31	23	22
- Methamphetamine	31	22	21
Heroin	5	*	*
Analgesic except Heroin	16	16	21
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	0
Tranquilizer	0	7	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	*
Average Age at First Use of Drug	20.1	19.4	18.3
INJECTION DRUG USE			
Any Injection Use at Admission	18	20	13
- Daily Injection Use	*	*	*
- Weekly Injection Use	9	*	*
- Less than Weekly Injection Use	7	13	8
LIFETIME DUI / DWI ARRESTS			
0	60	68	86
1 or 2	23	31	33
3 or More	13	12	*
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	22	24	24
School	*	0	0
Mental Health Provider	0	*	*
Health Care Provider	13	12	9
Court / Criminal Justice	35	49	65
Other Referral Source	17	17	21
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	9	6	8
Special Education Services Needed	5	13	18
Co-Occurring Psychological Problem	42	52	53
Co-Occurring Developmental Problem	7	11	10

RIPLEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	19
CENSUS 2010	14,100
2014 POPULATION ESTIMATE	13,969

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	26	18	17
Dementia	0	0	*
Developmental Disorder	*	0	0
Impulse Control Disorder	10	12	6
Mood Disorder	99	97	79
Personality Disorder	*	*	*
Psychotic Disorder	17	13	15
Sexual Disorder	*	*	0
Other Diagnosis	*	*	*
Diagnosis Unknown	14	8	16

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	163	148	129
AGE			
Under 6	0	*	0
6 to 9	9	9	*
10 to 13	13	9	*
14 to 17	10	9	*
18 to 24	16	12	19
25 to 29	14	18	14
30 to 34	17	12	9
35 to 39	13	12	7
40 to 44	12	11	21
45 to 49	14	17	14
50 to 54	16	18	14
55 to 59	18	11	9
60 and Over	11	9	12
Age Unknown	0	0	0
GENDER			
Male	70	63	45
Female	93	85	84
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	159	145	127
African American	*	0	0
Native American / Alaskan	0	*	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	10	10	8
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	53	34	18
High School Grad or G.E.D.	0	0	35
Associate Degree or Some College	0	0	6
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	110	114	68
EMPLOYMENT			
Employed	7	0	*
Unemployed	10	*	56
Not in Labor Force	97	70	6
Employment Status Unknown	49	76	64
HOUSING / LIVING ARRANGEMENT			
Independent Living	82	47	56
Dependent Living	26	29	9
Homeless	*	0	*
Other	0	0	*
Housing Unknown	51	72	62
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	53	51	37
School	*	*	*
Mental Health Provider	13	11	18
Health Care Provider	41	42	37
Court / Criminal Justice	18	15	17
Other	36	27	19
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	161	148	126
Civil	*	0	0
Criminal	*	0	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

RIPLEY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol		41.7	46.5
Cigarettes		22.2	36.5
Chewing Tobacco		17.5	22.2
Marijuana		15.5	19.6
Inhalants		4.0	9.1
Prescription medications not prescribed for student		11.1	15.1
Over-the-counter medications for non-medical use		10.7	7.4
Methamphetamine		1.6	0.7
Cocaine		3.2	2.1
Heroin		0.8	0.7
Hallucinogens		2.4	2.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.4	1.4
Steroids not prescribed for student		0.8	0.7
Synthetic drugs (K2, bath salts, Spice, etc)		7.1	
Average age of students' first use of:			
Alcohol		12.96	12.09
Cigarettes		11.73	11.81
Marijuana		13.46	12.92
Inhalants		13.83	12.89
Percent of students who, in past 30 days, used:			
Alcohol		13.1	21.2
Alcohol (Binge: 5+ drinks on one occassion)		7.5	14.9
Cigarettes		11.9	17.5
Chewing Tobacco		10.7	12.0
Marijuana		11.5	10.2
Inhalants		0.0	3.9
Prescription medications not prescribed for student		4.3	8.8
Over-the-counter medications for non-medical use		5.6	4.3
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol		48.4	62.1
Cigarettes		42.5	53.0
Marijuana		35.5	39.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.9	17.5
Percent who would likely use, if offered by a best friend:			
Alcohol		31.0	33.9
Cigarettes		11.5	16.9
Marijuana		12.7	14.0
Percent who say it would be wrong to use:			
Alcohol		61.1	59.1
Cigarettes		86.1	76.7
Marijuana		87.7	81.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		96.4	95.4
Percent whose parents would disapprove if they use:			
Alcohol		79.8	76.9
Cigarettes		92.1	90.5
Marijuana		95.5	93.6
Percent who say it would be easy to obtain:			
Alcohol		50.2	56.5
Cigarettes		54.8	62.5
Marijuana		42.3	42.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		14.3	17.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)		73.0	72.3
Cigarettes (1+ packs per day)			
Cigarettes (any use)		90.1	80.8
Marijuana (once or twice a week)			
Marijuana (any use)		80.6	74.1
Other: Cocaine, LSD, Meth, Club Drug (any use)		98.8	94.0
Percent of students who, in past 30 days:			
Were very sad		23.7	12.2
Were grouchy, irritable, or in a bad mood		21.8	18.6
Felt hopeless about the future		6.5	10.6
Felt like not eating or eating more than usual		15.8	12.9
Slept a lot more or a lot less than usual		13.0	23.6
Had difficulty concentrating on school work		18.7	23.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide		6.4	10.8
Made plan about how they would attempt suicide		4.8	10.5
Attempted suicide		1.6	4.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		0.4	1.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school		5.2	7.7
Were in a physical fight		25.0	24.0
Were in a fight and had to be treated by a doctor or nurse		0.8	4.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school		55.2	58.8
Were made fun of by others		62.6	67.6
Were victims of an embarrassing or hurtful text message or something posted on the internet		18.4	15.3
Spread mean rumors or lies about other kids at school		26.1	31.6
Made fun of other people		66.9	75.3
Posted something on the internet or sent a text that might embarrass or hurt another student		11.7	14.7
Percent of students who agree that:			
Teachers notice and comment on student's good work		60.7	68.1
School provides feedback to parents on positive student performance		41.5	33.3
Rules are enforced fairly		59.3	52.6
Students of all races/ethnicities are treated equal		83.3	78.9
Percent of students who agree that:			
Parents notice and comment on student's good work		76.6	84.5
Parents involve student in making family decisions		68.3	68.3
It is important to be honest with parents regardless of consequences		88.9	85.2
Student could ask parent for help with a personal problem		80.2	75.2

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SAINT CHARLES COUNTY

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	16
POPULATION	
Census 2010	360,485
2014 Estimate	379,493

BIRTH RISK	2013	2012	2011
Resident Births--Total	4,548	4,439	4,539
Mother Reported Smoking while Pregnant	477	496	507

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	13	17	11
Hepatitis B Chronic, Acute, Prenatal	19	24	21
Hepatitis C Chronic and Acute	156	103	138
Tuberculosis Infection Cases	102	104	73

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	2,494	2,325	2,286
Suicides	52	41	44
Self-inflicted Injuries	311	344	347
Homicides	5	6	3
Assault Injuries	650	856	757
Alcohol Induced Deaths	17	24	10
Drug Induced Deaths	62	44	64
Smoking Attributable Deaths	433	389	391

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,336	1,810	1,687
Mental Illness Secondary Diagnosis	3,889	3,026	3,022
Alcohol Principal Diagnosis	236	180	163
Alcohol Secondary Diagnosis	256	221	201
Drug Principal Diagnosis	143	128	212
Drug Secondary Diagnosis	205	146	147
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,483	2,000	1,998
Mental Illness Secondary Diagnosis	5,485	6,223	6,814
Alcohol Principal Diagnosis	147	174	163
Alcohol Secondary Diagnosis	543	634	588
Drug Principal Diagnosis	91	94	124
Drug Secondary Diagnosis	233	270	317
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,117	2,148	2,163
Mental Illness Secondary Diagnosis	8,730	8,924	7,064
Alcohol Principal Diagnosis	495	528	440
Alcohol Secondary Diagnosis	468	580	428
Drug Principal Diagnosis	402	414	551
Drug Secondary Diagnosis	632	739	485

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	464	459	465
Alcohol Package Carry-out Licenses	224	222	227

EMPLOYMENT	2014	2013	2012
Labor Force	209,352	200,503	199,262
Employed	199,201	189,201	187,399
Unemployed	10,151	11,302	11,863
Unemployment Rate	4.8%	5.6%	6.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	342	290	325
Fatal Crashes	4	5	7
Injury Crashes	111	106	115
Property Damage Crashes	227	179	203
Crash Fatalities	4	5	7
Crash Injuries	148	169	164
Drug Involved Crashes--Total	57	53	56
Fatal Crashes	1	3	3
Injury Crashes	21	16	17
Property Damage Crashes	35	34	36
Crash Fatalities	1	3	3
Crash Injuries	30	25	22

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,935	2,175	1,973
Liquor Law Arrests	330	705	616
Drug Arrests	1,493	1,422	1,550
Violent Offenses	452	516	577
Property Offenses	6,197	6,772	6,803
Domestic Violence Reports	1,369	1,262	1,286
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	106	119	156

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	17,894	17,688	17,364
Drop-outs	230	251	312
Drop-out Rate	1.3%	1.4%	1.8%
School Discipline Involving Alcohol	28	14	51
School Discipline Involving Drugs	117	219	296
School Discipline Involving Tobacco	4	5	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	292	305	360
Juvenile Alcohol Offenses	58	116	86
Juvenile Drug Offenses	191	209	233
School Truancy Status Offense	65	75	62
Absent from Home Status Offense	160	223	231
Beyond Parental Control Status Offense	3	7	4
Injurious Behavior Status Offense	38	54	42
Child Abuse	20	10	26
Child Neglect	170	182	151
Child Custody Issues	19	20	4

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	146	165	160
Parental Alcohol Use Related	8	5	5
Parental Drug Use Related	49	79	76
Parental Alcohol and Drug Use	8	2	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	297	334	315
Probation/Parole Admissions--Drug	488	469	435
Probation/Parole Admissions--DWI	169	159	146
Prison Admissions--Drug	263	236	242
Prison Admissions--DWI	54	59	70

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SAINT CHARLES COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	102	103	102
CSTAR Adolescent	133	108	74
CSTAR Women and Children	106	124	128
CSTAR General Adult	233	245	234
CSTAR Opioid	42	61	47
Primary Recovery Treatment	15	60	77
Clinical SATOP (CIP, YCIP, SROP)	528	540	471
Other Substance Abuse Treatment	12	*	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	1,917	1,938	1,883
- Adolescent Diversion Education Prograr	142	52	61
- Offender Education Program	706	717	744
- Weekend Intervention Program	363	423	432
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	12	26	30
Compulsive Gambling	14	29	24
Recovery Supports	6	5	5
Early Intervention	8	10	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	1,069	1,130	1,024
AGE			
Under 18	134	108	77
18 to 24	192	218	196
25 to 29	194	208	207
30 to 34	177	187	162
35 to 39	110	115	94
40 to 44	74	92	106
45 to 54	134	160	132
55 and Over	54	42	50
GENDER			
Male	697	726	664
Female	372	404	360
RACE / ETHNICITY			
Caucasian	972	1,040	945
African American	60	55	44
Native American / Alaskan	*	0	*
Asian / Pacific Islander	*	*	5
Hispanic	16	15	21
Other Race / Two or More Races	19	22	12
EDUCATION			
Less than High School Diploma	274	291	236
High School Graduate or G.E.D.	394	451	434
Associate Degree or Some College	370	369	328
Bachelor or Advanced Degree	30	17	26
EMPLOYMENT			
Employed	473	463	390
Unemployed	251	354	347
Not in Labor Force	345	313	287
HOUSING / LIVING ARRANGEMENT			
Independent Living	838	926	853
Dependent Living	160	132	109
Homeless	35	42	48
MARITAL / FAMILY STATUS			
Never Married	669	732	610
Married / Cohabitating	206	179	203
Previously Married	194	219	211

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	561	626	581
Marijuana / Hashish	213	161	132
Cocaine (total)	12	13	28
- Crack	6	8	23
Stimulant (total)	33	36	24
- Methamphetamine	33	31	19
Heroin	188	230	194
Analgesic except Heroin	41	37	47
- Non-Prescription Methadone	*	*	*
PCP, LSD, other Hallucinogen	*	*	6
Tranquilizer	11	9	*
Inhalant	0	0	*
Sedative	*	*	0
Other Medication or Illicit Drug	8	13	6
Average Age at First Use of Drug	17.4	17.7	17.5
INJECTION DRUG USE			
Any Injection Use at Admission	171	216	183
- Daily Injection Use	78	91	84
- Weekly Injection Use	40	63	42
- Less than Weekly Injection Use	53	62	57
LIFETIME DUI / DWI ARRESTS			
0	400	404	372
1 or 2	437	457	432
3 or More	232	269	220
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	242	277	280
School	24	9	5
Mental Health Provider	15	18	*
Health Care Provider	28	42	31
Court / Criminal Justice	653	678	625
Other Referral Source	88	79	73
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	29	24	21
Military Veteran	65	61	45
Special Education Services Needed	66	59	46
Co-Occurring Psychological Problem	296	368	353
Co-Occurring Developmental Problem	16	42	25

SAINT CHARLES COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Eastern
PSYCHIATRIC SERVICE AREA	16
CENSUS 2010	360,485
2014 POPULATION ESTIMATE	379,493

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	33	32	29
Anxiety Disorder	1,223	1,011	920
Dementia	*	6	6
Developmental Disorder	78	75	72
Impulse Control Disorder	654	616	606
Mood Disorder	1,887	1,659	1,638
Personality Disorder	212	186	192
Psychotic Disorder	347	319	302
Sexual Disorder	*	*	0
Other Diagnosis	157	152	143
Diagnosis Unknown	89	121	161

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	2,562	2,345	2,330
AGE			
Under 6	8	15	7
6 to 9	193	193	183
10 to 13	244	220	228
14 to 17	252	255	247
18 to 24	246	216	239
25 to 29	194	188	216
30 to 34	236	200	182
35 to 39	198	159	146
40 to 44	190	173	189
45 to 49	234	227	216
50 to 54	260	228	220
55 to 59	177	164	154
60 and Over	130	107	103
Age Unknown	0	0	0
GENDER			
Male	1,214	1,140	1,116
Female	1,348	1,205	1,214
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	2,154	1,987	1,992
African American	218	194	192
Native American / Alaskan	*	*	*
Asian / Pacific Islander	9	9	8
Hispanic	56	45	40
Other Race	123	109	96
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	67	51	40
Past or Current Military Service	43	28	37

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	839	805	430
High School Grad or G.E.D.	*	33	309
Associate Degree or Some College	*	7	226
Bachelor or Advanced Degree	*	9	64
Education Level Unknown	1,713	1,491	1,301
EMPLOYMENT			
Employed	238	175	180
Unemployed	208	184	698
Not in Labor Force	1,370	1,339	337
Employment Status Unknown	746	647	1,115
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,217	1,097	988
Dependent Living	521	537	291
Homeless	41	37	29
Other	*	0	24
Housing Unknown	782	674	998
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	892	648	472
School	315	324	275
Mental Health Provider	168	196	241
Health Care Provider	361	276	231
Court / Criminal Justice	62	62	68
Other	749	824	1,027
Referral Source Unknown	15	15	16
TYPE OF COMMITMENT			
Voluntary	2,524	2,305	2,285
Civil	*	7	6
Criminal	15	13	19
Sexual Predatory	*	*	0
Commitment Type Unknown	18	19	20

SAINT CHARLES COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	33.2	32.1	44.0
Cigarettes	15.8	14.6	22.5
Chewing Tobacco	5.8	3.9	7.6
Marijuana	15.4	11.9	16.2
Inhalants	3.2	4.5	6.7
Prescription medications not prescribed for student	8.2	7.0	10.5
Over-the-counter medications for non-medical use	3.1	5.7	7.9
Methamphetamine	0.5	0.9	0.6
Cocaine	1.3	1.2	1.8
Heroin	0.5	0.6	0.7
Hallucinogens	2.6	2.0	3.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	1.7	2.4
Steroids not prescribed for student	0.7	0.9	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	5.2	
Average age of students' first use of:			
Alcohol	13.07	12.84	12.42
Cigarettes	13.21	12.86	12.53
Marijuana	13.80	13.75	13.47
Inhalants	11.63	11.14	11.66
Percent of students who, in past 30 days, used:			
Alcohol	15.1	14.5	21.7
Alcohol (Binge: 5+ drinks on one occassion)		7.8	12.5
Cigarettes	7.0	7.1	12.1
Chewing Tobacco	2.9	2.1	4.0
Marijuana	8.4	6.7	9.0
Inhalants	1.0	2.0	3.4
Prescription medications not prescribed for student	4.3	3.8	6.4
Over-the-counter medications for non-medical use	1.4	3.6	5.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.8		
Percent whose friends used in past 12 months:			
Alcohol	47.5	47.2	59.0
Cigarettes	33.7	36.9	47.3
Marijuana	36.5	34.4	39.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.8	16.2	20.5
Percent who would likely use, if offered by a best friend:			
Alcohol	25.7	24.5	33.5
Cigarettes	9.4	8.6	13.5
Marijuana	14.7	10.1	13.5
Percent who say it would be wrong to use:			
Alcohol	62.2	66.1	56.5
Cigarettes	86.4	87.4	80.8
Marijuana	77.6	84.6	81.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	96.5	94.3
Percent whose parents would disapprove if they use:			
Alcohol	80.3	82.6	78.1
Cigarettes	94.3	94.6	91.7
Marijuana	91.5	95.5	94.1
Percent who say it would be easy to obtain:			
Alcohol	59.7	57.5	63.4
Cigarettes	47.4	46.3	55.2
Marijuana	37.2	33.6	37.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	14.2	17.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	64.7		
Alcohol (Binge: 5+ drinks once or twice a week)	76.1		
Alcohol (any use)		70.2	76.5
Cigarettes (1+ packs per day)	89.5		
Cigarettes (any use)		86.3	83.1
Marijuana (once or twice a week)	64.9		
Marijuana (any use)		76.5	68.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	95.2	93.6
Percent of students who, in past 30 days:			
Were very sad	20.5	15.8	14.5
Were grouchy, irritable, or in a bad mood	25.6	19.9	21.3
Felt hopeless about the future	12.0	10.6	11.0
Felt like not eating or eating more than usual	17.0	14.5	15.8
Slept a lot more or a lot less than usual	19.3	18.7	23.0
Had difficulty concentrating on school work	27.9	24.3	25.5
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.5	9.6	11.1
Made plan about how they would attempt suicide	8.0	7.2	7.7
Attempted suicide	4.4	4.2	5.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.7	1.5	1.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.2	5.2	8.9
Were in a physical fight	14.5	15.4	22.7
Were in a fight and had to be treated by a doctor or nurse	2.0	2.9	4.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	43.8	41.9	52.2
Were made fun of by others	59.1	58.7	70.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	26.6	20.6	21.7
Spread mean rumors or lies about other kids at school	28.2	29.1	37.9
Made fun of other people	55.3	58.2	76.0
Posted something on the internet or sent a text that might embarrass or hurt another student	19.8	13.6	20.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	68.3	65.0	65.7
School provides feedback to parents on positive student performance	39.1	37.1	38.8
Rules are enforced fairly	67.1	67.7	67.0
Students of all races/ethnicities are treated equal	77.2	75.3	78.2
Percent of students who agree that:			
Parents notice and comment on student's good work	81.5	84.2	83.1
Parents involve student in making family decisions	68.8	69.3	69.5
It is important to be honest with parents regardless of consequences	86.2	85.3	79.6
Student could ask parent for help with a personal problem	78.9	78.6	76.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SAINT CLAIR COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	9,805
2014 Estimate	9,457

BIRTH RISK	2013	2012	2011
Resident Births--Total	95	85	86
Mother Reported Smoking while Pregnant	27	16	22

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	14	9	13
Tuberculosis Infection Cases	0	1	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	139	140	138
Suicides	1	1	3
Self-inflicted Injuries	14	12	20
Homicides	0	1	0
Assault Injuries	18	36	28
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	29	35	26

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	61	69	67
Mental Illness Secondary Diagnosis	200	214	244
Alcohol Principal Diagnosis	1	7	4
Alcohol Secondary Diagnosis	10	10	16
Drug Principal Diagnosis	2	3	2
Drug Secondary Diagnosis	19	15	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	8	14	20
Mental Illness Secondary Diagnosis	149	159	113
Alcohol Principal Diagnosis	5	5	4
Alcohol Secondary Diagnosis	25	12	17
Drug Principal Diagnosis	6	4	0
Drug Secondary Diagnosis	17	8	13
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	58	87	71
Mental Illness Secondary Diagnosis	309	235	189
Alcohol Principal Diagnosis	4	14	23
Alcohol Secondary Diagnosis	19	32	26
Drug Principal Diagnosis	10	10	9
Drug Secondary Diagnosis	12	20	26

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	3	4	5
Alcohol Package Carry-out Licenses	14	17	17

EMPLOYMENT	2014	2013	2012
Labor Force	3,981	3,956	3,851
Employed	3,674	3,660	3,542
Unemployed	307	296	309
Unemployment Rate	7.7%	7.5%	8.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	10	11	8
Fatal Crashes	1	0	0
Injury Crashes	4	7	3
Property Damage Crashes	5	4	5
Crash Fatalities	3	0	0
Crash Injuries	5	7	4
Drug Involved Crashes--Total	1	0	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	2
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	23	30	30
Liquor Law Arrests	1	1	1
Drug Arrests	23	26	17
Violent Offenses	26	25	11
Property Offenses	128	236	192
Domestic Violence Reports	24	12	10
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	9	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	393	396	420
Drop-outs	12	10	9
Drop-out Rate	3.1%	2.5%	2.1%
School Discipline Involving Alcohol	1	2	1
School Discipline Involving Drugs	0	3	2
School Discipline Involving Tobacco	1	0	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	9	4	2
Juvenile Alcohol Offenses	0	2	2
Juvenile Drug Offenses	1	4	0
School Truancy Status Offense	7	2	5
Absent from Home Status Offense	0	3	0
Beyond Parental Control Status Offense	4	2	5
Injurious Behavior Status Offense	16	11	13
Child Abuse	2	19	11
Child Neglect	28	34	52
Child Custody Issues	1	0	6

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	7	6	18
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	0	11
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	5	9	8
Probation/Parole Admissions--Drug	26	17	11
Probation/Parole Admissions--DWI	2	1	2
Prison Admissions--Drug	6	9	4
Prison Admissions--DWI	1	0	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SAINT CLAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	6	*
CSTAR Adolescent	0	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	31	37	43
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	5	7	5
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	25	28	28
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	15	10	13
- Weekend Intervention Program	*	6	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	19	23	*
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	54	63	55
AGE			
Under 18	0	*	*
18 to 24	8	11	12
25 to 29	9	*	11
30 to 34	13	12	10
35 to 39	8	14	5
40 to 44	7	5	7
45 to 54	8	12	6
55 and Over	*	*	*
GENDER			
Male	35	43	36
Female	19	20	19
RACE / ETHNICITY			
Caucasian	52	60	53
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	*	0	0
Hispanic	0	0	0
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	14	16	22
High School Graduate or G.E.D.	31	32	22
Associate Degree or Some College	9	14	11
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	18	23	17
Unemployed	15	12	15
Not in Labor Force	21	28	23
HOUSING / LIVING ARRANGEMENT			
Independent Living	48	50	41
Dependent Living	*	*	*
Homeless	0	*	*
MARITAL / FAMILY STATUS			
Never Married	29	26	27
Married / Cohabitating	14	16	18
Previously Married	11	21	10

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	14	22	19
Marijuana / Hashish	18	13	16
Cocaine (total)	*	*	*
- Crack	*	*	*
Stimulant (total)	16	23	15
- Methamphetamine	14	23	14
Heroin	0	0	0
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	*
Average Age at First Use of Drug	17.0	17.4	16.6
INJECTION DRUG USE			
Any Injection Use at Admission	5	10	11
- Daily Injection Use	0	*	0
- Weekly Injection Use	*	6	*
- Less than Weekly Injection Use	*	*	8
LIFETIME DUI / DWI ARRESTS			
0	33	39	36
1 or 2	12	12	11
3 or More	9	12	8
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	13	26	18
School	0	0	0
Mental Health Provider	*	0	0
Health Care Provider	*	*	*
Court / Criminal Justice	6	13	15
Other Referral Source	32	22	20
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	0	0
Military Veteran	0	*	*
Special Education Services Needed	0	0	*
Co-Occurring Psychological Problem	12	13	10
Co-Occurring Developmental Problem	0	0	0

SAINT CLAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	8B
CENSUS 2010	9,805
2014 POPULATION ESTIMATE	9,457

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	42	52	56
Dementia	0	0	0
Developmental Disorder	0	*	*
Impulse Control Disorder	9	11	11
Mood Disorder	62	80	72
Personality Disorder	5	8	7
Psychotic Disorder	13	16	18
Sexual Disorder	0	0	0
Other Diagnosis	7	11	11
Diagnosis Unknown	10	13	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	91	114	107
AGE			
Under 6	0	0	*
6 to 9	6	8	8
10 to 13	8	10	8
14 to 17	8	12	9
18 to 24	*	5	5
25 to 29	*	*	10
30 to 34	8	15	12
35 to 39	11	11	6
40 to 44	11	12	11
45 to 49	8	11	11
50 to 54	12	17	18
55 to 59	6	8	5
60 and Over	5	*	*
Age Unknown	0	0	0
GENDER			
Male	43	50	51
Female	48	64	56
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	89	112	104
African American	0	0	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	0	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	34	47	23
High School Grad or G.E.D.	0	0	21
Associate Degree or Some College	0	0	7
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	57	67	55
EMPLOYMENT			
Employed	*	*	*
Unemployed	*	*	40
Not in Labor Force	60	72	16
Employment Status Unknown	24	36	47
HOUSING / LIVING ARRANGEMENT			
Independent Living	37	44	47
Dependent Living	28	35	13
Homeless	*	*	*
Other	0	0	*
Housing Unknown	23	34	45
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	50	70	77
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	12	13	12
Court / Criminal Justice	*	*	*
Other	22	24	12
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	86	111	104
Civil	*	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

SAINT CLAIR COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol		73.8	72.2
Cigarettes		32.9	44.6
Chewing Tobacco		12.8	30.1
Marijuana		28.2	32.6
Inhalants		6.0	6.3
Prescription medications not prescribed for student		6.0	10.8
Over-the-counter medications for non-medical use		3.4	12.8
Methamphetamine		2.0	4.5
Cocaine		0.7	2.9
Heroin		0.7	2.3
Hallucinogens		0.7	1.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.7	4.1
Steroids not prescribed for student		2.7	0.0
Synthetic drugs (K2, bath salts, Spice, etc)		21.5	
Average age of students' first use of:			
Alcohol		12.60	12.26
Cigarettes		11.51	13.35
Marijuana		13.11	13.73
Inhalants		14.06	14.11
Percent of students who, in past 30 days, used:			
Alcohol		34.9	37.3
Alcohol (Binge: 5+ drinks on one occassion)		13.4	23.2
Cigarettes		20.8	23.9
Chewing Tobacco		6.7	11.6
Marijuana		6.7	12.6
Inhalants		0.7	4.0
Prescription medications not prescribed for student		3.4	5.6
Over-the-counter medications for non-medical use		3.4	5.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol		78.7	84.1
Cigarettes		71.8	74.6
Marijuana		53.7	52.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.1	25.6
Percent who would likely use, if offered by a best friend:			
Alcohol		57.0	55.1
Cigarettes		13.4	27.8
Marijuana		6.7	19.9
Percent who say it would be wrong to use:			
Alcohol		25.5	42.9
Cigarettes		81.9	72.2
Marijuana		82.6	77.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		96.0	94.9
Percent whose parents would disapprove if they use:			
Alcohol		79.2	57.4
Cigarettes		93.3	80.5
Marijuana		96.0	88.7
Percent who say it would be easy to obtain:			
Alcohol		89.9	68.2
Cigarettes		63.1	69.9
Marijuana		45.0	47.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		18.8	29.4

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)		50.3	73.7
Cigarettes (1+ packs per day)			
Cigarettes (any use)		90.6	76.7
Marijuana (once or twice a week)			
Marijuana (any use)		67.1	63.8
Other: Cocaine, LSD, Meth, Club Drug (any use)		96.0	91.4
Percent of students who, in past 30 days:			
Were very sad		15.4	16.5
Were grouchy, irritable, or in a bad mood		19.5	19.3
Felt hopeless about the future		1.3	10.3
Felt like not eating or eating more than usual		9.4	24.4
Slept a lot more or a lot less than usual		22.8	25.6
Had difficulty concentrating on school work		22.4	23.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide		2.7	11.4
Made plan about how they would attempt suicide		2.7	13.6
Attempted suicide		2.7	5.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		0.8	2.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school		5.4	10.2
Were in a physical fight		24.8	32.4
Were in a fight and had to be treated by a doctor or nurse		1.3	7.3
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school		28.2	58.4
Were made fun of by others		67.3	76.1
Were victims of an embarrassing or hurtful text message or something posted on the internet		12.9	24.2
Spread mean rumors or lies about other kids at school		17.4	35.2
Made fun of other people		48.3	88.1
Posted something on the internet or sent a text that might embarrass or hurt another student		12.8	16.6
Percent of students who agree that:			
Teachers notice and comment on student's good work		84.6	75.0
School provides feedback to parents on positive student performance		53.7	41.5
Rules are enforced fairly		60.8	66.9
Students of all races/ethnicities are treated equal		88.5	80.7
Percent of students who agree that:			
Parents notice and comment on student's good work		87.9	79.7
Parents involve student in making family decisions		83.8	58.3
It is important to be honest with parents regardless of consequences		87.2	81.8
Student could ask parent for help with a personal problem		74.3	72.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SAINTE GENEVIEVE COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	18,145
2014 Estimate	17,914

BIRTH RISK	2013	2012	2011
Resident Births--Total	174	156	175
Mother Reported Smoking while Pregnant	34	37	53

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	9	16	8
Tuberculosis Infection Cases	0	1	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	186	190	196
Suicides	4	2	1
Self-inflicted Injuries	21	20	16
Homicides	0	0	0
Assault Injuries	31	42	33
Alcohol Induced Deaths	3	1	1
Drug Induced Deaths	0	5	8
Smoking Attributable Deaths	34	40	34

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	160	140	146
Mental Illness Secondary Diagnosis	410	395	458
Alcohol Principal Diagnosis	12	4	5
Alcohol Secondary Diagnosis	32	18	22
Drug Principal Diagnosis	7	9	4
Drug Secondary Diagnosis	9	8	19
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	10	27	29
Mental Illness Secondary Diagnosis	119	151	125
Alcohol Principal Diagnosis	4	2	2
Alcohol Secondary Diagnosis	15	19	13
Drug Principal Diagnosis	2	3	3
Drug Secondary Diagnosis	7	7	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	168	149	185
Mental Illness Secondary Diagnosis	250	252	196
Alcohol Principal Diagnosis	21	19	21
Alcohol Secondary Diagnosis	19	18	20
Drug Principal Diagnosis	30	28	23
Drug Secondary Diagnosis	28	22	17

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	45	42	41
Alcohol Package Carry-out Licenses	20	19	19

EMPLOYMENT	2014	2013	2012
Labor Force	9,025	9,731	9,340
Employed	8,431	9,111	8,695
Unemployed	594	620	645
Unemployment Rate	6.6%	6.4%	6.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	21	17	22
Fatal Crashes	1	2	0
Injury Crashes	8	8	8
Property Damage Crashes	12	7	14
Crash Fatalities	1	2	0
Crash Injuries	11	14	10
Drug Involved Crashes--Total	5	3	5
Fatal Crashes	0	0	0
Injury Crashes	3	1	2
Property Damage Crashes	2	2	3
Crash Fatalities	0	0	0
Crash Injuries	4	1	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	112	112	129
Liquor Law Arrests	6	21	18
Drug Arrests	111	81	99
Violent Offenses	44	61	66
Property Offenses	198	233	209
Domestic Violence Reports	110	99	104
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	6	2	6

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	632	622	606
Drop-outs	6	11	17
Drop-out Rate	1.0%	1.8%	2.8%
School Discipline Involving Alcohol	0	3	0
School Discipline Involving Drugs	0	0	6
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	25	46	35
Juvenile Alcohol Offenses	4	2	9
Juvenile Drug Offenses	3	5	9
School Truancy Status Offense	33	36	14
Absent from Home Status Offense	1	2	0
Beyond Parental Control Status Offense	13	4	10
Injurious Behavior Status Offense	2	5	6
Child Abuse	3	0	0
Child Neglect	3	6	3
Child Custody Issues	0	0	1

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	4	6	2
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	0	4	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	17	15	10
Probation/Parole Admissions--Drug	57	55	74
Probation/Parole Admissions--DWI	10	6	15
Prison Admissions--Drug	21	31	26
Prison Admissions--DWI	2	3	7

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SAINTE GENEVIEVE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	9	16	7
CSTAR Adolescent	*	9	11
CSTAR Women and Children	*	*	5
CSTAR General Adult	46	53	23
CSTAR Opioid	0	*	*
Primary Recovery Treatment	5	25	55
Clinical SATOP (CIP, YCIP, SROP)	13	21	20
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	62	75	90
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	23	30	36
- Weekend Intervention Program	18	16	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	15	15	5
Early Intervention	*	*	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	78	102	113
AGE			
Under 18	*	6	13
18 to 24	19	26	22
25 to 29	14	17	18
30 to 34	11	17	12
35 to 39	8	11	8
40 to 44	*	9	13
45 to 54	17	9	25
55 and Over	*	7	*
GENDER			
Male	52	66	84
Female	26	36	29
RACE / ETHNICITY			
Caucasian	76	98	104
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	*
Other Race / Two or More Races	0	*	*
EDUCATION			
Less than High School Diploma	18	28	38
High School Graduate or G.E.D.	47	56	49
Associate Degree or Some College	13	18	24
Bachelor or Advanced Degree	0	0	*
EMPLOYMENT			
Employed	25	39	47
Unemployed	35	46	41
Not in Labor Force	18	17	25
HOUSING / LIVING ARRANGEMENT			
Independent Living	67	93	91
Dependent Living	6	7	15
Homeless	*	0	*
MARITAL / FAMILY STATUS			
Never Married	48	58	75
Married / Cohabitating	12	23	22
Previously Married	18	21	16

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	25	46	54
Marijuana / Hashish	15	23	26
Cocaine (total)	*	*	*
- Crack	*	*	0
Stimulant (total)	11	9	12
- Methamphetamine	10	8	10
Heroin	16	11	9
Analgesic except Heroin	6	12	7
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	*
Tranquilizer	*	0	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	18.7	18.2	16.3
INJECTION DRUG USE			
Any Injection Use at Admission	20	16	7
- Daily Injection Use	5	6	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	12	8	*
LIFETIME DUI / DWI ARRESTS			
0	42	50	56
1 or 2	24	33	28
3 or More	12	19	29
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	17	22	22
School	0	*	0
Mental Health Provider	0	0	0
Health Care Provider	*	0	*
Court / Criminal Justice	50	67	84
Other Referral Source	7	10	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	*	*	6
Special Education Services Needed	*	6	12
Co-Occurring Psychological Problem	27	32	39
Co-Occurring Developmental Problem	*	7	7

SAINTE GENEVIEVE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	21
CENSUS 2010	18,145
2014 POPULATION ESTIMATE	17,914

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	54	39	38
Anxiety Disorder	75	51	72
Dementia	0	0	*
Developmental Disorder	0	0	*
Impulse Control Disorder	75	63	82
Mood Disorder	274	190	273
Personality Disorder	6	6	10
Psychotic Disorder	37	33	41
Sexual Disorder	0	0	*
Other Diagnosis	10	13	15
Diagnosis Unknown	40	44	110

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	501	393	586
AGE			
Under 6	*	0	5
6 to 9	14	11	24
10 to 13	39	31	36
14 to 17	39	29	32
18 to 24	48	36	72
25 to 29	41	36	51
30 to 34	37	28	49
35 to 39	52	45	60
40 to 44	38	33	48
45 to 49	43	32	60
50 to 54	60	42	58
55 to 59	37	33	43
60 and Over	50	37	48
Age Unknown	0	0	0
GENDER			
Male	219	170	275
Female	282	223	311
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	455	360	528
African American	21	14	16
Native American / Alaskan	*	*	0
Asian / Pacific Islander	0	0	0
Hispanic	14	10	31
Other Race	10	8	11
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	25	20	32
Past or Current Military Service	12	9	14

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	47	53	37
High School Grad or G.E.D.	0	0	36
Associate Degree or Some College	0	0	15
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	454	340	497
EMPLOYMENT			
Employed	*	*	9
Unemployed	*	9	75
Not in Labor Force	94	105	23
Employment Status Unknown	400	275	479
HOUSING / LIVING ARRANGEMENT			
Independent Living	47	55	62
Dependent Living	55	63	47
Homeless	0	*	*
Other	0	0	0
Housing Unknown	399	274	476
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	275	216	377
School	*	*	*
Mental Health Provider	42	25	27
Health Care Provider	79	61	83
Court / Criminal Justice	15	16	22
Other	84	71	71
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	495	389	578
Civil	0	0	*
Criminal	*	*	*
Sexual Predatory	*	*	*
Commitment Type Unknown	*	*	*

SAINTE GENEVIEVE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	41.8		
Cigarettes	18.6		
Chewing Tobacco	8.9		
Marijuana	15.0		
Inhalants	3.7		
Prescription medications not prescribed for student	8.5		
Over-the-counter medications for non-medical use	3.3		
Methamphetamine	0.5		
Cocaine	0.9		
Heroin	0.5		
Hallucinogens	1.9		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4		
Steroids not prescribed for student	0.9		
Synthetic drugs (K2, bath salts, Spice, etc)	6.5		
Average age of students' first use of:			
Alcohol	13.40		
Cigarettes	12.05		
Marijuana	13.78		
Inhalants	11.17		
Percent of students who, in past 30 days, used:			
Alcohol	16.0		
Alcohol (Binge: 5+ drinks on one occassion)			
Cigarettes	6.6		
Chewing Tobacco	4.7		
Marijuana	7.0		
Inhalants	0.9		
Prescription medications not prescribed for student	4.2		
Over-the-counter medications for non-medical use	0.9		
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.6		
Percent whose friends used in past 12 months:			
Alcohol	53.1		
Cigarettes	32.7		
Marijuana	29.2		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7		
Percent who would likely use, if offered by a best friend:			
Alcohol	30.4		
Cigarettes	7.5		
Marijuana	12.3		
Percent who say it would be wrong to use:			
Alcohol	65.1		
Cigarettes	91.0		
Marijuana	83.1		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7		
Percent whose parents would disapprove if they use:			
Alcohol	76.9		
Cigarettes	92.5		
Marijuana	92.9		
Percent who say it would be easy to obtain:			
Alcohol	55.9		
Cigarettes	42.5		
Marijuana	32.9		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.1		

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	59.0		
Alcohol (Binge: 5+ drinks once or twice a week)	75.4		
Alcohol (any use)			
Cigarettes (1+ packs per day)	89.5		
Cigarettes (any use)			
Marijuana (once or twice a week)	72.0		
Marijuana (any use)			
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9		
Percent of students who, in past 30 days:			
Were very sad	18.9		
Were grouchy, irritable, or in a bad mood	23.2		
Felt hopeless about the future	13.2		
Felt like not eating or eating more than usual	13.3		
Slept a lot more or a lot less than usual	15.6		
Had difficulty concentrating on school work	23.2		
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.6		
Made plan about how they would attempt suicide	9.9		
Attempted suicide	5.6		
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.9		
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.0		
Were in a physical fight	15.0		
Were in a fight and had to be treated by a doctor or nurse	1.9		
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	49.5		
Were made fun of by others	61.0		
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.2		
Spread mean rumors or lies about other kids at school	29.0		
Made fun of other people	53.5		
Posted something on the internet or sent a text that might embarrass or hurt another student	9.4		
Percent of students who agree that:			
Teachers notice and comment on student's good work	81.2		
School provides feedback to parents on positive student performance	48.8		
Rules are enforced fairly	71.5		
Students of all races/ethnicities are treated equal	78.2		
Percent of students who agree that:			
Parents notice and comment on student's good work	84.0		
Parents involve student in making family decisions	72.3		
It is important to be honest with parents regardless of consequences	93.0		
Student could ask parent for help with a personal problem	78.2		

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SAINT FRANCOIS COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17B
POPULATION	
Census 2010	65,359
2014 Estimate	65,960

BIRTH RISK	2013	2012	2011
Resident Births--Total	743	751	762
Mother Reported Smoking while Pregnant	232	240	268

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	2	1
Hepatitis B Chronic, Acute, Prenatal	10	7	8
Hepatitis C Chronic and Acute	163	115	127
Tuberculosis Infection Cases	34	12	35

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	747	796	719
Suicides	7	16	12
Self-inflicted Injuries	174	172	162
Homicides	4	0	2
Assault Injuries	292	332	261
Alcohol Induced Deaths	2	8	3
Drug Induced Deaths	23	32	18
Smoking Attributable Deaths	148	169	140

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,013	851	1,090
Mental Illness Secondary Diagnosis	1,795	1,665	2,285
Alcohol Principal Diagnosis	46	33	45
Alcohol Secondary Diagnosis	131	103	104
Drug Principal Diagnosis	85	74	84
Drug Secondary Diagnosis	124	141	133
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	174	406	288
Mental Illness Secondary Diagnosis	1,259	1,749	1,228
Alcohol Principal Diagnosis	16	44	21
Alcohol Secondary Diagnosis	72	124	74
Drug Principal Diagnosis	20	46	21
Drug Secondary Diagnosis	84	112	57
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	952	1,190	1,302
Mental Illness Secondary Diagnosis	5,441	6,157	2,152
Alcohol Principal Diagnosis	139	129	160
Alcohol Secondary Diagnosis	163	208	178
Drug Principal Diagnosis	228	210	220
Drug Secondary Diagnosis	316	388	375

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	63	66	68
Alcohol Package Carry-out Licenses	53	55	53

EMPLOYMENT	2014	2013	2012
Labor Force	26,216	29,730	28,124
Employed	24,221	27,476	25,733
Unemployed	1,995	2,254	2,391
Unemployment Rate	7.6%	7.6%	8.5%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	54	59	68
Fatal Crashes	4	2	5
Injury Crashes	23	29	25
Property Damage Crashes	27	28	38
Crash Fatalities	4	2	7
Crash Injuries	33	40	36
Drug Involved Crashes--Total	29	18	27
Fatal Crashes	2	0	2
Injury Crashes	10	8	8
Property Damage Crashes	17	10	17
Crash Fatalities	2	0	2
Crash Injuries	15	11	8

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	298	384	411
Liquor Law Arrests	39	68	96
Drug Arrests	436	398	423
Violent Offenses	151	177	182
Property Offenses	1,933	1,911	1,744
Domestic Violence Reports	240	277	327
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	18	45	71

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	3,004	3,068	3,081
Drop-outs	52	39	67
Drop-out Rate	1.7%	1.3%	2.2%
School Discipline Involving Alcohol	1	3	0
School Discipline Involving Drugs	31	20	19
School Discipline Involving Tobacco	0	1	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	237	234	145
Juvenile Alcohol Offenses	11	6	5
Juvenile Drug Offenses	24	38	23
School Truancy Status Offense	143	132	133
Absent from Home Status Offense	11	5	9
Beyond Parental Control Status Offense	75	86	50
Injurious Behavior Status Offense	25	30	23
Child Abuse	13	11	10
Child Neglect	60	54	31
Child Custody Issues	0	1	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	78	63	49
Parental Alcohol Use Related	0	8	1
Parental Drug Use Related	28	25	16
Parental Alcohol and Drug Use	5	0	2

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	18	23	23
Probation/Parole Admissions--Drug	238	219	171
Probation/Parole Admissions--DWI	26	37	30
Prison Admissions--Drug	156	129	128
Prison Admissions--DWI	12	13	19

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SAINT FRANCOIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	87	100	76
CSTAR Adolescent	28	14	23
CSTAR Women and Children	21	25	15
CSTAR General Adult	294	320	233
CSTAR Opioid	*	*	*
Primary Recovery Treatment	127	307	391
Clinical SATOP (CIP, YCIP, SROP)	58	41	53
Other Substance Abuse Treatment	*	*	5

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	277	270	308
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	119	132	151
- Weekend Intervention Program	72	70	71
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	8
Compulsive Gambling	*	*	*
Recovery Supports	17	11	5
Early Intervention	81	57	36

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	529	649	686
AGE			
Under 18	28	14	27
18 to 24	73	131	140
25 to 29	117	121	149
30 to 34	111	131	105
35 to 39	62	74	92
40 to 44	46	66	56
45 to 54	61	90	91
55 and Over	31	22	26
GENDER			
Male	321	416	476
Female	208	233	210
RACE / ETHNICITY			
Caucasian	506	617	643
African American	15	27	38
Native American / Alaskan	*	*	0
Asian / Pacific Islander	0	0	0
Hispanic	6	9	9
Other Race / Two or More Races	6	*	*
EDUCATION			
Less than High School Diploma	189	209	257
High School Graduate or G.E.D.	238	336	330
Associate Degree or Some College	96	99	97
Bachelor or Advanced Degree	6	5	*
EMPLOYMENT			
Employed	125	166	162
Unemployed	253	352	379
Not in Labor Force	151	131	145
HOUSING / LIVING ARRANGEMENT			
Independent Living	417	543	585
Dependent Living	90	77	77
Homeless	19	21	17
MARITAL / FAMILY STATUS			
Never Married	279	335	369
Married / Cohabitating	130	173	169
Previously Married	120	141	148

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	159	170	188
Marijuana / Hashish	102	122	166
Cocaine (total)	11	6	14
- Crack	6	*	7
Stimulant (total)	87	119	100
- Methamphetamine	81	116	94
Heroin	76	103	89
Analgesic except Heroin	74	114	116
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	*	*	*
Tranquilizer	7	8	8
Inhalant	*	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	10	*	*
Average Age at First Use of Drug	18.8	19.1	18.6
INJECTION DRUG USE			
Any Injection Use at Admission	113	151	121
- Daily Injection Use	39	41	35
- Weekly Injection Use	26	46	32
- Less than Weekly Injection Use	48	64	54
LIFETIME DUI / DWI ARRESTS			
0	333	422	444
1 or 2	131	140	152
3 or More	65	87	90
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	157	186	178
School	0	0	*
Mental Health Provider	*	6	9
Health Care Provider	23	31	24
Court / Criminal Justice	275	365	426
Other Referral Source	62	54	47
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	17	14	8
Military Veteran	21	20	33
Special Education Services Needed	44	56	80
Co-Occurring Psychological Problem	243	253	274
Co-Occurring Developmental Problem	33	85	82

SAINT FRANCOIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	17B
CENSUS 2010	65,359
2014 POPULATION ESTIMATE	65,960

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	12	14	16
Anxiety Disorder	250	244	208
Dementia	9	*	*
Developmental Disorder	19	18	14
Impulse Control Disorder	138	116	110
Mood Disorder	789	742	690
Personality Disorder	113	110	100
Psychotic Disorder	444	429	434
Sexual Disorder	132	118	136
Other Diagnosis	46	49	37
Diagnosis Unknown	172	229	229

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	1,769	1,740	1,678
AGE			
Under 6	12	12	6
6 to 9	57	46	38
10 to 13	78	75	85
14 to 17	95	83	87
18 to 24	113	135	136
25 to 29	135	138	122
30 to 34	157	163	142
35 to 39	151	153	133
40 to 44	185	163	159
45 to 49	168	182	188
50 to 54	221	211	207
55 to 59	168	165	166
60 and Over	229	214	209
Age Unknown	0	0	0
GENDER			
Male	1,052	1,025	1,010
Female	717	715	668
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,578	1,544	1,489
African American	146	153	148
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	*	*
Hispanic	15	17	18
Other Race	24	19	18
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	88	85	78
Past or Current Military Service	98	102	103

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	381	411	341
High School Grad or G.E.D.	0	*	308
Associate Degree or Some College	0	*	69
Bachelor or Advanced Degree	0	*	33
Education Level Unknown	1,388	1,324	927
EMPLOYMENT			
Employed	48	63	58
Unemployed	19	48	639
Not in Labor Force	768	784	111
Employment Status Unknown	934	845	870
HOUSING / LIVING ARRANGEMENT			
Independent Living	239	272	512
Dependent Living	589	607	311
Homeless	10	11	*
Other	0	0	19
Housing Unknown	931	850	832
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	519	522	512
School	15	13	12
Mental Health Provider	311	272	272
Health Care Provider	340	299	234
Court / Criminal Justice	282	306	316
Other	295	319	322
Referral Source Unknown	7	9	10
TYPE OF COMMITMENT			
Voluntary	1,487	1,463	1,394
Civil	*	5	5
Criminal	138	146	142
Sexual Predatory	140	125	136
Commitment Type Unknown	*	*	*

SAINT FRANCOIS COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	37.3	44.5	46.4
Cigarettes	28.4	30.0	31.9
Chewing Tobacco	19.7	20.3	16.7
Marijuana	19.5	19.0	15.9
Inhalants	2.2	7.7	7.1
Prescription medications not prescribed for student	9.0	11.8	12.7
Over-the-counter medications for non-medical use	3.2	8.0	8.0
Methamphetamine	1.1	1.4	1.0
Cocaine	0.8	2.3	1.4
Heroin	0.6	1.5	0.8
Hallucinogens	1.8	3.8	3.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	2.6	1.6
Steroids not prescribed for student	1.8	2.1	1.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	7.4	
Average age of students' first use of:			
Alcohol	13.23	12.37	12.07
Cigarettes	13.11	12.23	11.68
Marijuana	14.14	13.49	13.00
Inhalants	12.68	12.20	12.35
Percent of students who, in past 30 days, used:			
Alcohol	16.5	21.3	22.3
Alcohol (Binge: 5+ drinks on one occassion)		14.4	14.5
Cigarettes	13.2	15.8	16.9
Chewing Tobacco	10.3	10.0	9.7
Marijuana	10.0	11.7	9.0
Inhalants	0.3	3.9	3.1
Prescription medications not prescribed for student	5.4	7.4	7.3
Over-the-counter medications for non-medical use	1.4	5.0	5.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.2		
Percent whose friends used in past 12 months:			
Alcohol	46.8	58.9	63.8
Cigarettes	41.5	50.1	50.9
Marijuana	33.1	40.3	36.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	17.1	17.2
Percent who would likely use, if offered by a best friend:			
Alcohol	26.4	35.8	34.7
Cigarettes	14.4	18.4	16.3
Marijuana	14.2	16.6	12.0
Percent who say it would be wrong to use:			
Alcohol	64.6	54.0	60.1
Cigarettes	81.6	75.0	76.5
Marijuana	80.5	77.7	83.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	94.9	95.7
Percent whose parents would disapprove if they use:			
Alcohol	81.4	74.9	77.5
Cigarettes	90.3	88.0	88.5
Marijuana	92.8	92.3	93.8
Percent who say it would be easy to obtain:			
Alcohol	45.7	58.7	57.7
Cigarettes	50.4	57.1	59.0
Marijuana	34.5	38.8	34.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	18.1	18.0

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	56.3		
Alcohol (Binge: 5+ drinks once or twice a week)	67.2		
Alcohol (any use)		70.6	76.9
Cigarettes (1+ packs per day)	82.7		
Cigarettes (any use)		78.0	78.4
Marijuana (once or twice a week)	62.4		
Marijuana (any use)		70.5	73.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.9	94.2	94.3
Percent of students who, in past 30 days:			
Were very sad	18.6	21.9	18.1
Were grouchy, irritable, or in a bad mood	21.3	30.2	24.5
Felt hopeless about the future	9.1	13.0	12.5
Felt like not eating or eating more than usual	18.2	19.3	18.5
Slept a lot more or a lot less than usual	17.9	22.1	27.8
Had difficulty concentrating on school work	19.6	28.2	28.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.4	15.2	11.8
Made plan about how they would attempt suicide	8.5	11.9	8.9
Attempted suicide	5.4	7.3	5.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.8	2.2	1.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.3	5.0	9.5
Were in a physical fight	21.6	21.4	27.3
Were in a fight and had to be treated by a doctor or nurse	2.5	3.7	4.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	44.4	48.8	56.6
Were made fun of by others	50.6	58.3	68.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	20.6	21.7	18.8
Spread mean rumors or lies about other kids at school	18.8	23.4	30.1
Made fun of other people	43.3	61.9	71.2
Posted something on the internet or sent a text that might embarrass or hurt another student	15.7	14.2	14.8
Percent of students who agree that:			
Teachers notice and comment on student's good work	79.0	63.5	64.6
School provides feedback to parents on positive student performance	48.3	31.7	37.3
Rules are enforced fairly	77.9	59.4	67.9
Students of all races/ethnicities are treated equal	85.5	72.3	78.7
Percent of students who agree that:			
Parents notice and comment on student's good work	85.0	79.1	82.6
Parents involve student in making family decisions	72.2	65.0	67.7
It is important to be honest with parents regardless of consequences	90.4	85.9	84.6
Student could ask parent for help with a personal problem	79.4	74.0	75.9

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SAINT LOUIS COUNTY

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	23-25 (SL)
Adult Psychiatric	23
POPULATION	
Census 2010	998,954
2014 Estimate	1,001,876

BIRTH RISK	2013	2012	2011
Resident Births--Total	11,510	11,534	11,934
Mother Reported Smoking while Pregnant	978	1,046	1,116

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	108	136	97
Hepatitis B Chronic, Acute, Prenatal	111	109	102
Hepatitis C Chronic and Acute	573	506	584
Tuberculosis Infection Cases	565	407	494

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	9,452	9,364	9,177
Suicides	133	134	131
Self-inflicted Injuries	818	929	950
Homicides	77	82	72
Assault Injuries	3,347	3,886	3,785
Alcohol Induced Deaths	53	65	49
Drug Induced Deaths	172	149	161
Smoking Attributable Deaths	1,439	1,465	1,401

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	5,138	3,942	4,794
Mental Illness Secondary Diagnosis	11,358	8,692	10,470
Alcohol Principal Diagnosis	421	323	341
Alcohol Secondary Diagnosis	943	479	887
Drug Principal Diagnosis	472	437	570
Drug Secondary Diagnosis	1,002	584	836
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	5,774	7,070	6,114
Mental Illness Secondary Diagnosis	20,100	24,273	21,502
Alcohol Principal Diagnosis	589	737	632
Alcohol Secondary Diagnosis	2,038	2,436	2,023
Drug Principal Diagnosis	380	429	382
Drug Secondary Diagnosis	1,292	1,687	1,388
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	7,697	7,678	6,860
Mental Illness Secondary Diagnosis	25,209	24,388	19,262
Alcohol Principal Diagnosis	1,740	1,767	1,674
Alcohol Secondary Diagnosis	1,595	1,770	1,549
Drug Principal Diagnosis	1,242	1,294	1,304
Drug Secondary Diagnosis	1,896	1,892	1,875

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	1,243	1,230	1,255
Alcohol Package Carry-out Licenses	648	644	662

EMPLOYMENT	2014	2013	2012
Labor Force	530,449	513,847	513,956
Employed	499,383	480,389	479,555
Unemployed	31,066	33,458	34,401
Unemployment Rate	5.9%	6.5%	6.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	695	773	772
Fatal Crashes	11	9	12
Injury Crashes	238	270	261
Property Damage Crashes	446	494	499
Crash Fatalities	16	10	13
Crash Injuries	321	369	379
Drug Involved Crashes--Total	146	136	126
Fatal Crashes	3	1	3
Injury Crashes	57	62	58
Property Damage Crashes	86	73	65
Crash Fatalities	5	1	3
Crash Injuries	73	84	56

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	4,635	5,247	5,144
Liquor Law Arrests	1,140	1,493	1,523
Drug Arrests	7,832	8,312	8,263
Violent Offenses	2,972	3,020	3,071
Property Offenses	24,712	26,824	28,609
Domestic Violence Reports	3,884	4,336	4,889
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	102	74	130

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	44,895	45,928	46,496
Drop-outs	979	1,060	1,223
Drop-out Rate	2.2%	2.3%	2.6%
School Discipline Involving Alcohol	62	74	77
School Discipline Involving Drugs	322	340	411
School Discipline Involving Tobacco	8	8	6

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	1,305	1,395	1,382
Juvenile Alcohol Offenses	124	173	166
Juvenile Drug Offenses	354	412	450
School Truancy Status Offense	368	362	310
Absent from Home Status Offense	961	1,033	930
Beyond Parental Control Status Offense	149	143	162
Injurious Behavior Status Offense	99	107	60
Child Abuse	477	428	523
Child Neglect	1,013	869	938
Child Custody Issues	136	152	140

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	405	372	415
Parental Alcohol Use Related	10	5	10
Parental Drug Use Related	89	83	102
Parental Alcohol and Drug Use	6	3	7

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	349	325	260
Probation/Parole Admissions--Drug	1,002	797	680
Probation/Parole Admissions--DWI	352	274	259
Prison Admissions--Drug	284	294	297
Prison Admissions--DWI	72	69	55

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SAINT LOUIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	444	489	450
CSTAR Adolescent	132	122	114
CSTAR Women and Children	319	285	319
CSTAR General Adult	889	767	696
CSTAR Opioid	192	187	198
Primary Recovery Treatment	267	316	357
Clinical SATOP (CIP, YCIP, SROP)	1,021	1,056	985
Other Substance Abuse Treatment	198	183	189

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	3,773	4,187	4,148
- Adolescent Diversion Education Prograr	213	185	176
- Offender Education Program	1,450	1,667	1,744
- Weekend Intervention Program	776	874	867
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	107	119	131
Compulsive Gambling	33	48	51
Recovery Supports	18	25	16
Early Intervention	293	268	49

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	2,896	2,865	2,816
AGE			
Under 18	136	126	111
18 to 24	404	402	456
25 to 29	502	505	533
30 to 34	502	490	456
35 to 39	327	310	284
40 to 44	277	270	282
45 to 54	503	541	525
55 and Over	245	221	169
GENDER			
Male	2,068	2,079	1,990
Female	828	786	825
RACE / ETHNICITY			
Caucasian	1,786	1,753	1,722
African American	1,005	1,007	1,009
Native American / Alaskan	7	*	*
Asian / Pacific Islander	7	10	8
Hispanic	33	38	29
Other Race / Two or More Races	70	67	55
EDUCATION			
Less than High School Diploma	735	749	723
High School Graduate or G.E.D.	1,187	1,119	1,185
Associate Degree or Some College	923	935	835
Bachelor or Advanced Degree	50	62	73
EMPLOYMENT			
Employed	1,029	907	915
Unemployed	900	1,011	1,036
Not in Labor Force	967	947	865
HOUSING / LIVING ARRANGEMENT			
Independent Living	2,499	2,415	2,347
Dependent Living	193	177	180
Homeless	112	139	166
MARITAL / FAMILY STATUS			
Never Married	1,989	1,931	1,906
Married / Cohabitating	481	488	474
Previously Married	426	446	436

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	1,273	1,305	1,281
Marijuana / Hashish	476	462	432
Cocaine (total)	165	151	223
- Crack	119	112	151
Stimulant (total)	70	59	42
- Methamphetamine	60	54	36
Heroin	790	759	734
Analgesic except Heroin	87	82	76
- Non-Prescription Methadone	*	0	*
PCP, LSD, other Hallucinogen	15	15	9
Tranquilizer	12	16	11
Inhalant	*	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	6	11	*
Average Age at First Use of Drug	19.0	18.8	19.0
INJECTION DRUG USE			
Any Injection Use at Admission	574	533	491
- Daily Injection Use	327	270	271
- Weekly Injection Use	126	131	101
- Less than Weekly Injection Use	121	132	119
LIFETIME DUI / DWI ARRESTS			
0	1,461	1,421	1,473
1 or 2	924	935	898
3 or More	511	509	445
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	924	884	891
School	10	6	11
Mental Health Provider	26	15	15
Health Care Provider	120	89	73
Court / Criminal Justice	1,577	1,673	1,631
Other Referral Source	200	167	183
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	81	54	63
Military Veteran	129	132	119
Special Education Services Needed	177	170	126
Co-Occurring Psychological Problem	733	713	724
Co-Occurring Developmental Problem	72	142	109

SAINT LOUIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Eastern
PSYCHIATRIC SERVICE AREA	23
CENSUS 2010	998,954
2014 POPULATION ESTIMATE	1,001,876

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	37	46	60
Anxiety Disorder	756	641	598
Dementia	6	5	*
Developmental Disorder	36	42	46
Impulse Control Disorder	656	559	549
Mood Disorder	3,152	2,957	2,862
Personality Disorder	296	236	213
Psychotic Disorder	1,729	1,698	1,659
Sexual Disorder	7	6	9
Other Diagnosis	127	114	113
Diagnosis Unknown	419	482	590

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	5,674	5,536	5,535
AGE			
Under 6	27	29	13
6 to 9	180	158	165
10 to 13	315	284	301
14 to 17	429	418	450
18 to 24	536	542	561
25 to 29	433	430	461
30 to 34	509	473	462
35 to 39	431	429	424
40 to 44	490	495	471
45 to 49	603	624	650
50 to 54	647	655	611
55 to 59	530	502	448
60 and Over	544	497	518
Age Unknown	0	0	0
GENDER			
Male	2,747	2,691	2,734
Female	2,927	2,845	2,801
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	2,681	2,610	2,667
African American	2,677	2,646	2,597
Native American / Alaskan	*	*	5
Asian / Pacific Islander	24	29	21
Hispanic	77	63	66
Other Race	211	184	179
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	194	202	178
Past or Current Military Service	114	108	119

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	1,152	1,150	791
High School Grad or G.E.D.	0	*	846
Associate Degree or Some College	0	*	404
Bachelor or Advanced Degree	0	0	278
Education Level Unknown	4,522	4,379	3,216
EMPLOYMENT			
Employed	341	329	336
Unemployed	465	445	1,885
Not in Labor Force	2,626	2,648	476
Employment Status Unknown	2,242	2,114	2,838
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,357	1,313	2,102
Dependent Living	1,874	1,945	580
Homeless	115	87	82
Other	0	0	48
Housing Unknown	2,328	2,191	2,723
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,208	1,259	1,352
School	121	102	102
Mental Health Provider	749	812	930
Health Care Provider	999	893	737
Court / Criminal Justice	264	286	341
Other	2,323	2,176	2,057
Referral Source Unknown	10	8	16
TYPE OF COMMITMENT			
Voluntary	5,579	5,435	5,413
Civil	13	15	22
Criminal	66	71	82
Sexual Predatory	5	7	9
Commitment Type Unknown	11	8	9

SAINT LOUIS COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	30.0	36.9	41.2
Cigarettes	11.9	19.0	21.6
Chewing Tobacco	3.6	4.4	4.7
Marijuana	15.9	19.7	19.9
Inhalants	2.0	4.4	5.4
Prescription medications not prescribed for student	6.7	8.1	9.1
Over-the-counter medications for non-medical use	3.0	5.3	6.7
Methamphetamine	0.4	1.0	0.5
Cocaine	1.0	1.8	1.3
Heroin	0.3	0.9	0.6
Hallucinogens	1.9	3.2	2.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.4	2.0
Steroids not prescribed for student	0.9	1.2	0.8
Synthetic drugs (K2, bath salts, Spice, etc)	1.9	5.1	
Average age of students' first use of:			
Alcohol	13.56	13.09	12.77
Cigarettes	13.56	13.01	12.68
Marijuana	14.40	13.90	13.67
Inhalants	11.24	11.77	11.51
Percent of students who, in past 30 days, used:			
Alcohol	14.7	18.0	20.0
Alcohol (Binge: 5+ drinks on one occassion)		10.7	10.6
Cigarettes	4.3	8.8	11.2
Chewing Tobacco	2.0	2.2	2.3
Marijuana	9.1	11.2	11.7
Inhalants	1.0	1.9	2.8
Prescription medications not prescribed for student	3.7	4.6	5.9
Over-the-counter medications for non-medical use	1.6	3.2	4.3
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.4		
Percent whose friends used in past 12 months:			
Alcohol	42.1	50.6	55.3
Cigarettes	27.2	38.8	42.0
Marijuana	34.6	41.5	42.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	15.6	17.0
Percent who would likely use, if offered by a best friend:			
Alcohol	22.7	29.5	31.8
Cigarettes	6.5	10.6	11.4
Marijuana	14.3	16.2	16.7
Percent who say it would be wrong to use:			
Alcohol	68.4	61.5	59.6
Cigarettes	89.7	83.7	81.9
Marijuana	78.3	76.8	77.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	94.6	94.7
Percent whose parents would disapprove if they use:			
Alcohol	84.1	80.6	80.3
Cigarettes	95.4	92.1	91.8
Marijuana	93.2	92.1	93.0
Percent who say it would be easy to obtain:			
Alcohol	54.0	60.4	60.9
Cigarettes	42.4	50.8	53.7
Marijuana	37.9	42.9	43.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.9	17.8	19.0

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	70.4		
Alcohol (Binge: 5+ drinks once or twice a week)	80.5		
Alcohol (any use)		70.8	73.0
Cigarettes (1+ packs per day)	89.4		
Cigarettes (any use)		83.9	83.8
Marijuana (once or twice a week)	66.0		
Marijuana (any use)		68.9	72.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	92.9	93.3
Percent of students who, in past 30 days:			
Were very sad	18.5	17.8	20.6
Were grouchy, irritable, or in a bad mood	22.9	23.4	25.0
Felt hopeless about the future	11.1	10.8	12.7
Felt like not eating or eating more than usual	15.9	15.4	18.8
Slept a lot more or a lot less than usual	18.6	19.8	26.2
Had difficulty concentrating on school work	23.9	24.4	24.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.5	12.3	11.6
Made plan about how they would attempt suicide	8.3	8.4	8.1
Attempted suicide	4.8	5.6	5.4
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.6	2.0	2.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.4	5.8	9.0
Were in a physical fight	14.9	20.3	24.2
Were in a fight and had to be treated by a doctor or nurse	2.3	3.6	3.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	43.7	43.9	50.2
Were made fun of by others	57.8	59.6	68.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.1	20.2	19.6
Spread mean rumors or lies about other kids at school	26.1	29.7	34.6
Made fun of other people	55.7	64.8	74.9
Posted something on the internet or sent a text that might embarrass or hurt another student	18.3	16.7	19.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.8	73.6	74.4
School provides feedback to parents on positive student performance	47.2	43.1	44.9
Rules are enforced fairly	71.2	66.7	66.9
Students of all races/ethnicities are treated equal	74.5	69.3	74.0
Percent of students who agree that:			
Parents notice and comment on student's good work	84.5	83.7	84.4
Parents involve student in making family decisions	73.6	71.2	72.0
It is important to be honest with parents regardless of consequences	86.0	83.4	81.5
Student could ask parent for help with a personal problem	79.8	77.2	76.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SALINE COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	23,370
2014 Estimate	23,347

BIRTH RISK	2013	2012	2011
Resident Births--Total	293	325	304
Mother Reported Smoking while Pregnant	70	65	85

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	1	1
Hepatitis B Chronic, Acute, Prenatal	4	0	0
Hepatitis C Chronic and Acute	9	7	8
Tuberculosis Infection Cases	4	8	6

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	291	228	280
Suicides	1	4	4
Self-inflicted Injuries	34	27	43
Homicides	0	1	0
Assault Injuries	48	41	68
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	4	4	5
Smoking Attributable Deaths	56	38	50

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	248	269	219
Mental Illness Secondary Diagnosis	448	499	570
Alcohol Principal Diagnosis	11	6	8
Alcohol Secondary Diagnosis	25	37	53
Drug Principal Diagnosis	9	7	3
Drug Secondary Diagnosis	17	32	18
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	54	76	61
Mental Illness Secondary Diagnosis	370	484	437
Alcohol Principal Diagnosis	34	22	9
Alcohol Secondary Diagnosis	30	32	17
Drug Principal Diagnosis	7	11	7
Drug Secondary Diagnosis	15	20	24
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	248	199	193
Mental Illness Secondary Diagnosis	512	469	563
Alcohol Principal Diagnosis	53	36	28
Alcohol Secondary Diagnosis	80	51	55
Drug Principal Diagnosis	27	18	17
Drug Secondary Diagnosis	50	40	32

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	25	28	24
Alcohol Package Carry-out Licenses	30	29	32

EMPLOYMENT	2014	2013	2012
Labor Force	11,210	11,755	11,296
Employed	10,580	11,112	10,580
Unemployed	630	643	716
Unemployment Rate	5.6%	5.5%	6.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	16	16	22
Fatal Crashes	1	1	0
Injury Crashes	5	8	7
Property Damage Crashes	10	7	15
Crash Fatalities	2	1	0
Crash Injuries	9	8	9
Drug Involved Crashes--Total	6	5	6
Fatal Crashes	0	1	0
Injury Crashes	2	2	0
Property Damage Crashes	4	2	6
Crash Fatalities	0	2	0
Crash Injuries	3	4	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	133	192	157
Liquor Law Arrests	19	42	48
Drug Arrests	257	207	128
Violent Offenses	31	34	69
Property Offenses	460	471	470
Domestic Violence Reports	117	67	99
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,070	1,065	1,037
Drop-outs	25	23	25
Drop-out Rate	2.3%	2.2%	2.4%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	1	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	45	37	50
Juvenile Alcohol Offenses	7	13	4
Juvenile Drug Offenses	15	9	11
School Truancy Status Offense	1	13	8
Absent from Home Status Offense	1	7	11
Beyond Parental Control Status Offense	27	35	29
Injurious Behavior Status Offense	13	11	14
Child Abuse	0	0	1
Child Neglect	0	0	1
Child Custody Issues	19	14	25

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	18	21	29
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	9	6
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	21	19	22
Probation/Parole Admissions--Drug	83	106	71
Probation/Parole Admissions--DWI	13	13	15
Prison Admissions--Drug	68	61	61
Prison Admissions--DWI	7	8	14

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SALINE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	6	15	15
CSTAR Adolescent	6	*	5
CSTAR Women and Children	7	6	6
CSTAR General Adult	68	74	66
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	17	23
Clinical SATOP (CIP, YCIP, SROP)	17	22	7
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	86	97	91
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	38	49	42
- Weekend Intervention Program	14	19	27
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	7
Compulsive Gambling	0	*	0
Recovery Supports	143	111	90
Early Intervention	0	*	9

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	106	117	128
AGE			
Under 18	6	*	5
18 to 24	19	23	25
25 to 29	13	22	22
30 to 34	22	19	28
35 to 39	17	11	17
40 to 44	14	14	9
45 to 54	10	18	13
55 and Over	5	6	9
GENDER			
Male	68	74	80
Female	38	43	48
RACE / ETHNICITY			
Caucasian	88	92	103
African American	10	18	14
Native American / Alaskan	0	*	*
Asian / Pacific Islander	0	*	*
Hispanic	5	*	*
Other Race / Two or More Races	*	*	5
EDUCATION			
Less than High School Diploma	27	29	38
High School Graduate or G.E.D.	53	61	63
Associate Degree or Some College	25	23	25
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	26	38	31
Unemployed	43	38	40
Not in Labor Force	37	41	57
HOUSING / LIVING ARRANGEMENT			
Independent Living	83	101	111
Dependent Living	11	7	11
Homeless	*	6	*
MARITAL / FAMILY STATUS			
Never Married	66	66	61
Married / Cohabitating	22	30	40
Previously Married	18	21	27

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	48	48	43
Marijuana / Hashish	23	26	38
Cocaine (total)	*	*	*
- Crack	0	*	*
Stimulant (total)	26	28	29
- Methamphetamine	25	28	27
Heroin	*	*	*
Analgesic except Heroin	6	7	8
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	*
Tranquilizer	0	0	0
Inhalant	*	0	0
Sedative	0	0	*
Other Medication or Illicit Drug	0	*	*
Average Age at First Use of Drug	17.4	17.4	17.9
INJECTION DRUG USE			
Any Injection Use at Admission	17	14	17
- Daily Injection Use	*	*	*
- Weekly Injection Use	8	8	5
- Less than Weekly Injection Use	6	*	9
LIFETIME DUI / DWI ARRESTS			
0	60	61	76
1 or 2	30	38	40
3 or More	16	18	12
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	29	38	46
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	6	9	6
Court / Criminal Justice	43	54	65
Other Referral Source	23	11	10
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	0
Military Veteran	*	*	*
Special Education Services Needed	5	6	6
Co-Occurring Psychological Problem	34	22	30
Co-Occurring Developmental Problem	*	6	*

SALINE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	12
CENSUS 2010	23,370
2014 POPULATION ESTIMATE	23,347

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	6	*	*
Anxiety Disorder	81	61	69
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	27	25	24
Mood Disorder	112	111	126
Personality Disorder	37	36	42
Psychotic Disorder	44	40	42
Sexual Disorder	*	*	*
Other Diagnosis	19	17	17
Diagnosis Unknown	21	31	41

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	200	193	215
AGE			
Under 6	*	0	*
6 to 9	12	5	*
10 to 13	11	12	9
14 to 17	11	12	11
18 to 24	18	14	22
25 to 29	7	8	10
30 to 34	18	18	24
35 to 39	13	15	22
40 to 44	20	22	21
45 to 49	25	25	28
50 to 54	27	21	28
55 to 59	15	19	15
60 and Over	22	22	20
Age Unknown	0	0	0
GENDER			
Male	96	90	108
Female	104	103	107
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	167	157	175
African American	18	20	21
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	*
Hispanic	6	7	8
Other Race	9	9	10
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	7	5	8
Past or Current Military Service	6	7	7

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	58	50	38
High School Grad or G.E.D.	0	0	48
Associate Degree or Some College	0	0	15
Bachelor or Advanced Degree	0	0	6
Education Level Unknown	142	143	108
EMPLOYMENT			
Employed	6	7	14
Unemployed	8	8	85
Not in Labor Force	130	110	30
Employment Status Unknown	56	68	86
HOUSING / LIVING ARRANGEMENT			
Independent Living	85	55	86
Dependent Living	63	63	41
Homeless	*	*	*
Other	0	0	*
Housing Unknown	50	73	84
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	98	93	113
School	*	*	*
Mental Health Provider	35	38	44
Health Care Provider	39	41	33
Court / Criminal Justice	16	9	11
Other	10	11	12
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	187	179	195
Civil	*	0	0
Criminal	12	14	19
Sexual Predatory	0	0	*
Commitment Type Unknown	0	0	0

SALINE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	45.6	35.6	56.1
Cigarettes	22.8	18.8	33.6
Chewing Tobacco	13.8	15.5	14.9
Marijuana	16.9	8.7	16.7
Inhalants	3.9	1.6	8.3
Prescription medications not prescribed for student	8.8	5.7	13.0
Over-the-counter medications for non-medical use	2.9	2.2	9.5
Methamphetamine	0.0	2.2	0.6
Cocaine	1.4	2.2	1.5
Heroin	0.7	0.0	0.2
Hallucinogens	1.1	0.0	1.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	0.5	1.5
Steroids not prescribed for student	1.4	0.5	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	4.0	0.5	
Average age of students' first use of:			
Alcohol	12.84	11.26	12.67
Cigarettes	12.20	12.13	12.16
Marijuana	13.97	13.44	13.83
Inhalants	11.92	10.00	12.11
Percent of students who, in past 30 days, used:			
Alcohol	13.9	16.4	26.2
Alcohol (Binge: 5+ drinks on one occassion)		6.8	16.4
Cigarettes	11.7	9.8	17.2
Chewing Tobacco	6.7	11.4	7.6
Marijuana	8.1	1.6	8.8
Inhalants	1.8	0.0	3.1
Prescription medications not prescribed for student	4.9	5.7	7.2
Over-the-counter medications for non-medical use	1.4	2.2	6.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.4		
Percent whose friends used in past 12 months:			
Alcohol	47.5	48.4	73.4
Cigarettes	40.8	39.6	56.1
Marijuana	29.6	21.8	39.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3	4.1	14.3
Percent who would likely use, if offered by a best friend:			
Alcohol	28.2	34.2	43.7
Cigarettes	12.7	12.8	16.7
Marijuana	14.4	10.1	12.0
Percent who say it would be wrong to use:			
Alcohol	64.3	72.4	51.5
Cigarettes	85.5	85.3	76.9
Marijuana	80.5	90.5	83.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.9	98.4	97.2
Percent whose parents would disapprove if they use:			
Alcohol	78.7	83.9	72.7
Cigarettes	93.3	95.8	88.5
Marijuana	92.2	95.6	95.9
Percent who say it would be easy to obtain:			
Alcohol	64.1	54.5	66.1
Cigarettes	62.2	49.9	62.6
Marijuana	37.7	27.4	36.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.0	9.8	13.3

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	51.2		
Alcohol (Binge: 5+ drinks once or twice a week)	69.5		
Alcohol (any use)		68.2	74.9
Cigarettes (1+ packs per day)	80.5		
Cigarettes (any use)		72.6	78.7
Marijuana (once or twice a week)	67.4		
Marijuana (any use)		83.6	69.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	87.8	91.3	94.3
Percent of students who, in past 30 days:			
Were very sad	24.3	19.6	17.0
Were grouchy, irritable, or in a bad mood	31.8	29.1	23.8
Felt hopeless about the future	17.0	9.4	14.8
Felt like not eating or eating more than usual	25.2	16.9	16.4
Slept a lot more or a lot less than usual	18.2	18.6	25.0
Had difficulty concentrating on school work	23.1	16.3	27.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	15.0	8.2	11.5
Made plan about how they would attempt suicide	10.9	5.2	6.9
Attempted suicide	7.1	6.3	5.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	4.2	1.1	1.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.2	3.6	9.9
Were in a physical fight	20.4	34.8	25.0
Were in a fight and had to be treated by a doctor or nurse	2.8	2.7	3.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	59.4	47.3	63.2
Were made fun of by others	68.4	64.7	72.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	36.9	34.2	20.4
Spread mean rumors or lies about other kids at school	28.1	42.1	39.6
Made fun of other people	62.6	66.6	76.5
Posted something on the internet or sent a text that might embarrass or hurt another student	22.3	16.3	16.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.3	73.6	72.3
School provides feedback to parents on positive student performance	49.3	69.6	41.7
Rules are enforced fairly	60.8	54.6	65.9
Students of all races/ethnicities are treated equal	77.7	86.7	77.0
Percent of students who agree that:			
Parents notice and comment on student's good work	79.6	84.9	83.8
Parents involve student in making family decisions	66.5	71.1	69.1
It is important to be honest with parents regardless of consequences	86.2	89.3	82.5
Student could ask parent for help with a personal problem	79.9	71.6	75.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SCHUYLER COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	4,431
2014 Estimate	4,370

BIRTH RISK	2013	2012	2011
Resident Births--Total	65	53	58
Mother Reported Smoking while Pregnant	14	12	13

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	1	1	1
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	60	51	40
Suicides	1	1	3
Self-inflicted Injuries	1	1	0
Homicides	0	0	0
Assault Injuries	7	16	5
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	11	8	8

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	11	18	15
Mental Illness Secondary Diagnosis	124	167	139
Alcohol Principal Diagnosis	3	4	2
Alcohol Secondary Diagnosis	15	10	5
Drug Principal Diagnosis	1	1	2
Drug Secondary Diagnosis	5	1	3
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3	9	6
Mental Illness Secondary Diagnosis	16	9	8
Alcohol Principal Diagnosis	1	0	0
Alcohol Secondary Diagnosis	3	0	1
Drug Principal Diagnosis	1	1	1
Drug Secondary Diagnosis	1	2	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	20	20	15
Mental Illness Secondary Diagnosis	32	38	32
Alcohol Principal Diagnosis	4	3	2
Alcohol Secondary Diagnosis	1	5	3
Drug Principal Diagnosis	3	3	0
Drug Secondary Diagnosis	1	2	0

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	6	7	7
Alcohol Package Carry-out Licenses	9	10	9

EMPLOYMENT	2014	2013	2012
Labor Force	1,943	2,155	1,959
Employed	1,806	2,017	1,821
Unemployed	137	138	138
Unemployment Rate	7.1%	6.4%	7.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	4	5	4
Fatal Crashes	1	0	0
Injury Crashes	2	4	4
Property Damage Crashes	1	1	0
Crash Fatalities	1	0	0
Crash Injuries	3	6	4
Drug Involved Crashes--Total	1	1	0
Fatal Crashes	1	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	1	0	0
Crash Injuries	1	1	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	30	53	48
Liquor Law Arrests	4	3	0
Drug Arrests	12	12	2
Violent Offenses	4	4	1
Property Offenses	22	27	44
Domestic Violence Reports	13	1	0
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	1	10

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	184	196	216
Drop-outs	1	3	4
Drop-out Rate	0.5%	1.5%	1.9%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	2	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	1	5	1
Juvenile Alcohol Offenses	0	4	0
Juvenile Drug Offenses	0	1	0
School Truancy Status Offense	0	13	2
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	7	5	9
Injurious Behavior Status Offense	1	15	8
Child Abuse	5	11	15
Child Neglect	28	33	41
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	13	12	9
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	7	5	3
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	2	1	0
Probation/Parole Admissions--DWI	0	2	1
Prison Admissions--Drug	2	0	0
Prison Admissions--DWI	1	1	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SCHUYLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	0	*
CSTAR Adolescent	*	*	6
CSTAR Women and Children	*	0	0
CSTAR General Adult	24	27	18
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	*	7
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	10	25	25
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	*	9	5
- Weekend Intervention Program	*	7	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	7	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	27	35	33
AGE			
Under 18	*	*	7
18 to 24	*	11	11
25 to 29	9	5	0
30 to 34	*	7	*
35 to 39	*	*	*
40 to 44	*	*	*
45 to 54	*	*	5
55 and Over	*	*	*
GENDER			
Male	16	21	22
Female	11	14	11
RACE / ETHNICITY			
Caucasian	27	35	33
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	13	11	12
High School Graduate or G.E.D.	11	19	17
Associate Degree or Some College	*	*	*
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	*	18	12
Unemployed	6	*	*
Not in Labor Force	17	15	17
HOUSING / LIVING ARRANGEMENT			
Independent Living	23	33	26
Dependent Living	*	*	7
Homeless	*	0	0
MARITAL / FAMILY STATUS			
Never Married	15	16	21
Married / Cohabitating	7	12	6
Previously Married	5	7	6

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	7	13	18
Marijuana / Hashish	10	13	10
Cocaine (total)	*	0	0
- Crack	0	0	0
Stimulant (total)	6	5	*
- Methamphetamine	6	5	*
Heroin	0	0	0
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	*	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	*
Average Age at First Use of Drug	18.3	17.0	15.3
INJECTION DRUG USE			
Any Injection Use at Admission	*	*	*
- Daily Injection Use	0	0	0
- Weekly Injection Use	0	0	0
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	18	20	21
1 or 2	9	12	9
3 or More	0	*	*
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	*	5	*
School	0	0	0
Mental Health Provider	0	*	*
Health Care Provider	*	0	*
Court / Criminal Justice	*	6	19
Other Referral Source	8	8	7
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	0	*	*
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	15	21	14
Co-Occurring Developmental Problem	*	0	*

SCHUYLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	14
CENSUS 2010	4,431
2014 POPULATION ESTIMATE	4,370

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	19	22	11
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	17	12	6
Mood Disorder	27	24	19
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	9	10	7
Diagnosis Unknown	*	*	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	40	45	39
AGE			
Under 6	0	0	0
6 to 9	*	6	*
10 to 13	6	11	8
14 to 17	9	10	8
18 to 24	*	*	*
25 to 29	*	*	*
30 to 34	*	0	0
35 to 39	*	*	*
40 to 44	*	*	*
45 to 49	*	5	5
50 to 54	*	*	*
55 to 59	0	*	*
60 and Over	*	*	*
Age Unknown	0	0	0
GENDER			
Male	19	19	19
Female	21	26	20
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	40	42	39
African American	0	*	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race	0	*	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	0	0
Past or Current Military Service	0	0	0

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	22	29	10
High School Grad or G.E.D.	0	*	7
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	18	15	21
EMPLOYMENT			
Employed	*	*	*
Unemployed	*	*	12
Not in Labor Force	32	37	6
Employment Status Unknown	5	5	20
HOUSING / LIVING ARRANGEMENT			
Independent Living	15	14	14
Dependent Living	18	26	9
Homeless	0	*	0
Other	0	0	0
Housing Unknown	7	*	16
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	7	14	12
School	0	*	0
Mental Health Provider	0	0	0
Health Care Provider	8	7	5
Court / Criminal Justice	*	*	*
Other	23	21	20
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	39	44	38
Civil	0	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

SCHUYLER COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	45.6		
Cigarettes	35.1		
Chewing Tobacco	31.6		
Marijuana	10.7		
Inhalants	5.3		
Prescription medications not prescribed for student	10.5		
Over-the-counter medications for non-medical use	1.8		
Methamphetamine	1.8		
Cocaine	0.0		
Heroin	0.0		
Hallucinogens	1.8		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0		
Steroids not prescribed for student	0.0		
Synthetic drugs (K2, bath salts, Spice, etc)	5.3		
Average age of students' first use of:			
Alcohol	12.48		
Cigarettes	12.33		
Marijuana	13.91		
Inhalants	13.00		
Percent of students who, in past 30 days, used:			
Alcohol	29.8		
Alcohol (Binge: 5+ drinks on one occassion)			
Cigarettes	17.9		
Chewing Tobacco	17.5		
Marijuana	5.3		
Inhalants	0.0		
Prescription medications not prescribed for student	3.5		
Over-the-counter medications for non-medical use	1.8		
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	14.0		
Percent whose friends used in past 12 months:			
Alcohol	61.4		
Cigarettes	54.4		
Marijuana	22.8		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5		
Percent who would likely use, if offered by a best friend:			
Alcohol	43.1		
Cigarettes	24.6		
Marijuana	5.4		
Percent who say it would be wrong to use:			
Alcohol	49.1		
Cigarettes	69.6		
Marijuana	89.1		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5		
Percent whose parents would disapprove if they use:			
Alcohol	70.2		
Cigarettes	87.7		
Marijuana	96.5		
Percent who say it would be easy to obtain:			
Alcohol	68.4		
Cigarettes	68.4		
Marijuana	29.8		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7		

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	47.4		
Alcohol (Binge: 5+ drinks once or twice a week)	57.9		
Alcohol (any use)			
Cigarettes (1+ packs per day)	76.4		
Cigarettes (any use)			
Marijuana (once or twice a week)	71.9		
Marijuana (any use)			
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2		
Percent of students who, in past 30 days:			
Were very sad	19.3		
Were grouchy, irritable, or in a bad mood	29.8		
Felt hopeless about the future	8.8		
Felt like not eating or eating more than usual	16.1		
Slept a lot more or a lot less than usual	14.0		
Had difficulty concentrating on school work	19.3		
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	8.8		
Made plan about how they would attempt suicide	8.8		
Attempted suicide	3.5		
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0		
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	3.5		
Were in a physical fight	26.3		
Were in a fight and had to be treated by a doctor or nurse	3.5		
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	63.2		
Were made fun of by others	64.3		
Were victims of an embarrassing or hurtful text message or something posted on the internet	26.3		
Spread mean rumors or lies about other kids at school	28.1		
Made fun of other people	64.3		
Posted something on the internet or sent a text that might embarrass or hurt another student	19.3		
Percent of students who agree that:			
Teachers notice and comment on student's good work	68.4		
School provides feedback to parents on positive student performance	38.6		
Rules are enforced fairly	52.6		
Students of all races/ethnicities are treated equal	78.6		
Percent of students who agree that:			
Parents notice and comment on student's good work	80.7		
Parents involve student in making family decisions	64.9		
It is important to be honest with parents regardless of consequences	85.7		
Student could ask parent for help with a personal problem	80.4		

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SCOTLAND COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	4,843
2014 Estimate	4,863

BIRTH RISK	2013	2012	2011
Resident Births--Total	82	78	80
Mother Reported Smoking while Pregnant	12	13	13

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	3	1
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	60	52	55
Suicides	0	0	1
Self-inflicted Injuries	2	3	3
Homicides	0	0	0
Assault Injuries	2	3	8
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	1	0
Smoking Attributable Deaths	10	10	10

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	11	11	12
Mental Illness Secondary Diagnosis	165	209	139
Alcohol Principal Diagnosis	2	2	3
Alcohol Secondary Diagnosis	13	15	5
Drug Principal Diagnosis	1	0	0
Drug Secondary Diagnosis	6	2	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	5	4	2
Mental Illness Secondary Diagnosis	14	9	4
Alcohol Principal Diagnosis	0	1	1
Alcohol Secondary Diagnosis	2	5	1
Drug Principal Diagnosis	1	0	1
Drug Secondary Diagnosis	3	2	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	29	29	24
Mental Illness Secondary Diagnosis	79	140	67
Alcohol Principal Diagnosis	1	2	1
Alcohol Secondary Diagnosis	1	11	1
Drug Principal Diagnosis	3	2	1
Drug Secondary Diagnosis	5	2	3

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	7	7	8
Alcohol Package Carry-out Licenses	5	5	7

EMPLOYMENT	2014	2013	2012
Labor Force	2,399	2,480	2,422
Employed	2,283	2,360	2,307
Unemployed	116	120	115
Unemployment Rate	4.8%	4.8%	4.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	5	2	2
Fatal Crashes	0	0	0
Injury Crashes	1	0	2
Property Damage Crashes	4	2	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	3
Drug Involved Crashes--Total	0	0	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	10	17	22
Liquor Law Arrests	4	1	3
Drug Arrests	19	14	14
Violent Offenses	2	3	1
Property Offenses	54	84	51
Domestic Violence Reports	16	19	7
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	1	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	186	173	176
Drop-outs	1	2	3
Drop-out Rate	0.5%	1.2%	1.7%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	1	3	3
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	2	1	5
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	3	4	8
Injurious Behavior Status Offense	8	13	15
Child Abuse	5	19	7
Child Neglect	29	44	37
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	11	11	11
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	6	2	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	6	6	3
Probation/Parole Admissions--Drug	11	18	6
Probation/Parole Admissions--DWI	3	3	3
Prison Admissions--Drug	12	11	3
Prison Admissions--DWI	2	3	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SCOTLAND COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	*	0	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	16	14	20
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	6
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	15	20	16
- Adolescent Diversion Education Prograr	6	*	*
- Offender Education Program	*	6	*
- Weekend Intervention Program	*	5	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	*	6	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012
NUMBER ADMITTED			
Total Individuals	22	22	26
AGE			
Under 18	*	0	*
18 to 24	5	6	*
25 to 29	5	7	5
30 to 34	5	*	*
35 to 39	5	*	5
40 to 44	0	*	*
45 to 54	*	*	5
55 and Over	0	*	0
GENDER			
Male	10	17	21
Female	12	5	5
RACE / ETHNICITY			
Caucasian	21	19	24
African American	0	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	7	6	*
High School Graduate or G.E.D.	11	14	18
Associate Degree or Some College	*	*	*
Bachelor or Advanced Degree	*	0	0
EMPLOYMENT			
Employed	8	7	12
Unemployed	*	7	8
Not in Labor Force	10	8	6
HOUSING / LIVING ARRANGEMENT			
Independent Living	15	20	23
Dependent Living	*	*	*
Homeless	*	0	0
MARITAL / FAMILY STATUS			
Never Married	11	15	10
Married / Cohabitating	7	6	9
Previously Married	*	*	7

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	5	11	15
Marijuana / Hashish	11	9	7
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	*	0	*
- Methamphetamine	*	0	*
Heroin	0	0	0
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	0
Average Age at First Use of Drug	16.5	16.9	16.6
INJECTION DRUG USE			
Any Injection Use at Admission	*	*	*
- Daily Injection Use	0	*	0
- Weekly Injection Use	*	0	*
- Less than Weekly Injection Use	0	0	*
LIFETIME DUI / DWI ARRESTS			
0	14	11	13
1 or 2	6	7	11
3 or More	*	*	*
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	*	*	6
School	0	0	0
Mental Health Provider	0	0	0
Health Care Provider	0	0	0
Court / Criminal Justice	8	13	12
Other Referral Source	9	*	7
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	0
Military Veteran	*	*	*
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	10	8	10
Co-Occurring Developmental Problem	0	0	0

SCOTLAND COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	14
CENSUS 2010	4,843
2014 POPULATION ESTIMATE	4,863

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	0	*
Anxiety Disorder	15	9	10
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	14	12	10
Mood Disorder	24	22	20
Personality Disorder	*	*	*
Psychotic Disorder	0	0	0
Sexual Disorder	0	0	0
Other Diagnosis	8	7	6
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	30	30	34
AGE			
Under 6	0	0	*
6 to 9	5	6	6
10 to 13	*	*	*
14 to 17	6	5	5
18 to 24	*	*	5
25 to 29	*	*	*
30 to 34	*	*	*
35 to 39	0	0	0
40 to 44	*	*	*
45 to 49	*	*	5
50 to 54	*	*	*
55 to 59	0	0	*
60 and Over	*	*	*
Age Unknown	0	0	0
GENDER			
Male	5	5	5
Female	25	25	29
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	29	30	34
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	0
Other Race	0	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	0	0	0

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	18	14	8
High School Grad or G.E.D.	0	0	5
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	12	16	19
EMPLOYMENT			
Employed	*	*	*
Unemployed	*	0	11
Not in Labor Force	25	23	6
Employment Status Unknown	*	*	16
HOUSING / LIVING ARRANGEMENT			
Independent Living	12	14	14
Dependent Living	15	12	12
Homeless	0	0	0
Other	0	0	0
Housing Unknown	*	*	8
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	8	12	12
School	0	0	0
Mental Health Provider	0	0	*
Health Care Provider	5	5	*
Court / Criminal Justice	0	0	0
Other	17	13	17
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	30	30	34
Civil	0	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

SCOTLAND COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol		36.5	34.7
Cigarettes		22.1	22.5
Chewing Tobacco		11.6	12.6
Marijuana		5.8	5.8
Inhalants		3.5	4.1
Prescription medications not prescribed for student		7.0	9.9
Over-the-counter medications for non-medical use		3.5	4.1
Methamphetamine		1.2	0.0
Cocaine		1.2	0.0
Heroin		2.4	0.8
Hallucinogens		2.4	2.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.2	3.5
Steroids not prescribed for student		1.2	0.8
Synthetic drugs (K2, bath salts, Spice, etc)		7.0	
Average age of students' first use of:			
Alcohol		12.25	12.63
Cigarettes		11.94	12.90
Marijuana		13.06	12.96
Inhalants			11.91
Percent of students who, in past 30 days, used:			
Alcohol		16.5	19.0
Alcohol (Binge: 5+ drinks on one occassion)		12.9	11.7
Cigarettes		12.9	12.5
Chewing Tobacco		5.8	5.9
Marijuana		1.2	3.3
Inhalants		1.2	0.8
Prescription medications not prescribed for student		3.5	9.1
Over-the-counter medications for non-medical use		2.3	3.3
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol		49.4	61.7
Cigarettes		44.7	50.4
Marijuana		15.1	15.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.1	10.1
Percent who would likely use, if offered by a best friend:			
Alcohol		30.2	36.1
Cigarettes		15.1	14.0
Marijuana		5.8	7.5
Percent who say it would be wrong to use:			
Alcohol		55.8	57.5
Cigarettes		75.3	76.7
Marijuana		89.4	88.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		98.8	95.7
Percent whose parents would disapprove if they use:			
Alcohol		80.0	71.2
Cigarettes		91.8	86.3
Marijuana		96.4	96.7
Percent who say it would be easy to obtain:			
Alcohol		55.8	64.7
Cigarettes		54.1	61.7
Marijuana		23.5	21.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.0	12.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)		68.6	83.9
Cigarettes (1+ packs per day)			
Cigarettes (any use)		70.6	80.7
Marijuana (once or twice a week)			
Marijuana (any use)		79.1	64.2
Other: Cocaine, LSD, Meth, Club Drug (any use)		91.8	95.8
Percent of students who, in past 30 days:			
Were very sad		16.3	31.4
Were grouchy, irritable, or in a bad mood		22.1	27.7
Felt hopeless about the future		8.2	16.0
Felt like not eating or eating more than usual		12.8	26.7
Slept a lot more or a lot less than usual		22.1	24.8
Had difficulty concentrating on school work		24.4	24.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide		10.5	10.7
Made plan about how they would attempt suicide		10.5	7.4
Attempted suicide		7.0	5.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		2.3	2.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school		4.7	7.5
Were in a physical fight		15.3	16.7
Were in a fight and had to be treated by a doctor or nurse		3.5	3.3
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school		47.7	53.3
Were made fun of by others		62.4	64.2
Were victims of an embarrassing or hurtful text message or something posted on the internet		22.1	17.5
Spread mean rumors or lies about other kids at school		21.2	30.0
Made fun of other people		57.0	72.7
Posted something on the internet or sent a text that might embarrass or hurt another student		7.1	12.5
Percent of students who agree that:			
Teachers notice and comment on student's good work		62.4	74.2
School provides feedback to parents on positive student performance		37.6	31.4
Rules are enforced fairly		54.7	70.0
Students of all races/ethnicities are treated equal		85.9	79.7
Percent of students who agree that:			
Parents notice and comment on student's good work		85.9	87.4
Parents involve student in making family decisions		64.7	71.4
It is important to be honest with parents regardless of consequences		88.1	81.0
Student could ask parent for help with a personal problem		76.5	75.2

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SCOTT COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	20
POPULATION	
Census 2010	39,191
2014 Estimate	38,903

BIRTH RISK	2013	2012	2011
Resident Births--Total	524	512	529
Mother Reported Smoking while Pregnant	142	146	155

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	0	0	3
Hepatitis C Chronic and Acute	38	30	19
Tuberculosis Infection Cases	1	8	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	446	422	421
Suicides	7	9	6
Self-inflicted Injuries	73	82	77
Homicides	2	2	2
Assault Injuries	184	162	178
Alcohol Induced Deaths	2	3	2
Drug Induced Deaths	11	8	6
Smoking Attributable Deaths	108	78	78

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	470	428	464
Mental Illness Secondary Diagnosis	928	681	963
Alcohol Principal Diagnosis	17	30	30
Alcohol Secondary Diagnosis	75	88	97
Drug Principal Diagnosis	32	19	30
Drug Secondary Diagnosis	69	76	107
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	60	58	32
Mental Illness Secondary Diagnosis	621	733	404
Alcohol Principal Diagnosis	22	20	13
Alcohol Secondary Diagnosis	57	77	64
Drug Principal Diagnosis	17	8	4
Drug Secondary Diagnosis	45	61	28
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	462	436	369
Mental Illness Secondary Diagnosis	580	1,044	495
Alcohol Principal Diagnosis	65	72	75
Alcohol Secondary Diagnosis	63	84	91
Drug Principal Diagnosis	59	60	53
Drug Secondary Diagnosis	67	68	77

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	42	42	44
Alcohol Package Carry-out Licenses	44	42	41

EMPLOYMENT	2014	2013	2012
Labor Force	19,797	20,785	20,252
Employed	18,489	19,445	18,909
Unemployed	1,308	1,340	1,343
Unemployment Rate	6.6%	6.4%	6.6%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	46	34	46
Fatal Crashes	2	3	2
Injury Crashes	20	16	16
Property Damage Crashes	24	15	28
Crash Fatalities	3	3	2
Crash Injuries	31	28	17
Drug Involved Crashes--Total	17	15	20
Fatal Crashes	0	0	1
Injury Crashes	7	3	8
Property Damage Crashes	10	12	11
Crash Fatalities	0	0	1
Crash Injuries	8	5	7

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	204	253	259
Liquor Law Arrests	49	75	77
Drug Arrests	262	277	313
Violent Offenses	394	457	335
Property Offenses	1,364	1,288	1,150
Domestic Violence Reports	585	659	607
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	6	7	19

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,950	2,002	1,992
Drop-outs	10	9	13
Drop-out Rate	0.5%	0.4%	0.7%
School Discipline Involving Alcohol	1	5	5
School Discipline Involving Drugs	16	3	16
School Discipline Involving Tobacco	3	6	3

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	78	72	55
Juvenile Alcohol Offenses	15	19	23
Juvenile Drug Offenses	17	29	26
School Truancy Status Offense	251	161	101
Absent from Home Status Offense	16	28	22
Beyond Parental Control Status Offense	13	10	10
Injurious Behavior Status Offense	38	28	41
Child Abuse	8	6	2
Child Neglect	77	53	56
Child Custody Issues	1	0	8

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	76	40	55
Parental Alcohol Use Related	1	5	0
Parental Drug Use Related	32	8	21
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	68	68	60
Probation/Parole Admissions--Drug	157	156	186
Probation/Parole Admissions--DWI	17	20	19
Prison Admissions--Drug	58	77	86
Prison Admissions--DWI	4	6	7

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SCOTT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	68	57	55
CSTAR Adolescent	19	30	25
CSTAR Women and Children	20	36	31
CSTAR General Adult	253	228	148
CSTAR Opioid	0	0	*
Primary Recovery Treatment	8	39	137
Clinical SATOP (CIP, YCIP, SROP)	26	34	42
Other Substance Abuse Treatment	*	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	131	186	188
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	58	81	86
- Weekend Intervention Program	38	44	54
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	*	*
Compulsive Gambling	0	0	0
Recovery Supports	295	195	241
Early Intervention	0	*	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	438	412	441
AGE			
Under 18	19	30	29
18 to 24	83	92	82
25 to 29	80	70	81
30 to 34	71	70	75
35 to 39	46	33	38
40 to 44	43	43	45
45 to 54	65	55	71
55 and Over	31	19	20
GENDER			
Male	330	318	330
Female	108	94	111
RACE / ETHNICITY			
Caucasian	331	316	318
African American	99	83	116
Native American / Alaskan	0	*	*
Asian / Pacific Islander	*	0	0
Hispanic	7	6	6
Other Race / Two or More Races	6	8	*
EDUCATION			
Less than High School Diploma	130	132	170
High School Graduate or G.E.D.	229	210	213
Associate Degree or Some College	78	69	57
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	136	110	122
Unemployed	166	166	169
Not in Labor Force	136	136	150
HOUSING / LIVING ARRANGEMENT			
Independent Living	378	316	348
Dependent Living	40	69	74
Homeless	13	11	*
MARITAL / FAMILY STATUS			
Never Married	229	212	224
Married / Cohabitating	113	107	115
Previously Married	96	93	102

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	140	136	149
Marijuana / Hashish	143	137	163
Cocaine (total)	22	22	32
- Crack	11	10	21
Stimulant (total)	79	62	40
- Methamphetamine	73	59	37
Heroin	5	8	6
Analgesic except Heroin	39	31	34
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	0	*	*
Tranquilizer	8	10	11
Inhalant	0	*	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	17.9	17.4	17.0
INJECTION DRUG USE			
Any Injection Use at Admission	43	43	30
- Daily Injection Use	7	6	*
- Weekly Injection Use	10	13	7
- Less than Weekly Injection Use	26	24	19
LIFETIME DUI / DWI ARRESTS			
0	256	221	247
1 or 2	117	120	120
3 or More	65	71	74
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	91	91	54
School	0	0	*
Mental Health Provider	6	0	*
Health Care Provider	20	14	12
Court / Criminal Justice	271	231	325
Other Referral Source	43	67	42
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	6	6	7
Military Veteran	22	30	28
Special Education Services Needed	23	25	38
Co-Occurring Psychological Problem	157	140	86
Co-Occurring Developmental Problem	14	8	9

SCOTT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	20
CENSUS 2010	39,191
2014 POPULATION ESTIMATE	38,903

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	50	53	81
Anxiety Disorder	221	234	254
Dementia	*	*	*
Developmental Disorder	6	9	11
Impulse Control Disorder	133	149	170
Mood Disorder	601	571	570
Personality Disorder	70	76	91
Psychotic Disorder	155	149	156
Sexual Disorder	0	*	0
Other Diagnosis	57	68	91
Diagnosis Unknown	61	100	118

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	995	1,026	1,035
AGE			
Under 6	7	8	18
6 to 9	49	49	54
10 to 13	70	86	89
14 to 17	91	107	122
18 to 24	90	100	92
25 to 29	100	92	87
30 to 34	98	93	89
35 to 39	81	94	72
40 to 44	77	83	81
45 to 49	79	84	97
50 to 54	108	93	107
55 to 59	72	66	66
60 and Over	73	71	61
Age Unknown	0	0	0
GENDER			
Male	422	459	486
Female	573	567	549
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	766	798	812
African American	188	182	172
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	*	*
Hispanic	16	25	18
Other Race	22	19	29
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	21	29	30
Past or Current Military Service	20	25	22

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	414	405	153
High School Grad or G.E.D.	0	0	99
Associate Degree or Some College	0	*	17
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	581	620	764
EMPLOYMENT			
Employed	67	54	21
Unemployed	79	86	194
Not in Labor Force	580	553	98
Employment Status Unknown	269	333	722
HOUSING / LIVING ARRANGEMENT			
Independent Living	541	444	235
Dependent Living	272	334	100
Homeless	18	12	10
Other	0	0	5
Housing Unknown	164	236	685
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	445	421	459
School	19	31	25
Mental Health Provider	95	111	94
Health Care Provider	161	159	137
Court / Criminal Justice	48	50	54
Other	224	251	263
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	987	1,017	1,024
Civil	*	*	*
Criminal	5	6	5
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

SCOTT COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	32.4	37.8	50.0
Cigarettes	20.3	29.0	35.4
Chewing Tobacco	9.3	16.8	20.3
Marijuana	11.3	7.7	22.2
Inhalants	4.3	9.0	9.4
Prescription medications not prescribed for student	9.0	7.2	17.6
Over-the-counter medications for non-medical use	4.6	5.3	9.1
Methamphetamine	0.9	0.7	0.4
Cocaine	1.5	2.0	1.2
Heroin	0.0	0.0	0.2
Hallucinogens	0.7	1.9	2.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	1.2	2.5
Steroids not prescribed for student	0.7	0.9	1.8
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	5.8	
Average age of students' first use of:			
Alcohol	12.40	12.21	12.53
Cigarettes	12.49	11.27	12.27
Marijuana	13.85	13.32	14.06
Inhalants	12.23	10.75	13.05
Percent of students who, in past 30 days, used:			
Alcohol	11.0	13.5	24.9
Alcohol (Binge: 5+ drinks on one occassion)		6.0	15.6
Cigarettes	7.4	15.7	19.2
Chewing Tobacco	5.4	10.6	11.2
Marijuana	6.1	4.8	9.5
Inhalants	3.0	0.8	4.6
Prescription medications not prescribed for student	5.3	3.3	11.6
Over-the-counter medications for non-medical use	1.7	3.3	6.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	3.5		
Percent whose friends used in past 12 months:			
Alcohol	40.7	53.7	63.9
Cigarettes	33.5	42.4	54.7
Marijuana	26.5	25.9	43.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8	10.7	20.8
Percent who would likely use, if offered by a best friend:			
Alcohol	23.1	26.3	36.9
Cigarettes	9.9	10.9	19.2
Marijuana	11.0	6.4	15.7
Percent who say it would be wrong to use:			
Alcohol	70.9	62.1	54.3
Cigarettes	84.1	76.5	72.1
Marijuana	86.6	86.1	76.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	96.1	91.7
Percent whose parents would disapprove if they use:			
Alcohol	88.0	77.2	75.7
Cigarettes	95.2	87.1	87.3
Marijuana	94.5	89.5	93.5
Percent who say it would be easy to obtain:			
Alcohol	39.7	58.1	60.1
Cigarettes	35.9	51.6	60.2
Marijuana	26.5	31.2	43.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.5	17.1	22.4

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	53.1		
Alcohol (Binge: 5+ drinks once or twice a week)	69.4		
Alcohol (any use)		72.4	71.2
Cigarettes (1+ packs per day)	82.4		
Cigarettes (any use)		73.9	74.7
Marijuana (once or twice a week)	66.3		
Marijuana (any use)		77.3	71.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.0	95.1	90.3
Percent of students who, in past 30 days:			
Were very sad	18.8	22.6	19.6
Were grouchy, irritable, or in a bad mood	23.4	27.1	25.8
Felt hopeless about the future	8.5	9.2	13.0
Felt like not eating or eating more than usual	15.4	22.2	18.3
Slept a lot more or a lot less than usual	17.8	23.4	26.3
Had difficulty concentrating on school work	22.5	25.0	24.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.1	12.5	12.8
Made plan about how they would attempt suicide	7.6	7.2	9.6
Attempted suicide	2.4	5.3	7.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.9	0.9	3.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.3	5.5	10.2
Were in a physical fight	22.9	23.0	25.3
Were in a fight and had to be treated by a doctor or nurse	3.9	2.3	5.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	53.0	53.1	57.7
Were made fun of by others	61.2	63.3	69.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	27.2	19.5	19.2
Spread mean rumors or lies about other kids at school	24.4	35.6	28.1
Made fun of other people	53.0	61.0	71.7
Posted something on the internet or sent a text that might embarrass or hurt another student	18.8	13.4	15.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.5	70.5	65.9
School provides feedback to parents on positive student performance	37.1	32.0	35.3
Rules are enforced fairly	67.9	62.8	46.2
Students of all races/ethnicities are treated equal	73.4	80.8	60.2
Percent of students who agree that:			
Parents notice and comment on student's good work	85.2	83.0	82.2
Parents involve student in making family decisions	69.9	70.9	69.2
It is important to be honest with parents regardless of consequences	87.9	88.0	83.2
Student could ask parent for help with a personal problem	81.4	75.2	78.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SHANNON COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	8,441
2014 Estimate	8,329

BIRTH RISK	2013	2012	2011
Resident Births--Total	94	103	80
Mother Reported Smoking while Pregnant	27	23	24

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	9	9	2
Tuberculosis Infection Cases	0	1	3

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	102	91	91
Suicides	1	1	0
Self-inflicted Injuries	11	8	12
Homicides	0	0	1
Assault Injuries	21	20	22
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	2	0
Smoking Attributable Deaths	23	17	16

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	60	59	70
Mental Illness Secondary Diagnosis	144	130	182
Alcohol Principal Diagnosis	3	6	2
Alcohol Secondary Diagnosis	9	17	9
Drug Principal Diagnosis	24	8	8
Drug Secondary Diagnosis	10	14	13
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	12	7	3
Mental Illness Secondary Diagnosis	79	64	25
Alcohol Principal Diagnosis	1	1	1
Alcohol Secondary Diagnosis	6	6	2
Drug Principal Diagnosis	2	3	0
Drug Secondary Diagnosis	8	4	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	52	49	53
Mental Illness Secondary Diagnosis	138	138	165
Alcohol Principal Diagnosis	11	9	6
Alcohol Secondary Diagnosis	13	7	17
Drug Principal Diagnosis	7	9	9
Drug Secondary Diagnosis	11	10	12

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	8	10	7
Alcohol Package Carry-out Licenses	15	15	15

EMPLOYMENT	2014	2013	2012
Labor Force	3,404	3,485	3,067
Employed	3,082	3,187	2,743
Unemployed	322	298	324
Unemployment Rate	9.5%	8.6%	10.6%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	12	12	9
Fatal Crashes	2	0	0
Injury Crashes	5	6	8
Property Damage Crashes	5	6	1
Crash Fatalities	2	0	0
Crash Injuries	9	11	12
Drug Involved Crashes--Total	1	1	1
Fatal Crashes	0	0	0
Injury Crashes	1	1	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	1	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	27	44	48
Liquor Law Arrests	11	17	20
Drug Arrests	105	134	90
Violent Offenses	21	32	11
Property Offenses	95	131	144
Domestic Violence Reports	11	31	19
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	1	1

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	240	222	246
Drop-outs	0	0	0
Drop-out Rate	0.0%	0.0%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	6	7	1
Juvenile Alcohol Offenses	1	0	1
Juvenile Drug Offenses	2	2	1
School Truancy Status Offense	14	4	12
Absent from Home Status Offense	0	2	1
Beyond Parental Control Status Offense	2	6	9
Injurious Behavior Status Offense	3	10	5
Child Abuse	3	1	0
Child Neglect	5	3	10
Child Custody Issues	4	8	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	4	0	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	12	12	18
Probation/Parole Admissions--DWI	0	5	4
Prison Admissions--Drug	6	7	8
Prison Admissions--DWI	2	3	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SHANNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	9	12	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	19	16	12
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	5	7
Clinical SATOP (CIP, YCIP, SROP)	*	*	9
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	24	21	27
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	12	18	12
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	31	36	30
AGE			
Under 18	*	*	*
18 to 24	7	11	*
25 to 29	6	6	8
30 to 34	5	10	8
35 to 39	5	*	*
40 to 44	*	*	*
45 to 54	*	*	*
55 and Over	*	0	*
GENDER			
Male	19	18	21
Female	12	18	9
RACE / ETHNICITY			
Caucasian	31	36	30
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	9	17	13
High School Graduate or G.E.D.	14	13	10
Associate Degree or Some College	7	5	7
Bachelor or Advanced Degree	*	*	0
EMPLOYMENT			
Employed	*	*	*
Unemployed	15	13	15
Not in Labor Force	15	21	11
HOUSING / LIVING ARRANGEMENT			
Independent Living	27	30	26
Dependent Living	*	*	*
Homeless	0	*	*
MARITAL / FAMILY STATUS			
Never Married	11	17	17
Married / Cohabitating	8	14	9
Previously Married	12	5	*

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	9	7	11
Marijuana / Hashish	6	6	9
Cocaine (total)	0	0	*
- Crack	0	0	0
Stimulant (total)	7	12	*
- Methamphetamine	7	12	*
Heroin	0	0	0
Analgesic except Heroin	8	10	5
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	*	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	17.5	19.2	17.2
INJECTION DRUG USE			
Any Injection Use at Admission	9	13	*
- Daily Injection Use	*	5	*
- Weekly Injection Use	*	5	*
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	22	26	13
1 or 2	5	*	12
3 or More	*	6	5
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	12	15	*
School	0	0	0
Mental Health Provider	0	*	*
Health Care Provider	*	*	*
Court / Criminal Justice	6	9	20
Other Referral Source	10	6	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	0	0
Military Veteran	*	0	*
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	15	10	11
Co-Occurring Developmental Problem	*	*	*

SHANNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	18
CENSUS 2010	8,441
2014 POPULATION ESTIMATE	8,329

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	8	5	*
Anxiety Disorder	43	47	26
Dementia	*	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	15	18	16
Mood Disorder	70	83	65
Personality Disorder	*	*	*
Psychotic Disorder	7	8	7
Sexual Disorder	0	0	0
Other Diagnosis	7	5	5
Diagnosis Unknown	9	*	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	103	112	89
AGE			
Under 6	0	0	0
6 to 9	*	*	0
10 to 13	*	*	11
14 to 17	8	8	6
18 to 24	9	12	7
25 to 29	11	10	*
30 to 34	11	17	11
35 to 39	7	9	8
40 to 44	13	12	7
45 to 49	15	8	15
50 to 54	9	15	9
55 to 59	8	10	*
60 and Over	8	7	7
Age Unknown	0	0	0
GENDER			
Male	50	49	36
Female	53	63	53
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	101	109	87
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	*	*	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	8	12	11
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	28	23	19
High School Grad or G.E.D.	0	0	7
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	75	89	61
EMPLOYMENT			
Employed	8	20	10
Unemployed	11	18	22
Not in Labor Force	57	54	12
Employment Status Unknown	27	20	45
HOUSING / LIVING ARRANGEMENT			
Independent Living	51	74	37
Dependent Living	16	13	7
Homeless	*	*	*
Other	0	0	0
Housing Unknown	34	24	43
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	59	72	38
School	0	0	0
Mental Health Provider	*	*	*
Health Care Provider	33	30	37
Court / Criminal Justice	*	*	*
Other	8	5	12
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	103	110	89
Civil	0	*	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

SHANNON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	52.5	61.0	64.9
Cigarettes	52.0	46.1	48.7
Chewing Tobacco	19.8	31.2	34.6
Marijuana	30.4	17.0	15.8
Inhalants	1.2	9.2	5.2
Prescription medications not prescribed for student	25.0	21.3	14.9
Over-the-counter medications for non-medical use	0.0	6.4	5.4
Methamphetamine	5.0	0.0	1.1
Cocaine	0.0	0.0	1.1
Heroin	0.0	0.0	0.0
Hallucinogens	5.0	2.8	1.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	7.4	1.4	1.6
Steroids not prescribed for student	0.0	1.4	0.0
Synthetic drugs (K2, bath salts, Spice, etc)	11.3	9.3	
Average age of students' first use of:			
Alcohol	12.93	12.13	11.80
Cigarettes	12.09	11.77	11.92
Marijuana	14.24	13.27	13.91
Inhalants	11.00	13.46	11.51
Percent of students who, in past 30 days, used:			
Alcohol	16.3	26.2	34.0
Alcohol (Binge: 5+ drinks on one occassion)		18.4	20.8
Cigarettes	32.0	22.7	28.6
Chewing Tobacco	19.8	14.9	22.9
Marijuana	18.8	8.5	6.9
Inhalants	0.0	4.3	3.6
Prescription medications not prescribed for student	12.5	17.0	10.6
Over-the-counter medications for non-medical use	0.0	5.7	5.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	1.3		
Percent whose friends used in past 12 months:			
Alcohol	35.8	74.5	77.1
Cigarettes	43.2	70.9	68.1
Marijuana	32.1	38.6	31.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.6	11.3	12.5
Percent who would likely use, if offered by a best friend:			
Alcohol	25.9	37.6	50.3
Cigarettes	39.2	29.8	28.3
Marijuana	29.6	13.5	9.7
Percent who say it would be wrong to use:			
Alcohol	63.3	49.6	44.5
Cigarettes	53.1	68.1	69.1
Marijuana	76.3	83.0	86.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	100.0	96.8
Percent whose parents would disapprove if they use:			
Alcohol	91.4	81.6	77.9
Cigarettes	83.8	87.9	88.6
Marijuana	95.0	97.9	96.3
Percent who say it would be easy to obtain:			
Alcohol	38.8	71.6	66.8
Cigarettes	45.0	70.9	73.9
Marijuana	29.6	36.9	40.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	20.9	19.0

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	42.5		
Alcohol (Binge: 5+ drinks once or twice a week)	51.9		
Alcohol (any use)		78.7	82.2
Cigarettes (1+ packs per day)	75.3		
Cigarettes (any use)		75.2	72.8
Marijuana (once or twice a week)	50.0		
Marijuana (any use)		77.0	74.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	90.1	98.6	93.6
Percent of students who, in past 30 days:			
Were very sad	35.0	31.2	16.7
Were grouchy, irritable, or in a bad mood	19.8	33.1	20.9
Felt hopeless about the future	2.5	19.1	11.2
Felt like not eating or eating more than usual	5.0	32.6	13.3
Slept a lot more or a lot less than usual	11.3	26.2	16.7
Had difficulty concentrating on school work	8.6	24.1	27.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.0	17.7	13.1
Made plan about how they would attempt suicide	10.7	12.2	9.4
Attempted suicide	1.3	8.5	9.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	0.0	1.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	13.0	4.3	14.3
Were in a physical fight	24.1	20.6	27.2
Were in a fight and had to be treated by a doctor or nurse	0.0	0.0	4.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.0	58.9	55.3
Were made fun of by others	55.0	70.9	77.0
Were victims of an embarrassing or hurtful text message or something posted on the internet	21.3	21.3	25.9
Spread mean rumors or lies about other kids at school	26.6	24.8	35.3
Made fun of other people	36.7	59.6	80.2
Posted something on the internet or sent a text that might embarrass or hurt another student	11.4	16.4	25.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	82.5	83.7	83.6
School provides feedback to parents on positive student performance	75.3	31.7	51.3
Rules are enforced fairly	81.3	61.7	67.2
Students of all races/ethnicities are treated equal	83.8	70.9	80.4
Percent of students who agree that:			
Parents notice and comment on student's good work	87.5	83.0	88.9
Parents involve student in making family decisions	72.8	73.0	69.1
It is important to be honest with parents regardless of consequences	92.5	87.2	90.4
Student could ask parent for help with a personal problem	80.0	75.9	84.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SHELBY COUNTY

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	6,373
2014 Estimate	6,108

BIRTH RISK	2013	2012	2011
Resident Births--Total	64	69	80
Mother Reported Smoking while Pregnant	14	13	24

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	1
Hepatitis C Chronic and Acute	0	2	3
Tuberculosis Infection Cases	1	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	85	78	81
Suicides	0	0	2
Self-inflicted Injuries	2	3	5
Homicides	0	0	0
Assault Injuries	8	10	11
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	10	11	12

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	22	37	30
Mental Illness Secondary Diagnosis	86	104	142
Alcohol Principal Diagnosis	0	0	2
Alcohol Secondary Diagnosis	8	7	17
Drug Principal Diagnosis	0	0	2
Drug Secondary Diagnosis	1	4	4
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	12	12	10
Mental Illness Secondary Diagnosis	75	67	27
Alcohol Principal Diagnosis	0	4	0
Alcohol Secondary Diagnosis	8	4	5
Drug Principal Diagnosis	1	3	4
Drug Secondary Diagnosis	4	2	1
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	24	19	30
Mental Illness Secondary Diagnosis	35	40	54
Alcohol Principal Diagnosis	3	6	6
Alcohol Secondary Diagnosis	1	2	4
Drug Principal Diagnosis	5	5	6
Drug Secondary Diagnosis	2	0	1

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	6	5	6
Alcohol Package Carry-out Licenses	10	11	8

EMPLOYMENT	2014	2013	2012
Labor Force	3,050	3,106	3,099
Employed	2,864	2,940	2,910
Unemployed	186	166	189
Unemployment Rate	6.1%	5.3%	6.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	4	5	3
Fatal Crashes	0	0	0
Injury Crashes	1	3	1
Property Damage Crashes	3	2	2
Crash Fatalities	0	0	0
Crash Injuries	1	3	1
Drug Involved Crashes--Total	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	17	23	28
Liquor Law Arrests	1	14	9
Drug Arrests	34	55	25
Violent Offenses	4	10	6
Property Offenses	60	39	58
Domestic Violence Reports	20	15	19
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	1	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	316	336	332
Drop-outs	3	2	5
Drop-out Rate	0.9%	0.6%	1.5%
School Discipline Involving Alcohol	0	0	3
School Discipline Involving Drugs	2	0	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	6	6	7
Juvenile Alcohol Offenses	0	4	4
Juvenile Drug Offenses	1	2	0
School Truancy Status Offense	4	8	2
Absent from Home Status Offense	3	0	0
Beyond Parental Control Status Offense	6	6	14
Injurious Behavior Status Offense	11	11	16
Child Abuse	6	27	22
Child Neglect	28	58	64
Child Custody Issues	0	4	5

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	18	8	16
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	10	1	3
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	13	14	7
Probation/Parole Admissions--DWI	4	1	1
Prison Admissions--Drug	6	5	7
Prison Admissions--DWI	1	3	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SHELBY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	6
CSTAR Adolescent	*	6	*
CSTAR Women and Children	7	5	*
CSTAR General Adult	26	5	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	16	14
Clinical SATOP (CIP, YCIP, SROP)	*	5	5
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	10	21	27
- Adolescent Diversion Education Prograr	0	7	*
- Offender Education Program	*	8	10
- Weekend Intervention Program	*	0	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	42	34	34
AGE			
Under 18	*	6	*
18 to 24	6	5	8
25 to 29	11	*	*
30 to 34	5	10	7
35 to 39	8	*	*
40 to 44	*	*	*
45 to 54	6	*	5
55 and Over	0	*	*
GENDER			
Male	19	19	22
Female	23	15	12
RACE / ETHNICITY			
Caucasian	40	33	33
African American	*	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	0
Other Race / Two or More Races	*	0	*
EDUCATION			
Less than High School Diploma	17	11	14
High School Graduate or G.E.D.	19	19	16
Associate Degree or Some College	6	*	*
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	16	9	10
Unemployed	14	16	14
Not in Labor Force	12	9	10
HOUSING / LIVING ARRANGEMENT			
Independent Living	34	24	27
Dependent Living	8	8	6
Homeless	0	*	0
MARITAL / FAMILY STATUS			
Never Married	19	16	21
Married / Cohabitating	14	6	10
Previously Married	9	12	*

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	11	11	18
Marijuana / Hashish	16	15	5
Cocaine (total)	0	*	0
- Crack	0	0	0
Stimulant (total)	10	5	*
- Methamphetamine	10	5	*
Heroin	0	0	*
Analgesic except Heroin	*	*	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	0	0
Tranquilizer	0	0	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	*
Average Age at First Use of Drug	16.3	16.8	16.6
INJECTION DRUG USE			
Any Injection Use at Admission	*	*	*
- Daily Injection Use	0	*	0
- Weekly Injection Use	0	*	*
- Less than Weekly Injection Use	*	*	*
LIFETIME DUI / DWI ARRESTS			
0	24	21	15
1 or 2	14	6	11
3 or More	*	7	8
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	9	5	6
School	0	0	0
Mental Health Provider	0	0	0
Health Care Provider	0	*	5
Court / Criminal Justice	16	12	17
Other Referral Source	7	11	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	*	*	*
Special Education Services Needed	*	*	*
Co-Occurring Psychological Problem	7	7	11
Co-Occurring Developmental Problem	*	0	*

SHELBY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	14
CENSUS 2010	6,373
2014 POPULATION ESTIMATE	6,108

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	0	*
Anxiety Disorder	22	12	7
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	17	8	9
Mood Disorder	32	25	22
Personality Disorder	*	*	*
Psychotic Disorder	8	12	9
Sexual Disorder	0	0	0
Other Diagnosis	10	8	*
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	48	42	35
AGE			
Under 6	0	*	0
6 to 9	5	*	0
10 to 13	*	*	*
14 to 17	9	6	7
18 to 24	*	*	6
25 to 29	*	*	*
30 to 34	*	0	*
35 to 39	*	*	*
40 to 44	*	*	*
45 to 49	6	5	*
50 to 54	*	*	*
55 to 59	6	7	*
60 and Over	*	*	*
Age Unknown	0	0	0
GENDER			
Male	19	17	17
Female	29	25	18
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	43	39	34
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	0
Other Race	0	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	22	25	12
High School Grad or G.E.D.	0	0	7
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	26	17	13
EMPLOYMENT			
Employed	*	*	*
Unemployed	*	5	18
Not in Labor Force	35	29	*
Employment Status Unknown	8	5	12
HOUSING / LIVING ARRANGEMENT			
Independent Living	18	23	20
Dependent Living	17	13	5
Homeless	0	0	0
Other	0	0	0
Housing Unknown	13	6	10
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	12	13	11
School	0	0	*
Mental Health Provider	0	*	0
Health Care Provider	*	*	5
Court / Criminal Justice	*	*	0
Other	28	20	17
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	46	40	34
Civil	0	*	0
Criminal	*	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

SHELBY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	26.1		32.4
Cigarettes	8.7		18.3
Chewing Tobacco	6.5		16.2
Marijuana	0.0		2.8
Inhalants	0.0		0.7
Prescription medications not prescribed for student	0.0		5.7
Over-the-counter medications for non-medical use	17.0		3.5
Methamphetamine	0.0		0.0
Cocaine	2.2		0.0
Heroin	0.0		0.0
Hallucinogens	13.0		0.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0		0.7
Steroids not prescribed for student	0.0		2.1
Synthetic drugs (K2, bath salts, Spice, etc)	0.0		
Average age of students' first use of:			
Alcohol	11.92		13.37
Cigarettes	10.50		13.26
Marijuana			
Inhalants			
Percent of students who, in past 30 days, used:			
Alcohol	11.1		11.3
Alcohol (Binge: 5+ drinks on one occassion)			7.6
Cigarettes	0.0		9.2
Chewing Tobacco	2.2		7.0
Marijuana	0.0		0.0
Inhalants	0.0		0.0
Prescription medications not prescribed for student	0.0		2.8
Over-the-counter medications for non-medical use	17.0		1.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	0.0		
Percent whose friends used in past 12 months:			
Alcohol	23.9		48.3
Cigarettes	15.2		39.6
Marijuana	7.5		12.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0		7.0
Percent who would likely use, if offered by a best friend:			
Alcohol	23.9		27.1
Cigarettes	0.0		8.4
Marijuana	0.0		2.1
Percent who say it would be wrong to use:			
Alcohol	74.5		70.4
Cigarettes	95.7		87.5
Marijuana	97.8		96.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0		97.9
Percent whose parents would disapprove if they use:			
Alcohol	69.6		84.5
Cigarettes	84.8		95.7
Marijuana	86.7		96.5
Percent who say it would be easy to obtain:			
Alcohol	37.0		50.0
Cigarettes	6.5		50.3
Marijuana	13.0		12.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0		7.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.2		
Alcohol (Binge: 5+ drinks once or twice a week)	65.2		
Alcohol (any use)			90.2
Cigarettes (1+ packs per day)	95.0		
Cigarettes (any use)			84.0
Marijuana (once or twice a week)	73.9		
Marijuana (any use)			75.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	82.6		92.4
Percent of students who, in past 30 days:			
Were very sad	13.0		12.5
Were grouchy, irritable, or in a bad mood	32.6		21.5
Felt hopeless about the future	2.2		11.2
Felt like not eating or eating more than usual	19.6		15.5
Slept a lot more or a lot less than usual	7.5		16.1
Had difficulty concentrating on school work	9.8		28.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	26.1		8.3
Made plan about how they would attempt suicide	2.2		3.5
Attempted suicide	13.0		2.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	13.6		0.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	2.2		6.3
Were in a physical fight	34.8		13.9
Were in a fight and had to be treated by a doctor or nurse	2.2		0.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	54.3		61.3
Were made fun of by others	71.7		79.0
Were victims of an embarrassing or hurtful text message or something posted on the internet	37.0		22.0
Spread mean rumors or lies about other kids at school	54.3		35.7
Made fun of other people	54.3		79.2
Posted something on the internet or sent a text that might embarrass or hurt another student	23.9		16.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.6		75.4
School provides feedback to parents on positive student performance	38.3		42.0
Rules are enforced fairly	89.1		66.0
Students of all races/ethnicities are treated equal	89.1		78.2
Percent of students who agree that:			
Parents notice and comment on student's good work	78.3		81.1
Parents involve student in making family decisions	65.2		61.7
It is important to be honest with parents regardless of consequences	82.6		82.5
Student could ask parent for help with a personal problem	73.9		75.2

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

STODDARD COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	20
POPULATION	
Census 2010	29,968
2014 Estimate	29,867

BIRTH RISK	2013	2012	2011
Resident Births--Total	360	374	361
Mother Reported Smoking while Pregnant	104	97	101

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	1
Hepatitis B Chronic, Acute, Prenatal	0	4	1
Hepatitis C Chronic and Acute	31	32	17
Tuberculosis Infection Cases	2	4	9

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	393	367	409
Suicides	7	4	8
Self-inflicted Injuries	72	64	60
Homicides	1	1	0
Assault Injuries	86	120	91
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	5	9	1
Smoking Attributable Deaths	74	74	85

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	395	398	395
Mental Illness Secondary Diagnosis	616	457	516
Alcohol Principal Diagnosis	8	17	15
Alcohol Secondary Diagnosis	47	29	40
Drug Principal Diagnosis	24	22	24
Drug Secondary Diagnosis	29	28	17
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	58	52	57
Mental Illness Secondary Diagnosis	494	558	544
Alcohol Principal Diagnosis	12	9	13
Alcohol Secondary Diagnosis	31	51	33
Drug Principal Diagnosis	8	13	13
Drug Secondary Diagnosis	19	15	15
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	346	390	373
Mental Illness Secondary Diagnosis	394	482	275
Alcohol Principal Diagnosis	41	38	30
Alcohol Secondary Diagnosis	43	45	37
Drug Principal Diagnosis	44	42	30
Drug Secondary Diagnosis	45	38	37

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	30	30	33
Alcohol Package Carry-out Licenses	26	26	29

EMPLOYMENT	2014	2013	2012
Labor Force	13,017	15,155	14,947
Employed	12,021	14,073	13,825
Unemployed	996	1,082	1,122
Unemployment Rate	7.7%	7.1%	7.5%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	33	39	43
Fatal Crashes	1	2	1
Injury Crashes	15	18	17
Property Damage Crashes	17	19	25
Crash Fatalities	2	2	1
Crash Injuries	23	26	22
Drug Involved Crashes--Total	10	17	21
Fatal Crashes	0	0	1
Injury Crashes	4	8	12
Property Damage Crashes	6	9	8
Crash Fatalities	0	0	1
Crash Injuries	4	11	14

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	192	234	198
Liquor Law Arrests	37	42	27
Drug Arrests	148	114	104
Violent Offenses	51	59	54
Property Offenses	595	665	593
Domestic Violence Reports	157	159	114
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	5	10	7

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,396	1,407	1,412
Drop-outs	20	19	32
Drop-out Rate	1.4%	1.4%	2.3%
School Discipline Involving Alcohol	0	1	1
School Discipline Involving Drugs	11	2	6
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	44	40	42
Juvenile Alcohol Offenses	11	23	29
Juvenile Drug Offenses	14	7	18
School Truancy Status Offense	33	29	36
Absent from Home Status Offense	5	2	4
Beyond Parental Control Status Offense	2	20	32
Injurious Behavior Status Offense	24	13	16
Child Abuse	87	89	72
Child Neglect	161	197	179
Child Custody Issues	124	182	230

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	119	171	204
Parental Alcohol Use Related	6	3	6
Parental Drug Use Related	62	82	98
Parental Alcohol and Drug Use	4	4	12

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	41	40	29
Probation/Parole Admissions--Drug	130	103	116
Probation/Parole Admissions--DWI	30	26	17
Prison Admissions--Drug	58	56	53
Prison Admissions--DWI	16	11	8

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

STODDARD COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	27	35	43
CSTAR Adolescent	13	15	23
CSTAR Women and Children	15	17	12
CSTAR General Adult	156	181	100
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	69	194
Clinical SATOP (CIP, YCIP, SROP)	35	43	33
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	127	150	118
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	39	48	47
- Weekend Intervention Program	20	33	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	*
Recovery Supports	137	158	126
Early Intervention	*	5	41

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	255	327	387
AGE			
Under 18	11	15	26
18 to 24	53	62	73
25 to 29	39	57	72
30 to 34	45	61	71
35 to 39	35	30	54
40 to 44	20	35	29
45 to 54	38	54	52
55 and Over	14	13	10
GENDER			
Male	159	181	254
Female	96	146	133
RACE / ETHNICITY			
Caucasian	250	312	379
African American	*	6	*
Native American / Alaskan	0	0	*
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	0	9	*
EDUCATION			
Less than High School Diploma	75	129	141
High School Graduate or G.E.D.	134	137	201
Associate Degree or Some College	44	60	43
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	70	79	120
Unemployed	111	151	176
Not in Labor Force	74	97	91
HOUSING / LIVING ARRANGEMENT			
Independent Living	220	294	340
Dependent Living	23	28	37
Homeless	7	5	7
MARITAL / FAMILY STATUS			
Never Married	83	127	154
Married / Cohabitating	89	92	115
Previously Married	83	108	118

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	90	106	132
Marijuana / Hashish	70	97	116
Cocaine (total)	0	*	5
- Crack	0	*	*
Stimulant (total)	49	60	58
- Methamphetamine	45	58	56
Heroin	*	*	5
Analgesic except Heroin	37	40	50
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	0	0	*
Tranquilizer	*	16	14
Inhalant	*	0	*
Sedative	*	*	*
Other Medication or Illicit Drug	*	0	*
Average Age at First Use of Drug	17.9	18.5	17.7
INJECTION DRUG USE			
Any Injection Use at Admission	39	37	31
- Daily Injection Use	*	*	7
- Weekly Injection Use	12	11	9
- Less than Weekly Injection Use	23	22	15
LIFETIME DUI / DWI ARRESTS			
0	134	168	218
1 or 2	78	95	115
3 or More	43	64	54
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	58	56	62
School	0	0	0
Mental Health Provider	0	*	*
Health Care Provider	20	12	6
Court / Criminal Justice	121	170	220
Other Referral Source	48	81	97
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	12	9	17
Special Education Services Needed	21	36	36
Co-Occurring Psychological Problem	113	112	135
Co-Occurring Developmental Problem	17	22	15

STODDARD COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	20
CENSUS 2010	29,968
2014 POPULATION ESTIMATE	29,867

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	35	43	44
Anxiety Disorder	159	158	161
Dementia	*	*	*
Developmental Disorder	*	5	8
Impulse Control Disorder	69	72	70
Mood Disorder	352	387	363
Personality Disorder	35	48	65
Psychotic Disorder	76	78	65
Sexual Disorder	*	*	*
Other Diagnosis	43	46	51
Diagnosis Unknown	31	48	50

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	587	627	567
AGE			
Under 6	8	6	*
6 to 9	43	34	41
10 to 13	48	65	45
14 to 17	53	58	62
18 to 24	47	51	49
25 to 29	49	49	49
30 to 34	54	57	49
35 to 39	44	43	36
40 to 44	44	55	42
45 to 49	57	64	67
50 to 54	62	62	45
55 to 59	39	37	34
60 and Over	39	46	46
Age Unknown	0	0	0
GENDER			
Male	249	269	247
Female	338	358	320
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	561	607	549
African American	11	*	6
Native American / Alaskan	*	*	0
Asian / Pacific Islander	0	0	0
Hispanic	*	5	*
Other Race	12	10	9
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	8	9	*
Past or Current Military Service	5	8	5

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	259	268	84
High School Grad or G.E.D.	0	0	55
Associate Degree or Some College	0	0	14
Bachelor or Advanced Degree	0	0	5
Education Level Unknown	328	359	409
EMPLOYMENT			
Employed	34	45	20
Unemployed	33	29	116
Not in Labor Force	394	370	55
Employment Status Unknown	126	183	376
HOUSING / LIVING ARRANGEMENT			
Independent Living	297	252	149
Dependent Living	219	240	57
Homeless	*	*	*
Other	0	0	0
Housing Unknown	69	134	359
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	267	246	225
School	5	6	6
Mental Health Provider	81	100	89
Health Care Provider	94	109	104
Court / Criminal Justice	29	34	45
Other	111	132	98
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	582	624	564
Civil	0	0	*
Criminal	*	*	*
Sexual Predatory	*	*	*
Commitment Type Unknown	0	0	0

STODDARD COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	43.3	49.4	42.3
Cigarettes	31.5	37.8	35.3
Chewing Tobacco	25.3	18.7	18.3
Marijuana	16.0	16.0	12.9
Inhalants	4.3	6.1	10.8
Prescription medications not prescribed for student	12.6	12.2	15.4
Over-the-counter medications for non-medical use	3.7	9.7	9.3
Methamphetamine	0.6	1.3	1.6
Cocaine	1.9	3.6	2.1
Heroin	0.6	0.6	1.0
Hallucinogens	3.1	1.3	3.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.9	2.6
Steroids not prescribed for student	2.1	2.4	1.3
Synthetic drugs (K2, bath salts, Spice, etc)	6.2	9.2	
Average age of students' first use of:			
Alcohol	12.71	12.33	12.51
Cigarettes	12.16	12.10	12.15
Marijuana	13.74	12.98	13.52
Inhalants	11.91	12.26	12.82
Percent of students who, in past 30 days, used:			
Alcohol	17.3	23.8	17.7
Alcohol (Binge: 5+ drinks on one occassion)		14.5	12.4
Cigarettes	14.1	21.1	17.8
Chewing Tobacco	14.0	10.7	8.9
Marijuana	7.4	3.8	6.5
Inhalants	0.9	2.1	4.2
Prescription medications not prescribed for student	5.2	5.7	11.1
Over-the-counter medications for non-medical use	2.1	4.2	5.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.7		
Percent whose friends used in past 12 months:			
Alcohol	56.2	69.4	54.0
Cigarettes	53.3	63.8	52.9
Marijuana	36.4	37.0	27.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	15.0	12.2
Percent who would likely use, if offered by a best friend:			
Alcohol	34.1	40.0	30.3
Cigarettes	17.6	21.4	19.3
Marijuana	13.8	10.6	9.1
Percent who say it would be wrong to use:			
Alcohol	57.1	54.8	61.5
Cigarettes	75.5	72.2	75.3
Marijuana	77.1	83.9	86.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	96.4	96.1
Percent whose parents would disapprove if they use:			
Alcohol	77.8	83.0	81.8
Cigarettes	85.9	91.8	88.5
Marijuana	90.9	97.7	95.1
Percent who say it would be easy to obtain:			
Alcohol	63.0	66.3	49.6
Cigarettes	61.3	69.6	54.4
Marijuana	38.2	37.2	26.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.0	19.3	12.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	48.2		
Alcohol (Binge: 5+ drinks once or twice a week)	56.2		
Alcohol (any use)		71.2	79.7
Cigarettes (1+ packs per day)	77.5		
Cigarettes (any use)		75.3	80.1
Marijuana (once or twice a week)	64.4		
Marijuana (any use)		69.6	78.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	90.0	93.6	94.6
Percent of students who, in past 30 days:			
Were very sad	21.5	18.1	19.7
Were grouchy, irritable, or in a bad mood	31.9	26.7	26.1
Felt hopeless about the future	13.9	13.4	12.5
Felt like not eating or eating more than usual	19.8	20.4	18.3
Slept a lot more or a lot less than usual	21.5	22.3	25.2
Had difficulty concentrating on school work	22.4	24.3	27.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	8.8	10.4	11.5
Made plan about how they would attempt suicide	7.9	5.5	8.2
Attempted suicide	4.5	5.1	5.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	3.1	2.6	2.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.4	5.9	7.4
Were in a physical fight	23.2	27.2	22.9
Were in a fight and had to be treated by a doctor or nurse	3.0	6.1	3.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	57.2	58.6	60.0
Were made fun of by others	64.9	61.6	66.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.1	20.9	20.2
Spread mean rumors or lies about other kids at school	29.6	25.4	31.6
Made fun of other people	60.2	58.2	67.3
Posted something on the internet or sent a text that might embarrass or hurt another student	20.5	10.5	13.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	71.7	73.5	75.8
School provides feedback to parents on positive student performance	39.8	44.8	43.1
Rules are enforced fairly	58.0	60.7	68.2
Students of all races/ethnicities are treated equal	79.5	82.2	79.9
Percent of students who agree that:			
Parents notice and comment on student's good work	80.1	86.8	85.6
Parents involve student in making family decisions	62.6	72.5	73.1
It is important to be honest with parents regardless of consequences	84.0	88.2	88.4
Student could ask parent for help with a personal problem	73.4	79.0	77.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

STONE COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	32,202
2014 Estimate	31,104

BIRTH RISK	2013	2012	2011
Resident Births--Total	268	253	246
Mother Reported Smoking while Pregnant	67	56	69

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	3
Hepatitis B Chronic, Acute, Prenatal	2	0	0
Hepatitis C Chronic and Acute	20	14	18
Tuberculosis Infection Cases	4	3	3

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	409	355	337
Suicides	9	5	7
Self-inflicted Injuries	25	28	24
Homicides	1	1	1
Assault Injuries	36	50	55
Alcohol Induced Deaths	1	2	1
Drug Induced Deaths	2	4	6
Smoking Attributable Deaths	81	63	67

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	126	120	112
Mental Illness Secondary Diagnosis	269	294	287
Alcohol Principal Diagnosis	5	10	2
Alcohol Secondary Diagnosis	24	20	17
Drug Principal Diagnosis	8	10	8
Drug Secondary Diagnosis	17	15	18
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	112	110	101
Mental Illness Secondary Diagnosis	632	547	560
Alcohol Principal Diagnosis	31	26	33
Alcohol Secondary Diagnosis	59	70	74
Drug Principal Diagnosis	29	25	27
Drug Secondary Diagnosis	49	50	38
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	158	176	170
Mental Illness Secondary Diagnosis	968	874	471
Alcohol Principal Diagnosis	41	50	47
Alcohol Secondary Diagnosis	94	112	123
Drug Principal Diagnosis	55	55	44
Drug Secondary Diagnosis	83	104	97

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	38	41	39
Alcohol Package Carry-out Licenses	45	46	44

EMPLOYMENT	2014	2013	2012
Labor Force	13,423	15,056	14,955
Employed	12,145	13,720	13,459
Unemployed	1,278	1,336	1,496
Unemployment Rate	9.5%	8.9%	10.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	36	49	53
Fatal Crashes	0	4	3
Injury Crashes	16	25	23
Property Damage Crashes	20	20	27
Crash Fatalities	0	4	4
Crash Injuries	17	32	34
Drug Involved Crashes--Total	9	3	4
Fatal Crashes	1	0	0
Injury Crashes	6	1	2
Property Damage Crashes	2	2	2
Crash Fatalities	2	0	0
Crash Injuries	7	1	2

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	222	153	143
Liquor Law Arrests	12	13	11
Drug Arrests	165	195	146
Violent Offenses	146	133	91
Property Offenses	594	638	693
Domestic Violence Reports	398	408	404
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	8	15

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,236	1,258	1,300
Drop-outs	16	18	32
Drop-out Rate	1.3%	1.4%	2.5%
School Discipline Involving Alcohol	2	3	6
School Discipline Involving Drugs	16	23	21
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	35	18	26
Juvenile Alcohol Offenses	0	2	1
Juvenile Drug Offenses	11	9	13
School Truancy Status Offense	0	1	1
Absent from Home Status Offense	16	6	14
Beyond Parental Control Status Offense	8	2	14
Injurious Behavior Status Offense	16	9	19
Child Abuse	13	12	20
Child Neglect	30	51	46
Child Custody Issues	52	39	38

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	56	46	39
Parental Alcohol Use Related	2	0	1
Parental Drug Use Related	29	20	11
Parental Alcohol and Drug Use	0	6	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	141	140	117
Probation/Parole Admissions--Drug	105	80	80
Probation/Parole Admissions--DWI	7	12	14
Prison Admissions--Drug	50	35	42
Prison Admissions--DWI	1	3	4

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

STONE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	51	40	37
CSTAR Adolescent	7	*	*
CSTAR Women and Children	7	13	6
CSTAR General Adult	18	25	13
CSTAR Opioid	0	0	0
Primary Recovery Treatment	57	47	59
Clinical SATOP (CIP, YCIP, SROP)	14	29	11
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	118	97	96
- Adolescent Diversion Education Prograr	*	*	0
- Offender Education Program	48	28	29
- Weekend Intervention Program	32	20	23
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	12	24	*
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	133	142	127
AGE			
Under 18	9	*	*
18 to 24	15	27	29
25 to 29	19	20	30
30 to 34	25	30	19
35 to 39	21	15	6
40 to 44	19	9	12
45 to 54	20	23	15
55 and Over	5	15	13
GENDER			
Male	88	97	79
Female	45	45	48
RACE / ETHNICITY			
Caucasian	133	139	123
African American	0	0	*
Native American / Alaskan	0	*	*
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	0	*	*
EDUCATION			
Less than High School Diploma	59	44	41
High School Graduate or G.E.D.	47	71	58
Associate Degree or Some College	25	26	26
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	28	52	30
Unemployed	69	58	77
Not in Labor Force	36	32	20
HOUSING / LIVING ARRANGEMENT			
Independent Living	106	124	107
Dependent Living	14	12	11
Homeless	8	6	8
MARITAL / FAMILY STATUS			
Never Married	54	57	65
Married / Cohabitating	41	43	35
Previously Married	38	42	27

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	55	66	58
Marijuana / Hashish	22	14	21
Cocaine (total)	0	0	*
- Crack	0	0	0
Stimulant (total)	31	32	21
- Methamphetamine	31	30	21
Heroin	*	*	*
Analgesic except Heroin	19	23	20
- Non-Prescription Methadone	*	*	*
PCP, LSD, other Hallucinogen	*	0	*
Tranquilizer	*	*	*
Inhalant	0	*	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	17.5	17.9	16.1
INJECTION DRUG USE			
Any Injection Use at Admission	26	28	31
- Daily Injection Use	8	6	5
- Weekly Injection Use	8	8	10
- Less than Weekly Injection Use	10	14	16
LIFETIME DUI / DWI ARRESTS			
0	67	60	60
1 or 2	44	55	47
3 or More	22	27	20
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	73	61	63
School	*	0	0
Mental Health Provider	*	*	0
Health Care Provider	*	*	5
Court / Criminal Justice	43	67	51
Other Referral Source	12	11	6
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	*	0
Military Veteran	8	9	8
Special Education Services Needed	8	*	*
Co-Occurring Psychological Problem	36	29	29
Co-Occurring Developmental Problem	5	*	0

STONE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	10
CENSUS 2010	32,202
2014 POPULATION ESTIMATE	31,104

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	8	8	13
Anxiety Disorder	52	42	42
Dementia	0	0	0
Developmental Disorder	6	*	*
Impulse Control Disorder	17	21	23
Mood Disorder	94	83	87
Personality Disorder	20	16	22
Psychotic Disorder	27	24	30
Sexual Disorder	0	0	0
Other Diagnosis	20	17	11
Diagnosis Unknown	18	16	26

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	151	139	161
AGE			
Under 6	*	*	*
6 to 9	8	*	7
10 to 13	13	22	18
14 to 17	16	12	16
18 to 24	10	5	7
25 to 29	9	7	10
30 to 34	15	18	11
35 to 39	10	5	11
40 to 44	12	11	19
45 to 49	25	26	25
50 to 54	21	16	15
55 to 59	6	8	12
60 and Over	*	*	8
Age Unknown	0	0	0
GENDER			
Male	72	70	81
Female	79	69	80
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	142	131	150
African American	*	*	*
Native American / Alaskan	0	0	*
Asian / Pacific Islander	0	0	*
Hispanic	*	*	*
Other Race	*	5	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	11	*	5
Past or Current Military Service	*	5	5

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	49	29	34
High School Grad or G.E.D.	0	0	25
Associate Degree or Some College	0	0	7
Bachelor or Advanced Degree	0	0	6
Education Level Unknown	102	110	89
EMPLOYMENT			
Employed	*	*	15
Unemployed	6	*	46
Not in Labor Force	78	71	19
Employment Status Unknown	64	63	81
HOUSING / LIVING ARRANGEMENT			
Independent Living	38	27	50
Dependent Living	46	47	38
Homeless	*	*	0
Other	0	0	*
Housing Unknown	66	64	72
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	86	83	91
School	*	*	*
Mental Health Provider	*	*	7
Health Care Provider	25	18	23
Court / Criminal Justice	5	11	10
Other	28	20	24
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	148	133	152
Civil	*	*	*
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

STONE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	39.0	40.2	43.6
Cigarettes	28.2	23.2	29.8
Chewing Tobacco	17.7	22.7	18.9
Marijuana	16.0	14.2	15.5
Inhalants	7.5	6.1	7.8
Prescription medications not prescribed for student	11.9	9.5	10.8
Over-the-counter medications for non-medical use	5.2	6.9	7.7
Methamphetamine	2.0	2.9	0.9
Cocaine	2.6	3.3	1.4
Heroin	0.0	2.1	0.2
Hallucinogens	4.6	3.1	2.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.6	4.1	2.4
Steroids not prescribed for student	0.3	2.3	1.5
Synthetic drugs (K2, bath salts, Spice, etc)	4.3	7.8	
Average age of students' first use of:			
Alcohol	12.86	12.48	12.41
Cigarettes	12.59	12.60	12.42
Marijuana	13.24	13.39	13.28
Inhalants	13.01	13.18	12.56
Percent of students who, in past 30 days, used:			
Alcohol	14.9	16.6	17.4
Alcohol (Binge: 5+ drinks on one occassion)		11.0	11.5
Cigarettes	11.5	10.5	17.0
Chewing Tobacco	10.3	12.7	11.3
Marijuana	7.5	8.1	8.4
Inhalants	1.6	3.9	3.9
Prescription medications not prescribed for student	4.6	4.2	6.3
Over-the-counter medications for non-medical use	2.6	3.2	4.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.6		
Percent whose friends used in past 12 months:			
Alcohol	45.5	51.1	57.7
Cigarettes	38.8	41.8	51.8
Marijuana	28.8	26.7	35.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.5	11.8	17.5
Percent who would likely use, if offered by a best friend:			
Alcohol	25.4	27.1	28.8
Cigarettes	12.0	12.5	17.4
Marijuana	10.2	9.3	12.2
Percent who say it would be wrong to use:			
Alcohol	65.7	67.0	64.8
Cigarettes	84.9	80.4	76.4
Marijuana	82.9	85.7	83.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	95.8	94.2
Percent whose parents would disapprove if they use:			
Alcohol	76.5	83.2	79.2
Cigarettes	88.4	91.2	88.3
Marijuana	88.4	95.3	93.0
Percent who say it would be easy to obtain:			
Alcohol	49.5	54.0	53.4
Cigarettes	51.5	55.0	56.3
Marijuana	32.6	33.0	34.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	16.6	16.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	55.2		
Alcohol (Binge: 5+ drinks once or twice a week)	65.1		
Alcohol (any use)		74.8	74.2
Cigarettes (1+ packs per day)	85.3		
Cigarettes (any use)		84.6	78.1
Marijuana (once or twice a week)	64.6		
Marijuana (any use)		79.2	77.3
Other: Cocaine, LSD, Meth, Club Drug (any use)	89.5	95.1	93.6
Percent of students who, in past 30 days:			
Were very sad	24.4	20.3	29.0
Were grouchy, irritable, or in a bad mood	26.7	26.7	32.7
Felt hopeless about the future	16.6	11.3	16.9
Felt like not eating or eating more than usual	23.6	15.2	26.3
Slept a lot more or a lot less than usual	19.5	19.8	33.7
Had difficulty concentrating on school work	28.6	24.6	29.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.4	9.4	10.4
Made plan about how they would attempt suicide	10.2	7.6	7.2
Attempted suicide	7.9	4.7	4.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.0	2.3	1.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.5	7.1	8.7
Were in a physical fight	23.7	19.4	25.3
Were in a fight and had to be treated by a doctor or nurse	5.5	3.9	4.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.0	53.1	54.7
Were made fun of by others	56.0	61.7	66.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	30.6	20.2	17.0
Spread mean rumors or lies about other kids at school	19.9	25.5	29.0
Made fun of other people	45.9	60.6	68.7
Posted something on the internet or sent a text that might embarrass or hurt another student	19.4	8.9	12.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.8	54.8	73.2
School provides feedback to parents on positive student performance	33.8	31.6	45.1
Rules are enforced fairly	59.0	48.2	61.5
Students of all races/ethnicities are treated equal	78.2	77.0	79.5
Percent of students who agree that:			
Parents notice and comment on student's good work	78.2	83.1	85.5
Parents involve student in making family decisions	68.0	70.8	72.8
It is important to be honest with parents regardless of consequences	88.3	91.1	86.9
Student could ask parent for help with a personal problem	76.3	81.3	80.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SULLIVAN COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	6,714
2014 Estimate	6,411

BIRTH RISK	2013	2012	2011
Resident Births--Total	92	87	88
Mother Reported Smoking while Pregnant	15	22	15

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	5	3	3
Tuberculosis Infection Cases	0	0	3

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	81	86	69
Suicides	0	1	0
Self-inflicted Injuries	11	9	12
Homicides	0	0	0
Assault Injuries	19	18	23
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	1	1	0
Smoking Attributable Deaths	12	14	13

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	80	46	42
Mental Illness Secondary Diagnosis	120	177	187
Alcohol Principal Diagnosis	4	5	4
Alcohol Secondary Diagnosis	21	11	21
Drug Principal Diagnosis	7	0	7
Drug Secondary Diagnosis	5	8	3
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	8	6	12
Mental Illness Secondary Diagnosis	48	27	27
Alcohol Principal Diagnosis	1	2	5
Alcohol Secondary Diagnosis	9	6	2
Drug Principal Diagnosis	3	1	0
Drug Secondary Diagnosis	1	4	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	48	63	50
Mental Illness Secondary Diagnosis	147	163	117
Alcohol Principal Diagnosis	8	8	12
Alcohol Secondary Diagnosis	13	15	9
Drug Principal Diagnosis	7	9	7
Drug Secondary Diagnosis	20	15	11

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	7	10	9
Alcohol Package Carry-out Licenses	7	9	8

EMPLOYMENT	2014	2013	2012
Labor Force	2,738	3,413	3,370
Employed	2,557	3,244	3,185
Unemployed	181	169	185
Unemployment Rate	6.6%	5.0%	5.5%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	7	4	11
Fatal Crashes	0	0	1
Injury Crashes	4	2	4
Property Damage Crashes	3	2	6
Crash Fatalities	0	0	1
Crash Injuries	5	2	6
Drug Involved Crashes--Total	3	0	0
Fatal Crashes	0	0	0
Injury Crashes	2	0	0
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	2	0	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	34	32	31
Liquor Law Arrests	6	2	8
Drug Arrests	18	25	15
Violent Offenses	19	8	13
Property Offenses	80	83	81
Domestic Violence Reports	37	43	36
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	0	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	304	314	306
Drop-outs	0	5	3
Drop-out Rate	0.0%	1.6%	1.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	2	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	10	6	4
Juvenile Alcohol Offenses	1	2	8
Juvenile Drug Offenses	2	3	4
School Truancy Status Offense	44	42	95
Absent from Home Status Offense	0	0	1
Beyond Parental Control Status Offense	9	14	15
Injurious Behavior Status Offense	24	22	30
Child Abuse	7	5	3
Child Neglect	12	11	18
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	10	15	9
Parental Alcohol Use Related	0	0	4
Parental Drug Use Related	2	5	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	26	17	13
Probation/Parole Admissions--Drug	20	15	8
Probation/Parole Admissions--DWI	3	1	3
Prison Admissions--Drug	13	6	9
Prison Admissions--DWI	2	1	2

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SULLIVAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	0	5	*
CSTAR Adolescent	7	5	10
CSTAR Women and Children	0	*	*
CSTAR General Adult	47	56	40
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	6
Clinical SATOP (CIP, YCIP, SROP)	6	7	7
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	19	30	25
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	*	6	6
- Weekend Intervention Program	*	11	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	6	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	67	61	73
AGE			
Under 18	7	5	10
18 to 24	9	9	11
25 to 29	14	11	13
30 to 34	8	12	10
35 to 39	5	11	11
40 to 44	9	6	6
45 to 54	9	5	11
55 and Over	6	*	*
GENDER			
Male	46	45	51
Female	21	16	22
RACE / ETHNICITY			
Caucasian	59	55	61
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	5	6	10
Other Race / Two or More Races	*	0	*
EDUCATION			
Less than High School Diploma	34	29	37
High School Graduate or G.E.D.	28	29	29
Associate Degree or Some College	5	*	7
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	23	22	25
Unemployed	25	26	26
Not in Labor Force	19	13	22
HOUSING / LIVING ARRANGEMENT			
Independent Living	60	56	57
Dependent Living	7	5	12
Homeless	0	0	*
MARITAL / FAMILY STATUS			
Never Married	41	33	45
Married / Cohabitating	12	20	14
Previously Married	14	8	14

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	21	20	32
Marijuana / Hashish	27	18	19
Cocaine (total)	0	0	*
- Crack	0	0	0
Stimulant (total)	14	11	13
- Methamphetamine	14	11	12
Heroin	*	0	*
Analgesic except Heroin	*	11	*
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	0	0
Tranquilizer	0	0	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	*	*
Average Age at First Use of Drug	17.2	18.2	17.0
INJECTION DRUG USE			
Any Injection Use at Admission	5	8	6
- Daily Injection Use	0	*	0
- Weekly Injection Use	0	0	*
- Less than Weekly Injection Use	5	6	*
LIFETIME DUI / DWI ARRESTS			
0	38	30	42
1 or 2	21	20	18
3 or More	8	11	13
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	7	7	11
School	0	*	0
Mental Health Provider	*	0	0
Health Care Provider	*	*	*
Court / Criminal Justice	17	14	49
Other Referral Source	32	34	6
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	0
Military Veteran	*	*	*
Special Education Services Needed	6	7	8
Co-Occurring Psychological Problem	24	20	30
Co-Occurring Developmental Problem	*	0	5

SULLIVAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	13
CENSUS 2010	6,714
2014 POPULATION ESTIMATE	6,411

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	21	16	29
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	6	8	10
Mood Disorder	35	32	37
Personality Disorder	*	5	*
Psychotic Disorder	8	8	6
Sexual Disorder	0	0	0
Other Diagnosis	11	8	*
Diagnosis Unknown	*	*	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	48	47	61
AGE			
Under 6	0	0	0
6 to 9	*	5	5
10 to 13	6	*	5
14 to 17	*	*	*
18 to 24	*	*	*
25 to 29	*	5	10
30 to 34	*	*	*
35 to 39	5	*	*
40 to 44	7	6	9
45 to 49	*	*	6
50 to 54	7	5	5
55 to 59	*	5	5
60 and Over	*	*	*
Age Unknown	0	0	0
GENDER			
Male	23	20	27
Female	25	27	34
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	44	43	57
African American	0	0	*
Native American / Alaskan	*	*	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	0	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	0	0	*
Past or Current Military Service	*	*	*

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	19	17	8
High School Grad or G.E.D.	*	*	12
Associate Degree or Some College	0	0	5
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	26	26	36
EMPLOYMENT			
Employed	*	6	6
Unemployed	10	5	19
Not in Labor Force	32	29	*
Employment Status Unknown	5	7	32
HOUSING / LIVING ARRANGEMENT			
Independent Living	22	24	26
Dependent Living	20	16	5
Homeless	0	0	0
Other	0	0	*
Housing Unknown	6	7	29
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	19	25	26
School	*	0	*
Mental Health Provider	*	*	7
Health Care Provider	14	11	16
Court / Criminal Justice	7	*	*
Other	*	*	7
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	47	45	59
Civil	0	0	0
Criminal	0	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

SULLIVAN COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	38.2	55.5	47.5
Cigarettes	26.5	38.5	39.7
Chewing Tobacco	22.1	20.9	30.7
Marijuana	8.8	17.4	13.1
Inhalants	1.5	5.5	2.9
Prescription medications not prescribed for student	10.4	8.3	12.8
Over-the-counter medications for non-medical use	1.5	5.5	5.8
Methamphetamine	0.0	0.0	0.7
Cocaine	0.0	1.9	1.4
Heroin	0.0	0.0	0.0
Hallucinogens	0.0	2.8	2.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.8	0.7
Steroids not prescribed for student	0.0	0.9	1.4
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	6.4	
Average age of students' first use of:			
Alcohol	12.67	12.58	12.40
Cigarettes	12.52	13.33	12.62
Marijuana	14.31	13.69	14.22
Inhalants	12.61	12.84	
Percent of students who, in past 30 days, used:			
Alcohol	10.3	20.0	24.1
Alcohol (Binge: 5+ drinks on one occassion)		11.9	17.0
Cigarettes	14.7	19.1	21.3
Chewing Tobacco	14.7	12.7	20.7
Marijuana	2.9	8.3	5.8
Inhalants	1.5	1.8	1.4
Prescription medications not prescribed for student	2.9	4.6	5.7
Over-the-counter medications for non-medical use	0.0	3.7	4.3
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	2.9		
Percent whose friends used in past 12 months:			
Alcohol	42.6	58.7	67.4
Cigarettes	44.1	56.0	65.2
Marijuana	22.1	32.1	24.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.5	9.1	17.3
Percent who would likely use, if offered by a best friend:			
Alcohol	32.4	42.2	41.3
Cigarettes	16.2	27.5	24.8
Marijuana	13.2	13.8	6.5
Percent who say it would be wrong to use:			
Alcohol	60.6	49.1	46.8
Cigarettes	70.6	66.4	66.9
Marijuana	87.7	77.8	85.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.3	94.3
Percent whose parents would disapprove if they use:			
Alcohol	73.5	70.8	69.8
Cigarettes	85.3	83.3	83.6
Marijuana	95.5	90.8	95.0
Percent who say it would be easy to obtain:			
Alcohol	63.2	60.6	57.4
Cigarettes	58.8	59.6	65.2
Marijuana	26.9	36.4	29.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	14.7	15.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	57.4		
Alcohol (Binge: 5+ drinks once or twice a week)	61.5		
Alcohol (any use)		64.5	77.9
Cigarettes (1+ packs per day)	77.9		
Cigarettes (any use)		69.7	70.7
Marijuana (once or twice a week)	71.6		
Marijuana (any use)		65.1	58.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.0	90.9	86.5
Percent of students who, in past 30 days:			
Were very sad	13.4	18.3	10.8
Were grouchy, irritable, or in a bad mood	17.6	27.5	17.4
Felt hopeless about the future	10.3	9.2	7.2
Felt like not eating or eating more than usual	9.0	13.0	15.8
Slept a lot more or a lot less than usual	14.9	16.7	25.4
Had difficulty concentrating on school work	16.2	17.4	29.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	6.0	8.3	10.7
Made plan about how they would attempt suicide	1.5	8.3	8.5
Attempted suicide	1.5	3.7	6.4
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.5	1.9	3.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.4	7.3	10.6
Were in a physical fight	11.9	26.4	30.3
Were in a fight and had to be treated by a doctor or nurse	1.5	4.6	7.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.0	50.5	64.7
Were made fun of by others	59.7	56.9	70.2
Were victims of an embarrassing or hurtful text message or something posted on the internet	17.6	16.8	22.1
Spread mean rumors or lies about other kids at school	25.0	23.9	33.3
Made fun of other people	48.5	58.3	77.3
Posted something on the internet or sent a text that might embarrass or hurt another student	17.6	12.1	22.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	79.4	70.4	74.8
School provides feedback to parents on positive student performance	58.2	45.9	61.0
Rules are enforced fairly	65.7	55.5	60.7
Students of all races/ethnicities are treated equal	72.1	70.4	57.6
Percent of students who agree that:			
Parents notice and comment on student's good work	88.2	82.6	80.9
Parents involve student in making family decisions	81.8	70.6	67.4
It is important to be honest with parents regardless of consequences	80.6	86.4	78.0
Student could ask parent for help with a personal problem	89.6	82.6	70.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

TANEY COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	51,675
2014 Estimate	54,230

BIRTH RISK	2013	2012	2011
Resident Births--Total	595	620	639
Mother Reported Smoking while Pregnant	147	166	170

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	3	2	2
Hepatitis B Chronic, Acute, Prenatal	3	2	5
Hepatitis C Chronic and Acute	64	57	57
Tuberculosis Infection Cases	18	8	14

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	545	533	499
Suicides	6	5	9
Self-inflicted Injuries	90	76	109
Homicides	2	1	0
Assault Injuries	125	145	122
Alcohol Induced Deaths	9	3	6
Drug Induced Deaths	7	8	2
Smoking Attributable Deaths	94	113	82

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	284	276	317
Mental Illness Secondary Diagnosis	497	499	445
Alcohol Principal Diagnosis	28	36	21
Alcohol Secondary Diagnosis	32	44	34
Drug Principal Diagnosis	31	23	13
Drug Secondary Diagnosis	62	40	38
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	219	204	165
Mental Illness Secondary Diagnosis	1,209	1,186	1,217
Alcohol Principal Diagnosis	102	117	119
Alcohol Secondary Diagnosis	148	153	146
Drug Principal Diagnosis	50	53	56
Drug Secondary Diagnosis	131	107	111
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	468	456	498
Mental Illness Secondary Diagnosis	3,319	2,746	1,488
Alcohol Principal Diagnosis	207	233	253
Alcohol Secondary Diagnosis	295	516	523
Drug Principal Diagnosis	140	141	166
Drug Secondary Diagnosis	363	424	445

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	130	124	129
Alcohol Package Carry-out Licenses	67	69	67

EMPLOYMENT	2014	2013	2012
Labor Force	25,476	29,041	28,066
Employed	23,020	26,455	25,289
Unemployed	2,456	2,586	2,777
Unemployment Rate	9.6%	8.9%	9.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	75	68	61
Fatal Crashes	2	3	0
Injury Crashes	30	36	28
Property Damage Crashes	43	29	33
Crash Fatalities	2	4	0
Crash Injuries	41	50	33
Drug Involved Crashes--Total	17	8	10
Fatal Crashes	0	0	0
Injury Crashes	13	3	5
Property Damage Crashes	4	5	5
Crash Fatalities	0	0	0
Crash Injuries	22	7	5

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	297	314	231
Liquor Law Arrests	70	73	43
Drug Arrests	288	260	211
Violent Offenses	266	279	279
Property Offenses	1,985	2,029	2,066
Domestic Violence Reports	549	495	467
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	4	1	8

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	2,388	2,398	2,394
Drop-outs	23	36	27
Drop-out Rate	1.0%	1.5%	1.1%
School Discipline Involving Alcohol	4	1	7
School Discipline Involving Drugs	32	56	28
School Discipline Involving Tobacco	1	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	58	57	60
Juvenile Alcohol Offenses	16	9	3
Juvenile Drug Offenses	36	28	32
School Truancy Status Offense	7	3	7
Absent from Home Status Offense	24	28	26
Beyond Parental Control Status Offense	19	30	42
Injurious Behavior Status Offense	36	25	40
Child Abuse	12	11	21
Child Neglect	121	104	68
Child Custody Issues	28	18	24

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	115	100	88
Parental Alcohol Use Related	5	5	2
Parental Drug Use Related	57	45	28
Parental Alcohol and Drug Use	3	0	6

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	42	48	47
Probation/Parole Admissions--Drug	125	124	123
Probation/Parole Admissions--DWI	25	14	18
Prison Admissions--Drug	61	61	72
Prison Admissions--DWI	8	8	8

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

TANEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	202	203	229
CSTAR Adolescent	21	11	20
CSTAR Women and Children	31	24	31
CSTAR General Adult	139	138	110
CSTAR Opioid	*	0	0
Primary Recovery Treatment	140	147	160
Clinical SATOP (CIP, YCIP, SROP)	35	46	42
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	204	207	218
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	77	69	59
- Weekend Intervention Program	49	46	35
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	12	*
Compulsive Gambling	0	0	0
Recovery Supports	171	207	163
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012
NUMBER ADMITTED			
Total Individuals	447	435	453
AGE			
Under 18	21	11	20
18 to 24	85	77	81
25 to 29	89	84	70
30 to 34	75	79	66
35 to 39	55	43	46
40 to 44	39	49	52
45 to 54	67	68	93
55 and Over	16	24	25
GENDER			
Male	287	268	295
Female	160	167	158
RACE / ETHNICITY			
Caucasian	419	411	432
African American	10	7	5
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	0	*
Hispanic	14	13	9
Other Race / Two or More Races	8	9	9
EDUCATION			
Less than High School Diploma	135	117	125
High School Graduate or G.E.D.	213	211	210
Associate Degree or Some College	91	101	111
Bachelor or Advanced Degree	8	6	7
EMPLOYMENT			
Employed	128	117	135
Unemployed	229	226	229
Not in Labor Force	90	92	89
HOUSING / LIVING ARRANGEMENT			
Independent Living	315	321	319
Dependent Living	82	46	73
Homeless	45	63	55
MARITAL / FAMILY STATUS			
Never Married	228	199	207
Married / Cohabitating	104	110	100
Previously Married	115	126	146

	FY2014	FY2013	FY2012
PRIMARY DRUG PROBLEM			
Alcohol	164	189	208
Marijuana / Hashish	57	42	38
Cocaine (total)	*	5	9
- Crack	*	*	5
Stimulant (total)	134	108	108
- Methamphetamine	132	105	106
Heroin	26	24	15
Analgesic except Heroin	56	60	57
- Non-Prescription Methadone	*	0	*
PCP, LSD, other Hallucinogen	*	*	*
Tranquilizer	*	*	10
Inhalant	0	0	0
Sedative	*	*	*
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	18.0	17.6	16.6
INJECTION DRUG USE			
Any Injection Use at Admission	129	121	124
- Daily Injection Use	38	33	38
- Weekly Injection Use	34	42	46
- Less than Weekly Injection Use	57	46	40
LIFETIME DUI / DWI ARRESTS			
0	246	244	226
1 or 2	127	136	149
3 or More	74	55	78
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	249	270	266
School	*	0	*
Mental Health Provider	*	*	*
Health Care Provider	10	13	6
Court / Criminal Justice	155	120	158
Other Referral Source	22	29	19
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	12	6	7
Military Veteran	17	24	27
Special Education Services Needed	11	15	18
Co-Occurring Psychological Problem	122	90	106
Co-Occurring Developmental Problem	11	14	12

TANEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	10
CENSUS 2010	51,675
2014 POPULATION ESTIMATE	54,230

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	16	15	19
Anxiety Disorder	173	135	144
Dementia	*	0	0
Developmental Disorder	7	10	10
Impulse Control Disorder	44	44	55
Mood Disorder	272	247	252
Personality Disorder	43	34	38
Psychotic Disorder	60	52	63
Sexual Disorder	*	0	0
Other Diagnosis	38	25	37
Diagnosis Unknown	34	37	45

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	404	367	398
AGE			
Under 6	10	*	6
6 to 9	18	19	24
10 to 13	29	26	30
14 to 17	18	22	34
18 to 24	31	37	21
25 to 29	34	40	38
30 to 34	52	39	39
35 to 39	43	40	36
40 to 44	35	38	43
45 to 49	51	38	48
50 to 54	38	27	35
55 to 59	27	23	26
60 and Over	18	14	18
Age Unknown	0	0	0
GENDER			
Male	172	164	188
Female	232	203	210
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	370	330	358
African American	8	8	7
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	*
Hispanic	6	6	6
Other Race	17	22	23
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	13	14	13
Past or Current Military Service	9	9	7

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	109	65	63
High School Grad or G.E.D.	0	0	78
Associate Degree or Some College	0	0	23
Bachelor or Advanced Degree	0	0	8
Education Level Unknown	295	302	226
EMPLOYMENT			
Employed	24	8	25
Unemployed	26	24	133
Not in Labor Force	209	166	36
Employment Status Unknown	145	169	204
HOUSING / LIVING ARRANGEMENT			
Independent Living	140	67	131
Dependent Living	97	116	61
Homeless	6	6	*
Other	0	0	8
Housing Unknown	161	178	195
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	234	196	248
School	0	*	*
Mental Health Provider	11	19	18
Health Care Provider	52	47	40
Court / Criminal Justice	43	41	24
Other	62	60	62
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	396	354	378
Civil	*	8	10
Criminal	5	*	6
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

TANEY COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	33.3	30.5	38.3
Cigarettes	21.3	20.8	29.0
Chewing Tobacco	11.5	8.5	13.7
Marijuana	17.3	12.2	14.9
Inhalants	4.8	6.1	7.2
Prescription medications not prescribed for student	8.8	7.9	11.9
Over-the-counter medications for non-medical use	4.7	5.7	7.4
Methamphetamine	1.0	1.3	1.3
Cocaine	1.3	2.0	2.0
Heroin	0.7	1.3	1.1
Hallucinogens	2.4	2.9	3.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.3	1.7	2.5
Steroids not prescribed for student	1.0	0.8	1.4
Synthetic drugs (K2, bath salts, Spice, etc)	4.6	6.1	
Average age of students' first use of:			
Alcohol	13.31	11.62	11.99
Cigarettes	12.44	11.37	11.50
Marijuana	13.60	12.55	12.63
Inhalants	11.99	11.25	12.09
Percent of students who, in past 30 days, used:			
Alcohol	13.2	11.7	14.7
Alcohol (Binge: 5+ drinks on one occassion)		5.1	7.8
Cigarettes	9.1	8.9	15.7
Chewing Tobacco	5.9	4.3	6.7
Marijuana	8.1	5.3	6.5
Inhalants	1.0	2.2	2.9
Prescription medications not prescribed for student	3.4	3.8	5.7
Over-the-counter medications for non-medical use	1.8	4.2	3.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.0		
Percent whose friends used in past 12 months:			
Alcohol	45.1	42.2	52.1
Cigarettes	38.6	39.9	50.8
Marijuana	36.6	30.0	34.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.1	16.6	19.6
Percent who would likely use, if offered by a best friend:			
Alcohol	19.9	22.2	26.1
Cigarettes	11.6	12.3	15.2
Marijuana	13.2	12.5	12.6
Percent who say it would be wrong to use:			
Alcohol	69.5	71.2	68.9
Cigarettes	85.2	83.3	78.7
Marijuana	78.9	82.8	83.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	94.9	94.4
Percent whose parents would disapprove if they use:			
Alcohol	84.5	86.0	81.7
Cigarettes	92.9	95.3	89.9
Marijuana	89.8	93.5	93.3
Percent who say it would be easy to obtain:			
Alcohol	48.2	47.3	53.8
Cigarettes	49.0	46.3	57.0
Marijuana	35.6	33.1	37.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.6	17.7	18.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	59.8		
Alcohol (Binge: 5+ drinks once or twice a week)	72.8		
Alcohol (any use)		79.4	77.6
Cigarettes (1+ packs per day)	88.2		
Cigarettes (any use)		88.3	81.2
Marijuana (once or twice a week)	62.7		
Marijuana (any use)		77.8	80.3
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.1	97.0	93.9
Percent of students who, in past 30 days:			
Were very sad	23.1	21.2	9.9
Were grouchy, irritable, or in a bad mood	25.6	22.7	17.8
Felt hopeless about the future	12.4	10.6	7.9
Felt like not eating or eating more than usual	19.3	17.5	8.8
Slept a lot more or a lot less than usual	20.8	19.7	21.0
Had difficulty concentrating on school work	25.9	19.0	28.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.3	13.1	14.7
Made plan about how they would attempt suicide	10.5	11.0	10.7
Attempted suicide	6.1	6.1	6.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.8	1.4	3.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.5	7.5	13.3
Were in a physical fight	17.8	20.5	24.4
Were in a fight and had to be treated by a doctor or nurse	2.9	3.3	4.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.6	50.6	61.3
Were made fun of by others	65.4	59.8	71.4
Were victims of an embarrassing or hurtful text message or something posted on the internet	27.7	21.0	23.3
Spread mean rumors or lies about other kids at school	23.2	25.8	31.1
Made fun of other people	52.6	57.9	70.9
Posted something on the internet or sent a text that might embarrass or hurt another student	17.4	13.5	18.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.6	71.2	68.5
School provides feedback to parents on positive student performance	47.8	45.4	43.2
Rules are enforced fairly	70.5	67.9	69.3
Students of all races/ethnicities are treated equal	84.1	78.7	80.8
Percent of students who agree that:			
Parents notice and comment on student's good work	83.8	86.2	82.6
Parents involve student in making family decisions	71.5	72.1	72.7
It is important to be honest with parents regardless of consequences	89.5	87.9	83.6
Student could ask parent for help with a personal problem	78.7	77.5	75.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

TEXAS COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	26,008
2014 Estimate	25,642

BIRTH RISK	2013	2012	2011
Resident Births--Total	301	280	305
Mother Reported Smoking while Pregnant	82	79	81

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	5	3	4
Hepatitis C Chronic and Acute	35	35	23
Tuberculosis Infection Cases	2	0	4

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	289	304	254
Suicides	5	3	6
Self-inflicted Injuries	29	20	31
Homicides	3	1	3
Assault Injuries	28	27	17
Alcohol Induced Deaths	4	4	1
Drug Induced Deaths	5	2	2
Smoking Attributable Deaths	52	59	46

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	136	151	172
Mental Illness Secondary Diagnosis	330	360	316
Alcohol Principal Diagnosis	5	5	5
Alcohol Secondary Diagnosis	33	22	15
Drug Principal Diagnosis	23	26	4
Drug Secondary Diagnosis	11	13	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	40	42	41
Mental Illness Secondary Diagnosis	377	385	375
Alcohol Principal Diagnosis	8	5	11
Alcohol Secondary Diagnosis	38	40	38
Drug Principal Diagnosis	8	7	11
Drug Secondary Diagnosis	22	20	15
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	136	167	192
Mental Illness Secondary Diagnosis	518	470	438
Alcohol Principal Diagnosis	29	18	28
Alcohol Secondary Diagnosis	37	56	40
Drug Principal Diagnosis	29	24	28
Drug Secondary Diagnosis	30	25	38

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	15	17	16
Alcohol Package Carry-out Licenses	20	21	22

EMPLOYMENT	2014	2013	2012
Labor Force	9,364	11,370	10,873
Employed	8,626	10,602	10,082
Unemployed	738	768	791
Unemployment Rate	7.9%	6.8%	7.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	25	30	31
Fatal Crashes	0	1	0
Injury Crashes	17	12	18
Property Damage Crashes	8	17	13
Crash Fatalities	0	1	0
Crash Injuries	26	17	25
Drug Involved Crashes--Total	5	5	1
Fatal Crashes	0	0	0
Injury Crashes	3	5	0
Property Damage Crashes	2	0	1
Crash Fatalities	0	0	0
Crash Injuries	5	8	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	126	140	216
Liquor Law Arrests	47	61	68
Drug Arrests	112	72	96
Violent Offenses	33	25	20
Property Offenses	520	589	516
Domestic Violence Reports	197	136	54
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	9	17	5

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,181	1,150	1,208
Drop-outs	11	19	18
Drop-out Rate	0.9%	1.7%	1.5%
School Discipline Involving Alcohol	1	3	4
School Discipline Involving Drugs	4	2	17
School Discipline Involving Tobacco	2	1	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	26	33	45
Juvenile Alcohol Offenses	8	11	11
Juvenile Drug Offenses	10	16	7
School Truancy Status Offense	62	98	189
Absent from Home Status Offense	9	10	9
Beyond Parental Control Status Offense	15	19	35
Injurious Behavior Status Offense	64	134	142
Child Abuse	112	195	137
Child Neglect	311	564	322
Child Custody Issues	4	11	20

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	25	16	20
Parental Alcohol Use Related	1	0	1
Parental Drug Use Related	10	5	10
Parental Alcohol and Drug Use	3	3	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	10	16	18
Probation/Parole Admissions--Drug	61	51	49
Probation/Parole Admissions--DWI	16	13	17
Prison Admissions--Drug	29	35	25
Prison Admissions--DWI	7	8	6

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

TEXAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	25	21	28
CSTAR Adolescent	7	8	9
CSTAR Women and Children	5	7	*
CSTAR General Adult	75	63	41
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	27	66
Clinical SATOP (CIP, YCIP, SROP)	32	32	30
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	77	102	124
- Adolescent Diversion Education Prograr	0	0	*
- Offender Education Program	20	35	49
- Weekend Intervention Program	11	20	22
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	5	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	116	133	145
AGE			
Under 18	8	9	8
18 to 24	19	28	32
25 to 29	23	22	25
30 to 34	19	25	28
35 to 39	8	13	18
40 to 44	13	17	13
45 to 54	22	14	13
55 and Over	*	5	8
GENDER			
Male	76	80	89
Female	40	53	56
RACE / ETHNICITY			
Caucasian	110	130	141
African American	*	*	0
Native American / Alaskan	0	*	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	42	50	58
High School Graduate or G.E.D.	51	59	60
Associate Degree or Some College	23	23	26
Bachelor or Advanced Degree	0	*	*
EMPLOYMENT			
Employed	31	31	31
Unemployed	36	52	55
Not in Labor Force	49	50	59
HOUSING / LIVING ARRANGEMENT			
Independent Living	102	116	134
Dependent Living	11	14	8
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	45	43	58
Married / Cohabitating	33	43	41
Previously Married	38	47	46

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	55	51	61
Marijuana / Hashish	15	27	26
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	25	21	23
- Methamphetamine	25	20	23
Heroin	*	*	*
Analgesic except Heroin	16	27	24
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	*
Tranquilizer	*	*	*
Inhalant	0	*	*
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	18.7	19.2	17.6
INJECTION DRUG USE			
Any Injection Use at Admission	16	27	30
- Daily Injection Use	*	*	7
- Weekly Injection Use	6	7	10
- Less than Weekly Injection Use	7	17	13
LIFETIME DUI / DWI ARRESTS			
0	61	65	75
1 or 2	32	48	45
3 or More	23	20	25
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	39	36	41
School	0	0	0
Mental Health Provider	*	*	0
Health Care Provider	12	6	6
Court / Criminal Justice	50	73	87
Other Referral Source	11	15	11
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	5	*
Military Veteran	9	10	7
Special Education Services Needed	12	26	31
Co-Occurring Psychological Problem	42	66	48
Co-Occurring Developmental Problem	11	25	6

TEXAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	18
CENSUS 2010	26,008
2014 POPULATION ESTIMATE	25,642

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	9	13	*
Anxiety Disorder	160	151	92
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	40	45	34
Mood Disorder	207	225	161
Personality Disorder	16	16	6
Psychotic Disorder	26	25	19
Sexual Disorder	0	0	0
Other Diagnosis	19	22	11
Diagnosis Unknown	20	16	26

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	301	321	220
AGE			
Under 6	0	0	0
6 to 9	9	14	12
10 to 13	17	14	15
14 to 17	20	26	18
18 to 24	25	50	22
25 to 29	37	36	25
30 to 34	36	27	23
35 to 39	26	24	18
40 to 44	31	32	19
45 to 49	32	26	22
50 to 54	34	37	22
55 to 59	19	17	18
60 and Over	15	18	6
Age Unknown	0	0	0
GENDER			
Male	141	144	107
Female	160	177	113
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	290	308	213
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	*	0
Hispanic	7	7	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	7	7	*
Past or Current Military Service	14	5	8

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	82	99	31
High School Grad or G.E.D.	0	*	28
Associate Degree or Some College	0	0	7
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	219	221	153
EMPLOYMENT			
Employed	29	30	5
Unemployed	30	47	55
Not in Labor Force	158	187	38
Employment Status Unknown	84	57	122
HOUSING / LIVING ARRANGEMENT			
Independent Living	139	175	77
Dependent Living	55	57	26
Homeless	5	5	*
Other	0	0	0
Housing Unknown	102	84	115
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	160	152	85
School	0	0	0
Mental Health Provider	8	17	17
Health Care Provider	100	126	98
Court / Criminal Justice	15	8	8
Other	18	18	12
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	298	319	217
Civil	*	*	*
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

TEXAS COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	30.3	36.9	46.7
Cigarettes	27.5	27.3	33.1
Chewing Tobacco	20.0	22.7	28.6
Marijuana	4.9	8.8	11.0
Inhalants	3.4	5.9	8.1
Prescription medications not prescribed for student	10.2	8.5	10.2
Over-the-counter medications for non-medical use	0.8	5.2	7.7
Methamphetamine	0.0	1.1	0.6
Cocaine	0.0	0.5	0.2
Heroin	0.0	0.3	0.6
Hallucinogens	2.7	3.1	1.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.1	1.7
Steroids not prescribed for student	0.0	1.3	2.3
Synthetic drugs (K2, bath salts, Spice, etc)	4.2	6.5	
Average age of students' first use of:			
Alcohol	12.25	11.43	11.89
Cigarettes	11.49	11.12	10.98
Marijuana	13.46	13.46	12.28
Inhalants	13.52	11.04	11.51
Percent of students who, in past 30 days, used:			
Alcohol	12.2	13.4	21.7
Alcohol (Binge: 5+ drinks on one occassion)		7.8	12.5
Cigarettes	14.7	12.2	17.3
Chewing Tobacco	15.0	12.1	18.0
Marijuana	0.8	5.4	4.2
Inhalants	2.7	3.1	4.1
Prescription medications not prescribed for student	2.7	3.9	6.4
Over-the-counter medications for non-medical use	0.8	2.1	5.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	3.4		
Percent whose friends used in past 12 months:			
Alcohol	40.2	44.4	55.8
Cigarettes	38.1	44.7	48.8
Marijuana	11.3	18.8	29.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.0	8.8	14.0
Percent who would likely use, if offered by a best friend:			
Alcohol	27.1	23.6	35.6
Cigarettes	14.4	15.5	19.3
Marijuana	7.9	8.0	8.2
Percent who say it would be wrong to use:			
Alcohol	66.0	66.9	58.0
Cigarettes	78.2	76.4	74.7
Marijuana	90.5	88.6	88.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	95.5	96.3
Percent whose parents would disapprove if they use:			
Alcohol	83.4	77.5	79.1
Cigarettes	86.7	90.3	86.9
Marijuana	98.1	94.7	95.6
Percent who say it would be easy to obtain:			
Alcohol	55.8	44.7	54.1
Cigarettes	61.1	43.9	59.4
Marijuana	32.3	19.3	28.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	11.3	14.0

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	47.5		
Alcohol (Binge: 5+ drinks once or twice a week)	54.4		
Alcohol (any use)		67.6	74.6
Cigarettes (1+ packs per day)	79.1		
Cigarettes (any use)		75.6	73.0
Marijuana (once or twice a week)	73.2		
Marijuana (any use)		79.9	72.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.3	90.8	90.1
Percent of students who, in past 30 days:			
Were very sad	17.7	15.2	14.0
Were grouchy, irritable, or in a bad mood	18.5	24.0	19.1
Felt hopeless about the future	8.3	7.3	12.2
Felt like not eating or eating more than usual	8.3	17.3	14.9
Slept a lot more or a lot less than usual	8.7	22.5	19.8
Had difficulty concentrating on school work	23.0	17.2	21.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	6.0	10.8	11.6
Made plan about how they would attempt suicide	1.1	7.3	10.4
Attempted suicide	0.8	6.7	4.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.1	1.6	1.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	2.7	3.9	12.0
Were in a physical fight	15.8	21.2	32.4
Were in a fight and had to be treated by a doctor or nurse	0.8	3.6	4.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.8	49.1	57.3
Were made fun of by others	62.8	56.2	71.0
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.4	16.5	19.7
Spread mean rumors or lies about other kids at school	23.0	26.9	34.6
Made fun of other people	51.0	59.1	70.2
Posted something on the internet or sent a text that might embarrass or hurt another student	9.8	11.4	15.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.0	71.8	72.2
School provides feedback to parents on positive student performance	46.4	47.3	42.3
Rules are enforced fairly	61.5	67.4	60.3
Students of all races/ethnicities are treated equal	76.5	84.5	80.0
Percent of students who agree that:			
Parents notice and comment on student's good work	82.0	79.8	86.2
Parents involve student in making family decisions	65.7	63.9	71.2
It is important to be honest with parents regardless of consequences	87.2	89.8	85.5
Student could ask parent for help with a personal problem	81.7	75.5	78.9

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

VERNON COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	21,159
2014 Estimate	21,001

BIRTH RISK	2013	2012	2011
Resident Births--Total	275	263	253
Mother Reported Smoking while Pregnant	58	72	53

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	2	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	17	22	16
Tuberculosis Infection Cases	4	6	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	256	234	265
Suicides	1	2	3
Self-inflicted Injuries	34	27	53
Homicides	0	0	1
Assault Injuries	58	81	70
Alcohol Induced Deaths	1	3	3
Drug Induced Deaths	5	2	2
Smoking Attributable Deaths	54	43	48

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	180	183	230
Mental Illness Secondary Diagnosis	408	357	378
Alcohol Principal Diagnosis	6	11	9
Alcohol Secondary Diagnosis	29	28	33
Drug Principal Diagnosis	4	7	7
Drug Secondary Diagnosis	14	22	28
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	167	233	128
Mental Illness Secondary Diagnosis	195	227	171
Alcohol Principal Diagnosis	7	16	8
Alcohol Secondary Diagnosis	12	16	19
Drug Principal Diagnosis	5	14	10
Drug Secondary Diagnosis	12	9	14
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	178	217	237
Mental Illness Secondary Diagnosis	288	551	742
Alcohol Principal Diagnosis	42	42	32
Alcohol Secondary Diagnosis	48	52	41
Drug Principal Diagnosis	33	32	25
Drug Secondary Diagnosis	54	52	31

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	18	16	18
Alcohol Package Carry-out Licenses	24	22	21

EMPLOYMENT	2014	2013	2012
Labor Force	9,750	10,074	9,514
Employed	9,196	9,524	8,956
Unemployed	554	550	558
Unemployment Rate	5.7%	5.5%	5.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	15	25	23
Fatal Crashes	1	0	3
Injury Crashes	4	9	10
Property Damage Crashes	10	16	10
Crash Fatalities	1	0	4
Crash Injuries	7	10	17
Drug Involved Crashes--Total	4	6	1
Fatal Crashes	0	0	0
Injury Crashes	1	3	1
Property Damage Crashes	3	3	0
Crash Fatalities	0	0	0
Crash Injuries	1	4	0

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	91	144	253
Liquor Law Arrests	12	34	37
Drug Arrests	63	72	56
Violent Offenses	86	86	94
Property Offenses	1,062	1,192	847
Domestic Violence Reports	152	155	176
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	965	977	958
Drop-outs	31	24	41
Drop-out Rate	3.2%	2.5%	4.3%
School Discipline Involving Alcohol	1	1	1
School Discipline Involving Drugs	12	6	17
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	33	78	63
Juvenile Alcohol Offenses	3	9	19
Juvenile Drug Offenses	2	15	10
School Truancy Status Offense	36	41	79
Absent from Home Status Offense	5	29	27
Beyond Parental Control Status Offense	15	52	41
Injurious Behavior Status Offense	7	3	4
Child Abuse	42	27	20
Child Neglect	91	85	100
Child Custody Issues	8	5	2

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	13	17	14
Parental Alcohol Use Related	0	4	0
Parental Drug Use Related	7	5	4
Parental Alcohol and Drug Use	2	1	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	20	31	29
Probation/Parole Admissions--Drug	62	45	45
Probation/Parole Admissions--DWI	19	16	17
Prison Admissions--Drug	33	18	20
Prison Admissions--DWI	1	3	3

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

VERNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	7	13	7
CSTAR Adolescent	6	9	7
CSTAR Women and Children	8	9	6
CSTAR General Adult	156	177	170
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	8
Clinical SATOP (CIP, YCIP, SROP)	20	22	21
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	82	94	105
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	29	45	43
- Weekend Intervention Program	18	23	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	9	9
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	194	217	209
AGE			
Under 18	6	10	8
18 to 24	22	40	41
25 to 29	34	32	43
30 to 34	41	40	31
35 to 39	28	29	17
40 to 44	18	13	17
45 to 54	32	42	45
55 and Over	13	11	7
GENDER			
Male	108	140	130
Female	86	77	79
RACE / ETHNICITY			
Caucasian	181	208	204
African American	*	*	*
Native American / Alaskan	*	0	0
Asian / Pacific Islander	*	0	0
Hispanic	*	*	*
Other Race / Two or More Races	7	*	*
EDUCATION			
Less than High School Diploma	69	71	66
High School Graduate or G.E.D.	90	106	107
Associate Degree or Some College	34	40	34
Bachelor or Advanced Degree	*	0	*
EMPLOYMENT			
Employed	49	51	57
Unemployed	68	63	52
Not in Labor Force	77	103	100
HOUSING / LIVING ARRANGEMENT			
Independent Living	157	189	178
Dependent Living	17	16	12
Homeless	6	6	6
MARITAL / FAMILY STATUS			
Never Married	84	94	104
Married / Cohabitating	65	69	55
Previously Married	45	54	50

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	69	86	87
Marijuana / Hashish	43	51	45
Cocaine (total)	*	0	*
- Crack	0	0	0
Stimulant (total)	67	58	53
- Methamphetamine	64	56	50
Heroin	*	*	5
Analgesic except Heroin	9	14	17
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	0
Tranquilizer	*	0	*
Inhalant	0	*	0
Sedative	*	*	0
Other Medication or Illicit Drug	0	*	0
Average Age at First Use of Drug	17.1	16.5	16.6
INJECTION DRUG USE			
Any Injection Use at Admission	35	27	29
- Daily Injection Use	*	*	*
- Weekly Injection Use	7	5	7
- Less than Weekly Injection Use	24	19	19
LIFETIME DUI / DWI ARRESTS			
0	112	124	127
1 or 2	53	54	55
3 or More	29	39	27
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	45	91	64
School	*	0	0
Mental Health Provider	5	*	6
Health Care Provider	17	16	10
Court / Criminal Justice	83	89	108
Other Referral Source	41	18	21
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	6	*	*
Military Veteran	5	10	7
Special Education Services Needed	16	18	23
Co-Occurring Psychological Problem	103	93	49
Co-Occurring Developmental Problem	10	16	7

VERNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	8B
CENSUS 2010	21,159
2014 POPULATION ESTIMATE	21,001

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	5	*	*
Anxiety Disorder	140	103	90
Dementia	*	*	*
Developmental Disorder	*	*	5
Impulse Control Disorder	29	26	39
Mood Disorder	204	167	162
Personality Disorder	20	22	17
Psychotic Disorder	72	57	61
Sexual Disorder	*	*	*
Other Diagnosis	12	6	9
Diagnosis Unknown	27	25	18

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	326	267	268
AGE			
Under 6	*	0	*
6 to 9	11	9	14
10 to 13	13	8	14
14 to 17	18	12	16
18 to 24	29	28	22
25 to 29	38	32	37
30 to 34	38	33	27
35 to 39	33	27	29
40 to 44	32	23	29
45 to 49	33	30	20
50 to 54	42	38	34
55 to 59	25	13	12
60 and Over	13	14	12
Age Unknown	0	0	0
GENDER			
Male	138	117	128
Female	188	150	140
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	309	256	257
African American	5	*	*
Native American / Alaskan	0	0	*
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	9	6	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	9	9	9
Past or Current Military Service	8	8	10

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	107	84	52
High School Grad or G.E.D.	0	0	60
Associate Degree or Some College	0	0	14
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	219	183	138
EMPLOYMENT			
Employed	18	6	11
Unemployed	16	24	106
Not in Labor Force	216	160	34
Employment Status Unknown	76	77	117
HOUSING / LIVING ARRANGEMENT			
Independent Living	148	115	115
Dependent Living	84	62	28
Homeless	10	*	*
Other	0	0	*
Housing Unknown	84	86	117
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	223	167	159
School	*	*	*
Mental Health Provider	19	21	35
Health Care Provider	56	49	38
Court / Criminal Justice	9	10	13
Other	18	19	22
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	316	257	254
Civil	*	5	10
Criminal	*	*	*
Sexual Predatory	*	*	*
Commitment Type Unknown	0	0	0

VERNON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	35.4	45.9	46.1
Cigarettes	22.0	31.4	28.8
Chewing Tobacco	10.3	19.3	21.1
Marijuana	5.6	15.7	9.9
Inhalants	2.6	4.5	5.3
Prescription medications not prescribed for student	3.7	10.6	8.9
Over-the-counter medications for non-medical use	5.6	6.2	6.1
Methamphetamine	0.0	1.1	0.6
Cocaine	0.0	0.9	1.5
Heroin	0.0	0.6	0.6
Hallucinogens	0.0	2.2	1.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.1	1.5
Steroids not prescribed for student	0.8	1.4	1.5
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	11.2	
Average age of students' first use of:			
Alcohol	12.31	12.52	12.18
Cigarettes	13.00	13.01	11.93
Marijuana	13.50	13.29	13.64
Inhalants	13.15	13.77	11.63
Percent of students who, in past 30 days, used:			
Alcohol	17.2	24.6	22.6
Alcohol (Binge: 5+ drinks on one occassion)		19.8	15.5
Cigarettes	11.6	18.2	11.7
Chewing Tobacco	6.6	11.2	13.7
Marijuana	3.0	7.0	2.7
Inhalants	0.4	1.1	2.3
Prescription medications not prescribed for student	2.2	8.7	4.9
Over-the-counter medications for non-medical use	3.0	4.2	3.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.2		
Percent whose friends used in past 12 months:			
Alcohol	33.5	58.3	59.5
Cigarettes	33.0	49.9	45.2
Marijuana	12.0	29.3	25.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.2	15.2	13.3
Percent who would likely use, if offered by a best friend:			
Alcohol	25.9	43.0	36.5
Cigarettes	10.6	20.7	13.0
Marijuana	6.3	11.2	6.1
Percent who say it would be wrong to use:			
Alcohol	61.0	52.2	58.6
Cigarettes	85.9	68.3	77.1
Marijuana	91.8	79.2	87.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.9	94.7	95.6
Percent whose parents would disapprove if they use:			
Alcohol	80.3	73.3	79.2
Cigarettes	90.6	86.6	90.9
Marijuana	97.3	94.6	96.4
Percent who say it would be easy to obtain:			
Alcohol	45.5	60.8	59.2
Cigarettes	50.5	57.7	58.7
Marijuana	15.7	36.9	31.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.6	20.7	21.3

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	49.1		
Alcohol (Binge: 5+ drinks once or twice a week)	68.0		
Alcohol (any use)		61.5	80.8
Cigarettes (1+ packs per day)	80.6		
Cigarettes (any use)		75.8	83.9
Marijuana (once or twice a week)	78.0		
Marijuana (any use)		71.1	69.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	91.8	93.5
Percent of students who, in past 30 days:			
Were very sad	12.0	20.2	22.7
Were grouchy, irritable, or in a bad mood	25.1	31.7	28.5
Felt hopeless about the future	7.7	10.6	14.3
Felt like not eating or eating more than usual	17.8	21.4	19.0
Slept a lot more or a lot less than usual	8.8	22.1	25.7
Had difficulty concentrating on school work	20.4	26.7	33.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	5.5	12.5	11.2
Made plan about how they would attempt suicide	4.0	10.5	8.7
Attempted suicide	2.2	3.9	5.4
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.4	1.2	1.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.0	7.6	12.1
Were in a physical fight	16.6	21.3	23.4
Were in a fight and had to be treated by a doctor or nurse	1.5	2.5	5.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	44.4	54.9	59.3
Were made fun of by others	60.8	64.3	71.4
Were victims of an embarrassing or hurtful text message or something posted on the internet	13.3	27.1	20.1
Spread mean rumors or lies about other kids at school	15.7	40.3	31.5
Made fun of other people	56.7	68.5	71.4
Posted something on the internet or sent a text that might embarrass or hurt another student	6.2	22.0	15.7
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.6	64.4	69.6
School provides feedback to parents on positive student performance	47.8	31.7	42.7
Rules are enforced fairly	78.5	52.8	57.3
Students of all races/ethnicities are treated equal	88.7	72.5	76.0
Percent of students who agree that:			
Parents notice and comment on student's good work	86.0	78.4	84.7
Parents involve student in making family decisions	70.8	64.4	71.9
It is important to be honest with parents regardless of consequences	88.4	85.1	83.1
Student could ask parent for help with a personal problem	82.8	74.9	80.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

WARREN COUNTY

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	16
POPULATION	
Census 2010	32,513
2014 Estimate	33,253

BIRTH RISK	2013	2012	2011
Resident Births--Total	399	415	389
Mother Reported Smoking while Pregnant	104	104	87

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	29	21	22
Tuberculosis Infection Cases	3	3	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	273	270	243
Suicides	5	8	0
Self-inflicted Injuries	45	51	62
Homicides	1	1	2
Assault Injuries	93	113	99
Alcohol Induced Deaths	2	1	1
Drug Induced Deaths	13	4	5
Smoking Attributable Deaths	54	51	47

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	290	205	149
Mental Illness Secondary Diagnosis	448	366	415
Alcohol Principal Diagnosis	22	16	11
Alcohol Secondary Diagnosis	45	29	37
Drug Principal Diagnosis	26	29	35
Drug Secondary Diagnosis	30	28	30
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	227	256	252
Mental Illness Secondary Diagnosis	550	616	769
Alcohol Principal Diagnosis	13	19	14
Alcohol Secondary Diagnosis	54	66	65
Drug Principal Diagnosis	19	9	17
Drug Secondary Diagnosis	29	39	42
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	294	285	274
Mental Illness Secondary Diagnosis	1,466	1,777	1,164
Alcohol Principal Diagnosis	44	44	35
Alcohol Secondary Diagnosis	49	53	50
Drug Principal Diagnosis	42	51	88
Drug Secondary Diagnosis	158	195	92

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	36	37	40
Alcohol Package Carry-out Licenses	23	26	26

EMPLOYMENT	2014	2013	2012
Labor Force	17,034	16,854	16,883
Employed	15,974	15,699	15,585
Unemployed	1,060	1,155	1,298
Unemployment Rate	6.2%	6.9%	7.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	33	39	34
Fatal Crashes	2	3	3
Injury Crashes	17	19	12
Property Damage Crashes	14	17	19
Crash Fatalities	2	3	3
Crash Injuries	20	21	26
Drug Involved Crashes--Total	4	6	5
Fatal Crashes	0	2	1
Injury Crashes	1	1	1
Property Damage Crashes	3	3	3
Crash Fatalities	0	2	1
Crash Injuries	1	2	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	170	184	236
Liquor Law Arrests	49	73	54
Drug Arrests	311	305	242
Violent Offenses	141	96	99
Property Offenses	710	843	761
Domestic Violence Reports	349	313	340
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	24	30	27

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,354	1,368	1,354
Drop-outs	13	18	11
Drop-out Rate	1.0%	1.3%	0.8%
School Discipline Involving Alcohol	13	0	0
School Discipline Involving Drugs	18	14	14
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	15	10	11
Juvenile Alcohol Offenses	2	3	8
Juvenile Drug Offenses	9	14	13
School Truancy Status Offense	7	10	16
Absent from Home Status Offense	15	17	18
Beyond Parental Control Status Offense	12	16	28
Injurious Behavior Status Offense	47	59	57
Child Abuse	39	30	41
Child Neglect	59	50	54
Child Custody Issues	1	3	1

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	35	36	44
Parental Alcohol Use Related	1	2	6
Parental Drug Use Related	13	9	5
Parental Alcohol and Drug Use	3	1	11

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	24	43	46
Probation/Parole Admissions--Drug	136	153	127
Probation/Parole Admissions--DWI	19	19	27
Prison Admissions--Drug	64	75	60
Prison Admissions--DWI	15	21	17

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

WARREN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	18	28	29
CSTAR Adolescent	14	11	20
CSTAR Women and Children	23	37	25
CSTAR General Adult	121	81	88
CSTAR Opioid	*	*	*
Primary Recovery Treatment	*	13	23
Clinical SATOP (CIP, YCIP, SROP)	43	56	73
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	130	156	172
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	45	42	48
- Weekend Intervention Program	23	32	29
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	*	*	*
Recovery Supports	*	0	0
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	182	196	218
AGE			
Under 18	16	12	20
18 to 24	34	33	41
25 to 29	38	37	33
30 to 34	18	25	43
35 to 39	22	18	21
40 to 44	16	26	23
45 to 54	28	36	28
55 and Over	10	9	9
GENDER			
Male	105	125	149
Female	76	71	69
RACE / ETHNICITY			
Caucasian	163	185	199
African American	9	7	13
Native American / Alaskan	0	0	*
Asian / Pacific Islander	*	0	*
Hispanic	*	*	*
Other Race / Two or More Races	7	*	*
EDUCATION			
Less than High School Diploma	78	70	82
High School Graduate or G.E.D.	74	91	96
Associate Degree or Some College	28	34	39
Bachelor or Advanced Degree	*	*	*
EMPLOYMENT			
Employed	56	65	71
Unemployed	84	89	92
Not in Labor Force	42	42	55
HOUSING / LIVING ARRANGEMENT			
Independent Living	151	163	179
Dependent Living	23	26	31
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	105	111	123
Married / Cohabitating	43	37	49
Previously Married	34	48	46

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	74	88	103
Marijuana / Hashish	40	42	49
Cocaine (total)	*	*	*
- Crack	*	*	*
Stimulant (total)	29	23	18
- Methamphetamine	28	23	17
Heroin	30	28	35
Analgesic except Heroin	*	11	5
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	*	*
Tranquilizer	0	*	*
Inhalant	0	0	0
Sedative	0	0	*
Other Medication or Illicit Drug	*	0	*
Average Age at First Use of Drug	17.5	17.3	17.1
INJECTION DRUG USE			
Any Injection Use at Admission	43	40	40
- Daily Injection Use	7	10	12
- Weekly Injection Use	11	10	11
- Less than Weekly Injection Use	25	20	17
LIFETIME DUI / DWI ARRESTS			
0	105	86	98
1 or 2	42	67	78
3 or More	35	43	42
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	49	43	35
School	*	*	0
Mental Health Provider	*	0	*
Health Care Provider	*	*	5
Court / Criminal Justice	96	115	162
Other Referral Source	25	31	13
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	7	*
Military Veteran	10	9	11
Special Education Services Needed	22	14	16
Co-Occurring Psychological Problem	55	57	72
Co-Occurring Developmental Problem	8	9	*

WARREN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Eastern
PSYCHIATRIC SERVICE AREA	16
CENSUS 2010	32,513
2014 POPULATION ESTIMATE	33,253

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	5	8
Anxiety Disorder	379	295	261
Dementia	0	0	0
Developmental Disorder	23	21	20
Impulse Control Disorder	177	139	132
Mood Disorder	508	426	391
Personality Disorder	66	53	46
Psychotic Disorder	56	52	52
Sexual Disorder	*	*	*
Other Diagnosis	30	27	29
Diagnosis Unknown	11	14	27

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	632	548	521
AGE			
Under 6	5	*	7
6 to 9	48	43	36
10 to 13	66	54	57
14 to 17	69	59	57
18 to 24	48	50	38
25 to 29	46	35	38
30 to 34	63	59	55
35 to 39	54	45	43
40 to 44	49	42	37
45 to 49	52	52	51
50 to 54	65	54	51
55 to 59	40	30	25
60 and Over	27	24	26
Age Unknown	0	0	0
GENDER			
Male	259	227	226
Female	373	321	295
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	572	512	482
African American	28	11	17
Native American / Alaskan	0	*	*
Asian / Pacific Islander	*	*	*
Hispanic	11	9	8
Other Race	18	13	11
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	24	18	14
Past or Current Military Service	13	8	8

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	225	206	111
High School Grad or G.E.D.	0	*	70
Associate Degree or Some College	0	0	36
Bachelor or Advanced Degree	0	0	11
Education Level Unknown	407	338	293
EMPLOYMENT			
Employed	44	37	30
Unemployed	48	37	169
Not in Labor Force	356	301	72
Employment Status Unknown	184	173	250
HOUSING / LIVING ARRANGEMENT			
Independent Living	318	273	248
Dependent Living	111	109	55
Homeless	6	*	0
Other	0	0	*
Housing Unknown	197	165	216
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	283	185	125
School	87	74	59
Mental Health Provider	27	30	33
Health Care Provider	57	53	51
Court / Criminal Justice	10	8	9
Other	166	197	242
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	627	545	517
Civil	0	0	0
Criminal	*	*	*
Sexual Predatory	*	*	*
Commitment Type Unknown	*	*	*

WARREN COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol		50.9	43.3
Cigarettes		32.5	26.7
Chewing Tobacco		10.9	10.8
Marijuana		24.3	16.5
Inhalants		5.5	5.2
Prescription medications not prescribed for student		9.8	9.7
Over-the-counter medications for non-medical use		10.9	5.8
Methamphetamine		1.6	0.9
Cocaine		3.3	0.9
Heroin		3.0	0.4
Hallucinogens		4.6	3.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		4.2	0.9
Steroids not prescribed for student		3.2	0.6
Synthetic drugs (K2, bath salts, Spice, etc)		5.3	
Average age of students' first use of:			
Alcohol		11.85	12.49
Cigarettes		11.91	12.24
Marijuana		13.25	13.76
Inhalants		11.55	13.00
Percent of students who, in past 30 days, used:			
Alcohol		22.7	19.0
Alcohol (Binge: 5+ drinks on one occassion)		13.4	10.4
Cigarettes		12.9	13.6
Chewing Tobacco		6.2	5.9
Marijuana		12.6	7.5
Inhalants		3.2	1.8
Prescription medications not prescribed for student		5.8	4.6
Over-the-counter medications for non-medical use		6.0	3.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol		62.8	63.2
Cigarettes		52.4	50.0
Marijuana		52.3	37.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		19.9	18.3
Percent who would likely use, if offered by a best friend:			
Alcohol		41.4	32.6
Cigarettes		15.4	15.3
Marijuana		19.7	11.0
Percent who say it would be wrong to use:			
Alcohol		48.3	55.5
Cigarettes		76.4	78.2
Marijuana		73.4	81.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		94.6	94.3
Percent whose parents would disapprove if they use:			
Alcohol		70.4	71.9
Cigarettes		87.9	91.5
Marijuana		93.4	95.0
Percent who say it would be easy to obtain:			
Alcohol		67.4	64.8
Cigarettes		62.1	61.5
Marijuana		46.4	34.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		20.7	17.0

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)		61.5	72.5
Cigarettes (1+ packs per day)			
Cigarettes (any use)		78.5	78.4
Marijuana (once or twice a week)			
Marijuana (any use)		61.5	70.2
Other: Cocaine, LSD, Meth, Club Drug (any use)		95.4	92.9
Percent of students who, in past 30 days:			
Were very sad		25.8	18.7
Were grouchy, irritable, or in a bad mood		29.4	24.5
Felt hopeless about the future		16.5	11.7
Felt like not eating or eating more than usual		30.2	21.3
Slept a lot more or a lot less than usual		29.4	30.4
Had difficulty concentrating on school work		29.0	31.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide		17.0	9.8
Made plan about how they would attempt suicide		17.4	8.0
Attempted suicide		12.2	3.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		5.4	1.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school		11.2	8.6
Were in a physical fight		22.3	21.4
Were in a fight and had to be treated by a doctor or nurse		3.8	4.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school		44.8	46.8
Were made fun of by others		59.0	68.5
Were victims of an embarrassing or hurtful text message or something posted on the internet		21.2	13.6
Spread mean rumors or lies about other kids at school		24.2	30.1
Made fun of other people		63.5	74.1
Posted something on the internet or sent a text that might embarrass or hurt another student		17.7	15.9
Percent of students who agree that:			
Teachers notice and comment on student's good work		54.2	67.3
School provides feedback to parents on positive student performance		28.3	37.2
Rules are enforced fairly		58.1	66.7
Students of all races/ethnicities are treated equal		79.4	71.7
Percent of students who agree that:			
Parents notice and comment on student's good work		72.5	84.4
Parents involve student in making family decisions		57.1	68.1
It is important to be honest with parents regardless of consequences		77.7	83.8
Student could ask parent for help with a personal problem		64.2	78.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

WASHINGTON COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17B
POPULATION	
Census 2010	25,195
2014 Estimate	25,077

BIRTH RISK	2013	2012	2011
Resident Births--Total	300	286	310
Mother Reported Smoking while Pregnant	104	91	93

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	3	1	2
Hepatitis C Chronic and Acute	32	31	29
Tuberculosis Infection Cases	1	6	5

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	295	222	255
Suicides	8	4	3
Self-inflicted Injuries	50	35	29
Homicides	0	1	1
Assault Injuries	90	134	115
Alcohol Induced Deaths	1	1	2
Drug Induced Deaths	7	2	6
Smoking Attributable Deaths	68	46	53

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	263	240	253
Mental Illness Secondary Diagnosis	552	532	535
Alcohol Principal Diagnosis	9	5	6
Alcohol Secondary Diagnosis	31	26	42
Drug Principal Diagnosis	26	20	15
Drug Secondary Diagnosis	33	22	32
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	39	64	74
Mental Illness Secondary Diagnosis	523	446	439
Alcohol Principal Diagnosis	7	8	4
Alcohol Secondary Diagnosis	42	47	42
Drug Principal Diagnosis	10	6	8
Drug Secondary Diagnosis	35	26	24
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	262	308	315
Mental Illness Secondary Diagnosis	1,836	1,621	1,340
Alcohol Principal Diagnosis	39	25	30
Alcohol Secondary Diagnosis	51	71	43
Drug Principal Diagnosis	56	45	44
Drug Secondary Diagnosis	58	97	89

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	17	16	15
Alcohol Package Carry-out Licenses	25	23	26

EMPLOYMENT	2014	2013	2012
Labor Force	10,450	10,000	10,107
Employed	9,554	9,055	9,048
Unemployed	896	945	1,059
Unemployment Rate	8.6%	9.5%	10.5%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	35	43	33
Fatal Crashes	6	6	2
Injury Crashes	11	13	20
Property Damage Crashes	18	24	11
Crash Fatalities	7	6	3
Crash Injuries	17	15	32
Drug Involved Crashes--Total	10	11	10
Fatal Crashes	1	0	2
Injury Crashes	0	5	7
Property Damage Crashes	9	6	1
Crash Fatalities	1	0	2
Crash Injuries	1	6	10

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	66	80	81
Liquor Law Arrests	7	11	12
Drug Arrests	41	49	100
Violent Offenses	48	47	46
Property Offenses	490	601	564
Domestic Violence Reports	90	131	103
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	12	29	44

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,006	971	984
Drop-outs	23	33	50
Drop-out Rate	2.3%	3.4%	5.1%
School Discipline Involving Alcohol	0	1	3
School Discipline Involving Drugs	1	4	16
School Discipline Involving Tobacco	0	1	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	61	58	62
Juvenile Alcohol Offenses	5	4	4
Juvenile Drug Offenses	1	11	7
School Truancy Status Offense	56	20	24
Absent from Home Status Offense	5	7	2
Beyond Parental Control Status Offense	9	18	27
Injurious Behavior Status Offense	27	18	17
Child Abuse	4	5	9
Child Neglect	34	41	49
Child Custody Issues	0	0	2

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	26	32	39
Parental Alcohol Use Related	0	2	3
Parental Drug Use Related	17	22	22
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	13	22	11
Probation/Parole Admissions--Drug	64	73	83
Probation/Parole Admissions--DWI	11	8	2
Prison Admissions--Drug	32	44	31
Prison Admissions--DWI	5	2	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

WASHINGTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	23	19	11
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	8	7
CSTAR General Adult	101	113	74
CSTAR Opioid	*	0	*
Primary Recovery Treatment	*	52	103
Clinical SATOP (CIP, YCIP, SROP)	9	12	12
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	55	63	78
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	28	28	32
- Weekend Intervention Program	11	12	21
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	134	161	187
AGE			
Under 18	*	*	*
18 to 24	23	25	40
25 to 29	25	44	42
30 to 34	36	22	30
35 to 39	13	24	25
40 to 44	15	14	17
45 to 54	14	21	22
55 and Over	*	7	8
GENDER			
Male	75	98	118
Female	59	63	69
RACE / ETHNICITY			
Caucasian	130	160	182
African American	*	0	*
Native American / Alaskan	*	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	*
Other Race / Two or More Races	0	*	*
EDUCATION			
Less than High School Diploma	52	63	84
High School Graduate or G.E.D.	64	80	87
Associate Degree or Some College	18	18	16
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	28	26	45
Unemployed	57	91	96
Not in Labor Force	49	44	46
HOUSING / LIVING ARRANGEMENT			
Independent Living	125	153	178
Dependent Living	6	5	5
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	75	81	84
Married / Cohabitating	46	39	61
Previously Married	13	41	42

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	28	37	45
Marijuana / Hashish	29	43	65
Cocaine (total)	*	*	*
- Crack	0	*	0
Stimulant (total)	28	33	32
- Methamphetamine	26	32	30
Heroin	12	10	11
Analgesic except Heroin	30	35	29
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	*	*
Inhalant	0	0	*
Sedative	0	0	0
Other Medication or Illicit Drug	*	0	0
Average Age at First Use of Drug	18.6	18.7	17.7
INJECTION DRUG USE			
Any Injection Use at Admission	26	26	19
- Daily Injection Use	11	8	*
- Weekly Injection Use	8	7	5
- Less than Weekly Injection Use	7	11	11
LIFETIME DUI / DWI ARRESTS			
0	81	98	118
1 or 2	38	43	52
3 or More	15	20	17
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	46	43	35
School	0	0	0
Mental Health Provider	0	0	*
Health Care Provider	14	7	9
Court / Criminal Justice	60	88	123
Other Referral Source	13	23	19
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	5	*	*
Military Veteran	7	9	11
Special Education Services Needed	16	24	31
Co-Occurring Psychological Problem	68	81	72
Co-Occurring Developmental Problem	*	13	15

WASHINGTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	17B
CENSUS 2010	25,195
2014 POPULATION ESTIMATE	25,077

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	54	47	35
Dementia	*	0	0
Developmental Disorder	6	6	5
Impulse Control Disorder	31	31	25
Mood Disorder	130	96	99
Personality Disorder	10	8	5
Psychotic Disorder	50	47	47
Sexual Disorder	0	0	0
Other Diagnosis	5	7	10
Diagnosis Unknown	21	23	23

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	257	219	209
AGE			
Under 6	*	*	*
6 to 9	17	15	15
10 to 13	13	20	18
14 to 17	21	18	19
18 to 24	30	17	12
25 to 29	18	17	15
30 to 34	30	27	19
35 to 39	16	16	20
40 to 44	22	14	13
45 to 49	20	20	18
50 to 54	20	12	21
55 to 59	28	21	13
60 and Over	21	21	24
Age Unknown	0	0	0
GENDER			
Male	134	108	105
Female	123	111	104
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	245	210	199
African American	7	6	6
Native American / Alaskan	0	0	*
Asian / Pacific Islander	0	0	0
Hispanic	0	0	*
Other Race	5	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	14	5	6
Past or Current Military Service	15	11	10

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	73	69	45
High School Grad or G.E.D.	0	0	35
Associate Degree or Some College	0	*	7
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	184	149	121
EMPLOYMENT			
Employed	7	8	7
Unemployed	*	5	73
Not in Labor Force	130	106	16
Employment Status Unknown	118	100	113
HOUSING / LIVING ARRANGEMENT			
Independent Living	43	43	75
Dependent Living	91	74	27
Homeless	*	*	*
Other	0	0	*
Housing Unknown	121	100	104
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	76	69	66
School	7	5	*
Mental Health Provider	33	21	17
Health Care Provider	68	45	28
Court / Criminal Justice	24	22	25
Other	48	56	66
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	249	211	200
Civil	*	*	*
Criminal	5	6	6
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

WASHINGTON COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol		36.3	50.1
Cigarettes		22.5	35.8
Chewing Tobacco		17.4	23.3
Marijuana		11.1	15.6
Inhalants		5.2	8.2
Prescription medications not prescribed for student		8.5	15.0
Over-the-counter medications for non-medical use		6.5	9.4
Methamphetamine		1.3	2.3
Cocaine		0.5	1.4
Heroin		0.8	1.0
Hallucinogens		1.0	3.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.0	2.2
Steroids not prescribed for student		1.6	2.7
Synthetic drugs (K2, bath salts, Spice, etc)		5.2	
Average age of students' first use of:			
Alcohol		11.92	12.13
Cigarettes		11.60	11.53
Marijuana		13.16	13.17
Inhalants		11.68	12.51
Percent of students who, in past 30 days, used:			
Alcohol		15.3	26.5
Alcohol (Binge: 5+ drinks on one occassion)		7.8	17.4
Cigarettes		8.6	18.6
Chewing Tobacco		9.9	13.0
Marijuana		4.7	10.1
Inhalants		2.3	3.3
Prescription medications not prescribed for student		4.4	7.8
Over-the-counter medications for non-medical use		3.9	6.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol		46.1	63.4
Cigarettes		37.1	48.6
Marijuana		25.7	33.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		11.0	12.4
Percent who would likely use, if offered by a best friend:			
Alcohol		26.1	42.4
Cigarettes		10.9	17.4
Marijuana		7.0	14.8
Percent who say it would be wrong to use:			
Alcohol		65.5	53.6
Cigarettes		85.6	76.2
Marijuana		88.7	81.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		97.4	94.4
Percent whose parents would disapprove if they use:			
Alcohol		80.2	73.4
Cigarettes		94.0	87.0
Marijuana		95.5	91.6
Percent who say it would be easy to obtain:			
Alcohol		45.3	59.4
Cigarettes		44.5	56.7
Marijuana		23.5	34.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		11.9	18.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)		74.4	77.4
Cigarettes (1+ packs per day)			
Cigarettes (any use)		79.7	78.6
Marijuana (once or twice a week)			
Marijuana (any use)		77.3	68.0
Other: Cocaine, LSD, Meth, Club Drug (any use)		93.0	92.2
Percent of students who, in past 30 days:			
Were very sad		20.8	25.8
Were grouchy, irritable, or in a bad mood		27.5	27.3
Felt hopeless about the future		10.9	13.9
Felt like not eating or eating more than usual		17.7	21.6
Slept a lot more or a lot less than usual		23.0	32.5
Had difficulty concentrating on school work		24.2	29.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide		11.5	15.7
Made plan about how they would attempt suicide		7.6	11.6
Attempted suicide		5.2	7.6
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		1.6	3.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school		6.7	9.2
Were in a physical fight		19.2	29.3
Were in a fight and had to be treated by a doctor or nurse		2.1	6.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school		51.4	61.4
Were made fun of by others		61.6	71.5
Were victims of an embarrassing or hurtful text message or something posted on the internet		19.8	20.3
Spread mean rumors or lies about other kids at school		21.3	32.3
Made fun of other people		55.9	72.3
Posted something on the internet or sent a text that might embarrass or hurt another student		10.4	21.4
Percent of students who agree that:			
Teachers notice and comment on student's good work		71.9	63.0
School provides feedback to parents on positive student performance		36.0	34.9
Rules are enforced fairly		63.3	58.5
Students of all races/ethnicities are treated equal		77.8	79.8
Percent of students who agree that:			
Parents notice and comment on student's good work		82.4	84.5
Parents involve student in making family decisions		66.2	67.1
It is important to be honest with parents regardless of consequences		86.8	80.1
Student could ask parent for help with a personal problem		76.7	76.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

WAYNE COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	13,521
2014 Estimate	13,452

BIRTH RISK	2013	2012	2011
Resident Births--Total	157	152	137
Mother Reported Smoking while Pregnant	55	55	45

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	2	1
Hepatitis C Chronic and Acute	10	11	6
Tuberculosis Infection Cases	6	4	8

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	217	184	186
Suicides	3	3	3
Self-inflicted Injuries	15	31	36
Homicides	1	1	1
Assault Injuries	21	37	45
Alcohol Induced Deaths	3	2	1
Drug Induced Deaths	3	4	0
Smoking Attributable Deaths	46	32	44

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	126	109	145
Mental Illness Secondary Diagnosis	313	276	247
Alcohol Principal Diagnosis	10	11	6
Alcohol Secondary Diagnosis	30	34	36
Drug Principal Diagnosis	7	8	7
Drug Secondary Diagnosis	13	21	17
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	30	29	25
Mental Illness Secondary Diagnosis	346	328	266
Alcohol Principal Diagnosis	9	4	6
Alcohol Secondary Diagnosis	18	25	18
Drug Principal Diagnosis	6	1	5
Drug Secondary Diagnosis	5	8	9
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	134	133	130
Mental Illness Secondary Diagnosis	358	182	79
Alcohol Principal Diagnosis	13	13	14
Alcohol Secondary Diagnosis	15	21	19
Drug Principal Diagnosis	11	16	11
Drug Secondary Diagnosis	13	14	11

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	18	18	19
Alcohol Package Carry-out Licenses	23	22	23

EMPLOYMENT	2014	2013	2012
Labor Force	5,550	5,946	5,772
Employed	5,135	5,502	5,297
Unemployed	415	444	475
Unemployment Rate	7.5%	7.5%	8.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	25	18	33
Fatal Crashes	1	0	1
Injury Crashes	14	10	17
Property Damage Crashes	10	8	15
Crash Fatalities	1	0	1
Crash Injuries	23	17	24
Drug Involved Crashes--Total	9	4	3
Fatal Crashes	0	0	0
Injury Crashes	6	2	2
Property Damage Crashes	3	2	1
Crash Fatalities	0	0	0
Crash Injuries	9	3	3

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	94	106	112
Liquor Law Arrests	12	32	23
Drug Arrests	297	177	98
Violent Offenses	28	14	14
Property Offenses	288	150	189
Domestic Violence Reports	32	10	18
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	3	9	13

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	500	498	490
Drop-outs	8	11	16
Drop-out Rate	1.6%	2.2%	3.3%
School Discipline Involving Alcohol	0	0	1
School Discipline Involving Drugs	9	2	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	11	11	2
Juvenile Alcohol Offenses	4	2	1
Juvenile Drug Offenses	3	3	0
School Truancy Status Offense	0	1	0
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	10	17	22
Injurious Behavior Status Offense	1	6	1
Child Abuse	1	0	3
Child Neglect	10	17	18
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	21	16	18
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	12	7	7
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	33	42	27
Probation/Parole Admissions--Drug	48	58	36
Probation/Parole Admissions--DWI	3	2	4
Prison Admissions--Drug	23	21	18
Prison Admissions--DWI	2	0	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

WAYNE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	12	6	10
CSTAR Adolescent	*	*	6
CSTAR Women and Children	*	*	*
CSTAR General Adult	72	84	36
CSTAR Opioid	0	0	*
Primary Recovery Treatment	9	38	77
Clinical SATOP (CIP, YCIP, SROP)	16	14	16
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	49	49	65
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	13	16	22
- Weekend Intervention Program	9	9	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	29	23	18
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	110	129	137
AGE			
Under 18	*	*	7
18 to 24	12	14	28
25 to 29	16	25	24
30 to 34	31	27	25
35 to 39	11	14	13
40 to 44	13	13	16
45 to 54	15	20	18
55 and Over	9	12	6
GENDER			
Male	74	89	93
Female	36	40	44
RACE / ETHNICITY			
Caucasian	105	126	136
African American	*	*	0
Native American / Alaskan	0	*	0
Asian / Pacific Islander	0	0	0
Hispanic	0	*	*
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	44	47	70
High School Graduate or G.E.D.	56	64	47
Associate Degree or Some College	10	18	20
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	27	28	40
Unemployed	53	66	58
Not in Labor Force	30	35	39
HOUSING / LIVING ARRANGEMENT			
Independent Living	97	117	124
Dependent Living	11	8	12
Homeless	0	*	*
MARITAL / FAMILY STATUS			
Never Married	44	54	56
Married / Cohabitating	36	44	47
Previously Married	30	31	34

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	34	40	48
Marijuana / Hashish	37	36	43
Cocaine (total)	*	0	*
- Crack	*	0	*
Stimulant (total)	21	36	19
- Methamphetamine	21	35	19
Heroin	6	5	*
Analgesic except Heroin	9	7	16
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	5	*
Inhalant	0	0	0
Sedative	0	0	*
Other Medication or Illicit Drug	0	0	*
Average Age at First Use of Drug	18.3	18.1	16.9
INJECTION DRUG USE			
Any Injection Use at Admission	12	15	14
- Daily Injection Use	*	*	*
- Weekly Injection Use	*	*	*
- Less than Weekly Injection Use	6	10	9
LIFETIME DUI / DWI ARRESTS			
0	62	63	70
1 or 2	34	46	47
3 or More	14	20	20
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	27	22	17
School	0	0	0
Mental Health Provider	0	*	*
Health Care Provider	*	7	8
Court / Criminal Justice	65	83	94
Other Referral Source	12	15	16
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	6
Military Veteran	7	*	7
Special Education Services Needed	11	25	25
Co-Occurring Psychological Problem	51	62	68
Co-Occurring Developmental Problem	7	21	11

WAYNE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	19
CENSUS 2010	13,521
2014 POPULATION ESTIMATE	13,452

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	8	6	*
Anxiety Disorder	32	31	29
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	8	10
Mood Disorder	148	131	103
Personality Disorder	*	*	*
Psychotic Disorder	31	28	34
Sexual Disorder	0	0	0
Other Diagnosis	0	0	0
Diagnosis Unknown	12	15	17

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	215	203	181
AGE			
Under 6	0	0	0
6 to 9	*	7	*
10 to 13	7	*	*
14 to 17	*	8	9
18 to 24	5	7	12
25 to 29	16	8	*
30 to 34	19	20	19
35 to 39	16	17	9
40 to 44	18	15	18
45 to 49	33	32	30
50 to 54	33	29	25
55 to 59	24	28	27
60 and Over	37	28	23
Age Unknown	0	0	0
GENDER			
Male	81	86	87
Female	134	117	94
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	209	195	175
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race	*	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	12	12	11
Past or Current Military Service	5	6	8

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	72	60	48
High School Grad or G.E.D.	0	0	35
Associate Degree or Some College	0	0	9
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	143	143	89
EMPLOYMENT			
Employed	10	*	*
Unemployed	9	*	74
Not in Labor Force	147	119	31
Employment Status Unknown	49	81	75
HOUSING / LIVING ARRANGEMENT			
Independent Living	138	105	93
Dependent Living	25	18	14
Homeless	0	0	0
Other	0	0	*
Housing Unknown	52	80	73
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	77	73	69
School	*	*	*
Mental Health Provider	34	29	27
Health Care Provider	46	42	29
Court / Criminal Justice	26	23	26
Other	30	32	26
Referral Source Unknown	0	0	*
TYPE OF COMMITMENT			
Voluntary	211	200	176
Civil	0	0	*
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

WAYNE COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol		49.7	49.1
Cigarettes		39.4	33.6
Chewing Tobacco		28.9	23.3
Marijuana		23.9	14.4
Inhalants		7.8	7.4
Prescription medications not prescribed for student		13.9	12.1
Over-the-counter medications for non-medical use		7.2	7.0
Methamphetamine		3.4	1.3
Cocaine		4.5	0.9
Heroin		2.3	0.4
Hallucinogens		7.2	3.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		4.5	1.3
Steroids not prescribed for student		4.5	2.2
Synthetic drugs (K2, bath salts, Spice, etc)		9.4	
Average age of students' first use of:			
Alcohol		11.99	12.48
Cigarettes		11.88	11.60
Marijuana		12.18	13.42
Inhalants		11.01	11.95
Percent of students who, in past 30 days, used:			
Alcohol		18.3	21.5
Alcohol (Binge: 5+ drinks on one occassion)		11.1	15.3
Cigarettes		22.5	16.5
Chewing Tobacco		14.4	12.5
Marijuana		11.7	7.4
Inhalants		2.2	1.3
Prescription medications not prescribed for student		8.3	8.6
Over-the-counter medications for non-medical use		4.4	3.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol		58.7	63.6
Cigarettes		58.1	56.4
Marijuana		46.6	32.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		19.0	17.3
Percent who would likely use, if offered by a best friend:			
Alcohol		44.4	33.3
Cigarettes		27.9	18.1
Marijuana		18.5	8.7
Percent who say it would be wrong to use:			
Alcohol		49.7	54.5
Cigarettes		65.6	67.7
Marijuana		72.9	80.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		92.1	94.4
Percent whose parents would disapprove if they use:			
Alcohol		71.5	76.4
Cigarettes		85.5	87.5
Marijuana		86.0	92.2
Percent who say it would be easy to obtain:			
Alcohol		60.0	55.0
Cigarettes		58.3	59.1
Marijuana		44.9	31.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		23.0	16.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)		70.6	74.1
Cigarettes (1+ packs per day)			
Cigarettes (any use)		72.6	74.9
Marijuana (once or twice a week)			
Marijuana (any use)		62.6	71.4
Other: Cocaine, LSD, Meth, Club Drug (any use)		92.1	92.7
Percent of students who, in past 30 days:			
Were very sad		19.4	16.7
Were grouchy, irritable, or in a bad mood		31.3	25.3
Felt hopeless about the future		10.7	7.3
Felt like not eating or eating more than usual		21.5	21.9
Slept a lot more or a lot less than usual		21.8	33.8
Had difficulty concentrating on school work		29.5	35.3
Percent of students who, in past 12 months:			
Seriously considered attempting suicide		15.6	9.4
Made plan about how they would attempt suicide		9.8	7.7
Attempted suicide		6.1	5.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		2.2	2.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school		10.6	12.0
Were in a physical fight		31.3	29.9
Were in a fight and had to be treated by a doctor or nurse		3.9	3.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school		56.7	62.2
Were made fun of by others		58.1	65.0
Were victims of an embarrassing or hurtful text message or something posted on the internet		21.5	17.0
Spread mean rumors or lies about other kids at school		31.1	27.5
Made fun of other people		59.4	63.7
Posted something on the internet or sent a text that might embarrass or hurt another student		19.1	17.3
Percent of students who agree that:			
Teachers notice and comment on student's good work		62.0	73.8
School provides feedback to parents on positive student performance		41.7	46.8
Rules are enforced fairly		58.9	65.9
Students of all races/ethnicities are treated equal		75.4	75.8
Percent of students who agree that:			
Parents notice and comment on student's good work		77.1	86.6
Parents involve student in making family decisions		65.4	74.8
It is important to be honest with parents regardless of consequences		81.9	87.6
Student could ask parent for help with a personal problem		66.1	82.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

WEBSTER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	10
CENSUS 2010	36,202
2014 POPULATION ESTIMATE	36,888

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	10	10	10
Anxiety Disorder	105	91	88
Dementia	*	*	*
Developmental Disorder	11	15	15
Impulse Control Disorder	32	32	38
Mood Disorder	143	128	140
Personality Disorder	22	23	25
Psychotic Disorder	37	43	44
Sexual Disorder	0	0	0
Other Diagnosis	48	42	50
Diagnosis Unknown	12	9	38

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	219	201	251
AGE			
Under 6	15	14	10
6 to 9	17	14	21
10 to 13	24	21	23
14 to 17	16	20	41
18 to 24	22	16	19
25 to 29	8	6	9
30 to 34	19	16	16
35 to 39	13	15	15
40 to 44	13	16	20
45 to 49	18	17	27
50 to 54	16	18	25
55 to 59	23	16	15
60 and Over	15	12	10
Age Unknown	0	0	0
GENDER			
Male	98	92	122
Female	121	109	129
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	207	192	230
African American	0	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	0	*
Other Race	10	8	17
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	8	6	13
Past or Current Military Service	10	5	6

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	50	33	51
High School Grad or G.E.D.	0	0	46
Associate Degree or Some College	0	0	15
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	169	168	138
EMPLOYMENT			
Employed	*	*	8
Unemployed	*	*	79
Not in Labor Force	75	48	35
Employment Status Unknown	139	149	129
HOUSING / LIVING ARRANGEMENT			
Independent Living	31	25	102
Dependent Living	46	25	30
Homeless	*	0	0
Other	0	0	0
Housing Unknown	139	151	119
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	111	109	164
School	*	*	*
Mental Health Provider	6	9	7
Health Care Provider	30	20	22
Court / Criminal Justice	11	15	14
Other	58	46	41
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	214	198	245
Civil	*	*	0
Criminal	*	*	5
Sexual Predatory	0	0	0
Commitment Type Unknown	*	*	*

WEBSTER COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	34.3	38.2	45.6
Cigarettes	24.6	24.4	30.0
Chewing Tobacco	18.5	20.9	22.8
Marijuana	21.1	15.8	13.9
Inhalants	4.8	9.1	7.9
Prescription medications not prescribed for student	9.5	11.2	14.5
Over-the-counter medications for non-medical use	3.7	4.8	10.5
Methamphetamine	1.1	0.0	0.7
Cocaine	1.1	0.0	1.3
Heroin	1.1	0.0	0.3
Hallucinogens	3.9	1.5	3.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.8	0.9	2.1
Steroids not prescribed for student	0.0	0.9	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	6.4	8.0	
Average age of students' first use of:			
Alcohol	13.21	12.53	12.48
Cigarettes	13.06	11.54	12.08
Marijuana	14.38	12.13	13.27
Inhalants	13.60	12.74	11.94
Percent of students who, in past 30 days, used:			
Alcohol	15.2	14.7	19.1
Alcohol (Binge: 5+ drinks on one occassion)		7.5	11.4
Cigarettes	8.5	10.1	14.7
Chewing Tobacco	7.2	9.1	13.2
Marijuana	9.1	6.9	7.0
Inhalants	2.6	4.2	3.1
Prescription medications not prescribed for student	2.9	3.7	8.7
Over-the-counter medications for non-medical use	1.7	1.5	6.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	9.6		
Percent whose friends used in past 12 months:			
Alcohol	44.1	56.5	61.8
Cigarettes	35.7	51.0	51.7
Marijuana	29.2	32.4	37.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	14.5	19.8
Percent who would likely use, if offered by a best friend:			
Alcohol	24.6	28.8	33.3
Cigarettes	12.1	11.0	16.5
Marijuana	16.7	12.3	10.9
Percent who say it would be wrong to use:			
Alcohol	60.8	63.0	59.3
Cigarettes	77.2	81.4	76.6
Marijuana	77.1	84.6	85.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	99.2	94.7
Percent whose parents would disapprove if they use:			
Alcohol	83.3	84.5	78.6
Cigarettes	92.2	94.7	88.7
Marijuana	93.9	92.6	93.9
Percent who say it would be easy to obtain:			
Alcohol	48.5	49.5	60.6
Cigarettes	50.0	47.1	62.6
Marijuana	36.8	25.1	40.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.8	10.7	23.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	64.1		
Alcohol (Binge: 5+ drinks once or twice a week)	78.5		
Alcohol (any use)		70.1	80.1
Cigarettes (1+ packs per day)	85.6		
Cigarettes (any use)		84.4	77.8
Marijuana (once or twice a week)	71.7		
Marijuana (any use)		68.4	76.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	93.2	94.0
Percent of students who, in past 30 days:			
Were very sad	23.0	20.9	21.0
Were grouchy, irritable, or in a bad mood	29.9	25.9	28.5
Felt hopeless about the future	13.3	11.2	14.8
Felt like not eating or eating more than usual	19.1	18.6	19.1
Slept a lot more or a lot less than usual	19.6	21.8	28.2
Had difficulty concentrating on school work	22.8	26.2	29.3
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.0	14.5	14.8
Made plan about how they would attempt suicide	8.5	9.9	10.4
Attempted suicide	5.2	7.3	6.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	3.7	1.7	2.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.4	8.5	9.2
Were in a physical fight	23.9	23.8	22.4
Were in a fight and had to be treated by a doctor or nurse	2.0	4.4	2.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.4	56.5	54.9
Were made fun of by others	56.7	68.7	68.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	17.8	21.4	18.9
Spread mean rumors or lies about other kids at school	29.1	35.7	31.6
Made fun of other people	60.9	69.3	71.9
Posted something on the internet or sent a text that might embarrass or hurt another student	14.8	13.6	13.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	70.6	78.2	68.3
School provides feedback to parents on positive student performance	36.7	34.9	34.0
Rules are enforced fairly	65.2	64.9	61.8
Students of all races/ethnicities are treated equal	70.7	83.6	74.1
Percent of students who agree that:			
Parents notice and comment on student's good work	75.2	82.9	82.1
Parents involve student in making family decisions	66.5	63.7	69.8
It is important to be honest with parents regardless of consequences	87.4	80.7	82.4
Student could ask parent for help with a personal problem	82.3	65.3	75.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

WEBSTER COUNTY

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	36,202
2014 Estimate	36,888

BIRTH RISK	2013	2012	2011
Resident Births--Total	539	527	463
Mother Reported Smoking while Pregnant	76	77	57

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	2
Hepatitis B Chronic, Acute, Prenatal	3	3	2
Hepatitis C Chronic and Acute	29	18	26
Tuberculosis Infection Cases	8	3	6

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	309	302	263
Suicides	5	7	9
Self-inflicted Injuries	43	59	28
Homicides	0	3	0
Assault Injuries	60	89	84
Alcohol Induced Deaths	3	0	3
Drug Induced Deaths	4	4	4
Smoking Attributable Deaths	55	57	48

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	146	124	132
Mental Illness Secondary Diagnosis	269	281	252
Alcohol Principal Diagnosis	2	12	5
Alcohol Secondary Diagnosis	11	10	6
Drug Principal Diagnosis	17	18	9
Drug Secondary Diagnosis	15	13	16
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	148	167	121
Mental Illness Secondary Diagnosis	658	605	485
Alcohol Principal Diagnosis	42	36	31
Alcohol Secondary Diagnosis	31	52	48
Drug Principal Diagnosis	49	37	31
Drug Secondary Diagnosis	53	46	37
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	201	243	214
Mental Illness Secondary Diagnosis	1,131	1,043	396
Alcohol Principal Diagnosis	61	44	40
Alcohol Secondary Diagnosis	35	34	38
Drug Principal Diagnosis	74	74	49
Drug Secondary Diagnosis	90	79	47

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	7	8	8
Alcohol Package Carry-out Licenses	27	28	30

EMPLOYMENT	2014	2013	2012
Labor Force	16,273	16,283	16,548
Employed	15,301	15,237	15,408
Unemployed	972	1,046	1,140
Unemployment Rate	6.0%	6.4%	6.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	30	34	38
Fatal Crashes	1	2	3
Injury Crashes	15	10	15
Property Damage Crashes	14	22	20
Crash Fatalities	1	2	3
Crash Injuries	24	12	28
Drug Involved Crashes--Total	12	8	7
Fatal Crashes	0	0	0
Injury Crashes	4	2	1
Property Damage Crashes	8	6	6
Crash Fatalities	0	0	0
Crash Injuries	5	2	3

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	131	154	105
Liquor Law Arrests	23	69	52
Drug Arrests	301	231	175
Violent Offenses	66	64	38
Property Offenses	750	766	665
Domestic Violence Reports	127	159	134
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	14	16	15

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	1,358	1,373	1,388
Drop-outs	16	26	12
Drop-out Rate	1.2%	1.9%	0.9%
School Discipline Involving Alcohol	5	1	7
School Discipline Involving Drugs	11	13	13
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	75	60	40
Juvenile Alcohol Offenses	11	13	5
Juvenile Drug Offenses	9	12	13
School Truancy Status Offense	12	19	15
Absent from Home Status Offense	10	16	23
Beyond Parental Control Status Offense	44	97	89
Injurious Behavior Status Offense	10	5	11
Child Abuse	30	47	48
Child Neglect	83	86	91
Child Custody Issues	0	0	1

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	29	35	18
Parental Alcohol Use Related	1	3	0
Parental Drug Use Related	14	14	0
Parental Alcohol and Drug Use	3	3	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	15	16	21
Probation/Parole Admissions--Drug	82	54	60
Probation/Parole Admissions--DWI	14	9	9
Prison Admissions--Drug	28	33	28
Prison Admissions--DWI	1	3	3

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

WEBSTER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	22	22	21
CSTAR Adolescent	8	*	10
CSTAR Women and Children	16	18	7
CSTAR General Adult	66	59	48
CSTAR Opioid	0	0	0
Primary Recovery Treatment	21	21	39
Clinical SATOP (CIP, YCIP, SROP)	19	22	12
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	97	90	108
- Adolescent Diversion Education Prograr	0	*	5
- Offender Education Program	30	32	33
- Weekend Intervention Program	21	19	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	8
Compulsive Gambling	0	0	0
Recovery Supports	18	12	15
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	122	133	117
AGE			
Under 18	8	*	10
18 to 24	23	29	24
25 to 29	21	20	18
30 to 34	24	21	17
35 to 39	15	12	15
40 to 44	13	22	10
45 to 54	12	15	17
55 and Over	6	10	6
GENDER			
Male	83	86	84
Female	39	47	33
RACE / ETHNICITY			
Caucasian	117	128	111
African American	*	*	*
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	*
Hispanic	0	0	*
Other Race / Two or More Races	*	*	*
EDUCATION			
Less than High School Diploma	42	55	49
High School Graduate or G.E.D.	62	55	48
Associate Degree or Some College	18	21	20
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	35	37	26
Unemployed	39	46	53
Not in Labor Force	48	50	38
HOUSING / LIVING ARRANGEMENT			
Independent Living	98	110	97
Dependent Living	15	14	17
Homeless	5	8	*
MARITAL / FAMILY STATUS			
Never Married	55	52	51
Married / Cohabitating	44	39	41
Previously Married	23	42	25

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	46	55	49
Marijuana / Hashish	21	13	26
Cocaine (total)	0	*	0
- Crack	0	*	0
Stimulant (total)	34	37	26
- Methamphetamine	32	36	26
Heroin	6	*	5
Analgesic except Heroin	12	17	6
- Non-Prescription Methadone	0	0	*
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	*	*	*
Inhalant	0	0	*
Sedative	0	0	*
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	16.9	19.3	17.2
INJECTION DRUG USE			
Any Injection Use at Admission	26	33	28
- Daily Injection Use	7	10	9
- Weekly Injection Use	7	*	7
- Less than Weekly Injection Use	12	19	12
LIFETIME DUI / DWI ARRESTS			
0	63	65	59
1 or 2	38	42	37
3 or More	21	26	21
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	36	50	37
School	0	0	0
Mental Health Provider	0	*	*
Health Care Provider	6	*	*
Court / Criminal Justice	66	62	68
Other Referral Source	13	13	8
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	6	5	5
Special Education Services Needed	8	9	13
Co-Occurring Psychological Problem	45	44	36
Co-Occurring Developmental Problem	6	7	*

WORTH COUNTY

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	2,171
2014 Estimate	2,073

BIRTH RISK	2013	2012	2011
Resident Births--Total	22	30	22
Mother Reported Smoking while Pregnant	5	9	5

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	1	0
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	32	24	32
Suicides	0	1	2
Self-inflicted Injuries	2	3	0
Homicides	0	0	0
Assault Injuries	5	2	1
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	0	0
Smoking Attributable Deaths	4	2	8

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	13	19	21
Mental Illness Secondary Diagnosis	40	33	31
Alcohol Principal Diagnosis	0	0	1
Alcohol Secondary Diagnosis	3	1	1
Drug Principal Diagnosis	0	1	0
Drug Secondary Diagnosis	2	0	0
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	7	4	0
Mental Illness Secondary Diagnosis	14	21	23
Alcohol Principal Diagnosis	0	1	1
Alcohol Secondary Diagnosis	3	8	2
Drug Principal Diagnosis	1	2	0
Drug Secondary Diagnosis	3	2	1
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	12	15	21
Mental Illness Secondary Diagnosis	59	35	32
Alcohol Principal Diagnosis	1	1	1
Alcohol Secondary Diagnosis	2	2	2
Drug Principal Diagnosis	0	3	0
Drug Secondary Diagnosis	5	4	5

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	2	2	2
Alcohol Package Carry-out Licenses	4	4	4

EMPLOYMENT	2014	2013	2012
Labor Force	1,323	1,229	1,128
Employed	1,270	1,178	1,075
Unemployed	53	51	53
Unemployment Rate	4.0%	4.1%	4.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	0	1	2
Fatal Crashes	0	0	0
Injury Crashes	0	1	2
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	2	4
Drug Involved Crashes--Total	0	0	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	4	7	10
Liquor Law Arrests	0	0	1
Drug Arrests	8	4	0
Violent Offenses	0	2	2
Property Offenses	38	40	38
Domestic Violence Reports	12	11	8
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	0	1	0

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	96	96	100
Drop-outs	3	0	0
Drop-out Rate	3.1%	0.0%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	0	0	0
Juvenile Alcohol Offenses	1	0	0
Juvenile Drug Offenses	0	0	1
School Truancy Status Offense	0	2	0
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	1	2	5
Injurious Behavior Status Offense	8	3	3
Child Abuse	0	0	0
Child Neglect	7	4	14
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	1	1	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	1	1	1
Probation/Parole Admissions--Drug	2	0	1
Probation/Parole Admissions--DWI	3	0	0
Prison Admissions--Drug	0	0	0
Prison Admissions--DWI	0	0	1

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

WORTH COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	0	0
CSTAR Adolescent	0	0	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	*	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	*	0
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	6	6	8
- Adolescent Diversion Education Prograr	0	0	*
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	*	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	6	*	*
AGE			
Under 18	0	0	0
18 to 24	0	*	0
25 to 29	0	0	0
30 to 34	*	0	*
35 to 39	*	*	0
40 to 44	0	*	0
45 to 54	*	0	*
55 and Over	*	0	0
GENDER			
Male	*	*	*
Female	*	0	*
RACE / ETHNICITY			
Caucasian	6	*	*
African American	0	*	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race / Two or More Races	0	0	0
EDUCATION			
Less than High School Diploma	*	0	0
High School Graduate or G.E.D.	*	*	*
Associate Degree or Some College	*	0	*
Bachelor or Advanced Degree	0	0	0
EMPLOYMENT			
Employed	*	*	*
Unemployed	*	*	0
Not in Labor Force	0	0	*
HOUSING / LIVING ARRANGEMENT			
Independent Living	*	*	*
Dependent Living	0	0	0
Homeless	0	0	0
MARITAL / FAMILY STATUS			
Never Married	0	*	0
Married / Cohabitating	*	0	*
Previously Married	*	*	*

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	*	*	*
Marijuana / Hashish	*	*	*
Cocaine (total)	0	0	0
- Crack	0	0	0
Stimulant (total)	*	0	0
- Methamphetamine	*	0	0
Heroin	0	0	0
Analgesic except Heroin	0	0	0
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	0
Tranquilizer	0	0	0
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	0	0	0
Average Age at First Use of Drug	17.0	15.7	14.8
INJECTION DRUG USE			
Any Injection Use at Admission	*	0	0
- Daily Injection Use	0	0	0
- Weekly Injection Use	*	0	0
- Less than Weekly Injection Use	0	0	0
LIFETIME DUI / DWI ARRESTS			
0	*	*	*
1 or 2	*	0	*
3 or More	*	*	*
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	0	0	*
School	0	0	0
Mental Health Provider	0	0	0
Health Care Provider	0	0	0
Court / Criminal Justice	5	*	*
Other Referral Source	*	0	*
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	0	0	0
Military Veteran	0	0	*
Special Education Services Needed	0	0	0
Co-Occurring Psychological Problem	*	0	*
Co-Occurring Developmental Problem	0	0	0

WORTH COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	1
CENSUS 2010	2,171
2014 POPULATION ESTIMATE	2,073

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	0	0	*
Anxiety Disorder	11	7	7
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	9	7	10
Mood Disorder	13	10	10
Personality Disorder	*	*	*
Psychotic Disorder	0	0	0
Sexual Disorder	0	0	0
Other Diagnosis	*	5	5
Diagnosis Unknown	0	*	0

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	18	17	19
AGE			
Under 6	0	0	*
6 to 9	*	*	5
10 to 13	*	*	*
14 to 17	*	*	*
18 to 24	*	*	*
25 to 29	0	*	*
30 to 34	*	0	0
35 to 39	0	0	0
40 to 44	*	*	*
45 to 49	*	*	*
50 to 54	*	*	*
55 to 59	*	*	*
60 and Over	*	*	0
Age Unknown	0	0	0
GENDER			
Male	*	*	6
Female	15	14	13
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	18	17	19
African American	0	0	0
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	0	0	0
Other Race	0	0	0
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	*	*	*
Past or Current Military Service	0	0	0

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	7	8	*
High School Grad or G.E.D.	0	0	*
Associate Degree or Some College	0	0	*
Bachelor or Advanced Degree	0	0	0
Education Level Unknown	11	9	13
EMPLOYMENT			
Employed	0	*	0
Unemployed	*	0	6
Not in Labor Force	14	12	0
Employment Status Unknown	*	*	13
HOUSING / LIVING ARRANGEMENT			
Independent Living	9	6	6
Dependent Living	6	8	5
Homeless	0	0	0
Other	0	0	*
Housing Unknown	*	*	7
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	*	*	*
School	*	*	*
Mental Health Provider	*	5	*
Health Care Provider	*	*	*
Court / Criminal Justice	0	*	*
Other	6	*	6
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	18	17	19
Civil	0	0	0
Criminal	0	0	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

WORTH COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol			
Cigarettes			
Chewing Tobacco			
Marijuana			
Inhalants			
Prescription medications not prescribed for student			
Over-the-counter medications for non-medical use			
Methamphetamine			
Cocaine			
Heroin			
Hallucinogens			
Club drugs (Ecstasy, GHB, roofie, Special K, etc)			
Steroids not prescribed for student			
Synthetic drugs (K2, bath salts, Spice, etc)			
Average age of students' first use of:			
Alcohol			
Cigarettes			
Marijuana			
Inhalants			
Percent of students who, in past 30 days, used:			
Alcohol			
Alcohol (Binge: 5+ drinks on one occassion)			
Cigarettes			
Chewing Tobacco			
Marijuana			
Inhalants			
Prescription medications not prescribed for student			
Over-the-counter medications for non-medical use			
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol			
Cigarettes			
Marijuana			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			
Percent who would likely use, if offered by a best friend:			
Alcohol			
Cigarettes			
Marijuana			
Percent who say it would be wrong to use:			
Alcohol			
Cigarettes			
Marijuana			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			
Percent whose parents would disapprove if they use:			
Alcohol			
Cigarettes			
Marijuana			
Percent who say it would be easy to obtain:			
Alcohol			
Cigarettes			
Marijuana			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)			
Cigarettes (1+ packs per day)			
Cigarettes (any use)			
Marijuana (once or twice a week)			
Marijuana (any use)			
Other: Cocaine, LSD, Meth, Club Drug (any use)			
Percent of students who, in past 30 days:			
Were very sad			
Were grouchy, irritable, or in a bad mood			
Felt hopeless about the future			
Felt like not eating or eating more than usual			
Slept a lot more or a lot less than usual			
Had difficulty concentrating on school work			
Percent of students who, in past 12 months:			
Seriously considered attempting suicide			
Made plan about how they would attempt suicide			
Attempted suicide			
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse			
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school			
Were in a physical fight			
Were in a fight and had to be treated by a doctor or nurse			
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school			
Were made fun of by others			
Were victims of an embarrassing or hurtful text message or something posted on the internet			
Spread mean rumors or lies about other kids at school			
Made fun of other people			
Posted something on the internet or sent a text that might embarrass or hurt another student			
Percent of students who agree that:			
Teachers notice and comment on student's good work			
School provides feedback to parents on positive student performance			
Rules are enforced fairly			
Students of all races/ethnicities are treated equal			
Percent of students who agree that:			
Parents notice and comment on student's good work			
Parents involve student in making family decisions			
It is important to be honest with parents regardless of consequences			
Student could ask parent for help with a personal problem			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

WRIGHT COUNTY

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	18,815
2014 Estimate	18,291

BIRTH RISK	2013	2012	2011
Resident Births--Total	245	228	240
Mother Reported Smoking while Pregnant	70	71	68

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	2	1
Hepatitis C Chronic and Acute	12	25	14
Tuberculosis Infection Cases	2	0	1

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	208	225	229
Suicides	6	4	3
Self-inflicted Injuries	34	33	36
Homicides	0	2	2
Assault Injuries	30	36	46
Alcohol Induced Deaths	1	3	2
Drug Induced Deaths	0	2	3
Smoking Attributable Deaths	39	48	45

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	175	191	176
Mental Illness Secondary Diagnosis	202	182	186
Alcohol Principal Diagnosis	23	23	10
Alcohol Secondary Diagnosis	6	13	7
Drug Principal Diagnosis	24	21	12
Drug Secondary Diagnosis	13	14	14
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	81	45	52
Mental Illness Secondary Diagnosis	378	405	323
Alcohol Principal Diagnosis	10	15	13
Alcohol Secondary Diagnosis	31	47	30
Drug Principal Diagnosis	18	14	5
Drug Secondary Diagnosis	34	30	16
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	175	147	136
Mental Illness Secondary Diagnosis	628	528	248
Alcohol Principal Diagnosis	28	35	13
Alcohol Secondary Diagnosis	30	40	26
Drug Principal Diagnosis	14	41	29
Drug Secondary Diagnosis	40	40	23

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	12	8	10
Alcohol Package Carry-out Licenses	14	15	14

EMPLOYMENT	2014	2013	2012
Labor Force	7,619	8,237	8,534
Employed	7,072	7,651	7,924
Unemployed	547	586	610
Unemployment Rate	7.2%	7.1%	7.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	17	19	15
Fatal Crashes	1	2	0
Injury Crashes	8	2	11
Property Damage Crashes	8	15	4
Crash Fatalities	1	2	0
Crash Injuries	13	4	15
Drug Involved Crashes--Total	5	4	3
Fatal Crashes	0	0	0
Injury Crashes	0	3	1
Property Damage Crashes	5	1	2
Crash Fatalities	0	0	0
Crash Injuries	0	3	1

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	67	100	76
Liquor Law Arrests	11	25	23
Drug Arrests	163	188	162
Violent Offenses	36	53	40
Property Offenses	408	397	381
Domestic Violence Reports	4	4	4
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	7	14	7

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	988	960	962
Drop-outs	1	11	12
Drop-out Rate	0.1%	1.1%	1.2%
School Discipline Involving Alcohol	0	11	0
School Discipline Involving Drugs	1	5	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	16	20	22
Juvenile Alcohol Offenses	0	4	2
Juvenile Drug Offenses	2	10	10
School Truancy Status Offense	9	8	2
Absent from Home Status Offense	1	2	3
Beyond Parental Control Status Offense	20	16	33
Injurious Behavior Status Offense	4	1	2
Child Abuse	0	0	4
Child Neglect	59	32	31
Child Custody Issues	6	31	11

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	56	37	42
Parental Alcohol Use Related	3	3	0
Parental Drug Use Related	13	6	12
Parental Alcohol and Drug Use	3	8	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	53	59	59
Probation/Parole Admissions--Drug	88	64	66
Probation/Parole Admissions--DWI	10	12	7
Prison Admissions--Drug	50	27	24
Prison Admissions--DWI	4	1	3

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

WRIGHT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	23	21	24
CSTAR Adolescent	*	*	8
CSTAR Women and Children	7	7	5
CSTAR General Adult	52	45	19
CSTAR Opioid	0	*	*
Primary Recovery Treatment	9	24	63
Clinical SATOP (CIP, YCIP, SROP)	17	21	17
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	63	75	79
- Adolescent Diversion Education Prograr	*	0	*
- Offender Education Program	19	19	29
- Weekend Intervention Program	14	14	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	95	111	115
AGE			
Under 18	5	*	7
18 to 24	16	16	25
25 to 29	16	19	26
30 to 34	20	28	22
35 to 39	8	12	8
40 to 44	8	6	10
45 to 54	20	17	12
55 and Over	*	9	5
GENDER			
Male	58	70	71
Female	37	41	44
RACE / ETHNICITY			
Caucasian	94	109	110
African American	0	*	*
Native American / Alaskan	*	0	*
Asian / Pacific Islander	0	0	0
Hispanic	*	*	*
Other Race / Two or More Races	0	0	*
EDUCATION			
Less than High School Diploma	34	47	49
High School Graduate or G.E.D.	46	50	54
Associate Degree or Some College	15	13	12
Bachelor or Advanced Degree	0	*	0
EMPLOYMENT			
Employed	15	9	15
Unemployed	28	44	60
Not in Labor Force	52	58	40
HOUSING / LIVING ARRANGEMENT			
Independent Living	83	96	100
Dependent Living	9	9	9
Homeless	*	*	*
MARITAL / FAMILY STATUS			
Never Married	29	35	49
Married / Cohabitating	36	46	42
Previously Married	30	30	24

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	36	36	38
Marijuana / Hashish	11	17	22
Cocaine (total)	0	*	0
- Crack	0	*	0
Stimulant (total)	31	33	32
- Methamphetamine	30	32	31
Heroin	*	5	*
Analgesic except Heroin	11	17	17
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	0	*
Tranquilizer	*	*	*
Inhalant	0	0	*
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	17.9	17.7	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	28	38	31
- Daily Injection Use	6	11	9
- Weekly Injection Use	8	13	11
- Less than Weekly Injection Use	14	14	11
LIFETIME DUI / DWI ARRESTS			
0	50	60	59
1 or 2	31	32	36
3 or More	14	19	20
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	33	51	34
School	0	0	0
Mental Health Provider	0	0	*
Health Care Provider	5	5	*
Court / Criminal Justice	39	33	64
Other Referral Source	17	21	13
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	*	*	*
Military Veteran	*	9	*
Special Education Services Needed	6	6	9
Co-Occurring Psychological Problem	28	41	31
Co-Occurring Developmental Problem	5	*	*

WRIGHT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	18
CENSUS 2010	18,815
2014 POPULATION ESTIMATE	18,291

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	16	12	5
Anxiety Disorder	161	156	104
Dementia	0	0	0
Developmental Disorder	0	*	*
Impulse Control Disorder	34	35	25
Mood Disorder	235	247	180
Personality Disorder	22	18	11
Psychotic Disorder	29	28	24
Sexual Disorder	*	0	0
Other Diagnosis	*	9	6
Diagnosis Unknown	24	20	35

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	337	340	251
AGE			
Under 6	0	0	0
6 to 9	12	16	6
10 to 13	12	9	11
14 to 17	7	15	14
18 to 24	37	41	22
25 to 29	32	34	27
30 to 34	32	39	26
35 to 39	34	26	29
40 to 44	33	39	29
45 to 49	41	35	32
50 to 54	45	43	32
55 to 59	35	27	16
60 and Over	17	16	7
Age Unknown	0	0	0
GENDER			
Male	135	141	107
Female	202	199	144
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	324	326	244
African American	*	*	*
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	*	0
Hispanic	*	6	*
Other Race	6	*	*
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	6	6	6
Past or Current Military Service	7	7	5

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	84	96	35
High School Grad or G.E.D.	0	0	41
Associate Degree or Some College	0	0	11
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	253	244	162
EMPLOYMENT			
Employed	26	36	11
Unemployed	36	45	77
Not in Labor Force	197	201	25
Employment Status Unknown	78	58	138
HOUSING / LIVING ARRANGEMENT			
Independent Living	169	179	90
Dependent Living	36	46	23
Homeless	13	10	*
Other	0	0	*
Housing Unknown	119	105	135
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	164	155	108
School	0	0	0
Mental Health Provider	11	13	12
Health Care Provider	131	127	108
Court / Criminal Justice	16	24	13
Other	15	21	10
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	337	337	250
Civil	0	*	*
Criminal	0	*	0
Sexual Predatory	0	0	0
Commitment Type Unknown	0	0	0

WRIGHT COUNTY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	32.1	30.4	47.7
Cigarettes	23.6	22.3	34.4
Chewing Tobacco	21.2	21.0	30.0
Marijuana	10.6	8.0	10.4
Inhalants	3.1	5.4	8.4
Prescription medications not prescribed for student	8.8	8.0	15.0
Over-the-counter medications for non-medical use	4.8	4.8	9.7
Methamphetamine	0.0	0.6	1.0
Cocaine	0.0	0.6	1.5
Heroin	0.9	0.6	1.3
Hallucinogens	0.9	1.0	2.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.3	1.8
Steroids not prescribed for student	0.0	0.6	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	5.4	5.4	
Average age of students' first use of:			
Alcohol	13.14	12.71	11.90
Cigarettes	12.95	12.36	11.86
Marijuana	14.02	13.63	12.75
Inhalants	13.43	11.91	12.35
Percent of students who, in past 30 days, used:			
Alcohol	11.2	8.6	17.2
Alcohol (Binge: 5+ drinks on one occassion)		4.2	10.6
Cigarettes	8.9	9.3	17.9
Chewing Tobacco	9.3	10.9	17.6
Marijuana	3.1	2.6	3.8
Inhalants	0.4	1.3	4.1
Prescription medications not prescribed for student	4.4	3.2	9.7
Over-the-counter medications for non-medical use	2.2	3.2	5.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	3.6		
Percent whose friends used in past 12 months:			
Alcohol	42.0	43.3	65.6
Cigarettes	36.0	37.8	51.0
Marijuana	18.0	19.4	31.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.4	8.0	17.2
Percent who would likely use, if offered by a best friend:			
Alcohol	23.2	21.7	35.5
Cigarettes	8.8	11.8	18.5
Marijuana	8.0	5.4	7.4
Percent who say it would be wrong to use:			
Alcohol	69.0	71.2	55.9
Cigarettes	86.3	85.5	74.7
Marijuana	88.2	89.0	88.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	97.4	98.2
Percent whose parents would disapprove if they use:			
Alcohol	82.8	84.7	79.4
Cigarettes	89.0	92.6	91.3
Marijuana	94.7	96.1	96.7
Percent who say it would be easy to obtain:			
Alcohol	39.6	42.1	58.3
Cigarettes	46.7	47.1	62.0
Marijuana	22.9	20.8	28.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.9	10.0	15.1

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.9		
Alcohol (Binge: 5+ drinks once or twice a week)	72.2		
Alcohol (any use)		75.1	77.9
Cigarettes (1+ packs per day)	85.0		
Cigarettes (any use)		78.3	80.5
Marijuana (once or twice a week)	73.7		
Marijuana (any use)		81.0	75.3
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	93.3	93.9
Percent of students who, in past 30 days:			
Were very sad	19.2	21.7	19.9
Were grouchy, irritable, or in a bad mood	25.2	24.6	25.9
Felt hopeless about the future	9.3	14.4	11.7
Felt like not eating or eating more than usual	14.1	15.7	18.7
Slept a lot more or a lot less than usual	15.0	17.3	26.2
Had difficulty concentrating on school work	21.1	24.0	26.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	8.8	12.2	12.3
Made plan about how they would attempt suicide	5.8	10.6	10.6
Attempted suicide	3.9	5.5	6.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.4	1.3	3.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.6	5.7	11.9
Were in a physical fight	21.6	20.2	28.6
Were in a fight and had to be treated by a doctor or nurse	2.2	1.9	4.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	53.1	50.0	65.1
Were made fun of by others	58.8	58.8	71.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.0	20.3	19.6
Spread mean rumors or lies about other kids at school	25.0	23.0	36.0
Made fun of other people	55.7	57.2	74.9
Posted something on the internet or sent a text that might embarrass or hurt another student	13.2	14.1	14.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	78.5	71.6	70.4
School provides feedback to parents on positive student performance	44.7	44.1	38.0
Rules are enforced fairly	67.1	65.5	64.0
Students of all races/ethnicities are treated equal	80.7	82.3	82.0
Percent of students who agree that:			
Parents notice and comment on student's good work	86.3	83.7	80.8
Parents involve student in making family decisions	69.2	71.1	67.0
It is important to be honest with parents regardless of consequences	90.8	88.1	86.4
Student could ask parent for help with a personal problem	79.6	78.2	75.5

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SAINT LOUIS CITY

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	23-25 (SL)
Adult Psychiatric	24, 25
POPULATION	
Census 2010	319,294
2014 Estimate	317,419

BIRTH RISK	2013	2012	2011
Resident Births--Total	4,694	4,696	4,957
Mother Reported Smoking while Pregnant	657	707	749

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	113	127	122
Hepatitis B Chronic, Acute, Prenatal	73	68	53
Hepatitis C Chronic and Acute	774	780	823
Tuberculosis Infection Cases	626	581	616

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	2,960	2,911	2,991
Suicides	38	31	43
Self-inflicted Injuries	370	458	483
Homicides	89	93	93
Assault Injuries	2,800	2,965	3,046
Alcohol Induced Deaths	57	44	33
Drug Induced Deaths	102	68	96
Smoking Attributable Deaths	467	461	468

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	3,748	2,449	3,098
Mental Illness Secondary Diagnosis	5,749	2,928	3,783
Alcohol Principal Diagnosis	293	143	252
Alcohol Secondary Diagnosis	930	255	525
Drug Principal Diagnosis	543	422	509
Drug Secondary Diagnosis	1,339	588	748
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,080	3,047	2,517
Mental Illness Secondary Diagnosis	4,472	7,506	6,759
Alcohol Principal Diagnosis	276	404	284
Alcohol Secondary Diagnosis	850	1,420	1,101
Drug Principal Diagnosis	219	294	245
Drug Secondary Diagnosis	824	1,621	1,313
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,156	4,594	4,377
Mental Illness Secondary Diagnosis	11,798	9,932	9,182
Alcohol Principal Diagnosis	1,811	1,845	1,573
Alcohol Secondary Diagnosis	1,410	1,361	1,190
Drug Principal Diagnosis	1,061	1,052	1,252
Drug Secondary Diagnosis	1,899	1,993	2,535

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	790	783	772
Alcohol Package Carry-out Licenses	164	168	176

EMPLOYMENT	2014	2013	2012
Labor Force	161,200	139,644	139,939
Employed	148,789	126,965	126,924
Unemployed	12,411	12,679	13,015
Unemployment Rate	7.7%	9.1%	9.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	135	152	124
Fatal Crashes	2	2	5
Injury Crashes	58	55	55
Property Damage Crashes	75	95	64
Crash Fatalities	2	2	5
Crash Injuries	98	85	112
Drug Involved Crashes--Total	21	21	14
Fatal Crashes	0	0	1
Injury Crashes	8	10	10
Property Damage Crashes	13	11	3
Crash Fatalities	0	0	1
Crash Injuries	20	14	8

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	287	343	263
Liquor Law Arrests	576	715	537
Drug Arrests	3,414	3,940	4,167
Violent Offenses	5,083	5,664	5,950
Property Offenses	21,349	22,231	25,861
Domestic Violence Reports	2,488	2,628	2,329
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	23	41	41

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	8,066	8,353	9,053
Drop-outs	1,225	1,050	1,646
Drop-out Rate	15.2%	12.6%	18.2%
School Discipline Involving Alcohol	5	0	4
School Discipline Involving Drugs	123	131	179
School Discipline Involving Tobacco	1	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	398	546	583
Juvenile Alcohol Offenses	0	6	4
Juvenile Drug Offenses	89	102	83
School Truancy Status Offense	198	169	216
Absent from Home Status Offense	46	42	51
Beyond Parental Control Status Offense	63	78	83
Injurious Behavior Status Offense	5	10	6
Child Abuse	33	50	63
Child Neglect	610	436	517
Child Custody Issues	72	53	94

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	291	214	213
Parental Alcohol Use Related	5	3	2
Parental Drug Use Related	68	76	49
Parental Alcohol and Drug Use	1	3	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	446	527	564
Probation/Parole Admissions--Drug	1,494	1,485	1,324
Probation/Parole Admissions--DWI	11	8	16
Prison Admissions--Drug	617	609	594
Prison Admissions--DWI	3	4	4

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SAINT LOUIS CITY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	644	776	843
CSTAR Adolescent	139	152	137
CSTAR Women and Children	790	694	799
CSTAR General Adult	1,364	1,055	1,095
CSTAR Opioid	196	237	258
Primary Recovery Treatment	306	436	537
Clinical SATOP (CIP, YCIP, SROP)	163	181	153
Other Substance Abuse Treatment	494	452	517

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	525	528	534
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	163	152	192
- Weekend Intervention Program	75	80	89
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	278	297	378
Compulsive Gambling	5	5	7
Recovery Supports	20	17	11
Early Intervention	520	497	103

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	3,370	3,166	3,387
AGE			
Under 18	143	149	137
18 to 24	363	364	411
25 to 29	496	480	514
30 to 34	560	532	565
35 to 39	457	407	401
40 to 44	340	337	342
45 to 54	670	641	759
55 and Over	341	256	258
GENDER			
Male	2,093	2,032	2,145
Female	1,276	1,134	1,241
RACE / ETHNICITY			
Caucasian	986	916	942
African American	2,270	2,146	2,337
Native American / Alaskan	*	*	*
Asian / Pacific Islander	5	5	11
Hispanic	33	32	34
Other Race / Two or More Races	87	81	82
EDUCATION			
Less than High School Diploma	1,433	1,331	1,468
High School Graduate or G.E.D.	1,362	1,283	1,379
Associate Degree or Some College	555	531	522
Bachelor or Advanced Degree	20	21	18
EMPLOYMENT			
Employed	490	382	397
Unemployed	1,194	1,106	1,349
Not in Labor Force	1,686	1,678	1,641
HOUSING / LIVING ARRANGEMENT			
Independent Living	2,398	2,237	2,201
Dependent Living	465	453	462
Homeless	347	322	477
MARITAL / FAMILY STATUS			
Never Married	2,489	2,358	2,476
Married / Cohabitating	477	451	477
Previously Married	404	357	434

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	672	684	688
Marijuana / Hashish	727	695	755
Cocaine (total)	403	376	582
- Crack	349	304	422
Stimulant (total)	62	46	49
- Methamphetamine	50	38	39
Heroin	1,338	1,220	1,174
Analgesic except Heroin	114	111	88
- Non-Prescription Methadone	*	*	*
PCP, LSD, other Hallucinogen	32	17	33
Tranquilizer	10	6	6
Inhalant	*	0	0
Sedative	*	*	*
Other Medication or Illicit Drug	10	8	10
Average Age at First Use of Drug	21.1	20.5	20.6
INJECTION DRUG USE			
Any Injection Use at Admission	822	693	656
- Daily Injection Use	512	439	388
- Weekly Injection Use	136	106	115
- Less than Weekly Injection Use	174	148	153
LIFETIME DUI / DWI ARRESTS			
0	2,835	2,630	2,868
1 or 2	393	383	375
3 or More	142	153	144
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,586	1,460	1,482
School	19	16	6
Mental Health Provider	18	23	29
Health Care Provider	151	108	122
Court / Criminal Justice	1,264	1,290	1,448
Other Referral Source	317	249	281
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	125	91	118
Military Veteran	137	134	145
Special Education Services Needed	384	294	330
Co-Occurring Psychological Problem	880	800	869
Co-Occurring Developmental Problem	144	192	181

SAINT LOUIS CITY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Eastern
PSYCHIATRIC SERVICE AREA	24, 25
CENSUS 2010	319,294
2014 POPULATION ESTIMATE	317,419

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	54	79	84
Anxiety Disorder	675	567	531
Dementia	10	6	11
Developmental Disorder	27	23	28
Impulse Control Disorder	699	701	629
Mood Disorder	3,440	3,156	3,039
Personality Disorder	322	274	275
Psychotic Disorder	2,521	2,429	2,466
Sexual Disorder	14	11	7
Other Diagnosis	186	142	117
Diagnosis Unknown	548	632	843

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	6,797	6,686	6,716
AGE			
Under 6	17	19	17
6 to 9	287	274	218
10 to 13	309	308	300
14 to 17	357	379	336
18 to 24	440	470	499
25 to 29	441	444	470
30 to 34	540	519	544
35 to 39	490	474	496
40 to 44	622	604	609
45 to 49	777	797	893
50 to 54	938	961	948
55 to 59	866	786	758
60 and Over	713	651	628
Age Unknown	0	0	0
GENDER			
Male	3,478	3,434	3,443
Female	3,319	3,252	3,273
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,675	1,675	1,705
African American	4,833	4,744	4,741
Native American / Alaskan	5	5	*
Asian / Pacific Islander	28	24	24
Hispanic	58	53	50
Other Race	198	184	192
Race/Ethnicity Unknown	0	*	*
TREATMENT ACCOMMODATION			
Hearing Impaired	201	178	171
Past or Current Military Service	197	188	208

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	1,803	1,912	1,170
High School Grad or G.E.D.	*	*	735
Associate Degree or Some College	0	*	362
Bachelor or Advanced Degree	0	0	191
Education Level Unknown	4,993	4,772	4,258
EMPLOYMENT			
Employed	308	295	279
Unemployed	341	325	1,922
Not in Labor Force	3,538	3,605	725
Employment Status Unknown	2,610	2,461	3,790
HOUSING / LIVING ARRANGEMENT			
Independent Living	2,266	2,192	2,089
Dependent Living	1,509	1,699	672
Homeless	324	260	186
Other	0	0	61
Housing Unknown	2,698	2,535	3,708
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	2,383	2,460	2,584
School	44	47	40
Mental Health Provider	739	805	877
Health Care Provider	1,049	910	725
Court / Criminal Justice	399	433	511
Other	2,137	1,977	1,920
Referral Source Unknown	46	54	59
TYPE OF COMMITMENT			
Voluntary	6,539	6,398	6,417
Civil	27	30	28
Criminal	181	201	207
Sexual Predatory	*	*	7
Commitment Type Unknown	46	53	57

SAINT LOUIS CITY

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol			
Cigarettes			
Chewing Tobacco			
Marijuana			
Inhalants			
Prescription medications not prescribed for student			
Over-the-counter medications for non-medical use			
Methamphetamine			
Cocaine			
Heroin			
Hallucinogens			
Club drugs (Ecstasy, GHB, roofie, Special K, etc)			
Steroids not prescribed for student			
Synthetic drugs (K2, bath salts, Spice, etc)			
Average age of students' first use of:			
Alcohol			
Cigarettes			
Marijuana			
Inhalants			
Percent of students who, in past 30 days, used:			
Alcohol			
Alcohol (Binge: 5+ drinks on one occassion)			
Cigarettes			
Chewing Tobacco			
Marijuana			
Inhalants			
Prescription medications not prescribed for student			
Over-the-counter medications for non-medical use			
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)			
Percent whose friends used in past 12 months:			
Alcohol			
Cigarettes			
Marijuana			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			
Percent who would likely use, if offered by a best friend:			
Alcohol			
Cigarettes			
Marijuana			
Percent who say it would be wrong to use:			
Alcohol			
Cigarettes			
Marijuana			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			
Percent whose parents would disapprove if they use:			
Alcohol			
Cigarettes			
Marijuana			
Percent who say it would be easy to obtain:			
Alcohol			
Cigarettes			
Marijuana			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)			
Alcohol (any use)			
Cigarettes (1+ packs per day)			
Cigarettes (any use)			
Marijuana (once or twice a week)			
Marijuana (any use)			
Other: Cocaine, LSD, Meth, Club Drug (any use)			
Percent of students who, in past 30 days:			
Were very sad			
Were grouchy, irritable, or in a bad mood			
Felt hopeless about the future			
Felt like not eating or eating more than usual			
Slept a lot more or a lot less than usual			
Had difficulty concentrating on school work			
Percent of students who, in past 12 months:			
Seriously considered attempting suicide			
Made plan about how they would attempt suicide			
Attempted suicide			
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse			
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school			
Were in a physical fight			
Were in a fight and had to be treated by a doctor or nurse			
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school			
Were made fun of by others			
Were victims of an embarrassing or hurtful text message or something posted on the internet			
Spread mean rumors or lies about other kids at school			
Made fun of other people			
Posted something on the internet or sent a text that might embarrass or hurt another student			
Percent of students who agree that:			
Teachers notice and comment on student's good work			
School provides feedback to parents on positive student performance			
Rules are enforced fairly			
Students of all races/ethnicities are treated equal			
Percent of students who agree that:			
Parents notice and comment on student's good work			
Parents involve student in making family decisions			
It is important to be honest with parents regardless of consequences			
Student could ask parent for help with a personal problem			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1, 2-5 (JC), 6, 7, 13
Adult Psychiatric	1, 2, 3, 4, 5, 6, 7, 13
POPULATION	
Census 2010	1,457,879
2014 Estimate	1,482,773

BIRTH RISK	2013	2012	2011
Resident Births--Total	19,300	19,504	19,325
Mother Reported Smoking while Pregnant	3,112	3,350	3,322

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	145	157	184
Hepatitis B Chronic, Acute, Prenatal	168	128	111
Hepatitis C Chronic and Acute	826	879	1,033
Tuberculosis Infection Cases	743	599	543

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	13,239	13,023	12,802
Suicides	250	219	232
Self-inflicted Injuries	2,311	2,307	2,256
Homicides	124	143	146
Assault Injuries	6,408	6,876	6,973
Alcohol Induced Deaths	136	133	122
Drug Induced Deaths	215	197	190
Smoking Attributable Deaths	2,298	2,262	2,196

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	11,825	11,873	13,057
Mental Illness Secondary Diagnosis	15,913	15,809	16,139
Alcohol Principal Diagnosis	1,166	1,158	1,176
Alcohol Secondary Diagnosis	2,285	1,977	2,062
Drug Principal Diagnosis	638	685	677
Drug Secondary Diagnosis	1,923	1,995	1,957
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3,708	4,193	3,164
Mental Illness Secondary Diagnosis	25,208	24,781	25,150
Alcohol Principal Diagnosis	987	1,147	998
Alcohol Secondary Diagnosis	3,301	3,479	3,364
Drug Principal Diagnosis	576	657	564
Drug Secondary Diagnosis	2,467	3,045	2,794
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	12,188	12,846	12,378
Mental Illness Secondary Diagnosis	31,431	26,060	25,152
Alcohol Principal Diagnosis	5,546	5,736	5,551
Alcohol Secondary Diagnosis	4,620	5,089	4,130
Drug Principal Diagnosis	2,804	2,627	2,407
Drug Secondary Diagnosis	4,831	5,192	4,837

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	1,614	1,621	1,599
Alcohol Package Carry-out Licenses	1,140	1,142	1,142

EMPLOYMENT	2014	2013	2012
Labor Force	787,002	744,559	745,615
Employed	737,991	694,682	693,740
Unemployed	49,011	49,877	51,875
Unemployment Rate	6.2%	6.7%	7.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	1,381	1,360	1,314
Fatal Crashes	34	37	32
Injury Crashes	572	541	571
Property Damage Crashes	775	782	711
Crash Fatalities	43	40	38
Crash Injuries	835	768	886
Drug Involved Crashes--Total	312	302	277
Fatal Crashes	8	7	8
Injury Crashes	150	154	128
Property Damage Crashes	154	141	141
Crash Fatalities	9	9	7
Crash Injuries	228	235	141

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	6,785	7,353	7,297
Liquor Law Arrests	2,260	2,494	2,770
Drug Arrests	7,517	7,139	6,898
Violent Offenses	8,121	8,286	7,968
Property Offenses	53,259	57,326	55,007
Domestic Violence Reports	10,718	11,201	10,691
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	21	45	84

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	66,267	66,776	66,469
Drop-outs	2,002	1,685	2,269
Drop-out Rate	3.0%	2.5%	3.4%
School Discipline Involving Alcohol	93	79	85
School Discipline Involving Drugs	522	559	739
School Discipline Involving Tobacco	11	9	19

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	1,045	1,167	1,176
Juvenile Alcohol Offenses	106	137	173
Juvenile Drug Offenses	304	331	321
School Truancy Status Offense	789	673	558
Absent from Home Status Offense	320	351	341
Beyond Parental Control Status Offense	404	563	423
Injurious Behavior Status Offense	576	658	422
Child Abuse	519	498	317
Child Neglect	2,101	2,146	1,609
Child Custody Issues	205	354	514

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	1,577	1,678	1,459
Parental Alcohol Use Related	37	47	74
Parental Drug Use Related	492	532	378
Parental Alcohol and Drug Use	68	70	34

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	1,433	1,534	1,469
Probation/Parole Admissions--Drug	2,395	2,287	2,471
Probation/Parole Admissions--DWI	517	549	587
Prison Admissions--Drug	1,125	1,095	1,081
Prison Admissions--DWI	258	292	312

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	1,209	1,173	1,521
CSTAR Adolescent	540	554	574
CSTAR Women and Children	891	820	800
CSTAR General Adult	4,593	4,133	3,780
CSTAR Opioid	143	91	80
Primary Recovery Treatment	698	1,130	1,405
Clinical SATOP (CIP, YCIP, SROP)	1,269	1,298	1,148
Other Substance Abuse Treatment	8	379	481

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	5,273	5,513	5,912
- Adolescent Diversion Education Prograr	84	98	174
- Offender Education Program	1,921	2,098	2,280
- Weekend Intervention Program	1,112	1,240	1,421
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	210	243	291
Compulsive Gambling	16	16	31
Recovery Supports	1,883	2,227	2,364
Early Intervention	132	159	376

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	8,671	8,769	8,956
AGE			
Under 18	544	575	593
18 to 24	1,394	1,479	1,508
25 to 29	1,397	1,389	1,372
30 to 34	1,418	1,398	1,339
35 to 39	998	924	978
40 to 44	858	871	975
45 to 54	1,512	1,603	1,714
55 and Over	550	530	477
GENDER			
Male	5,882	5,989	6,164
Female	2,788	2,779	2,792
RACE / ETHNICITY			
Caucasian	6,264	6,356	6,323
African American	1,886	1,891	2,073
Native American / Alaskan	27	28	36
Asian / Pacific Islander	15	30	34
Hispanic	322	318	330
Other Race / Two or More Races	265	251	266
EDUCATION			
Less than High School Diploma	2,729	2,802	2,854
High School Graduate or G.E.D.	3,895	3,941	4,005
Associate Degree or Some College	1,948	1,954	1,976
Bachelor or Advanced Degree	99	72	121
EMPLOYMENT			
Employed	2,473	2,407	2,367
Unemployed	3,295	3,580	3,704
Not in Labor Force	2,903	2,780	2,885
HOUSING / LIVING ARRANGEMENT			
Independent Living	6,488	6,603	6,724
Dependent Living	1,057	1,177	1,191
Homeless	768	727	808
MARITAL / FAMILY STATUS			
Never Married	5,239	5,316	5,190
Married / Cohabitating	1,696	1,718	1,778
Previously Married	1,736	1,735	1,988

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	3,336	3,564	3,803
Marijuana / Hashish	2,130	2,229	2,243
Cocaine (total)	503	500	738
- Crack	295	360	554
Stimulant (total)	1,641	1,513	1,277
- Methamphetamine	1,578	1,467	1,244
Heroin	228	156	112
Analgesic except Heroin	535	513	440
- Non-Prescription Methadone	*	*	11
PCP, LSD, other Hallucinogen	183	188	219
Tranquilizer	54	59	78
Inhalant	6	5	10
Sedative	*	*	*
Other Medication or Illicit Drug	51	38	35
Average Age at First Use of Drug	18.0	17.7	17.6
INJECTION DRUG USE			
Any Injection Use at Admission	946	792	641
- Daily Injection Use	223	170	143
- Weekly Injection Use	247	199	174
- Less than Weekly Injection Use	476	423	324
LIFETIME DUI / DWI ARRESTS			
0	5,013	4,920	5,040
1 or 2	2,368	2,382	2,404
3 or More	1,290	1,467	1,512
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	2,957	3,000	2,964
School	35	37	45
Mental Health Provider	213	232	285
Health Care Provider	355	321	386
Court / Criminal Justice	3,429	3,522	4,302
Other Referral Source	1,223	1,084	842
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	124	112	131
Military Veteran	313	365	472
Special Education Services Needed	500	569	563
Co-Occurring Psychological Problem	3,196	3,225	3,101
Co-Occurring Developmental Problem	180	229	258

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	1, 2, 3, 4, 5, 6, 7, 13
CENSUS 2010	1,457,879
2014 POPULATION ESTIMATE	1,482,773

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	946	1,045	1,076
Anxiety Disorder	6,941	7,119	6,853
Dementia	37	38	36
Developmental Disorder	255	256	230
Impulse Control Disorder	3,415	3,756	3,637
Mood Disorder	12,540	13,626	13,192
Personality Disorder	995	987	945
Psychotic Disorder	4,100	4,395	4,382
Sexual Disorder	33	44	11
Other Diagnosis	1,483	1,650	1,597
Diagnosis Unknown	2,413	3,086	3,700

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	20,944	23,784	23,839
AGE			
Under 6	195	271	314
6 to 9	1,254	1,412	1,460
10 to 13	1,552	1,739	1,835
14 to 17	1,590	1,786	1,919
18 to 24	1,722	2,095	2,121
25 to 29	1,665	1,940	1,862
30 to 34	1,899	2,210	2,104
35 to 39	1,790	1,982	1,937
40 to 44	1,837	2,081	2,104
45 to 49	1,948	2,346	2,478
50 to 54	2,301	2,564	2,523
55 to 59	1,699	1,809	1,695
60 and Over	1,492	1,549	1,487
Age Unknown	0	0	0
GENDER			
Male	10,021	11,376	11,394
Female	10,923	12,408	12,445
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	13,820	14,935	14,923
African American	5,391	6,693	6,998
Native American / Alaskan	80	93	98
Asian / Pacific Islander	75	89	83
Hispanic	628	681	648
Other Race	950	1,293	1,088
Race/Ethnicity Unknown	0	0	*
TREATMENT ACCOMMODATION			
Hearing Impaired	504	527	510
Past or Current Military Service	466	493	515

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	4,421	4,979	2,452
High School Grad or G.E.D.	22	119	2,489
Associate Degree or Some College	*	29	904
Bachelor or Advanced Degree	0	*	259
Education Level Unknown	16,499	18,654	17,735
EMPLOYMENT			
Employed	934	1,172	791
Unemployed	1,295	1,647	4,654
Not in Labor Force	8,081	8,865	1,791
Employment Status Unknown	10,634	12,100	16,603
HOUSING / LIVING ARRANGEMENT			
Independent Living	5,609	6,196	5,079
Dependent Living	4,165	4,930	2,332
Homeless	454	526	307
Other	0	*	164
Housing Unknown	10,716	12,130	15,957
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	11,776	13,444	13,161
School	282	337	361
Mental Health Provider	1,914	1,970	2,132
Health Care Provider	2,679	3,030	2,977
Court / Criminal Justice	895	1,074	1,202
Other	3,249	3,773	3,832
Referral Source Unknown	149	156	174
TYPE OF COMMITMENT			
Voluntary	20,486	23,321	23,329
Civil	63	72	107
Criminal	243	233	235
Sexual Predatory	16	15	11
Commitment Type Unknown	136	143	157

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	31.4	36.9	39.4
Cigarettes	17.9	21.2	24.6
Chewing Tobacco	8.8	10.1	9.5
Marijuana	14.5	16.1	16.5
Inhalants	3.1	5.1	6.1
Prescription medications not prescribed for student	7.8	8.0	10.5
Over-the-counter medications for non-medical use	3.2	5.9	7.4
Methamphetamine	0.6	1.3	0.9
Cocaine	1.3	1.8	1.7
Heroin	0.4	0.9	0.6
Hallucinogens	2.0	2.8	2.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.8	2.1	2.1
Steroids not prescribed for student	1.0	1.3	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	6.1	
Average age of students' first use of:			
Alcohol	13.09	12.83	12.57
Cigarettes	12.92	12.70	12.28
Marijuana	13.88	13.65	13.49
Inhalants	11.28	11.69	11.69
Percent of students who, in past 30 days, used:			
Alcohol	12.4	15.5	17.3
Alcohol (Binge: 5+ drinks on one occassion)		8.7	10.4
Cigarettes	7.3	9.5	12.7
Chewing Tobacco	4.3	5.3	5.0
Marijuana	7.1	8.2	8.6
Inhalants	1.2	2.0	2.9
Prescription medications not prescribed for student	3.6	4.4	6.3
Over-the-counter medications for non-medical use	1.9	3.4	4.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.5		
Percent whose friends used in past 12 months:			
Alcohol	41.5	51.4	54.1
Cigarettes	31.9	40.8	44.5
Marijuana	32.3	37.5	36.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	14.5	17.3
Percent who would likely use, if offered by a best friend:			
Alcohol	24.1	29.1	30.4
Cigarettes	10.2	12.4	14.0
Marijuana	13.5	13.8	13.1
Percent who say it would be wrong to use:			
Alcohol	66.6	62.1	62.1
Cigarettes	85.7	81.6	79.5
Marijuana	79.2	81.0	81.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.6	94.9	94.3
Percent whose parents would disapprove if they use:			
Alcohol	82.6	80.0	80.0
Cigarettes	93.0	91.8	90.5
Marijuana	92.3	93.4	93.5
Percent who say it would be easy to obtain:			
Alcohol	50.1	56.7	56.2
Cigarettes	45.1	51.9	53.6
Marijuana	34.1	37.7	36.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	16.7	18.6

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	60.5		
Alcohol (Binge: 5+ drinks once or twice a week)	72.6		
Alcohol (any use)		70.4	75.0
Cigarettes (1+ packs per day)	85.4		
Cigarettes (any use)		81.4	80.0
Marijuana (once or twice a week)	62.5		
Marijuana (any use)		71.3	72.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	90.5	92.7	91.8
Percent of students who, in past 30 days:			
Were very sad	20.6	18.6	18.8
Were grouchy, irritable, or in a bad mood	25.9	24.3	25.1
Felt hopeless about the future	12.2	11.0	11.7
Felt like not eating or eating more than usual	17.3	16.8	18.3
Slept a lot more or a lot less than usual	18.6	20.9	25.7
Had difficulty concentrating on school work	24.3	22.6	23.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.3	11.8	11.4
Made plan about how they would attempt suicide	9.2	8.7	8.3
Attempted suicide	5.3	5.0	5.6
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.8	1.7	2.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.2	6.2	9.4
Were in a physical fight	17.3	19.0	23.5
Were in a fight and had to be treated by a doctor or nurse	2.7	2.6	4.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.1	46.8	51.4
Were made fun of by others	58.4	59.9	65.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.8	20.1	19.0
Spread mean rumors or lies about other kids at school	24.0	26.3	32.8
Made fun of other people	52.9	61.2	70.2
Posted something on the internet or sent a text that might embarrass or hurt another student	16.8	14.2	18.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	71.3	68.1	70.8
School provides feedback to parents on positive student performance	40.2	37.6	42.0
Rules are enforced fairly	65.5	64.4	65.8
Students of all races/ethnicities are treated equal	79.2	77.2	78.2
Percent of students who agree that:			
Parents notice and comment on student's good work	82.0	82.0	82.9
Parents involve student in making family decisions	69.7	68.4	69.8
It is important to be honest with parents regardless of consequences	86.4	84.8	82.4
Student could ask parent for help with a personal problem	77.2	75.9	76.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11, 12, 14, 15
Adult Psychiatric	11, 12, 14, 15
POPULATION	
Census 2010	807,835
2014 Estimate	818,613

BIRTH RISK	2013	2012	2011
Resident Births--Total	10,043	9,981	10,041
Mother Reported Smoking while Pregnant	2,103	2,144	2,193

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	21	21	26
Hepatitis B Chronic, Acute, Prenatal	70	69	54
Hepatitis C Chronic and Acute	552	534	555
Tuberculosis Infection Cases	579	398	423

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	7,546	7,272	7,337
Suicides	136	123	114
Self-inflicted Injuries	967	972	958
Homicides	32	25	27
Assault Injuries	2,245	2,460	2,447
Alcohol Induced Deaths	39	45	42
Drug Induced Deaths	105	103	99
Smoking Attributable Deaths	1,349	1,321	1,295

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	4,065	3,826	3,856
Mental Illness Secondary Diagnosis	11,354	12,714	13,532
Alcohol Principal Diagnosis	322	289	299
Alcohol Secondary Diagnosis	861	851	970
Drug Principal Diagnosis	218	245	194
Drug Secondary Diagnosis	665	637	627
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3,244	3,269	2,664
Mental Illness Secondary Diagnosis	10,697	10,044	8,246
Alcohol Principal Diagnosis	794	769	684
Alcohol Secondary Diagnosis	1,239	1,112	933
Drug Principal Diagnosis	433	411	418
Drug Secondary Diagnosis	666	620	523
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	6,446	6,082	5,881
Mental Illness Secondary Diagnosis	22,947	17,476	17,040
Alcohol Principal Diagnosis	1,441	1,322	1,266
Alcohol Secondary Diagnosis	1,783	1,393	1,280
Drug Principal Diagnosis	931	994	948
Drug Secondary Diagnosis	1,471	1,255	1,078

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	1,154	1,163	1,153
Alcohol Package Carry-out Licenses	866	880	903

EMPLOYMENT	2014	2013	2012
Labor Force	392,897	409,146	397,890
Employed	370,481	385,074	372,518
Unemployed	22,416	24,072	25,372
Unemployment Rate	5.7%	5.9%	6.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	824	850	799
Fatal Crashes	40	37	35
Injury Crashes	363	398	351
Property Damage Crashes	421	415	413
Crash Fatalities	45	37	36
Crash Injuries	499	567	511
Drug Involved Crashes--Total	147	134	143
Fatal Crashes	7	9	10
Injury Crashes	58	59	53
Property Damage Crashes	82	66	80
Crash Fatalities	7	12	9
Crash Injuries	79	99	65

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	4,078	4,822	5,068
Liquor Law Arrests	1,608	1,981	2,189
Drug Arrests	4,910	4,757	4,450
Violent Offenses	2,088	2,288	2,507
Property Offenses	20,436	21,491	21,075
Domestic Violence Reports	6,079	6,524	6,492
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	162	245	264

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	34,500	34,939	34,950
Drop-outs	632	712	848
Drop-out Rate	1.8%	2.0%	2.4%
School Discipline Involving Alcohol	45	36	78
School Discipline Involving Drugs	179	233	256
School Discipline Involving Tobacco	5	9	15

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	945	1,064	1,094
Juvenile Alcohol Offenses	156	196	185
Juvenile Drug Offenses	328	343	365
School Truancy Status Offense	725	935	883
Absent from Home Status Offense	404	399	336
Beyond Parental Control Status Offense	625	779	725
Injurious Behavior Status Offense	1,312	1,564	1,730
Child Abuse	631	889	957
Child Neglect	1,641	1,994	1,887
Child Custody Issues	99	133	110

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	1,054	987	907
Parental Alcohol Use Related	28	18	38
Parental Drug Use Related	345	342	252
Parental Alcohol and Drug Use	48	34	25

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	698	772	751
Probation/Parole Admissions--Drug	2,172	2,100	1,823
Probation/Parole Admissions--DWI	395	455	506
Prison Admissions--Drug	1,227	1,082	1,025
Prison Admissions--DWI	198	219	269

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	397	532	559
CSTAR Adolescent	346	379	360
CSTAR Women and Children	560	526	542
CSTAR General Adult	3,234	2,513	2,069
CSTAR Opioid	*	5	0
Primary Recovery Treatment	581	1,284	1,837
Clinical SATOP (CIP, YCIP, SROP)	725	752	730
Other Substance Abuse Treatment	12	6	12

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	3,209	3,485	3,827
- Adolescent Diversion Education Prograr	144	165	229
- Offender Education Program	1,109	1,273	1,427
- Weekend Intervention Program	623	726	828
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	123	159	206
Compulsive Gambling	*	7	12
Recovery Supports	275	347	301
Early Intervention	168	177	212

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	5,024	5,211	5,243
AGE			
Under 18	360	386	371
18 to 24	918	997	1,032
25 to 29	888	971	937
30 to 34	832	789	820
35 to 39	595	558	572
40 to 44	422	454	460
45 to 54	738	758	811
55 and Over	271	298	240
GENDER			
Male	3,304	3,419	3,568
Female	1,720	1,792	1,675
RACE / ETHNICITY			
Caucasian	4,122	4,326	4,364
African American	662	659	659
Native American / Alaskan	17	15	5
Asian / Pacific Islander	13	18	18
Hispanic	91	79	88
Other Race / Two or More Races	142	144	141
EDUCATION			
Less than High School Diploma	1,569	1,645	1,749
High School Graduate or G.E.D.	2,376	2,374	2,388
Associate Degree or Some College	1,005	1,091	1,043
Bachelor or Advanced Degree	74	98	62
EMPLOYMENT			
Employed	1,555	1,619	1,694
Unemployed	1,840	1,814	1,824
Not in Labor Force	1,629	1,778	1,725
HOUSING / LIVING ARRANGEMENT			
Independent Living	3,984	4,198	4,262
Dependent Living	644	664	637
Homeless	188	200	171
MARITAL / FAMILY STATUS			
Never Married	2,841	2,920	2,906
Married / Cohabitating	1,130	1,196	1,175
Previously Married	1,053	1,095	1,162

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	1,913	2,153	2,249
Marijuana / Hashish	1,355	1,437	1,489
Cocaine (total)	184	176	278
- Crack	89	90	128
Stimulant (total)	924	742	667
- Methamphetamine	891	688	624
Heroin	250	248	217
Analgesic except Heroin	255	315	242
- Non-Prescription Methadone	*	7	0
PCP, LSD, other Hallucinogen	25	21	21
Tranquilizer	24	43	25
Inhalant	9	5	*
Sedative	5	5	9
Other Medication or Illicit Drug	79	66	43
Average Age at First Use of Drug	17.9	17.6	17.2
INJECTION DRUG USE			
Any Injection Use at Admission	651	583	564
- Daily Injection Use	131	123	115
- Weekly Injection Use	187	151	144
- Less than Weekly Injection Use	333	309	305
LIFETIME DUI / DWI ARRESTS			
0	2,806	2,781	2,711
1 or 2	1,525	1,615	1,659
3 or More	693	815	873
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,394	1,471	1,263
School	8	11	7
Mental Health Provider	50	66	63
Health Care Provider	174	173	138
Court / Criminal Justice	2,157	2,542	3,263
Other Referral Source	904	663	456
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	48	80	77
Military Veteran	207	238	236
Special Education Services Needed	306	424	507
Co-Occurring Psychological Problem	1,965	1,912	1,706
Co-Occurring Developmental Problem	100	182	178

DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	11, 12, 14, 15
CENSUS 2010	807,835
2014 POPULATION ESTIMATE	818,613

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	461	359	348
Anxiety Disorder	4,214	3,729	3,636
Dementia	21	16	21
Developmental Disorder	256	203	194
Impulse Control Disorder	1,925	1,714	1,723
Mood Disorder	6,323	6,026	5,970
Personality Disorder	790	742	732
Psychotic Disorder	1,607	1,579	1,539
Sexual Disorder	36	32	14
Other Diagnosis	872	730	662
Diagnosis Unknown	645	595	961

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	9,550	9,159	9,439
AGE			
Under 6	95	71	78
6 to 9	523	444	446
10 to 13	752	679	721
14 to 17	843	836	816
18 to 24	816	817	975
25 to 29	726	755	817
30 to 34	884	838	872
35 to 39	853	768	775
40 to 44	815	854	836
45 to 49	943	943	1,013
50 to 54	965	902	875
55 to 59	693	646	632
60 and Over	642	606	583
Age Unknown	0	0	0
GENDER			
Male	4,473	4,269	4,349
Female	5,077	4,888	5,090
Gender Unknown	0	*	0
RACE / ETHNICITY			
Caucasian	8,075	7,735	8,044
African American	1,005	967	938
Native American / Alaskan	17	23	23
Asian / Pacific Islander	18	19	17
Hispanic	149	141	120
Other Race	286	274	297
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	278	266	253
Past or Current Military Service	234	235	242

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	3,401	3,205	1,924
High School Grad or G.E.D.	*	61	1,937
Associate Degree or Some College	0	16	742
Bachelor or Advanced Degree	0	*	160
Education Level Unknown	6,148	5,873	4,676
EMPLOYMENT			
Employed	702	705	755
Unemployed	732	933	3,581
Not in Labor Force	6,197	5,766	1,156
Employment Status Unknown	1,919	1,755	3,947
HOUSING / LIVING ARRANGEMENT			
Independent Living	4,283	4,338	4,207
Dependent Living	2,869	2,707	1,540
Homeless	151	167	75
Other	0	*	85
Housing Unknown	2,247	1,945	3,532
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	4,620	4,304	4,671
School	62	57	53
Mental Health Provider	705	755	805
Health Care Provider	1,415	1,576	1,460
Court / Criminal Justice	555	564	516
Other	2,157	1,864	1,891
Referral Source Unknown	36	39	43
TYPE OF COMMITMENT			
Voluntary	9,364	8,971	9,252
Civil	24	24	25
Criminal	108	106	104
Sexual Predatory	18	19	14
Commitment Type Unknown	36	39	44

DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	39.3	43.9	47.2
Cigarettes	24.8	26.3	29.3
Chewing Tobacco	16.2	14.9	15.2
Marijuana	13.1	15.7	15.7
Inhalants	2.8	5.3	6.7
Prescription medications not prescribed for student	6.6	9.1	11.4
Over-the-counter medications for non-medical use	2.0	6.2	7.9
Methamphetamine	0.4	1.4	1.0
Cocaine	1.1	2.1	1.9
Heroin	0.2	1.1	0.6
Hallucinogens	1.3	2.6	2.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.3	2.4
Steroids not prescribed for student	0.6	1.7	1.2
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	6.6	
Average age of students' first use of:			
Alcohol	13.28	12.51	12.37
Cigarettes	12.64	12.43	12.33
Marijuana	13.78	13.63	13.47
Inhalants	12.56	12.12	12.20
Percent of students who, in past 30 days, used:			
Alcohol	14.8	20.4	22.0
Alcohol (Binge: 5+ drinks on one occassion)		12.1	12.6
Cigarettes	11.3	12.5	14.9
Chewing Tobacco	7.1	8.1	8.2
Marijuana	4.8	7.2	7.5
Inhalants	0.7	2.3	3.0
Prescription medications not prescribed for student	3.4	4.5	6.7
Over-the-counter medications for non-medical use	1.3	3.9	4.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.3		
Percent whose friends used in past 12 months:			
Alcohol	50.7	56.9	62.6
Cigarettes	40.4	46.8	49.3
Marijuana	23.9	34.6	35.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	14.2	17.7
Percent who would likely use, if offered by a best friend:			
Alcohol	29.4	35.4	36.7
Cigarettes	12.8	16.5	16.4
Marijuana	9.1	12.6	12.2
Percent who say it would be wrong to use:			
Alcohol	58.8	56.8	56.1
Cigarettes	81.5	77.6	77.5
Marijuana	83.9	82.3	82.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.2	95.0	94.9
Percent whose parents would disapprove if they use:			
Alcohol	77.6	76.4	76.4
Cigarettes	92.3	90.4	89.5
Marijuana	95.1	93.9	94.6
Percent who say it would be easy to obtain:			
Alcohol	54.4	57.6	60.4
Cigarettes	50.4	53.8	56.9
Marijuana	28.2	34.2	33.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	16.3	17.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	51.1		
Alcohol (Binge: 5+ drinks once or twice a week)	63.9		
Alcohol (any use)		67.6	77.5
Cigarettes (1+ packs per day)	83.5		
Cigarettes (any use)		78.3	80.8
Marijuana (once or twice a week)	65.5		
Marijuana (any use)		73.5	70.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	90.6	92.8	93.6
Percent of students who, in past 30 days:			
Were very sad	19.2	18.2	23.2
Were grouchy, irritable, or in a bad mood	27.1	24.7	29.3
Felt hopeless about the future	11.2	11.0	14.7
Felt like not eating or eating more than usual	16.6	16.9	20.9
Slept a lot more or a lot less than usual	17.3	19.3	27.5
Had difficulty concentrating on school work	23.9	22.8	25.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.6	12.2	12.1
Made plan about how they would attempt suicide	7.1	8.9	8.0
Attempted suicide	3.6	5.7	5.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.3	2.0	1.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.7	6.8	9.9
Were in a physical fight	19.1	21.8	23.0
Were in a fight and had to be treated by a doctor or nurse	2.2	3.7	3.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.9	48.0	56.2
Were made fun of by others	60.7	61.3	68.3
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.9	21.0	19.5
Spread mean rumors or lies about other kids at school	23.9	27.5	32.7
Made fun of other people	56.3	62.6	74.4
Posted something on the internet or sent a text that might embarrass or hurt another student	17.0	14.6	16.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.5	67.8	72.2
School provides feedback to parents on positive student performance	46.0	40.0	42.1
Rules are enforced fairly	64.6	61.0	65.1
Students of all races/ethnicities are treated equal	81.1	77.2	74.8
Percent of students who agree that:			
Parents notice and comment on student's good work	84.0	81.6	84.3
Parents involve student in making family decisions	66.8	67.8	70.3
It is important to be honest with parents regardless of consequences	89.0	84.6	82.7
Student could ask parent for help with a personal problem	81.5	75.4	77.8

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16, 22, 23-25 (SL)
Adult Psychiatric	16, 22, 23, 24, 25
POPULATION	
Census 2010	2,084,037
2014 Estimate	2,111,090

BIRTH RISK	2013	2012	2011
Resident Births--Total	25,755	25,740	26,480
Mother Reported Smoking while Pregnant	3,256	3,429	3,511

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	241	286	234
Hepatitis B Chronic, Acute, Prenatal	218	211	190
Hepatitis C Chronic and Acute	1,774	1,629	1,805
Tuberculosis Infection Cases	1,364	1,149	1,258

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	18,339	18,081	17,974
Suicides	290	293	296
Self-inflicted Injuries	1,951	2,286	2,352
Homicides	178	194	184
Assault Injuries	7,841	8,879	8,797
Alcohol Induced Deaths	150	150	108
Drug Induced Deaths	442	356	414
Smoking Attributable Deaths	2,979	2,985	2,939

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	14,293	11,162	12,395
Mental Illness Secondary Diagnosis	26,078	19,019	21,938
Alcohol Principal Diagnosis	1,095	793	867
Alcohol Secondary Diagnosis	2,453	1,213	1,886
Drug Principal Diagnosis	1,410	1,249	1,591
Drug Secondary Diagnosis	2,853	1,565	1,987
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	11,498	14,674	12,822
Mental Illness Secondary Diagnosis	38,264	47,047	44,008
Alcohol Principal Diagnosis	1,212	1,532	1,259
Alcohol Secondary Diagnosis	4,206	5,274	4,473
Drug Principal Diagnosis	878	1,016	986
Drug Secondary Diagnosis	2,814	4,102	3,506
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	17,126	17,699	16,582
Mental Illness Secondary Diagnosis	63,637	60,733	46,594
Alcohol Principal Diagnosis	4,611	4,809	4,227
Alcohol Secondary Diagnosis	4,129	4,397	3,824
Drug Principal Diagnosis	3,417	3,544	3,990
Drug Secondary Diagnosis	5,491	5,829	5,903

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	2,881	2,858	2,890
Alcohol Package Carry-out Licenses	1,341	1,340	1,371

EMPLOYMENT	2014	2013	2012
Labor Force	1,112,517	1,064,232	1,064,584
Employed	1,045,496	992,122	989,098
Unemployed	67,021	72,110	75,486
Unemployment Rate	6.0%	6.8%	7.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	1,577	1,667	1,674
Fatal Crashes	33	35	42
Injury Crashes	592	626	615
Property Damage Crashes	952	1,006	1,017
Crash Fatalities	42	37	45
Crash Injuries	851	906	919
Drug Involved Crashes--Total	328	322	272
Fatal Crashes	7	13	10
Injury Crashes	125	138	119
Property Damage Crashes	196	171	143
Crash Fatalities	9	15	10
Crash Injuries	178	209	121

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	9,327	10,792	10,211
Liquor Law Arrests	2,894	3,816	3,747
Drug Arrests	15,621	16,477	16,646
Violent Offenses	9,377	10,013	10,584
Property Offenses	60,021	64,018	69,215
Domestic Violence Reports	10,311	10,721	11,143
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	485	559	805

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	90,558	91,488	92,530
Drop-outs	2,717	2,715	3,632
Drop-out Rate	3.0%	3.0%	3.9%
School Discipline Involving Alcohol	133	113	167
School Discipline Involving Drugs	734	905	1,104
School Discipline Involving Tobacco	14	17	14

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	2,494	2,788	2,845
Juvenile Alcohol Offenses	307	428	359
Juvenile Drug Offenses	818	919	954
School Truancy Status Offense	1,193	951	1,031
Absent from Home Status Offense	1,294	1,463	1,356
Beyond Parental Control Status Offense	307	301	356
Injurious Behavior Status Offense	357	379	374
Child Abuse	812	785	716
Child Neglect	2,681	2,262	2,009
Child Custody Issues	404	453	622

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	1,395	1,359	1,285
Parental Alcohol Use Related	46	35	42
Parental Drug Use Related	452	561	452
Parental Alcohol and Drug Use	29	23	36

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	1,369	1,529	1,483
Probation/Parole Admissions--Drug	3,902	3,606	3,211
Probation/Parole Admissions--DWI	764	709	659
Prison Admissions--Drug	1,634	1,497	1,470
Prison Admissions--DWI	219	236	233

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	1,397	1,606	1,618
CSTAR Adolescent	647	644	612
CSTAR Women and Children	1,386	1,280	1,413
CSTAR General Adult	3,773	3,243	3,029
CSTAR Opioid	457	511	534
Primary Recovery Treatment	631	971	1,229
Clinical SATOP (CIP, YCIP, SROP)	2,252	2,426	2,221
Other Substance Abuse Treatment	719	655	723

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	8,002	8,713	8,815
- Adolescent Diversion Education Prograr	385	262	258
- Offender Education Program	2,922	3,287	3,495
- Weekend Intervention Program	1,615	1,821	1,865
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	422	468	572
Compulsive Gambling	57	89	94
Recovery Supports	90	69	37
Early Intervention	867	834	224

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012
NUMBER ADMITTED			
Total Individuals	9,608	9,583	9,490
AGE			
Under 18	661	654	626
18 to 24	1,360	1,448	1,514
25 to 29	1,600	1,638	1,618
30 to 34	1,609	1,579	1,543
35 to 39	1,152	1,068	997
40 to 44	877	911	944
45 to 54	1,627	1,670	1,698
55 and Over	722	615	550
GENDER			
Male	6,349	6,453	6,289
Female	3,257	3,130	3,199
RACE / ETHNICITY			
Caucasian	5,911	6,019	5,764
African American	3,385	3,259	3,444
Native American / Alaskan	17	7	7
Asian / Pacific Islander	19	21	26
Hispanic	105	103	108
Other Race / Two or More Races	211	217	182
EDUCATION			
Less than High School Diploma	3,274	3,210	3,270
High School Graduate or G.E.D.	3,879	3,901	3,974
Associate Degree or Some College	2,337	2,353	2,117
Bachelor or Advanced Degree	115	117	129
EMPLOYMENT			
Employed	2,676	2,438	2,384
Unemployed	3,270	3,520	3,616
Not in Labor Force	3,662	3,625	3,490
HOUSING / LIVING ARRANGEMENT			
Independent Living	7,549	7,535	7,152
Dependent Living	1,116	1,088	1,101
Homeless	555	555	741
MARITAL / FAMILY STATUS			
Never Married	6,518	6,500	6,378
Married / Cohabitating	1,628	1,634	1,626
Previously Married	1,462	1,449	1,486

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	3,377	3,575	3,503
Marijuana / Hashish	1,885	1,826	1,831
Cocaine (total)	607	568	872
- Crack	491	437	621
Stimulant (total)	492	423	331
- Methamphetamine	445	391	299
Heroin	2,750	2,669	2,491
Analgesic except Heroin	338	351	311
- Non-Prescription Methadone	7	6	12
PCP, LSD, other Hallucinogen	54	43	58
Tranquilizer	53	57	39
Inhalant	*	6	7
Sedative	11	11	7
Other Medication or Illicit Drug	44	54	40
Average Age at First Use of Drug	19.4	19.1	19.1
INJECTION DRUG USE			
Any Injection Use at Admission	2,135	2,020	1,777
- Daily Injection Use	1,070	958	868
- Weekly Injection Use	445	434	380
- Less than Weekly Injection Use	620	628	529
LIFETIME DUI / DWI ARRESTS			
0	5,884	5,669	5,873
1 or 2	2,452	2,543	2,411
3 or More	1,272	1,371	1,206
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	3,358	3,225	3,186
School	81	56	36
Mental Health Provider	76	68	57
Health Care Provider	365	296	266
Court / Criminal Justice	4,736	5,044	5,096
Other Referral Source	861	773	802
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	276	216	245
Military Veteran	425	425	390
Special Education Services Needed	778	698	646
Co-Occurring Psychological Problem	2,808	2,778	2,784
Co-Occurring Developmental Problem	284	460	393

DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Eastern
PSYCHIATRIC SERVICE AREA	16, 22, 23, 24, 25
CENSUS 2010	2,084,037
2014 POPULATION ESTIMATE	2,111,090

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	213	228	252
Anxiety Disorder	5,108	4,355	4,084
Dementia	37	32	37
Developmental Disorder	300	287	296
Impulse Control Disorder	2,999	2,774	2,713
Mood Disorder	12,014	11,023	10,757
Personality Disorder	1,433	1,298	1,287
Psychotic Disorder	5,276	5,083	5,051
Sexual Disorder	34	32	18
Other Diagnosis	793	696	666
Diagnosis Unknown	1,268	1,482	1,989

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	19,786	19,016	19,131
AGE			
Under 6	84	88	63
6 to 9	943	882	804
10 to 13	1,218	1,150	1,188
14 to 17	1,453	1,436	1,436
18 to 24	1,625	1,615	1,720
25 to 29	1,477	1,443	1,566
30 to 34	1,779	1,631	1,652
35 to 39	1,531	1,427	1,447
40 to 44	1,706	1,683	1,695
45 to 49	2,054	2,106	2,223
50 to 54	2,342	2,312	2,216
55 to 59	1,899	1,739	1,615
60 and Over	1,675	1,504	1,506
Age Unknown	0	0	0
GENDER			
Male	9,617	9,292	9,421
Female	10,169	9,724	9,710
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	10,964	10,456	10,638
African American	7,858	7,692	7,658
Native American / Alaskan	18	18	23
Asian / Pacific Islander	76	76	64
Hispanic	244	212	200
Other Race	626	561	547
Race/Ethnicity Unknown	0	*	*
TREATMENT ACCOMMODATION			
Hearing Impaired	578	516	460
Past or Current Military Service	440	397	443

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	5,306	5,365	3,288
High School Grad or G.E.D.	9	77	2,597
Associate Degree or Some College	5	26	1,339
Bachelor or Advanced Degree	*	11	595
Education Level Unknown	14,463	13,537	11,312
EMPLOYMENT			
Employed	1,270	1,137	1,139
Unemployed	1,319	1,220	5,931
Not in Labor Force	10,055	9,973	2,054
Employment Status Unknown	7,142	6,686	10,007
HOUSING / LIVING ARRANGEMENT			
Independent Living	6,931	6,521	7,092
Dependent Living	4,993	5,253	2,074
Homeless	529	412	324
Other	*	0	153
Housing Unknown	7,332	6,830	9,488
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	6,091	5,753	5,725
School	893	823	693
Mental Health Provider	1,941	2,147	2,412
Health Care Provider	3,238	2,764	2,246
Court / Criminal Justice	914	980	1,112
Other	6,605	6,432	6,803
Referral Source Unknown	104	117	140
TYPE OF COMMITMENT			
Voluntary	19,331	18,508	18,579
Civil	50	61	69
Criminal	283	308	327
Sexual Predatory	13	15	18
Commitment Type Unknown	109	124	138

DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	32.0	38.0	43.9
Cigarettes	14.8	20.1	24.2
Chewing Tobacco	4.8	5.6	6.7
Marijuana	18.0	18.9	20.7
Inhalants	2.5	4.9	5.9
Prescription medications not prescribed for student	7.1	8.4	10.1
Over-the-counter medications for non-medical use	3.0	5.8	7.4
Methamphetamine	0.4	1.0	0.6
Cocaine	1.0	1.5	1.5
Heroin	0.3	0.9	0.6
Hallucinogens	1.9	2.9	3.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	2.2	2.2
Steroids not prescribed for student	0.9	1.2	0.9
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	5.8	
Average age of students' first use of:			
Alcohol	13.21	12.95	12.71
Cigarettes	13.20	12.69	12.53
Marijuana	13.95	13.82	13.64
Inhalants	11.96	11.53	11.70
Percent of students who, in past 30 days, used:			
Alcohol	14.8	17.8	21.4
Alcohol (Binge: 5+ drinks on one occassion)		10.1	11.1
Cigarettes	6.0	9.6	12.4
Chewing Tobacco	2.3	3.0	3.5
Marijuana	10.2	10.8	11.9
Inhalants	1.1	2.4	3.0
Prescription medications not prescribed for student	3.8	4.8	6.4
Over-the-counter medications for non-medical use	1.5	3.4	4.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.2		
Percent whose friends used in past 12 months:			
Alcohol	44.8	51.0	58.2
Cigarettes	30.9	40.1	45.5
Marijuana	37.3	40.5	42.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.4	15.3	18.0
Percent who would likely use, if offered by a best friend:			
Alcohol	24.1	30.1	34.2
Cigarettes	8.2	11.0	12.8
Marijuana	15.9	15.1	16.8
Percent who say it would be wrong to use:			
Alcohol	66.9	62.1	57.3
Cigarettes	88.6	83.6	80.5
Marijuana	76.2	78.2	77.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	95.3	94.5
Percent whose parents would disapprove if they use:			
Alcohol	82.2	80.1	78.1
Cigarettes	94.7	92.2	90.8
Marijuana	91.5	92.8	92.3
Percent who say it would be easy to obtain:			
Alcohol	52.7	58.1	61.6
Cigarettes	44.6	51.1	56.2
Marijuana	38.7	41.6	43.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.9	17.6	19.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	64.9		
Alcohol (Binge: 5+ drinks once or twice a week)	76.0		
Alcohol (any use)		70.2	72.2
Cigarettes (1+ packs per day)	87.4		
Cigarettes (any use)		83.2	82.5
Marijuana (once or twice a week)	62.5		
Marijuana (any use)		69.7	71.3
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	93.1	93.0
Percent of students who, in past 30 days:			
Were very sad	19.8	17.6	19.3
Were grouchy, irritable, or in a bad mood	24.6	23.7	24.6
Felt hopeless about the future	11.8	10.9	11.9
Felt like not eating or eating more than usual	17.8	16.6	18.4
Slept a lot more or a lot less than usual	19.3	19.8	25.8
Had difficulty concentrating on school work	24.9	23.8	24.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.0	11.8	11.5
Made plan about how they would attempt suicide	8.6	8.6	8.3
Attempted suicide	5.2	5.9	5.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.9	2.0	2.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.6	6.2	9.3
Were in a physical fight	20.7	21.2	23.8
Were in a fight and had to be treated by a doctor or nurse	4.0	3.8	4.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	44.4	45.1	50.0
Were made fun of by others	57.3	60.1	67.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.1	20.1	19.1
Spread mean rumors or lies about other kids at school	25.1	28.5	33.3
Made fun of other people	54.7	63.8	74.1
Posted something on the internet or sent a text that might embarrass or hurt another student	17.5	15.6	19.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.3	70.1	71.9
School provides feedback to parents on positive student performance	44.3	40.5	42.2
Rules are enforced fairly	67.8	64.1	65.6
Students of all races/ethnicities are treated equal	76.1	72.3	76.0
Percent of students who agree that:			
Parents notice and comment on student's good work	82.8	83.1	83.5
Parents involve student in making family decisions	70.3	70.2	70.2
It is important to be honest with parents regardless of consequences	87.0	84.3	81.4
Student could ask parent for help with a personal problem	78.4	76.8	76.2

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8, 9, 10
Adult Psychiatric	8A, 8B, 9, 10
POPULATION	
Census 2010	926,656
2014 Estimate	940,989

BIRTH RISK	2013	2012	2011
Resident Births--Total	11,493	11,597	11,603
Mother Reported Smoking while Pregnant	2,296	2,264	2,397

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	28	40	38
Hepatitis B Chronic, Acute, Prenatal	92	73	72
Hepatitis C Chronic and Acute	925	869	952
Tuberculosis Infection Cases	296	279	349

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	9,675	9,269	9,185
Suicides	148	139	157
Self-inflicted Injuries	1,298	1,293	1,399
Homicides	27	42	28
Assault Injuries	2,630	2,953	2,909
Alcohol Induced Deaths	75	67	64
Drug Induced Deaths	146	142	167
Smoking Attributable Deaths	1,797	1,696	1,595

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	5,697	5,369	5,841
Mental Illness Secondary Diagnosis	11,495	12,160	13,407
Alcohol Principal Diagnosis	422	473	445
Alcohol Secondary Diagnosis	696	805	1,020
Drug Principal Diagnosis	430	485	368
Drug Secondary Diagnosis	735	738	846
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	4,865	4,638	3,579
Mental Illness Secondary Diagnosis	16,578	14,704	12,109
Alcohol Principal Diagnosis	1,494	1,477	1,251
Alcohol Secondary Diagnosis	1,805	1,704	1,482
Drug Principal Diagnosis	1,042	1,071	795
Drug Secondary Diagnosis	1,321	1,131	1,009
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	7,955	8,697	8,699
Mental Illness Secondary Diagnosis	46,145	44,436	26,874
Alcohol Principal Diagnosis	2,839	2,839	2,633
Alcohol Secondary Diagnosis	2,482	2,637	2,417
Drug Principal Diagnosis	2,049	2,132	1,966
Drug Secondary Diagnosis	3,145	3,021	2,603

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	938	933	950
Alcohol Package Carry-out Licenses	960	849	955

EMPLOYMENT	2014	2013	2012
Labor Force	453,322	456,912	453,338
Employed	426,990	429,001	423,094
Unemployed	26,332	27,911	30,244
Unemployment Rate	5.8%	6.1%	6.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	993	1,027	1,056
Fatal Crashes	29	34	38
Injury Crashes	414	443	459
Property Damage Crashes	550	550	559
Crash Fatalities	32	36	41
Crash Injuries	562	612	661
Drug Involved Crashes--Total	240	249	256
Fatal Crashes	9	4	7
Injury Crashes	110	104	114
Property Damage Crashes	121	141	135
Crash Fatalities	10	5	7
Crash Injuries	164	148	129

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	5,432	5,995	6,173
Liquor Law Arrests	877	1,115	1,170
Drug Arrests	4,698	4,492	4,020
Violent Offenses	4,172	4,034	3,528
Property Offenses	37,176	37,963	35,769
Domestic Violence Reports	8,530	8,780	8,409
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	203	313	398

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	41,522	41,638	41,181
Drop-outs	677	797	972
Drop-out Rate	1.6%	1.9%	2.4%
School Discipline Involving Alcohol	90	129	85
School Discipline Involving Drugs	421	421	445
School Discipline Involving Tobacco	20	12	57

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	1,035	1,271	1,319
Juvenile Alcohol Offenses	149	207	215
Juvenile Drug Offenses	318	398	413
School Truancy Status Offense	297	295	406
Absent from Home Status Offense	229	300	361
Beyond Parental Control Status Offense	268	417	486
Injurious Behavior Status Offense	753	828	954
Child Abuse	514	483	603
Child Neglect	2,284	2,401	2,314
Child Custody Issues	583	544	308

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	1,481	1,369	1,480
Parental Alcohol Use Related	33	62	64
Parental Drug Use Related	584	536	501
Parental Alcohol and Drug Use	28	36	51

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	1,807	1,557	1,344
Probation/Parole Admissions--Drug	2,074	1,831	1,851
Probation/Parole Admissions--DWI	488	527	524
Prison Admissions--Drug	978	993	913
Prison Admissions--DWI	185	204	191

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	1,144	1,227	1,142
CSTAR Adolescent	334	354	414
CSTAR Women and Children	702	687	578
CSTAR General Adult	2,607	2,740	2,618
CSTAR Opioid	6	*	0
Primary Recovery Treatment	991	863	1,108
Clinical SATOP (CIP, YCIP, SROP)	820	772	703
Other Substance Abuse Treatment	5	9	8

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	3,705	3,840	4,116
- Adolescent Diversion Education Prograr	67	94	103
- Offender Education Program	1,353	1,489	1,593
- Weekend Intervention Program	728	813	792
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	204	249	267
Compulsive Gambling	*	5	7
Recovery Supports	1,618	1,953	1,615
Early Intervention	263	243	398

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	6,083	6,329	6,236
AGE			
Under 18	334	371	422
18 to 24	963	1,034	1,131
25 to 29	1,034	1,127	1,104
30 to 34	1,036	1,073	981
35 to 39	785	754	664
40 to 44	631	640	639
45 to 54	973	982	1,001
55 and Over	327	348	294
GENDER			
Male	3,934	4,162	4,200
Female	2,149	2,167	2,035
RACE / ETHNICITY			
Caucasian	5,571	5,808	5,707
African American	217	245	261
Native American / Alaskan	30	22	20
Asian / Pacific Islander	19	17	20
Hispanic	152	154	146
Other Race / Two or More Races	159	141	131
EDUCATION			
Less than High School Diploma	1,974	2,206	2,162
High School Graduate or G.E.D.	2,675	2,687	2,686
Associate Degree or Some College	1,379	1,389	1,335
Bachelor or Advanced Degree	55	47	53
EMPLOYMENT			
Employed	1,761	1,783	1,784
Unemployed	2,152	2,260	2,277
Not in Labor Force	2,170	2,286	2,175
HOUSING / LIVING ARRANGEMENT			
Independent Living	4,818	5,014	4,928
Dependent Living	706	704	774
Homeless	381	429	353
MARITAL / FAMILY STATUS			
Never Married	2,921	3,055	3,044
Married / Cohabitating	1,606	1,595	1,593
Previously Married	1,556	1,679	1,599

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	2,327	2,528	2,547
Marijuana / Hashish	1,277	1,211	1,333
Cocaine (total)	50	73	124
- Crack	27	30	76
Stimulant (total)	1,648	1,640	1,422
- Methamphetamine	1,588	1,582	1,378
Heroin	136	119	114
Analgesic except Heroin	521	586	515
- Non-Prescription Methadone	7	18	11
PCP, LSD, other Hallucinogen	11	26	28
Tranquilizer	60	78	93
Inhalant	8	11	9
Sedative	10	10	8
Other Medication or Illicit Drug	30	47	43
Average Age at First Use of Drug	17.6	17.7	17.2
INJECTION DRUG USE			
Any Injection Use at Admission	1,139	1,174	1,064
- Daily Injection Use	231	232	191
- Weekly Injection Use	311	329	275
- Less than Weekly Injection Use	597	613	598
LIFETIME DUI / DWI ARRESTS			
0	3,202	3,240	3,135
1 or 2	1,806	1,941	1,939
3 or More	1,075	1,148	1,162
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,971	2,928	2,176
School	16	18	11
Mental Health Provider	80	82	59
Health Care Provider	398	372	252
Court / Criminal Justice	2,700	2,133	2,959
Other Referral Source	874	759	765
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	111	89	92
Military Veteran	261	294	286
Special Education Services Needed	497	605	557
Co-Occurring Psychological Problem	2,493	2,566	2,228
Co-Occurring Developmental Problem	205	255	161

DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	8A, 8B, 9, 10
CENSUS 2010	926,656
2014 POPULATION ESTIMATE	940,989

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	473	464	605
Anxiety Disorder	3,932	3,913	3,654
Dementia	26	21	24
Developmental Disorder	171	191	198
Impulse Control Disorder	1,408	1,452	1,626
Mood Disorder	5,709	5,986	5,943
Personality Disorder	1,238	1,109	990
Psychotic Disorder	1,614	1,599	1,697
Sexual Disorder	31	33	6
Other Diagnosis	960	830	787
Diagnosis Unknown	1,469	1,543	1,450

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	10,033	10,801	11,127
AGE			
Under 6	224	228	236
6 to 9	592	665	756
10 to 13	734	776	854
14 to 17	682	746	890
18 to 24	801	899	903
25 to 29	813	936	884
30 to 34	922	1,015	1,030
35 to 39	918	947	945
40 to 44	932	1,043	1,056
45 to 49	1,023	1,130	1,170
50 to 54	1,081	1,134	1,106
55 to 59	748	738	716
60 and Over	563	544	581
Age Unknown	0	0	0
GENDER			
Male	4,684	4,989	5,174
Female	5,349	5,812	5,953
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	9,193	9,956	10,274
African American	262	262	229
Native American / Alaskan	35	27	44
Asian / Pacific Islander	16	16	21
Hispanic	249	227	228
Other Race	278	313	331
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	259	261	270
Past or Current Military Service	208	214	245

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	2,833	2,663	1,605
High School Grad or G.E.D.	*	15	1,492
Associate Degree or Some College	0	6	613
Bachelor or Advanced Degree	0	0	148
Education Level Unknown	7,199	8,117	7,269
EMPLOYMENT			
Employed	494	393	451
Unemployed	471	482	2,914
Not in Labor Force	5,217	5,085	1,198
Employment Status Unknown	3,851	4,841	6,564
HOUSING / LIVING ARRANGEMENT			
Independent Living	3,299	3,068	3,293
Dependent Living	2,592	2,519	1,319
Homeless	168	208	113
Other	0	*	81
Housing Unknown	3,974	5,004	6,321
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	6,604	7,312	7,569
School	57	60	59
Mental Health Provider	328	388	470
Health Care Provider	1,105	987	880
Court / Criminal Justice	536	539	540
Other	1,295	1,401	1,480
Referral Source Unknown	108	114	129
TYPE OF COMMITMENT			
Voluntary	9,662	10,380	10,561
Civil	199	249	371
Criminal	53	45	56
Sexual Predatory	11	11	6
Commitment Type Unknown	108	116	133

DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	31.9	34.0	39.8
Cigarettes	21.2	23.4	27.8
Chewing Tobacco	12.4	12.6	14.8
Marijuana	13.3	14.1	16.0
Inhalants	3.3	5.8	7.1
Prescription medications not prescribed for student	7.5	8.4	11.8
Over-the-counter medications for non-medical use	2.9	6.2	8.4
Methamphetamine	0.8	1.4	1.1
Cocaine	1.0	1.8	1.7
Heroin	0.4	0.9	0.7
Hallucinogens	2.3	3.1	3.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.2	2.3
Steroids not prescribed for student	0.7	1.4	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	3.6	7.4	
Average age of students' first use of:			
Alcohol	12.96	12.44	12.42
Cigarettes	12.60	12.17	12.11
Marijuana	13.72	13.11	13.37
Inhalants	12.01	12.05	12.23
Percent of students who, in past 30 days, used:			
Alcohol	12.8	13.9	17.0
Alcohol (Binge: 5+ drinks on one occassion)		8.0	11.1
Cigarettes	8.9	10.7	14.3
Chewing Tobacco	6.4	6.6	7.9
Marijuana	6.0	6.7	8.0
Inhalants	1.2	2.4	3.1
Prescription medications not prescribed for student	3.2	4.4	6.7
Over-the-counter medications for non-medical use	1.6	3.7	5.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.9		
Percent whose friends used in past 12 months:			
Alcohol	40.9	47.0	54.8
Cigarettes	33.9	40.3	46.8
Marijuana	27.3	30.9	35.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	14.8	18.8
Percent who would likely use, if offered by a best friend:			
Alcohol	22.1	25.3	29.6
Cigarettes	11.6	12.9	15.7
Marijuana	11.2	11.8	13.1
Percent who say it would be wrong to use:			
Alcohol	68.8	66.9	63.1
Cigarettes	84.4	81.8	77.0
Marijuana	82.8	83.1	81.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	95.1	94.2
Percent whose parents would disapprove if they use:			
Alcohol	83.5	82.6	80.6
Cigarettes	93.1	91.9	89.7
Marijuana	93.4	93.9	93.2
Percent who say it would be easy to obtain:			
Alcohol	47.6	50.9	54.7
Cigarettes	46.7	48.9	56.4
Marijuana	29.8	32.3	36.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	16.8	19.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	60.8		
Alcohol (Binge: 5+ drinks once or twice a week)	72.6		
Alcohol (any use)		73.3	75.9
Cigarettes (1+ packs per day)	86.0		
Cigarettes (any use)		82.1	80.0
Marijuana (once or twice a week)	69.1		
Marijuana (any use)		74.5	74.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.8	93.7	93.0
Percent of students who, in past 30 days:			
Were very sad	21.8	19.2	19.5
Were grouchy, irritable, or in a bad mood	24.1	23.1	24.0
Felt hopeless about the future	12.5	10.7	11.7
Felt like not eating or eating more than usual	17.7	17.5	18.1
Slept a lot more or a lot less than usual	17.3	19.7	25.6
Had difficulty concentrating on school work	22.6	22.0	24.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.3	11.9	11.7
Made plan about how they would attempt suicide	9.2	8.6	8.7
Attempted suicide	5.4	5.4	5.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.9	1.8	2.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.7	6.8	9.9
Were in a physical fight	17.8	20.0	22.7
Were in a fight and had to be treated by a doctor or nurse	3.0	3.5	3.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.6	49.1	54.7
Were made fun of by others	59.8	60.4	67.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.1	20.9	19.0
Spread mean rumors or lies about other kids at school	23.7	26.3	32.2
Made fun of other people	52.0	58.9	69.0
Posted something on the internet or sent a text that might embarrass or hurt another student	15.5	13.3	16.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.9	69.2	69.4
School provides feedback to parents on positive student performance	43.4	39.2	39.6
Rules are enforced fairly	64.9	63.8	64.7
Students of all races/ethnicities are treated equal	81.4	78.3	79.7
Percent of students who agree that:			
Parents notice and comment on student's good work	83.0	83.0	83.6
Parents involve student in making family decisions	69.9	69.9	70.7
It is important to be honest with parents regardless of consequences	88.2	86.6	83.6
Student could ask parent for help with a personal problem	79.2	76.7	77.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17, 18, 19, 20, 21
Adult Psychiatric	17A, 17B, 18, 19, 20, 21
POPULATION	
Census 2010	712,520
2014 Estimate	710,124

BIRTH RISK	2013	2012	2011
Resident Births--Total	8,653	8,578	8,620
Mother Reported Smoking while Pregnant	2,388	2,319	2,380

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	14	18	17
Hepatitis B Chronic, Acute, Prenatal	49	56	54
Hepatitis C Chronic and Acute	804	815	703
Tuberculosis Infection Cases	211	220	260

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	8,455	8,138	8,299
Suicides	134	127	122
Self-inflicted Injuries	1,164	1,264	1,333
Homicides	29	25	31
Assault Injuries	2,538	2,787	2,602
Alcohol Induced Deaths	44	54	30
Drug Induced Deaths	134	154	124
Smoking Attributable Deaths	1,686	1,605	1,643

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	7,584	7,522	7,983
Mental Illness Secondary Diagnosis	14,542	13,943	15,789
Alcohol Principal Diagnosis	400	457	446
Alcohol Secondary Diagnosis	1,118	1,096	1,190
Drug Principal Diagnosis	764	697	572
Drug Secondary Diagnosis	882	923	1,008
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,690	2,007	1,696
Mental Illness Secondary Diagnosis	10,664	11,825	10,282
Alcohol Principal Diagnosis	272	335	244
Alcohol Secondary Diagnosis	814	1,070	865
Drug Principal Diagnosis	270	288	207
Drug Secondary Diagnosis	577	668	495
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	7,853	8,160	8,406
Mental Illness Secondary Diagnosis	29,395	29,210	18,143
Alcohol Principal Diagnosis	1,225	1,192	1,259
Alcohol Secondary Diagnosis	1,222	1,405	1,396
Drug Principal Diagnosis	1,227	1,270	1,249
Drug Secondary Diagnosis	1,635	1,731	1,618

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	779	795	808
Alcohol Package Carry-out Licenses	774	755	763

EMPLOYMENT	2014	2013	2012
Labor Force	312,393	343,223	331,681
Employed	290,267	319,874	307,260
Unemployed	22,126	23,349	24,421
Unemployment Rate	7.1%	6.8%	7.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	777	867	864
Fatal Crashes	38	53	32
Injury Crashes	317	399	397
Property Damage Crashes	422	415	435
Crash Fatalities	43	55	37
Crash Injuries	462	581	555
Drug Involved Crashes--Total	239	206	228
Fatal Crashes	7	4	10
Injury Crashes	90	102	115
Property Damage Crashes	142	100	103
Crash Fatalities	7	4	12
Crash Injuries	125	142	133

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	3,719	4,548	4,900
Liquor Law Arrests	733	1,110	1,218
Drug Arrests	4,763	4,495	4,634
Violent Offenses	2,359	2,550	2,283
Property Offenses	18,904	20,252	19,172
Domestic Violence Reports	4,222	4,278	3,913
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	174	333	434

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	33,230	31,768	31,753
Drop-outs	446	516	753
Drop-out Rate	1.3%	1.6%	2.4%
School Discipline Involving Alcohol	36	76	54
School Discipline Involving Drugs	240	177	239
School Discipline Involving Tobacco	8	14	15

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	989	1,146	1,070
Juvenile Alcohol Offenses	146	152	190
Juvenile Drug Offenses	208	275	268
School Truancy Status Offense	1,102	1,104	1,090
Absent from Home Status Offense	233	247	268
Beyond Parental Control Status Offense	545	570	591
Injurious Behavior Status Offense	676	715	632
Child Abuse	862	955	920
Child Neglect	2,387	2,779	2,089
Child Custody Issues	298	337	399

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	1,180	1,029	1,014
Parental Alcohol Use Related	31	48	37
Parental Drug Use Related	550	402	389
Parental Alcohol and Drug Use	39	34	52

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	718	797	716
Probation/Parole Admissions--Drug	2,273	2,266	2,237
Probation/Parole Admissions--DWI	332	410	369
Prison Admissions--Drug	1,201	1,112	1,068
Prison Admissions--DWI	170	176	196

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	993	951	979
CSTAR Adolescent	279	314	386
CSTAR Women and Children	336	401	360
CSTAR General Adult	3,070	2,944	1,873
CSTAR Opioid	*	12	12
Primary Recovery Treatment	479	1,627	3,307
Clinical SATOP (CIP, YCIP, SROP)	600	660	647
Other Substance Abuse Treatment	13	11	13

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	2,540	2,872	3,201
- Adolescent Diversion Education Prograr	*	5	5
- Offender Education Program	963	1,133	1,337
- Weekend Intervention Program	588	640	702
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	45	56	64
Compulsive Gambling	5	*	7
Recovery Supports	1,119	968	878
Early Intervention	118	95	161

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	5,222	5,792	6,640
AGE			
Under 18	289	326	423
18 to 24	919	1,125	1,300
25 to 29	944	1,075	1,264
30 to 34	959	1,027	1,053
35 to 39	625	633	761
40 to 44	492	530	609
45 to 54	728	814	942
55 and Over	266	262	288
GENDER			
Male	3,430	3,799	4,527
Female	1,791	1,993	2,113
RACE / ETHNICITY			
Caucasian	4,550	5,088	5,790
African American	527	577	694
Native American / Alaskan	16	13	15
Asian / Pacific Islander	*	*	*
Hispanic	79	66	97
Other Race / Two or More Races	83	80	81
EDUCATION			
Less than High School Diploma	1,871	2,170	2,622
High School Graduate or G.E.D.	2,444	2,717	3,056
Associate Degree or Some College	875	880	926
Bachelor or Advanced Degree	32	25	36
EMPLOYMENT			
Employed	1,294	1,393	1,677
Unemployed	2,055	2,463	2,850
Not in Labor Force	1,873	1,936	2,113
HOUSING / LIVING ARRANGEMENT			
Independent Living	4,332	4,831	5,564
Dependent Living	624	726	828
Homeless	175	145	152
MARITAL / FAMILY STATUS			
Never Married	2,524	2,822	3,163
Married / Cohabitating	1,456	1,635	1,918
Previously Married	1,242	1,335	1,559

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	1,685	1,942	2,259
Marijuana / Hashish	1,310	1,515	1,927
Cocaine (total)	131	164	262
- Crack	67	92	160
Stimulant (total)	1,070	986	956
- Methamphetamine	1,030	958	915
Heroin	292	299	261
Analgesic except Heroin	589	721	761
- Non-Prescription Methadone	7	*	*
PCP, LSD, other Hallucinogen	8	9	18
Tranquilizer	86	112	136
Inhalant	7	10	18
Sedative	10	10	8
Other Medication or Illicit Drug	39	24	34
Average Age at First Use of Drug	18.2	18.2	17.7
INJECTION DRUG USE			
Any Injection Use at Admission	865	872	710
- Daily Injection Use	216	197	143
- Weekly Injection Use	249	251	171
- Less than Weekly Injection Use	400	424	396
LIFETIME DUI / DWI ARRESTS			
0	3,099	3,313	3,950
1 or 2	1,404	1,638	1,807
3 or More	719	841	883
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,453	1,535	1,395
School	6	6	10
Mental Health Provider	36	44	59
Health Care Provider	304	295	285
Court / Criminal Justice	2,547	3,045	4,237
Other Referral Source	742	763	627
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	94	114	88
Military Veteran	240	230	317
Special Education Services Needed	458	599	714
Co-Occurring Psychological Problem	2,093	2,138	2,237
Co-Occurring Developmental Problem	274	407	342

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	17A, 17B, 18, 19, 20, 21
CENSUS 2010	712,520
2014 POPULATION ESTIMATE	710,124

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	874	770	732
Anxiety Disorder	3,877	3,638	3,148
Dementia	30	25	19
Developmental Disorder	86	92	81
Impulse Control Disorder	1,934	1,791	1,786
Mood Disorder	9,008	8,343	7,808
Personality Disorder	543	544	543
Psychotic Disorder	1,976	1,877	1,824
Sexual Disorder	144	132	146
Other Diagnosis	617	544	570
Diagnosis Unknown	1,144	1,238	1,936

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	15,362	14,445	14,392
AGE			
Under 6	80	72	75
6 to 9	760	651	681
10 to 13	1,059	935	1,019
14 to 17	1,153	1,054	1,111
18 to 24	1,415	1,402	1,426
25 to 29	1,413	1,365	1,293
30 to 34	1,478	1,425	1,392
35 to 39	1,359	1,266	1,207
40 to 44	1,403	1,339	1,300
45 to 49	1,382	1,390	1,452
50 to 54	1,608	1,466	1,387
55 to 59	1,093	1,011	985
60 and Over	1,159	1,069	1,064
Age Unknown	0	0	0
GENDER			
Male	7,072	6,637	6,662
Female	8,290	7,808	7,730
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	13,614	12,846	12,646
African American	1,082	980	949
Native American / Alaskan	23	25	20
Asian / Pacific Islander	9	10	9
Hispanic	335	338	502
Other Race	299	246	266
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	526	522	555
Past or Current Military Service	396	376	382

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	3,835	3,895	2,063
High School Grad or G.E.D.	*	94	1,687
Associate Degree or Some College	0	36	407
Bachelor or Advanced Degree	0	5	112
Education Level Unknown	11,526	10,415	10,123
EMPLOYMENT			
Employed	623	667	430
Unemployed	705	988	3,423
Not in Labor Force	6,779	6,389	1,052
Employment Status Unknown	7,255	6,401	9,487
HOUSING / LIVING ARRANGEMENT			
Independent Living	4,747	4,806	3,623
Dependent Living	3,206	3,166	1,568
Homeless	184	151	80
Other	0	*	68
Housing Unknown	7,225	6,320	9,053
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	7,664	7,131	7,300
School	191	160	151
Mental Health Provider	1,268	1,209	1,216
Health Care Provider	2,750	2,539	2,224
Court / Criminal Justice	992	1,023	1,057
Other	2,455	2,337	2,384
Referral Source Unknown	42	46	60
TYPE OF COMMITMENT			
Voluntary	14,947	14,030	13,941
Civil	16	22	33
Criminal	218	225	230
Sexual Predatory	152	136	146
Commitment Type Unknown	29	32	42

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	37.2	41.0	46.2
Cigarettes	26.5	28.5	33.0
Chewing Tobacco	17.8	18.0	19.7
Marijuana	12.8	14.4	16.6
Inhalants	3.5	6.1	8.1
Prescription medications not prescribed for student	8.8	9.9	13.9
Over-the-counter medications for non-medical use	3.2	6.2	8.4
Methamphetamine	0.6	1.3	1.1
Cocaine	0.9	1.8	1.5
Heroin	0.3	0.9	0.7
Hallucinogens	1.3	2.6	3.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	2.0	2.0
Steroids not prescribed for student	1.0	1.8	1.4
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.9	
Average age of students' first use of:			
Alcohol	12.76	12.45	12.33
Cigarettes	12.62	12.11	11.94
Marijuana	13.90	13.44	13.44
Inhalants	11.93	12.04	12.33
Percent of students who, in past 30 days, used:			
Alcohol	14.5	17.3	21.8
Alcohol (Binge: 5+ drinks on one occassion)		10.5	12.5
Cigarettes	11.6	14.1	17.3
Chewing Tobacco	10.9	9.9	11.1
Marijuana	5.8	7.0	8.4
Inhalants	1.3	2.3	3.5
Prescription medications not prescribed for student	4.8	5.2	8.1
Over-the-counter medications for non-medical use	1.6	3.6	5.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.9		
Percent whose friends used in past 12 months:			
Alcohol	46.5	53.6	61.1
Cigarettes	39.9	46.1	51.6
Marijuana	27.7	31.8	36.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.4	13.1	17.3
Percent who would likely use, if offered by a best friend:			
Alcohol	28.0	30.9	35.6
Cigarettes	14.2	15.7	18.0
Marijuana	11.1	10.9	12.8
Percent who say it would be wrong to use:			
Alcohol	63.7	60.2	58.0
Cigarettes	80.6	78.0	75.4
Marijuana	82.8	83.8	82.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	95.9	94.7
Percent whose parents would disapprove if they use:			
Alcohol	79.0	78.5	77.4
Cigarettes	89.9	89.6	88.9
Marijuana	93.1	94.2	94.3
Percent who say it would be easy to obtain:			
Alcohol	48.9	54.9	58.6
Cigarettes	49.4	53.8	59.1
Marijuana	31.2	33.6	36.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	17.2	19.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	54.9		
Alcohol (Binge: 5+ drinks once or twice a week)	64.9		
Alcohol (any use)		71.2	76.2
Cigarettes (1+ packs per day)	82.8		
Cigarettes (any use)		79.2	77.8
Marijuana (once or twice a week)	67.3		
Marijuana (any use)		75.8	73.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	93.5	92.8
Percent of students who, in past 30 days:			
Were very sad	19.5	19.9	18.9
Were grouchy, irritable, or in a bad mood	25.2	25.7	24.3
Felt hopeless about the future	10.8	11.3	12.8
Felt like not eating or eating more than usual	17.4	17.8	18.7
Slept a lot more or a lot less than usual	17.8	20.5	26.1
Had difficulty concentrating on school work	23.0	23.2	25.5
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.0	11.9	12.6
Made plan about how they would attempt suicide	7.8	8.9	9.3
Attempted suicide	4.5	5.5	5.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.5	1.9	2.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.1	6.2	9.6
Were in a physical fight	20.0	22.1	24.4
Were in a fight and had to be treated by a doctor or nurse	2.9	3.1	4.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.4	51.5	57.9
Were made fun of by others	59.5	61.0	69.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.9	20.4	19.9
Spread mean rumors or lies about other kids at school	24.0	26.6	32.8
Made fun of other people	54.7	60.8	72.0
Posted something on the internet or sent a text that might embarrass or hurt another student	15.9	13.3	16.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.5	70.0	70.6
School provides feedback to parents on positive student performance	44.2	39.2	40.4
Rules are enforced fairly	65.7	62.7	61.5
Students of all races/ethnicities are treated equal	81.4	76.1	75.5
Percent of students who agree that:			
Parents notice and comment on student's good work	83.1	82.7	83.5
Parents involve student in making family decisions	70.9	68.7	69.2
It is important to be honest with parents regardless of consequences	89.1	86.6	84.2
Student could ask parent for help with a personal problem	78.6	76.3	77.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 1

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	183,003
2014 Estimate	181,734

BIRTH RISK	2013	2012	2011
Resident Births--Total	2,113	2,166	2,163
Mother Reported Smoking while Pregnant	493	568	505

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	7	3	6
Hepatitis B Chronic, Acute, Prenatal	23	21	17
Hepatitis C Chronic and Acute	154	126	207
Tuberculosis Infection Cases	25	61	76

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,975	1,968	1,967
Suicides	30	26	22
Self-inflicted Injuries	267	265	242
Homicides	2	5	7
Assault Injuries	620	627	713
Alcohol Induced Deaths	18	11	15
Drug Induced Deaths	25	18	17
Smoking Attributable Deaths	349	354	349

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,114	1,252	1,523
Mental Illness Secondary Diagnosis	1,552	1,662	1,660
Alcohol Principal Diagnosis	60	97	93
Alcohol Secondary Diagnosis	108	90	96
Drug Principal Diagnosis	60	85	73
Drug Secondary Diagnosis	95	97	79
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,153	1,095	795
Mental Illness Secondary Diagnosis	2,699	2,897	3,214
Alcohol Principal Diagnosis	174	172	211
Alcohol Secondary Diagnosis	325	382	345
Drug Principal Diagnosis	165	137	116
Drug Secondary Diagnosis	226	234	226
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,685	1,861	1,912
Mental Illness Secondary Diagnosis	2,931	2,919	2,876
Alcohol Principal Diagnosis	353	423	362
Alcohol Secondary Diagnosis	395	345	316
Drug Principal Diagnosis	214	198	203
Drug Secondary Diagnosis	307	316	253

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	210	212	207
Alcohol Package Carry-out Licenses	187	188	184

EMPLOYMENT	2014	2013	2012
Labor Force	95,961	100,419	100,132
Employed	90,603	94,806	94,363
Unemployed	5,358	5,613	5,769
Unemployment Rate	5.6%	5.6%	5.8%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	188	186	172
Fatal Crashes	4	8	8
Injury Crashes	85	89	81
Property Damage Crashes	99	89	83
Crash Fatalities	5	10	11
Crash Injuries	108	124	123
Drug Involved Crashes--Total	45	32	34
Fatal Crashes	1	2	2
Injury Crashes	15	14	15
Property Damage Crashes	29	16	17
Crash Fatalities	2	3	2
Crash Injuries	22	23	16

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	911	877	1,111
Liquor Law Arrests	579	636	736
Drug Arrests	1,233	1,074	1,128
Violent Offenses	568	488	503
Property Offenses	5,796	6,389	5,625
Domestic Violence Reports	1,361	1,280	1,363
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	5	5	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	7,607	7,623	7,562
Drop-outs	78	117	164
Drop-out Rate	1.0%	1.5%	2.2%
School Discipline Involving Alcohol	12	4	2
School Discipline Involving Drugs	26	35	51
School Discipline Involving Tobacco	1	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	172	210	220
Juvenile Alcohol Offenses	30	43	40
Juvenile Drug Offenses	37	41	54
School Truancy Status Offense	441	351	221
Absent from Home Status Offense	150	142	152
Beyond Parental Control Status Offense	196	251	170
Injurious Behavior Status Offense	157	145	96
Child Abuse	32	27	28
Child Neglect	364	277	230
Child Custody Issues	1	21	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	159	144	138
Parental Alcohol Use Related	6	2	6
Parental Drug Use Related	36	35	20
Parental Alcohol and Drug Use	2	7	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	239	290	265
Probation/Parole Admissions--Drug	569	526	560
Probation/Parole Admissions--DWI	98	117	138
Prison Admissions--Drug	323	349	324
Prison Admissions--DWI	58	59	68

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 1

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	183	194	231
CSTAR Adolescent	103	107	112
CSTAR Women and Children	22	20	7
CSTAR General Adult	618	694	424
CSTAR Opioid	*	*	0
Primary Recovery Treatment	141	156	463
Clinical SATOP (CIP, YCIP, SROP)	102	135	134
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	661	738	842
- Adolescent Diversion Education Prograr	63	69	123
- Offender Education Program	264	313	303
- Weekend Intervention Program	125	150	171
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	8	10	12
Compulsive Gambling	5	*	7
Recovery Supports	10	14	10
Early Intervention	22	86	239

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	1,016	1,145	1,122
AGE			
Under 18	101	107	112
18 to 24	177	243	206
25 to 29	177	188	186
30 to 34	153	172	147
35 to 39	103	93	109
40 to 44	90	103	106
45 to 54	157	173	202
55 and Over	58	66	54
GENDER			
Male	665	799	805
Female	351	346	317
RACE / ETHNICITY			
Caucasian	899	995	993
African American	73	107	86
Native American / Alaskan	*	0	*
Asian / Pacific Islander	*	*	6
Hispanic	23	31	29
Other Race / Two or More Races	26	25	20
EDUCATION			
Less than High School Diploma	347	375	355
High School Graduate or G.E.D.	500	553	546
Associate Degree or Some College	157	211	204
Bachelor or Advanced Degree	12	6	17
EMPLOYMENT			
Employed	263	331	340
Unemployed	306	547	493
Not in Labor Force	447	267	289
HOUSING / LIVING ARRANGEMENT			
Independent Living	718	835	854
Dependent Living	167	210	193
Homeless	84	79	66
MARITAL / FAMILY STATUS			
Never Married	606	688	653
Married / Cohabitating	189	214	214
Previously Married	221	243	255

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	329	416	445
Marijuana / Hashish	263	346	330
Cocaine (total)	30	23	62
- Crack	21	19	48
Stimulant (total)	244	225	164
- Methamphetamine	237	223	163
Heroin	10	10	*
Analgesic except Heroin	116	109	99
- Non-Prescription Methadone	0	*	*
PCP, LSD, other Hallucinogen	8	6	*
Tranquilizer	7	*	5
Inhalant	*	0	*
Sedative	*	*	0
Other Medication or Illicit Drug	6	5	7
Average Age at First Use of Drug	18.4	17.7	17.4
INJECTION DRUG USE			
Any Injection Use at Admission	171	142	113
- Daily Injection Use	41	33	29
- Weekly Injection Use	44	40	27
- Less than Weekly Injection Use	86	69	57
LIFETIME DUI / DWI ARRESTS			
0	653	679	652
1 or 2	228	297	295
3 or More	135	169	175
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	445	340	240
School	*	0	*
Mental Health Provider	5	15	27
Health Care Provider	45	45	74
Court / Criminal Justice	443	643	696
Other Referral Source	62	76	74
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	7	8	7
Military Veteran	32	63	54
Special Education Services Needed	79	93	26
Co-Occurring Psychological Problem	309	371	196
Co-Occurring Developmental Problem	33	34	14

SUBSTANCE USE SERVICE AREA 1

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	27.6	35.7	38.8
Cigarettes	19.2	20.0	24.6
Chewing Tobacco	8.5	12.6	13.7
Marijuana	10.6	11.1	10.5
Inhalants	3.1	4.8	6.1
Prescription medications not prescribed for student	5.6	6.2	9.1
Over-the-counter medications for non-medical use	3.0	4.1	6.2
Methamphetamine	0.7	1.4	0.6
Cocaine	1.0	0.9	1.1
Heroin	0.3	0.5	0.4
Hallucinogens	1.5	1.8	1.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.1	1.3
Steroids not prescribed for student	0.8	0.8	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	2.7	5.8	
Average age of students' first use of:			
Alcohol	12.86	12.56	12.39
Cigarettes	12.48	12.45	11.83
Marijuana	13.65	13.63	13.46
Inhalants	10.99	11.51	12.29
Percent of students who, in past 30 days, used:			
Alcohol	10.4	14.9	16.0
Alcohol (Binge: 5+ drinks on one occassion)		9.0	10.1
Cigarettes	7.5	9.2	13.2
Chewing Tobacco	4.5	6.5	7.2
Marijuana	4.3	5.3	5.4
Inhalants	1.1	1.7	3.0
Prescription medications not prescribed for student	2.5	3.4	5.6
Over-the-counter medications for non-medical use	2.1	2.1	4.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.0		
Percent whose friends used in past 12 months:			
Alcohol	35.4	50.6	54.3
Cigarettes	29.8	39.7	44.7
Marijuana	22.9	30.7	28.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.1	12.4	15.4
Percent who would likely use, if offered by a best friend:			
Alcohol	19.8	27.3	28.9
Cigarettes	9.8	11.7	14.0
Marijuana	9.3	9.9	8.4
Percent who say it would be wrong to use:			
Alcohol	70.9	65.0	65.2
Cigarettes	86.2	82.7	81.2
Marijuana	84.0	86.7	87.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	97.0	95.7
Percent whose parents would disapprove if they use:			
Alcohol	85.2	83.5	82.4
Cigarettes	92.7	94.4	92.1
Marijuana	93.5	96.0	96.0
Percent who say it would be easy to obtain:			
Alcohol	45.7	53.3	54.4
Cigarettes	43.0	47.1	53.2
Marijuana	25.1	28.6	29.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.5	12.8	15.7

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	60.6		
Alcohol (Binge: 5+ drinks once or twice a week)	71.8		
Alcohol (any use)		69.2	82.2
Cigarettes (1+ packs per day)	86.7		
Cigarettes (any use)		79.6	82.5
Marijuana (once or twice a week)	70.2		
Marijuana (any use)		76.5	76.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.9	92.3	94.2
Percent of students who, in past 30 days:			
Were very sad	19.9	16.1	20.8
Were grouchy, irritable, or in a bad mood	25.5	24.8	30.2
Felt hopeless about the future	10.4	9.9	11.4
Felt like not eating or eating more than usual	15.9	15.6	20.2
Slept a lot more or a lot less than usual	16.4	19.7	29.2
Had difficulty concentrating on school work	23.0	78.8	25.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.5	10.0	11.1
Made plan about how they would attempt suicide	7.4	8.0	7.4
Attempted suicide	4.2	4.0	4.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	1.6	1.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.7	6.4	9.7
Were in a physical fight	17.7	19.6	22.1
Were in a fight and had to be treated by a doctor or nurse	3.7	1.8	3.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	46.2	48.4	54.6
Were made fun of by others	56.3	62.2	67.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.3	20.0	20.0
Spread mean rumors or lies about other kids at school	21.1	26.9	34.0
Made fun of other people	49.2	58.8	69.8
Posted something on the internet or sent a text that might embarrass or hurt another student	15.3	13.2	18.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	76.1	71.6	73.9
School provides feedback to parents on positive student performance	45.3	39.9	46.5
Rules are enforced fairly	68.1	67.4	69.8
Students of all races/ethnicities are treated equal	84.9	84.2	83.8
Percent of students who agree that:			
Parents notice and comment on student's good work	85.0	84.1	83.9
Parents involve student in making family decisions	72.0	70.3	71.5
It is important to be honest with parents regardless of consequences	86.0	86.1	84.1
Student could ask parent for help with a personal problem	80.0	80.4	77.9

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREAS 2-5 (JC)

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	2-5 (JC)
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	674,158
2014 Estimate	683,191

BIRTH RISK	2013	2012	2011
Resident Births--Total	9,478	9,630	9,583
Mother Reported Smoking while Pregnant	1,357	1,503	1,485

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases		125	149
Hepatitis B Chronic, Acute, Prenatal	116	83	73
Hepatitis C Chronic and Acute	519	589	644
Tuberculosis Infection Cases	618	462	390

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	6,091	6,022	5,981
Suicides	116	108	127
Self-inflicted Injuries	1,122	1,150	1,120
Homicides	109	112	112
Assault Injuries	4,242	4,567	4,490
Alcohol Induced Deaths	77	82	65
Drug Induced Deaths	118	113	105
Smoking Attributable Deaths	1,005	1,013	974

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	6,521	6,293	7,059
Mental Illness Secondary Diagnosis	6,771	6,511	6,521
Alcohol Principal Diagnosis	815	726	732
Alcohol Secondary Diagnosis	1,622	1,377	1,363
Drug Principal Diagnosis	392	379	385
Drug Secondary Diagnosis	1,301	1,364	1,388
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,615	2,112	1,549
Mental Illness Secondary Diagnosis	12,373	11,745	11,971
Alcohol Principal Diagnosis	544	660	492
Alcohol Secondary Diagnosis	1,923	2,022	1,972
Drug Principal Diagnosis	263	330	265
Drug Secondary Diagnosis	1,557	2,052	1,896
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	5,482	5,886	5,955
Mental Illness Secondary Diagnosis	17,292	13,602	13,369
Alcohol Principal Diagnosis	4,099	4,113	3,963
Alcohol Secondary Diagnosis	3,119	3,617	2,731
Drug Principal Diagnosis	1,854	1,643	1,539
Drug Secondary Diagnosis	2,978	3,491	3,481

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	825	821	804
Alcohol Package Carry-out Licenses	461	463	463

EMPLOYMENT	2014	2013	2012
Labor Force	363,483	330,287	333,027
Employed	338,018	305,538	307,454
Unemployed	25,465	24,749	25,573
Unemployment Rate	7.0%	7.5%	7.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	698	650	648
Fatal Crashes	13	11	13
Injury Crashes	297	251	307
Property Damage Crashes	388	388	328
Crash Fatalities	14	12	14
Crash Injuries	448	362	500
Drug Involved Crashes--Total	166	149	148
Fatal Crashes	5	1	3
Injury Crashes	90	75	77
Property Damage Crashes	71	73	68
Crash Fatalities	5	1	3
Crash Injuries	150	115	85

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	3,014	3,435	3,096
Liquor Law Arrests	673	809	824
Drug Arrests	3,643	3,507	3,446
Violent Offenses	6,780	6,979	6,672
Property Offenses	38,691	40,982	39,947
Domestic Violence Reports	6,699	6,986	6,469
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	11	29	56

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	28,224	28,682	28,672
Drop-outs	1,541	1,113	1,515
Drop-out Rate	5.5%	3.9%	5.3%
School Discipline Involving Alcohol	44	41	38
School Discipline Involving Drugs	288	286	418
School Discipline Involving Tobacco	6	8	10

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	362	408	475
Juvenile Alcohol Offenses	8	0	4
Juvenile Drug Offenses	52	47	70
School Truancy Status Offense	2	7	3
Absent from Home Status Offense	18	6	18
Beyond Parental Control Status Offense	14	32	10
Injurious Behavior Status Offense	18	22	10
Child Abuse	315	323	142
Child Neglect	893	1,035	839
Child Custody Issues	119	239	331

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	1,022	1,176	994
Parental Alcohol Use Related	27	36	51
Parental Drug Use Related	319	413	294
Parental Alcohol and Drug Use	56	48	20

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	857	848	871
Probation/Parole Admissions--Drug	735	822	940
Probation/Parole Admissions--DWI	157	177	187
Prison Admissions--Drug	182	224	249
Prison Admissions--DWI	48	76	95

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREAS 2-5 (JC)

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	860	822	1,134
CSTAR Adolescent	243	267	260
CSTAR Women and Children	775	698	713
CSTAR General Adult	2,031	1,430	1,287
CSTAR Opioid	124	82	69
Primary Recovery Treatment	491	863	838
Clinical SATOP (CIP, YCIP, SROP)	622	620	460
Other Substance Abuse Treatment	8	359	469

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	2,449	2,570	2,643
- Adolescent Diversion Education Prograr	5	11	20
- Offender Education Program	859	1,000	1,044
- Weekend Intervention Program	502	538	611
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	171	177	216
Compulsive Gambling	8	10	17
Recovery Supports	1,669	1,873	2,043
Early Intervention	32	32	42

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	4,709	4,558	4,727
AGE			
Under 18	245	265	270
18 to 24	637	585	641
25 to 29	689	689	635
30 to 34	772	714	701
35 to 39	558	532	539
40 to 44	510	481	553
45 to 54	955	959	1,085
55 and Over	343	333	303
GENDER			
Male	3,254	3,099	3,264
Female	1,454	1,459	1,463
RACE / ETHNICITY			
Caucasian	2,669	2,563	2,522
African American	1,701	1,671	1,858
Native American / Alaskan	16	16	26
Asian / Pacific Islander	11	15	17
Hispanic	208	191	190
Other Race / Two or More Races	170	155	171
EDUCATION			
Less than High School Diploma	1,568	1,522	1,587
High School Graduate or G.E.D.	1,972	1,937	2,019
Associate Degree or Some College	1,114	1,054	1,069
Bachelor or Advanced Degree	55	45	52
EMPLOYMENT			
Employed	1,129	1,006	886
Unemployed	1,948	1,893	2,163
Not in Labor Force	1,632	1,658	1,678
HOUSING / LIVING ARRANGEMENT			
Independent Living	3,274	3,123	3,178
Dependent Living	637	710	743
Homeless	612	576	662
MARITAL / FAMILY STATUS			
Never Married	2,986	2,904	2,828
Married / Cohabitating	844	785	848
Previously Married	879	869	1,051

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	1,805	1,878	1,906
Marijuana / Hashish	1,161	1,081	1,140
Cocaine (total)	420	422	602
- Crack	251	313	462
Stimulant (total)	745	674	576
- Methamphetamine	706	647	556
Heroin	156	103	77
Analgesic except Heroin	208	189	158
- Non-Prescription Methadone	*	0	7
PCP, LSD, other Hallucinogen	168	166	203
Tranquilizer	25	32	46
Inhalant	0	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	19	10	14
Average Age at First Use of Drug	18.0	17.8	17.9
INJECTION DRUG USE			
Any Injection Use at Admission	408	328	283
- Daily Injection Use	125	95	65
- Weekly Injection Use	112	90	85
- Less than Weekly Injection Use	171	143	133
LIFETIME DUI / DWI ARRESTS			
0	2,806	2,662	2,816
1 or 2	1,224	1,161	1,161
3 or More	679	735	750
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,707	1,750	1,821
School	25	29	40
Mental Health Provider	87	85	102
Health Care Provider	233	197	230
Court / Criminal Justice	1,885	1,777	2,057
Other Referral Source	562	435	426
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	75	66	86
Military Veteran	180	192	239
Special Education Services Needed	293	323	353
Co-Occurring Psychological Problem	1,794	1,767	1,894
Co-Occurring Developmental Problem	104	135	168

SUBSTANCE USE SERVICE AREAS 2-5 (JC)

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	30.5	36.7	37.7
Cigarettes	17.3	21.1	24.7
Chewing Tobacco	7.1	9.6	6.3
Marijuana	16.6	19.6	19.7
Inhalants	3.4	5.0	5.8
Prescription medications not prescribed for student	8.5	8.0	9.9
Over-the-counter medications for non-medical use	3.7	5.9	7.3
Methamphetamine	0.6	1.3	0.9
Cocaine	1.5	2.1	1.8
Heroin	0.5	1.0	0.6
Hallucinogens	1.8	3.0	2.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.4	2.1
Steroids not prescribed for student	1.1	1.6	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.4	
Average age of students' first use of:			
Alcohol	12.99	12.94	12.46
Cigarettes	12.76	12.65	12.12
Marijuana	13.73	13.61	13.33
Inhalants	11.00	11.55	11.21
Percent of students who, in past 30 days, used:			
Alcohol	11.5	14.9	16.3
Alcohol (Binge: 5+ drinks on one occassion)		7.8	10.5
Cigarettes	6.7	9.2	12.4
Chewing Tobacco	3.5	3.8	3.1
Marijuana	8.1	10.2	10.5
Inhalants	1.4	2.0	2.7
Prescription medications not prescribed for student	3.9	4.5	6.2
Over-the-counter medications for non-medical use	2.2	3.5	4.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.1		
Percent whose friends used in past 12 months:			
Alcohol	40.8	51.5	50.9
Cigarettes	30.9	41.0	42.7
Marijuana	35.2	42.9	39.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	15.1	17.0
Percent who would likely use, if offered by a best friend:			
Alcohol	23.7	29.3	29.3
Cigarettes	9.7	12.4	13.5
Marijuana	16.0	17.0	15.4
Percent who say it would be wrong to use:			
Alcohol	66.5	61.1	62.8
Cigarettes	86.1	81.3	79.3
Marijuana	76.0	76.9	78.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	93.9	93.6
Percent whose parents would disapprove if they use:			
Alcohol	83.3	79.3	80.4
Cigarettes	93.5	90.6	90.0
Marijuana	90.7	91.5	92.0
Percent who say it would be easy to obtain:			
Alcohol	48.3	56.9	52.7
Cigarettes	44.3	54.4	51.7
Marijuana	37.4	43.6	39.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.7	18.7	19.8

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	60.3		
Alcohol (Binge: 5+ drinks once or twice a week)	73.1		
Alcohol (any use)		71.4	71.5
Cigarettes (1+ packs per day)	83.2		
Cigarettes (any use)		81.9	78.3
Marijuana (once or twice a week)	56.4		
Marijuana (any use)		67.2	71.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	88.2	91.8	89.7
Percent of students who, in past 30 days:			
Were very sad	20.8	19.9	17.1
Were grouchy, irritable, or in a bad mood	27.6	25.5	23.4
Felt hopeless about the future	12.2	11.8	11.1
Felt like not eating or eating more than usual	17.8	17.4	17.2
Slept a lot more or a lot less than usual	20.1	21.6	24.5
Had difficulty concentrating on school work	24.7	23.3	22.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	13.3	12.5	11.6
Made plan about how they would attempt suicide	9.6	8.8	8.7
Attempted suicide	5.9	5.6	6.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.4	1.8	2.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.6	6.5	9.9
Were in a physical fight	18.6	19.9	26.1
Were in a fight and had to be treated by a doctor or nurse	2.9	3.0	4.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.7	44.7	48.6
Were made fun of by others	57.9	58.0	63.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.2	18.3	17.2
Spread mean rumors or lies about other kids at school	23.8	25.4	30.6
Made fun of other people	52.7	62.0	68.4
Posted something on the internet or sent a text that might embarrass or hurt another student	16.7	13.8	19.7
Percent of students who agree that:			
Teachers notice and comment on student's good work	70.6	65.8	70.7
School provides feedback to parents on positive student performance	39.3	36.7	42.0
Rules are enforced fairly	63.6	62.3	64.4
Students of all races/ethnicities are treated equal	74.1	71.7	76.3
Percent of students who agree that:			
Parents notice and comment on student's good work	80.8	80.9	82.2
Parents involve student in making family decisions	68.8	67.0	69.1
It is important to be honest with parents regardless of consequences	85.6	84.6	82.2
Student could ask parent for help with a personal problem	75.8	73.8	75.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 6

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	6
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	334,755
2014 Estimate	351,419

BIRTH RISK	2013	2012	2011
Resident Births--Total	4,433	4,492	4,399
Mother Reported Smoking while Pregnant	605	647	625

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	13	25	25
Hepatitis B Chronic, Acute, Prenatal	13	10	9
Hepatitis C Chronic and Acute	64	61	74
Tuberculosis Infection Cases	35	38	41

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	2,505	2,438	2,331
Suicides	58	50	46
Self-inflicted Injuries	561	511	511
Homicides	10	15	14
Assault Injuries	939	1,050	1,039
Alcohol Induced Deaths	27	30	26
Drug Induced Deaths	44	46	33
Smoking Attributable Deaths	461	414	418

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,173	2,273	2,330
Mental Illness Secondary Diagnosis	3,796	3,702	3,641
Alcohol Principal Diagnosis	183	212	201
Alcohol Secondary Diagnosis	263	264	276
Drug Principal Diagnosis	91	129	131
Drug Secondary Diagnosis	287	271	265
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	465	539	485
Mental Illness Secondary Diagnosis	6,703	6,795	7,094
Alcohol Principal Diagnosis	164	196	207
Alcohol Secondary Diagnosis	699	714	735
Drug Principal Diagnosis	97	108	121
Drug Secondary Diagnosis	459	487	448
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,918	2,906	2,629
Mental Illness Secondary Diagnosis	7,642	5,765	4,554
Alcohol Principal Diagnosis	726	797	829
Alcohol Secondary Diagnosis	696	737	679
Drug Principal Diagnosis	433	473	408
Drug Secondary Diagnosis	1,071	863	669

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	342	330	332
Alcohol Package Carry-out Licenses	226	222	226

EMPLOYMENT	2014	2013	2012
Labor Force	196,227	183,184	182,982
Employed	185,724	171,753	171,342
Unemployed	10,503	11,431	11,640
Unemployment Rate	5.4%	6.2%	6.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	267	298	254
Fatal Crashes	3	5	5
Injury Crashes	109	114	91
Property Damage Crashes	155	179	158
Crash Fatalities	3	5	5
Crash Injuries	157	163	137
Drug Involved Crashes--Total	54	70	55
Fatal Crashes	2	3	2
Injury Crashes	27	36	24
Property Damage Crashes	25	31	29
Crash Fatalities	2	3	1
Crash Injuries	35	56	28

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,568	1,571	1,621
Liquor Law Arrests	371	427	506
Drug Arrests	1,157	1,133	1,128
Violent Offenses	339	395	371
Property Offenses	3,783	4,337	4,065
Domestic Violence Reports	997	1,073	1,014
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	4	13

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	17,564	17,518	17,226
Drop-outs	204	260	358
Drop-out Rate	1.2%	1.5%	2.1%
School Discipline Involving Alcohol	18	8	25
School Discipline Involving Drugs	109	178	146
School Discipline Involving Tobacco	3	0	8

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	267	242	256
Juvenile Alcohol Offenses	35	47	65
Juvenile Drug Offenses	136	133	125
School Truancy Status Offense	48	60	44
Absent from Home Status Offense	52	39	46
Beyond Parental Control Status Offense	39	61	51
Injurious Behavior Status Offense	38	46	26
Child Abuse	67	33	46
Child Neglect	282	246	206
Child Custody Issues	9	20	14

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	108	74	58
Parental Alcohol Use Related	1	4	4
Parental Drug Use Related	42	18	10
Parental Alcohol and Drug Use	0	1	2

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	115	135	134
Probation/Parole Admissions--Drug	475	375	383
Probation/Parole Admissions--DWI	139	117	124
Prison Admissions--Drug	234	189	182
Prison Admissions--DWI	69	66	69

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 6

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	89	85	86
CSTAR Adolescent	84	64	51
CSTAR Women and Children	52	49	42
CSTAR General Adult	997	970	984
CSTAR Opioid	15	*	10
Primary Recovery Treatment	19	48	43
Clinical SATOP (CIP, YCIP, SROP)	315	287	300
Other Substance Abuse Treatment	0	*	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	1,225	1,214	1,347
- Adolescent Diversion Education Prograr	8	11	21
- Offender Education Program	463	429	509
- Weekend Intervention Program	301	323	388
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	16	25	16
Compulsive Gambling	*	*	7
Recovery Supports	42	59	41
Early Intervention	39	12	24

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	1,534	1,479	1,461
AGE			
Under 18	86	77	57
18 to 24	322	338	330
25 to 29	275	242	253
30 to 34	255	235	226
35 to 39	168	139	174
40 to 44	124	152	141
45 to 54	217	232	222
55 and Over	87	64	58
GENDER			
Male	1,046	1,021	985
Female	488	457	476
RACE / ETHNICITY			
Caucasian	1,375	1,309	1,300
African American	64	80	73
Native American / Alaskan	9	5	*
Asian / Pacific Islander	*	10	6
Hispanic	61	58	62
Other Race / Two or More Races	46	39	35
EDUCATION			
Less than High School Diploma	349	396	353
High School Graduate or G.E.D.	756	676	696
Associate Degree or Some College	409	395	383
Bachelor or Advanced Degree	20	12	29
EMPLOYMENT			
Employed	619	554	572
Unemployed	481	541	522
Not in Labor Force	434	383	367
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,338	1,312	1,320
Dependent Living	107	91	74
Homeless	34	40	44
MARITAL / FAMILY STATUS			
Never Married	893	865	818
Married / Cohabitating	308	316	302
Previously Married	333	298	341

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	653	624	701
Marijuana / Hashish	344	383	342
Cocaine (total)	36	39	46
- Crack	18	21	33
Stimulant (total)	338	281	239
- Methamphetamine	333	277	238
Heroin	40	28	17
Analgesic except Heroin	99	90	94
- Non-Prescription Methadone	*	*	0
PCP, LSD, other Hallucinogen	*	5	10
Tranquilizer	10	16	7
Inhalant	*	0	*
Sedative	0	0	0
Other Medication or Illicit Drug	8	13	*
Average Age at First Use of Drug	17.7	17.7	17.9
INJECTION DRUG USE			
Any Injection Use at Admission	183	145	107
- Daily Injection Use	29	18	32
- Weekly Injection Use	40	29	16
- Less than Weekly Injection Use	114	98	59
LIFETIME DUI / DWI ARRESTS			
0	765	732	710
1 or 2	491	465	449
3 or More	278	282	302
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	382	294	270
School	6	5	*
Mental Health Provider	109	120	131
Health Care Provider	45	45	40
Court / Criminal Justice	626	665	843
Other Referral Source	173	163	130
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	26	22	25
Military Veteran	60	45	79
Special Education Services Needed	66	65	65
Co-Occurring Psychological Problem	514	497	496
Co-Occurring Developmental Problem	18	26	18

SUBSTANCE USE SERVICE AREA 6

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	29.0	36.4	38.2
Cigarettes	14.2	19.5	21.2
Chewing Tobacco	6.7	12.0	10.0
Marijuana	12.3	16.6	14.8
Inhalants	2.5	5.3	6.2
Prescription medications not prescribed for student	7.0	8.8	11.3
Over-the-counter medications for non-medical use	2.2	6.7	7.9
Methamphetamine	0.6	1.3	0.8
Cocaine	0.8	1.9	1.7
Heroin	0.3	0.9	0.6
Hallucinogens	1.6	3.4	2.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.4	2.3
Steroids not prescribed for student	0.7	1.2	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	6.4	
Average age of students' first use of:			
Alcohol	13.32	12.99	12.81
Cigarettes	13.29	13.05	12.63
Marijuana	14.13	13.79	13.74
Inhalants	11.50	11.93	11.89
Percent of students who, in past 30 days, used:			
Alcohol	11.6	16.5	17.5
Alcohol (Binge: 5+ drinks on one occassion)		9.3	10.1
Cigarettes	5.7	8.9	11.0
Chewing Tobacco	2.8	5.2	5.1
Marijuana	5.9	8.8	7.8
Inhalants	1.0	2.0	2.8
Prescription medications not prescribed for student	3.5	4.8	6.6
Over-the-counter medications for non-medical use	1.4	4.0	5.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.9		
Percent whose friends used in past 12 months:			
Alcohol	41.1	52.5	55.1
Cigarettes	29.8	40.5	42.9
Marijuana	32.3	40.4	37.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	17.6	19.8
Percent who would likely use, if offered by a best friend:			
Alcohol	21.6	28.4	29.0
Cigarettes	8.7	11.5	12.9
Marijuana	11.8	13.9	12.5
Percent who say it would be wrong to use:			
Alcohol	68.9	63.5	63.1
Cigarettes	87.7	82.6	81.0
Marijuana	81.4	80.4	82.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	94.8	94.3
Percent whose parents would disapprove if they use:			
Alcohol	83.6	80.4	80.6
Cigarettes	93.9	92.6	91.3
Marijuana	94.2	93.7	94.3
Percent who say it would be easy to obtain:			
Alcohol	52.4	60.4	59.7
Cigarettes	44.2	51.9	53.0
Marijuana	33.3	39.5	37.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	18.0	18.3

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	64.3		
Alcohol (Binge: 5+ drinks once or twice a week)	75.6		
Alcohol (any use)		71.1	76.6
Cigarettes (1+ packs per day)	88.8		
Cigarettes (any use)		83.7	82.5
Marijuana (once or twice a week)	66.8		
Marijuana (any use)		71.5	73.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	93.8	93.7
Percent of students who, in past 30 days:			
Were very sad	18.8	18.3	19.6
Were grouchy, irritable, or in a bad mood	23.3	23.3	25.0
Felt hopeless about the future	12.0	11.5	12.3
Felt like not eating or eating more than usual	16.9	16.9	18.6
Slept a lot more or a lot less than usual	17.7	21.1	25.5
Had difficulty concentrating on school work	23.7	23.1	23.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.2	12.1	11.3
Made plan about how they would attempt suicide	8.2	8.9	7.8
Attempted suicide	4.8	4.7	4.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.5	1.8	1.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.1	5.4	8.4
Were in a physical fight	13.1	15.9	20.1
Were in a fight and had to be treated by a doctor or nurse	1.6	2.7	3.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	44.3	46.1	52.2
Were made fun of by others	56.7	59.9	67.4
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.3	22.0	20.7
Spread mean rumors or lies about other kids at school	24.4	28.3	34.3
Made fun of other people	51.4	61.3	71.2
Posted something on the internet or sent a text that might embarrass or hurt another student	16.6	15.8	19.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	71.3	68.9	69.6
School provides feedback to parents on positive student performance	39.4	35.7	40.3
Rules are enforced fairly	69.0	67.2	68.3
Students of all races/ethnicities are treated equal	83.5	78.3	78.1
Percent of students who agree that:			
Parents notice and comment on student's good work	83.8	82.3	83.9
Parents involve student in making family decisions	71.8	69.1	70.8
It is important to be honest with parents regardless of consequences	87.2	83.1	81.4
Student could ask parent for help with a personal problem	79.1	76.3	76.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 7

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	7
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	185,454
2014 Estimate	187,939

BIRTH RISK	2013	2012	2011
Resident Births--Total	2,306	2,262	2,287
Mother Reported Smoking while Pregnant	421	386	481

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	7	4	4
Hepatitis B Chronic, Acute, Prenatal	9	6	10
Hepatitis C Chronic and Acute	57	66	65
Tuberculosis Infection Cases	57	31	23

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,693	1,616	1,546
Suicides	34	21	23
Self-inflicted Injuries	242	269	278
Homicides	3	7	7
Assault Injuries	427	460	552
Alcohol Induced Deaths	13	7	12
Drug Induced Deaths	16	11	29
Smoking Attributable Deaths	299	289	268

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,442	1,500	1,618
Mental Illness Secondary Diagnosis	2,255	2,160	2,303
Alcohol Principal Diagnosis	87	98	105
Alcohol Secondary Diagnosis	155	139	196
Drug Principal Diagnosis	62	69	57
Drug Secondary Diagnosis	149	143	160
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	309	287	191
Mental Illness Secondary Diagnosis	2,556	2,428	2,116
Alcohol Principal Diagnosis	94	93	63
Alcohol Secondary Diagnosis	270	249	239
Drug Principal Diagnosis	36	52	39
Drug Secondary Diagnosis	174	210	177
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,354	1,426	1,243
Mental Illness Secondary Diagnosis	1,527	1,570	2,505
Alcohol Principal Diagnosis	308	289	296
Alcohol Secondary Diagnosis	267	251	262
Drug Principal Diagnosis	213	219	187
Drug Secondary Diagnosis	324	380	314

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	158	167	167
Alcohol Package Carry-out Licenses	163	166	162

EMPLOYMENT	2014	2013	2012
Labor Force	94,355	91,834	91,833
Employed	88,855	86,072	85,462
Unemployed	5,500	5,762	6,371
Unemployment Rate	5.8%	6.3%	6.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	149	161	164
Fatal Crashes	11	10	2
Injury Crashes	49	54	58
Property Damage Crashes	89	97	104
Crash Fatalities	17	10	2
Crash Injuries	79	75	83
Drug Involved Crashes--Total	26	34	29
Fatal Crashes	0	1	0
Injury Crashes	8	19	7
Property Damage Crashes	18	14	22
Crash Fatalities	0	2	0
Crash Injuries	9	28	7

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	896	1,080	1,055
Liquor Law Arrests	565	531	536
Drug Arrests	1,093	1,044	822
Violent Offenses	255	296	264
Property Offenses	3,714	4,215	4,142
Domestic Violence Reports	1,201	1,364	1,363
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	3	2

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	9,200	9,218	9,284
Drop-outs	148	146	179
Drop-out Rate	1.6%	1.6%	1.9%
School Discipline Involving Alcohol	17	11	13
School Discipline Involving Drugs	91	47	106
School Discipline Involving Tobacco	1	1	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	169	239	165
Juvenile Alcohol Offenses	27	32	38
Juvenile Drug Offenses	65	94	55
School Truancy Status Offense	94	67	49
Absent from Home Status Offense	85	144	114
Beyond Parental Control Status Offense	101	148	122
Injurious Behavior Status Offense	247	349	191
Child Abuse	16	47	10
Child Neglect	347	404	163
Child Custody Issues	73	74	157

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	175	154	173
Parental Alcohol Use Related	3	0	7
Parental Drug Use Related	63	27	37
Parental Alcohol and Drug Use	6	11	8

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	127	163	105
Probation/Parole Admissions--Drug	350	318	378
Probation/Parole Admissions--DWI	77	98	97
Prison Admissions--Drug	201	182	186
Prison Admissions--DWI	52	58	53

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 7

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	34	40	45
CSTAR Adolescent	85	75	105
CSTAR Women and Children	28	36	26
CSTAR General Adult	480	564	587
CSTAR Opioid	*	*	0
Primary Recovery Treatment	11	18	19
Clinical SATOP (CIP, YCIP, SROP)	165	199	184
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	689	739	816
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	272	278	328
- Weekend Intervention Program	147	159	188
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	12	27	46
Compulsive Gambling	0	0	0
Recovery Supports	155	274	262
Early Intervention	17	7	42

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	807	954	989
AGE			
Under 18	84	81	108
18 to 24	145	178	199
25 to 29	148	156	175
30 to 34	128	165	154
35 to 39	86	95	87
40 to 44	74	78	104
45 to 54	111	160	125
55 and Over	31	41	37
GENDER			
Male	546	647	662
Female	261	307	327
RACE / ETHNICITY			
Caucasian	745	886	904
African American	36	24	38
Native American / Alaskan	0	7	*
Asian / Pacific Islander	*	*	*
Hispanic	19	25	29
Other Race / Two or More Races	14	20	23
EDUCATION			
Less than High School Diploma	241	275	304
High School Graduate or G.E.D.	360	445	413
Associate Degree or Some College	197	229	254
Bachelor or Advanced Degree	9	5	18
EMPLOYMENT			
Employed	284	331	331
Unemployed	272	288	230
Not in Labor Force	251	335	428
HOUSING / LIVING ARRANGEMENT			
Independent Living	634	798	800
Dependent Living	100	95	119
Homeless	18	18	24
MARITAL / FAMILY STATUS			
Never Married	457	505	545
Married / Cohabitating	188	252	247
Previously Married	162	197	197

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	333	423	459
Marijuana / Hashish	205	225	262
Cocaine (total)	14	9	16
- Crack	*	6	6
Stimulant (total)	182	212	189
- Methamphetamine	172	199	180
Heroin	15	10	8
Analgesic except Heroin	41	56	38
- Non-Prescription Methadone	0	*	*
PCP, LSD, other Hallucinogen	*	8	*
Tranquilizer	5	*	9
Inhalant	*	*	*
Sedative	*	*	0
Other Medication or Illicit Drug	10	5	*
Average Age at First Use of Drug	17.5	17.1	16.6
INJECTION DRUG USE			
Any Injection Use at Admission	87	96	65
- Daily Injection Use	17	10	13
- Weekly Injection Use	30	32	27
- Less than Weekly Injection Use	40	54	25
LIFETIME DUI / DWI ARRESTS			
0	440	471	496
1 or 2	246	284	301
3 or More	121	199	192
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	309	510	528
School	*	0	*
Mental Health Provider	5	10	21
Health Care Provider	20	20	26
Court / Criminal Justice	271	261	298
Other Referral Source	189	107	114
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	9	14	8
Military Veteran	22	41	52
Special Education Services Needed	19	34	48
Co-Occurring Psychological Problem	309	293	229
Co-Occurring Developmental Problem	18	17	23

SUBSTANCE USE SERVICE AREA 7

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	38.2	36.8	44.5
Cigarettes	21.8	21.5	27.4
Chewing Tobacco	14.2	16.0	12.7
Marijuana	16.4	11.1	15.3
Inhalants	3.2	5.4	7.6
Prescription medications not prescribed for student	9.0	7.9	12.0
Over-the-counter medications for non-medical use	3.1	6.2	8.3
Methamphetamine	0.7	1.3	1.2
Cocaine	1.9	1.6	1.9
Heroin	0.5	0.7	0.5
Hallucinogens	4.2	2.4	2.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.2	2.0	2.3
Steroids not prescribed for student	1.7	1.1	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	6.0	5.3	
Average age of students' first use of:			
Alcohol	13.36	12.65	12.72
Cigarettes	13.29	12.54	12.66
Marijuana	14.20	13.53	13.70
Inhalants	12.10	11.76	12.16
Percent of students who, in past 30 days, used:			
Alcohol	17.5	14.2	20.2
Alcohol (Binge: 5+ drinks on one occassion)		8.4	11.5
Cigarettes	10.0	9.4	14.4
Chewing Tobacco	6.9	6.4	7.3
Marijuana	9.2	4.8	7.5
Inhalants	1.0	2.2	3.3
Prescription medications not prescribed for student	4.3	4.4	7.0
Over-the-counter medications for non-medical use	1.8	3.3	5.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.8		
Percent whose friends used in past 12 months:			
Alcohol	48.3	47.9	60.4
Cigarettes	37.9	37.7	49.9
Marijuana	35.8	26.4	36.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.9	11.0	17.3
Percent who would likely use, if offered by a best friend:			
Alcohol	30.2	29.5	35.3
Cigarettes	12.9	12.3	16.0
Marijuana	13.8	9.4	12.0
Percent who say it would be wrong to use:			
Alcohol	61.5	61.9	57.3
Cigarettes	82.6	82.5	77.9
Marijuana	78.3	85.9	83.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	95.8	94.6
Percent whose parents would disapprove if they use:			
Alcohol	78.4	78.0	76.9
Cigarettes	90.9	92.3	90.1
Marijuana	92.7	95.2	94.3
Percent who say it would be easy to obtain:			
Alcohol	55.2	53.2	61.6
Cigarettes	49.6	47.9	58.6
Marijuana	36.5	29.2	34.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.0	13.0	18.1

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	58.6		
Alcohol (Binge: 5+ drinks once or twice a week)	69.5		
Alcohol (any use)		69.0	76.0
Cigarettes (1+ packs per day)	86.4		
Cigarettes (any use)		80.8	80.7
Marijuana (once or twice a week)	63.6		
Marijuana (any use)		76.5	71.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	94.2	93.0
Percent of students who, in past 30 days:			
Were very sad	23.7	17.4	21.8
Were grouchy, irritable, or in a bad mood	26.6	21.0	27.6
Felt hopeless about the future	14.7	8.8	13.5
Felt like not eating or eating more than usual	18.2	16.2	20.6
Slept a lot more or a lot less than usual	17.1	19.5	27.8
Had difficulty concentrating on school work	26.7	21.1	25.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	13.5	10.9	11.6
Made plan about how they would attempt suicide	10.9	8.8	8.1
Attempted suicide	5.4	5.0	5.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.0	1.0	1.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.0	5.8	9.4
Were in a physical fight	19.4	20.1	21.6
Were in a fight and had to be treated by a doctor or nurse	3.1	2.1	3.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	53.0	49.5	54.8
Were made fun of by others	63.3	61.2	67.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	28.3	20.4	20.7
Spread mean rumors or lies about other kids at school	25.5	23.6	35.2
Made fun of other people	57.0	59.6	73.1
Posted something on the internet or sent a text that might embarrass or hurt another student	18.7	13.2	17.8
Percent of students who agree that:			
Teachers notice and comment on student's good work	68.1	69.0	69.2
School provides feedback to parents on positive student performance	36.2	38.5	39.5
Rules are enforced fairly	63.2	63.2	64.0
Students of all races/ethnicities are treated equal	81.4	82.7	78.6
Percent of students who agree that:			
Parents notice and comment on student's good work	80.6	83.0	83.1
Parents involve student in making family decisions	67.2	69.5	69.7
It is important to be honest with parents regardless of consequences	87.2	86.3	82.9
Student could ask parent for help with a personal problem	75.8	77.2	75.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 8

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	112,950
2014 Estimate	111,047

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,177	1,188	1,206
Mother Reported Smoking while Pregnant	291	319	325

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	2	2	1
Hepatitis B Chronic, Acute, Prenatal	1	2	2
Hepatitis C Chronic and Acute	96	89	83
Tuberculosis Infection Cases	16	14	11

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,487	1,539	1,512
Suicides	18	22	24
Self-inflicted Injuries	157	144	213
Homicides	2	5	5
Assault Injuries	321	361	342
Alcohol Induced Deaths	11	11	9
Drug Induced Deaths	18	30	20
Smoking Attributable Deaths	305	305	297

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,068	984	1,002
Mental Illness Secondary Diagnosis	2,593	2,453	2,611
Alcohol Principal Diagnosis	41	58	56
Alcohol Secondary Diagnosis	171	179	216
Drug Principal Diagnosis	47	64	49
Drug Secondary Diagnosis	159	144	142
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	362	458	289
Mental Illness Secondary Diagnosis	1,591	1,635	1,402
Alcohol Principal Diagnosis	62	54	72
Alcohol Secondary Diagnosis	156	156	175
Drug Principal Diagnosis	41	59	43
Drug Secondary Diagnosis	114	104	114
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,017	1,102	1,018
Mental Illness Secondary Diagnosis	5,044	4,307	3,846
Alcohol Principal Diagnosis	173	174	173
Alcohol Secondary Diagnosis	284	284	237
Drug Principal Diagnosis	176	179	166
Drug Secondary Diagnosis	335	318	257

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	126	128	136
Alcohol Package Carry-out Licenses	147	148	156

EMPLOYMENT	2014	2013	2012
Labor Force	48,746	50,585	48,862
Employed	45,435	47,189	45,108
Unemployed	3,311	3,396	3,754
Unemployment Rate	6.8%	6.7%	7.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	88	136	119
Fatal Crashes	3	4	8
Injury Crashes	43	51	55
Property Damage Crashes	42	81	56
Crash Fatalities	5	4	10
Crash Injuries	58	73	75
Drug Involved Crashes--Total	28	25	23
Fatal Crashes	0	1	1
Injury Crashes	13	9	10
Property Damage Crashes	15	15	12
Crash Fatalities	0	1	1
Crash Injuries	15	10	11

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	509	590	721
Liquor Law Arrests	96	137	153
Drug Arrests	668	651	552
Violent Offenses	396	393	338
Property Offenses	3,322	3,739	3,173
Domestic Violence Reports	535	650	722
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	16	15

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,998	5,062	4,943
Drop-outs	95	85	155
Drop-out Rate	1.9%	1.7%	3.1%
School Discipline Involving Alcohol	4	15	9
School Discipline Involving Drugs	41	45	60
School Discipline Involving Tobacco	5	2	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	142	197	164
Juvenile Alcohol Offenses	21	44	51
Juvenile Drug Offenses	21	50	33
School Truancy Status Offense	136	136	196
Absent from Home Status Offense	22	52	57
Beyond Parental Control Status Offense	67	102	134
Injurious Behavior Status Offense	168	139	188
Child Abuse	136	164	189
Child Neglect	467	445	436
Child Custody Issues	33	18	19

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	109	88	125
Parental Alcohol Use Related	3	7	3
Parental Drug Use Related	42	35	41
Parental Alcohol and Drug Use	2	1	4

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	61	87	80
Probation/Parole Admissions--Drug	294	258	199
Probation/Parole Admissions--DWI	66	61	72
Prison Admissions--Drug	135	115	107
Prison Admissions--DWI	26	23	27

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 8

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	48	66	69
CSTAR Adolescent	67	66	59
CSTAR Women and Children	53	56	40
CSTAR General Adult	937	885	998
CSTAR Opioid	*	0	0
Primary Recovery Treatment	22	24	99
Clinical SATOP (CIP, YCIP, SROP)	134	140	140
Other Substance Abuse Treatment	0	0	5

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	520	588	637
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	174	216	233
- Weekend Intervention Program	97	126	129
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	25	32	60
Compulsive Gambling	0	0	*
Recovery Supports	244	369	211
Early Intervention	16	13	29

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	1,319	1,314	1,320
AGE			
Under 18	71	71	62
18 to 24	208	259	265
25 to 29	207	204	222
30 to 34	218	213	220
35 to 39	176	161	145
40 to 44	123	117	117
45 to 54	236	207	224
55 and Over	80	82	65
GENDER			
Male	813	835	851
Female	506	479	469
RACE / ETHNICITY			
Caucasian	1,231	1,246	1,260
African American	33	36	26
Native American / Alaskan	6	*	*
Asian / Pacific Islander	*	0	*
Hispanic	24	18	16
Other Race / Two or More Races	29	19	20
EDUCATION			
Less than High School Diploma	422	411	445
High School Graduate or G.E.D.	662	658	638
Associate Degree or Some College	225	237	229
Bachelor or Advanced Degree	10	8	8
EMPLOYMENT			
Employed	338	306	333
Unemployed	444	394	389
Not in Labor Force	537	614	598
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,063	1,077	1,073
Dependent Living	129	109	99
Homeless	24	44	34
MARITAL / FAMILY STATUS			
Never Married	637	660	631
Married / Cohabitating	374	329	365
Previously Married	308	325	324

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	459	463	520
Marijuana / Hashish	333	344	326
Cocaine (total)	12	16	19
- Crack	*	6	8
Stimulant (total)	388	367	334
- Methamphetamine	364	355	314
Heroin	8	5	12
Analgesic except Heroin	92	90	92
- Non-Prescription Methadone	*	0	*
PCP, LSD, other Hallucinogen	*	*	*
Tranquilizer	8	12	8
Inhalant	*	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	11	9	5
Average Age at First Use of Drug	17.6	17.4	17.2
INJECTION DRUG USE			
Any Injection Use at Admission	165	191	174
- Daily Injection Use	20	39	27
- Weekly Injection Use	39	47	39
- Less than Weekly Injection Use	106	105	108
LIFETIME DUI / DWI ARRESTS			
0	793	736	721
1 or 2	344	341	370
3 or More	182	237	229
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	361	574	546
School	*	0	*
Mental Health Provider	23	18	21
Health Care Provider	58	57	43
Court / Criminal Justice	407	403	467
Other Referral Source	454	254	241
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	19	16	19
Military Veteran	35	53	51
Special Education Services Needed	44	67	80
Co-Occurring Psychological Problem	501	374	242
Co-Occurring Developmental Problem	17	47	26

SUBSTANCE USE SERVICE AREA 8

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	38.2	45.5	49.8
Cigarettes	23.6	29.5	31.7
Chewing Tobacco	15.9	12.7	18.8
Marijuana	10.7	15.6	15.8
Inhalants	3.1	5.7	6.5
Prescription medications not prescribed for student	7.2	9.5	11.3
Over-the-counter medications for non-medical use	3.7	5.2	8.0
Methamphetamine	0.7	1.8	1.1
Cocaine	1.2	2.0	1.6
Heroin	0.4	1.4	0.7
Hallucinogens	1.4	2.8	2.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.4	2.5
Steroids not prescribed for student	0.6	2.2	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.0	8.5	
Average age of students' first use of:			
Alcohol	12.52	12.53	12.29
Cigarettes	12.51	12.19	12.19
Marijuana	13.32	13.06	13.40
Inhalants	12.29	12.07	12.49
Percent of students who, in past 30 days, used:			
Alcohol	17.4	21.0	23.3
Alcohol (Binge: 5+ drinks on one occassion)		13.1	12.1
Cigarettes	10.3	14.4	15.7
Chewing Tobacco	9.7	8.2	10.2
Marijuana	4.5	6.3	7.0
Inhalants	1.1	2.1	2.8
Prescription medications not prescribed for student	3.0	5.6	6.4
Over-the-counter medications for non-medical use	1.7	3.6	5.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.0		
Percent whose friends used in past 12 months:			
Alcohol	42.6	56.9	62.0
Cigarettes	35.9	47.6	51.6
Marijuana	21.3	30.2	32.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.4	13.4	16.0
Percent who would likely use, if offered by a best friend:			
Alcohol	28.3	37.4	39.7
Cigarettes	11.3	16.4	16.9
Marijuana	8.1	9.6	12.1
Percent who say it would be wrong to use:			
Alcohol	63.2	54.5	56.2
Cigarettes	84.5	78.4	76.3
Marijuana	87.2	83.8	83.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	95.0	94.7
Percent whose parents would disapprove if they use:			
Alcohol	79.8	74.9	74.3
Cigarettes	91.1	89.0	88.4
Marijuana	95.2	95.1	93.6
Percent who say it would be easy to obtain:			
Alcohol	47.7	61.3	61.2
Cigarettes	47.8	55.5	60.6
Marijuana	20.4	32.4	35.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.5	16.7	21.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	53.7		
Alcohol (Binge: 5+ drinks once or twice a week)	67.5		
Alcohol (any use)		65.1	78.0
Cigarettes (1+ packs per day)	82.9		
Cigarettes (any use)		78.3	80.0
Marijuana (once or twice a week)	72.9		
Marijuana (any use)		74.2	71.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	92.7	93.5
Percent of students who, in past 30 days:			
Were very sad	18.7	21.4	21.8
Were grouchy, irritable, or in a bad mood	25.7	25.9	25.7
Felt hopeless about the future	12.1	9.7	13.4
Felt like not eating or eating more than usual	18.4	19.2	20.2
Slept a lot more or a lot less than usual	16.4	21.5	27.0
Had difficulty concentrating on school work	21.8	24.7	26.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.6	12.6	11.7
Made plan about how they would attempt suicide	8.6	8.7	8.7
Attempted suicide	5.2	4.5	5.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	2.4	2.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.6	6.4	11.3
Were in a physical fight	19.2	22.1	24.2
Were in a fight and had to be treated by a doctor or nurse	2.8	3.1	3.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.8	50.6	58.7
Were made fun of by others	61.2	64.1	71.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	21.5	21.9	21.1
Spread mean rumors or lies about other kids at school	20.5	28.9	32.8
Made fun of other people	55.0	64.2	74.4
Posted something on the internet or sent a text that might embarrass or hurt another student	13.8	17.0	16.8
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.3	72.9	71.5
School provides feedback to parents on positive student performance	46.0	39.2	40.9
Rules are enforced fairly	68.9	61.3	61.1
Students of all races/ethnicities are treated equal	85.4	80.8	79.3
Percent of students who agree that:			
Parents notice and comment on student's good work	83.4	81.6	81.1
Parents involve student in making family decisions	69.8	66.7	66.8
It is important to be honest with parents regardless of consequences	89.7	86.0	82.5
Student could ask parent for help with a personal problem	79.4	75.4	75.8

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 9

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	285,234
2014 Estimate	284,683

BIRTH RISK	2013	2012	2011
Resident Births--Total	3,750	3,884	3,797
Mother Reported Smoking while Pregnant	771	765	832

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	8	7	8
Hepatitis B Chronic, Acute, Prenatal	28	23	24
Hepatitis C Chronic and Acute	236	210	277
Tuberculosis Infection Cases	105	125	134

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	3,079	2,884	2,929
Suicides	48	41	43
Self-inflicted Injuries	331	340	380
Homicides	8	14	6
Assault Injuries	702	838	803
Alcohol Induced Deaths	16	15	13
Drug Induced Deaths	36	25	46
Smoking Attributable Deaths	601	543	516

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,804	1,813	2,270
Mental Illness Secondary Diagnosis	4,358	5,172	6,441
Alcohol Principal Diagnosis	160	232	269
Alcohol Secondary Diagnosis	305	401	597
Drug Principal Diagnosis	147	167	177
Drug Secondary Diagnosis	237	299	384
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,356	1,197	558
Mental Illness Secondary Diagnosis	4,266	3,218	1,848
Alcohol Principal Diagnosis	326	351	223
Alcohol Secondary Diagnosis	468	413	258
Drug Principal Diagnosis	279	227	126
Drug Secondary Diagnosis	233	212	142
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,254	2,708	2,736
Mental Illness Secondary Diagnosis	17,185	16,866	13,408
Alcohol Principal Diagnosis	627	638	526
Alcohol Secondary Diagnosis	842	732	669
Drug Principal Diagnosis	498	491	415
Drug Secondary Diagnosis	902	773	759

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	232	235	223
Alcohol Package Carry-out Licenses	349	291	322

EMPLOYMENT	2014	2013	2012
Labor Force	134,710	138,255	136,775
Employed	127,240	130,203	128,336
Unemployed	7,470	8,052	8,439
Unemployment Rate	5.5%	5.8%	6.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	335	338	347
Fatal Crashes	16	10	13
Injury Crashes	144	148	152
Property Damage Crashes	175	180	182
Crash Fatalities	17	11	13
Crash Injuries	200	205	212
Drug Involved Crashes--Total	81	84	92
Fatal Crashes	7	0	3
Injury Crashes	32	30	38
Property Damage Crashes	42	54	51
Crash Fatalities	7	0	3
Crash Injuries	42	41	46

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	2,170	2,172	2,460
Liquor Law Arrests	350	427	415
Drug Arrests	1,121	1,039	1,032
Violent Offenses	940	1,092	936
Property Offenses	10,832	10,982	9,525
Domestic Violence Reports	2,637	2,806	2,601
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	125	164	206

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	13,591	13,720	13,434
Drop-outs	262	310	361
Drop-out Rate	1.9%	2.3%	2.7%
School Discipline Involving Alcohol	42	74	20
School Discipline Involving Drugs	110	84	140
School Discipline Involving Tobacco	3	3	4

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	178	358	347
Juvenile Alcohol Offenses	33	57	74
Juvenile Drug Offenses	65	114	111
School Truancy Status Offense	94	84	140
Absent from Home Status Offense	70	101	98
Beyond Parental Control Status Offense	79	130	124
Injurious Behavior Status Offense	137	141	148
Child Abuse	156	100	137
Child Neglect	899	1,123	1,048
Child Custody Issues	421	397	127

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	672	691	642
Parental Alcohol Use Related	9	36	25
Parental Drug Use Related	228	249	243
Parental Alcohol and Drug Use	9	14	21

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	307	302	236
Probation/Parole Admissions--Drug	507	482	528
Probation/Parole Admissions--DWI	201	228	216
Prison Admissions--Drug	228	256	213
Prison Admissions--DWI	72	88	77

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 9

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	270	395	252
CSTAR Adolescent	115	107	154
CSTAR Women and Children	299	285	281
CSTAR General Adult	966	978	886
CSTAR Opioid	*	0	0
Primary Recovery Treatment	85	80	117
Clinical SATOP (CIP, YCIP, SROP)	284	266	237
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	1,191	1,237	1,376
- Adolescent Diversion Education Prograr	49	58	50
- Offender Education Program	404	466	506
- Weekend Intervention Program	207	238	264
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	69	108	93
Compulsive Gambling	*	5	5
Recovery Supports	349	505	532
Early Intervention	117	86	102

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	1,903	2,011	1,977
AGE			
Under 18	116	113	157
18 to 24	276	288	325
25 to 29	297	357	349
30 to 34	322	342	330
35 to 39	258	268	229
40 to 44	198	202	187
45 to 54	317	331	304
55 and Over	119	110	96
GENDER			
Male	1,212	1,299	1,283
Female	691	712	694
RACE / ETHNICITY			
Caucasian	1,736	1,832	1,791
African American	64	73	67
Native American / Alaskan	9	5	5
Asian / Pacific Islander	9	9	6
Hispanic	71	60	71
Other Race / Two or More Races	44	47	47
EDUCATION			
Less than High School Diploma	674	745	741
High School Graduate or G.E.D.	779	797	813
Associate Degree or Some College	434	452	407
Bachelor or Advanced Degree	16	17	16
EMPLOYMENT			
Employed	575	615	611
Unemployed	721	782	734
Not in Labor Force	607	614	632
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,555	1,621	1,590
Dependent Living	208	205	249
Homeless	95	126	78
MARITAL / FAMILY STATUS			
Never Married	857	876	901
Married / Cohabitating	520	577	562
Previously Married	526	558	514

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	776	867	850
Marijuana / Hashish	410	368	417
Cocaine (total)	18	22	34
- Crack	10	11	20
Stimulant (total)	500	512	472
- Methamphetamine	482	500	460
Heroin	12	10	5
Analgesic except Heroin	153	180	138
- Non-Prescription Methadone	*	5	*
PCP, LSD, other Hallucinogen	*	8	9
Tranquilizer	18	24	32
Inhalant	5	5	*
Sedative	*	*	*
Other Medication or Illicit Drug	7	13	14
Average Age at First Use of Drug	17.7	18.0	17.2
INJECTION DRUG USE			
Any Injection Use at Admission	318	308	268
- Daily Injection Use	62	57	38
- Weekly Injection Use	90	84	65
- Less than Weekly Injection Use	166	167	165
LIFETIME DUI / DWI ARRESTS			
0	933	956	935
1 or 2	581	659	646
3 or More	389	396	396
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	555	999	692
School	*	*	5
Mental Health Provider	10	6	14
Health Care Provider	190	184	76
Court / Criminal Justice	929	532	836
Other Referral Source	207	275	351
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	33	23	29
Military Veteran	98	116	76
Special Education Services Needed	266	293	234
Co-Occurring Psychological Problem	939	1,125	965
Co-Occurring Developmental Problem	70	64	58

SUBSTANCE USE SERVICE AREA 9

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	32.4	32.0	39.1
Cigarettes	22.0	23.1	28.5
Chewing Tobacco	15.5	11.9	15.7
Marijuana	11.0	12.0	14.4
Inhalants	2.7	5.1	7.4
Prescription medications not prescribed for student	6.5	7.1	10.7
Over-the-counter medications for non-medical use	2.5	5.7	8.0
Methamphetamine	0.7	1.2	1.1
Cocaine	0.5	1.2	1.4
Heroin	0.4	0.8	0.5
Hallucinogens	1.4	2.7	2.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.6	1.8
Steroids not prescribed for student	0.8	1.2	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	7.1	
Average age of students' first use of:			
Alcohol	12.91	12.31	12.43
Cigarettes	12.53	12.10	12.04
Marijuana	14.02	13.23	13.45
Inhalants	11.10	12.13	12.17
Percent of students who, in past 30 days, used:			
Alcohol	12.5	12.3	16.4
Alcohol (Binge: 5+ drinks on one occassion)		6.7	8.5
Cigarettes	8.9	10.0	14.5
Chewing Tobacco	8.0	6.8	8.5
Marijuana	4.0	5.1	6.3
Inhalants	1.2	2.0	3.4
Prescription medications not prescribed for student	2.8	3.7	6.2
Over-the-counter medications for non-medical use	1.3	3.4	4.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.8		
Percent whose friends used in past 12 months:			
Alcohol	40.4	44.6	52.2
Cigarettes	32.0	38.0	44.2
Marijuana	21.5	26.1	31.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.1	12.0	15.5
Percent who would likely use, if offered by a best friend:			
Alcohol	23.3	22.6	27.6
Cigarettes	12.2	11.9	15.7
Marijuana	8.2	9.3	11.3
Percent who say it would be wrong to use:			
Alcohol	68.9	69.6	65.1
Cigarettes	84.8	83.4	77.6
Marijuana	86.1	86.1	83.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	95.5	94.8
Percent whose parents would disapprove if they use:			
Alcohol	82.6	83.8	80.9
Cigarettes	93.1	92.4	89.7
Marijuana	94.1	95.3	93.9
Percent who say it would be easy to obtain:			
Alcohol	48.2	46.3	50.9
Cigarettes	46.8	45.8	53.8
Marijuana	25.3	27.4	33.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	14.5	17.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	58.5		
Alcohol (Binge: 5+ drinks once or twice a week)	71.3		
Alcohol (any use)		75.1	77.5
Cigarettes (1+ packs per day)	85.1		
Cigarettes (any use)		81.2	79.8
Marijuana (once or twice a week)	71.4		
Marijuana (any use)		76.9	75.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.2	94.1	93.2
Percent of students who, in past 30 days:			
Were very sad	21.7	18.2	20.7
Were grouchy, irritable, or in a bad mood	22.6	20.8	23.7
Felt hopeless about the future	12.7	10.6	11.2
Felt like not eating or eating more than usual	17.0	16.8	17.6
Slept a lot more or a lot less than usual	16.8	18.5	25.2
Had difficulty concentrating on school work	21.2	21.1	23.3
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.3	10.5	11.2
Made plan about how they would attempt suicide	9.2	7.6	8.3
Attempted suicide	4.9	4.9	5.6
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	1.7	2.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.7	6.5	8.8
Were in a physical fight	17.9	19.5	23.1
Were in a fight and had to be treated by a doctor or nurse	3.0	3.2	4.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	49.6	48.6	53.8
Were made fun of by others	58.3	59.8	66.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.9	19.7	17.8
Spread mean rumors or lies about other kids at school	22.2	24.8	30.9
Made fun of other people	49.9	56.2	66.5
Posted something on the internet or sent a text that might embarrass or hurt another student	14.2	11.4	15.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.4	69.0	68.4
School provides feedback to parents on positive student performance	45.3	40.9	41.4
Rules are enforced fairly	60.2	64.3	64.1
Students of all races/ethnicities are treated equal	80.4	77.3	79.5
Percent of students who agree that:			
Parents notice and comment on student's good work	83.5	83.8	84.3
Parents involve student in making family decisions	70.4	71.4	71.3
It is important to be honest with parents regardless of consequences	89.6	89.0	85.5
Student could ask parent for help with a personal problem	78.8	78.0	78.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 10

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	528,472
2014 Estimate	545,259

BIRTH RISK	2013	2012	2011
Resident Births--Total	6,566	6,525	6,600
Mother Reported Smoking while Pregnant	1,234	1,180	1,240

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	18	31	29
Hepatitis B Chronic, Acute, Prenatal	63	48	46
Hepatitis C Chronic and Acute	593	570	592
Tuberculosis Infection Cases	175	140	204

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	5,109	4,846	4,744
Suicides	82	76	90
Self-inflicted Injuries	810	809	806
Homicides	17	23	17
Assault Injuries	1,607	1,754	1,764
Alcohol Induced Deaths	48	41	42
Drug Induced Deaths	92	87	101
Smoking Attributable Deaths	890	848	782

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,825	2,572	2,569
Mental Illness Secondary Diagnosis	4,544	4,535	4,355
Alcohol Principal Diagnosis	221	183	120
Alcohol Secondary Diagnosis	220	225	207
Drug Principal Diagnosis	236	254	142
Drug Secondary Diagnosis	339	295	320
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3,147	2,983	2,732
Mental Illness Secondary Diagnosis	10,721	9,851	8,859
Alcohol Principal Diagnosis	1,106	1,072	956
Alcohol Secondary Diagnosis	1,181	1,135	1,049
Drug Principal Diagnosis	722	785	626
Drug Secondary Diagnosis	974	815	753
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,684	4,887	4,945
Mental Illness Secondary Diagnosis	23,916	23,263	9,620
Alcohol Principal Diagnosis	2,039	2,027	1,934
Alcohol Secondary Diagnosis	1,356	1,621	1,511
Drug Principal Diagnosis	1,375	1,462	1,385
Drug Secondary Diagnosis	1,908	1,930	1,587

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	580	570	591
Alcohol Package Carry-out Licenses	464	410	477

EMPLOYMENT	2014	2013	2012
Labor Force	269,866	268,072	267,701
Employed	254,315	251,609	249,650
Unemployed	15,551	16,463	18,051
Unemployment Rate	5.8%	6.1%	6.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	570	553	590
Fatal Crashes	10	20	17
Injury Crashes	227	244	252
Property Damage Crashes	333	289	321
Crash Fatalities	10	21	18
Crash Injuries	304	334	374
Drug Involved Crashes--Total	131	140	141
Fatal Crashes	2	3	3
Injury Crashes	65	65	66
Property Damage Crashes	64	72	72
Crash Fatalities	3	4	3
Crash Injuries	107	97	72

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	2,753	3,233	2,992
Liquor Law Arrests	431	551	602
Drug Arrests	2,909	2,802	2,436
Violent Offenses	2,836	2,549	2,254
Property Offenses	23,022	23,242	23,071
Domestic Violence Reports	5,358	5,324	5,086
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	77	133	177

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	22,933	22,856	22,804
Drop-outs	320	402	456
Drop-out Rate	1.4%	1.8%	2.0%
School Discipline Involving Alcohol	44	40	56
School Discipline Involving Drugs	270	292	245
School Discipline Involving Tobacco	12	7	51

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	715	716	808
Juvenile Alcohol Offenses	95	106	90
Juvenile Drug Offenses	232	234	269
School Truancy Status Offense	67	75	70
Absent from Home Status Offense	137	147	206
Beyond Parental Control Status Offense	122	185	228
Injurious Behavior Status Offense	448	548	618
Child Abuse	222	219	277
Child Neglect	918	833	830
Child Custody Issues	129	129	162

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	700	590	713
Parental Alcohol Use Related	21	19	36
Parental Drug Use Related	314	252	217
Parental Alcohol and Drug Use	17	21	26

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	1,439	1,168	1,028
Probation/Parole Admissions--Drug	1,273	1,091	1,124
Probation/Parole Admissions--DWI	221	238	236
Prison Admissions--Drug	615	622	593
Prison Admissions--DWI	87	93	87

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 10

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	837	789	846
CSTAR Adolescent	180	199	219
CSTAR Women and Children	369	357	273
CSTAR General Adult	972	1,088	966
CSTAR Opioid	*	*	0
Primary Recovery Treatment	896	769	942
Clinical SATOP (CIP, YCIP, SROP)	464	422	370
Other Substance Abuse Treatment	5	7	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	2,213	2,229	2,313
- Adolescent Diversion Education Prograr	18	35	52
- Offender Education Program	841	877	920
- Weekend Intervention Program	465	497	452
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	119	116	138
Compulsive Gambling	0	0	*
Recovery Supports	1,114	1,276	1,044
Early Intervention	131	147	267

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	3,238	3,346	3,296
AGE			
Under 18	176	207	222
18 to 24	540	549	607
25 to 29	593	623	598
30 to 34	559	563	490
35 to 39	398	369	341
40 to 44	339	350	359
45 to 54	482	500	531
55 and Over	151	185	148
GENDER			
Male	2,143	2,242	2,285
Female	1,095	1,104	1,010
RACE / ETHNICITY			
Caucasian	2,935	3,037	2,977
African American	140	160	185
Native American / Alaskan	18	16	14
Asian / Pacific Islander	7	8	13
Hispanic	71	82	67
Other Race / Two or More Races	96	81	74
EDUCATION			
Less than High School Diploma	1,006	1,144	1,109
High School Graduate or G.E.D.	1,409	1,397	1,389
Associate Degree or Some College	790	779	767
Bachelor or Advanced Degree	33	26	31
EMPLOYMENT			
Employed	962	931	912
Unemployed	1,122	1,176	1,270
Not in Labor Force	1,154	1,239	1,114
HOUSING / LIVING ARRANGEMENT			
Independent Living	2,505	2,595	2,545
Dependent Living	409	420	459
Homeless	270	276	251
MARITAL / FAMILY STATUS			
Never Married	1,624	1,693	1,683
Married / Cohabitating	796	772	769
Previously Married	818	881	844

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	1,236	1,329	1,313
Marijuana / Hashish	631	589	679
Cocaine (total)	27	43	82
- Crack	15	16	52
Stimulant (total)	859	846	707
- Methamphetamine	830	808	690
Heroin	119	106	100
Analgesic except Heroin	295	335	306
- Non-Prescription Methadone	*	13	6
PCP, LSD, other Hallucinogen	9	16	19
Tranquilizer	35	47	56
Inhalant	*	*	5
Sedative	5	5	*
Other Medication or Illicit Drug	18	26	25
Average Age at First Use of Drug	17.5	17.6	17.2
INJECTION DRUG USE			
Any Injection Use at Admission	699	713	657
- Daily Injection Use	155	150	135
- Weekly Injection Use	192	206	177
- Less than Weekly Injection Use	352	357	345
LIFETIME DUI / DWI ARRESTS			
0	1,683	1,735	1,675
1 or 2	1,000	1,040	1,040
3 or More	555	571	581
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,161	1,501	1,112
School	11	15	6
Mental Health Provider	51	61	31
Health Care Provider	156	141	138
Court / Criminal Justice	1,521	1,339	1,795
Other Referral Source	315	268	204
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	59	55	51
Military Veteran	138	147	171
Special Education Services Needed	196	256	264
Co-Occurring Psychological Problem	1,186	1,151	1,085
Co-Occurring Developmental Problem	119	150	81

SUBSTANCE USE SERVICE AREA 10

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	30.4	32.8	38.3
Cigarettes	20.3	22.4	26.7
Chewing Tobacco	10.0	14.9	13.5
Marijuana	15.2	15.1	17.0
Inhalants	3.6	6.2	7.0
Prescription medications not prescribed for student	8.1	8.9	12.5
Over-the-counter medications for non-medical use	3.0	6.6	8.8
Methamphetamine	0.9	1.5	1.1
Cocaine	1.3	2.0	2.0
Heroin	0.4	0.9	0.7
Hallucinogens	3.0	3.4	3.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.5	2.5	2.6
Steroids not prescribed for student	0.7	1.4	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	4.1	7.3	
Average age of students' first use of:			
Alcohol	13.09	12.48	12.44
Cigarettes	12.67	12.20	12.13
Marijuana	13.65	13.06	13.32
Inhalants	12.39	12.01	12.22
Percent of students who, in past 30 days, used:			
Alcohol	12.0	13.4	16.1
Alcohol (Binge: 5+ drinks on one occassion)		7.8	12.4
Cigarettes	8.6	10.4	14.0
Chewing Tobacco	4.8	6.2	7.1
Marijuana	7.4	7.7	9.1
Inhalants	1.3	2.7	3.0
Prescription medications not prescribed for student	3.4	4.6	7.0
Over-the-counter medications for non-medical use	1.7	3.9	5.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.5		
Percent whose friends used in past 12 months:			
Alcohol	40.9	46.5	54.8
Cigarettes	34.6	40.1	47.4
Marijuana	31.8	33.8	38.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	16.6	21.3
Percent who would likely use, if offered by a best friend:			
Alcohol	20.2	24.5	28.8
Cigarettes	11.3	12.7	15.4
Marijuana	13.6	13.6	14.4
Percent who say it would be wrong to use:			
Alcohol	69.8	67.7	63.3
Cigarettes	84.1	81.6	76.9
Marijuana	80.1	81.3	80.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	95.0	93.7
Percent whose parents would disapprove if they use:			
Alcohol	84.8	83.3	81.7
Cigarettes	93.5	92.1	90.0
Marijuana	92.6	92.9	92.8
Percent who say it would be easy to obtain:			
Alcohol	47.3	51.5	55.6
Cigarettes	46.4	49.4	57.1
Marijuana	34.2	35.2	38.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.0	18.1	21.1

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	63.4		
Alcohol (Binge: 5+ drinks once or twice a week)	74.4		
Alcohol (any use)		73.9	74.4
Cigarettes (1+ packs per day)	87.1		
Cigarettes (any use)		83.4	80.2
Marijuana (once or twice a week)	67.1		
Marijuana (any use)		73.1	75.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.5	93.7	92.8
Percent of students who, in past 30 days:			
Were very sad	22.5	19.3	18.4
Were grouchy, irritable, or in a bad mood	24.6	23.8	23.9
Felt hopeless about the future	12.5	11.0	11.7
Felt like not eating or eating more than usual	18.0	17.6	17.9
Slept a lot more or a lot less than usual	17.7	20.0	25.5
Had difficulty concentrating on school work	23.5	22.0	25.5
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.2	12.5	12.1
Made plan about how they would attempt suicide	9.3	9.2	8.9
Attempted suicide	5.7	5.9	5.3
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.3	1.8	2.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.8	7.0	10.3
Were in a physical fight	17.4	19.9	22.2
Were in a fight and had to be treated by a doctor or nurse	3.0	3.8	3.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	51.2	49.2	54.5
Were made fun of by others	60.3	60.1	67.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.4	21.4	19.3
Spread mean rumors or lies about other kids at school	25.3	26.7	32.9
Made fun of other people	52.7	59.3	69.4
Posted something on the internet or sent a text that might embarrass or hurt another student	16.6	13.6	17.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.8	68.6	69.6
School provides feedback to parents on positive student performance	41.8	38.3	38.2
Rules are enforced fairly	66.8	63.9	65.8
Students of all races/ethnicities are treated equal	81.1	78.4	80.0
Percent of students who agree that:			
Parents notice and comment on student's good work	82.7	82.7	83.7
Parents involve student in making family decisions	69.6	69.6	71.1
It is important to be honest with parents regardless of consequences	87.1	85.4	82.8
Student could ask parent for help with a personal problem	79.5	76.1	77.6

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 11

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	306,402
2014 Estimate	308,903

BIRTH RISK	2013	2012	2011
Resident Births--Total	3,803	3,814	3,755
Mother Reported Smoking while Pregnant	820	848	832

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	10	8	10
Hepatitis B Chronic, Acute, Prenatal	27	24	25
Hepatitis C Chronic and Acute	235	192	205
Tuberculosis Infection Cases	97	87	75

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	2,696	2,682	2,596
Suicides	48	47	45
Self-inflicted Injuries	386	357	385
Homicides	14	13	16
Assault Injuries	941	1,074	1,066
Alcohol Induced Deaths	17	22	21
Drug Induced Deaths	39	43	37
Smoking Attributable Deaths	497	519	497

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,553	1,305	1,238
Mental Illness Secondary Diagnosis	3,403	3,277	3,211
Alcohol Principal Diagnosis	102	68	50
Alcohol Secondary Diagnosis	249	204	190
Drug Principal Diagnosis	114	114	63
Drug Secondary Diagnosis	221	211	189
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,264	1,382	1,120
Mental Illness Secondary Diagnosis	4,366	4,740	4,766
Alcohol Principal Diagnosis	285	312	314
Alcohol Secondary Diagnosis	514	488	498
Drug Principal Diagnosis	170	166	194
Drug Secondary Diagnosis	264	277	266
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,555	2,449	2,440
Mental Illness Secondary Diagnosis	10,307	6,653	5,445
Alcohol Principal Diagnosis	495	482	525
Alcohol Secondary Diagnosis	614	512	484
Drug Principal Diagnosis	432	464	467
Drug Secondary Diagnosis	534	566	388

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	460	469	454
Alcohol Package Carry-out Licenses	327	343	348

EMPLOYMENT	2014	2013	2012
Labor Force	137,620	145,766	142,497
Employed	128,824	136,059	132,377
Unemployed	8,796	9,707	10,120
Unemployment Rate	6.4%	6.7%	7.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	335	326	349
Fatal Crashes	23	16	17
Injury Crashes	150	138	157
Property Damage Crashes	162	172	175
Crash Fatalities	25	16	17
Crash Injuries	219	204	219
Drug Involved Crashes--Total	61	49	58
Fatal Crashes	2	3	4
Injury Crashes	31	17	21
Property Damage Crashes	28	29	33
Crash Fatalities	2	3	2
Crash Injuries	43	29	22

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,538	1,834	2,071
Liquor Law Arrests	506	561	575
Drug Arrests	1,917	1,635	1,526
Violent Offenses	819	969	1,004
Property Offenses	6,748	7,415	7,351
Domestic Violence Reports	2,257	2,445	2,336
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	37	43	57

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	13,606	13,734	13,776
Drop-outs	260	277	339
Drop-out Rate	1.9%	2.0%	2.5%
School Discipline Involving Alcohol	29	21	56
School Discipline Involving Drugs	107	117	167
School Discipline Involving Tobacco	5	8	10

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	247	326	380
Juvenile Alcohol Offenses	58	92	80
Juvenile Drug Offenses	103	114	142
School Truancy Status Offense	236	358	406
Absent from Home Status Offense	106	127	139
Beyond Parental Control Status Offense	173	159	125
Injurious Behavior Status Offense	347	465	550
Child Abuse	373	584	659
Child Neglect	694	948	963
Child Custody Issues	22	24	11

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	403	333	351
Parental Alcohol Use Related	14	5	7
Parental Drug Use Related	101	93	124
Parental Alcohol and Drug Use	22	13	4

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	192	189	168
Probation/Parole Admissions--Drug	841	788	643
Probation/Parole Admissions--DWI	147	170	187
Prison Admissions--Drug	452	376	333
Prison Admissions--DWI	62	73	96

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 11

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	147	139	157
CSTAR Adolescent	90	115	125
CSTAR Women and Children	177	144	142
CSTAR General Adult	1,013	1,065	843
CSTAR Opioid	0	*	0
Primary Recovery Treatment	174	276	438
Clinical SATOP (CIP, YCIP, SROP)	282	283	285
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	1,145	1,224	1,423
- Adolescent Diversion Education Prograr	35	34	27
- Offender Education Program	396	445	545
- Weekend Intervention Program	235	262	324
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	28	33	48
Compulsive Gambling	0	5	6
Recovery Supports	16	18	14
Early Intervention	40	57	71

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	1,590	1,810	1,727
AGE			
Under 18	92	116	126
18 to 24	287	340	298
25 to 29	286	335	325
30 to 34	276	291	266
35 to 39	197	197	202
40 to 44	143	163	162
45 to 54	221	273	265
55 and Over	88	95	83
GENDER			
Male	1,047	1,200	1,186
Female	543	610	541
RACE / ETHNICITY			
Caucasian	1,355	1,548	1,489
African American	165	186	179
Native American / Alaskan	6	6	*
Asian / Pacific Islander	*	7	6
Hispanic	28	32	25
Other Race / Two or More Races	35	41	36
EDUCATION			
Less than High School Diploma	477	559	583
High School Graduate or G.E.D.	734	793	732
Associate Degree or Some College	357	427	395
Bachelor or Advanced Degree	22	29	17
EMPLOYMENT			
Employed	465	576	591
Unemployed	646	655	568
Not in Labor Force	479	579	568
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,296	1,502	1,427
Dependent Living	165	185	198
Homeless	45	47	44
MARITAL / FAMILY STATUS			
Never Married	853	980	950
Married / Cohabitating	406	438	387
Previously Married	331	392	390

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	630	776	748
Marijuana / Hashish	323	411	424
Cocaine (total)	32	49	63
- Crack	12	23	30
Stimulant (total)	312	252	254
- Methamphetamine	301	221	238
Heroin	142	128	109
Analgesic except Heroin	97	139	99
- Non-Prescription Methadone	*	*	0
PCP, LSD, other Hallucinogen	*	6	5
Tranquilizer	9	12	6
Inhalant	0	*	0
Sedative	*	*	5
Other Medication or Illicit Drug	40	34	14
Average Age at First Use of Drug	18.3	18.0	17.5
INJECTION DRUG USE			
Any Injection Use at Admission	276	245	252
- Daily Injection Use	69	55	59
- Weekly Injection Use	90	59	57
- Less than Weekly Injection Use	117	131	136
LIFETIME DUI / DWI ARRESTS			
0	877	903	838
1 or 2	478	555	529
3 or More	235	352	360
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	517	544	398
School	*	*	*
Mental Health Provider	20	34	17
Health Care Provider	53	61	55
Court / Criminal Justice	697	966	1,117
Other Referral Source	276	187	131
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	20	30	27
Military Veteran	70	84	85
Special Education Services Needed	52	122	163
Co-Occurring Psychological Problem	667	623	573
Co-Occurring Developmental Problem	28	62	53

SUBSTANCE USE SERVICE AREA 11

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	39.2	42.8	46.5
Cigarettes	25.1	24.9	29.7
Chewing Tobacco	13.7	15.6	15.3
Marijuana	14.6	15.1	15.8
Inhalants	1.9	5.1	7.2
Prescription medications not prescribed for student	6.7	9.4	12.3
Over-the-counter medications for non-medical use	2.1	7.1	8.5
Methamphetamine	0.4	1.2	1.3
Cocaine	1.1	2.0	2.0
Heroin	0.2	1.3	0.9
Hallucinogens	1.7	2.8	3.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	2.6	2.7
Steroids not prescribed for student	0.4	1.6	1.6
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	6.7	
Average age of students' first use of:			
Alcohol	12.85	12.50	12.29
Cigarettes	12.63	12.42	12.13
Marijuana	13.92	13.49	13.37
Inhalants	11.77	12.17	12.20
Percent of students who, in past 30 days, used:			
Alcohol	15.5	20.0	22.0
Alcohol (Binge: 5+ drinks on one occassion)		12.5	11.1
Cigarettes	10.3	11.9	14.0
Chewing Tobacco	6.3	7.6	8.5
Marijuana	5.9	7.7	7.2
Inhalants	0.6	2.5	3.5
Prescription medications not prescribed for student	3.2	5.1	7.7
Over-the-counter medications for non-medical use	1.3	5.0	5.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.2		
Percent whose friends used in past 12 months:			
Alcohol	44.8	57.0	61.1
Cigarettes	35.1	45.7	48.8
Marijuana	27.1	33.6	35.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	15.0	20.1
Percent who would likely use, if offered by a best friend:			
Alcohol	27.2	34.6	36.7
Cigarettes	11.5	16.3	15.8
Marijuana	10.9	14.2	12.6
Percent who say it would be wrong to use:			
Alcohol	63.4	56.3	57.7
Cigarettes	85.1	78.2	77.0
Marijuana	82.4	81.4	82.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	94.4	94.5
Percent whose parents would disapprove if they use:			
Alcohol	78.3	75.6	77.8
Cigarettes	93.0	90.1	90.9
Marijuana	93.7	92.9	95.0
Percent who say it would be easy to obtain:			
Alcohol	50.6	58.2	60.3
Cigarettes	49.4	54.5	56.9
Marijuana	29.5	35.7	33.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	18.4	19.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	56.0		
Alcohol (Binge: 5+ drinks once or twice a week)	69.3		
Alcohol (any use)		68.3	78.7
Cigarettes (1+ packs per day)	87.1		
Cigarettes (any use)		80.1	81.9
Marijuana (once or twice a week)	66.9		
Marijuana (any use)		72.9	71.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.7	93.1	94.2
Percent of students who, in past 30 days:			
Were very sad	20.2	18.5	22.6
Were grouchy, irritable, or in a bad mood	23.3	24.9	26.3
Felt hopeless about the future	12.4	10.4	13.2
Felt like not eating or eating more than usual	19.9	17.5	19.9
Slept a lot more or a lot less than usual	19.8	19.2	27.5
Had difficulty concentrating on school work	22.8	23.8	25.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.0	13.6	13.2
Made plan about how they would attempt suicide	8.0	9.0	9.4
Attempted suicide	5.2	5.5	5.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	2.3	2.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.4	6.7	10.9
Were in a physical fight	17.9	22.6	26.1
Were in a fight and had to be treated by a doctor or nurse	2.5	3.8	4.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	49.8	47.9	54.7
Were made fun of by others	57.9	57.2	68.9
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.1	19.2	18.5
Spread mean rumors or lies about other kids at school	22.1	26.8	33.6
Made fun of other people	52.3	60.3	74.0
Posted something on the internet or sent a text that might embarrass or hurt another student	13.5	13.6	16.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.0	66.8	71.0
School provides feedback to parents on positive student performance	48.9	37.8	40.7
Rules are enforced fairly	63.5	62.2	63.7
Students of all races/ethnicities are treated equal	82.0	75.9	76.4
Percent of students who agree that:			
Parents notice and comment on student's good work	82.7	80.3	84.5
Parents involve student in making family decisions	69.7	67.4	70.0
It is important to be honest with parents regardless of consequences	86.9	84.1	83.5
Student could ask parent for help with a personal problem	78.8	74.0	76.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 12

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	319,063
2014 Estimate	328,082

BIRTH RISK	2013	2012	2011
Resident Births--Total	4,100	4,075	4,060
Mother Reported Smoking while Pregnant	759	763	779

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	8	8	11
Hepatitis B Chronic, Acute, Prenatal	40	35	23
Hepatitis C Chronic and Acute	221	244	240
Tuberculosis Infection Cases	449	285	315

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	2,844	2,643	2,801
Suicides	54	46	43
Self-inflicted Injuries	381	364	319
Homicides	12	10	10
Assault Injuries	953	957	981
Alcohol Induced Deaths	14	19	18
Drug Induced Deaths	42	37	43
Smoking Attributable Deaths	477	443	463

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,601	1,605	1,590
Mental Illness Secondary Diagnosis	5,038	6,136	6,490
Alcohol Principal Diagnosis	151	153	159
Alcohol Secondary Diagnosis	393	444	511
Drug Principal Diagnosis	66	86	72
Drug Secondary Diagnosis	296	306	296
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,572	1,455	1,176
Mental Illness Secondary Diagnosis	4,111	3,237	2,315
Alcohol Principal Diagnosis	437	389	330
Alcohol Secondary Diagnosis	518	403	322
Drug Principal Diagnosis	204	188	187
Drug Secondary Diagnosis	289	222	202
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,626	2,385	2,276
Mental Illness Secondary Diagnosis	10,434	8,495	8,463
Alcohol Principal Diagnosis	659	541	482
Alcohol Secondary Diagnosis	930	666	596
Drug Principal Diagnosis	336	370	304
Drug Secondary Diagnosis	758	540	519

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	445	443	439
Alcohol Package Carry-out Licenses	307	310	314

EMPLOYMENT	2014	2013	2012
Labor Force	169,629	170,898	167,089
Employed	160,992	161,901	157,513
Unemployed	8,637	8,997	9,576
Unemployment Rate	5.1%	5.3%	5.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	347	329	306
Fatal Crashes	11	13	13
Injury Crashes	145	152	114
Property Damage Crashes	191	164	179
Crash Fatalities	14	13	15
Crash Injuries	188	214	176
Drug Involved Crashes--Total	54	52	46
Fatal Crashes	3	2	6
Injury Crashes	18	30	17
Property Damage Crashes	33	20	23
Crash Fatalities	3	3	7
Crash Injuries	22	50	20

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,765	2,045	1,984
Liquor Law Arrests	815	1,017	1,136
Drug Arrests	2,096	2,308	2,115
Violent Offenses	941	1,020	1,107
Property Offenses	9,774	9,949	9,646
Domestic Violence Reports	2,609	2,855	2,796
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	23	22	46

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	13,318	13,418	13,344
Drop-outs	252	271	345
Drop-out Rate	1.9%	2.0%	2.6%
School Discipline Involving Alcohol	3	10	12
School Discipline Involving Drugs	53	77	62
School Discipline Involving Tobacco	0	1	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	502	535	550
Juvenile Alcohol Offenses	57	50	47
Juvenile Drug Offenses	173	178	173
School Truancy Status Offense	213	334	279
Absent from Home Status Offense	263	233	172
Beyond Parental Control Status Offense	317	467	450
Injurious Behavior Status Offense	572	652	673
Child Abuse	135	158	136
Child Neglect	428	510	344
Child Custody Issues	71	96	90

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	343	383	316
Parental Alcohol Use Related	9	10	24
Parental Drug Use Related	120	155	62
Parental Alcohol and Drug Use	9	7	11

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	344	398	404
Probation/Parole Admissions--Drug	786	796	720
Probation/Parole Admissions--DWI	145	167	203
Prison Admissions--Drug	493	440	421
Prison Admissions--DWI	90	99	111

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 12

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	102	194	197
CSTAR Adolescent	108	123	104
CSTAR Women and Children	206	203	242
CSTAR General Adult	889	779	559
CSTAR Opioid	0	*	0
Primary Recovery Treatment	260	360	560
Clinical SATOP (CIP, YCIP, SROP)	243	273	253
Other Substance Abuse Treatment	6	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	1,173	1,299	1,317
- Adolescent Diversion Education Prograr	41	43	68
- Offender Education Program	472	552	558
- Weekend Intervention Program	231	271	270
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	49	56	80
Compulsive Gambling	*	*	*
Recovery Supports	158	124	111
Early Intervention	38	26	27

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2014	FY2013	FY2012
NUMBER ADMITTED			
Total Individuals	1,518	1,579	1,606
AGE			
Under 18	116	125	112
18 to 24	245	257	294
25 to 29	248	300	281
30 to 34	251	230	264
35 to 39	186	177	181
40 to 44	134	153	138
45 to 54	252	242	250
55 and Over	86	95	86
GENDER			
Male	995	1,013	1,034
Female	523	566	572
RACE / ETHNICITY			
Caucasian	1,074	1,179	1,193
African American	356	328	321
Native American / Alaskan	*	5	*
Asian / Pacific Islander	8	8	10
Hispanic	35	24	39
Other Race / Two or More Races	53	47	55
EDUCATION			
Less than High School Diploma	447	460	521
High School Graduate or G.E.D.	653	660	672
Associate Degree or Some College	378	404	382
Bachelor or Advanced Degree	40	54	30
EMPLOYMENT			
Employed	464	485	486
Unemployed	552	576	583
Not in Labor Force	502	518	537
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,159	1,241	1,306
Dependent Living	195	204	180
Homeless	100	100	84
MARITAL / FAMILY STATUS			
Never Married	930	915	908
Married / Cohabitating	288	331	356
Previously Married	300	333	342

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	599	682	708
Marijuana / Hashish	432	435	458
Cocaine (total)	112	87	138
- Crack	62	51	74
Stimulant (total)	220	184	163
- Methamphetamine	218	172	148
Heroin	53	57	43
Analgesic except Heroin	69	92	62
- Non-Prescription Methadone	*	*	0
PCP, LSD, other Hallucinogen	15	12	9
Tranquilizer	5	15	8
Inhalant	*	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	10	11	12
Average Age at First Use of Drug	17.8	17.5	17.2
INJECTION DRUG USE			
Any Injection Use at Admission	172	151	134
- Daily Injection Use	35	27	31
- Weekly Injection Use	57	51	47
- Less than Weekly Injection Use	80	73	56
LIFETIME DUI / DWI ARRESTS			
0	799	804	834
1 or 2	499	567	549
3 or More	220	208	223
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	513	561	505
School	*	*	*
Mental Health Provider	14	21	28
Health Care Provider	62	62	43
Court / Criminal Justice	649	725	896
Other Referral Source	260	182	127
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	9	25	23
Military Veteran	61	88	69
Special Education Services Needed	109	150	159
Co-Occurring Psychological Problem	612	677	556
Co-Occurring Developmental Problem	33	80	79

SUBSTANCE USE SERVICE AREA 12

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	38.4	45.1	47.8
Cigarettes	26.1	26.3	29.9
Chewing Tobacco	18.6	18.2	13.4
Marijuana	13.7	17.3	19.6
Inhalants	3.6	5.5	7.1
Prescription medications not prescribed for student	6.9	9.8	12.2
Over-the-counter medications for non-medical use	1.6	6.2	8.4
Methamphetamine	0.4	1.1	0.7
Cocaine	1.3	2.0	2.4
Heroin	0.2	0.5	0.6
Hallucinogens	1.0	2.1	3.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.9	2.7
Steroids not prescribed for student	0.6	1.6	0.9
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.5	
Average age of students' first use of:			
Alcohol	13.83	12.55	12.72
Cigarettes	12.51	12.48	12.33
Marijuana	13.45	13.73	13.60
Inhalants	12.83	12.07	12.32
Percent of students who, in past 30 days, used:			
Alcohol	13.9	20.6	22.7
Alcohol (Binge: 5+ drinks on one occassion)		11.8	10.2
Cigarettes	12.3	11.7	14.3
Chewing Tobacco	7.6	9.0	7.5
Marijuana	5.0	7.4	10.0
Inhalants	0.7	1.9	2.7
Prescription medications not prescribed for student	4.2	4.5	7.0
Over-the-counter medications for non-medical use	1.1	3.3	5.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.0		
Percent whose friends used in past 12 months:			
Alcohol	54.3	57.7	65.5
Cigarettes	43.6	47.8	51.1
Marijuana	22.4	37.3	41.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.1	14.1	19.8
Percent who would likely use, if offered by a best friend:			
Alcohol	30.3	36.3	37.4
Cigarettes	13.8	15.6	15.8
Marijuana	8.0	11.9	14.8
Percent who say it would be wrong to use:			
Alcohol	57.3	57.2	54.1
Cigarettes	78.5	78.7	77.5
Marijuana	84.6	83.0	79.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	95.9	94.6
Percent whose parents would disapprove if they use:			
Alcohol	77.7	77.1	75.2
Cigarettes	91.4	90.6	89.4
Marijuana	95.8	94.4	93.2
Percent who say it would be easy to obtain:			
Alcohol	55.2	58.3	63.1
Cigarettes	50.2	54.6	59.6
Marijuana	27.3	35.6	39.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.7	15.0	19.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	47.2		
Alcohol (Binge: 5+ drinks once or twice a week)	59.1		
Alcohol (any use)		67.3	73.1
Cigarettes (1+ packs per day)	81.2		
Cigarettes (any use)		77.9	80.1
Marijuana (once or twice a week)	62.9		
Marijuana (any use)		73.6	70.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	88.9	92.3	93.2
Percent of students who, in past 30 days:			
Were very sad	18.7	17.4	21.8
Were grouchy, irritable, or in a bad mood	29.4	24.1	29.7
Felt hopeless about the future	11.3	12.1	14.4
Felt like not eating or eating more than usual	15.5	16.5	21.3
Slept a lot more or a lot less than usual	16.4	20.0	29.5
Had difficulty concentrating on school work	25.4	22.0	27.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	7.7	10.4	12.1
Made plan about how they would attempt suicide	6.9	8.4	8.1
Attempted suicide	2.1	5.1	5.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.3	1.4	1.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.6	6.2	9.1
Were in a physical fight	19.6	21.2	21.2
Were in a fight and had to be treated by a doctor or nurse	1.9	3.3	3.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	55.9	46.6	55.3
Were made fun of by others	62.8	63.5	68.9
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.2	21.7	19.1
Spread mean rumors or lies about other kids at school	21.8	26.2	32.3
Made fun of other people	57.1	65.6	74.1
Posted something on the internet or sent a text that might embarrass or hurt another student	19.0	15.2	17.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.7	69.3	70.5
School provides feedback to parents on positive student performance	47.0	43.4	43.0
Rules are enforced fairly	69.1	63.5	65.1
Students of all races/ethnicities are treated equal	78.5	78.1	74.2
Percent of students who agree that:			
Parents notice and comment on student's good work	87.5	83.0	83.4
Parents involve student in making family decisions	65.6	68.9	70.0
It is important to be honest with parents regardless of consequences	91.8	86.5	82.7
Student could ask parent for help with a personal problem	85.9	77.1	76.8

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 13

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	80,509
2014 Estimate	78,490

BIRTH RISK	2013	2012	2011
Resident Births--Total	970	954	893
Mother Reported Smoking while Pregnant	236	246	226

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	3	0	0
Hepatitis B Chronic, Acute, Prenatal	7	8	2
Hepatitis C Chronic and Acute	32	37	43
Tuberculosis Infection Cases	8	7	13

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	975	979	977
Suicides	12	14	14
Self-inflicted Injuries	119	112	105
Homicides	0	4	6
Assault Injuries	180	172	179
Alcohol Induced Deaths	1	3	4
Drug Induced Deaths	12	9	6
Smoking Attributable Deaths	185	191	187

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	575	555	527
Mental Illness Secondary Diagnosis	1,539	1,774	2,014
Alcohol Principal Diagnosis	21	25	45
Alcohol Secondary Diagnosis	137	107	131
Drug Principal Diagnosis	33	23	31
Drug Secondary Diagnosis	91	120	65
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	166	160	144
Mental Illness Secondary Diagnosis	877	916	755
Alcohol Principal Diagnosis	11	26	25
Alcohol Secondary Diagnosis	84	112	73
Drug Principal Diagnosis	15	30	23
Drug Secondary Diagnosis	51	62	47
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	749	767	639
Mental Illness Secondary Diagnosis	2,039	2,204	1,848
Alcohol Principal Diagnosis	60	114	101
Alcohol Secondary Diagnosis	143	139	142
Drug Principal Diagnosis	90	94	70
Drug Secondary Diagnosis	151	142	120

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	79	91	89
Alcohol Package Carry-out Licenses	103	103	107

EMPLOYMENT	2014	2013	2012
Labor Force	36,976	38,835	37,641
Employed	34,791	36,513	35,119
Unemployed	2,185	2,322	2,522
Unemployment Rate	5.9%	6.0%	6.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	79	65	76
Fatal Crashes	3	3	4
Injury Crashes	32	33	34
Property Damage Crashes	44	29	38
Crash Fatalities	4	3	6
Crash Injuries	43	44	43
Drug Involved Crashes--Total	21	17	11
Fatal Crashes	0	0	1
Injury Crashes	10	10	5
Property Damage Crashes	11	7	5
Crash Fatalities	0	0	1
Crash Injuries	12	13	5

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	396	390	414
Liquor Law Arrests	72	91	168
Drug Arrests	391	381	374
Violent Offenses	179	128	158
Property Offenses	1,275	1,403	1,228
Domestic Violence Reports	460	498	482
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	4	10

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	3,672	3,734	3,725
Drop-outs	31	49	53
Drop-out Rate	0.8%	1.3%	1.4%
School Discipline Involving Alcohol	2	15	7
School Discipline Involving Drugs	8	13	18
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	75	68	60
Juvenile Alcohol Offenses	6	15	26
Juvenile Drug Offenses	14	16	17
School Truancy Status Offense	204	188	241
Absent from Home Status Offense	15	20	11
Beyond Parental Control Status Offense	54	71	70
Injurious Behavior Status Offense	116	96	99
Child Abuse	89	68	91
Child Neglect	215	184	171
Child Custody Issues	3	0	12

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	113	130	96
Parental Alcohol Use Related	0	5	6
Parental Drug Use Related	32	39	17
Parental Alcohol and Drug Use	4	3	3

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	95	98	94
Probation/Parole Admissions--Drug	266	246	210
Probation/Parole Admissions--DWI	46	40	41
Prison Admissions--Drug	185	151	140
Prison Admissions--DWI	31	33	27

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 13

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	43	32	25
CSTAR Adolescent	25	41	46
CSTAR Women and Children	14	17	12
CSTAR General Adult	467	475	498
CSTAR Opioid	0	0	*
Primary Recovery Treatment	36	45	42
Clinical SATOP (CIP, YCIP, SROP)	65	57	70
Other Substance Abuse Treatment	0	10	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	249	252	264
- Adolescent Diversion Education Prograr	6	*	7
- Offender Education Program	63	78	96
- Weekend Intervention Program	37	70	63
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	7	7	8
Early Intervention	22	22	29

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	605	633	657
AGE			
Under 18	28	45	46
18 to 24	113	135	132
25 to 29	108	114	123
30 to 34	110	112	111
35 to 39	83	65	69
40 to 44	60	57	71
45 to 54	72	79	80
55 and Over	31	26	25
GENDER			
Male	371	423	448
Female	234	210	209
RACE / ETHNICITY			
Caucasian	576	603	604
African American	12	9	18
Native American / Alaskan	*	0	*
Asian / Pacific Islander	0	0	*
Hispanic	11	13	20
Other Race / Two or More Races	9	12	17
EDUCATION			
Less than High School Diploma	224	234	255
High School Graduate or G.E.D.	307	330	331
Associate Degree or Some College	71	65	66
Bachelor or Advanced Degree	*	*	5
EMPLOYMENT			
Employed	178	185	238
Unemployed	288	311	296
Not in Labor Force	139	137	123
HOUSING / LIVING ARRANGEMENT			
Independent Living	524	535	572
Dependent Living	46	71	62
Homeless	20	14	12
MARITAL / FAMILY STATUS			
Never Married	297	354	346
Married / Cohabitating	167	151	167
Previously Married	141	128	144

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	216	223	292
Marijuana / Hashish	157	194	169
Cocaine (total)	*	7	12
- Crack	*	*	5
Stimulant (total)	132	121	109
- Methamphetamine	130	121	107
Heroin	7	5	6
Analgesic except Heroin	71	69	51
- Non-Prescription Methadone	0	0	*
PCP, LSD, other Hallucinogen	*	*	0
Tranquilizer	7	*	11
Inhalant	*	*	*
Sedative	0	0	0
Other Medication or Illicit Drug	8	5	6
Average Age at First Use of Drug	18.0	17.5	17.2
INJECTION DRUG USE			
Any Injection Use at Admission	97	81	73
- Daily Injection Use	11	14	*
- Weekly Injection Use	21	8	19
- Less than Weekly Injection Use	65	59	50
LIFETIME DUI / DWI ARRESTS			
0	349	376	366
1 or 2	179	175	198
3 or More	77	82	93
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	114	106	105
School	*	*	*
Mental Health Provider	7	*	*
Health Care Provider	12	14	16
Court / Criminal Justice	204	176	408
Other Referral Source	237	303	98
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	7	*	5
Military Veteran	19	24	48
Special Education Services Needed	43	54	71
Co-Occurring Psychological Problem	270	297	286
Co-Occurring Developmental Problem	7	17	35

SUBSTANCE USE SERVICE AREA 13

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	39.4	45.6	48.4
Cigarettes	26.3	32.7	32.0
Chewing Tobacco	18.9	13.4	20.7
Marijuana	9.3	13.5	10.7
Inhalants	4.2	5.8	5.7
Prescription medications not prescribed for student	6.8	9.7	11.6
Over-the-counter medications for non-medical use	3.1	6.5	7.1
Methamphetamine	0.4	1.4	0.7
Cocaine	1.0	1.8	1.4
Heroin	0.2	1.4	0.8
Hallucinogens	1.2	2.5	1.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.8	1.4
Steroids not prescribed for student	1.2	1.8	1.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	6.3	
Average age of students' first use of:			
Alcohol	12.73	12.58	12.51
Cigarettes	12.83	12.81	12.39
Marijuana	13.82	13.62	14.00
Inhalants	11.57	12.11	12.23
Percent of students who, in past 30 days, used:			
Alcohol	14.6	21.9	21.4
Alcohol (Binge: 5+ drinks on one occassion)		13.5	9.0
Cigarettes	12.8	16.2	17.0
Chewing Tobacco	10.5	11.1	11.0
Marijuana	3.8	6.6	4.6
Inhalants	1.9	2.3	3.0
Prescription medications not prescribed for student	3.2	5.4	6.1
Over-the-counter medications for non-medical use	1.6	4.5	4.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.9		
Percent whose friends used in past 12 months:			
Alcohol	46.9	58.4	61.2
Cigarettes	38.0	52.1	53.4
Marijuana	19.9	31.2	26.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.7	12.1	13.3
Percent who would likely use, if offered by a best friend:			
Alcohol	32.5	35.7	37.7
Cigarettes	15.7	19.1	18.4
Marijuana	8.1	10.7	7.4
Percent who say it would be wrong to use:			
Alcohol	61.5	54.7	56.2
Cigarettes	81.0	74.8	75.0
Marijuana	88.6	85.0	87.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	95.6	96.6
Percent whose parents would disapprove if they use:			
Alcohol	76.4	77.9	75.3
Cigarettes	91.0	89.1	88.4
Marijuana	94.9	95.0	97.0
Percent who say it would be easy to obtain:			
Alcohol	51.9	58.2	63.0
Cigarettes	47.9	58.5	62.9
Marijuana	23.6	32.6	28.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.2	16.5	15.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	51.4		
Alcohol (Binge: 5+ drinks once or twice a week)	65.2		
Alcohol (any use)		67.1	82.7
Cigarettes (1+ packs per day)	83.0		
Cigarettes (any use)		75.0	77.0
Marijuana (once or twice a week)	74.7		
Marijuana (any use)		74.9	70.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	91.6	94.1
Percent of students who, in past 30 days:			
Were very sad	19.6	19.9	18.6
Were grouchy, irritable, or in a bad mood	22.4	25.0	22.9
Felt hopeless about the future	10.6	11.5	11.2
Felt like not eating or eating more than usual	15.6	16.6	16.6
Slept a lot more or a lot less than usual	18.0	20.7	24.4
Had difficulty concentrating on school work	20.9	21.8	22.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.0	11.7	11.3
Made plan about how they would attempt suicide	8.5	8.7	8.3
Attempted suicide	5.3	5.1	5.4
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.3	1.7	1.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.4	6.8	8.9
Were in a physical fight	18.4	21.3	22.2
Were in a fight and had to be treated by a doctor or nurse	2.1	2.7	3.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.2	54.3	58.9
Were made fun of by others	63.2	64.7	70.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	26.7	25.0	20.8
Spread mean rumors or lies about other kids at school	27.0	30.6	37.1
Made fun of other people	59.4	65.7	75.8
Posted something on the internet or sent a text that might embarrass or hurt another student	17.3	16.8	21.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.5	70.3	73.9
School provides feedback to parents on positive student performance	50.8	44.2	45.2
Rules are enforced fairly	67.0	62.7	64.7
Students of all races/ethnicities are treated equal	85.4	82.2	82.9
Percent of students who agree that:			
Parents notice and comment on student's good work	81.1	81.1	82.8
Parents involve student in making family decisions	70.3	68.6	68.3
It is important to be honest with parents regardless of consequences	88.5	86.5	84.3
Student could ask parent for help with a personal problem	77.8	74.1	75.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 14

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	107,082
2014 Estimate	106,397

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,297	1,223	1,281
Mother Reported Smoking while Pregnant	309	291	308

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	3	4	3
Hepatitis B Chronic, Acute, Prenatal	3	5	2
Hepatitis C Chronic and Acute	52	56	62
Tuberculosis Infection Cases	19	18	24

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,149	1,180	1,143
Suicides	24	14	15
Self-inflicted Injuries	131	138	119
Homicides	4	2	0
Assault Injuries	176	219	219
Alcohol Induced Deaths	6	2	2
Drug Induced Deaths	15	14	14
Smoking Attributable Deaths	207	198	197

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	515	543	604
Mental Illness Secondary Diagnosis	1,958	2,251	2,530
Alcohol Principal Diagnosis	47	45	73
Alcohol Secondary Diagnosis	146	140	176
Drug Principal Diagnosis	22	21	35
Drug Secondary Diagnosis	95	72	82
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	155	165	142
Mental Illness Secondary Diagnosis	1,123	1,042	389
Alcohol Principal Diagnosis	31	38	12
Alcohol Secondary Diagnosis	105	109	51
Drug Principal Diagnosis	26	36	17
Drug Secondary Diagnosis	58	58	17
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	678	677	649
Mental Illness Secondary Diagnosis	1,201	1,043	1,763
Alcohol Principal Diagnosis	209	210	178
Alcohol Secondary Diagnosis	114	116	102
Drug Principal Diagnosis	96	89	97
Drug Secondary Diagnosis	76	65	65

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	149	153	159
Alcohol Package Carry-out Licenses	134	128	135

EMPLOYMENT	2014	2013	2012
Labor Force	50,918	55,288	52,384
Employed	47,938	52,170	49,181
Unemployed	2,980	3,118	3,203
Unemployment Rate	5.9%	5.6%	6.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	79	107	85
Fatal Crashes	3	4	3
Injury Crashes	34	56	43
Property Damage Crashes	42	47	39
Crash Fatalities	3	4	3
Crash Injuries	45	84	64
Drug Involved Crashes--Total	14	19	21
Fatal Crashes	2	1	0
Injury Crashes	6	6	7
Property Damage Crashes	6	12	14
Crash Fatalities	2	1	0
Crash Injuries	10	12	13

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	497	662	680
Liquor Law Arrests	241	373	408
Drug Arrests	548	620	603
Violent Offenses	209	204	260
Property Offenses	2,697	2,849	2,861
Domestic Violence Reports	545	637	803
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	70	118	103

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,796	4,828	4,779
Drop-outs	57	77	78
Drop-out Rate	1.2%	1.6%	1.6%
School Discipline Involving Alcohol	2	2	9
School Discipline Involving Drugs	8	15	11
School Discipline Involving Tobacco	0	0	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	121	119	89
Juvenile Alcohol Offenses	25	42	37
Juvenile Drug Offenses	37	26	30
School Truancy Status Offense	220	172	131
Absent from Home Status Offense	14	19	15
Beyond Parental Control Status Offense	117	136	125
Injurious Behavior Status Offense	281	335	411
Child Abuse	80	105	137
Child Neglect	396	439	441
Child Custody Issues	0	4	6

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	227	180	157
Parental Alcohol Use Related	5	0	1
Parental Drug Use Related	114	81	46
Parental Alcohol and Drug Use	12	9	3

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	140	156	142
Probation/Parole Admissions--Drug	316	325	255
Probation/Parole Admissions--DWI	61	75	84
Prison Admissions--Drug	183	181	160
Prison Admissions--DWI	26	29	46

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 14

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	99	114	130
CSTAR Adolescent	81	76	65
CSTAR Women and Children	122	109	96
CSTAR General Adult	710	360	346
CSTAR Opioid	*	0	0
Primary Recovery Treatment	63	335	407
Clinical SATOP (CIP, YCIP, SROP)	77	81	88
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	435	497	554
- Adolescent Diversion Education Prograr	54	83	115
- Offender Education Program	122	141	155
- Weekend Intervention Program	74	91	103
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	25	39	39
Compulsive Gambling	0	0	0
Recovery Supports	5	5	0
Early Intervention	71	72	80

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	994	959	965
AGE			
Under 18	80	79	66
18 to 24	227	239	249
25 to 29	199	185	150
30 to 34	151	141	141
35 to 39	100	84	96
40 to 44	69	68	86
45 to 54	124	114	141
55 and Over	44	49	36
GENDER			
Male	646	639	692
Female	348	320	273
RACE / ETHNICITY			
Caucasian	879	842	866
African American	78	69	68
Native American / Alaskan	*	*	0
Asian / Pacific Islander	0	*	*
Hispanic	10	11	13
Other Race / Two or More Races	27	34	22
EDUCATION			
Less than High School Diploma	320	342	317
High School Graduate or G.E.D.	531	496	521
Associate Degree or Some College	137	115	117
Bachelor or Advanced Degree	6	6	10
EMPLOYMENT			
Employed	321	324	343
Unemployed	288	272	309
Not in Labor Force	385	363	313
HOUSING / LIVING ARRANGEMENT			
Independent Living	783	762	770
Dependent Living	171	155	145
Homeless	28	33	21
MARITAL / FAMILY STATUS			
Never Married	574	557	541
Married / Cohabitating	217	212	194
Previously Married	203	190	230

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	338	356	412
Marijuana / Hashish	338	332	313
Cocaine (total)	17	17	34
- Crack	8	7	14
Stimulant (total)	192	159	122
- Methamphetamine	187	155	119
Heroin	33	34	33
Analgesic except Heroin	42	43	34
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	6	*	*
Tranquilizer	6	6	6
Inhalant	6	0	*
Sedative	0	0	0
Other Medication or Illicit Drug	15	11	9
Average Age at First Use of Drug	17.4	17.1	16.8
INJECTION DRUG USE			
Any Injection Use at Admission	110	106	98
- Daily Injection Use	16	19	13
- Weekly Injection Use	17	24	23
- Less than Weekly Injection Use	77	63	62
LIFETIME DUI / DWI ARRESTS			
0	604	587	536
1 or 2	284	242	291
3 or More	106	130	138
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	126	146	131
School	*	*	*
Mental Health Provider	7	5	6
Health Care Provider	38	29	29
Court / Criminal Justice	360	378	648
Other Referral Source	204	188	119
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	13	15	15
Military Veteran	43	27	43
Special Education Services Needed	70	92	94
Co-Occurring Psychological Problem	372	370	341
Co-Occurring Developmental Problem	16	19	25

SUBSTANCE USE SERVICE AREA 14

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	39.4	42.6	45.9
Cigarettes	18.5	30.2	27.0
Chewing Tobacco	14.0	13.3	18.6
Marijuana	8.7	13.2	7.9
Inhalants	3.0	5.1	5.1
Prescription medications not prescribed for student	5.7	6.6	7.4
Over-the-counter medications for non-medical use	3.1	4.0	5.7
Methamphetamine	0.4	2.5	0.9
Cocaine	0.7	2.9	1.2
Heroin	0.0	2.1	0.4
Hallucinogens	1.6	3.3	1.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.3	2.4	1.4
Steroids not prescribed for student	0.7	2.8	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.0	6.8	
Average age of students' first use of:			
Alcohol	12.86	12.36	11.79
Cigarettes	12.98	12.34	12.84
Marijuana	14.58	13.68	13.34
Inhalants	12.82	12.34	12.13
Percent of students who, in past 30 days, used:			
Alcohol	14.9	20.3	19.3
Alcohol (Binge: 5+ drinks on one occassion)		10.5	18.9
Cigarettes	10.5	16.1	17.3
Chewing Tobacco	7.4	7.2	8.7
Marijuana	2.8	5.9	3.4
Inhalants	0.7	3.1	2.3
Prescription medications not prescribed for student	2.2	2.4	4.0
Over-the-counter medications for non-medical use	2.2	2.8	3.3
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.7		
Percent whose friends used in past 12 months:			
Alcohol	50.3	54.4	59.1
Cigarettes	40.9	48.5	46.5
Marijuana	19.2	32.4	21.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.5	13.3	9.7
Percent who would likely use, if offered by a best friend:			
Alcohol	28.1	34.3	33.9
Cigarettes	12.6	21.1	18.7
Marijuana	8.1	12.2	7.3
Percent who say it would be wrong to use:			
Alcohol	60.4	57.3	59.4
Cigarettes	84.4	72.0	78.5
Marijuana	87.8	81.2	89.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	94.0	95.9
Percent whose parents would disapprove if they use:			
Alcohol	78.6	78.0	77.6
Cigarettes	92.9	91.0	86.8
Marijuana	96.5	95.1	96.7
Percent who say it would be easy to obtain:			
Alcohol	56.9	55.4	55.4
Cigarettes	52.9	50.8	50.5
Marijuana	28.9	26.8	19.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	13.9	10.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.0		
Alcohol (Binge: 5+ drinks once or twice a week)	64.2		
Alcohol (any use)		68.6	84.4
Cigarettes (1+ packs per day)	84.8		
Cigarettes (any use)		76.2	81.5
Marijuana (once or twice a week)	72.1		
Marijuana (any use)		76.0	67.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	94.7	93.4
Percent of students who, in past 30 days:			
Were very sad	21.1	19.6	27.8
Were grouchy, irritable, or in a bad mood	30.5	25.8	34.3
Felt hopeless about the future	10.6	10.0	18.1
Felt like not eating or eating more than usual	14.9	15.9	21.9
Slept a lot more or a lot less than usual	17.5	18.8	22.3
Had difficulty concentrating on school work	24.3	22.0	18.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.4	14.2	9.9
Made plan about how they would attempt suicide	7.1	11.1	5.5
Attempted suicide	4.1	8.2	3.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.2	2.8	1.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.3	8.9	9.9
Were in a physical fight	17.3	22.1	20.7
Were in a fight and had to be treated by a doctor or nurse	1.9	5.1	4.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	55.7	50.7	60.1
Were made fun of by others	64.5	66.8	65.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	27.0	24.0	22.0
Spread mean rumors or lies about other kids at school	33.1	32.0	32.1
Made fun of other people	67.9	59.4	76.2
Posted something on the internet or sent a text that might embarrass or hurt another student	20.4	14.3	16.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	68.2	66.8	77.4
School provides feedback to parents on positive student performance	35.5	37.9	45.7
Rules are enforced fairly	53.0	50.8	69.3
Students of all races/ethnicities are treated equal	83.7	79.0	71.6
Percent of students who agree that:			
Parents notice and comment on student's good work	78.7	81.3	86.7
Parents involve student in making family decisions	60.8	65.2	71.6
It is important to be honest with parents regardless of consequences	87.6	80.2	80.8
Student could ask parent for help with a personal problem	76.4	74.4	82.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 15

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	75,288
2014 Estimate	75,231

BIRTH RISK	2013	2012	2011
Resident Births--Total	843	869	945
Mother Reported Smoking while Pregnant	215	242	274

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	1	2
Hepatitis B Chronic, Acute, Prenatal	0	5	4
Hepatitis C Chronic and Acute	44	42	48
Tuberculosis Infection Cases	14	8	9

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	857	767	797
Suicides	10	16	11
Self-inflicted Injuries	69	113	135
Homicides	2	0	1
Assault Injuries	175	210	181
Alcohol Induced Deaths	2	2	1
Drug Induced Deaths	9	9	5
Smoking Attributable Deaths	168	160	139

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	396	373	424
Mental Illness Secondary Diagnosis	955	1,050	1,301
Alcohol Principal Diagnosis	22	23	17
Alcohol Secondary Diagnosis	73	63	93
Drug Principal Diagnosis	16	24	24
Drug Secondary Diagnosis	53	48	60
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	253	267	226
Mental Illness Secondary Diagnosis	1,097	1,025	776
Alcohol Principal Diagnosis	41	30	28
Alcohol Secondary Diagnosis	102	112	62
Drug Principal Diagnosis	33	21	20
Drug Secondary Diagnosis	55	63	38
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	587	571	516
Mental Illness Secondary Diagnosis	1,005	1,285	1,369
Alcohol Principal Diagnosis	78	89	81
Alcohol Secondary Diagnosis	125	99	98
Drug Principal Diagnosis	67	71	80
Drug Secondary Diagnosis	103	84	106

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	100	98	101
Alcohol Package Carry-out Licenses	98	99	106

EMPLOYMENT	2014	2013	2012
Labor Force	34,730	37,194	35,920
Employed	32,727	34,944	33,447
Unemployed	2,003	2,250	2,473
Unemployment Rate	5.8%	6.0%	6.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	63	88	59
Fatal Crashes	3	4	2
Injury Crashes	34	52	37
Property Damage Crashes	26	32	20
Crash Fatalities	3	4	1
Crash Injuries	47	65	52
Drug Involved Crashes--Total	18	14	18
Fatal Crashes	0	3	0
Injury Crashes	3	6	8
Property Damage Crashes	15	5	10
Crash Fatalities	0	5	0
Crash Injuries	4	8	10

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	278	281	333
Liquor Law Arrests	46	30	70
Drug Arrests	349	194	206
Violent Offenses	119	95	136
Property Offenses	1,217	1,278	1,217
Domestic Violence Reports	668	587	557
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	32	62	58

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	2,780	2,960	3,052
Drop-outs	63	87	86
Drop-out Rate	2.3%	2.9%	2.8%
School Discipline Involving Alcohol	11	3	1
School Discipline Involving Drugs	11	24	16
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	75	84	75
Juvenile Alcohol Offenses	16	12	21
Juvenile Drug Offenses	15	25	20
School Truancy Status Offense	56	71	67
Absent from Home Status Offense	21	20	10
Beyond Parental Control Status Offense	18	17	25
Injurious Behavior Status Offense	112	112	96
Child Abuse	43	42	25
Child Neglect	123	97	139
Child Custody Issues	6	9	3

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	81	91	83
Parental Alcohol Use Related	0	3	6
Parental Drug Use Related	10	13	20
Parental Alcohol and Drug Use	5	5	7

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	22	29	37
Probation/Parole Admissions--Drug	229	191	205
Probation/Parole Admissions--DWI	42	43	32
Prison Admissions--Drug	99	85	111
Prison Admissions--DWI	20	18	16

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 15

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	38	62	50
CSTAR Adolescent	39	47	48
CSTAR Women and Children	36	59	46
CSTAR General Adult	354	98	89
CSTAR Opioid	0	*	0
Primary Recovery Treatment	72	303	382
Clinical SATOP (CIP, YCIP, SROP)	61	59	60
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	237	251	323
- Adolescent Diversion Education Prograr	12	5	19
- Offender Education Program	53	65	103
- Weekend Intervention Program	42	54	78
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	12	24	15
Compulsive Gambling	0	*	*
Recovery Supports	7	*	*
Early Intervention	18	19	34

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	545	521	588
AGE			
Under 18	43	46	48
18 to 24	98	99	125
25 to 29	92	94	116
30 to 34	91	82	90
35 to 39	65	56	42
40 to 44	47	41	50
45 to 54	79	73	97
55 and Over	30	30	20
GENDER			
Male	382	353	437
Female	163	168	151
RACE / ETHNICITY			
Caucasian	483	450	495
African American	43	52	74
Native American / Alaskan	0	0	0
Asian / Pacific Islander	0	0	0
Hispanic	*	6	*
Other Race / Two or More Races	17	16	18
EDUCATION			
Less than High School Diploma	197	190	195
High School Graduate or G.E.D.	283	260	309
Associate Degree or Some College	63	66	81
Bachelor or Advanced Degree	*	5	*
EMPLOYMENT			
Employed	191	165	202
Unemployed	219	219	248
Not in Labor Force	135	137	138
HOUSING / LIVING ARRANGEMENT			
Independent Living	441	414	479
Dependent Living	73	90	81
Homeless	7	*	12
MARITAL / FAMILY STATUS			
Never Married	287	294	336
Married / Cohabitating	135	132	135
Previously Married	123	95	117

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	202	208	245
Marijuana / Hashish	165	169	205
Cocaine (total)	16	15	32
- Crack	5	6	6
Stimulant (total)	101	62	37
- Methamphetamine	97	59	33
Heroin	19	27	29
Analgesic except Heroin	28	22	26
- Non-Prescription Methadone	0	*	0
PCP, LSD, other Hallucinogen	*	*	5
Tranquilizer	*	5	*
Inhalant	0	*	0
Sedative	*	*	0
Other Medication or Illicit Drug	8	9	7
Average Age at First Use of Drug	17.9	17.3	16.7
INJECTION DRUG USE			
Any Injection Use at Admission	50	43	45
- Daily Injection Use	5	8	*
- Weekly Injection Use	13	9	11
- Less than Weekly Injection Use	32	26	31
LIFETIME DUI / DWI ARRESTS			
0	319	300	307
1 or 2	145	152	173
3 or More	81	69	108
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	132	74	55
School	0	*	0
Mental Health Provider	5	*	5
Health Care Provider	15	11	6
Court / Criminal Justice	294	332	463
Other Referral Source	62	68	48
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	6	5	5
Military Veteran	23	17	27
Special Education Services Needed	66	49	70
Co-Occurring Psychological Problem	181	158	172
Co-Occurring Developmental Problem	22	15	17

SUBSTANCE USE SERVICE AREA 15

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	44.0	46.0	50.4
Cigarettes	27.0	26.7	30.3
Chewing Tobacco	17.5	6.9	15.8
Marijuana	12.1	13.8	14.5
Inhalants	2.1	5.6	5.8
Prescription medications not prescribed for student	5.8	8.3	12.8
Over-the-counter medications for non-medical use	1.8	6.1	7.6
Methamphetamine	0.5	1.5	0.9
Cocaine	0.8	2.1	1.6
Heroin	0.3	1.0	0.2
Hallucinogens	0.6	2.7	2.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	2.2	1.6
Steroids not prescribed for student	1.0	1.9	1.5
Synthetic drugs (K2, bath salts, Spice, etc)	4.7	6.8	
Average age of students' first use of:			
Alcohol	12.93	12.55	12.25
Cigarettes	12.93	12.43	12.06
Marijuana	14.05	13.66	13.30
Inhalants	12.74	11.79	11.60
Percent of students who, in past 30 days, used:			
Alcohol	16.7	20.9	25.5
Alcohol (Binge: 5+ drinks on one occassion)		13.6	17.0
Cigarettes	11.0	13.1	16.1
Chewing Tobacco	7.2	8.2	8.8
Marijuana	3.0	6.2	6.2
Inhalants	1.1	2.2	3.3
Prescription medications not prescribed for student	2.7	4.3	6.7
Over-the-counter medications for non-medical use	0.8	3.5	5.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.4		
Percent whose friends used in past 12 months:			
Alcohol	54.8	56.9	62.9
Cigarettes	43.3	45.3	49.7
Marijuana	26.9	28.9	34.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.7	12.3	14.4
Percent who would likely use, if offered by a best friend:			
Alcohol	34.9	36.0	40.8
Cigarettes	12.9	14.7	16.7
Marijuana	9.4	8.2	9.0
Percent who say it would be wrong to use:			
Alcohol	47.2	57.1	51.2
Cigarettes	78.1	77.9	76.5
Marijuana	79.6	84.4	84.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	94.2	95.6
Percent whose parents would disapprove if they use:			
Alcohol	73.1	73.8	73.3
Cigarettes	93.1	90.2	90.2
Marijuana	94.8	94.8	95.0
Percent who say it would be easy to obtain:			
Alcohol	60.0	54.9	58.8
Cigarettes	50.8	51.4	57.9
Marijuana	27.0	31.3	34.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.7	16.6	17.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	50.6		
Alcohol (Binge: 5+ drinks once or twice a week)	67.7		
Alcohol (any use)		63.8	76.7
Cigarettes (1+ packs per day)	79.2		
Cigarettes (any use)		74.6	77.9
Marijuana (once or twice a week)	62.5		
Marijuana (any use)		72.2	69.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.7	90.5	93.0
Percent of students who, in past 30 days:			
Were very sad	14.9	19.5	21.5
Were grouchy, irritable, or in a bad mood	23.6	24.3	28.6
Felt hopeless about the future	7.2	10.0	14.6
Felt like not eating or eating more than usual	12.8	17.8	20.5
Slept a lot more or a lot less than usual	12.7	17.1	29.2
Had difficulty concentrating on school work	20.3	23.2	29.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	5.7	10.5	12.1
Made plan about how they would attempt suicide	4.9	7.9	7.7
Attempted suicide	3.8	5.3	6.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	2.1	2.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	8.5	7.0	9.2
Were in a physical fight	23.2	20.2	23.5
Were in a fight and had to be treated by a doctor or nurse	2.8	3.6	2.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	45.5	51.3	58.6
Were made fun of by others	54.7	62.5	69.0
Were victims of an embarrassing or hurtful text message or something posted on the internet	18.8	22.2	21.0
Spread mean rumors or lies about other kids at school	25.2	31.1	32.1
Made fun of other people	48.3	65.0	72.8
Posted something on the internet or sent a text that might embarrass or hurt another student	14.3	16.7	18.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.5	67.2	73.1
School provides feedback to parents on positive student performance	47.0	37.0	35.2
Rules are enforced fairly	65.5	59.2	60.4
Students of all races/ethnicities are treated equal	86.6	76.3	77.7
Percent of students who agree that:			
Parents notice and comment on student's good work	80.2	82.1	83.0
Parents involve student in making family decisions	72.3	68.1	70.1
It is important to be honest with parents regardless of consequences	85.6	84.2	83.9
Student could ask parent for help with a personal problem	77.8	74.6	76.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 16

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	547,056
2014 Estimate	569,079

BIRTH RISK	2013	2012	2011
Resident Births--Total	6,912	6,808	6,927
Mother Reported Smoking while Pregnant	1,060	1,073	1,044

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	17	19	11
Hepatitis B Chronic, Acute, Prenatal	23	27	22
Hepatitis C Chronic and Acute	282	230	276
Tuberculosis Infection Cases	128	122	97

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	4,093	3,967	3,984
Suicides	84	82	81
Self-inflicted Injuries	555	648	640
Homicides	9	12	15
Assault Injuries	1,241	1,537	1,443
Alcohol Induced Deaths	25	32	14
Drug Induced Deaths	105	78	103
Smoking Attributable Deaths	719	683	714

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	3,813	3,080	2,844
Mental Illness Secondary Diagnosis	6,704	5,503	5,715
Alcohol Principal Diagnosis	337	275	241
Alcohol Secondary Diagnosis	439	376	373
Drug Principal Diagnosis	299	292	380
Drug Secondary Diagnosis	364	285	308
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,660	3,423	3,231
Mental Illness Secondary Diagnosis	8,976	9,915	10,682
Alcohol Principal Diagnosis	244	282	261
Alcohol Secondary Diagnosis	907	1,013	962
Drug Principal Diagnosis	172	186	240
Drug Secondary Diagnosis	463	522	525
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	3,885	4,099	4,046
Mental Illness Secondary Diagnosis	20,259	20,935	13,657
Alcohol Principal Diagnosis	812	960	783
Alcohol Secondary Diagnosis	899	1,073	877
Drug Principal Diagnosis	758	831	1,013
Drug Secondary Diagnosis	1,326	1,616	1,220

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	671	664	680
Alcohol Package Carry-out Licenses	382	382	385

EMPLOYMENT	2014	2013	2012
Labor Force	304,893	295,586	295,351
Employed	288,607	277,574	275,780
Unemployed	16,286	18,012	19,571
Unemployment Rate	5.3%	6.1%	6.6%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	533	506	538
Fatal Crashes	12	18	18
Injury Crashes	202	200	197
Property Damage Crashes	319	288	323
Crash Fatalities	16	18	19
Crash Injuries	285	311	286
Drug Involved Crashes--Total	116	113	99
Fatal Crashes	3	7	5
Injury Crashes	38	44	33
Property Damage Crashes	75	62	61
Crash Fatalities	3	8	5
Crash Injuries	57	80	34

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	2,931	3,415	3,195
Liquor Law Arrests	515	931	861
Drug Arrests	2,694	2,611	2,653
Violent Offenses	868	881	1,015
Property Offenses	9,816	10,573	10,283
Domestic Violence Reports	2,706	2,424	2,502
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	155	221	288

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	26,950	26,682	26,312
Drop-outs	359	410	516
Drop-out Rate	1.3%	1.5%	2.0%
School Discipline Involving Alcohol	57	32	60
School Discipline Involving Drugs	195	328	405
School Discipline Involving Tobacco	5	8	3

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	410	471	485
Juvenile Alcohol Offenses	98	165	129
Juvenile Drug Offenses	258	284	290
School Truancy Status Offense	400	277	333
Absent from Home Status Offense	223	324	306
Beyond Parental Control Status Offense	24	48	73
Injurious Behavior Status Offense	182	203	232
Child Abuse	74	65	90
Child Neglect	563	527	498
Child Custody Issues	32	39	11

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	347	405	373
Parental Alcohol Use Related	13	11	22
Parental Drug Use Related	150	187	151
Parental Alcohol and Drug Use	11	11	17

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	459	572	559
Probation/Parole Admissions--Drug	933	923	869
Probation/Parole Admissions--DWI	274	277	264
Prison Admissions--Drug	488	426	438
Prison Admissions--DWI	103	112	111

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 16

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	198	217	212
CSTAR Adolescent	222	206	183
CSTAR Women and Children	198	235	229
CSTAR General Adult	794	687	675
CSTAR Opioid	50	74	60
Primary Recovery Treatment	36	146	212
Clinical SATOP (CIP, YCIP, SROP)	756	844	782
Other Substance Abuse Treatment	15	8	11

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	2,719	2,905	2,872
- Adolescent Diversion Education Prograr	159	62	75
- Offender Education Program	979	1,037	1,069
- Weekend Intervention Program	551	659	647
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	24	35	45
Compulsive Gambling	17	33	29
Recovery Supports	14	10	5
Early Intervention	16	14	9

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	2,019	2,145	2,067
AGE			
Under 18	225	210	194
18 to 24	385	410	412
25 to 29	356	396	391
30 to 34	328	338	323
35 to 39	212	218	193
40 to 44	146	184	205
45 to 54	279	305	259
55 and Over	88	84	90
GENDER			
Male	1,305	1,393	1,369
Female	713	752	698
RACE / ETHNICITY			
Caucasian	1,864	2,000	1,926
African American	91	82	76
Native American / Alaskan	5	*	*
Asian / Pacific Islander	6	*	6
Hispanic	25	25	36
Other Race / Two or More Races	36	43	29
EDUCATION			
Less than High School Diploma	649	662	641
High School Graduate or G.E.D.	797	896	873
Associate Degree or Some College	535	559	521
Bachelor or Advanced Degree	36	26	32
EMPLOYMENT			
Employed	768	764	735
Unemployed	656	770	732
Not in Labor Force	595	611	600
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,629	1,774	1,697
Dependent Living	275	267	257
Homeless	59	60	69
MARITAL / FAMILY STATUS			
Never Married	1,210	1,306	1,217
Married / Cohabitating	413	426	443
Previously Married	396	413	407

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	942	1,058	1,054
Marijuana / Hashish	408	375	363
Cocaine (total)	23	21	43
- Crack	14	13	34
Stimulant (total)	173	152	108
- Methamphetamine	160	144	98
Heroin	353	401	354
Analgesic except Heroin	82	89	91
- Non-Prescription Methadone	*	*	*
PCP, LSD, other Hallucinogen	*	6	12
Tranquilizer	20	16	16
Inhalant	*	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	12	21	19
Average Age at First Use of Drug	17.4	17.8	17.4
INJECTION DRUG USE			
Any Injection Use at Admission	400	432	364
- Daily Injection Use	127	141	135
- Weekly Injection Use	102	120	91
- Less than Weekly Injection Use	171	171	138
LIFETIME DUI / DWI ARRESTS			
0	901	880	861
1 or 2	722	799	792
3 or More	396	466	414
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	499	495	492
School	39	30	18
Mental Health Provider	28	26	8
Health Care Provider	52	68	49
Court / Criminal Justice	1,148	1,269	1,293
Other Referral Source	207	212	195
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	42	49	38
Military Veteran	103	101	83
Special Education Services Needed	145	147	138
Co-Occurring Psychological Problem	590	696	711
Co-Occurring Developmental Problem	40	80	63

SUBSTANCE USE SERVICE AREA 16

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	32.8	37.1	44.3
Cigarettes	15.7	18.3	23.6
Chewing Tobacco	7.3	18.7	9.7
Marijuana	13.8	13.4	15.9
Inhalants	3.0	4.6	7.0
Prescription medications not prescribed for student	7.4	7.5	10.7
Over-the-counter medications for non-medical use	2.9	6.0	7.6
Methamphetamine	0.6	0.9	0.7
Cocaine	1.1	1.3	1.7
Heroin	0.4	0.7	0.6
Hallucinogens	2.2	2.3	3.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	1.8	2.1
Steroids not prescribed for student	0.7	1.1	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.6	5.3	
Average age of students' first use of:			
Alcohol	12.84	12.68	12.41
Cigarettes	13.08	12.55	12.34
Marijuana	13.77	13.60	13.45
Inhalants	11.73	11.52	11.82
Percent of students who, in past 30 days, used:			
Alcohol	13.8	16.4	21.4
Alcohol (Binge: 5+ drinks on one occassion)		9.2	12.2
Cigarettes	6.8	8.2	12.8
Chewing Tobacco	3.0	3.9	5.4
Marijuana	7.4	6.9	8.5
Inhalants	1.0	2.1	3.3
Prescription medications not prescribed for student	4.1	3.9	6.4
Over-the-counter medications for non-medical use	1.3	3.6	4.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.0		
Percent whose friends used in past 12 months:			
Alcohol	46.0	51.2	59.6
Cigarettes	32.5	39.0	47.8
Marijuana	33.3	35.6	37.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	15.8	19.4
Percent who would likely use, if offered by a best friend:			
Alcohol	25.1	28.4	33.9
Cigarettes	8.8	9.9	14.1
Marijuana	13.1	11.1	12.6
Percent who say it would be wrong to use:			
Alcohol	63.9	62.3	56.8
Cigarettes	87.6	85.4	80.2
Marijuana	80.1	83.3	81.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	96.3	94.5
Percent whose parents would disapprove if they use:			
Alcohol	80.9	79.9	77.0
Cigarettes	94.7	93.4	90.8
Marijuana	92.5	95.0	93.7
Percent who say it would be easy to obtain:			
Alcohol	55.8	58.9	62.3
Cigarettes	44.9	49.6	55.9
Marijuana	33.6	35.1	36.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	14.8	18.0

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	63.6		
Alcohol (Binge: 5+ drinks once or twice a week)	75.4		
Alcohol (any use)		69.0	76.0
Cigarettes (1+ packs per day)	89.4		
Cigarettes (any use)		84.7	81.8
Marijuana (once or twice a week)	67.1		
Marijuana (any use)		74.9	68.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	94.8	93.1
Percent of students who, in past 30 days:			
Were very sad	19.7	17.5	15.6
Were grouchy, irritable, or in a bad mood	24.2	22.1	21.6
Felt hopeless about the future	11.4	11.4	10.8
Felt like not eating or eating more than usual	17.3	16.7	16.4
Slept a lot more or a lot less than usual	18.2	20.0	24.2
Had difficulty concentrating on school work	25.8	24.4	24.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.0	10.5	10.9
Made plan about how they would attempt suicide	8.0	8.1	7.9
Attempted suicide	4.4	4.9	5.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.7	1.7	1.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.3	5.9	9.3
Were in a physical fight	14.7	17.3	22.8
Were in a fight and had to be treated by a doctor or nurse	2.0	2.9	4.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	44.8	44.5	52.5
Were made fun of by others	58.4	59.4	69.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.8	20.7	20.3
Spread mean rumors or lies about other kids at school	27.1	28.3	36.2
Made fun of other people	53.5	59.8	74.4
Posted something on the internet or sent a text that might embarrass or hurt another student	17.7	13.9	19.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	70.6	64.5	66.9
School provides feedback to parents on positive student performance	40.1	36.3	39.6
Rules are enforced fairly	68.7	65.1	66.2
Students of all races/ethnicities are treated equal	80.0	75.9	77.4
Percent of students who agree that:			
Parents notice and comment on student's good work	83.1	82.8	83.4
Parents involve student in making family decisions	68.7	67.5	69.4
It is important to be honest with parents regardless of consequences	86.9	85.2	80.9
Student could ask parent for help with a personal problem	79.7	76.9	76.9

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 17

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	211,091
2014 Estimate	210,335

BIRTH RISK	2013	2012	2011
Resident Births--Total	2,401	2,373	2,434
Mother Reported Smoking while Pregnant	695	654	709

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	4	2
Hepatitis B Chronic, Acute, Prenatal	22	16	20
Hepatitis C Chronic and Acute	298	287	266
Tuberculosis Infection Cases	125	66	128

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	2,347	2,327	2,330
Suicides	37	40	38
Self-inflicted Injuries	349	387	353
Homicides	7	4	9
Assault Injuries	789	892	822
Alcohol Induced Deaths	8	14	11
Drug Induced Deaths	48	63	49
Smoking Attributable Deaths	454	470	440

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,279	2,099	2,315
Mental Illness Secondary Diagnosis	4,246	4,178	4,951
Alcohol Principal Diagnosis	98	76	94
Alcohol Secondary Diagnosis	294	250	261
Drug Principal Diagnosis	298	240	190
Drug Secondary Diagnosis	301	269	293
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	756	1,073	853
Mental Illness Secondary Diagnosis	3,704	4,218	3,709
Alcohol Principal Diagnosis	99	138	91
Alcohol Secondary Diagnosis	261	372	293
Drug Principal Diagnosis	104	123	83
Drug Secondary Diagnosis	216	283	211
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,512	2,847	2,880
Mental Illness Secondary Diagnosis	15,815	16,765	11,228
Alcohol Principal Diagnosis	434	423	455
Alcohol Secondary Diagnosis	427	530	478
Drug Principal Diagnosis	499	512	510
Drug Secondary Diagnosis	670	790	687

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	241	246	248
Alcohol Package Carry-out Licenses	198	201	208

EMPLOYMENT	2014	2013	2012
Labor Force	89,254	99,058	94,943
Employed	82,822	92,097	87,470
Unemployed	6,432	6,961	7,473
Unemployment Rate	7.2%	7.0%	7.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	220	270	264
Fatal Crashes	14	20	17
Injury Crashes	83	122	119
Property Damage Crashes	123	128	128
Crash Fatalities	15	21	20
Crash Injuries	120	167	176
Drug Involved Crashes--Total	80	66	66
Fatal Crashes	4	0	4
Injury Crashes	23	34	29
Property Damage Crashes	53	32	33
Crash Fatalities	4	0	3
Crash Injuries	34	43	32

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,032	1,231	1,355
Liquor Law Arrests	184	274	421
Drug Arrests	1,238	1,299	1,307
Violent Offenses	541	530	582
Property Offenses	5,335	5,669	5,329
Domestic Violence Reports	720	952	1,044
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	108	195	242

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	9,448	9,494	9,506
Drop-outs	169	180	255
Drop-out Rate	1.8%	1.9%	2.7%
School Discipline Involving Alcohol	8	28	15
School Discipline Involving Drugs	56	59	66
School Discipline Involving Tobacco	2	4	6

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	387	441	446
Juvenile Alcohol Offenses	26	17	25
Juvenile Drug Offenses	42	77	80
School Truancy Status Offense	303	301	318
Absent from Home Status Offense	36	29	52
Beyond Parental Control Status Offense	151	179	149
Injurious Behavior Status Offense	149	169	178
Child Abuse	285	339	391
Child Neglect	530	736	616
Child Custody Issues	18	10	17

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	265	232	213
Parental Alcohol Use Related	3	15	5
Parental Drug Use Related	117	84	79
Parental Alcohol and Drug Use	9	5	13

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	138	153	141
Probation/Parole Admissions--Drug	692	742	669
Probation/Parole Admissions--DWI	93	109	84
Prison Admissions--Drug	409	338	335
Prison Admissions--DWI	46	36	44

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 17

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	215	215	182
CSTAR Adolescent	55	50	73
CSTAR Women and Children	56	71	53
CSTAR General Adult	933	998	669
CSTAR Opioid	*	7	6
Primary Recovery Treatment	145	563	1,043
Clinical SATOP (CIP, YCIP, SROP)	190	185	182
Other Substance Abuse Treatment	6	*	10

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	773	831	957
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	288	322	391
- Weekend Intervention Program	178	193	214
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	8	21
Compulsive Gambling	*	*	*
Recovery Supports	29	21	8
Early Intervention	97	66	84

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	1,379	1,679	1,934
AGE			
Under 18	59	54	85
18 to 24	216	313	386
25 to 29	296	356	406
30 to 34	290	311	308
35 to 39	153	182	225
40 to 44	118	149	165
45 to 54	184	245	282
55 and Over	63	69	77
GENDER			
Male	844	1,057	1,313
Female	535	622	621
RACE / ETHNICITY			
Caucasian	1,323	1,612	1,841
African American	28	43	65
Native American / Alaskan	5	*	5
Asian / Pacific Islander	0	0	*
Hispanic	17	18	25
Other Race / Two or More Races	17	15	14
EDUCATION			
Less than High School Diploma	486	599	707
High School Graduate or G.E.D.	616	786	926
Associate Degree or Some College	267	284	294
Bachelor or Advanced Degree	10	10	7
EMPLOYMENT			
Employed	350	415	526
Unemployed	596	814	957
Not in Labor Force	433	450	451
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,172	1,470	1,711
Dependent Living	150	147	157
Homeless	44	44	44
MARITAL / FAMILY STATUS			
Never Married	708	837	935
Married / Cohabitating	373	467	554
Previously Married	298	375	445

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	430	539	622
Marijuana / Hashish	260	338	498
Cocaine (total)	14	13	24
- Crack	6	8	13
Stimulant (total)	253	274	282
- Methamphetamine	239	268	272
Heroin	161	175	166
Analgesic except Heroin	218	302	292
- Non-Prescription Methadone	*	*	*
PCP, LSD, other Hallucinogen	*	*	*
Tranquilizer	16	23	34
Inhalant	*	*	7
Sedative	*	*	*
Other Medication or Illicit Drug	22	7	*
Average Age at First Use of Drug	18.7	18.7	18.1
INJECTION DRUG USE			
Any Injection Use at Admission	289	318	263
- Daily Injection Use	80	90	60
- Weekly Injection Use	84	92	63
- Less than Weekly Injection Use	125	136	140
LIFETIME DUI / DWI ARRESTS			
0	809	983	1,146
1 or 2	382	466	517
3 or More	188	230	271
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	511	566	463
School	*	*	*
Mental Health Provider	11	15	15
Health Care Provider	80	71	81
Court / Criminal Justice	562	837	1,228
Other Referral Source	197	175	142
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	32	33	23
Military Veteran	65	72	116
Special Education Services Needed	121	177	257
Co-Occurring Psychological Problem	639	690	733
Co-Occurring Developmental Problem	95	170	149

SUBSTANCE USE SERVICE AREA 17

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	35.8	41.7	46.9
Cigarettes	25.0	26.5	31.0
Chewing Tobacco	17.0	24.2	19.8
Marijuana	14.7	16.1	17.1
Inhalants	3.5	6.7	8.4
Prescription medications not prescribed for student	9.8	10.3	14.7
Over-the-counter medications for non-medical use	3.4	7.0	9.3
Methamphetamine	0.5	1.3	1.3
Cocaine	0.8	1.7	1.8
Heroin	0.3	1.1	0.9
Hallucinogens	1.8	3.0	3.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.0	1.8
Steroids not prescribed for student	1.6	2.1	1.6
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	6.7	
Average age of students' first use of:			
Alcohol	12.72	12.28	12.01
Cigarettes	12.75	12.00	11.62
Marijuana	14.10	13.40	13.11
Inhalants	11.42	11.83	12.13
Percent of students who, in past 30 days, used:			
Alcohol	13.7	19.4	22.9
Alcohol (Binge: 5+ drinks on one occassion)		11.9	14.0
Cigarettes	9.5	13.2	16.6
Chewing Tobacco	9.2	10.0	11.5
Marijuana	8.6	9.0	9.7
Inhalants	1.1	3.5	3.8
Prescription medications not prescribed for student	5.8	5.9	8.3
Over-the-counter medications for non-medical use	1.6	4.2	6.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.9		
Percent whose friends used in past 12 months:			
Alcohol	44.0	54.1	62.3
Cigarettes	38.0	44.8	49.0
Marijuana	32.4	33.7	36.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.4	14.4	17.5
Percent who would likely use, if offered by a best friend:			
Alcohol	27.5	31.8	36.6
Cigarettes	12.6	15.0	17.2
Marijuana	13.3	13.2	14.2
Percent who say it would be wrong to use:			
Alcohol	63.6	58.3	57.9
Cigarettes	82.7	78.6	76.7
Marijuana	81.0	81.2	81.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	95.4	94.7
Percent whose parents would disapprove if they use:			
Alcohol	77.2	76.3	75.2
Cigarettes	89.5	89.5	89.2
Marijuana	91.5	93.5	94.4
Percent who say it would be easy to obtain:			
Alcohol	46.0	55.2	59.5
Cigarettes	47.4	51.5	58.3
Marijuana	31.6	33.0	36.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	16.2	20.4

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	58.6		
Alcohol (Binge: 5+ drinks once or twice a week)	67.1		
Alcohol (any use)		69.2	75.7
Cigarettes (1+ packs per day)	85.1		
Cigarettes (any use)		79.1	77.2
Marijuana (once or twice a week)	64.3		
Marijuana (any use)		73.5	71.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.1	93.8	93.3
Percent of students who, in past 30 days:			
Were very sad	19.6	21.5	19.2
Were grouchy, irritable, or in a bad mood	24.5	26.5	24.7
Felt hopeless about the future	11.9	12.6	13.0
Felt like not eating or eating more than usual	17.7	18.0	19.5
Slept a lot more or a lot less than usual	18.6	21.1	26.9
Had difficulty concentrating on school work	24.4	25.0	26.3
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.1	13.1	13.8
Made plan about how they would attempt suicide	9.1	9.5	9.8
Attempted suicide	5.9	5.6	5.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.6	2.1	1.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.4	6.8	9.7
Were in a physical fight	17.4	22.4	25.0
Were in a fight and had to be treated by a doctor or nurse	2.8	3.5	3.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	49.8	50.3	58.7
Were made fun of by others	57.3	61.2	70.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.7	21.6	19.8
Spread mean rumors or lies about other kids at school	21.3	25.9	33.4
Made fun of other people	52.0	62.5	73.1
Posted something on the internet or sent a text that might embarrass or hurt another student	14.2	14.3	15.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.1	67.6	68.7
School provides feedback to parents on positive student performance	45.1	38.5	42.2
Rules are enforced fairly	70.4	61.7	63.7
Students of all races/ethnicities are treated equal	84.8	77.3	79.0
Percent of students who agree that:			
Parents notice and comment on student's good work	82.0	82.1	84.2
Parents involve student in making family decisions	70.4	67.8	68.3
It is important to be honest with parents regardless of consequences	89.6	86.6	82.5
Student could ask parent for help with a personal problem	76.6	74.7	76.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 18

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	127,952
2014 Estimate	126,384

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,493	1,508	1,552
Mother Reported Smoking while Pregnant	428	393	408

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	4	2
Hepatitis B Chronic, Acute, Prenatal	10	12	10
Hepatitis C Chronic and Acute	125	150	120
Tuberculosis Infection Cases	12	34	31

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,608	1,498	1,510
Suicides	29	26	25
Self-inflicted Injuries	201	215	240
Homicides	6	8	8
Assault Injuries	246	264	302
Alcohol Induced Deaths	7	12	7
Drug Induced Deaths	16	18	10
Smoking Attributable Deaths	310	289	297

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,165	1,287	1,231
Mental Illness Secondary Diagnosis	2,271	2,488	2,551
Alcohol Principal Diagnosis	128	131	101
Alcohol Secondary Diagnosis	168	233	190
Drug Principal Diagnosis	204	184	109
Drug Secondary Diagnosis	134	163	155
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	198	180	163
Mental Illness Secondary Diagnosis	1,229	1,275	1,076
Alcohol Principal Diagnosis	27	49	52
Alcohol Secondary Diagnosis	116	132	121
Drug Principal Diagnosis	38	45	29
Drug Secondary Diagnosis	88	80	54
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	964	1,026	1,060
Mental Illness Secondary Diagnosis	5,317	4,327	2,437
Alcohol Principal Diagnosis	148	184	139
Alcohol Secondary Diagnosis	217	235	208
Drug Principal Diagnosis	140	176	154
Drug Secondary Diagnosis	198	202	213

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	85	86	91
Alcohol Package Carry-out Licenses	144	132	134

EMPLOYMENT	2014	2013	2012
Labor Force	49,313	58,305	56,124
Employed	45,561	54,334	51,923
Unemployed	3,752	3,971	4,201
Unemployment Rate	7.6%	6.8%	7.5%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	150	169	156
Fatal Crashes	8	9	2
Injury Crashes	59	72	85
Property Damage Crashes	83	88	69
Crash Fatalities	8	9	2
Crash Injuries	89	103	116
Drug Involved Crashes--Total	34	31	22
Fatal Crashes	0	0	0
Injury Crashes	10	19	13
Property Damage Crashes	24	12	9
Crash Fatalities	0	0	0
Crash Injuries	14	26	17

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	626	758	878
Liquor Law Arrests	141	165	207
Drug Arrests	1,011	941	808
Violent Offenses	288	335	245
Property Offenses	2,818	3,064	2,935
Domestic Violence Reports	759	565	367
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	30	56	43

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	5,858	5,940	5,991
Drop-outs	32	49	70
Drop-out Rate	0.5%	0.8%	1.2%
School Discipline Involving Alcohol	5	21	9
School Discipline Involving Drugs	23	33	64
School Discipline Involving Tobacco	2	1	3

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	87	125	98
Juvenile Alcohol Offenses	29	34	43
Juvenile Drug Offenses	30	53	41
School Truancy Status Offense	222	291	440
Absent from Home Status Offense	42	41	50
Beyond Parental Control Status Offense	106	138	155
Injurious Behavior Status Offense	129	225	249
Child Abuse	189	260	180
Child Neglect	552	749	519
Child Custody Issues	49	80	52

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	161	93	116
Parental Alcohol Use Related	6	7	5
Parental Drug Use Related	54	18	31
Parental Alcohol and Drug Use	11	13	3

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	128	149	138
Probation/Parole Admissions--Drug	340	293	290
Probation/Parole Admissions--DWI	51	59	62
Prison Admissions--Drug	160	142	119
Prison Admissions--DWI	20	30	23

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 18

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	147	155	173
CSTAR Adolescent	52	48	49
CSTAR Women and Children	35	38	28
CSTAR General Adult	303	298	176
CSTAR Opioid	0	*	*
Primary Recovery Treatment	49	109	353
Clinical SATOP (CIP, YCIP, SROP)	89	134	132
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	384	476	566
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	153	184	222
- Weekend Intervention Program	81	92	107
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	14	14	12
Compulsive Gambling	0	0	0
Recovery Supports	16	26	12
Early Intervention	*	8	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	545	640	741
AGE			
Under 18	56	48	51
18 to 24	95	129	154
25 to 29	87	109	117
30 to 34	83	115	120
35 to 39	55	72	83
40 to 44	57	54	82
45 to 54	87	80	95
55 and Over	25	33	39
GENDER			
Male	350	394	488
Female	195	246	253
RACE / ETHNICITY			
Caucasian	528	623	715
African American	*	7	9
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	6	6	11
Other Race / Two or More Races	11	7	8
EDUCATION			
Less than High School Diploma	204	237	275
High School Graduate or G.E.D.	244	298	347
Associate Degree or Some College	92	102	113
Bachelor or Advanced Degree	5	*	6
EMPLOYMENT			
Employed	79	81	95
Unemployed	180	270	355
Not in Labor Force	286	289	291
HOUSING / LIVING ARRANGEMENT			
Independent Living	446	536	638
Dependent Living	76	74	65
Homeless	14	21	25
MARITAL / FAMILY STATUS			
Never Married	230	268	321
Married / Cohabitating	157	201	225
Previously Married	158	171	195

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	205	255	324
Marijuana / Hashish	100	107	162
Cocaine (total)	*	*	*
- Crack	*	*	0
Stimulant (total)	151	140	121
- Methamphetamine	150	138	119
Heroin	10	12	8
Analgesic except Heroin	68	102	92
- Non-Prescription Methadone	*	*	0
PCP, LSD, other Hallucinogen	0	*	*
Tranquilizer	*	9	8
Inhalant	0	*	7
Sedative	0	0	*
Other Medication or Illicit Drug	6	11	14
Average Age at First Use of Drug	17.9	18.0	17.3
INJECTION DRUG USE			
Any Injection Use at Admission	124	149	117
- Daily Injection Use	29	35	26
- Weekly Injection Use	45	50	36
- Less than Weekly Injection Use	50	64	55
LIFETIME DUI / DWI ARRESTS			
0	308	316	369
1 or 2	152	214	252
3 or More	85	110	120
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	201	255	191
School	*	*	5
Mental Health Provider	*	9	6
Health Care Provider	39	25	24
Court / Criminal Justice	200	246	451
Other Referral Source	96	95	64
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	11	12	13
Military Veteran	21	26	21
Special Education Services Needed	35	59	57
Co-Occurring Psychological Problem	187	227	214
Co-Occurring Developmental Problem	23	44	12

SUBSTANCE USE SERVICE AREA 18

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	36.4	39.6	46.3
Cigarettes	29.3	29.0	35.4
Chewing Tobacco	22.2	17.1	26.1
Marijuana	9.4	11.2	13.6
Inhalants	2.1	6.3	7.6
Prescription medications not prescribed for student	7.2	9.0	12.3
Over-the-counter medications for non-medical use	1.2	5.1	8.1
Methamphetamine	0.3	1.1	0.9
Cocaine	0.2	1.2	1.1
Heroin	0.2	0.8	0.7
Hallucinogens	1.2	2.5	2.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	2.1	2.1
Steroids not prescribed for student	0.1	1.8	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	7.5	
Average age of students' first use of:			
Alcohol	12.95	12.29	12.14
Cigarettes	12.85	12.07	11.82
Marijuana	14.15	13.08	13.45
Inhalants	12.69	12.28	12.20
Percent of students who, in past 30 days, used:			
Alcohol	15.1	15.0	20.7
Alcohol (Binge: 5+ drinks on one occassion)		9.2	11.7
Cigarettes	13.2	12.9	18.8
Chewing Tobacco	15.0	13.6	15.3
Marijuana	2.8	4.5	6.0
Inhalants	0.8	2.6	3.6
Prescription medications not prescribed for student	3.0	4.2	7.5
Over-the-counter medications for non-medical use	0.6	2.9	5.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.0		
Percent whose friends used in past 12 months:			
Alcohol	44.1	50.9	59.5
Cigarettes	40.2	45.4	51.8
Marijuana	19.2	24.4	31.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.2	10.1	15.5
Percent who would likely use, if offered by a best friend:			
Alcohol	27.4	29.1	35.5
Cigarettes	15.4	16.4	20.1
Marijuana	8.8	8.3	10.3
Percent who say it would be wrong to use:			
Alcohol	65.5	62.2	57.3
Cigarettes	76.4	76.7	73.7
Marijuana	86.8	86.5	85.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	96.5	95.5
Percent whose parents would disapprove if they use:			
Alcohol	80.9	79.5	79.2
Cigarettes	86.0	88.5	88.6
Marijuana	94.5	95.5	95.2
Percent who say it would be easy to obtain:			
Alcohol	48.4	52.0	57.2
Cigarettes	50.5	53.4	60.5
Marijuana	27.7	27.8	34.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0	14.8	18.4

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	51.1		
Alcohol (Binge: 5+ drinks once or twice a week)	62.1		
Alcohol (any use)		71.3	77.6
Cigarettes (1+ packs per day)	83.9		
Cigarettes (any use)		78.0	76.9
Marijuana (once or twice a week)	71.2		
Marijuana (any use)		79.9	74.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	93.6	92.9
Percent of students who, in past 30 days:			
Were very sad	17.0	19.8	18.2
Were grouchy, irritable, or in a bad mood	21.5	23.9	23.0
Felt hopeless about the future	8.9	11.6	12.3
Felt like not eating or eating more than usual	12.1	16.8	16.9
Slept a lot more or a lot less than usual	13.5	19.7	23.4
Had difficulty concentrating on school work	21.4	20.3	24.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	6.9	10.8	11.7
Made plan about how they would attempt suicide	4.8	8.9	9.2
Attempted suicide	2.5	5.4	5.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.9	1.6	2.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.8	6.4	10.5
Were in a physical fight	18.7	20.9	26.9
Were in a fight and had to be treated by a doctor or nurse	1.4	2.7	4.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	51.5	51.7	58.8
Were made fun of by others	56.2	61.5	69.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	21.5	19.7	19.3
Spread mean rumors or lies about other kids at school	21.9	24.6	31.1
Made fun of other people	49.7	57.2	69.5
Posted something on the internet or sent a text that might embarrass or hurt another student	12.0	12.9	15.8
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.5	73.0	72.9
School provides feedback to parents on positive student performance	45.8	40.6	40.8
Rules are enforced fairly	64.2	64.1	61.7
Students of all races/ethnicities are treated equal	82.3	80.1	80.6
Percent of students who agree that:			
Parents notice and comment on student's good work	84.3	82.4	83.4
Parents involve student in making family decisions	72.4	67.8	69.7
It is important to be honest with parents regardless of consequences	91.2	87.5	85.7
Student could ask parent for help with a personal problem	83.1	76.6	77.8

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 19

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	113,344
2014 Estimate	113,083

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,428	1,468	1,368
Mother Reported Smoking while Pregnant	411	449	420

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	7	6	2
Hepatitis B Chronic, Acute, Prenatal	6	17	8
Hepatitis C Chronic and Acute	159	168	148
Tuberculosis Infection Cases	21	31	30

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,531	1,374	1,527
Suicides	25	20	19
Self-inflicted Injuries	250	276	281
Homicides	4	4	5
Assault Injuries	410	476	437
Alcohol Induced Deaths	16	9	3
Drug Induced Deaths	26	26	25
Smoking Attributable Deaths	299	273	328

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,285	1,260	1,304
Mental Illness Secondary Diagnosis	2,433	2,166	2,147
Alcohol Principal Diagnosis	59	77	57
Alcohol Secondary Diagnosis	227	195	220
Drug Principal Diagnosis	102	107	89
Drug Secondary Diagnosis	143	146	96
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	292	256	282
Mental Illness Secondary Diagnosis	2,251	2,263	2,230
Alcohol Principal Diagnosis	41	39	37
Alcohol Secondary Diagnosis	130	169	132
Drug Principal Diagnosis	50	49	40
Drug Secondary Diagnosis	86	71	52
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,507	1,569	1,588
Mental Illness Secondary Diagnosis	3,142	1,565	1,124
Alcohol Principal Diagnosis	181	156	163
Alcohol Secondary Diagnosis	199	168	174
Drug Principal Diagnosis	193	202	170
Drug Secondary Diagnosis	232	210	176

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	132	135	139
Alcohol Package Carry-out Licenses	141	139	139

EMPLOYMENT	2014	2013	2012
Labor Force	48,223	54,706	53,472
Employed	44,597	50,847	49,329
Unemployed	3,626	3,859	4,143
Unemployment Rate	7.5%	7.1%	7.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	148	174	184
Fatal Crashes	6	11	7
Injury Crashes	71	85	81
Property Damage Crashes	71	78	96
Crash Fatalities	9	12	7
Crash Injuries	99	134	121
Drug Involved Crashes--Total	38	49	50
Fatal Crashes	1	2	3
Injury Crashes	18	26	30
Property Damage Crashes	19	21	17
Crash Fatalities	1	2	4
Crash Injuries	23	39	37

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	614	795	744
Liquor Law Arrests	155	215	127
Drug Arrests	1,022	813	740
Violent Offenses	362	389	322
Property Offenses	3,511	3,502	3,540
Domestic Violence Reports	592	539	520
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	12	35	61

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,986	4,976	4,962
Drop-outs	75	115	153
Drop-out Rate	1.5%	2.3%	3.1%
School Discipline Involving Alcohol	11	9	9
School Discipline Involving Drugs	63	30	32
School Discipline Involving Tobacco	1	3	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	180	163	199
Juvenile Alcohol Offenses	21	41	32
Juvenile Drug Offenses	43	32	37
School Truancy Status Offense	97	86	114
Absent from Home Status Offense	40	45	63
Beyond Parental Control Status Offense	106	103	121
Injurious Behavior Status Offense	34	36	44
Child Abuse	116	114	113
Child Neglect	484	510	363
Child Custody Issues	130	184	232

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	327	350	301
Parental Alcohol Use Related	7	9	6
Parental Drug Use Related	171	145	128
Parental Alcohol and Drug Use	8	11	18

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	191	214	156
Probation/Parole Admissions--Drug	389	352	345
Probation/Parole Admissions--DWI	52	46	32
Prison Admissions--Drug	208	183	152
Prison Admissions--DWI	28	20	13

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 19

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	144	147	165
CSTAR Adolescent	40	50	65
CSTAR Women and Children	52	61	46
CSTAR General Adult	646	646	394
CSTAR Opioid	0	0	*
Primary Recovery Treatment	85	302	628
Clinical SATOP (CIP, YCIP, SROP)	114	129	131
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	385	433	441
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	116	140	137
- Weekend Intervention Program	65	97	80
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	5
Compulsive Gambling	*	*	*
Recovery Supports	350	370	318
Early Intervention	*	7	47

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	1,076	1,158	1,341
AGE			
Under 18	39	50	75
18 to 24	189	201	254
25 to 29	163	201	251
30 to 34	222	230	222
35 to 39	150	125	184
40 to 44	119	123	121
45 to 54	138	172	185
55 and Over	56	56	49
GENDER			
Male	691	730	873
Female	384	428	468
RACE / ETHNICITY			
Caucasian	985	1,063	1,224
African American	65	66	92
Native American / Alaskan	*	5	*
Asian / Pacific Islander	*	*	*
Hispanic	17	15	13
Other Race / Two or More Races	10	16	16
EDUCATION			
Less than High School Diploma	381	455	570
High School Graduate or G.E.D.	527	538	597
Associate Degree or Some College	163	160	170
Bachelor or Advanced Degree	5	5	*
EMPLOYMENT			
Employed	263	272	354
Unemployed	520	546	615
Not in Labor Force	293	340	372
HOUSING / LIVING ARRANGEMENT			
Independent Living	876	969	1,134
Dependent Living	137	147	161
Homeless	48	35	39
MARITAL / FAMILY STATUS			
Never Married	419	492	543
Married / Cohabitating	349	361	441
Previously Married	308	305	357

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	318	355	410
Marijuana / Hashish	279	324	404
Cocaine (total)	13	18	40
- Crack	12	12	31
Stimulant (total)	266	232	242
- Methamphetamine	257	225	235
Heroin	49	45	35
Analgesic except Heroin	128	145	165
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	*	*	*
Tranquilizer	15	34	31
Inhalant	*	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	*	0	8
Average Age at First Use of Drug	18.6	18.3	17.6
INJECTION DRUG USE			
Any Injection Use at Admission	209	180	142
- Daily Injection Use	47	34	23
- Weekly Injection Use	69	52	27
- Less than Weekly Injection Use	93	94	92
LIFETIME DUI / DWI ARRESTS			
0	645	649	831
1 or 2	303	350	371
3 or More	128	159	139
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	279	252	245
School	*	*	*
Mental Health Provider	*	7	14
Health Care Provider	86	86	62
Court / Criminal Justice	499	596	828
Other Referral Source	152	187	189
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	14	19	20
Military Veteran	50	34	60
Special Education Services Needed	112	158	193
Co-Occurring Psychological Problem	529	517	582
Co-Occurring Developmental Problem	98	122	107

SUBSTANCE USE SERVICE AREA 19

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	35.3	42.4	45.2
Cigarettes	25.4	30.8	35.2
Chewing Tobacco	18.1	15.6	19.0
Marijuana	14.1	16.9	17.4
Inhalants	3.2	5.1	9.0
Prescription medications not prescribed for student	9.6	12.1	15.7
Over-the-counter medications for non-medical use	3.3	7.6	9.4
Methamphetamine	0.9	1.8	1.8
Cocaine	1.1	2.9	2.3
Heroin	0.5	1.3	0.7
Hallucinogens	1.6	2.8	3.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	2.7	2.6
Steroids not prescribed for student	1.5	2.0	1.6
Synthetic drugs (K2, bath salts, Spice, etc)	4.4	7.1	
Average age of students' first use of:			
Alcohol	12.57	12.65	12.33
Cigarettes	12.12	12.18	11.94
Marijuana	13.70	13.34	13.39
Inhalants	11.91	12.13	12.72
Percent of students who, in past 30 days, used:			
Alcohol	14.4	18.1	20.6
Alcohol (Binge: 5+ drinks on one occassion)		11.8	12.9
Cigarettes	11.5	16.3	17.9
Chewing Tobacco	10.1	9.8	10.5
Marijuana	6.5	8.0	9.8
Inhalants	0.8	1.5	3.6
Prescription medications not prescribed for student	4.5	6.2	9.7
Over-the-counter medications for non-medical use	1.7	4.2	5.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.5		
Percent whose friends used in past 12 months:			
Alcohol	48.2	55.3	58.8
Cigarettes	43.6	50.0	52.7
Marijuana	32.4	35.9	35.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	14.8	18.3
Percent who would likely use, if offered by a best friend:			
Alcohol	28.0	33.7	33.7
Cigarettes	14.8	17.8	18.6
Marijuana	12.3	12.3	12.7
Percent who say it would be wrong to use:			
Alcohol	64.2	59.1	58.2
Cigarettes	80.8	76.7	74.9
Marijuana	80.6	82.5	82.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	95.6	94.4
Percent whose parents would disapprove if they use:			
Alcohol	80.5	80.0	78.6
Cigarettes	90.2	90.2	88.6
Marijuana	92.0	94.8	93.6
Percent who say it would be easy to obtain:			
Alcohol	51.9	56.0	55.3
Cigarettes	52.1	57.5	59.0
Marijuana	33.8	38.2	36.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.5	19.6	18.9

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	53.3		
Alcohol (Binge: 5+ drinks once or twice a week)	62.0		
Alcohol (any use)		72.7	75.6
Cigarettes (1+ packs per day)	78.6		
Cigarettes (any use)		79.1	79.5
Marijuana (once or twice a week)	64.9		
Marijuana (any use)		73.0	74.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	88.7	93.9	93.4
Percent of students who, in past 30 days:			
Were very sad	19.6	19.2	19.2
Were grouchy, irritable, or in a bad mood	26.6	25.4	24.1
Felt hopeless about the future	11.3	10.8	12.9
Felt like not eating or eating more than usual	19.0	18.1	18.8
Slept a lot more or a lot less than usual	18.7	20.3	26.7
Had difficulty concentrating on school work	23.3	24.5	27.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.8	12.6	12.4
Made plan about how they would attempt suicide	8.9	8.4	8.9
Attempted suicide	4.9	5.7	5.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.3	2.6	2.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.1	7.0	9.5
Were in a physical fight	22.5	23.5	25.6
Were in a fight and had to be treated by a doctor or nurse	3.8	3.6	4.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.8	52.0	58.6
Were made fun of by others	59.9	57.7	67.2
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.5	19.5	18.4
Spread mean rumors or lies about other kids at school	26.9	24.2	31.3
Made fun of other people	55.2	57.8	70.3
Posted something on the internet or sent a text that might embarrass or hurt another student	15.9	11.7	14.8
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.3	67.1	69.7
School provides feedback to parents on positive student performance	39.6	40.2	39.0
Rules are enforced fairly	60.0	60.3	60.7
Students of all races/ethnicities are treated equal	79.3	75.8	75.1
Percent of students who agree that:			
Parents notice and comment on student's good work	81.5	82.5	84.1
Parents involve student in making family decisions	66.2	69.3	69.6
It is important to be honest with parents regardless of consequences	87.0	87.8	85.8
Student could ask parent for help with a personal problem	77.9	77.7	77.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 20

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	83,563
2014 Estimate	81,498

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,203	1,122	1,171
Mother Reported Smoking while Pregnant	355	327	328

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	2	1	2
Hepatitis B Chronic, Acute, Prenatal	2	1	6
Hepatitis C Chronic and Acute	94	93	73
Tuberculosis Infection Cases	13	29	13

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,097	1,127	1,100
Suicides	15	12	15
Self-inflicted Injuries	139	143	213
Homicides	3	5	4
Assault Injuries	460	485	451
Alcohol Induced Deaths	2	11	5
Drug Induced Deaths	15	21	10
Smoking Attributable Deaths	240	238	253

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,143	1,241	1,323
Mental Illness Secondary Diagnosis	1,863	1,875	2,431
Alcohol Principal Diagnosis	37	48	81
Alcohol Secondary Diagnosis	139	161	204
Drug Principal Diagnosis	71	68	87
Drug Secondary Diagnosis	106	120	182
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	255	251	247
Mental Illness Secondary Diagnosis	1,518	1,781	1,431
Alcohol Principal Diagnosis	26	41	25
Alcohol Secondary Diagnosis	109	140	110
Drug Principal Diagnosis	38	40	33
Drug Secondary Diagnosis	70	81	65
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	982	962	1,019
Mental Illness Secondary Diagnosis	1,238	749	727
Alcohol Principal Diagnosis	173	142	181
Alcohol Secondary Diagnosis	97	143	167
Drug Principal Diagnosis	135	132	155
Drug Secondary Diagnosis	145	138	186

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	64	70	75
Alcohol Package Carry-out Licenses	114	111	112

EMPLOYMENT	2014	2013	2012
Labor Force	34,557	38,104	36,975
Employed	31,681	35,119	33,939
Unemployed	2,876	2,985	3,036
Unemployment Rate	8.3%	7.8%	8.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	90	88	79
Fatal Crashes	6	3	4
Injury Crashes	36	46	36
Property Damage Crashes	48	39	39
Crash Fatalities	6	3	6
Crash Injuries	53	70	53
Drug Involved Crashes--Total	37	21	30
Fatal Crashes	1	0	2
Injury Crashes	15	9	17
Property Damage Crashes	21	12	11
Crash Fatalities	1	0	4
Crash Injuries	20	10	22

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	461	599	696
Liquor Law Arrests	55	118	103
Drug Arrests	543	661	881
Violent Offenses	322	440	365
Property Offenses	2,436	2,525	2,245
Domestic Violence Reports	619	726	575
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	5	19	34

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,026	4,046	3,850
Drop-outs	39	42	110
Drop-out Rate	1.0%	1.0%	2.9%
School Discipline Involving Alcohol	1	1	7
School Discipline Involving Drugs	38	12	16
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	103	149	110
Juvenile Alcohol Offenses	33	19	24
Juvenile Drug Offenses	33	23	30
School Truancy Status Offense	95	104	54
Absent from Home Status Offense	16	22	14
Beyond Parental Control Status Offense	94	69	64
Injurious Behavior Status Offense	121	94	62
Child Abuse	187	181	165
Child Neglect	398	524	428
Child Custody Issues	8	18	4

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	213	186	188
Parental Alcohol Use Related	8	10	15
Parental Drug Use Related	121	91	83
Parental Alcohol and Drug Use	2	1	7

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	96	106	82
Probation/Parole Admissions--Drug	353	379	418
Probation/Parole Admissions--DWI	56	90	96
Prison Admissions--Drug	205	220	222
Prison Admissions--DWI	42	39	64

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 20

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	233	211	269
CSTAR Adolescent	60	70	74
CSTAR Women and Children	71	79	77
CSTAR General Adult	466	357	195
CSTAR Opioid	0	*	0
Primary Recovery Treatment	177	483	741
Clinical SATOP (CIP, YCIP, SROP)	65	72	65
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	274	318	310
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	89	105	123
- Weekend Intervention Program	68	59	65
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	11	14	6
Compulsive Gambling	0	0	0
Recovery Supports	107	83	73
Early Intervention	*	*	7

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	883	1,031	1,138
AGE			
Under 18	67	78	78
18 to 24	139	206	219
25 to 29	148	183	220
30 to 34	154	165	174
35 to 39	113	109	131
40 to 44	90	82	99
45 to 54	128	150	157
55 and Over	44	58	60
GENDER			
Male	594	722	801
Female	289	309	337
RACE / ETHNICITY			
Caucasian	646	750	820
African American	210	259	295
Native American / Alaskan	*	0	*
Asian / Pacific Islander	0	*	0
Hispanic	10	12	12
Other Race / Two or More Races	18	13	10
EDUCATION			
Less than High School Diploma	373	465	536
High School Graduate or G.E.D.	413	472	513
Associate Degree or Some College	92	92	85
Bachelor or Advanced Degree	5	*	*
EMPLOYMENT			
Employed	189	243	281
Unemployed	247	319	365
Not in Labor Force	447	469	492
HOUSING / LIVING ARRANGEMENT			
Independent Living	709	837	933
Dependent Living	128	156	170
Homeless	11	7	12
MARITAL / FAMILY STATUS			
Never Married	442	538	551
Married / Cohabitating	234	285	339
Previously Married	207	208	248

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	253	325	338
Marijuana / Hashish	278	362	410
Cocaine (total)	36	63	103
- Crack	19	34	58
Stimulant (total)	210	168	153
- Methamphetamine	207	164	146
Heroin	13	10	14
Analgesic except Heroin	60	70	88
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	*	*	0
Tranquilizer	28	24	27
Inhalant	*	0	*
Sedative	5	5	*
Other Medication or Illicit Drug	0	*	*
Average Age at First Use of Drug	18.1	17.9	17.9
INJECTION DRUG USE			
Any Injection Use at Admission	80	63	48
- Daily Injection Use	18	12	9
- Weekly Injection Use	14	14	13
- Less than Weekly Injection Use	48	37	26
LIFETIME DUI / DWI ARRESTS			
0	591	687	788
1 or 2	186	219	253
3 or More	106	125	97
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	158	146	174
School	0	*	*
Mental Health Provider	7	6	10
Health Care Provider	40	52	50
Court / Criminal Justice	515	682	793
Other Referral Source	150	135	109
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	18	23	11
Military Veteran	39	41	33
Special Education Services Needed	79	91	74
Co-Occurring Psychological Problem	197	224	246
Co-Occurring Developmental Problem	18	20	23

SUBSTANCE USE SERVICE AREA 20

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	42.8	43.1	44.3
Cigarettes	32.9	33.3	35.4
Chewing Tobacco	19.2	14.3	16.5
Marijuana	17.4	18.6	15.8
Inhalants	3.6	7.0	8.0
Prescription medications not prescribed for student	10.3	13.3	14.7
Over-the-counter medications for non-medical use	4.2	6.0	7.3
Methamphetamine	0.7	1.2	0.9
Cocaine	1.2	2.2	1.9
Heroin	0.8	1.0	0.7
Hallucinogens	0.9	1.4	1.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.5	1.8
Steroids not prescribed for student	1.2	1.7	1.8
Synthetic drugs (K2, bath salts, Spice, etc)	2.5	7.7	
Average age of students' first use of:			
Alcohol	12.81	12.71	12.67
Cigarettes	12.42	11.89	12.14
Marijuana	13.57	13.81	13.72
Inhalants	11.41	12.40	12.12
Percent of students who, in past 30 days, used:			
Alcohol	16.8	18.3	20.4
Alcohol (Binge: 5+ drinks on one occassion)		11.7	11.8
Cigarettes	15.5	17.0	17.2
Chewing Tobacco	13.6	8.0	8.3
Marijuana	6.3	9.0	6.8
Inhalants	1.8	2.5	3.3
Prescription medications not prescribed for student	5.7	7.9	9.6
Over-the-counter medications for non-medical use	2.1	3.6	4.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	9.1		
Percent whose friends used in past 12 months:			
Alcohol	50.1	55.9	58.7
Cigarettes	48.1	51.3	54.4
Marijuana	34.8	37.1	36.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	12.6	14.7
Percent who would likely use, if offered by a best friend:			
Alcohol	32.2	33.3	35.2
Cigarettes	17.2	17.2	17.9
Marijuana	13.6	13.5	10.8
Percent who say it would be wrong to use:			
Alcohol	63.0	61.3	60.7
Cigarettes	78.0	76.5	75.2
Marijuana	75.5	81.8	82.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	95.9	94.5
Percent whose parents would disapprove if they use:			
Alcohol	82.2	82.0	81.4
Cigarettes	90.3	89.4	89.4
Marijuana	94.0	94.1	93.8
Percent who say it would be easy to obtain:			
Alcohol	48.7	53.6	57.4
Cigarettes	57.2	57.5	60.1
Marijuana	43.7	39.2	39.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.6	19.4	21.5

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.5		
Alcohol (Binge: 5+ drinks once or twice a week)	62.4		
Alcohol (any use)		74.4	77.1
Cigarettes (1+ packs per day)	78.3		
Cigarettes (any use)		82.2	78.2
Marijuana (once or twice a week)	60.5		
Marijuana (any use)		74.7	74.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	88.6	92.4	90.7
Percent of students who, in past 30 days:			
Were very sad	20.9	19.0	17.5
Were grouchy, irritable, or in a bad mood	30.5	31.1	25.2
Felt hopeless about the future	12.6	10.0	11.1
Felt like not eating or eating more than usual	18.9	17.8	18.3
Slept a lot more or a lot less than usual	18.2	21.0	25.0
Had difficulty concentrating on school work	20.0	22.5	25.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.8	12.4	12.3
Made plan about how they would attempt suicide	8.9	10.7	9.4
Attempted suicide	7.1	6.2	6.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.0	2.4	3.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	8.2	5.7	9.0
Were in a physical fight	28.9	26.2	25.9
Were in a fight and had to be treated by a doctor or nurse	4.2	3.3	4.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	56.6	55.6	60.3
Were made fun of by others	65.0	63.7	69.4
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.4	21.1	20.6
Spread mean rumors or lies about other kids at school	24.4	25.8	31.7
Made fun of other people	57.7	67.5	73.2
Posted something on the internet or sent a text that might embarrass or hurt another student	18.5	14.8	19.3
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.3	71.8	73.7
School provides feedback to parents on positive student performance	45.4	42.4	43.1
Rules are enforced fairly	60.0	60.4	58.8
Students of all races/ethnicities are treated equal	76.2	69.7	69.2
Percent of students who agree that:			
Parents notice and comment on student's good work	85.2	84.7	82.5
Parents involve student in making family decisions	69.7	70.0	70.1
It is important to be honest with parents regardless of consequences	88.0	86.2	83.4
Student could ask parent for help with a personal problem	76.0	78.1	76.5

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 21

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	176,570
2014 Estimate	178,824

BIRTH RISK	2013	2012	2011
Resident Births--Total	2,128	2,107	2,095
Mother Reported Smoking while Pregnant	499	496	515

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	3	3	9
Hepatitis B Chronic, Acute, Prenatal	9	10	10
Hepatitis C Chronic and Acute	128	117	96
Tuberculosis Infection Cases	40	60	58

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,872	1,812	1,832
Suicides	28	29	25
Self-inflicted Injuries	225	243	246
Homicides	9	4	5
Assault Injuries	633	670	590
Alcohol Induced Deaths	11	8	4
Drug Induced Deaths	29	26	30
Smoking Attributable Deaths	383	335	325

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,712	1,635	1,810
Mental Illness Secondary Diagnosis	3,729	3,236	3,709
Alcohol Principal Diagnosis	78	125	113
Alcohol Secondary Diagnosis	290	257	315
Drug Principal Diagnosis	89	98	97
Drug Secondary Diagnosis	198	225	282
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	189	247	151
Mental Illness Secondary Diagnosis	1,962	2,288	1,836
Alcohol Principal Diagnosis	79	68	39
Alcohol Secondary Diagnosis	198	257	209
Drug Principal Diagnosis	40	31	22
Drug Secondary Diagnosis	117	153	113
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,888	1,756	1,859
Mental Illness Secondary Diagnosis	3,883	5,804	2,627
Alcohol Principal Diagnosis	289	287	321
Alcohol Secondary Diagnosis	282	329	369
Drug Principal Diagnosis	260	248	260
Drug Secondary Diagnosis	390	391	356

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	257	258	255
Alcohol Package Carry-out Licenses	177	172	170

EMPLOYMENT	2014	2013	2012
Labor Force	91,046	93,050	90,167
Employed	85,606	87,477	84,599
Unemployed	5,440	5,573	5,568
Unemployment Rate	6.0%	6.0%	6.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	169	166	181
Fatal Crashes	4	10	2
Injury Crashes	68	74	76
Property Damage Crashes	97	82	103
Crash Fatalities	5	10	2
Crash Injuries	101	107	89
Drug Involved Crashes--Total	50	39	60
Fatal Crashes	1	2	1
Injury Crashes	24	14	26
Property Damage Crashes	25	23	33
Crash Fatalities	1	2	1
Crash Injuries	34	24	25

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	986	1,165	1,227
Liquor Law Arrests	198	338	360
Drug Arrests	949	781	898
Violent Offenses	846	856	769
Property Offenses	4,804	5,492	5,123
Domestic Violence Reports	1,532	1,496	1,407
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	19	28	54

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	8,914	7,313	7,444
Drop-outs	131	130	165
Drop-out Rate	1.5%	1.8%	2.2%
School Discipline Involving Alcohol	11	17	14
School Discipline Involving Drugs	60	43	61
School Discipline Involving Tobacco	3	6	4

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	232	268	217
Juvenile Alcohol Offenses	37	41	66
Juvenile Drug Offenses	60	90	80
School Truancy Status Offense	385	322	164
Absent from Home Status Offense	99	110	89
Beyond Parental Control Status Offense	88	81	102
Injurious Behavior Status Offense	243	191	99
Child Abuse	85	61	71
Child Neglect	423	260	163
Child Custody Issues	93	45	94

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	214	168	196
Parental Alcohol Use Related	7	7	6
Parental Drug Use Related	87	64	68
Parental Alcohol and Drug Use	9	4	11

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	165	175	199
Probation/Parole Admissions--Drug	499	500	515
Probation/Parole Admissions--DWI	80	106	95
Prison Admissions--Drug	219	229	240
Prison Admissions--DWI	34	51	52

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 21

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	254	223	190
CSTAR Adolescent	72	96	125
CSTAR Women and Children	122	152	156
CSTAR General Adult	722	645	439
CSTAR Opioid	0	*	*
Primary Recovery Treatment	23	170	542
Clinical SATOP (CIP, YCIP, SROP)	142	140	137
Other Substance Abuse Treatment	*	7	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	724	814	927
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	317	382	464
- Weekend Intervention Program	196	199	236
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	10	13	20
Compulsive Gambling	*	*	*
Recovery Supports	617	468	467
Early Intervention	11	11	18

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	1,339	1,284	1,486
AGE			
Under 18	68	96	134
18 to 24	280	276	287
25 to 29	250	226	270
30 to 34	210	206	229
35 to 39	154	145	138
40 to 44	108	122	142
45 to 54	191	167	223
55 and Over	78	46	63
GENDER			
Male	951	896	1,052
Female	388	388	434
RACE / ETHNICITY			
Caucasian	1,068	1,040	1,190
African American	222	202	233
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	*	0
Hispanic	29	15	36
Other Race / Two or More Races	27	29	33
EDUCATION			
Less than High School Diploma	427	414	534
High School Graduate or G.E.D.	644	623	673
Associate Degree or Some College	261	242	264
Bachelor or Advanced Degree	7	5	15
EMPLOYMENT			
Employed	413	382	421
Unemployed	512	514	558
Not in Labor Force	414	388	507
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,129	1,019	1,148
Dependent Living	133	202	275
Homeless	58	38	32
MARITAL / FAMILY STATUS			
Never Married	725	687	813
Married / Cohabitating	343	321	359
Previously Married	271	276	314

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	479	468	565
Marijuana / Hashish	393	384	453
Cocaine (total)	67	68	93
- Crack	29	36	58
Stimulant (total)	190	172	158
- Methamphetamine	177	163	143
Heroin	59	57	38
Analgesic except Heroin	115	102	124
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	*	*	11
Tranquilizer	23	22	36
Inhalant	*	*	*
Sedative	0	0	*
Other Medication or Illicit Drug	8	5	6
Average Age at First Use of Drug	17.7	17.6	17.1
INJECTION DRUG USE			
Any Injection Use at Admission	163	162	140
- Daily Injection Use	42	26	25
- Weekly Injection Use	37	43	32
- Less than Weekly Injection Use	84	93	83
LIFETIME DUI / DWI ARRESTS			
0	746	678	816
1 or 2	381	389	414
3 or More	212	217	256
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	304	316	322
School	*	*	*
Mental Health Provider	12	7	14
Health Care Provider	59	61	68
Court / Criminal Justice	771	684	937
Other Referral Source	147	171	123
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	19	27	21
Military Veteran	65	57	87
Special Education Services Needed	111	114	133
Co-Occurring Psychological Problem	541	480	462
Co-Occurring Developmental Problem	40	51	51

SUBSTANCE USE SERVICE AREA 21

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	37.4	39.4	46.8
Cigarettes	23.8	26.7	31.1
Chewing Tobacco	15.2	10.5	17.4
Marijuana	10.4	11.2	17.9
Inhalants	4.3	5.3	7.5
Prescription medications not prescribed for student	7.7	7.0	12.7
Over-the-counter medications for non-medical use	3.7	5.4	7.5
Methamphetamine	0.7	1.2	0.6
Cocaine	1.2	1.4	1.0
Heroin	0.1	0.5	0.7
Hallucinogens	0.9	2.5	3.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.6	2.0
Steroids not prescribed for student	0.6	1.4	1.2
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.0	
Average age of students' first use of:			
Alcohol	12.76	12.52	12.63
Cigarettes	12.65	12.32	12.28
Marijuana	13.85	13.58	13.69
Inhalants	12.40	11.83	12.51
Percent of students who, in past 30 days, used:			
Alcohol	13.8	15.5	22.6
Alcohol (Binge: 5+ drinks on one occassion)		8.5	11.8
Cigarettes	10.8	13.4	16.6
Chewing Tobacco	9.3	7.9	9.6
Marijuana	4.1	5.1	8.8
Inhalants	1.9	1.4	3.1
Prescription medications not prescribed for student	4.5	3.4	6.9
Over-the-counter medications for non-medical use	1.8	3.1	5.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.7		
Percent whose friends used in past 12 months:			
Alcohol	48.1	53.0	63.4
Cigarettes	36.1	43.1	52.2
Marijuana	22.7	29.7	39.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8	12.9	18.9
Percent who would likely use, if offered by a best friend:			
Alcohol	26.9	28.3	35.8
Cigarettes	13.4	13.9	17.2
Marijuana	8.6	8.2	13.8
Percent who say it would be wrong to use:			
Alcohol	62.9	61.0	57.3
Cigarettes	82.1	79.9	75.5
Marijuana	86.5	86.4	80.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	95.9	94.4
Percent whose parents would disapprove if they use:			
Alcohol	77.5	77.6	75.7
Cigarettes	92.5	90.3	88.9
Marijuana	93.8	93.6	94.2
Percent who say it would be easy to obtain:			
Alcohol	51.2	56.8	61.0
Cigarettes	46.1	52.7	58.8
Marijuana	25.9	32.8	37.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	17.4	19.6

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	55.2		
Alcohol (Binge: 5+ drinks once or twice a week)	66.9		
Alcohol (any use)		71.2	75.6
Cigarettes (1+ packs per day)	83.5		
Cigarettes (any use)		78.8	77.9
Marijuana (once or twice a week)	72.1		
Marijuana (any use)		77.7	72.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	93.5	92.9
Percent of students who, in past 30 days:			
Were very sad	20.3	19.0	19.6
Were grouchy, irritable, or in a bad mood	25.3	23.6	24.5
Felt hopeless about the future	10.0	10.7	13.5
Felt like not eating or eating more than usual	19.2	18.0	19.1
Slept a lot more or a lot less than usual	19.1	20.1	27.5
Had difficulty concentrating on school work	23.7	22.6	24.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.7	10.8	12.4
Made plan about how they would attempt suicide	7.6	7.6	9.0
Attempted suicide	3.0	4.9	5.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.1	1.1	2.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.4	5.2	9.3
Were in a physical fight	18.2	19.5	20.6
Were in a fight and had to be treated by a doctor or nurse	3.0	2.8	4.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	53.6	50.3	54.7
Were made fun of by others	61.2	61.3	68.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	26.1	19.9	21.0
Spread mean rumors or lies about other kids at school	26.9	30.8	34.5
Made fun of other people	59.3	60.0	72.8
Posted something on the internet or sent a text that might embarrass or hurt another student	19.0	12.6	17.3
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.6	71.3	69.9
School provides feedback to parents on positive student performance	43.6	36.9	37.8
Rules are enforced fairly	66.7	65.6	61.0
Students of all races/ethnicities are treated equal	80.5	75.1	71.6
Percent of students who agree that:			
Parents notice and comment on student's good work	83.0	82.7	83.1
Parents involve student in making family decisions	73.0	69.6	69.2
It is important to be honest with parents regardless of consequences	88.7	85.5	84.6
Student could ask parent for help with a personal problem	79.1	76.2	77.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREA 22

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	22
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	218,733
2014 Estimate	222,716

BIRTH RISK	2013	2012	2011
Resident Births--Total	2,639	2,702	2,662
Mother Reported Smoking while Pregnant	561	603	602

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases		4	4
Hepatitis B Chronic, Acute, Prenatal	11	7	13
Hepatitis C Chronic and Acute	145	113	122
Tuberculosis Infection Cases	45	39	51

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,834	1,839	1,822
Suicides	35	46	41
Self-inflicted Injuries	208	251	279
Homicides	3	7	4
Assault Injuries	453	491	523
Alcohol Induced Deaths	15	9	12
Drug Induced Deaths	63	61	54
Smoking Attributable Deaths	354	376	355

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,594	1,691	1,659
Mental Illness Secondary Diagnosis	2,267	1,896	1,970
Alcohol Principal Diagnosis	44	52	33
Alcohol Secondary Diagnosis	141	103	101
Drug Principal Diagnosis	96	98	132
Drug Secondary Diagnosis	148	108	95
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	984	1,134	960
Mental Illness Secondary Diagnosis	4,716	5,353	5,065
Alcohol Principal Diagnosis	103	109	82
Alcohol Secondary Diagnosis	411	405	387
Drug Principal Diagnosis	107	107	119
Drug Secondary Diagnosis	235	272	280
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,388	1,328	1,299
Mental Illness Secondary Diagnosis	6,371	5,478	4,493
Alcohol Principal Diagnosis	248	237	197
Alcohol Secondary Diagnosis	225	193	208
Drug Principal Diagnosis	356	367	421
Drug Secondary Diagnosis	370	328	273

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	177	181	183
Alcohol Package Carry-out Licenses	147	146	148

EMPLOYMENT	2014	2013	2012
Labor Force	115,975	115,155	115,338
Employed	108,717	107,194	106,839
Unemployed	7,258	7,961	8,499
Unemployment Rate	6.3%	6.9%	7.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	214	236	240
Fatal Crashes	8	6	7
Injury Crashes	94	101	102
Property Damage Crashes	112	129	131
Crash Fatalities	8	7	8
Crash Injuries	147	141	142
Drug Involved Crashes--Total	45	52	33
Fatal Crashes	1	5	1
Injury Crashes	22	22	18
Property Damage Crashes	22	25	14
Crash Fatalities	1	6	1
Crash Injuries	28	31	23

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,474	1,787	1,609
Liquor Law Arrests	663	677	826
Drug Arrests	1,681	1,614	1,563
Violent Offenses	454	448	548
Property Offenses	4,144	4,390	4,462
Domestic Violence Reports	1,233	1,333	1,423
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	205	223	346

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	10,646	10,525	10,668
Drop-outs	154	195	247
Drop-out Rate	1.4%	1.9%	2.3%
School Discipline Involving Alcohol	9	7	26
School Discipline Involving Drugs	94	106	109
School Discipline Involving Tobacco	0	1	4

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	381	376	395
Juvenile Alcohol Offenses	85	84	60
Juvenile Drug Offenses	117	121	131
School Truancy Status Offense	227	143	172
Absent from Home Status Offense	64	64	69
Beyond Parental Control Status Offense	71	32	38
Injurious Behavior Status Offense	71	59	76
Child Abuse	228	242	40
Child Neglect	495	430	56
Child Custody Issues	164	209	377

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	352	368	284
Parental Alcohol Use Related	18	16	8
Parental Drug Use Related	145	215	150
Parental Alcohol and Drug Use	11	6	12

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	115	105	100
Probation/Parole Admissions--Drug	473	401	338
Probation/Parole Admissions--DWI	127	150	120
Prison Admissions--Drug	245	168	141
Prison Admissions--DWI	41	51	63

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 22

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	111	124	113
CSTAR Adolescent	154	164	178
CSTAR Women and Children	79	66	66
CSTAR General Adult	726	734	563
CSTAR Opioid	19	13	18
Primary Recovery Treatment	22	73	123
Clinical SATOP (CIP, YCIP, SROP)	312	345	301
Other Substance Abuse Treatment	12	12	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	985	1,093	1,261
- Adolescent Diversion Education Prograr	12	11	5
- Offender Education Program	330	431	490
- Weekend Intervention Program	213	208	262
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	13	17	18
Compulsive Gambling	*	*	7
Recovery Supports	38	17	5
Early Intervention	38	55	63

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	1,323	1,407	1,220
AGE			
Under 18	157	169	184
18 to 24	208	272	235
25 to 29	246	257	180
30 to 34	219	219	199
35 to 39	156	133	119
40 to 44	114	120	115
45 to 54	175	183	155
55 and Over	48	54	33
GENDER			
Male	883	949	785
Female	440	458	435
RACE / ETHNICITY			
Caucasian	1,275	1,350	1,174
African American	19	24	22
Native American / Alaskan	*	0	*
Asian / Pacific Islander	*	*	*
Hispanic	14	8	9
Other Race / Two or More Races	18	26	16
EDUCATION			
Less than High School Diploma	457	468	438
High School Graduate or G.E.D.	533	603	537
Associate Degree or Some College	324	328	239
Bachelor or Advanced Degree	9	8	6
EMPLOYMENT			
Employed	389	385	337
Unemployed	520	633	499
Not in Labor Force	414	389	384
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,023	1,109	907
Dependent Living	183	191	202
Homeless	37	34	29
MARITAL / FAMILY STATUS			
Never Married	830	905	779
Married / Cohabitating	257	269	232
Previously Married	236	233	209

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	490	528	480
Marijuana / Hashish	274	294	281
Cocaine (total)	16	20	24
- Crack	9	8	14
Stimulant (total)	187	166	132
- Methamphetamine	175	155	126
Heroin	269	289	229
Analgesic except Heroin	55	69	56
- Non-Prescription Methadone	0	0	*
PCP, LSD, other Hallucinogen	5	5	*
Tranquilizer	11	19	6
Inhalant	0	*	0
Sedative	*	*	*
Other Medication or Illicit Drug	16	14	7
Average Age at First Use of Drug	18.8	18.5	18.2
INJECTION DRUG USE			
Any Injection Use at Admission	339	362	266
- Daily Injection Use	104	108	74
- Weekly Injection Use	81	77	73
- Less than Weekly Injection Use	154	177	119
LIFETIME DUI / DWI ARRESTS			
0	687	738	671
1 or 2	413	426	346
3 or More	223	243	203
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	349	386	321
School	13	*	*
Mental Health Provider	*	*	5
Health Care Provider	42	31	22
Court / Criminal Justice	747	812	724
Other Referral Source	137	145	143
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	28	22	31
Military Veteran	56	58	43
Special Education Services Needed	72	87	52
Co-Occurring Psychological Problem	605	569	480
Co-Occurring Developmental Problem	28	46	40

SUBSTANCE USE SERVICE AREA 22

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	40.0	43.9	49.4
Cigarettes	22.0	25.8	27.6
Chewing Tobacco	9.8	7.8	11.2
Marijuana	20.3	20.2	20.1
Inhalants	3.6	6.1	6.4
Prescription medications not prescribed for student	9.4	9.7	13.4
Over-the-counter medications for non-medical use	3.7	7.2	9.5
Methamphetamine	0.6	1.2	0.8
Cocaine	1.5	2.1	1.9
Heroin	0.5	1.1	0.7
Hallucinogens	3.1	3.6	3.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1	2.6	2.6
Steroids not prescribed for student	1.1	1.7	1.2
Synthetic drugs (K2, bath salts, Spice, etc)	5.4	8.3	
Average age of students' first use of:			
Alcohol	12.89	12.75	12.69
Cigarettes	12.83	12.85	12.44
Marijuana	13.79	13.79	13.68
Inhalants	12.53	12.48	12.20
Percent of students who, in past 30 days, used:			
Alcohol	18.1	20.0	25.1
Alcohol (Binge: 5+ drinks on one occassion)		11.8	9.4
Cigarettes	10.3	13.3	14.2
Chewing Tobacco	5.1	6.2	5.8
Marijuana	11.4	11.1	11.3
Inhalants	1.3	2.7	3.1
Prescription medications not prescribed for student	4.6	5.8	7.9
Over-the-counter medications for non-medical use	2.2	4.7	5.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.5		
Percent whose friends used in past 12 months:			
Alcohol	51.8	57.1	64.4
Cigarettes	43.8	47.7	51.6
Marijuana	43.3	43.1	44.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	18.5	21.2
Percent who would likely use, if offered by a best friend:			
Alcohol	30.5	34.0	39.0
Cigarettes	12.2	13.9	15.8
Marijuana	19.2	15.9	15.6
Percent who say it would be wrong to use:			
Alcohol	61.9	59.1	54.6
Cigarettes	84.5	80.6	78.8
Marijuana	72.9	77.7	78.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.2	95.0	94.9
Percent whose parents would disapprove if they use:			
Alcohol	79.4	77.1	75.2
Cigarettes	93.6	91.2	89.9
Marijuana	90.0	92.8	92.0
Percent who say it would be easy to obtain:			
Alcohol	58.0	59.6	63.0
Cigarettes	53.6	57.1	61.6
Marijuana	44.8	44.5	44.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.7	21.6	21.2

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	58.8		
Alcohol (Binge: 5+ drinks once or twice a week)	71.2		
Alcohol (any use)		68.3	72.6
Cigarettes (1+ packs per day)	87.5		
Cigarettes (any use)		81.2	81.1
Marijuana (once or twice a week)	57.6		
Marijuana (any use)		69.3	71.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	93.5	94.4
Percent of students who, in past 30 days:			
Were very sad	23.9	21.0	20.5
Were grouchy, irritable, or in a bad mood	28.0	24.2	28.4
Felt hopeless about the future	13.5	11.3	11.0
Felt like not eating or eating more than usual	20.6	18.5	20.1
Slept a lot more or a lot less than usual	21.9	20.6	25.5
Had difficulty concentrating on school work	29.7	26.1	23.4
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.4	12.2	11.6
Made plan about how they would attempt suicide	10.0	8.6	8.1
Attempted suicide	6.0	5.3	5.3
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.2	1.6	1.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.5	5.9	8.7
Were in a physical fight	18.3	20.8	23.5
Were in a fight and had to be treated by a doctor or nurse	3.3	3.2	4.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.8	48.5	50.7
Were made fun of by others	60.6	59.9	66.9
Were victims of an embarrassing or hurtful text message or something posted on the internet	28.7	21.8	19.1
Spread mean rumors or lies about other kids at school	25.4	27.4	31.5
Made fun of other people	55.6	61.8	72.0
Posted something on the internet or sent a text that might embarrass or hurt another student	20.3	15.4	18.2
Percent of students who agree that:			
Teachers notice and comment on student's good work	67.1	65.6	70.0
School provides feedback to parents on positive student performance	34.6	34.2	38.9
Rules are enforced fairly	63.6	62.9	66.4
Students of all races/ethnicities are treated equal	80.9	78.8	79.9
Percent of students who agree that:			
Parents notice and comment on student's good work	79.4	81.8	83.1
Parents involve student in making family decisions	66.1	67.2	67.6
It is important to be honest with parents regardless of consequences	86.9	85.7	82.6
Student could ask parent for help with a personal problem	74.6	76.3	76.9

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREAS 23-25 (SL)

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	23-25 (SL)
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	1,318,248
2014 Estimate	1,319,295

BIRTH RISK	2013	2012	2011
Resident Births--Total	16,204	16,230	16,891
Mother Reported Smoking while Pregnant	1,635	1,753	1,865

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	221	263	219
Hepatitis B Chronic, Acute, Prenatal	184	177	155
Hepatitis C Chronic and Acute	1,347	1,286	1,407
Tuberculosis Infection Cases	1,191	988	1,110

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	12,412	12,275	12,168
Suicides	171	165	174
Self-inflicted Injuries	1,188	1,387	1,433
Homicides	166	175	165
Assault Injuries	6,147	6,851	6,831
Alcohol Induced Deaths	110	109	82
Drug Induced Deaths	274	217	257
Smoking Attributable Deaths	1,906	1,926	1,870

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	8,886	6,391	7,892
Mental Illness Secondary Diagnosis	17,107	11,620	14,253
Alcohol Principal Diagnosis	714	466	593
Alcohol Secondary Diagnosis	1,873	734	1,412
Drug Principal Diagnosis	1,015	859	1,079
Drug Secondary Diagnosis	2,341	1,172	1,584
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	7,854	10,117	8,631
Mental Illness Secondary Diagnosis	24,572	31,779	28,261
Alcohol Principal Diagnosis	865	1,141	916
Alcohol Secondary Diagnosis	2,888	3,856	3,124
Drug Principal Diagnosis	599	723	627
Drug Secondary Diagnosis	2,116	3,308	2,701
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	11,853	12,272	11,237
Mental Illness Secondary Diagnosis	37,007	34,320	28,444
Alcohol Principal Diagnosis	3,551	3,612	3,247
Alcohol Secondary Diagnosis	3,005	3,131	2,739
Drug Principal Diagnosis	2,303	2,346	2,556
Drug Secondary Diagnosis	3,795	3,885	4,410

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	2,033	2,013	2,027
Alcohol Package Carry-out Licenses	812	812	838

EMPLOYMENT	2014	2013	2012
Labor Force	691,649	653,491	653,895
Employed	648,172	607,354	606,479
Unemployed	43,477	46,137	47,416
Unemployment Rate	6.3%	7.1%	7.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	830	925	896
Fatal Crashes	13	11	17
Injury Crashes	296	325	316
Property Damage Crashes	521	589	563
Crash Fatalities	18	12	18
Crash Injuries	419	454	491
Drug Involved Crashes--Total	167	157	140
Fatal Crashes	3	1	4
Injury Crashes	65	72	68
Property Damage Crashes	99	84	68
Crash Fatalities	5	1	4
Crash Injuries	93	98	64

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	4,922	5,590	5,407
Liquor Law Arrests	1,716	2,208	2,060
Drug Arrests	11,246	12,252	12,430
Violent Offenses	8,055	8,684	9,021
Property Offenses	46,061	49,055	54,470
Domestic Violence Reports	6,372	6,964	7,218
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	125	115	171

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	52,962	54,281	55,550
Drop-outs	2,204	2,110	2,869
Drop-out Rate	4.2%	3.9%	5.2%
School Discipline Involving Alcohol	67	74	81
School Discipline Involving Drugs	445	471	590
School Discipline Involving Tobacco	9	8	7

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	1,703	1,941	1,965
Juvenile Alcohol Offenses	124	179	170
Juvenile Drug Offenses	443	514	533
School Truancy Status Offense	566	531	526
Absent from Home Status Offense	1,007	1,075	981
Beyond Parental Control Status Offense	212	221	245
Injurious Behavior Status Offense	104	117	66
Child Abuse	510	478	586
Child Neglect	1,623	1,305	1,455
Child Custody Issues	208	205	234

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	696	586	628
Parental Alcohol Use Related	15	8	12
Parental Drug Use Related	157	159	151
Parental Alcohol and Drug Use	7	6	7

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	795	852	824
Probation/Parole Admissions--Drug	2,496	2,282	2,004
Probation/Parole Admissions--DWI	363	282	275
Prison Admissions--Drug	901	903	891
Prison Admissions--DWI	75	73	59

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREAS 23-25 (SL)

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	1,088	1,265	1,293
CSTAR Adolescent	271	274	251
CSTAR Women and Children	1,109	979	1,118
CSTAR General Adult	2,253	1,822	1,791
CSTAR Opioid	388	424	456
Primary Recovery Treatment	573	752	894
Clinical SATOP (CIP, YCIP, SROP)	1,184	1,237	1,138
Other Substance Abuse Treatment	692	635	706

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	4,298	4,715	4,682
- Adolescent Diversion Education Prograr	214	189	178
- Offender Education Program	1,613	1,819	1,936
- Weekend Intervention Program	851	954	956
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	385	416	509
Compulsive Gambling	38	53	58
Recovery Supports	38	42	27
Early Intervention	813	765	152

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012
Total Individuals	6,266	6,031	6,203
AGE			
Under 18	279	275	248
18 to 24	767	766	867
25 to 29	998	985	1,047
30 to 34	1,062	1,022	1,021
35 to 39	784	717	685
40 to 44	617	607	624
45 to 54	1,173	1,182	1,284
55 and Over	586	477	427
GENDER			
Male	4,161	4,111	4,135
Female	2,104	1,920	2,066
RACE / ETHNICITY			
Caucasian	2,772	2,669	2,664
African American	3,275	3,153	3,346
Native American / Alaskan	11	5	*
Asian / Pacific Islander	12	15	19
Hispanic	66	70	63
Other Race / Two or More Races	157	148	137
EDUCATION			
Less than High School Diploma	2,168	2,080	2,191
High School Graduate or G.E.D.	2,549	2,402	2,564
Associate Degree or Some College	1,478	1,466	1,357
Bachelor or Advanced Degree	70	83	91
EMPLOYMENT			
Employed	1,519	1,289	1,312
Unemployed	2,094	2,117	2,385
Not in Labor Force	2,653	2,625	2,506
HOUSING / LIVING ARRANGEMENT			
Independent Living	4,897	4,652	4,548
Dependent Living	658	630	642
Homeless	459	461	643
MARITAL / FAMILY STATUS			
Never Married	4,478	4,289	4,382
Married / Cohabitating	958	939	951
Previously Married	830	803	870

PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Alcohol	1,945	1,989	1,969
Marijuana / Hashish	1,203	1,157	1,187
Cocaine (total)	568	527	805
- Crack	468	416	573
Stimulant (total)	132	105	91
- Methamphetamine	110	92	75
Heroin	2,128	1,979	1,908
Analgesic except Heroin	201	193	164
- Non-Prescription Methadone	5	*	8
PCP, LSD, other Hallucinogen	47	32	42
Tranquilizer	22	22	17
Inhalant	*	*	*
Sedative	6	6	*
Other Medication or Illicit Drug	16	19	14
Average Age at First Use of Drug	20.1	19.7	19.9
INJECTION DRUG USE			
Any Injection Use at Admission	1,396	1,226	1,147
- Daily Injection Use	839	709	659
- Weekly Injection Use	262	237	216
- Less than Weekly Injection Use	295	280	272
LIFETIME DUI / DWI ARRESTS			
0	4,296	4,051	4,341
1 or 2	1,317	1,318	1,273
3 or More	653	662	589
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	2,510	2,344	2,373
School	29	22	17
Mental Health Provider	44	38	44
Health Care Provider	271	197	195
Court / Criminal Justice	2,841	2,963	3,079
Other Referral Source	517	416	464
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	206	145	178
Military Veteran	266	266	264
Special Education Services Needed	561	464	456
Co-Occurring Psychological Problem	1,613	1,513	1,593
Co-Occurring Developmental Problem	216	334	290

SUBSTANCE USE SERVICE AREAS 23-25 (SL)

MISSOURI STUDENT SURVEY

	2014	2012	2010
Percent of students who have ever used:			
Alcohol	30.3	37.3	42.7
Cigarettes	13.3	19.9	23.9
Chewing Tobacco	3.0	4.1	4.4
Marijuana	19.3	21.2	23.0
Inhalants	2.2	4.7	5.4
Prescription medications not prescribed for student	6.7	8.6	9.2
Over-the-counter medications for non-medical use	3.0	5.4	6.9
Methamphetamine	0.3	1.1	0.5
Cocaine	0.9	1.5	1.3
Heroin	0.3	1.0	0.6
Hallucinogens	1.6	3.1	2.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	2.2	2.2
Steroids not prescribed for student	1.0	1.2	0.8
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	5.5	
Average age of students' first use of:			
Alcohol	13.45	13.12	12.86
Cigarettes	13.35	12.71	12.63
Marijuana	14.03	13.89	13.70
Inhalants	11.94	11.32	11.53
Percent of students who, in past 30 days, used:			
Alcohol	14.6	18.1	20.8
Alcohol (Binge: 5+ drinks on one occassion)		10.3	10.8
Cigarettes	5.0	9.5	11.8
Chewing Tobacco	1.5	2.0	2.2
Marijuana	8.1	12.5	13.6
Inhalants	1.2	2.5	2.8
Prescription medications not prescribed for student	3.6	5.1	6.1
Over-the-counter medications for non-medical use	1.5	3.0	4.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.8		
Percent whose friends used in past 12 months:			
Alcohol	43.2	49.8	56.5
Cigarettes	28.2	39.2	43.4
Marijuana	37.8	42.3	45.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.6	14.5	16.8
Percent who would likely use, if offered by a best friend:			
Alcohol	22.6	30.2	33.5
Cigarettes	7.2	11.0	11.6
Marijuana	16.4	16.9	19.0
Percent who say it would be wrong to use:			
Alcohol	69.0	62.5	58.1
Cigarettes	89.7	83.3	81.0
Marijuana	75.3	75.8	74.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	94.9	94.4
Percent whose parents would disapprove if they use:			
Alcohol	83.2	80.7	79.2
Cigarettes	94.9	91.9	90.9
Marijuana	91.4	91.7	91.8
Percent who say it would be easy to obtain:			
Alcohol	50.6	57.4	61.0
Cigarettes	43.1	50.8	55.5
Marijuana	39.7	44.2	46.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	18.3	20.4

	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	66.3		
Alcohol (Binge: 5+ drinks once or twice a week)	77.0		
Alcohol (any use)		71.1	70.3
Cigarettes (1+ packs per day)	86.6		
Cigarettes (any use)		82.8	83.1
Marijuana (once or twice a week)	61.5		
Marijuana (any use)		67.4	72.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.0	92.2	92.7
Percent of students who, in past 30 days:			
Were very sad	19.1	17.1	20.7
Were grouchy, irritable, or in a bad mood	24.2	24.4	25.3
Felt hopeless about the future	11.6	10.5	12.6
Felt like not eating or eating more than usual	17.6	16.3	19.0
Slept a lot more or a lot less than usual	19.3	19.6	26.5
Had difficulty concentrating on school work	23.7	23.0	25.1
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.0	12.4	11.7
Made plan about how they would attempt suicide	8.6	8.8	8.5
Attempted suicide	5.3	6.4	5.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.0	2.2	2.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.1	6.4	9.3
Were in a physical fight	23.4	23.1	24.3
Were in a fight and had to be treated by a doctor or nurse	4.9	4.3	4.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	43.5	44.7	48.7
Were made fun of by others	56.3	60.5	66.9
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.7	19.5	18.6
Spread mean rumors or lies about other kids at school	24.2	28.8	32.4
Made fun of other people	55.0	66.1	74.4
Posted something on the internet or sent a text that might embarrass or hurt another student	17.0	16.5	19.7
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.4	73.6	74.5
School provides feedback to parents on positive student performance	47.4	43.6	44.1
Rules are enforced fairly	68.2	63.9	65.1
Students of all races/ethnicities are treated equal	73.8	69.4	74.6
Percent of students who agree that:			
Parents notice and comment on student's good work	83.2	83.5	83.5
Parents involve student in making family decisions	71.7	72.0	71.0
It is important to be honest with parents regardless of consequences	87.1	83.6	81.4
Student could ask parent for help with a personal problem	78.5	76.8	75.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area.
Survey is not conducted in every school district nor reported for every county.
Estimates are not available for counties with small numbers of respondents.
Percentages are estimates based on weighted data.
Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

PSYCHIATRIC SERVICE AREA 1

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	1
POPULATION	
Census 2010	183,003
2014 Estimate	181,734

BIRTH RISK	2013	2012	2011
Resident Births--Total	2,113	2,166	2,163
Mother Reported Smoking while Pregnant	493	568	505

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	7	3	6
Hepatitis B Chronic, Acute, Prenatal	23	21	17
Hepatitis C Chronic and Acute	154	126	207
Tuberculosis Infection Cases	25	61	76

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,975	1,968	1,967
Suicides	30	26	22
Self-inflicted Injuries	267	265	242
Homicides	2	5	7
Assault Injuries	620	627	713
Alcohol Induced Deaths	18	11	15
Drug Induced Deaths	25	18	17
Smoking Attributable Deaths	349	354	349

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,114	1,252	1,523
Mental Illness Secondary Diagnosis	1,552	1,662	1,660
Alcohol Principal Diagnosis	60	97	93
Alcohol Secondary Diagnosis	108	90	96
Drug Principal Diagnosis	60	85	73
Drug Secondary Diagnosis	95	97	79
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,153	1,095	795
Mental Illness Secondary Diagnosis	2,699	2,897	3,214
Alcohol Principal Diagnosis	174	172	211
Alcohol Secondary Diagnosis	325	382	345
Drug Principal Diagnosis	165	137	116
Drug Secondary Diagnosis	226	234	226
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,685	1,861	1,912
Mental Illness Secondary Diagnosis	2,931	2,919	2,876
Alcohol Principal Diagnosis	353	423	362
Alcohol Secondary Diagnosis	395	345	316
Drug Principal Diagnosis	214	198	203
Drug Secondary Diagnosis	307	316	253

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	210	212	207
Alcohol Package Carry-out Licenses	187	188	184

EMPLOYMENT	2014	2013	2012
Labor Force	95,961	100,419	100,132
Employed	90,603	94,806	94,363
Unemployed	5,358	5,613	5,769
Unemployment Rate	5.6%	5.6%	5.8%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	188	186	172
Fatal Crashes	4	8	8
Injury Crashes	85	89	81
Property Damage Crashes	99	89	83
Crash Fatalities	5	10	11
Crash Injuries	108	124	123
Drug Involved Crashes--Total	45	32	34
Fatal Crashes	1	2	2
Injury Crashes	15	14	15
Property Damage Crashes	29	16	17
Crash Fatalities	2	3	2
Crash Injuries	22	23	16

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	911	877	1,111
Liquor Law Arrests	579	636	736
Drug Arrests	1,233	1,074	1,128
Violent Offenses	568	488	503
Property Offenses	5,796	6,389	5,625
Domestic Violence Reports	1,361	1,280	1,363
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	5	5	3

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	7,607	7,623	7,562
Drop-outs	78	117	164
Drop-out Rate	1.0%	1.5%	2.2%
School Discipline Involving Alcohol	12	4	2
School Discipline Involving Drugs	26	35	51
School Discipline Involving Tobacco	1	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	172	210	220
Juvenile Alcohol Offenses	30	43	40
Juvenile Drug Offenses	37	41	54
School Truancy Status Offense	441	351	221
Absent from Home Status Offense	150	142	152
Beyond Parental Control Status Offense	196	251	170
Injurious Behavior Status Offense	157	145	96
Child Abuse	32	27	28
Child Neglect	364	277	230
Child Custody Issues	1	21	0

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	159	144	138
Parental Alcohol Use Related	6	2	6
Parental Drug Use Related	36	35	20
Parental Alcohol and Drug Use	2	7	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	239	290	265
Probation/Parole Admissions--Drug	569	526	560
Probation/Parole Admissions--DWI	98	117	138
Prison Admissions--Drug	323	349	324
Prison Admissions--DWI	58	59	68

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 1

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	1
CENSUS 2010	183,003
2014 POPULATION ESTIMATE	181,734

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	96	85	120
Anxiety Disorder	742	726	692
Dementia	8	*	*
Developmental Disorder	38	25	22
Impulse Control Disorder	443	508	553
Mood Disorder	1,232	1,200	1,203
Personality Disorder	189	186	189
Psychotic Disorder	463	463	461
Sexual Disorder	*	6	*
Other Diagnosis	293	306	331
Diagnosis Unknown	197	255	354

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	2,105	2,309	2,507
AGE			
Under 6	45	69	78
6 to 9	186	240	272
10 to 13	169	236	290
14 to 17	150	187	266
18 to 24	150	174	172
25 to 29	160	151	146
30 to 34	158	150	142
35 to 39	141	158	177
40 to 44	172	184	176
45 to 49	197	192	240
50 to 54	258	249	237
55 to 59	150	151	144
60 and Over	169	168	167
Age Unknown	0	0	0
GENDER			
Male	1,110	1,233	1,327
Female	995	1,076	1,180
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,782	1,942	2,109
African American	170	180	207
Native American / Alaskan	8	16	18
Asian / Pacific Islander	*	*	*
Hispanic	68	73	71
Other Race	76	96	100
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	103	132	137
Past or Current Military Service	76	81	85

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	747	898	439
High School Grad or G.E.D.	*	44	551
Associate Degree or Some College	0	17	203
Bachelor or Advanced Degree	0	*	47
Education Level Unknown	1,354	1,347	1,267
EMPLOYMENT			
Employed	134	116	140
Unemployed	171	262	967
Not in Labor Force	1,291	1,361	163
Employment Status Unknown	509	570	1,237
HOUSING / LIVING ARRANGEMENT			
Independent Living	898	949	943
Dependent Living	678	801	506
Homeless	42	26	26
Other	0	*	15
Housing Unknown	487	532	1,017
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	751	762	815
School	90	132	147
Mental Health Provider	430	486	564
Health Care Provider	343	379	399
Court / Criminal Justice	214	213	197
Other	248	313	358
Referral Source Unknown	29	24	27
TYPE OF COMMITMENT			
Voluntary	1,955	2,158	2,359
Civil	9	24	18
Criminal	111	102	102
Sexual Predatory	*	*	*
Commitment Type Unknown	29	24	27

PSYCHIATRIC SERVICE AREAS 2, 3, 4, 5

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	2, 3, 4, 5
POPULATION	
Census 2010	674,158
2014 Estimate	683,191

BIRTH RISK	2013	2012	2011
Resident Births--Total	9,478	9,630	9,583
Mother Reported Smoking while Pregnant	1,357	1,503	1,485

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases		125	149
Hepatitis B Chronic, Acute, Prenatal	116	83	73
Hepatitis C Chronic and Acute	519	589	644
Tuberculosis Infection Cases	618	462	390

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	6,091	6,022	5,981
Suicides	116	108	127
Self-inflicted Injuries	1,122	1,150	1,120
Homicides	109	112	112
Assault Injuries	4,242	4,567	4,490
Alcohol Induced Deaths	77	82	65
Drug Induced Deaths	118	113	105
Smoking Attributable Deaths	1,005	1,013	974

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	6,521	6,293	7,059
Mental Illness Secondary Diagnosis	6,771	6,511	6,521
Alcohol Principal Diagnosis	815	726	732
Alcohol Secondary Diagnosis	1,622	1,377	1,363
Drug Principal Diagnosis	392	379	385
Drug Secondary Diagnosis	1,301	1,364	1,388
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,615	2,112	1,549
Mental Illness Secondary Diagnosis	12,373	11,745	11,971
Alcohol Principal Diagnosis	544	660	492
Alcohol Secondary Diagnosis	1,923	2,022	1,972
Drug Principal Diagnosis	263	330	265
Drug Secondary Diagnosis	1,557	2,052	1,896
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	5,482	5,886	5,955
Mental Illness Secondary Diagnosis	17,292	13,602	13,369
Alcohol Principal Diagnosis	4,099	4,113	3,963
Alcohol Secondary Diagnosis	3,119	3,617	2,731
Drug Principal Diagnosis	1,854	1,643	1,539
Drug Secondary Diagnosis	2,978	3,491	3,481

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	825	821	804
Alcohol Package Carry-out Licenses	461	463	463

EMPLOYMENT	2014	2013	2012
Labor Force	363,483	330,287	333,027
Employed	338,018	305,538	307,454
Unemployed	25,465	24,749	25,573
Unemployment Rate	7.0%	7.5%	7.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	698	650	648
Fatal Crashes	13	11	13
Injury Crashes	297	251	307
Property Damage Crashes	388	388	328
Crash Fatalities	14	12	14
Crash Injuries	448	362	500
Drug Involved Crashes--Total	166	149	148
Fatal Crashes	5	1	3
Injury Crashes	90	75	77
Property Damage Crashes	71	73	68
Crash Fatalities	5	1	3
Crash Injuries	150	115	85

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	3,014	3,435	3,096
Liquor Law Arrests	673	809	824
Drug Arrests	3,643	3,507	3,446
Violent Offenses	6,780	6,979	6,672
Property Offenses	38,691	40,982	39,947
Domestic Violence Reports	6,699	6,986	6,469
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	11	29	56

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	28,224	28,682	28,672
Drop-outs	1,541	1,113	1,515
Drop-out Rate	5.5%	3.9%	5.3%
School Discipline Involving Alcohol	44	41	38
School Discipline Involving Drugs	288	286	418
School Discipline Involving Tobacco	6	8	10

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	362	408	475
Juvenile Alcohol Offenses	8	0	4
Juvenile Drug Offenses	52	47	70
School Truancy Status Offense	2	7	3
Absent from Home Status Offense	18	6	18
Beyond Parental Control Status Offense	14	32	10
Injurious Behavior Status Offense	18	22	10
Child Abuse	315	323	142
Child Neglect	893	1,035	839
Child Custody Issues	119	239	331

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	1,022	1,176	994
Parental Alcohol Use Related	27	36	51
Parental Drug Use Related	319	413	294
Parental Alcohol and Drug Use	56	48	20

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	857	848	871
Probation/Parole Admissions--Drug	735	822	940
Probation/Parole Admissions--DWI	157	177	187
Prison Admissions--Drug	182	224	249
Prison Admissions--DWI	48	76	95

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREAS 2, 3, 4, 5

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	2, 3, 4, 5
CENSUS 2010	674,158
2014 POPULATION ESTIMATE	683,191

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	640	748	736
Anxiety Disorder	4,150	4,404	4,090
Dementia	24	27	26
Developmental Disorder	135	156	134
Impulse Control Disorder	1,993	2,307	2,136
Mood Disorder	7,051	8,148	7,606
Personality Disorder	550	552	498
Psychotic Disorder	2,810	3,097	3,067
Sexual Disorder	18	25	6
Other Diagnosis	874	1,045	973
Diagnosis Unknown	1,770	2,223	2,706

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	12,448	14,911	14,664
AGE			
Under 6	102	130	169
6 to 9	718	807	867
10 to 13	855	1,030	1,054
14 to 17	870	1,021	1,104
18 to 24	1,055	1,357	1,322
25 to 29	1,002	1,269	1,134
30 to 34	1,157	1,421	1,336
35 to 39	1,065	1,258	1,177
40 to 44	1,090	1,276	1,292
45 to 49	1,189	1,513	1,569
50 to 54	1,411	1,693	1,666
55 to 59	1,059	1,183	1,074
60 and Over	875	953	900
Age Unknown	0	0	0
GENDER			
Male	6,102	7,339	7,232
Female	6,346	7,572	7,432
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	6,316	7,163	6,820
African American	4,966	6,219	6,497
Native American / Alaskan	52	54	58
Asian / Pacific Islander	45	62	56
Hispanic	390	438	437
Other Race	679	975	795
Race/Ethnicity Unknown	0	0	*
TREATMENT ACCOMMODATION			
Hearing Impaired	253	248	225
Past or Current Military Service	274	299	303

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	2,188	2,603	1,401
High School Grad or G.E.D.	0	15	1,304
Associate Degree or Some College	0	*	505
Bachelor or Advanced Degree	0	0	154
Education Level Unknown	10,260	12,289	11,300
EMPLOYMENT			
Employed	413	606	379
Unemployed	690	869	2,610
Not in Labor Force	4,135	4,834	1,082
Employment Status Unknown	7,210	8,602	10,593
HOUSING / LIVING ARRANGEMENT			
Independent Living	2,654	3,060	2,752
Dependent Living	2,114	2,753	1,143
Homeless	338	426	256
Other	0	*	117
Housing Unknown	7,342	8,671	10,396
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	5,822	7,437	7,149
School	165	170	185
Mental Health Provider	1,314	1,282	1,305
Health Care Provider	1,914	2,219	2,080
Court / Criminal Justice	503	688	824
Other	2,651	3,027	3,022
Referral Source Unknown	79	88	99
TYPE OF COMMITMENT			
Voluntary	12,204	14,676	14,380
Civil	49	39	84
Criminal	119	112	113
Sexual Predatory	10	10	6
Commitment Type Unknown	66	74	81

PSYCHIATRIC SERVICE AREA 6

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	6
POPULATION	
Census 2010	334,755
2014 Estimate	351,419

BIRTH RISK	2013	2012	2011
Resident Births--Total	4,433	4,492	4,399
Mother Reported Smoking while Pregnant	605	647	625

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	13	25	25
Hepatitis B Chronic, Acute, Prenatal	13	10	9
Hepatitis C Chronic and Acute	64	61	74
Tuberculosis Infection Cases	35	38	41

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	2,505	2,438	2,331
Suicides	58	50	46
Self-inflicted Injuries	561	511	511
Homicides	10	15	14
Assault Injuries	939	1,050	1,039
Alcohol Induced Deaths	27	30	26
Drug Induced Deaths	44	46	33
Smoking Attributable Deaths	461	414	418

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,173	2,273	2,330
Mental Illness Secondary Diagnosis	3,796	3,702	3,641
Alcohol Principal Diagnosis	183	212	201
Alcohol Secondary Diagnosis	263	264	276
Drug Principal Diagnosis	91	129	131
Drug Secondary Diagnosis	287	271	265
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	465	539	485
Mental Illness Secondary Diagnosis	6,703	6,795	7,094
Alcohol Principal Diagnosis	164	196	207
Alcohol Secondary Diagnosis	699	714	735
Drug Principal Diagnosis	97	108	121
Drug Secondary Diagnosis	459	487	448
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,918	2,906	2,629
Mental Illness Secondary Diagnosis	7,642	5,765	4,554
Alcohol Principal Diagnosis	726	797	829
Alcohol Secondary Diagnosis	696	737	679
Drug Principal Diagnosis	433	473	408
Drug Secondary Diagnosis	1,071	863	669

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	342	330	332
Alcohol Package Carry-out Licenses	226	222	226

EMPLOYMENT	2014	2013	2012
Labor Force	196,227	183,184	182,982
Employed	185,724	171,753	171,342
Unemployed	10,503	11,431	11,640
Unemployment Rate	5.4%	6.2%	6.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	267	298	254
Fatal Crashes	3	5	5
Injury Crashes	109	114	91
Property Damage Crashes	155	179	158
Crash Fatalities	3	5	5
Crash Injuries	157	163	137
Drug Involved Crashes--Total	54	70	55
Fatal Crashes	2	3	2
Injury Crashes	27	36	24
Property Damage Crashes	25	31	29
Crash Fatalities	2	3	2
Crash Injuries	35	56	28

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,568	1,571	1,621
Liquor Law Arrests	371	427	506
Drug Arrests	1,157	1,133	1,128
Violent Offenses	339	395	371
Property Offenses	3,783	4,337	4,065
Domestic Violence Reports	997	1,073	1,014
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	4	13

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	17,564	17,518	17,226
Drop-outs	204	260	358
Drop-out Rate	1.2%	1.5%	2.1%
School Discipline Involving Alcohol	18	8	25
School Discipline Involving Drugs	109	178	146
School Discipline Involving Tobacco	3	0	8

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	267	242	256
Juvenile Alcohol Offenses	35	47	65
Juvenile Drug Offenses	136	133	125
School Truancy Status Offense	48	60	44
Absent from Home Status Offense	52	39	46
Beyond Parental Control Status Offense	39	61	51
Injurious Behavior Status Offense	38	46	26
Child Abuse	67	33	46
Child Neglect	282	246	206
Child Custody Issues	9	20	14

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	108	74	58
Parental Alcohol Use Related	1	4	4
Parental Drug Use Related	42	18	10
Parental Alcohol and Drug Use	0	1	2

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	115	135	134
Probation/Parole Admissions--Drug	475	375	383
Probation/Parole Admissions--DWI	139	117	124
Prison Admissions--Drug	234	189	182
Prison Admissions--DWI	69	66	69

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 6

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	6
CENSUS 2010	334,755
2014 POPULATION ESTIMATE	351,419

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	51	50	45
Anxiety Disorder	736	720	734
Dementia	*	*	*
Developmental Disorder	11	9	10
Impulse Control Disorder	462	404	361
Mood Disorder	2,432	2,433	2,401
Personality Disorder	44	43	39
Psychotic Disorder	482	460	458
Sexual Disorder	*	5	*
Other Diagnosis	56	61	53
Diagnosis Unknown	270	393	431

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	3,698	3,774	3,705
AGE			
Under 6	22	36	28
6 to 9	181	181	126
10 to 13	237	199	175
14 to 17	293	276	254
18 to 24	280	292	354
25 to 29	304	325	349
30 to 34	367	405	401
35 to 39	363	343	359
40 to 44	329	368	362
45 to 49	343	407	402
50 to 54	380	388	373
55 to 59	317	300	280
60 and Over	282	254	242
Age Unknown	0	0	0
GENDER			
Male	1,611	1,600	1,552
Female	2,087	2,174	2,153
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	3,208	3,244	3,227
African American	188	225	217
Native American / Alaskan	17	18	15
Asian / Pacific Islander	25	20	17
Hispanic	120	116	100
Other Race	140	151	129
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	81	74	77
Past or Current Military Service	43	40	47

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	571	534	205
High School Grad or G.E.D.	0	0	178
Associate Degree or Some College	0	0	72
Bachelor or Advanced Degree	0	0	26
Education Level Unknown	3,127	3,240	3,224
EMPLOYMENT			
Employed	216	259	115
Unemployed	248	261	361
Not in Labor Force	1,164	1,173	237
Employment Status Unknown	2,070	2,081	2,992
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,041	1,164	517
Dependent Living	556	498	231
Homeless	49	47	16
Other	0	0	10
Housing Unknown	2,052	2,065	2,931
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	3,463	3,506	3,424
School	*	*	*
Mental Health Provider	50	57	65
Health Care Provider	81	77	76
Court / Criminal Justice	15	23	27
Other	58	76	80
Referral Source Unknown	29	32	30
TYPE OF COMMITMENT			
Voluntary	3,657	3,729	3,665
Civil	*	*	*
Criminal	7	7	7
Sexual Predatory	*	*	*
Commitment Type Unknown	29	32	30

PSYCHIATRIC SERVICE AREA 7

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	7
POPULATION	
Census 2010	185,454
2014 Estimate	187,939

BIRTH RISK	2013	2012	2011
Resident Births--Total	2,306	2,262	2,287
Mother Reported Smoking while Pregnant	421	386	481

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	7	4	4
Hepatitis B Chronic, Acute, Prenatal	9	6	10
Hepatitis C Chronic and Acute	57	66	65
Tuberculosis Infection Cases	57	31	23

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,693	1,616	1,546
Suicides	34	21	23
Self-inflicted Injuries	242	269	278
Homicides	3	7	7
Assault Injuries	427	460	552
Alcohol Induced Deaths	13	7	12
Drug Induced Deaths	16	11	29
Smoking Attributable Deaths	299	289	268

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,442	1,500	1,618
Mental Illness Secondary Diagnosis	2,255	2,160	2,303
Alcohol Principal Diagnosis	87	98	105
Alcohol Secondary Diagnosis	155	139	196
Drug Principal Diagnosis	62	69	57
Drug Secondary Diagnosis	149	143	160
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	309	287	191
Mental Illness Secondary Diagnosis	2,556	2,428	2,116
Alcohol Principal Diagnosis	94	93	63
Alcohol Secondary Diagnosis	270	249	239
Drug Principal Diagnosis	36	52	39
Drug Secondary Diagnosis	174	210	177
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,354	1,426	1,243
Mental Illness Secondary Diagnosis	1,527	1,570	2,505
Alcohol Principal Diagnosis	308	289	296
Alcohol Secondary Diagnosis	267	251	262
Drug Principal Diagnosis	213	219	187
Drug Secondary Diagnosis	324	380	314

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	158	167	167
Alcohol Package Carry-out Licenses	163	166	162

EMPLOYMENT	2014	2013	2012
Labor Force	94,355	91,834	91,833
Employed	88,855	86,072	85,462
Unemployed	5,500	5,762	6,371
Unemployment Rate	5.8%	6.3%	6.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	149	161	164
Fatal Crashes	11	10	2
Injury Crashes	49	54	58
Property Damage Crashes	89	97	104
Crash Fatalities	17	10	2
Crash Injuries	79	75	83
Drug Involved Crashes--Total	26	34	29
Fatal Crashes	0	1	0
Injury Crashes	8	19	7
Property Damage Crashes	18	14	22
Crash Fatalities	0	2	0
Crash Injuries	9	28	7

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	896	1,080	1,055
Liquor Law Arrests	565	531	536
Drug Arrests	1,093	1,044	822
Violent Offenses	255	296	264
Property Offenses	3,714	4,215	4,142
Domestic Violence Reports	1,201	1,364	1,363
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	2	3	2

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	9,200	9,218	9,284
Drop-outs	148	146	179
Drop-out Rate	1.6%	1.6%	1.9%
School Discipline Involving Alcohol	17	11	13
School Discipline Involving Drugs	91	47	106
School Discipline Involving Tobacco	1	1	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	169	239	165
Juvenile Alcohol Offenses	27	32	38
Juvenile Drug Offenses	65	94	55
School Truancy Status Offense	94	67	49
Absent from Home Status Offense	85	144	114
Beyond Parental Control Status Offense	101	148	122
Injurious Behavior Status Offense	247	349	191
Child Abuse	16	47	10
Child Neglect	347	404	163
Child Custody Issues	73	74	157

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	175	154	173
Parental Alcohol Use Related	3	0	7
Parental Drug Use Related	63	27	37
Parental Alcohol and Drug Use	6	11	8

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	127	163	105
Probation/Parole Admissions--Drug	350	318	378
Probation/Parole Admissions--DWI	77	98	97
Prison Admissions--Drug	201	182	186
Prison Admissions--DWI	52	58	53

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 7

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	7
CENSUS 2010	185,454
2014 POPULATION ESTIMATE	187,939

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	124	125	135
Anxiety Disorder	698	684	668
Dementia	*	0	*
Developmental Disorder	28	24	23
Impulse Control Disorder	273	294	349
Mood Disorder	936	976	1,006
Personality Disorder	64	61	49
Psychotic Disorder	199	212	223
Sexual Disorder	*	*	*
Other Diagnosis	99	103	117
Diagnosis Unknown	121	172	122

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	1,428	1,554	1,581
AGE			
Under 6	20	27	32
6 to 9	88	107	122
10 to 13	158	145	192
14 to 17	158	177	180
18 to 24	116	155	157
25 to 29	115	124	126
30 to 34	116	135	115
35 to 39	125	139	121
40 to 44	133	143	130
45 to 49	127	126	149
50 to 54	133	136	122
55 to 59	82	81	78
60 and Over	57	59	57
Age Unknown	0	0	0
GENDER			
Male	635	677	716
Female	793	877	865
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,309	1,404	1,442
African American	48	55	57
Native American / Alaskan	0	*	5
Asian / Pacific Islander	*	5	8
Hispanic	29	32	21
Other Race	38	55	48
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	39	41	42
Past or Current Military Service	47	52	47

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	423	470	197
High School Grad or G.E.D.	0	6	188
Associate Degree or Some College	0	0	57
Bachelor or Advanced Degree	0	0	19
Education Level Unknown	1,005	1,078	1,120
EMPLOYMENT			
Employed	45	72	70
Unemployed	55	85	317
Not in Labor Force	633	722	136
Employment Status Unknown	695	675	1,058
HOUSING / LIVING ARRANGEMENT			
Independent Living	355	411	382
Dependent Living	376	444	225
Homeless	14	12	7
Other	0	0	16
Housing Unknown	683	687	951
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,093	1,149	1,175
School	*	5	7
Mental Health Provider	25	30	31
Health Care Provider	113	121	120
Court / Criminal Justice	47	49	41
Other	142	195	200
Referral Source Unknown	5	5	7
TYPE OF COMMITMENT			
Voluntary	1,415	1,535	1,558
Civil	*	*	*
Criminal	5	10	11
Sexual Predatory	*	*	*
Commitment Type Unknown	5	6	8

PSYCHIATRIC SERVICE AREA 8A

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	8A
POPULATION	
Census 2010	82,114
2014 Estimate	81,313

BIRTH RISK	2013	2012	2011
Resident Births--Total	962	981	989
Mother Reported Smoking while Pregnant	215	233	247

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	2
Hepatitis B Chronic, Acute, Prenatal	5	9	5
Hepatitis C Chronic and Acute	55	63	60
Tuberculosis Infection Cases	14	14	12

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	958	903	919
Suicides	9	10	11
Self-inflicted Injuries	115	133	107
Homicides	1	3	1
Assault Injuries	201	258	183
Alcohol Induced Deaths	7	1	8
Drug Induced Deaths	11	11	16
Smoking Attributable Deaths	184	167	160

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	450	436	452
Mental Illness Secondary Diagnosis	883	917	1,052
Alcohol Principal Diagnosis	30	30	24
Alcohol Secondary Diagnosis	63	74	84
Drug Principal Diagnosis	50	50	30
Drug Secondary Diagnosis	53	67	71
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	270	263	224
Mental Illness Secondary Diagnosis	1,204	1,110	870
Alcohol Principal Diagnosis	72	80	61
Alcohol Secondary Diagnosis	144	133	114
Drug Principal Diagnosis	59	73	47
Drug Secondary Diagnosis	68	76	62
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	577	703	651
Mental Illness Secondary Diagnosis	1,756	2,167	1,662
Alcohol Principal Diagnosis	129	129	119
Alcohol Secondary Diagnosis	202	219	220
Drug Principal Diagnosis	153	171	132
Drug Secondary Diagnosis	261	304	277

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	51	53	47
Alcohol Package Carry-out Licenses	107	98	106

EMPLOYMENT	2014	2013	2012
Labor Force	35,634	39,523	38,200
Employed	33,492	37,232	35,805
Unemployed	2,142	2,291	2,395
Unemployment Rate	6.0%	5.8%	6.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	91	102	122
Fatal Crashes	6	6	5
Injury Crashes	41	44	63
Property Damage Crashes	44	52	54
Crash Fatalities	6	6	5
Crash Injuries	57	65	85
Drug Involved Crashes--Total	28	15	21
Fatal Crashes	5	0	0
Injury Crashes	13	5	7
Property Damage Crashes	10	10	14
Crash Fatalities	5	0	0
Crash Injuries	18	6	12

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	559	497	545
Liquor Law Arrests	74	82	91
Drug Arrests	397	362	348
Violent Offenses	262	282	269
Property Offenses	2,513	2,705	2,383
Domestic Violence Reports	434	539	607
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	45	44	65

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	3,934	4,057	4,046
Drop-outs	46	66	90
Drop-out Rate	1.2%	1.6%	2.2%
School Discipline Involving Alcohol	28	52	1
School Discipline Involving Drugs	24	14	67
School Discipline Involving Tobacco	2	3	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	30	50	68
Juvenile Alcohol Offenses	2	4	11
Juvenile Drug Offenses	13	15	23
School Truancy Status Offense	19	18	28
Absent from Home Status Offense	22	17	24
Beyond Parental Control Status Offense	15	23	25
Injurious Behavior Status Offense	28	32	37
Child Abuse	49	33	36
Child Neglect	96	131	102
Child Custody Issues	168	190	90

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	187	169	97
Parental Alcohol Use Related	5	6	3
Parental Drug Use Related	46	66	31
Parental Alcohol and Drug Use	4	4	7

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	109	91	72
Probation/Parole Admissions--Drug	169	166	165
Probation/Parole Admissions--DWI	38	45	44
Prison Admissions--Drug	87	75	72
Prison Admissions--DWI	16	13	13

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 8A

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	8A
CENSUS 2010	82,114
2014 POPULATION ESTIMATE	81,313

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	59	56	87
Anxiety Disorder	374	359	357
Dementia	*	*	*
Developmental Disorder	22	16	19
Impulse Control Disorder	196	179	197
Mood Disorder	503	509	530
Personality Disorder	116	125	129
Psychotic Disorder	135	113	108
Sexual Disorder	*	*	*
Other Diagnosis	106	84	78
Diagnosis Unknown	443	410	194

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	1,260	1,219	1,046
AGE			
Under 6	15	22	23
6 to 9	80	69	79
10 to 13	109	104	91
14 to 17	97	100	104
18 to 24	110	114	88
25 to 29	95	106	91
30 to 34	118	90	99
35 to 39	99	90	81
40 to 44	124	136	100
45 to 49	112	113	85
50 to 54	124	125	89
55 to 59	97	83	61
60 and Over	80	67	55
Age Unknown	0	0	0
GENDER			
Male	600	547	511
Female	660	672	535
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,208	1,164	993
African American	11	12	8
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	*	*
Hispanic	26	26	29
Other Race	12	14	13
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	65	59	53
Past or Current Military Service	19	12	10

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	355	230	108
High School Grad or G.E.D.	0	0	67
Associate Degree or Some College	0	0	26
Bachelor or Advanced Degree	0	0	*
Education Level Unknown	905	989	841
EMPLOYMENT			
Employed	39	13	11
Unemployed	39	12	143
Not in Labor Force	604	362	94
Employment Status Unknown	578	832	798
HOUSING / LIVING ARRANGEMENT			
Independent Living	348	167	191
Dependent Living	273	205	96
Homeless	*	6	*
Other	0	0	*
Housing Unknown	635	841	755
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	754	725	478
School	39	32	19
Mental Health Provider	60	62	74
Health Care Provider	147	146	131
Court / Criminal Justice	40	28	38
Other	214	222	302
Referral Source Unknown	6	*	*
TYPE OF COMMITMENT			
Voluntary	1,240	1,203	1,030
Civil	7	10	9
Criminal	6	*	*
Sexual Predatory	*	*	*
Commitment Type Unknown	5	*	*

PSYCHIATRIC SERVICE AREA 8B

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	8B
POPULATION	
Census 2010	112,950
2014 Estimate	111,047

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,177	1,188	1,206
Mother Reported Smoking while Pregnant	291	319	325

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	2	2	1
Hepatitis B Chronic, Acute, Prenatal	1	2	2
Hepatitis C Chronic and Acute	96	89	83
Tuberculosis Infection Cases	16	14	11

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,487	1,539	1,512
Suicides	18	22	24
Self-inflicted Injuries	157	144	213
Homicides	2	5	5
Assault Injuries	321	361	342
Alcohol Induced Deaths	11	11	9
Drug Induced Deaths	18	30	20
Smoking Attributable Deaths	305	305	297

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,068	984	1,002
Mental Illness Secondary Diagnosis	2,593	2,453	2,611
Alcohol Principal Diagnosis	41	58	56
Alcohol Secondary Diagnosis	171	179	216
Drug Principal Diagnosis	47	64	49
Drug Secondary Diagnosis	159	144	142
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	362	458	289
Mental Illness Secondary Diagnosis	1,591	1,635	1,402
Alcohol Principal Diagnosis	62	54	72
Alcohol Secondary Diagnosis	156	156	175
Drug Principal Diagnosis	41	59	43
Drug Secondary Diagnosis	114	104	114
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,017	1,102	1,018
Mental Illness Secondary Diagnosis	5,044	4,307	3,846
Alcohol Principal Diagnosis	173	174	173
Alcohol Secondary Diagnosis	284	284	237
Drug Principal Diagnosis	176	179	166
Drug Secondary Diagnosis	335	318	257

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	126	128	136
Alcohol Package Carry-out Licenses	147	148	156

EMPLOYMENT	2014	2013	2012
Labor Force	48,746	50,585	48,862
Employed	45,435	47,189	45,108
Unemployed	3,311	3,396	3,754
Unemployment Rate	6.8%	6.7%	7.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	88	136	119
Fatal Crashes	3	4	8
Injury Crashes	43	51	55
Property Damage Crashes	42	81	56
Crash Fatalities	5	4	10
Crash Injuries	58	73	75
Drug Involved Crashes--Total	28	25	23
Fatal Crashes	0	1	1
Injury Crashes	13	9	10
Property Damage Crashes	15	15	12
Crash Fatalities	0	1	1
Crash Injuries	15	10	11

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	509	590	721
Liquor Law Arrests	96	137	153
Drug Arrests	668	651	552
Violent Offenses	396	393	338
Property Offenses	3,322	3,739	3,173
Domestic Violence Reports	535	650	722
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	16	15

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,998	5,062	4,943
Drop-outs	95	85	155
Drop-out Rate	1.9%	1.7%	3.1%
School Discipline Involving Alcohol	4	15	9
School Discipline Involving Drugs	41	45	60
School Discipline Involving Tobacco	5	2	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	142	197	164
Juvenile Alcohol Offenses	21	44	51
Juvenile Drug Offenses	21	50	33
School Truancy Status Offense	136	136	196
Absent from Home Status Offense	22	52	57
Beyond Parental Control Status Offense	67	102	134
Injurious Behavior Status Offense	168	139	188
Child Abuse	136	164	189
Child Neglect	467	445	436
Child Custody Issues	33	18	19

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	109	88	125
Parental Alcohol Use Related	3	7	3
Parental Drug Use Related	42	35	41
Parental Alcohol and Drug Use	2	1	4

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	61	87	80
Probation/Parole Admissions--Drug	294	258	199
Probation/Parole Admissions--DWI	66	61	72
Prison Admissions--Drug	135	115	107
Prison Admissions--DWI	26	23	27

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 8B

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	8B
CENSUS 2010	112,950
2014 POPULATION ESTIMATE	111,047

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	61	70	79
Anxiety Disorder	788	826	783
Dementia	*	*	*
Developmental Disorder	11	17	25
Impulse Control Disorder	162	166	223
Mood Disorder	1,100	1,174	1,153
Personality Disorder	105	124	121
Psychotic Disorder	244	252	269
Sexual Disorder	*	*	*
Other Diagnosis	143	125	135
Diagnosis Unknown	149	152	133

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	1,661	1,739	1,735
AGE			
Under 6	12	11	17
6 to 9	84	81	90
10 to 13	126	123	148
14 to 17	115	103	129
18 to 24	135	161	142
25 to 29	139	149	141
30 to 34	165	174	143
35 to 39	156	152	137
40 to 44	144	163	178
45 to 49	165	198	200
50 to 54	201	209	184
55 to 59	133	132	132
60 and Over	86	83	94
Age Unknown	0	0	0
GENDER			
Male	736	759	755
Female	925	980	980
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,603	1,682	1,678
African American	16	19	16
Native American / Alaskan	7	5	6
Asian / Pacific Islander	0	0	0
Hispanic	9	12	18
Other Race	26	21	17
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	35	40	31
Past or Current Military Service	30	36	43

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	644	656	356
High School Grad or G.E.D.	0	0	347
Associate Degree or Some College	0	0	87
Bachelor or Advanced Degree	0	0	17
Education Level Unknown	1,017	1,083	928
EMPLOYMENT			
Employed	97	68	90
Unemployed	60	105	614
Not in Labor Force	1,136	1,140	217
Employment Status Unknown	368	426	814
HOUSING / LIVING ARRANGEMENT			
Independent Living	751	759	715
Dependent Living	515	517	241
Homeless	35	26	16
Other	0	0	13
Housing Unknown	360	437	750
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,099	1,138	1,189
School	*	*	*
Mental Health Provider	63	84	109
Health Care Provider	174	186	170
Court / Criminal Justice	39	41	35
Other	268	270	211
Referral Source Unknown	15	17	18
TYPE OF COMMITMENT			
Voluntary	1,629	1,695	1,688
Civil	9	18	21
Criminal	5	5	5
Sexual Predatory	*	*	*
Commitment Type Unknown	15	17	18

PSYCHIATRIC SERVICE AREA 9

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	9
POPULATION	
Census 2010	211,003
2014 Estimate	210,998

BIRTH RISK	2013	2012	2011
Resident Births--Total	2,850	2,963	2,881
Mother Reported Smoking while Pregnant	572	552	604

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	7	7	6
Hepatitis B Chronic, Acute, Prenatal	23	15	19
Hepatitis C Chronic and Acute	186	150	222
Tuberculosis Infection Cases	92	111	122

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	2,218	2,067	2,117
Suicides	41	32	33
Self-inflicted Injuries	223	220	283
Homicides	7	11	6
Assault Injuries	521	596	637
Alcohol Induced Deaths	10	14	5
Drug Induced Deaths	25	15	32
Smoking Attributable Deaths	438	387	371

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,405	1,410	1,869
Mental Illness Secondary Diagnosis	3,547	4,344	5,489
Alcohol Principal Diagnosis	130	205	247
Alcohol Secondary Diagnosis	246	329	519
Drug Principal Diagnosis	100	125	152
Drug Secondary Diagnosis	186	232	313
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,125	954	360
Mental Illness Secondary Diagnosis	3,201	2,213	1,080
Alcohol Principal Diagnosis	263	274	173
Alcohol Secondary Diagnosis	333	290	157
Drug Principal Diagnosis	228	161	85
Drug Secondary Diagnosis	170	151	84
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,728	2,060	2,133
Mental Illness Secondary Diagnosis	15,643	14,921	11,860
Alcohol Principal Diagnosis	503	514	413
Alcohol Secondary Diagnosis	662	524	461
Drug Principal Diagnosis	363	339	292
Drug Secondary Diagnosis	660	491	490

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	184	185	179
Alcohol Package Carry-out Licenses	254	204	228

EMPLOYMENT	2014	2013	2012
Labor Force	102,572	102,357	102,047
Employed	97,035	96,371	95,753
Unemployed	5,537	5,986	6,294
Unemployment Rate	5.4%	5.8%	6.2%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	248	242	235
Fatal Crashes	10	4	8
Injury Crashes	106	107	96
Property Damage Crashes	132	131	131
Crash Fatalities	11	5	8
Crash Injuries	147	144	135
Drug Involved Crashes--Total	54	72	72
Fatal Crashes	2	0	3
Injury Crashes	19	26	32
Property Damage Crashes	33	46	37
Crash Fatalities	2	0	3
Crash Injuries	24	36	36

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,637	1,699	1,943
Liquor Law Arrests	279	345	326
Drug Arrests	757	713	705
Violent Offenses	711	820	681
Property Offenses	8,399	8,344	7,221
Domestic Violence Reports	2,229	2,284	2,013
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	82	122	145

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	10,006	10,008	9,730
Drop-outs	225	245	280
Drop-out Rate	2.2%	2.4%	2.9%
School Discipline Involving Alcohol	15	22	19
School Discipline Involving Drugs	88	70	80
School Discipline Involving Tobacco	1	0	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	149	315	282
Juvenile Alcohol Offenses	32	53	63
Juvenile Drug Offenses	55	101	89
School Truancy Status Offense	79	72	118
Absent from Home Status Offense	50	84	76
Beyond Parental Control Status Offense	68	108	103
Injurious Behavior Status Offense	114	122	124
Child Abuse	128	81	107
Child Neglect	830	1,031	984
Child Custody Issues	253	207	39

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	487	523	550
Parental Alcohol Use Related	5	30	22
Parental Drug Use Related	182	183	212
Parental Alcohol and Drug Use	5	10	17

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	203	211	164
Probation/Parole Admissions--Drug	358	322	376
Probation/Parole Admissions--DWI	167	186	172
Prison Admissions--Drug	149	186	146
Prison Admissions--DWI	57	77	64

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 9

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	9
CENSUS 2010	211,003
2014 POPULATION ESTIMATE	210,998

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	218	199	254
Anxiety Disorder	1,244	1,324	1,122
Dementia	*	*	5
Developmental Disorder	41	50	36
Impulse Control Disorder	645	709	736
Mood Disorder	1,754	2,086	2,017
Personality Disorder	474	393	232
Psychotic Disorder	314	341	375
Sexual Disorder	16	18	0
Other Diagnosis	296	263	198
Diagnosis Unknown	593	668	572

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	3,458	4,228	4,381
AGE			
Under 6	88	88	74
6 to 9	251	315	303
10 to 13	312	347	368
14 to 17	304	365	374
18 to 24	299	380	456
25 to 29	307	409	387
30 to 34	277	383	431
35 to 39	282	340	379
40 to 44	312	392	386
45 to 49	318	384	414
50 to 54	337	416	416
55 to 59	217	242	227
60 and Over	154	167	166
Age Unknown	0	0	0
GENDER			
Male	1,623	1,936	2,037
Female	1,835	2,292	2,344
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	3,133	3,888	4,037
African American	89	102	86
Native American / Alaskan	15	14	22
Asian / Pacific Islander	7	7	7
Hispanic	134	114	120
Other Race	80	103	109
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	39	46	60
Past or Current Military Service	53	64	91

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	885	887	403
High School Grad or G.E.D.	0	13	356
Associate Degree or Some College	0	5	173
Bachelor or Advanced Degree	0	0	40
Education Level Unknown	2,573	3,323	3,409
EMPLOYMENT			
Employed	228	223	160
Unemployed	229	224	731
Not in Labor Force	1,487	1,487	267
Employment Status Unknown	1,514	2,294	3,223
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,028	952	836
Dependent Living	838	774	286
Homeless	59	69	41
Other	0	*	25
Housing Unknown	1,533	2,432	3,193
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	2,838	3,421	3,352
School	0	6	7
Mental Health Provider	47	88	140
Health Care Provider	190	168	185
Court / Criminal Justice	206	240	335
Other	161	286	338
Referral Source Unknown	16	19	24
TYPE OF COMMITMENT			
Voluntary	3,257	4,002	4,039
Civil	170	191	307
Criminal	10	10	10
Sexual Predatory	*	*	0
Commitment Type Unknown	17	21	25

PSYCHIATRIC SERVICE AREA 10

DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	10
POPULATION	
Census 2010	520,589
2014 Estimate	537,631

BIRTH RISK	2013	2012	2011
Resident Births--Total	6,504	6,465	6,527
Mother Reported Smoking while Pregnant	1,218	1,160	1,221

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	18	31	29
Hepatitis B Chronic, Acute, Prenatal	63	47	46
Hepatitis C Chronic and Acute	588	567	587
Tuberculosis Infection Cases	174	140	204

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	5,012	4,760	4,637
Suicides	80	75	89
Self-inflicted Injuries	803	796	796
Homicides	17	23	16
Assault Injuries	1,587	1,738	1,747
Alcohol Induced Deaths	47	41	42
Drug Induced Deaths	92	86	99
Smoking Attributable Deaths	869	837	767

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,774	2,539	2,518
Mental Illness Secondary Diagnosis	4,472	4,446	4,255
Alcohol Principal Diagnosis	221	180	118
Alcohol Secondary Diagnosis	216	223	201
Drug Principal Diagnosis	233	246	137
Drug Secondary Diagnosis	337	295	320
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3,108	2,963	2,706
Mental Illness Secondary Diagnosis	10,582	9,746	8,757
Alcohol Principal Diagnosis	1,097	1,069	945
Alcohol Secondary Diagnosis	1,172	1,125	1,036
Drug Principal Diagnosis	714	778	620
Drug Secondary Diagnosis	969	800	749
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,633	4,832	4,897
Mental Illness Secondary Diagnosis	23,702	23,041	9,506
Alcohol Principal Diagnosis	2,034	2,022	1,928
Alcohol Secondary Diagnosis	1,334	1,610	1,499
Drug Principal Diagnosis	1,357	1,443	1,376
Drug Secondary Diagnosis	1,889	1,908	1,579

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	577	567	588
Alcohol Package Carry-out Licenses	452	399	465

EMPLOYMENT	2014	2013	2012
Labor Force	266,370	264,447	264,229
Employed	251,028	248,209	246,428
Unemployed	15,342	16,238	17,801
Unemployment Rate	5.8%	6.1%	6.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	566	547	580
Fatal Crashes	10	20	17
Injury Crashes	224	241	245
Property Damage Crashes	332	286	318
Crash Fatalities	10	21	18
Crash Injuries	300	330	366
Drug Involved Crashes--Total	130	137	140
Fatal Crashes	2	3	3
Injury Crashes	65	64	65
Property Damage Crashes	63	70	72
Crash Fatalities	3	4	3
Crash Injuries	107	96	70

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	2,727	3,209	2,964
Liquor Law Arrests	428	551	600
Drug Arrests	2,876	2,766	2,415
Violent Offenses	2,803	2,539	2,240
Property Offenses	22,942	23,175	22,992
Domestic Violence Reports	5,332	5,307	5,067
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	75	131	173

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	22,584	22,512	22,461
Drop-outs	311	401	447
Drop-out Rate	1.4%	1.8%	2.0%
School Discipline Involving Alcohol	43	40	56
School Discipline Involving Drugs	268	292	238
School Discipline Involving Tobacco	12	7	51

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	714	709	805
Juvenile Alcohol Offenses	94	106	90
Juvenile Drug Offenses	229	232	268
School Truancy Status Offense	63	69	64
Absent from Home Status Offense	135	147	204
Beyond Parental Control Status Offense	118	184	224
Injurious Behavior Status Offense	443	535	605
Child Abuse	201	205	271
Child Neglect	891	794	792
Child Custody Issues	129	129	160

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	698	589	708
Parental Alcohol Use Related	20	19	36
Parental Drug Use Related	314	252	217
Parental Alcohol and Drug Use	17	21	23

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	1,434	1,168	1,028
Probation/Parole Admissions--Drug	1,253	1,085	1,111
Probation/Parole Admissions--DWI	217	235	236
Prison Admissions--Drug	607	617	588
Prison Admissions--DWI	86	91	87

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 10

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southwest
PSYCHIATRIC SERVICE AREA	10
CENSUS 2010	520,589
2014 POPULATION ESTIMATE	537,631

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	135	139	185
Anxiety Disorder	1,526	1,404	1,392
Dementia	20	14	17
Developmental Disorder	97	108	118
Impulse Control Disorder	405	398	470
Mood Disorder	2,352	2,217	2,243
Personality Disorder	543	467	508
Psychotic Disorder	921	893	945
Sexual Disorder	12	9	*
Other Diagnosis	415	358	376
Diagnosis Unknown	284	313	551

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	3,654	3,615	3,965
AGE			
Under 6	109	107	122
6 to 9	177	200	284
10 to 13	187	202	247
14 to 17	166	178	283
18 to 24	257	244	217
25 to 29	272	272	265
30 to 34	362	368	357
35 to 39	381	365	348
40 to 44	352	352	392
45 to 49	428	435	471
50 to 54	419	384	417
55 to 59	301	281	296
60 and Over	243	227	266
Age Unknown	0	0	0
GENDER			
Male	1,725	1,747	1,871
Female	1,929	1,868	2,094
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	3,249	3,222	3,566
African American	146	129	119
Native American / Alaskan	11	7	15
Asian / Pacific Islander	8	7	12
Hispanic	80	75	61
Other Race	160	175	192
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	120	116	126
Past or Current Military Service	106	102	101

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	949	890	738
High School Grad or G.E.D.	*	*	722
Associate Degree or Some College	0	*	327
Bachelor or Advanced Degree	0	0	87
Education Level Unknown	2,704	2,722	2,091
EMPLOYMENT			
Employed	130	89	190
Unemployed	143	141	1,426
Not in Labor Force	1,990	2,096	620
Employment Status Unknown	1,391	1,289	1,729
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,172	1,190	1,551
Dependent Living	966	1,023	696
Homeless	70	107	54
Other	0	*	41
Housing Unknown	1,446	1,294	1,623
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,913	2,028	2,550
School	15	19	30
Mental Health Provider	158	154	147
Health Care Provider	594	487	394
Court / Criminal Justice	251	230	132
Other	652	623	629
Referral Source Unknown	71	74	83
TYPE OF COMMITMENT			
Voluntary	3,536	3,480	3,804
Civil	13	30	34
Criminal	32	29	39
Sexual Predatory	*	*	*
Commitment Type Unknown	71	74	86

PSYCHIATRIC SERVICE AREA 11

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	11
POPULATION	
Census 2010	246,463
2014 Estimate	248,297

BIRTH RISK	2013	2012	2011
Resident Births--Total	3,058	3,071	3,055
Mother Reported Smoking while Pregnant	630	684	660

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	10	7	9
Hepatitis B Chronic, Acute, Prenatal	22	17	19
Hepatitis C Chronic and Acute	202	174	184
Tuberculosis Infection Cases	79	66	58

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	2,176	2,184	2,092
Suicides	37	41	33
Self-inflicted Injuries	276	257	277
Homicides	14	9	10
Assault Injuries	656	792	771
Alcohol Induced Deaths	12	18	17
Drug Induced Deaths	29	35	32
Smoking Attributable Deaths	407	427	402

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,302	1,143	1,063
Mental Illness Secondary Diagnosis	2,607	2,423	2,306
Alcohol Principal Diagnosis	80	58	42
Alcohol Secondary Diagnosis	186	152	145
Drug Principal Diagnosis	104	104	52
Drug Secondary Diagnosis	170	163	145
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	909	1,021	839
Mental Illness Secondary Diagnosis	3,418	3,960	4,062
Alcohol Principal Diagnosis	207	251	269
Alcohol Secondary Diagnosis	429	401	438
Drug Principal Diagnosis	135	129	150
Drug Secondary Diagnosis	206	220	227
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,045	1,959	1,916
Mental Illness Secondary Diagnosis	9,068	5,730	4,592
Alcohol Principal Diagnosis	430	395	430
Alcohol Secondary Diagnosis	511	399	390
Drug Principal Diagnosis	369	379	383
Drug Secondary Diagnosis	427	471	306

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	409	414	403
Alcohol Package Carry-out Licenses	270	280	284

EMPLOYMENT	2014	2013	2012
Labor Force	108,546	116,343	112,982
Employed	101,406	108,366	104,696
Unemployed	7,140	7,977	8,286
Unemployment Rate	6.6%	6.9%	7.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	281	269	275
Fatal Crashes	20	13	15
Injury Crashes	127	119	121
Property Damage Crashes	134	137	139
Crash Fatalities	22	13	15
Crash Injuries	193	177	175
Drug Involved Crashes--Total	54	40	46
Fatal Crashes	1	2	3
Injury Crashes	28	14	15
Property Damage Crashes	25	24	28
Crash Fatalities	1	2	3
Crash Injuries	39	19	18

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,255	1,521	1,708
Liquor Law Arrests	425	465	488
Drug Arrests	1,596	1,359	1,245
Violent Offenses	667	828	878
Property Offenses	5,325	5,887	5,849
Domestic Violence Reports	1,769	2,013	1,863
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	35	42	43

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	11,392	11,531	11,548
Drop-outs	200	216	270
Drop-out Rate	1.8%	1.9%	2.3%
School Discipline Involving Alcohol	28	21	56
School Discipline Involving Drugs	103	97	160
School Discipline Involving Tobacco	3	8	7

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	189	271	330
Juvenile Alcohol Offenses	45	70	68
Juvenile Drug Offenses	77	80	118
School Truancy Status Offense	188	292	349
Absent from Home Status Offense	97	125	132
Beyond Parental Control Status Offense	55	63	79
Injurious Behavior Status Offense	275	364	468
Child Abuse	360	571	641
Child Neglect	515	800	879
Child Custody Issues	9	8	3

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	330	293	310
Parental Alcohol Use Related	10	4	7
Parental Drug Use Related	73	78	101
Parental Alcohol and Drug Use	21	13	1

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	135	145	130
Probation/Parole Admissions--Drug	724	668	536
Probation/Parole Admissions--DWI	108	133	152
Prison Admissions--Drug	388	318	278
Prison Admissions--DWI	48	58	70

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 11

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	11
CENSUS 2010	246,463
2014 POPULATION ESTIMATE	248,297

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	93	83	69
Anxiety Disorder	1,141	977	836
Dementia	*	*	0
Developmental Disorder	29	16	16
Impulse Control Disorder	278	265	234
Mood Disorder	1,525	1,417	1,272
Personality Disorder	101	99	90
Psychotic Disorder	360	344	341
Sexual Disorder	6	*	*
Other Diagnosis	170	152	124
Diagnosis Unknown	151	107	173

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	2,294	2,061	1,933
AGE			
Under 6	39	22	15
6 to 9	131	98	86
10 to 13	189	152	170
14 to 17	210	218	171
18 to 24	171	178	162
25 to 29	171	159	146
30 to 34	210	176	169
35 to 39	194	150	159
40 to 44	196	194	157
45 to 49	224	206	226
50 to 54	243	218	205
55 to 59	172	150	135
60 and Over	144	140	132
Age Unknown	0	0	0
GENDER			
Male	1,042	909	862
Female	1,252	1,152	1,071
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	2,071	1,835	1,719
African American	124	118	116
Native American / Alaskan	7	12	7
Asian / Pacific Islander	*	5	*
Hispanic	40	33	35
Other Race	49	58	53
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	78	76	66
Past or Current Military Service	56	54	46

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	841	795	466
High School Grad or G.E.D.	0	6	420
Associate Degree or Some College	0	*	156
Bachelor or Advanced Degree	0	*	27
Education Level Unknown	1,453	1,254	864
EMPLOYMENT			
Employed	117	114	134
Unemployed	178	199	809
Not in Labor Force	1,398	1,371	284
Employment Status Unknown	601	377	706
HOUSING / LIVING ARRANGEMENT			
Independent Living	983	1,009	969
Dependent Living	711	687	362
Homeless	26	33	12
Other	0	0	17
Housing Unknown	574	332	573
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,414	1,170	1,057
School	8	7	*
Mental Health Provider	143	168	186
Health Care Provider	254	271	243
Court / Criminal Justice	152	133	127
Other	321	311	316
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	2,265	2,034	1,905
Civil	7	8	8
Criminal	19	14	18
Sexual Predatory	*	*	*
Commitment Type Unknown	*	*	*

PSYCHIATRIC SERVICE AREA 12

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	12
POPULATION	
Census 2010	334,670
2014 Estimate	343,938

BIRTH RISK	2013	2012	2011
Resident Births--Total	4,320	4,291	4,260
Mother Reported Smoking while Pregnant	804	801	812

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	8	8	11
Hepatitis B Chronic, Acute, Prenatal	41	37	26
Hepatitis C Chronic and Acute	228	246	245
Tuberculosis Infection Cases	451	287	321

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	2,993	2,788	2,940
Suicides	56	48	45
Self-inflicted Injuries	398	378	332
Homicides	12	10	12
Assault Injuries	981	985	1,025
Alcohol Induced Deaths	15	19	18
Drug Induced Deaths	42	37	43
Smoking Attributable Deaths	509	470	483

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,647	1,632	1,618
Mental Illness Secondary Diagnosis	5,188	6,279	6,614
Alcohol Principal Diagnosis	157	153	160
Alcohol Secondary Diagnosis	413	451	518
Drug Principal Diagnosis	68	88	73
Drug Secondary Diagnosis	300	311	303
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,621	1,504	1,227
Mental Illness Secondary Diagnosis	4,294	3,439	2,551
Alcohol Principal Diagnosis	458	404	340
Alcohol Secondary Diagnosis	538	418	335
Drug Principal Diagnosis	207	195	197
Drug Secondary Diagnosis	297	232	206
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,723	2,466	2,370
Mental Illness Secondary Diagnosis	10,739	8,708	8,676
Alcohol Principal Diagnosis	671	549	487
Alcohol Secondary Diagnosis	947	683	613
Drug Principal Diagnosis	357	380	313
Drug Secondary Diagnosis	780	553	532

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	454	452	448
Alcohol Package Carry-out Licenses	322	327	332

EMPLOYMENT	2014	2013	2012
Labor Force	176,998	178,245	174,480
Employed	167,922	168,800	164,420
Unemployed	9,076	9,445	10,060
Unemployment Rate	5.1%	5.3%	5.8%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	367	345	319
Fatal Crashes	12	14	13
Injury Crashes	152	157	118
Property Damage Crashes	203	174	188
Crash Fatalities	15	14	15
Crash Injuries	196	221	181
Drug Involved Crashes--Total	56	53	48
Fatal Crashes	3	2	6
Injury Crashes	19	30	18
Property Damage Crashes	34	21	24
Crash Fatalities	3	3	7
Crash Injuries	23	50	21

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,831	2,113	2,036
Liquor Law Arrests	819	1,022	1,137
Drug Arrests	2,135	2,333	2,166
Violent Offenses	965	1,044	1,121
Property Offenses	9,980	10,158	9,774
Domestic Violence Reports	2,656	2,898	2,825
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	25	23	49

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	14,038	14,096	14,050
Drop-outs	264	278	364
Drop-out Rate	1.9%	2.0%	2.6%
School Discipline Involving Alcohol	3	10	12
School Discipline Involving Drugs	53	78	65
School Discipline Involving Tobacco	0	1	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	505	539	553
Juvenile Alcohol Offenses	57	53	51
Juvenile Drug Offenses	176	183	173
School Truancy Status Offense	218	340	286
Absent from Home Status Offense	264	234	172
Beyond Parental Control Status Offense	322	470	451
Injurious Behavior Status Offense	575	660	680
Child Abuse	140	162	136
Child Neglect	435	529	360
Child Custody Issues	71	96	90

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	348	385	322
Parental Alcohol Use Related	9	10	24
Parental Drug Use Related	120	155	65
Parental Alcohol and Drug Use	9	7	11

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	344	398	404
Probation/Parole Admissions--Drug	822	822	740
Probation/Parole Admissions--DWI	152	175	207
Prison Admissions--Drug	510	452	440
Prison Admissions--DWI	92	105	116

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 12

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	12
CENSUS 2010	334,670
2014 POPULATION ESTIMATE	343,938

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	154	120	124
Anxiety Disorder	1,723	1,621	1,682
Dementia	8	*	8
Developmental Disorder	70	52	59
Impulse Control Disorder	520	464	517
Mood Disorder	2,384	2,332	2,375
Personality Disorder	370	370	369
Psychotic Disorder	620	632	616
Sexual Disorder	12	11	5
Other Diagnosis	252	203	193
Diagnosis Unknown	195	241	375

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	3,516	3,507	3,699
AGE			
Under 6	22	18	19
6 to 9	155	111	122
10 to 13	232	220	222
14 to 17	252	247	259
18 to 24	272	326	408
25 to 29	286	304	351
30 to 34	339	342	369
35 to 39	315	313	314
40 to 44	322	359	369
45 to 49	378	393	405
50 to 54	378	350	358
55 to 59	293	268	268
60 and Over	272	256	235
Age Unknown	0	0	0
GENDER			
Male	1,591	1,610	1,674
Female	1,925	1,897	2,025
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	2,711	2,696	2,912
African American	602	609	575
Native American / Alaskan	*	6	8
Asian / Pacific Islander	12	10	12
Hispanic	54	64	53
Other Race	133	122	139
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	114	112	103
Past or Current Military Service	90	90	94

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	1,120	1,037	746
High School Grad or G.E.D.	*	13	792
Associate Degree or Some College	0	*	404
Bachelor or Advanced Degree	0	*	96
Education Level Unknown	2,395	2,452	1,661
EMPLOYMENT			
Employed	327	313	342
Unemployed	299	473	1,583
Not in Labor Force	2,338	2,072	478
Employment Status Unknown	552	649	1,296
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,924	1,847	1,898
Dependent Living	896	887	518
Homeless	100	101	50
Other	0	*	51
Housing Unknown	596	671	1,182
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,599	1,475	1,787
School	22	22	14
Mental Health Provider	323	317	348
Health Care Provider	808	965	895
Court / Criminal Justice	286	312	250
Other	470	407	396
Referral Source Unknown	8	9	9
TYPE OF COMMITMENT			
Voluntary	3,447	3,439	3,626
Civil	11	9	12
Criminal	45	45	46
Sexual Predatory	*	5	5
Commitment Type Unknown	9	9	10

PSYCHIATRIC SERVICE AREA 13

DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	13
POPULATION	
Census 2010	80,509
2014 Estimate	78,490

BIRTH RISK	2013	2012	2011
Resident Births--Total	970	954	893
Mother Reported Smoking while Pregnant	236	246	226

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	3	0	0
Hepatitis B Chronic, Acute, Prenatal	7	8	2
Hepatitis C Chronic and Acute	32	37	43
Tuberculosis Infection Cases	8	7	13

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	975	979	977
Suicides	12	14	14
Self-inflicted Injuries	119	112	105
Homicides	0	4	6
Assault Injuries	180	172	179
Alcohol Induced Deaths	1	3	4
Drug Induced Deaths	12	9	6
Smoking Attributable Deaths	185	191	187

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	575	555	527
Mental Illness Secondary Diagnosis	1,539	1,774	2,014
Alcohol Principal Diagnosis	21	25	45
Alcohol Secondary Diagnosis	137	107	131
Drug Principal Diagnosis	33	23	31
Drug Secondary Diagnosis	91	120	65
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	166	160	144
Mental Illness Secondary Diagnosis	877	916	755
Alcohol Principal Diagnosis	11	26	25
Alcohol Secondary Diagnosis	84	112	73
Drug Principal Diagnosis	15	30	23
Drug Secondary Diagnosis	51	62	47
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	749	767	639
Mental Illness Secondary Diagnosis	2,039	2,204	1,848
Alcohol Principal Diagnosis	60	114	101
Alcohol Secondary Diagnosis	143	139	142
Drug Principal Diagnosis	90	94	70
Drug Secondary Diagnosis	151	142	120

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	79	91	89
Alcohol Package Carry-out Licenses	103	103	107

EMPLOYMENT	2014	2013	2012
Labor Force	36,976	38,835	37,641
Employed	34,791	36,513	35,119
Unemployed	2,185	2,322	2,522
Unemployment Rate	5.9%	6.0%	6.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	79	65	76
Fatal Crashes	3	3	4
Injury Crashes	32	33	34
Property Damage Crashes	44	29	38
Crash Fatalities	4	3	6
Crash Injuries	43	44	43
Drug Involved Crashes--Total	21	17	11
Fatal Crashes	0	0	1
Injury Crashes	10	10	5
Property Damage Crashes	11	7	5
Crash Fatalities	0	0	1
Crash Injuries	12	13	5

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	396	390	414
Liquor Law Arrests	72	91	168
Drug Arrests	391	381	374
Violent Offenses	179	128	158
Property Offenses	1,275	1,403	1,228
Domestic Violence Reports	460	498	482
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	1	4	10

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	3,672	3,734	3,725
Drop-outs	31	49	53
Drop-out Rate	0.8%	1.3%	1.4%
School Discipline Involving Alcohol	2	15	7
School Discipline Involving Drugs	8	13	18
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	75	68	60
Juvenile Alcohol Offenses	6	15	26
Juvenile Drug Offenses	14	16	17
School Truancy Status Offense	204	188	241
Absent from Home Status Offense	15	20	11
Beyond Parental Control Status Offense	54	71	70
Injurious Behavior Status Offense	116	96	99
Child Abuse	89	68	91
Child Neglect	215	184	171
Child Custody Issues	3	0	12

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	113	130	96
Parental Alcohol Use Related	0	5	6
Parental Drug Use Related	32	39	17
Parental Alcohol and Drug Use	4	3	3

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	95	98	94
Probation/Parole Admissions--Drug	266	246	210
Probation/Parole Admissions--DWI	46	40	41
Prison Admissions--Drug	185	151	140
Prison Admissions--DWI	31	33	27

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 13

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Western
PSYCHIATRIC SERVICE AREA	13
CENSUS 2010	80,509
2014 POPULATION ESTIMATE	78,490

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	35	37	40
Anxiety Disorder	615	585	669
Dementia	*	6	6
Developmental Disorder	43	42	41
Impulse Control Disorder	244	243	238
Mood Disorder	889	869	976
Personality Disorder	148	145	170
Psychotic Disorder	146	163	173
Sexual Disorder	6	6	0
Other Diagnosis	161	135	123
Diagnosis Unknown	55	43	87

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	1,265	1,236	1,382
AGE			
Under 6	6	9	7
6 to 9	81	77	73
10 to 13	133	129	124
14 to 17	119	125	115
18 to 24	121	117	116
25 to 29	84	71	107
30 to 34	101	99	110
35 to 39	96	84	103
40 to 44	113	110	144
45 to 49	92	108	118
50 to 54	119	98	125
55 to 59	91	94	119
60 and Over	109	115	121
Age Unknown	0	0	0
GENDER			
Male	563	527	567
Female	702	709	815
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,205	1,182	1,325
African American	19	14	20
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	21	22	19
Other Race	17	16	16
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	28	32	29
Past or Current Military Service	26	21	33

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	492	474	210
High School Grad or G.E.D.	18	54	268
Associate Degree or Some College	*	8	67
Bachelor or Advanced Degree	0	0	13
Education Level Unknown	753	700	824
EMPLOYMENT			
Employed	126	119	87
Unemployed	131	170	399
Not in Labor Force	858	775	173
Employment Status Unknown	150	172	723
HOUSING / LIVING ARRANGEMENT			
Independent Living	661	612	485
Dependent Living	441	434	227
Homeless	11	15	*
Other	0	0	6
Housing Unknown	152	175	662
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	647	590	598
School	22	27	19
Mental Health Provider	95	115	167
Health Care Provider	228	234	302
Court / Criminal Justice	116	101	113
Other	150	162	172
Referral Source Unknown	7	7	11
TYPE OF COMMITMENT			
Voluntary	1,255	1,223	1,367
Civil	*	*	*
Criminal	*	*	*
Sexual Predatory	0	0	0
Commitment Type Unknown	7	7	11

PSYCHIATRIC SERVICE AREA 14

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	14
POPULATION	
Census 2010	107,082
2014 Estimate	106,397

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,297	1,223	1,281
Mother Reported Smoking while Pregnant	309	291	308

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	3	4	3
Hepatitis B Chronic, Acute, Prenatal	3	5	2
Hepatitis C Chronic and Acute	52	56	62
Tuberculosis Infection Cases	19	18	24

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,149	1,180	1,143
Suicides	24	14	15
Self-inflicted Injuries	131	138	119
Homicides	4	2	0
Assault Injuries	176	219	219
Alcohol Induced Deaths	6	2	2
Drug Induced Deaths	15	14	14
Smoking Attributable Deaths	207	198	197

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	515	543	604
Mental Illness Secondary Diagnosis	1,958	2,251	2,530
Alcohol Principal Diagnosis	47	45	73
Alcohol Secondary Diagnosis	146	140	176
Drug Principal Diagnosis	22	21	35
Drug Secondary Diagnosis	95	72	82
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	155	165	142
Mental Illness Secondary Diagnosis	1,123	1,042	389
Alcohol Principal Diagnosis	31	38	12
Alcohol Secondary Diagnosis	105	109	51
Drug Principal Diagnosis	26	36	17
Drug Secondary Diagnosis	58	58	17
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	678	677	649
Mental Illness Secondary Diagnosis	1,201	1,043	1,763
Alcohol Principal Diagnosis	209	210	178
Alcohol Secondary Diagnosis	114	116	102
Drug Principal Diagnosis	96	89	97
Drug Secondary Diagnosis	76	65	65

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	149	153	159
Alcohol Package Carry-out Licenses	134	128	135

EMPLOYMENT	2014	2013	2012
Labor Force	50,918	55,288	52,384
Employed	47,938	52,170	49,181
Unemployed	2,980	3,118	3,203
Unemployment Rate	5.9%	5.6%	6.1%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	79	107	85
Fatal Crashes	3	4	3
Injury Crashes	34	56	43
Property Damage Crashes	42	47	39
Crash Fatalities	3	4	3
Crash Injuries	45	84	64
Drug Involved Crashes--Total	14	19	21
Fatal Crashes	2	1	0
Injury Crashes	6	6	7
Property Damage Crashes	6	12	14
Crash Fatalities	2	1	0
Crash Injuries	10	12	13

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	497	662	680
Liquor Law Arrests	241	373	408
Drug Arrests	548	620	603
Violent Offenses	209	204	260
Property Offenses	2,697	2,849	2,861
Domestic Violence Reports	545	637	803
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	70	118	103

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,796	4,828	4,779
Drop-outs	57	77	78
Drop-out Rate	1.2%	1.6%	1.6%
School Discipline Involving Alcohol	2	2	9
School Discipline Involving Drugs	8	15	11
School Discipline Involving Tobacco	0	0	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	121	119	89
Juvenile Alcohol Offenses	25	42	37
Juvenile Drug Offenses	37	26	30
School Truancy Status Offense	220	172	131
Absent from Home Status Offense	14	19	15
Beyond Parental Control Status Offense	117	136	125
Injurious Behavior Status Offense	281	335	411
Child Abuse	80	105	137
Child Neglect	396	439	441
Child Custody Issues	0	4	6

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	227	180	157
Parental Alcohol Use Related	5	0	1
Parental Drug Use Related	114	81	46
Parental Alcohol and Drug Use	12	9	3

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	140	156	142
Probation/Parole Admissions--Drug	316	325	255
Probation/Parole Admissions--DWI	61	75	84
Prison Admissions--Drug	183	181	160
Prison Admissions--DWI	26	29	46

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 14

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	14
CENSUS 2010	107,082
2014 POPULATION ESTIMATE	106,397

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	55	43	41
Anxiety Disorder	538	409	376
Dementia	*	*	*
Developmental Disorder	63	49	36
Impulse Control Disorder	501	381	356
Mood Disorder	1,075	981	961
Personality Disorder	127	76	66
Psychotic Disorder	322	323	317
Sexual Disorder	*	*	*
Other Diagnosis	222	173	158
Diagnosis Unknown	127	113	201

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	1,677	1,637	1,718
AGE			
Under 6	6	8	13
6 to 9	97	98	99
10 to 13	141	134	143
14 to 17	169	164	166
18 to 24	176	143	187
25 to 29	121	137	152
30 to 34	153	151	145
35 to 39	151	142	150
40 to 44	147	144	142
45 to 49	152	163	182
50 to 54	158	151	144
55 to 59	97	105	101
60 and Over	109	97	94
Age Unknown	0	0	0
GENDER			
Male	818	796	833
Female	859	839	885
Gender Unknown	0	*	0
RACE / ETHNICITY			
Caucasian	1,449	1,449	1,525
African American	151	119	132
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	*	0
Hispanic	33	26	17
Other Race	43	40	41
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	21	21	18
Past or Current Military Service	43	45	51

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	701	702	402
High School Grad or G.E.D.	0	36	456
Associate Degree or Some College	0	7	107
Bachelor or Advanced Degree	0	0	23
Education Level Unknown	976	892	730
EMPLOYMENT			
Employed	105	128	158
Unemployed	84	123	720
Not in Labor Force	1,237	1,176	197
Employment Status Unknown	251	210	643
HOUSING / LIVING ARRANGEMENT			
Independent Living	699	809	792
Dependent Living	636	540	372
Homeless	7	19	8
Other	0	*	8
Housing Unknown	335	268	538
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	447	513	511
School	7	8	9
Mental Health Provider	83	93	114
Health Care Provider	189	170	140
Court / Criminal Justice	39	48	71
Other	888	778	843
Referral Source Unknown	24	27	30
TYPE OF COMMITMENT			
Voluntary	1,631	1,588	1,670
Civil	*	*	*
Criminal	14	15	13
Sexual Predatory	*	*	*
Commitment Type Unknown	24	27	30

PSYCHIATRIC SERVICE AREA 15

DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	15
POPULATION	
Census 2010	119,620
2014 Estimate	119,981

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,368	1,396	1,445
Mother Reported Smoking while Pregnant	360	368	413

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	2	3
Hepatitis B Chronic, Acute, Prenatal	4	10	7
Hepatitis C Chronic and Acute	70	58	64
Tuberculosis Infection Cases	30	27	20

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,228	1,120	1,162
Suicides	19	20	21
Self-inflicted Injuries	162	199	230
Homicides	2	4	5
Assault Injuries	432	464	432
Alcohol Induced Deaths	6	6	5
Drug Induced Deaths	19	17	10
Smoking Attributable Deaths	227	227	214

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	601	508	571
Mental Illness Secondary Diagnosis	1,601	1,761	2,082
Alcohol Principal Diagnosis	38	33	24
Alcohol Secondary Diagnosis	116	108	131
Drug Principal Diagnosis	24	32	34
Drug Secondary Diagnosis	100	91	97
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	559	579	456
Mental Illness Secondary Diagnosis	1,862	1,603	1,244
Alcohol Principal Diagnosis	98	76	63
Alcohol Secondary Diagnosis	167	184	109
Drug Principal Diagnosis	65	51	54
Drug Secondary Diagnosis	105	110	73
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,000	980	946
Mental Illness Secondary Diagnosis	1,939	1,995	2,009
Alcohol Principal Diagnosis	131	168	171
Alcohol Secondary Diagnosis	211	195	175
Drug Principal Diagnosis	109	146	155
Drug Secondary Diagnosis	188	166	175

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	142	144	143
Alcohol Package Carry-out Licenses	140	145	152

EMPLOYMENT	2014	2013	2012
Labor Force	56,435	59,270	58,044
Employed	53,215	55,738	54,221
Unemployed	3,220	3,532	3,823
Unemployment Rate	5.7%	6.0%	6.6%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	97	129	120
Fatal Crashes	5	6	4
Injury Crashes	50	66	69
Property Damage Crashes	42	57	47
Crash Fatalities	5	6	3
Crash Injuries	65	85	91
Drug Involved Crashes--Total	23	22	28
Fatal Crashes	1	4	1
Injury Crashes	5	9	13
Property Damage Crashes	17	9	14
Crash Fatalities	1	6	1
Crash Injuries	7	18	13

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	495	526	644
Liquor Law Arrests	123	121	156
Drug Arrests	631	445	436
Violent Offenses	247	212	248
Property Offenses	2,434	2,597	2,591
Domestic Violence Reports	1,109	976	1,001
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	32	62	69

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,275	4,485	4,574
Drop-outs	111	141	136
Drop-out Rate	2.6%	3.1%	3.0%
School Discipline Involving Alcohol	12	3	1
School Discipline Involving Drugs	15	43	20
School Discipline Involving Tobacco	2	0	4

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	130	135	122
Juvenile Alcohol Offenses	29	31	29
Juvenile Drug Offenses	38	54	44
School Truancy Status Offense	99	131	117
Absent from Home Status Offense	29	21	17
Beyond Parental Control Status Offense	131	110	70
Injurious Behavior Status Offense	181	205	171
Child Abuse	51	51	43
Child Neglect	295	226	207
Child Custody Issues	19	25	11

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	149	129	118
Parental Alcohol Use Related	4	4	6
Parental Drug Use Related	38	28	40
Parental Alcohol and Drug Use	6	5	10

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	79	73	75
Probation/Parole Admissions--Drug	310	285	292
Probation/Parole Admissions--DWI	74	72	63
Prison Admissions--Drug	146	131	147
Prison Admissions--DWI	32	27	37

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 15

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Central
PSYCHIATRIC SERVICE AREA	15
CENSUS 2010	119,620
2014 POPULATION ESTIMATE	119,981

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	159	113	114
Anxiety Disorder	812	722	742
Dementia	10	10	11
Developmental Disorder	94	86	83
Impulse Control Disorder	626	604	616
Mood Disorder	1,339	1,296	1,362
Personality Disorder	192	197	207
Psychotic Disorder	305	280	265
Sexual Disorder	15	13	5
Other Diagnosis	228	202	187
Diagnosis Unknown	172	134	212

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	2,063	1,954	2,089
AGE			
Under 6	28	23	31
6 to 9	140	137	139
10 to 13	190	173	186
14 to 17	212	207	220
18 to 24	197	170	218
25 to 29	148	155	168
30 to 34	182	169	189
35 to 39	193	163	152
40 to 44	150	157	168
45 to 49	189	181	200
50 to 54	186	183	168
55 to 59	131	123	128
60 and Over	117	113	122
Age Unknown	0	0	0
GENDER			
Male	1,022	954	980
Female	1,041	1,000	1,109
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,844	1,755	1,888
African American	128	121	115
Native American / Alaskan	5	*	5
Asian / Pacific Islander	*	*	*
Hispanic	22	18	15
Other Race	61	54	64
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	65	57	66
Past or Current Military Service	45	46	51

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	739	671	310
High School Grad or G.E.D.	0	6	269
Associate Degree or Some College	0	*	75
Bachelor or Advanced Degree	0	0	14
Education Level Unknown	1,324	1,275	1,421
EMPLOYMENT			
Employed	153	150	121
Unemployed	171	138	469
Not in Labor Force	1,224	1,147	197
Employment Status Unknown	515	519	1,302
HOUSING / LIVING ARRANGEMENT			
Independent Living	677	673	548
Dependent Living	626	593	288
Homeless	18	14	5
Other	0	0	9
Housing Unknown	742	674	1,239
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,160	1,146	1,316
School	25	20	27
Mental Health Provider	156	177	157
Health Care Provider	164	170	182
Court / Criminal Justice	78	71	68
Other	478	368	336
Referral Source Unknown	*	*	*
TYPE OF COMMITMENT			
Voluntary	2,021	1,910	2,051
Civil	*	*	*
Criminal	30	32	27
Sexual Predatory	8	6	5
Commitment Type Unknown	*	*	*

PSYCHIATRIC SERVICE AREA 16

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	16
POPULATION	
Census 2010	547,056
2014 Estimate	569,079

BIRTH RISK	2013	2012	2011
Resident Births--Total	6,912	6,808	6,927
Mother Reported Smoking while Pregnant	1,060	1,073	1,044

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	17	19	11
Hepatitis B Chronic, Acute, Prenatal	23	27	22
Hepatitis C Chronic and Acute	282	230	276
Tuberculosis Infection Cases	128	122	97

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	4,093	3,967	3,984
Suicides	84	82	81
Self-inflicted Injuries	555	648	640
Homicides	9	12	15
Assault Injuries	1,241	1,537	1,443
Alcohol Induced Deaths	25	32	14
Drug Induced Deaths	105	78	103
Smoking Attributable Deaths	719	683	714

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	3,813	3,080	2,844
Mental Illness Secondary Diagnosis	6,704	5,503	5,715
Alcohol Principal Diagnosis	337	275	241
Alcohol Secondary Diagnosis	439	376	373
Drug Principal Diagnosis	299	292	380
Drug Secondary Diagnosis	364	285	308
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,660	3,423	3,231
Mental Illness Secondary Diagnosis	8,976	9,915	10,682
Alcohol Principal Diagnosis	244	282	261
Alcohol Secondary Diagnosis	907	1,013	962
Drug Principal Diagnosis	172	186	240
Drug Secondary Diagnosis	463	522	525
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	3,885	4,099	4,046
Mental Illness Secondary Diagnosis	20,259	20,935	13,657
Alcohol Principal Diagnosis	812	960	783
Alcohol Secondary Diagnosis	899	1,073	877
Drug Principal Diagnosis	758	831	1,013
Drug Secondary Diagnosis	1,326	1,616	1,220

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	671	664	680
Alcohol Package Carry-out Licenses	382	382	385

EMPLOYMENT	2014	2013	2012
Labor Force	304,893	295,586	295,351
Employed	288,607	277,574	275,780
Unemployed	16,286	18,012	19,571
Unemployment Rate	5.3%	6.1%	6.6%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	533	506	538
Fatal Crashes	12	18	18
Injury Crashes	202	200	197
Property Damage Crashes	319	288	323
Crash Fatalities	16	18	19
Crash Injuries	285	311	286
Drug Involved Crashes--Total	116	113	99
Fatal Crashes	3	7	5
Injury Crashes	38	44	33
Property Damage Crashes	75	62	61
Crash Fatalities	3	8	5
Crash Injuries	57	80	34

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	2,931	3,415	3,195
Liquor Law Arrests	515	931	861
Drug Arrests	2,694	2,611	2,653
Violent Offenses	868	881	1,015
Property Offenses	9,816	10,573	10,283
Domestic Violence Reports	2,706	2,424	2,502
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	155	221	288

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	26,950	26,682	26,312
Drop-outs	359	410	516
Drop-out Rate	1.3%	1.5%	2.0%
School Discipline Involving Alcohol	57	32	60
School Discipline Involving Drugs	195	328	405
School Discipline Involving Tobacco	5	8	3

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	410	471	485
Juvenile Alcohol Offenses	98	165	129
Juvenile Drug Offenses	258	284	290
School Truancy Status Offense	400	277	333
Absent from Home Status Offense	223	324	306
Beyond Parental Control Status Offense	24	48	73
Injurious Behavior Status Offense	182	203	232
Child Abuse	74	65	90
Child Neglect	563	527	498
Child Custody Issues	32	39	11

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	347	405	373
Parental Alcohol Use Related	13	11	22
Parental Drug Use Related	150	187	151
Parental Alcohol and Drug Use	11	11	17

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	459	572	559
Probation/Parole Admissions--Drug	933	923	869
Probation/Parole Admissions--DWI	274	277	264
Prison Admissions--Drug	488	426	438
Prison Admissions--DWI	103	112	111

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 16

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Eastern
PSYCHIATRIC SERVICE AREA	16
CENSUS 2010	547,056
2014 POPULATION ESTIMATE	569,079

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	83	69	70
Anxiety Disorder	2,592	2,144	1,995
Dementia	9	11	10
Developmental Disorder	176	173	170
Impulse Control Disorder	1,304	1,179	1,187
Mood Disorder	3,847	3,414	3,397
Personality Disorder	450	407	396
Psychotic Disorder	714	663	630
Sexual Disorder	10	10	*
Other Diagnosis	306	284	284
Diagnosis Unknown	214	269	429

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	5,333	4,878	4,946
AGE			
Under 6	34	35	26
6 to 9	442	414	387
10 to 13	523	488	511
14 to 17	556	533	531
18 to 24	485	435	485
25 to 29	408	387	425
30 to 34	478	416	426
35 to 39	414	346	348
40 to 44	399	378	413
45 to 49	455	447	442
50 to 54	517	469	439
55 to 59	339	291	272
60 and Over	283	239	241
Age Unknown	0	0	0
GENDER			
Male	2,541	2,351	2,405
Female	2,792	2,527	2,541
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	4,711	4,348	4,426
African American	311	258	276
Native American / Alaskan	7	7	11
Asian / Pacific Islander	16	14	12
Hispanic	97	83	72
Other Race	191	168	149
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	169	123	96
Past or Current Military Service	89	63	77

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	1,920	1,861	974
High School Grad or G.E.D.	8	71	659
Associate Degree or Some College	5	22	399
Bachelor or Advanced Degree	*	11	95
Education Level Unknown	3,397	2,913	2,819
EMPLOYMENT			
Employed	408	322	324
Unemployed	362	329	1,437
Not in Labor Force	2,994	2,856	700
Employment Status Unknown	1,569	1,371	2,485
HOUSING / LIVING ARRANGEMENT			
Independent Living	2,418	2,219	1,997
Dependent Living	1,240	1,214	655
Homeless	72	53	48
Other	*	0	35
Housing Unknown	1,602	1,392	2,211
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,701	1,269	948
School	720	668	544
Mental Health Provider	323	368	437
Health Care Provider	738	573	474
Court / Criminal Justice	155	153	158
Other	1,669	1,819	2,351
Referral Source Unknown	27	28	34
TYPE OF COMMITMENT			
Voluntary	5,262	4,801	4,861
Civil	8	12	11
Criminal	28	26	31
Sexual Predatory	*	*	*
Commitment Type Unknown	32	36	42

PSYCHIATRIC SERVICE AREA 17A

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	17A
POPULATION	
Census 2010	109,907
2014 Estimate	109,031

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,267	1,222	1,244
Mother Reported Smoking while Pregnant	327	276	305

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	0	2	1
Hepatitis B Chronic, Acute, Prenatal	9	7	9
Hepatitis C Chronic and Acute	89	125	98
Tuberculosis Infection Cases	89	47	88

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,179	1,176	1,223
Suicides	18	16	23
Self-inflicted Injuries	104	162	135
Homicides	3	2	6
Assault Injuries	376	383	398
Alcohol Induced Deaths	5	5	5
Drug Induced Deaths	14	28	25
Smoking Attributable Deaths	211	223	214

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	755	734	728
Mental Illness Secondary Diagnosis	1,582	1,677	1,776
Alcohol Principal Diagnosis	40	31	42
Alcohol Secondary Diagnosis	108	98	97
Drug Principal Diagnosis	176	138	86
Drug Secondary Diagnosis	115	83	104
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	524	548	442
Mental Illness Secondary Diagnosis	1,761	1,758	1,857
Alcohol Principal Diagnosis	71	84	61
Alcohol Secondary Diagnosis	136	186	163
Drug Principal Diagnosis	69	65	51
Drug Secondary Diagnosis	87	128	123
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,124	1,160	1,051
Mental Illness Secondary Diagnosis	8,034	8,101	7,253
Alcohol Principal Diagnosis	229	247	252
Alcohol Secondary Diagnosis	187	215	213
Drug Principal Diagnosis	185	216	224
Drug Secondary Diagnosis	250	252	183

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	150	154	153
Alcohol Package Carry-out Licenses	112	115	119

EMPLOYMENT	2014	2013	2012
Labor Force	48,729	53,958	51,355
Employed	45,560	50,587	47,756
Unemployed	3,169	3,371	3,599
Unemployment Rate	6.5%	6.2%	7.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	120	162	138
Fatal Crashes	4	12	9
Injury Crashes	43	75	59
Property Damage Crashes	73	75	70
Crash Fatalities	4	13	9
Crash Injuries	64	103	86
Drug Involved Crashes--Total	40	34	28
Fatal Crashes	1	0	0
Injury Crashes	13	18	13
Property Damage Crashes	26	16	15
Crash Fatalities	1	0	0
Crash Injuries	18	23	13

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	626	724	797
Liquor Law Arrests	132	192	293
Drug Arrests	738	831	736
Violent Offenses	302	259	322
Property Offenses	2,750	3,039	2,922
Domestic Violence Reports	354	525	600
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	75	108	122

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,862	4,879	4,888
Drop-outs	92	107	129
Drop-out Rate	1.9%	2.2%	2.6%
School Discipline Involving Alcohol	7	24	12
School Discipline Involving Drugs	24	35	28
School Discipline Involving Tobacco	2	2	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	87	144	231
Juvenile Alcohol Offenses	10	7	14
Juvenile Drug Offenses	17	27	47
School Truancy Status Offense	81	121	146
Absent from Home Status Offense	19	16	40
Beyond Parental Control Status Offense	62	68	61
Injurious Behavior Status Offense	50	52	112
Child Abuse	222	259	316
Child Neglect	302	542	454
Child Custody Issues	14	9	15

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	125	106	112
Parental Alcohol Use Related	3	5	1
Parental Drug Use Related	57	28	38
Parental Alcohol and Drug Use	4	5	10

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	89	94	94
Probation/Parole Admissions--Drug	373	424	391
Probation/Parole Admissions--DWI	54	61	46
Prison Admissions--Drug	204	153	168
Prison Admissions--DWI	28	19	22

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 17A

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	17A
CENSUS 2010	109,907
2014 POPULATION ESTIMATE	109,031

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	55	37	27
Anxiety Disorder	868	831	698
Dementia	0	0	*
Developmental Disorder	19	13	10
Impulse Control Disorder	269	216	217
Mood Disorder	1,107	1,062	938
Personality Disorder	82	82	85
Psychotic Disorder	186	187	179
Sexual Disorder	0	*	*
Other Diagnosis	103	68	58
Diagnosis Unknown	86	67	75

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	1,567	1,492	1,353
AGE			
Under 6	21	16	10
6 to 9	113	89	79
10 to 13	142	106	100
14 to 17	133	123	117
18 to 24	139	118	111
25 to 29	155	165	140
30 to 34	159	147	130
35 to 39	119	121	109
40 to 44	141	147	135
45 to 49	136	147	142
50 to 54	153	142	123
55 to 59	82	88	84
60 and Over	74	83	73
Age Unknown	0	0	0
GENDER			
Male	680	641	571
Female	887	851	782
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,506	1,425	1,282
African American	24	22	29
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	20	22	22
Other Race	13	19	17
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	42	46	37
Past or Current Military Service	32	32	25

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	553	585	324
High School Grad or G.E.D.	0	86	253
Associate Degree or Some College	0	33	89
Bachelor or Advanced Degree	0	*	11
Education Level Unknown	1,014	784	676
EMPLOYMENT			
Employed	56	76	86
Unemployed	62	239	523
Not in Labor Force	924	768	86
Employment Status Unknown	525	409	658
HOUSING / LIVING ARRANGEMENT			
Independent Living	556	697	560
Dependent Living	457	384	210
Homeless	20	20	6
Other	0	0	5
Housing Unknown	534	391	572
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,144	1,021	818
School	8	11	15
Mental Health Provider	19	24	22
Health Care Provider	155	158	151
Court / Criminal Justice	19	34	50
Other	220	244	297
Referral Source Unknown	*	0	0
TYPE OF COMMITMENT			
Voluntary	1,560	1,484	1,340
Civil	*	*	6
Criminal	6	*	6
Sexual Predatory	0	0	*
Commitment Type Unknown	0	0	0

PSYCHIATRIC SERVICE AREA 17B

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	17B
POPULATION	
Census 2010	101,184
2014 Estimate	101,304

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,134	1,151	1,190
Mother Reported Smoking while Pregnant	368	378	404

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	2	1
Hepatitis B Chronic, Acute, Prenatal	13	9	11
Hepatitis C Chronic and Acute	209	162	168
Tuberculosis Infection Cases	36	19	40

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,168	1,151	1,107
Suicides	19	24	15
Self-inflicted Injuries	245	225	218
Homicides	4	2	3
Assault Injuries	413	509	424
Alcohol Induced Deaths	3	9	6
Drug Induced Deaths	34	35	24
Smoking Attributable Deaths	242	246	225

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,524	1,365	1,587
Mental Illness Secondary Diagnosis	2,664	2,501	3,175
Alcohol Principal Diagnosis	58	45	52
Alcohol Secondary Diagnosis	186	152	164
Drug Principal Diagnosis	122	102	104
Drug Secondary Diagnosis	186	186	189
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	232	525	411
Mental Illness Secondary Diagnosis	1,943	2,460	1,852
Alcohol Principal Diagnosis	28	54	30
Alcohol Secondary Diagnosis	125	186	130
Drug Principal Diagnosis	35	58	32
Drug Secondary Diagnosis	129	155	88
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,388	1,687	1,829
Mental Illness Secondary Diagnosis	7,781	8,664	3,975
Alcohol Principal Diagnosis	205	176	203
Alcohol Secondary Diagnosis	240	315	265
Drug Principal Diagnosis	314	296	286
Drug Secondary Diagnosis	420	538	504

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	91	92	95
Alcohol Package Carry-out Licenses	86	86	89

EMPLOYMENT	2014	2013	2012
Labor Force	40,525	45,100	43,588
Employed	37,262	41,510	39,714
Unemployed	3,263	3,590	3,874
Unemployment Rate	8.1%	8.0%	8.9%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	100	108	126
Fatal Crashes	10	8	8
Injury Crashes	40	47	60
Property Damage Crashes	50	53	58
Crash Fatalities	11	8	11
Crash Injuries	56	64	90
Drug Involved Crashes--Total	40	32	38
Fatal Crashes	3	0	4
Injury Crashes	10	16	16
Property Damage Crashes	27	16	18
Crash Fatalities	3	0	4
Crash Injuries	16	20	19

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	406	507	558
Liquor Law Arrests	52	82	128
Drug Arrests	500	468	571
Violent Offenses	239	271	260
Property Offenses	2,585	2,630	2,407
Domestic Violence Reports	366	427	444
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	33	87	120

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,585	4,614	4,618
Drop-outs	77	73	126
Drop-out Rate	1.7%	1.6%	2.7%
School Discipline Involving Alcohol	1	4	3
School Discipline Involving Drugs	32	24	38
School Discipline Involving Tobacco	0	2	5

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	300	297	215
Juvenile Alcohol Offenses	16	10	11
Juvenile Drug Offenses	25	50	33
School Truancy Status Offense	222	180	172
Absent from Home Status Offense	17	13	12
Beyond Parental Control Status Offense	89	111	88
Injurious Behavior Status Offense	99	117	66
Child Abuse	63	80	75
Child Neglect	228	194	162
Child Custody Issues	4	1	2

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	140	126	101
Parental Alcohol Use Related	0	10	4
Parental Drug Use Related	60	56	41
Parental Alcohol and Drug Use	5	0	3

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	49	59	47
Probation/Parole Admissions--Drug	319	318	278
Probation/Parole Admissions--DWI	39	48	38
Prison Admissions--Drug	205	185	167
Prison Admissions--DWI	18	17	22

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 17B

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	17B
CENSUS 2010	101,184
2014 POPULATION ESTIMATE	101,304

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	15	20	21
Anxiety Disorder	347	326	278
Dementia	12	*	*
Developmental Disorder	29	29	24
Impulse Control Disorder	184	162	149
Mood Disorder	1,005	923	869
Personality Disorder	133	128	116
Psychotic Disorder	533	515	513
Sexual Disorder	133	119	136
Other Diagnosis	55	57	48
Diagnosis Unknown	211	274	283

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	2,210	2,136	2,067
AGE			
Under 6	15	14	8
6 to 9	88	69	61
10 to 13	102	104	119
14 to 17	131	120	126
18 to 24	158	171	161
25 to 29	165	169	149
30 to 34	198	205	176
35 to 39	184	185	167
40 to 44	233	199	189
45 to 49	200	215	225
50 to 54	262	237	245
55 to 59	208	197	189
60 and Over	266	251	252
Age Unknown	0	0	0
GENDER			
Male	1,277	1,221	1,198
Female	933	915	869
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	2,000	1,924	1,861
African American	155	162	157
Native American / Alaskan	*	*	5
Asian / Pacific Islander	*	*	*
Hispanic	15	17	19
Other Race	33	25	23
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	112	99	93
Past or Current Military Service	118	118	117

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	501	542	433
High School Grad or G.E.D.	0	*	379
Associate Degree or Some College	0	*	82
Bachelor or Advanced Degree	0	*	36
Education Level Unknown	1,709	1,588	1,137
EMPLOYMENT			
Employed	59	75	71
Unemployed	24	60	787
Not in Labor Force	986	990	146
Employment Status Unknown	1,141	1,011	1,063
HOUSING / LIVING ARRANGEMENT			
Independent Living	314	352	655
Dependent Living	740	752	374
Homeless	14	15	5
Other	0	0	21
Housing Unknown	1,142	1,017	1,012
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	655	646	634
School	22	18	16
Mental Health Provider	371	321	319
Health Care Provider	448	387	296
Court / Criminal Justice	313	332	343
Other	392	421	443
Referral Source Unknown	9	11	16
TYPE OF COMMITMENT			
Voluntary	1,913	1,847	1,770
Civil	5	6	8
Criminal	149	155	151
Sexual Predatory	141	126	136
Commitment Type Unknown	*	*	*

PSYCHIATRIC SERVICE AREA 18

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	18
POPULATION	
Census 2010	127,952
2014 Estimate	126,384

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,493	1,508	1,552
Mother Reported Smoking while Pregnant	428	393	408

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	4	2
Hepatitis B Chronic, Acute, Prenatal	10	12	10
Hepatitis C Chronic and Acute	125	150	120
Tuberculosis Infection Cases	12	34	31

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,608	1,498	1,510
Suicides	29	26	25
Self-inflicted Injuries	201	215	240
Homicides	6	8	8
Assault Injuries	246	264	302
Alcohol Induced Deaths	7	12	7
Drug Induced Deaths	16	18	10
Smoking Attributable Deaths	310	289	297

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,165	1,287	1,231
Mental Illness Secondary Diagnosis	2,271	2,488	2,551
Alcohol Principal Diagnosis	128	131	101
Alcohol Secondary Diagnosis	168	233	190
Drug Principal Diagnosis	204	184	109
Drug Secondary Diagnosis	134	163	155
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	198	180	163
Mental Illness Secondary Diagnosis	1,229	1,275	1,076
Alcohol Principal Diagnosis	27	49	52
Alcohol Secondary Diagnosis	116	132	121
Drug Principal Diagnosis	38	45	29
Drug Secondary Diagnosis	88	80	54
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	964	1,026	1,060
Mental Illness Secondary Diagnosis	5,317	4,327	2,437
Alcohol Principal Diagnosis	148	184	139
Alcohol Secondary Diagnosis	217	235	208
Drug Principal Diagnosis	140	176	154
Drug Secondary Diagnosis	198	202	213

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	85	86	91
Alcohol Package Carry-out Licenses	144	132	134

EMPLOYMENT	2014	2013	2012
Labor Force	49,313	58,305	56,124
Employed	45,561	54,334	51,923
Unemployed	3,752	3,971	4,201
Unemployment Rate	7.6%	6.8%	7.5%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	150	169	156
Fatal Crashes	8	9	2
Injury Crashes	59	72	85
Property Damage Crashes	83	88	69
Crash Fatalities	8	9	2
Crash Injuries	89	103	116
Drug Involved Crashes--Total	34	31	22
Fatal Crashes	0	0	0
Injury Crashes	10	19	13
Property Damage Crashes	24	12	9
Crash Fatalities	0	0	0
Crash Injuries	14	26	17

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	626	758	878
Liquor Law Arrests	141	165	207
Drug Arrests	1,011	941	808
Violent Offenses	288	335	245
Property Offenses	2,818	3,064	2,935
Domestic Violence Reports	759	565	367
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	30	56	43

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	5,858	5,940	5,991
Drop-outs	32	49	70
Drop-out Rate	0.5%	0.8%	1.2%
School Discipline Involving Alcohol	5	21	9
School Discipline Involving Drugs	23	33	64
School Discipline Involving Tobacco	2	1	3

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	87	125	98
Juvenile Alcohol Offenses	29	34	43
Juvenile Drug Offenses	30	53	41
School Truancy Status Offense	222	291	440
Absent from Home Status Offense	42	41	50
Beyond Parental Control Status Offense	106	138	155
Injurious Behavior Status Offense	129	225	249
Child Abuse	189	260	180
Child Neglect	552	749	519
Child Custody Issues	49	80	52

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	161	93	116
Parental Alcohol Use Related	6	7	5
Parental Drug Use Related	54	18	31
Parental Alcohol and Drug Use	11	13	3

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	128	149	138
Probation/Parole Admissions--Drug	340	293	290
Probation/Parole Admissions--DWI	51	59	62
Prison Admissions--Drug	160	142	119
Prison Admissions--DWI	20	30	23

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 18

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	18
CENSUS 2010	127,952
2014 POPULATION ESTIMATE	126,384

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	181	155	73
Anxiety Disorder	1,169	1,117	796
Dementia	9	13	*
Developmental Disorder	13	9	9
Impulse Control Disorder	312	331	220
Mood Disorder	1,630	1,703	1,284
Personality Disorder	121	90	58
Psychotic Disorder	203	205	165
Sexual Disorder	*	*	0
Other Diagnosis	107	91	66
Diagnosis Unknown	154	107	186

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	2,401	2,426	1,884
AGE			
Under 6	0	*	6
6 to 9	82	76	53
10 to 13	109	85	86
14 to 17	123	132	90
18 to 24	284	336	232
25 to 29	281	256	214
30 to 34	264	278	214
35 to 39	230	210	165
40 to 44	232	256	210
45 to 49	236	242	215
50 to 54	275	273	198
55 to 59	164	158	120
60 and Over	121	123	81
Age Unknown	0	0	0
GENDER			
Male	1,071	1,089	854
Female	1,330	1,337	1,030
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	2,323	2,348	1,826
African American	13	17	10
Native American / Alaskan	*	5	5
Asian / Pacific Islander	0	*	0
Hispanic	31	32	25
Other Race	30	22	18
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	60	66	70
Past or Current Military Service	58	54	48

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	564	637	284
High School Grad or G.E.D.	0	*	267
Associate Degree or Some College	0	0	59
Bachelor or Advanced Degree	0	0	15
Education Level Unknown	1,837	1,787	1,259
EMPLOYMENT			
Employed	258	302	94
Unemployed	274	425	537
Not in Labor Force	1,192	1,284	249
Employment Status Unknown	677	415	1,004
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,110	1,449	690
Dependent Living	337	331	162
Homeless	85	79	38
Other	0	*	*
Housing Unknown	869	566	990
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,297	1,404	837
School	*	*	5
Mental Health Provider	47	72	85
Health Care Provider	753	634	555
Court / Criminal Justice	41	43	63
Other	261	270	339
Referral Source Unknown	0	0	0
TYPE OF COMMITMENT			
Voluntary	2,394	2,414	1,874
Civil	*	5	*
Criminal	5	6	7
Sexual Predatory	*	*	0
Commitment Type Unknown	0	0	*

PSYCHIATRIC SERVICE AREA 19

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	19
POPULATION	
Census 2010	133,625
2014 Estimate	132,210

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,838	1,820	1,775
Mother Reported Smoking while Pregnant	522	569	523

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	8	7	2
Hepatitis B Chronic, Acute, Prenatal	6	14	10
Hepatitis C Chronic and Acute	174	204	178
Tuberculosis Infection Cases	30	51	33

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,830	1,686	1,769
Suicides	30	25	23
Self-inflicted Injuries	285	322	374
Homicides	6	3	9
Assault Injuries	645	696	671
Alcohol Induced Deaths	15	18	4
Drug Induced Deaths	30	37	34
Smoking Attributable Deaths	385	342	387

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,668	1,709	1,838
Mental Illness Secondary Diagnosis	3,033	3,104	3,321
Alcohol Principal Diagnosis	82	95	95
Alcohol Secondary Diagnosis	262	271	300
Drug Principal Diagnosis	137	134	131
Drug Secondary Diagnosis	180	198	189
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	435	405	433
Mental Illness Secondary Diagnosis	2,754	2,868	2,782
Alcohol Principal Diagnosis	40	50	41
Alcohol Secondary Diagnosis	155	207	168
Drug Principal Diagnosis	74	65	51
Drug Secondary Diagnosis	98	98	80
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,867	1,896	1,992
Mental Illness Secondary Diagnosis	3,721	1,413	1,315
Alcohol Principal Diagnosis	265	225	264
Alcohol Secondary Diagnosis	215	202	243
Drug Principal Diagnosis	249	252	248
Drug Secondary Diagnosis	273	250	252

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	143	148	154
Alcohol Package Carry-out Licenses	191	186	183

EMPLOYMENT	2014	2013	2012
Labor Force	55,171	62,627	60,984
Employed	50,747	57,989	56,086
Unemployed	4,424	4,638	4,898
Unemployment Rate	8.0%	7.4%	8.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	163	199	192
Fatal Crashes	8	12	8
Injury Crashes	75	101	88
Property Damage Crashes	80	86	96
Crash Fatalities	10	13	8
Crash Injuries	105	163	131
Drug Involved Crashes--Total	55	45	49
Fatal Crashes	2	2	2
Injury Crashes	26	25	29
Property Damage Crashes	27	18	18
Crash Fatalities	2	2	3
Crash Injuries	36	35	38

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	673	934	1,002
Liquor Law Arrests	166	270	180
Drug Arrests	1,177	1,145	1,295
Violent Offenses	564	630	527
Property Offenses	4,829	4,779	4,637
Domestic Violence Reports	823	786	656
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	9	29	58

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	6,233	6,224	6,058
Drop-outs	85	134	210
Drop-out Rate	1.4%	2.2%	3.5%
School Discipline Involving Alcohol	12	8	9
School Discipline Involving Drugs	79	33	38
School Discipline Involving Tobacco	1	3	2

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	191	177	212
Juvenile Alcohol Offenses	23	29	12
Juvenile Drug Offenses	37	31	33
School Truancy Status Offense	117	124	93
Absent from Home Status Offense	43	55	67
Beyond Parental Control Status Offense	133	135	123
Injurious Behavior Status Offense	21	48	31
Child Abuse	198	196	201
Child Neglect	616	783	542
Child Custody Issues	14	20	6

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	333	308	239
Parental Alcohol Use Related	5	15	14
Parental Drug Use Related	184	129	92
Parental Alcohol and Drug Use	4	8	11

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	222	254	182
Probation/Parole Admissions--Drug	477	474	510
Probation/Parole Admissions--DWI	58	80	88
Prison Admissions--Drug	284	260	235
Prison Admissions--DWI	41	41	52

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 19

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	19
CENSUS 2010	133,625
2014 POPULATION ESTIMATE	132,210

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	107	71	26
Anxiety Disorder	288	236	168
Dementia	*	*	*
Developmental Disorder	6	11	5
Impulse Control Disorder	174	175	127
Mood Disorder	1,331	1,203	907
Personality Disorder	17	16	19
Psychotic Disorder	330	288	257
Sexual Disorder	6	6	*
Other Diagnosis	41	27	37
Diagnosis Unknown	282	203	260

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	2,394	2,093	1,663
AGE			
Under 6	11	13	7
6 to 9	144	107	71
10 to 13	173	141	108
14 to 17	151	137	99
18 to 24	175	163	133
25 to 29	194	173	137
30 to 34	213	191	152
35 to 39	248	203	144
40 to 44	223	202	172
45 to 49	238	217	201
50 to 54	253	229	171
55 to 59	170	146	128
60 and Over	201	171	140
Age Unknown	0	0	0
GENDER			
Male	1,066	930	784
Female	1,328	1,163	879
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	2,039	1,821	1,436
African American	280	224	188
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	0	0
Hispanic	31	19	16
Other Race	42	27	22
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	84	79	71
Past or Current Military Service	51	46	47

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	701	574	325
High School Grad or G.E.D.	*	*	300
Associate Degree or Some College	0	0	56
Bachelor or Advanced Degree	0	0	7
Education Level Unknown	1,692	1,517	975
EMPLOYMENT			
Employed	74	22	37
Unemployed	130	36	564
Not in Labor Force	1,256	1,025	178
Employment Status Unknown	934	1,010	884
HOUSING / LIVING ARRANGEMENT			
Independent Living	969	700	607
Dependent Living	421	364	209
Homeless	26	6	7
Other	0	*	18
Housing Unknown	978	1,022	822
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	813	660	485
School	56	40	34
Mental Health Provider	252	231	221
Health Care Provider	491	488	354
Court / Criminal Justice	358	340	309
Other	412	317	237
Referral Source Unknown	12	17	23
TYPE OF COMMITMENT			
Voluntary	2,347	2,039	1,595
Civil	6	*	*
Criminal	25	30	39
Sexual Predatory	5	5	*
Commitment Type Unknown	11	16	21

PSYCHIATRIC SERVICE AREA 20

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	20
POPULATION	
Census 2010	102,473
2014 Estimate	101,274

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,317	1,282	1,293
Mother Reported Smoking while Pregnant	386	353	380

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	1	0	3
Hepatitis B Chronic, Acute, Prenatal	2	4	7
Hepatitis C Chronic and Acute	117	87	62
Tuberculosis Infection Cases	5	17	14

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,244	1,237	1,279
Suicides	17	16	17
Self-inflicted Injuries	177	179	197
Homicides	3	8	2
Assault Injuries	409	427	395
Alcohol Induced Deaths	5	5	6
Drug Induced Deaths	22	18	7
Smoking Attributable Deaths	262	247	272

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,230	1,220	1,253
Mental Illness Secondary Diagnosis	2,191	1,618	2,220
Alcohol Principal Diagnosis	31	60	73
Alcohol Secondary Diagnosis	179	173	221
Drug Principal Diagnosis	68	60	75
Drug Secondary Diagnosis	138	144	196
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	172	160	128
Mental Illness Secondary Diagnosis	1,636	1,909	1,283
Alcohol Principal Diagnosis	49	50	34
Alcohol Secondary Diagnosis	141	179	138
Drug Principal Diagnosis	31	32	26
Drug Secondary Diagnosis	103	115	65
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,084	1,071	984
Mental Illness Secondary Diagnosis	1,239	1,945	1,031
Alcohol Principal Diagnosis	154	145	155
Alcohol Secondary Diagnosis	144	193	189
Drug Principal Diagnosis	138	142	130
Drug Secondary Diagnosis	171	166	187

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	95	99	104
Alcohol Package Carry-out Licenses	108	106	109

EMPLOYMENT	2014	2013	2012
Labor Force	47,406	50,968	49,715
Employed	44,020	47,422	46,091
Unemployed	3,386	3,546	3,624
Unemployment Rate	7.1%	7.0%	7.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	121	97	117
Fatal Crashes	6	5	5
Injury Crashes	52	46	45
Property Damage Crashes	63	46	67
Crash Fatalities	8	5	7
Crash Injuries	78	69	60
Drug Involved Crashes--Total	37	40	51
Fatal Crashes	0	0	4
Injury Crashes	14	13	26
Property Damage Crashes	23	27	21
Crash Fatalities	0	0	6
Crash Injuries	15	19	28

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	606	713	697
Liquor Law Arrests	93	138	127
Drug Arrests	650	606	639
Violent Offenses	514	656	495
Property Offenses	2,482	2,536	2,298
Domestic Violence Reports	973	1,138	1,046
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	14	32	56

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	4,728	4,800	4,746
Drop-outs	39	32	66
Drop-out Rate	0.8%	0.7%	1.4%
School Discipline Involving Alcohol	1	7	12
School Discipline Involving Drugs	38	12	26
School Discipline Involving Tobacco	3	6	3

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	170	207	152
Juvenile Alcohol Offenses	46	50	67
Juvenile Drug Offenses	56	53	60
School Truancy Status Offense	326	227	176
Absent from Home Status Offense	29	40	32
Beyond Parental Control Status Offense	80	47	72
Injurious Behavior Status Offense	172	110	116
Child Abuse	113	105	79
Child Neglect	343	304	305
Child Custody Issues	125	182	238

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	283	268	305
Parental Alcohol Use Related	11	9	7
Parental Drug Use Related	140	115	140
Parental Alcohol and Drug Use	6	4	14

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	133	134	116
Probation/Parole Admissions--Drug	422	413	439
Probation/Parole Admissions--DWI	67	76	59
Prison Admissions--Drug	187	220	225
Prison Admissions--DWI	33	24	32

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 20

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	20
CENSUS 2010	102,473
2014 POPULATION ESTIMATE	101,274

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	114	126	157
Anxiety Disorder	574	606	618
Dementia	7	7	8
Developmental Disorder	12	22	27
Impulse Control Disorder	307	343	345
Mood Disorder	1,420	1,424	1,341
Personality Disorder	148	178	215
Psychotic Disorder	344	332	323
Sexual Disorder	*	*	*
Other Diagnosis	173	186	210
Diagnosis Unknown	133	208	216

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	2,351	2,436	2,258
AGE			
Under 6	23	21	27
6 to 9	126	132	129
10 to 13	192	213	199
14 to 17	235	255	252
18 to 24	197	218	190
25 to 29	217	210	180
30 to 34	218	221	197
35 to 39	177	192	167
40 to 44	192	208	173
45 to 49	205	209	223
50 to 54	248	227	217
55 to 59	161	159	146
60 and Over	160	171	158
Age Unknown	0	0	0
GENDER			
Male	1,015	1,071	1,014
Female	1,336	1,365	1,244
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,918	2,031	1,880
African American	351	314	286
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	*	*
Hispanic	23	42	35
Other Race	53	45	52
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	46	58	55
Past or Current Military Service	35	43	34

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	1,021	1,023	355
High School Grad or G.E.D.	0	0	215
Associate Degree or Some College	0	*	45
Bachelor or Advanced Degree	0	0	8
Education Level Unknown	1,330	1,412	1,635
EMPLOYMENT			
Employed	135	142	58
Unemployed	175	181	441
Not in Labor Force	1,425	1,357	214
Employment Status Unknown	616	756	1,545
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,241	1,073	558
Dependent Living	711	810	227
Homeless	27	16	15
Other	0	0	6
Housing Unknown	372	537	1,452
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,031	965	956
School	39	53	41
Mental Health Provider	254	296	264
Health Care Provider	384	392	337
Court / Criminal Justice	147	160	150
Other	492	565	505
Referral Source Unknown	*	5	5
TYPE OF COMMITMENT			
Voluntary	2,330	2,418	2,240
Civil	*	*	5
Criminal	13	11	8
Sexual Predatory	*	*	*
Commitment Type Unknown	*	*	*

PSYCHIATRIC SERVICE AREA 21

DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	21
POPULATION	
Census 2010	137,379
2014 Estimate	139,921

BIRTH RISK	2013	2012	2011
Resident Births--Total	1,604	1,595	1,566
Mother Reported Smoking while Pregnant	357	350	360

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases	3	3	8
Hepatitis B Chronic, Acute, Prenatal	9	10	7
Hepatitis C Chronic and Acute	90	87	77
Tuberculosis Infection Cases	39	52	54

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,426	1,390	1,411
Suicides	21	20	19
Self-inflicted Injuries	152	161	169
Homicides	7	2	3
Assault Injuries	449	508	412
Alcohol Induced Deaths	9	5	2
Drug Induced Deaths	18	18	24
Smoking Attributable Deaths	275	257	247

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,242	1,207	1,346
Mental Illness Secondary Diagnosis	2,801	2,555	2,746
Alcohol Principal Diagnosis	61	95	83
Alcohol Secondary Diagnosis	215	169	218
Drug Principal Diagnosis	57	79	67
Drug Secondary Diagnosis	129	149	175
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	129	189	119
Mental Illness Secondary Diagnosis	1,341	1,555	1,432
Alcohol Principal Diagnosis	57	48	26
Alcohol Secondary Diagnosis	141	180	145
Drug Principal Diagnosis	23	23	18
Drug Secondary Diagnosis	72	92	85
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,426	1,320	1,490
Mental Illness Secondary Diagnosis	3,303	4,760	2,132
Alcohol Principal Diagnosis	224	215	246
Alcohol Secondary Diagnosis	219	245	278
Drug Principal Diagnosis	201	188	207
Drug Secondary Diagnosis	323	323	279

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	215	216	211
Alcohol Package Carry-out Licenses	133	130	129

EMPLOYMENT	2014	2013	2012
Labor Force	71,249	72,265	69,915
Employed	67,117	68,032	65,690
Unemployed	4,132	4,233	4,225
Unemployment Rate	5.8%	5.9%	6.0%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	123	132	135
Fatal Crashes	2	7	0
Injury Crashes	48	58	60
Property Damage Crashes	73	67	75
Crash Fatalities	2	7	0
Crash Injuries	70	79	72
Drug Involved Crashes--Total	33	24	40
Fatal Crashes	1	2	0
Injury Crashes	17	11	18
Property Damage Crashes	15	11	22
Crash Fatalities	1	2	0
Crash Injuries	26	19	18

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	782	912	968
Liquor Law Arrests	149	263	283
Drug Arrests	687	504	585
Violent Offenses	452	399	434
Property Offenses	3,440	4,204	3,973
Domestic Violence Reports	947	837	800
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	13	21	35

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	6,964	5,310	5,452
Drop-outs	121	121	152
Drop-out Rate	1.7%	2.3%	2.8%
School Discipline Involving Alcohol	10	12	9
School Discipline Involving Drugs	44	40	45
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	154	196	162
Juvenile Alcohol Offenses	22	22	43
Juvenile Drug Offenses	43	61	54
School Truancy Status Offense	134	161	63
Absent from Home Status Offense	83	82	67
Beyond Parental Control Status Offense	75	71	92
Injurious Behavior Status Offense	205	163	58
Child Abuse	77	55	69
Child Neglect	346	207	107
Child Custody Issues	92	45	86

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	138	128	141
Parental Alcohol Use Related	6	2	6
Parental Drug Use Related	55	56	47
Parental Alcohol and Drug Use	9	4	11

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	97	107	139
Probation/Parole Admissions--Drug	342	344	329
Probation/Parole Admissions--DWI	63	86	76
Prison Admissions--Drug	161	152	154
Prison Admissions--DWI	30	45	45

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 21

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Southeast
PSYCHIATRIC SERVICE AREA	21
CENSUS 2010	137,379
2014 POPULATION ESTIMATE	139,921

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	402	361	428
Anxiety Disorder	631	522	590
Dementia	*	0	*
Developmental Disorder	7	8	6
Impulse Control Disorder	688	564	728
Mood Disorder	2,515	2,028	2,469
Personality Disorder	42	50	50
Psychotic Disorder	380	350	387
Sexual Disorder	*	*	*
Other Diagnosis	138	115	151
Diagnosis Unknown	278	379	916

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	4,439	3,862	5,167
AGE			
Under 6	10	7	17
6 to 9	207	178	288
10 to 13	341	286	407
14 to 17	380	287	427
18 to 24	462	396	599
25 to 29	401	392	473
30 to 34	426	383	523
35 to 39	401	355	455
40 to 44	382	327	421
45 to 49	367	360	446
50 to 54	417	358	433
55 to 59	308	263	318
60 and Over	337	270	360
Age Unknown	0	0	0
GENDER			
Male	1,963	1,685	2,241
Female	2,476	2,177	2,926
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	3,828	3,297	4,361
African American	259	241	279
Native American / Alaskan	6	7	*
Asian / Pacific Islander	*	*	6
Hispanic	215	206	385
Other Race	128	108	134
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	182	174	229
Past or Current Military Service	102	83	111

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	495	534	342
High School Grad or G.E.D.	0	*	273
Associate Degree or Some College	0	0	76
Bachelor or Advanced Degree	0	0	35
Education Level Unknown	3,944	3,327	4,441
EMPLOYMENT			
Employed	41	50	84
Unemployed	40	47	571
Not in Labor Force	996	965	179
Employment Status Unknown	3,362	2,800	4,333
HOUSING / LIVING ARRANGEMENT			
Independent Living	557	535	553
Dependent Living	540	525	386
Homeless	12	15	9
Other	0	0	14
Housing Unknown	3,330	2,787	4,205
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	2,724	2,435	3,570
School	64	35	40
Mental Health Provider	325	265	305
Health Care Provider	519	480	531
Court / Criminal Justice	114	114	142
Other	678	520	563
Referral Source Unknown	15	13	16
TYPE OF COMMITMENT			
Voluntary	4,403	3,828	5,122
Civil	0	*	8
Criminal	20	19	19
Sexual Predatory	*	*	*
Commitment Type Unknown	13	11	14

PSYCHIATRIC SERVICE AREA 22

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	22
POPULATION	
Census 2010	218,733
2014 Estimate	222,716

BIRTH RISK	2013	2012	2011
Resident Births--Total	2,639	2,702	2,662
Mother Reported Smoking while Pregnant	561	603	602

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases		4	4
Hepatitis B Chronic, Acute, Prenatal	11	7	13
Hepatitis C Chronic and Acute	145	113	122
Tuberculosis Infection Cases	45	39	51

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	1,834	1,839	1,822
Suicides	35	46	41
Self-inflicted Injuries	208	251	279
Homicides	3	7	4
Assault Injuries	453	491	523
Alcohol Induced Deaths	15	9	12
Drug Induced Deaths	63	61	54
Smoking Attributable Deaths	354	376	355

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,594	1,691	1,659
Mental Illness Secondary Diagnosis	2,267	1,896	1,970
Alcohol Principal Diagnosis	44	52	33
Alcohol Secondary Diagnosis	141	103	101
Drug Principal Diagnosis	96	98	132
Drug Secondary Diagnosis	148	108	95
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	984	1,134	960
Mental Illness Secondary Diagnosis	4,716	5,353	5,065
Alcohol Principal Diagnosis	103	109	82
Alcohol Secondary Diagnosis	411	405	387
Drug Principal Diagnosis	107	107	119
Drug Secondary Diagnosis	235	272	280
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,388	1,328	1,299
Mental Illness Secondary Diagnosis	6,371	5,478	4,493
Alcohol Principal Diagnosis	248	237	197
Alcohol Secondary Diagnosis	225	193	208
Drug Principal Diagnosis	356	367	421
Drug Secondary Diagnosis	370	328	273

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	177	181	183
Alcohol Package Carry-out Licenses	147	146	148

EMPLOYMENT	2014	2013	2012
Labor Force	115,975	115,155	115,338
Employed	108,717	107,194	106,839
Unemployed	7,258	7,961	8,499
Unemployment Rate	6.3%	6.9%	7.4%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	214	236	240
Fatal Crashes	8	6	7
Injury Crashes	94	101	102
Property Damage Crashes	112	129	131
Crash Fatalities	8	7	8
Crash Injuries	147	141	142
Drug Involved Crashes--Total	45	52	33
Fatal Crashes	1	5	1
Injury Crashes	22	22	18
Property Damage Crashes	22	25	14
Crash Fatalities	1	6	1
Crash Injuries	28	31	23

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,474	1,787	1,609
Liquor Law Arrests	663	677	826
Drug Arrests	1,681	1,614	1,563
Violent Offenses	454	448	548
Property Offenses	4,144	4,390	4,462
Domestic Violence Reports	1,233	1,333	1,423
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	205	223	346

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	10,646	10,525	10,668
Drop-outs	154	195	247
Drop-out Rate	1.4%	1.9%	2.3%
School Discipline Involving Alcohol	9	7	26
School Discipline Involving Drugs	94	106	109
School Discipline Involving Tobacco	0	1	4

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	381	376	395
Juvenile Alcohol Offenses	85	84	60
Juvenile Drug Offenses	117	121	131
School Truancy Status Offense	227	143	172
Absent from Home Status Offense	64	64	69
Beyond Parental Control Status Offense	71	32	38
Injurious Behavior Status Offense	71	59	76
Child Abuse	228	242	40
Child Neglect	495	430	56
Child Custody Issues	164	209	377

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	352	368	284
Parental Alcohol Use Related	18	16	8
Parental Drug Use Related	145	215	150
Parental Alcohol and Drug Use	11	6	12

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	115	105	100
Probation/Parole Admissions--Drug	473	401	338
Probation/Parole Admissions--DWI	127	150	120
Prison Admissions--Drug	245	168	141
Prison Admissions--DWI	41	51	63

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 22

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Eastern
PSYCHIATRIC SERVICE AREA	22
CENSUS 2010	218,733
2014 POPULATION ESTIMATE	222,716

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	39	34	38
Anxiety Disorder	1,085	1,003	960
Dementia	12	10	12
Developmental Disorder	61	49	52
Impulse Control Disorder	340	335	348
Mood Disorder	1,575	1,496	1,459
Personality Disorder	365	381	403
Psychotic Disorder	312	293	296
Sexual Disorder	*	5	*
Other Diagnosis	174	156	152
Diagnosis Unknown	87	99	127

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	1,982	1,916	1,934
AGE			
Under 6	6	5	7
6 to 9	34	36	34
10 to 13	71	70	76
14 to 17	111	106	119
18 to 24	164	168	175
25 to 29	195	182	210
30 to 34	252	223	220
35 to 39	196	178	179
40 to 44	195	206	202
45 to 49	219	238	238
50 to 54	240	227	218
55 to 59	164	160	137
60 and Over	135	117	119
Age Unknown	0	0	0
GENDER			
Male	851	816	839
Female	1,131	1,100	1,095
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,897	1,823	1,840
African American	37	44	44
Native American / Alaskan	*	*	*
Asian / Pacific Islander	8	9	7
Hispanic	12	13	12
Other Race	26	25	27
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	14	13	15
Past or Current Military Service	40	38	39

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	431	442	353
High School Grad or G.E.D.	0	*	357
Associate Degree or Some College	0	0	174
Bachelor or Advanced Degree	0	0	31
Education Level Unknown	1,551	1,473	1,019
EMPLOYMENT			
Employed	213	191	200
Unemployed	151	121	687
Not in Labor Force	897	864	153
Employment Status Unknown	721	740	894
HOUSING / LIVING ARRANGEMENT			
Independent Living	890	797	904
Dependent Living	370	395	167
Homeless	18	12	8
Other	0	0	9
Housing Unknown	704	712	846
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	799	765	841
School	8	6	7
Mental Health Provider	130	162	168
Health Care Provider	452	388	310
Court / Criminal Justice	96	108	102
Other	476	460	475
Referral Source Unknown	21	27	31
TYPE OF COMMITMENT			
Voluntary	1,951	1,874	1,888
Civil	*	*	8
Criminal	8	10	7
Sexual Predatory	*	*	*
Commitment Type Unknown	20	27	30

PSYCHIATRIC SERVICE AREA 23

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	23
POPULATION	
Census 2010	998,954
2014 Estimate	1,001,876

BIRTH RISK	2013	2012	2011
Resident Births--Total	11,510	11,534	11,934
Mother Reported Smoking while Pregnant	978	1,046	1,116

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases		136	97
Hepatitis B Chronic, Acute, Prenatal	111	109	102
Hepatitis C Chronic and Acute	573	506	584
Tuberculosis Infection Cases	565	407	494

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	9,452	9,364	9,177
Suicides	133	134	131
Self-inflicted Injuries	818	929	950
Homicides	77	82	72
Assault Injuries	3,347	3,886	3,785
Alcohol Induced Deaths	53	65	49
Drug Induced Deaths	172	149	161
Smoking Attributable Deaths	1,439	1,465	1,401

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	5,138	3,942	4,794
Mental Illness Secondary Diagnosis	11,358	8,692	10,470
Alcohol Principal Diagnosis	421	323	341
Alcohol Secondary Diagnosis	943	479	887
Drug Principal Diagnosis	472	437	570
Drug Secondary Diagnosis	1,002	584	836
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	5,774	7,070	6,114
Mental Illness Secondary Diagnosis	20,100	24,273	21,502
Alcohol Principal Diagnosis	589	737	632
Alcohol Secondary Diagnosis	2,038	2,436	2,023
Drug Principal Diagnosis	380	429	382
Drug Secondary Diagnosis	1,292	1,687	1,388
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	7,697	7,678	6,860
Mental Illness Secondary Diagnosis	25,209	24,388	19,262
Alcohol Principal Diagnosis	1,740	1,767	1,674
Alcohol Secondary Diagnosis	1,595	1,770	1,549
Drug Principal Diagnosis	1,242	1,294	1,304
Drug Secondary Diagnosis	1,896	1,892	1,875

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	1,243	1,230	1,255
Alcohol Package Carry-out Licenses	648	644	662

EMPLOYMENT	2014	2013	2012
Labor Force	530,449	513,847	513,956
Employed	499,383	480,389	479,555
Unemployed	31,066	33,458	34,401
Unemployment Rate	5.9%	6.5%	6.7%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	695	773	772
Fatal Crashes	11	9	12
Injury Crashes	238	270	261
Property Damage Crashes	446	494	499
Crash Fatalities	16	10	13
Crash Injuries	321	369	379
Drug Involved Crashes--Total	146	136	126
Fatal Crashes	3	1	3
Injury Crashes	57	62	58
Property Damage Crashes	86	73	65
Crash Fatalities	5	1	3
Crash Injuries	73	84	56

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	4,635	5,247	5,144
Liquor Law Arrests	1,140	1,493	1,523
Drug Arrests	7,832	8,312	8,263
Violent Offenses	2,972	3,020	3,071
Property Offenses	24,712	26,824	28,609
Domestic Violence Reports	3,884	4,336	4,889
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	102	74	130

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	44,895	45,928	46,496
Drop-outs	979	1,060	1,223
Drop-out Rate	2.2%	2.3%	2.6%
School Discipline Involving Alcohol	62	74	77
School Discipline Involving Drugs	322	340	411
School Discipline Involving Tobacco	8	8	6

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	1,305	1,395	1,382
Juvenile Alcohol Offenses	124	173	166
Juvenile Drug Offenses	354	412	450
School Truancy Status Offense	368	362	310
Absent from Home Status Offense	961	1,033	930
Beyond Parental Control Status Offense	149	143	162
Injurious Behavior Status Offense	99	107	60
Child Abuse	477	428	523
Child Neglect	1,013	869	938
Child Custody Issues	136	152	140

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	405	372	415
Parental Alcohol Use Related	10	5	10
Parental Drug Use Related	89	83	102
Parental Alcohol and Drug Use	6	3	7

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	349	325	260
Probation/Parole Admissions--Drug	1,002	797	680
Probation/Parole Admissions--DWI	352	274	259
Prison Admissions--Drug	284	294	297
Prison Admissions--DWI	72	69	55

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 23

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Eastern
PSYCHIATRIC SERVICE AREA	23
CENSUS 2010	998,954
2014 POPULATION ESTIMATE	1,001,876

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	37	46	60
Anxiety Disorder	756	641	598
Dementia	6	5	*
Developmental Disorder	36	42	46
Impulse Control Disorder	656	559	549
Mood Disorder	3,152	2,957	2,862
Personality Disorder	296	236	213
Psychotic Disorder	1,729	1,698	1,659
Sexual Disorder	7	6	9
Other Diagnosis	127	114	113
Diagnosis Unknown	419	482	590

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	5,674	5,536	5,535
AGE			
Under 6	27	29	13
6 to 9	180	158	165
10 to 13	315	284	301
14 to 17	429	418	450
18 to 24	536	542	561
25 to 29	433	430	461
30 to 34	509	473	462
35 to 39	431	429	424
40 to 44	490	495	471
45 to 49	603	624	650
50 to 54	647	655	611
55 to 59	530	502	448
60 and Over	544	497	518
Age Unknown	0	0	0
GENDER			
Male	2,747	2,691	2,734
Female	2,927	2,845	2,801
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	2,681	2,610	2,667
African American	2,677	2,646	2,597
Native American / Alaskan	*	*	5
Asian / Pacific Islander	24	29	21
Hispanic	77	63	66
Other Race	211	184	179
Race/Ethnicity Unknown	0	0	0
TREATMENT ACCOMMODATION			
Hearing Impaired	194	202	178
Past or Current Military Service	114	108	119

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	1,152	1,150	791
High School Grad or G.E.D.	0	*	846
Associate Degree or Some College	0	*	404
Bachelor or Advanced Degree	0	0	278
Education Level Unknown	4,522	4,379	3,216
EMPLOYMENT			
Employed	341	329	336
Unemployed	465	445	1,885
Not in Labor Force	2,626	2,648	476
Employment Status Unknown	2,242	2,114	2,838
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,357	1,313	2,102
Dependent Living	1,874	1,945	580
Homeless	115	87	82
Other	0	0	48
Housing Unknown	2,328	2,191	2,723
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,208	1,259	1,352
School	121	102	102
Mental Health Provider	749	812	930
Health Care Provider	999	893	737
Court / Criminal Justice	264	286	341
Other	2,323	2,176	2,057
Referral Source Unknown	10	8	16
TYPE OF COMMITMENT			
Voluntary	5,579	5,435	5,413
Civil	13	15	22
Criminal	66	71	82
Sexual Predatory	5	7	9
Commitment Type Unknown	11	8	9

PSYCHIATRIC SERVICE AREAS 24, 25

DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	24, 25
POPULATION	
Census 2010	319,294
2014 Estimate	317,419

BIRTH RISK	2013	2012	2011
Resident Births--Total	4,694	4,696	4,957
Mother Reported Smoking while Pregnant	657	707	749

DISEASE INCIDENCE [1]	2013	2012	2011
HIV/AIDS Cases		127	122
Hepatitis B Chronic, Acute, Prenatal	73	68	53
Hepatitis C Chronic and Acute	774	780	823
Tuberculosis Infection Cases	626	581	616

DEATHS and INJURIES	2013	2012	2011
Resident Deaths--Total	2,960	2,911	2,991
Suicides	38	31	43
Self-inflicted Injuries	370	458	483
Homicides	89	93	93
Assault Injuries	2,800	2,965	3,046
Alcohol Induced Deaths	57	44	33
Drug Induced Deaths	102	68	96
Smoking Attributable Deaths	467	461	468

HOSPITAL EPISODES [2]	2013	2012	2011
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	3,748	2,449	3,098
Mental Illness Secondary Diagnosis	5,749	2,928	3,783
Alcohol Principal Diagnosis	293	143	252
Alcohol Secondary Diagnosis	930	255	525
Drug Principal Diagnosis	543	422	509
Drug Secondary Diagnosis	1,339	588	748
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,080	3,047	2,517
Mental Illness Secondary Diagnosis	4,472	7,506	6,759
Alcohol Principal Diagnosis	276	404	284
Alcohol Secondary Diagnosis	850	1,420	1,101
Drug Principal Diagnosis	219	294	245
Drug Secondary Diagnosis	824	1,621	1,313
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,156	4,594	4,377
Mental Illness Secondary Diagnosis	11,798	9,932	9,182
Alcohol Principal Diagnosis	1,811	1,845	1,573
Alcohol Secondary Diagnosis	1,410	1,361	1,190
Drug Principal Diagnosis	1,061	1,052	1,252
Drug Secondary Diagnosis	1,899	1,993	2,535

ALCOHOL OUTLETS	2014	2013	2012
Alcohol On-Premise Drink Licenses	790	783	772
Alcohol Package Carry-out Licenses	164	168	176

EMPLOYMENT	2014	2013	2012
Labor Force	161,200	139,644	139,939
Employed	148,789	126,965	126,924
Unemployed	12,411	12,679	13,015
Unemployment Rate	7.7%	9.1%	9.3%

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved Crashes--Total	135	152	124
Fatal Crashes	2	2	5
Injury Crashes	58	55	55
Property Damage Crashes	75	95	64
Crash Fatalities	2	2	5
Crash Injuries	98	85	112
Drug Involved Crashes--Total	21	21	14
Fatal Crashes	0	0	1
Injury Crashes	8	10	10
Property Damage Crashes	13	11	3
Crash Fatalities	0	0	1
Crash Injuries	20	14	8

POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	287	343	263
Liquor Law Arrests	576	715	537
Drug Arrests	3,414	3,940	4,167
Violent Offenses	5,083	5,664	5,950
Property Offenses	21,349	22,231	25,861
Domestic Violence Reports	2,488	2,628	2,329
	2014	**2013**	**2012**
Methamphetamine Lab Seizures	23	41	41

SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	8,066	8,353	9,053
Drop-outs	1,225	1,050	1,646
Drop-out Rate	15.2%	12.6%	18.2%
School Discipline Involving Alcohol	5	0	4
School Discipline Involving Drugs	123	131	179
School Discipline Involving Tobacco	1	0	1

JUVENILE COURT REFERRALS [3]	2013	2012	2011
Juvenile Violent Offenses	398	546	583
Juvenile Alcohol Offenses	0	6	4
Juvenile Drug Offenses	89	102	83
School Truancy Status Offense	198	169	216
Absent from Home Status Offense	46	42	51
Beyond Parental Control Status Offense	63	78	83
Injurious Behavior Status Offense	5	10	6
Child Abuse	33	50	63
Child Neglect	610	436	517
Child Custody Issues	72	53	94

JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home Placements--Total	291	214	213
Parental Alcohol Use Related	5	3	2
Parental Drug Use Related	68	76	49
Parental Alcohol and Drug Use	1	3	0

CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	446	527	564
Probation/Parole Admissions--Drug	1,494	1,485	1,324
Probation/Parole Admissions--DWI	11	8	16
Prison Admissions--Drug	617	609	594
Prison Admissions--DWI	3	4	4

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREAS 24, 25

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES

DBH REGION	Eastern
PSYCHIATRIC SERVICE AREA	24, 25
CENSUS 2010	319,294
2014 POPULATION ESTIMATE	317,419

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	54	79	84
Anxiety Disorder	675	567	531
Dementia	10	6	11
Developmental Disorder	27	23	28
Impulse Control Disorder	699	701	629
Mood Disorder	3,440	3,156	3,039
Personality Disorder	322	274	275
Psychotic Disorder	2,521	2,429	2,466
Sexual Disorder	14	11	7
Other Diagnosis	186	142	117
Diagnosis Unknown	548	632	843

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2014	FY2013	FY2012
NUMBER SERVED			
Total Individuals	6,797	6,686	6,716
AGE			
Under 6	17	19	17
6 to 9	287	274	218
10 to 13	309	308	300
14 to 17	357	379	336
18 to 24	440	470	499
25 to 29	441	444	470
30 to 34	540	519	544
35 to 39	490	474	496
40 to 44	622	604	609
45 to 49	777	797	893
50 to 54	938	961	948
55 to 59	866	786	758
60 and Over	713	651	628
Age Unknown	0	0	0
GENDER			
Male	3,478	3,434	3,443
Female	3,319	3,252	3,273
Gender Unknown	0	0	0
RACE / ETHNICITY			
Caucasian	1,675	1,675	1,705
African American	4,833	4,744	4,741
Native American / Alaskan	5	5	*
Asian / Pacific Islander	28	24	24
Hispanic	58	53	50
Other Race	198	184	192
Race/Ethnicity Unknown	0	*	*
TREATMENT ACCOMMODATION			
Hearing Impaired	201	178	171
Past or Current Military Service	197	188	208

	FY2014	FY2013	FY2012
EDUCATION			
Less than High School Diploma	1,803	1,912	1,170
High School Grad or G.E.D.	*	*	735
Associate Degree or Some College	0	*	362
Bachelor or Advanced Degree	0	0	191
Education Level Unknown	4,993	4,772	4,258
EMPLOYMENT			
Employed	308	295	279
Unemployed	341	325	1,922
Not in Labor Force	3,538	3,605	725
Employment Status Unknown	2,610	2,461	3,790
HOUSING / LIVING ARRANGEMENT			
Independent Living	2,266	2,192	2,089
Dependent Living	1,509	1,699	672
Homeless	324	260	186
Other	0	0	61
Housing Unknown	2,698	2,535	3,708
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	2,383	2,460	2,584
School	44	47	40
Mental Health Provider	739	805	877
Health Care Provider	1,049	910	725
Court / Criminal Justice	399	433	511
Other	2,137	1,977	1,920
Referral Source Unknown	46	54	59
TYPE OF COMMITMENT			
Voluntary	6,539	6,398	6,417
Civil	27	30	28
Criminal	181	201	207
Sexual Predatory	*	*	7
Commitment Type Unknown	46	53	57