R

BHEW Bulletin

Prescription Drug Misuse in Missouri



Prescription drugs misuse is using medicines in a manner or dose which is not prescribed to an individual. When used appropriately, prescription drugs can cure health problems but the misuse deteriorates health (Table 1).



In 2018 and 2019, 6.4 M individuals, 12 years and older, misused the prescription drugs within the past month in US. 3





It is a rapidly growing public health problem with a significant economic burden in the US.⁴

Drug Category	Use ¹	Misuse consequence ²
Opioids	Pain, Cough, Diarrhea	Drowsiness, nausea, constipation, and, depending on the amount taken, slowed breathing.
Depressants	Anxiety, Panic, Mood Disorders	Slurred speech, shallow breathing, fatigue, disorientation, lack of coordination, and seizures upon withdrawal from chronic use.
Stimulants	Attention- Deficit/Hyperactivity Disorder (ADHD), Narcolepsy	Paranoia, dangerously high body temperatures, and an irregular heartbeat.

Table 1: Prescription drugs: Use and misuse consequences

Among 6-12 graders in Missouri,⁵ the past-month prescription drug misuse is declining since 2016. It is still more than the past month marijuana use (Fig 1). The most commonly misused prescription drug among the same population is pain medication (Fig 2). This finding is consistent with national data.³ The opioid epidemic in the state is affecting individuals of all races, all gender, and many age groups in rural and urban areas.⁶





Behavioral Health



Epidemiology Workgroup For more information please contact the BHEW at 314-516-8412 or susan.depue@mimh.edu





Fig 2: Percentage of past-year prescription drugs misused, MSS 2020

Prescription Drugs Misuse and Covid-19

Covid-19 pandemic had a great impact on emotional and psychological well-being of people. Substance use and misuse increased in the country due to lockdown and unemployment during pandemic.⁷ A Facebook survey was administered by Missouri Institute of Mental health. It assessed the impact of pandemic on substance abuse among Missourians aged 18 years and older.⁸ The findings on prescription drug misuse from this survey is -



7. CDC

References

- 1. National Institute on Drug Abuse
- 2. SAMHSA
- 3. National Survey on Drug Use and Health
- 4. Florence et. al.
- 5. Missouri Student Survey
- 6. MO DHSS

```
Behavioral Health
```



8. Missouri Department of Mental Health